

FUELTECH ACCOUNTING

Cashier and Manager Training Guide

A step-by-step print guide for daily station reports, pump readings, price setup, bank deposits, and correction requests.

CASHIER LINK**/cashier**

Submit shift reports

MANAGER LINK**/manager**

Prices and deposits

SHIFT 1**4 AM - 1 PM****SHIFT 2 / 3****1 PM - 10****PM / 10 PM -****4 AM**

Training rule: Staff should never guess. If the date, shift, pump number, product, or deposit coverage looks wrong, stop and ask before pressing confirm.

Print version: cashier and manager only

Use with <https://fueltechphil.vercel.app>

1. What The System Does

Cashier records the shift

The cashier enters pump closing readings, underground tank readings, deductions, PO/PR, oil sales, Coke ending, and then submits the shift report.

Manager controls prices and deposits

The manager enters fuel prices and bank deposits. If a deposit is wrong, the manager requests change/removal and waits for admin approval.

Daily Flow

Correct Daily Order

Simple flow

ORDER	PERSON	ACTION	RESULT
1	Manager	Enter fuel prices	Cashier can calculate sales
2	Cashier	Enter pump and shift report	Report becomes Submitted
3	Manager	Enter bank deposit	Deposit waits for admin verification
4	Admin	Review and verify	Summary and reports are trusted

Shift Times

SHIFT 1

4:00 AM to 1:00 PM

SHIFT 2

1:00 PM to 10:00 PM

SHIFT 3

10:00 PM to 4:00 AM

Important: Shift 3 after midnight still belongs to the shift that started at 10:00 PM. Example: 2:00 AM on July 10 is still July 9 Shift 3.

2. Cashier Login and First Check

1

Open cashier page

Go to <https://fueltechphil.vercel.app/cashier>. Select the correct branch, enter cashier PIN, then press **Proceed**.

Cashier Branch AccessLogin

SELECTED BRANCH
Liloan

CASHIER PIN

Proceed

2

Check branch, date, and shift before typing

The report information is the first thing to check. If branch/date/shift is wrong, do not type readings yet.

Report InformationCheck first

BRANCH
Liloan

REPORT DATE
2026-07-09

ACTIVE SHIFT
Shift 1 - 4 AM
to 1 PM

STATUS
Draft

3

Enter cashier name

Use the real cashier/teller name for that shift. This helps admin trace who submitted the report.

CASHIER NAME
Example: Jhunmar

Do not share PINs. Cashier uses cashier login only. Manager uses manager login only. Do not let one person use another role.

3. Cashier First Opening Setup

Opening setup appears only when the system has no previous confirmed readings. This is the starting point of the station.

First Opening Setup

Only when starting from zero

PUMP	NOZZLE	FIRST OPENING PUMP READING
Pump 1	Premium	408967.16
Pump 1	Regular	325929.76
Pump 1	Diesel	212631.95

FIRST OPENING UNDERGROUND TANK
Example: 3,500 L

COKE BEGINNING
Example: 24

Confirm First Opening

Do

- Copy the exact pump reading from the register.
- Use decimals when the pump has decimals.
- Enter underground tank beginning inventory.
- Confirm only once the starting values are correct.

Do Not

- Do not guess starting pump readings.
- Do not switch Premium and Regular.
- Do not put tank dip numbers into pump readings.
- Do not press confirm if one number looks wrong.

After opening setup is confirmed: the system carries the previous closing into the next shift automatically. Cashier should only type current closing after that.

4. Cashier Pump Reading Register

This is the most important cashier section. Official fuel sales come from pump readings.

Official Pump Reading Register				Sales source
PUMP	NOZZLE	PREVIOUS SHIFT CLOSING	CURRENT CLOSING	LITERS SOLD
Pump 1	Premium	408967.16	409019.92	52.76 L
Pump 1	Regular	325929.76	326030.05	100.29 L
Pump 1	Diesel	212631.95	212631.95	0 L

How To Understand This

GRAY NUMBER

Previous Shift Closing

Read-only. Do not change. It comes from the last submitted shift.

WHITE INPUT

Current Closing

Cashier types the current pump register reading here.

FORMULA

Current - Previous

This becomes liters sold.

Correct examples

- Previous 1000, Current 1015 = 15 L sold.
- Previous 1000, Current 1000 = 0 L sold. This is allowed if no gasoline/no sales.
- Decimal numbers like 1015.50 are allowed.

Blocked example

- Previous 1000, Current 990 = not allowed.
- This means negative liters and the report should not be submitted.

Closed station / no gasoline: If there were no sales, input the same number in Current Closing as Previous Shift Closing. The system will count it as 0 liters sold.

5. Cashier Underground Tank

The underground tank section checks inventory. It is not the official sales source. Official fuel sales still come from pump readings.

Underground Tank

Reference check

TANK	PREVIOUS SHIFT DIP	DELIVERY	PULL- OUT	CALIBRATION	CURRENT ACTUAL DIP	DIFFERENCE
Premium	3,500 L	0	0	0	3,447.24	Check
Diesel	4,200 L	2,000	0	10	6,190	Check

DELIVERY

Fuel added

Enter liters delivered into the tank.

PULL-OUT

Fuel removed

Enter fuel pulled out from tank.

CALIBRATION

Test fuel

Enter liters used for calibration and returned to the tank.

ACTUAL DIP

Measured tank

Enter the real dip reading at shift end.

Calibration rule: If fuel was used for calibration and returned to the tank, enter the calibration liters. The system reduces official sales by calibration liters, but does not treat it as missing from the tank.

6. Cashier Deductions, PO/PR, Oil, Coke

Deductions

Cash not on hand

FUELTECH PAY TOTAL
Card + GCash +
Paymaya

POINTS ISSUED
Type amount
issued

POINTS WITHDRAWN
Auto: Cash +
Fuel Redemption

OTHER DEDUCTIONS
Only if
applicable

PO and Purchase Requests

Cash taken from station

Oil Sales and Coke Count

End of shift

OIL SALES
Example: 1200

COKE BEGINNING
Read-only

COKE ENDING
Type ending
count

COKE SOLD
Auto

Do

- Use FuelTech Pay Total for all non-cash payments together.
- Use PO/PR only for real approved station transactions.
- Enter Coke Ending only. Beginning is carried forward.

Do Not

- Do not enter the same PO/PR twice.
- Do not manually type Points Withdrawn if it is shown as read-only.
- Do not put cash deposit amount under deductions.

7. Cashier Submit Report

1

Fix warnings first

If the app says previous shift is missing, opening missing, closing lower than opening, or price missing for sold liters, fix it before submitting.

2

Press Submit Shift Report

This opens a final confirmation popup. This is the last chance to go back.

Report Information

Ready

Submit Shift Report

3

Confirm Report popup

Read the branch, shift, and total liters. If correct, press **Confirm Report**. If not sure, press **Go Back**.

Submit this shift report?

Final check

- Liloan - Shift 1 - 4:00 AM to 1:00 PM
- Total liters: 153.05 L
- Status after submit: Submitted

Go Back**Confirm Report**

Submitted means sent to admin. Do not press confirm if the cashier is not finished or if numbers were copied from the wrong paper.

If A Wrong Date/Shift Is Needed

Cashier cannot freely change old shifts. Use **Request Date Correction**. Admin must approve before the old shift opens again.

8. Manager Login and Fuel Price Setup

1

Open manager page

Go to <https://fueltechphil.vercel.app/manager>. Select your own branch only. Enter manager PIN and press **Proceed**.

2

Enter fuel prices before cashier submits

Choose price effective date, pricing coverage, then enter Premium, Regular, and Diesel manager price.

Fuel Price SetupManager

BRANCH Liloan	PRICE EFFECTIVE DATE 2026-07-09	PRICING COVERAGE Daily	PRICING BASIS Carries forward
PREMIUM MANAGER PRICE 72.50		REGULAR MANAGER PRICE 71.50	
DIESEL MANAGER PRICE 67.80			
Confirm Fuel Prices			

Daily price

Use **Daily** when the same price applies to the whole day and carries forward until changed.

Shift price

Use **Shift** only when a specific shift has a different price.

Do not leave prices blank when there are sales. Cashier reports with sold liters need a price to calculate fuel sales.

9. Manager Price Change During Shift

Use this only if the fuel price changed in the middle of a shift. Do not use it for normal daily prices.

Price Change During Shift

Only if price changed mid-shift

PRODUCT
 Regular

EFFECTIVE TIME
 13:30

NEW MANAGER PRICE
 72.00

PUMP	NOZZLE	OPENING	PRICE-CHANGE READING	CURRENT CLOSING
Pump 1	Regular	325929.76	325950.00	326030.05
Pump 2	Regular	209393.00	209410.00	209455.00

Manager Must Know

- The price-change reading must be between opening and current closing.
- Enter the reading for every matching nozzle/product.
- If price did not change in the middle of the shift, leave this section closed.
- Wrong price-change readings can make sales look wrong.

10. Manager Daily Bank Deposit

Deposit entries explain where the station cash went. They must be attached to the correct sales date and covered shifts.

Daily Bank Deposit

Manager

DEPOSIT DATE
2026-07-10

BANK
BDO

SALES DATE COVERED
2026-07-09

REFERENCE
123456

COVERS
Shift 2 + Shift 3

AMOUNT
100000

WILL COUNT UNDER
Shift 2, Shift 3

Save Daily Bank Deposit

Deposit Examples

SITUATION	DEPOSIT DATE	SALES DATE COVERED	COVERS
Depositing yesterday Shift 2 and Shift 3 today	Today	Yesterday	Shift 2 + Shift 3
Depositing all shifts of one sales date together	Deposit day	Sales day	All Shifts
Depositing only today Shift 1	Today	Today	Shift 1

Do not double count deposits. If one bank deposit covers multiple shifts, enter it once using the correct coverage. Do not enter the same 100,000 separately under Shift 1, Shift 2, and Shift 3.

11. Manager Deposit History and Requests

Managers can view their own station deposit history. If something is wrong, they request a change/removal. Admin approves before anything changes.

Deposit History

Last 7 days by default

DEPOSIT FROM
2026-07-03

DEPOSIT TO
2026-07-10

SALES DATE	COUNTED SHIFT	DEPOSIT DATE	BANK	AMOUNT	STATUS	ACTION
2026-07-09	Shift 2 + Shift 3	2026-07-10	BDO	100000	Pending	Request Change / Removal
2026-07-08	Shift 1	2026-07-08	BPI	58000	Verified	Request Change / Removal

Use Request Change when

- Amount is wrong.
- Bank or reference is wrong.
- Deposit date or sales date is wrong.

Use Request Removal when

- The deposit was entered twice.
- The deposit belongs to another station.
- The deposit was attached to the wrong sales date and should be removed.

12. Quick Troubleshooting

MESSAGE / PROBLEM	MEANING	WHAT TO DO
Previous shift is missing	The report before this one was not submitted.	Press Go to Missing Shift and complete it first.
Closing pump reading is lower than opening	Current closing is less than previous closing.	Check if number was typed wrong or product was switched.
Pump price is missing or zero	There are sold liters but no price.	Manager must enter price, then cashier can submit.
0 liters sold	Current closing equals previous closing.	Allowed if station had no gasoline/no sales.
Check Required	System sees unusually high liters or variance.	Review pump readings, deposits, PO/PR, and deductions.
Not saved online yet	Device has not finished syncing.	Keep page open until saved online.
Currently being edited on another device	Same report is open elsewhere.	Wait. Do not submit from two devices.

Simple Formula Staff Should Remember

LITERS SOLD

**Current Closing -
Previous Closing**

FUEL SALES

**Liters Sold x
Price**

EXPECTED CASH

**Gross Sales -
Deductions**

Final Cashier Before-Submit Check

- Correct branch
- Correct date
- Correct shift
- Cashier name filled
- Pump readings copied exactly
- No product switched
- Tank dip entered
- Delivery/pull-out/calibration entered if any
- FuelTech Pay Total entered
- PO/PR entered if any
- Oil sales entered if any
- Coke ending entered
- No warning ignored
- Confirm popup checked

Sticker Reminders - Cashier

Print this page and cut into small reminders for the cashier area.

Before Typing

- Check branch.
- Check report date.
- Check shift time.
- Enter real cashier name.

Pump Reading Rule

- Type Current Closing only.
- Gray Previous Closing is read-only.
- Current lower than previous is wrong.
- Same number is OK for zero sales.

Zero Sales / No Gasoline

- Previous: 1000
- Current: 1000
- Liters Sold: 0 L
- This is allowed.

Submit Rule

- Read the confirm popup.
- If unsure, press Go Back.
- Submit only when finished.

Sticker sheet

Cashier

Sticker Reminders - Manager

Print this page and cut into small reminders for the manager area.

Fuel Price Setup

- Set effective date.
- Choose Daily unless one shift only.
- Enter Premium, Regular, Diesel.
- Press Confirm Fuel Prices.

Bank Deposit Rule

- Deposit Date = day money was deposited.
- Sales Date Covered = shift sales day.
- Covers = shift/s included.

Combined Deposit

- One bank deposit covering many shifts?
- Enter it once.
- Pick Shift 2 + Shift 3 or All Shifts.

If Deposit Is Wrong

- Do not secretly edit.
- Press Request Change or Removal.
- Wait for admin approval.

Sticker sheet

Manager