http://localhost:4321/

Performance	Accessibility	Best Practices	SEO
61	100	100	100

61

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 50–89 90–100

METRICS Expand view

▲ First Contentful Paint
6.1 s

▲ Largest Contentful Paint
7.3 s

Total Blocking Time
50 ms

Cumulative Layout Shift
0

▲ Speed Index
6.1 s

Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

▲ Improve image delivery — Est savings of 100 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. Learn more about optimizing image size FCP LCP Unscored

	URL	Resource Size	Est Savings
localhost 1st Party		119.8 KiB	100.2 KiB
 img.w-full.h-full.object-cover	/images/hero-header.webp (localhost)	58.6 KiB	41.1 KiB
	This image file is larger than it needs to be (1024x1013) for its displayed dimensions (455x683). Use responsive images to reduce the image download size.		41.1 KiB
 img.h-8.md:h-10.w-auto	/images/logo.webp (localhost)	37.6 KiB	37.0 KiB
	Increasing the image compression factor could improve this image's download size.		25.8 KiB
	This image file is larger than it needs to be (400x180) for its displayed dimensions (89x40). Use responsive images to reduce the image download size.		35.7 KiB

	URL	Resource Size	Est Savings
 img.w-full.h-full.object-cover	...products/gaggia-platinum-swing-up.webp (localhost)	23.6 KiB	22.2 KiB
	This image file is larger than it needs to be (468x465) for its displayed dimensions (100x135). Use responsive images to reduce the image download size.		22.2 KiB

Render blocking requests — Est savings of 750 ms

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. FCP LCP Unscored

URL	Transfer Size	Duration
Google Fonts Cdn	**0.9 KiB**	**790 ms**
/css2?family=Inter:wght@300;400;500;600;700&display=swap (fonts.googleapis.com)	0.9 KiB	790 ms

LCP request discovery

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

fetchpriority=high should be applied

Request is discoverable in initial document

lazy load not applied

img.h-8.md:h-10.w-auto

Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **408 ms**

Initial Navigation

- http://localhost:4321 - **122 ms,** 182.67 KiB
  - ...dev-toolbar/entrypoint.js (localhost) - **124 ms,** 9.72 KiB
    - ...deps/audit-Y5Z3GFD2.js?v=e8b8add1 (localhost) - **288 ms,** 50.92 KiB
      - ...deps/chunk-WDCEFGHP.js?v=e8b8add1 (localhost) - **408 ms,** 200.77 KiB
      - ...deps/chunk-WTIA47ZU.js?v=e8b8add1 (localhost) - **405 ms,** 110.19 KiB
    - ...deps/xray-XH6VIXDC.js?v=e8b8add1 (localhost) - **287 ms,** 5.80 KiB
      - ...deps/chunk-PXGSXSC7.js?v=e8b8add1 (localhost) - **402 ms,** 0.93 KiB
      - ...deps/chunk-LEAOZWS7.js?v=e8b8add1 (localhost) - **398 ms,** 2.61 KiB
    - ...deps/astro-IQQQXCO3.js?v=e8b8add1 (localhost) - **286 ms,** 20.31 KiB
      - ...deps/chunk-WM2KMMIK.js?v=e8b8add1 (localhost) - **398 ms,** 1.89 KiB
      - ...deps/chunk-ZUETELRC.js?v=e8b8add1 (localhost) - **393 ms,** 47.79 KiB
    - ...deps/ui-librar....js?v=e8b8add1 (localhost) - **288 ms,** 28.37 KiB
    - ...deps/toolbar-2H5PSQQU.js?v=e8b8add1 (localhost) - **288 ms,** 15.64 KiB
    - ...deps/settings-K4OHAGC2.js?v=e8b8add1 (localhost) - **287 ms,** 6.46 KiB
    - /@id/__x00__astro:toolbar:internal (localhost) - **144 ms,** 9.03 KiB
    - ...deps/chunk-5WRI5ZAA.js?v=e8b8add1 (localhost) - **142 ms,** 7.32 KiB
    - ...deps/chunk-LEX3GG7N.js?v=e8b8add1 (localhost) - **141 ms,** 4.88 KiB
    - ...deps/chunk-HNT3PLDI.js?v=e8b8add1 (localhost) - **141 ms,** 2.96 KiB
  - /css2?family=Inter:wght@300;400;500;600;700&display=swap (fonts.googleapis.com) - **126 ms,** 0.90 KiB
    - ...v20/UcC73FwrK....woff2 (fonts.gstatic.com) - **293 ms,** 18.33 KiB
    - ...v20/UcC73FwrK....woff2 (fonts.gstatic.com) - **292 ms,** 47.33 KiB
  - /@vite/client (localhost) - **124 ms,** 287.38 KiB
    - ...client/env.mjs (localhost) - **245 ms,** 3.68 KiB
  - ...pages/index.astro?astro&type=script&index=0&lang.ts (localhost) - **129 ms,** 80.87 KiB
  - ...pages/index.astro?astro&type=script&index=1&lang.ts (localhost) - **127 ms,** 81.69 KiB
  - ...pages/index.astro?astro&type=style&index=0&lang.css (localhost) - **127 ms,** 13.35 KiB
  - ...components/Header.astro?astro&type=style&index=0&lang.css (localhost) - **127 ms,** 2.94 KiB
  - ...styles/global.css (localhost) - **125 ms,** 43.55 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://fonts.googleapis.com/	link

Origin	Source
https://fonts.gstatic.com/	link

Preconnect candidates

Add preconnect hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Document request latency — Est savings of 122 KiB

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

Avoids redirects

Server responds quickly (observed 5 ms)

No compression applied

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. Learn how to avoid an excessive DOM size. Unscored

Statistic	Element	Value
Total elements		846
DOM depth	 path	12
Most children	filter#g	25

LCP breakdown

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	10 ms
Resource load delay	60 ms

Subpart	Duration
Resource load duration	30 ms
Element render delay	180 ms

img.h-8.md:h-10.w-auto

3rd parties

3rd party code can significantly impact load performance. Reduce and defer loading of 3rd party code to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
ddkjiahejlhfcafbddmgiahcphecmpfh	**0 KiB**	**36 ms**
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/main/ublock-filters.js	0 KiB	19 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/isolated/ublock-filters.js	0 KiB	11 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/main/easyprivacy.js	0 KiB	3 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/js/scripting/css-procedural.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/js/scripting/isolated-api.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/specific/ublock-filters.js	0 KiB	0 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/procedural/easylist.js	0 KiB	0 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/js/scripting/css-api.js	0 KiB	0 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/procedural/ublock-filters.js	0 KiB	0 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/js/scripting/css-specific.js	0 KiB	0 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/procedural/easyprivacy.js	0 KiB	0 ms

3rd party	Transfer size	Main thread time
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/procedural/pol-0.js	0 KiB	0 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/specific/pol-0.js	0 KiB	0 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/specific/easylist.js	0 KiB	0 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/procedural/ublock-badware.js	0 KiB	0 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/specific/bgr-0.js	0 KiB	0 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/specific/ublock-badware.js	0 KiB	0 ms
kejbdjndbnbjgmefkgdddjlbokphdefk	**0 KiB**	**4 ms**
chrome-extension://kejbdjndbnbjgmefkgdddjlbokphdefk/cs/ta/content_script_bin.js	0 KiB	2 ms
chrome-extension://kejbdjndbnbjgmefkgdddjlbokphdefk/cs/ta/tag_assistant_api_bin.js	0 KiB	2 ms
Google Fonts Cdn	**67 KiB**	**0 ms**
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	47 KiB	0 ms
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	18 KiB	0 ms
/css2?family=Inter:wght@300;400;500;600;700&display=swap (fonts.googleapis.com)	1 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

▲ Minify JavaScript — Est savings of 538 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript. FCP LCP Unscored

URL	Transfer Size	Est Savings
localhost 1st Party	**872.6 KiB**	**532.1 KiB**
/@vite/client (localhost)	287.1 KiB	241.5 KiB

URL	Transfer Size	Est Savings
...pages/index.astro?astro&type=script&index=1&lang.ts (localhost)	81.4 KiB	80.8 KiB
...pages/index.astro?astro&type=script&index=0&lang.ts (localhost)	80.6 KiB	80.3 KiB
...deps/chunk-WDCEFGHP.js?v=e8b8add1 (localhost)	200.5 KiB	62.7 KiB
...deps/chunk-WTIA47ZU.js?v=e8b8add1 (localhost)	109.9 KiB	35.5 KiB
...deps/audit-Y5Z3GFD2.js?v=e8b8add1 (localhost)	50.6 KiB	8.7 KiB
/@id/__x00__astro:toolbar:internal (localhost)	8.7 KiB	7.7 KiB
...deps/chunk-5WRI5ZAA.js?v=e8b8add1 (localhost)	7.0 KiB	6.1 KiB
...deps/ui-librar....js?v=e8b8add1 (localhost)	28.1 KiB	3.3 KiB
...client/env.mjs (localhost)	3.4 KiB	2.9 KiB
...deps/toolbar-2H5PSQQU.js?v=e8b8add1 (localhost)	15.3 KiB	2.4 KiB
Unattributable	**16.7 KiB**	**6.1 KiB**
`chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/main/easyprivacy.js`	16.7 KiB	6.1 KiB

▲ Reduce unused JavaScript — Est savings of 69 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. FCP LCP Unscored

URL	Transfer Size	Est Savings
Unattributable	**185.2 KiB**	**46.9 KiB**
`chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/main/ublock-filters.js`	185.2 KiB	46.9 KiB
localhost 1st Party	**287.1 KiB**	**21.7 KiB**

URL	Transfer Size	Est Savings
/@vite/client (localhost)	287.1 KiB	21.7 KiB
...	52.8 KiB	21.7 KiB

Minimize main-thread work — 2.2 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work TBT Unscored

Category	Time Spent
Other	902 ms
Style & Layout	702 ms
Script Evaluation	246 ms
Script Parsing & Compilation	148 ms
Parse HTML & CSS	82 ms
Rendering	73 ms

Page prevented back/forward cache restoration — 1 failure reason

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. Learn more about the bfcache Unscored

Failure reason	Failure type
Pages with WebSocket cannot enter back/forward cache. http://localhost:4321	Pending browser support

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn how to set image dimensions CLS Unscored

URL
localhost 1st Party
 img.h-8.md:h-10.w-auto /images/logo.webp (localhost)

Minify CSS — Est savings of 9 KiB

Minifying CSS files can reduce network payload sizes. Learn how to minify CSS. FCP LCP Unscored

URL	Transfer Size	Est Savings
`/*! tailwindcss v4.2.1 | MIT License | https://tailwindcss.com */ @layer properties; @layer theme, …`	40.9 KiB	8.8 KiB

Avoid long main-thread tasks — 9 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn how to avoid long main-thread tasks TBT Unscored

URL	Start Time	Duration
localhost 1st Party		**790 ms**
http://localhost:4321	1,895 ms	195 ms
http://localhost:4321	1,712 ms	183 ms
…deps/chunk-WM2KMMIK.js?v=e8b8add1 (localhost)	6,176 ms	105 ms
…deps/toolbar-2H5PSQQU.js?v=e8b8add1 (localhost)	5,578 ms	102 ms
http://localhost:4321	2,117 ms	89 ms
http://localhost:4321	1,649 ms	63 ms
…dev-toolbar/entrypoint.js (localhost)	2,315 ms	53 ms
Unattributable		**233 ms**

URL	Start Time	Duration
`Unattributable`	1,505 ms	144 ms
`Unattributable`	2,206 ms	89 ms

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (14)

Hide

Use efficient cache lifetimes

A long cache lifetime can speed up repeat visits to your page. Learn more about caching. FCP LCP Unscored

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. Investigate the causes of layout shifts, such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Duplicated JavaScript

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored

Font display

Consider setting `font-display` to `swap` or `optional` to ensure text is consistently visible. `swap` can be further optimized to mitigate layout shifts with font metric overrides. Unscored

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about forced reflows and possible mitigations. Unscored

INP breakdown

Start investigating how to improve INP by looking at the longest subpart. Unscored

Legacy JavaScript

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must

support older browsers. Learn why most sites can deploy ES6+ code without transpiling FCP LCP Unscored

Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. Learn more about using modern HTTP. FCP LCP Unscored

Optimize viewport for mobile

Tap interactions may be delayed by up to 300 ms if the viewport is not optimized for mobile. Unscored

meta

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. FCP LCP Unscored

Avoids enormous network payloads — Total size was 1,668 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes. Unscored

URL	Transfer Size
localhost 1st Party	**1,154.2 KiB**
/@vite/client (localhost)	287.4 KiB
...deps/chunk-WDCEFGHP.js?v=e8b8add1 (localhost)	200.8 KiB
http://localhost:4321	182.7 KiB
...deps/chunk-WTIA47ZU.js?v=e8b8add1 (localhost)	110.2 KiB
...pages/index.astro?astro&type=script&index=1&lang.ts (localhost)	81.7 KiB
...pages/index.astro?astro&type=script&index=0&lang.ts (localhost)	80.9 KiB
/images/hero-header.webp (localhost)	58.9 KiB
...products/delonghi-esam-4400.webp (localhost)	52.5 KiB
...deps/audit-Y5Z3GFD2.js?v=e8b8add1 (localhost)	50.9 KiB

URL	Transfer Size
...products/delonghi-perfecta-graphic-touch-esam-5600.webp (localhost)	48.3 KiB

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more about User Timing marks. Unscored

JavaScript execution time — 0.3 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
localhost 1st Party	**1,497 ms**	**156 ms**	**140 ms**
http://localhost:4321	1,339 ms	41 ms	139 ms
...deps/toolbar-2H5PSQQU.js?v=e8b8add1 (localhost)	103 ms	65 ms	0 ms
...deps/chunk-WM2KMMIK.js?v=e8b8add1 (localhost)	55 ms	50 ms	0 ms
Unattributable	**535 ms**	**33 ms**	**0 ms**
`Unattributable`	535 ms	33 ms	0 ms

Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. Learn how to avoid non-composited animations CLS Unscored

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.