1 TODO

- (03.02.) Investigate data movement in ArrayFire
- (02.02.) Checkout OpenCV CUDA/OpenCL performance
- (29.01.) Compare CUDA vs. VIGRA vs. ArrayFire
- (29.01.) Implement CUDA c++ gaussian (ignore padding)
- DONE: (29.01.) Implement ArrayFire c++ gaussian (ignore padding)
- DONE: (29.01.) Implement VIGRA c++ gaussian (ignore padding)

2 Current setup

vigra.filters.gaussianSmoothing(img, sigma) 2.1

- separated x-,y- convolution
- kernel is initialized from scratch for every call
- kernel element: $k[i] = \frac{1}{\sqrt{2\pi}\sigma}e^{-\frac{i^2}{2\sigma^2}}$ kernel radius: $r = \text{round}(3*\sigma)$
- 2.2vigra.filters.laplacianOfGaussian(img, sigma)
- 2.3 vigra.filters.gaussianGradientMagnitude(img, sigma)
- vigra.filters.gaussianSmoothing(img, sigma) vigra.fil-2.4 ters.gaussianSmoothing(img, 0.66*sigma)
- 2.5 vigra.filters.structureTensorEigenvalues(img, sigma, sigma/2.0)
- vigra.filters.hessianOfGaussianEigenvalues(img, sigma) 2.6

3 HiWi HCI Notes

02.02.2016 (2h) 3.1

Worked on arrayfire c++ implementation. Set up vigra and such on personal notebook.

3.2 02.02.2016 (1.5h)

3.2.1 OpenCV

- CUDA support
- http://docs.opencv.org/3.0.0/d4/d25/classcv_1_1cuda_1_1Convolution. html
- Comparison OpenCV vs. ArrayFire (LibJacket) http://mcclanahoochie.com/blog/2011/09/opencv-vs-libjacket-gpu-sobel-filtering/

3.3 29.01.2016 (9:30 - 12:00, 12:30 - 14:30, 4.5h)

3.3.1 ArrayFire

- handles 1D,2D,3D convolutions
- allows batch processing (1 Kernel, n images or n Kernels, 1 image and so on)
- Does it seperate Kernels?
- Example: http://www.arrayfire.com/docs/getting_started_2convolve_8cpp-example.htm

3.3.2 Talked to Sven

- ArrayFire
- nexts steps (see todo)
- received Michaela's code

3.3.3 Commands

Show vigra compiler options

3.4 26.01.2016 (3h)

Base on CUDA samples. separableConvolution and textureConvolution are already implemented.

3.4.1 snippets

Listing 1: "print out gaussian 1D kernel"

import vigra
sigma = 3

```
kernel = vigra.filters.Kernel1D()
kernel.initGaussian(sigma)

for i in range(kernel.left(), kernel.right()+1):
    print kernel[i]
```

3.4.2 Addresses

- bigheron GPU system
- hciwiki.iwr.uni-heidelberg.de

3.5 22.01.2016 (3h)

3.5.1 Ideas

- Vigra efficiency improvements
- CUDA/OpenCL (CUDA samples!)
- OpenGL
- FFT approach

3.5.2 Commands

```
# source miniconda2/bin/activate ilastik—devel \\
# source miniconda2/bin/activate root \\
# conda create —n ilastik—devel —c ilastik ilastik—everything—but—tracking
```