
# REDES DE COMPUTADORES

## **Mário Antunes**

mario.antunes@ipleiria.pt


Janeiro de 2019

# **Hierarquia DNS**




http://www.iana.org/domains/root/db/

# Serviço de Nomes



## Versões HTTP



# **Terminologia**

#### Client **User Agent (UA)**



#### **HTTP Request**

TCP connection

#### **HTTP Response**

Origin Server (O)



IP:  $x_1 \cdot y_1 \cdot z_1 \cdot w_1$ Client

Socket Port: P<sub>1</sub>

IP:  $X_2.Y_2.Z_2.W_2$ 

Server Port: tcp/80 Socket

http URL = "http:" "//" host [":" port] [abs path ["?" query]]

http://www.upm.es:80/etsisi/index.html


http://www.upm.es/etsisi/index.html

http://www.ipleiria.pt/?xyz

http://www.ipleiria.pt/~test

# **Mensagem HTTP**

## Especificação de uma mensagem



start-line

message-header

CRLF

message-body

Request | Response

General header

Request and response headers.

One line per header field.

CRLF (\r\n)

Optional. Message content
which depends on the HTTP
message type (HTML, php,
file, ...)

# **HTTP Request**

DELETE

PUT



CRLF

## Live HTTP headers GET / HTTP/1.1 ← Host: www.ipleiria.pt Connection: keep-alive Accept: text/html,application/xhtml+xml,application/xml;q=0.9 User-Agent: Mozilla/5.0 (X11; Linux x86 64) Chrome/41.0.2272.118 Accept-Encoding: gzip, deflate, sdch Accept-Language: en-US, en; q=0.8, pt; q=0.6 \r\n -[RESPONSE] Request-line message-header **Outros métodos HTTP/1.1** field-name: value POST HEAD

# **HTTP Response**

[REQUEST]


```
HTTP/1.1 200 OK
Date: Tue, 14 Apr 2015 10:19:07 GMT
Server: Apache
X-Powered-By: PHP/5.4.16
                                                   Status-line
Link: <http://www.ipleiria.pt/>; rel=shortlink
X-UA-Compatible: IE=edge
                                                   message-header
Vary: Accept-Encoding
                                                   field-name: value
Content-Encoding: gzip
Cache-Control: max-age=600
                                                   CRLF
Expires: Tue, 14 Apr 2015 10:29:07 GMT
Content-Length: 10376
Keep-Alive: timeout=5, max=100
Connection: Keep-Alive
                                                   message-body
Content-Type: text/html; charset=UTF-8
\r\n
<hTML> ... </hTML>
```

## **HTTP Connections**

### Versões 0.9 e 1.0

- Uma ligação por cada HTTP Request

Uma página HTML Com quatro imagens



## **HTTP Connections**

### Versão 1.1

- Ligações <u>persistentes</u> <u>HTTP transactions</u>
- Pedidos e respostas HTTP podem usar apenas uma ligação
- Poupa CPU e reduz latência.

#### HTTP/1.1 200 OK

```
Date: Tue, 14 Apr 2015 10:19:07 GMT

Server: Apache

[...]

Connection: Keep-Alive

[...]

\r\n
<HTML> ... </HTML>
```