

Sports Concussion

SportVerse AI — Curated RAG Knowledge Base | Educational use only

A concussion is a type of traumatic brain injury that can occur after a bump, blow, or jolt to the head or body that causes rapid movement of the brain.

Possible symptoms include headache, nausea, dizziness, balance problems, vision problems, sensitivity to light or noise, feeling slowed or foggy, concentration or memory problems, confusion, and mood changes.

After a suspected concussion, the athlete should be removed from play and should not return to play on the same day until assessed and cleared according to appropriate medical guidance.

Emergency warning signs include repeated vomiting, worsening headache, increasing confusion or agitation, unusual difficulty waking, seizures, weakness or numbness, slurred speech, or unequal pupils. These require urgent medical attention.

Safety requirements

- These documents are educational context for the SportVerse RAG prototype. They do not diagnose injuries or replace assessment by a qualified healthcare professional.
- The AI must use deterministic red-flag rules before generating general guidance. It must not downgrade an urgent/high-risk safety classification.
- Do not use this knowledge base to generate prescriptions, medication dosages, or definitive diagnoses.

Sources

CDC HEADS UP, Concussion Signs and Symptoms — https://stacks.cdc.gov/view/cdc/132009/cdc_132009_DS1.pdf

CDC HEADS UP — <https://www.cdc.gov/heads-up/>

RAG implementation note: preserve this document's title and source metadata when indexing so the assistant can return source attribution with retrieved context.