

Heat Illness and Heat Exhaustion

SportVerse AI — Curated RAG Knowledge Base | Educational use only

Exercise in hot or humid conditions increases the risk of heat-related illness. Heat illness can progress to life-threatening heat stroke.

Concerning symptoms during exercise can include weakness, dizziness, headache, nausea, unusual fatigue, muscle cramps, heavy sweating, and changes in mental status.

If an athlete becomes unwell in heat, activity should stop and the person should move to a cooler environment. Suspected serious heat illness requires prompt medical assessment.

Prevention includes sensible hydration, appropriate clothing, pacing, acclimatization, rest/cooling opportunities, and avoiding excessive exertion in dangerous heat.

Safety requirements

- These documents are educational context for the SportVerse RAG prototype. They do not diagnose injuries or replace assessment by a qualified healthcare professional.
- The AI must use deterministic red-flag rules before generating general guidance. It must not downgrade an urgent/high-risk safety classification.
- Do not use this knowledge base to generate prescriptions, medication dosages, or definitive diagnoses.

Sources

CDC, Heat and Athletes — <https://www.cdc.gov/heat-health/risk-factors/heat-and-athletes.html>

RAG implementation note: preserve this document's title and source metadata when indexing so the assistant can return source attribution with retrieved context.