COLORS

CONTENTS

- CSS Legal Colours

- Pseudo-Code

- JavaScript Using Colour

- Inherited and Initial Key Words

- Filter

RGB, RGBA, HSL, HSLA

➤ RGB

➤ Red

➤ Green

➤ Blue

➤ Red, Green, blue,Alpha

➤ HSL

➤ Hue: Think of a color wheel. Around 0o and 360o are reds. 120o is where greens are and 240o are blues. Use anything in between 0-360. Values above and below will be modulus 360.

➤ Saturation: 0% is completely desaturated (grayscale). 100% is fully saturated (full color).

➤ Lightness: 0% is completely dark (black). 100% is completely light (white). 50% is average lightness.

➤ alpha: Opacity/Transparency value. 0 is fully transparent. 1 is fully opaque. 0.5 is 50% transparent.

PSEUDO-CLASSES

➤ Hover - In regards to "Color"Changes the colour of an image when hovering over said word.

➤ Visited - Allows you to change the "Color" of a link to signify it has been used.

➤ Link - Allows you to show that the link is active and hasn't been used.

https://codepen.io/AlexanderKeen/pen/JjPRqoM

JAVASCRIPT USE OF "COLOR"

➤ Object.style.color="#FF00FF"

➤ magenta

https://codepen.io/AlexanderKeen/pen/JjPRqoM

INHERITED AND INITIAL KEY WORDS

➤ MDN definition of inherit

For inherited properties, this reinforces the default behavior, and is only needed to override another rule. For non-inherited properties, this specifies a behavior that typically makes relatively little sense and you may consider using `initial` instead, or `unset` on the `all` property.

➤ Initial definition form W3Schools

The initial keyword is used to set a CSS property to its default value.

https://codepen.io/AlexanderKeen/pen/JjPRqoM

FILTER

➤ W3Schools definition

The `filter` property defines visual effects (like blur and saturation) to an element (often <img>).

➤