

FREE FOR NON-COMMERCIAL USE

(C) TOM STOREY

Sheet: /Buffers and transceivers/
File: buffers_transceivers.kicad_sch

Title: EXPANSION BUS BUFFERS AND TRANSCEIVERS


Size: A4

Date: 2024-03-04

Rev: 1

KiCad E.D.A. 8.0.0

Id: 3/8





ADDRESS DECODER CONFIGURATION

SW1 SELECTS A 64KB BASE ADDRESS FOR THE BOARD.

J2 SELECTS A 4KB OFFSET FROM THE BASE ADDRESS:

POS	PAGE
1-2	0x4000
3-4	0x5000
5-6	0x6000
7-8	0x7000



FREE FOR NON-COMMERCIAL USE

(C) TOM STOREY

Sheet: /Address decoding/

File: addr_decode.kicad_sch

Title: ADDRESS DECODING




Size: A4

Date: 2024-03-04

Rev: 1

KiCad E.D.A. 8.0.0

Id: 4/8



FREE FOR NON-COMMERCIAL USE

(C) TOM STOREY

Sheet: /GAL/

File: gal.kicad_sch

Title: GAL


Size: A4

Date: 2024-03-04

Rev: 1



KiCad E.D.A. 8.0.0

Id: 5/8



ALL COMPONENTS:
NOPOP IF INTERRUPTS NOT USED

BRIDGE JP1 IF INTERRUPTS NOT USED



FREE FOR NON-COMMERCIAL USE

(C) TOM STOREY

Sheet: /Interrupt logic/

File: interrupt.kicad_sch

Title: INTERRUPT LOGIC

Size: A4

Date: 2024-03-04

Rev: 1

KiCad E.D.A. 8.0.0

Id: 6/8

