Geographic composition of impacts in 2050

Colour = magnitude; + burden; − credit

SSP2-RkBudg1000 - NDC-EI - ITOM_Steel_Test-scenario

	NL located	Outside NL (explicit)	Aggregate / unresolved
acidification (AE)	+0%	+35%	+65%
climate change (GWP100)	+0%	+15%	+85%
ecotoxicity: freshwater (CTUe)	+0%	+2%	+98%
eutrophication: terrestrial (AE)	+0%	+12%	+88%
human toxicity: carcinogenic (CTUh)	+0%	+25%	+75%
material resources: metals/minerals - abiotic depletion potential (ADP): elements (ultimate reserves)	0%	+35%	+65%
particulate matter formation - impact on human health	+0%	+33%	+66%
climate change: total (incl. biogenic CO2, incl. SLCFs) (GWP100)	+0%	+21%	+79%
metal extraction · Cobalt	0%	+0%	+100%
metal extraction · Copper	0%	+23%	+77%
metal extraction · Dysprosium	0%	+100%	+0%
metal extraction · Iridium	0%	+100%	0%
metal extraction · Lithium	0%	+100%	+0%
metal extraction · Nickel	0%	+0%	+100%
metal extraction · Palladium	0%	+100%	+0%
metal extraction · Titanium	0%	+21%	+79%

