Middleware Architectures 1

Lecture 2: Service Oriented Architecture

doc. Ing. Tomáš Vitvar, Ph.D.

tomas@vitvar.com • @TomasVitvar • http://vitvar.com



Czech Technical University in Prague
Faculty of Information Technologies • Software and Web Engineering • http://vitvar.com/courses/mdw






Overview

- Service Definition
- Integrating Applications
- Enterprise Service Bus
- Microservices Architecture

Service

- Difficult to agree on one definition
- Business definition view
 - A service realizes an effect that brings a business value to a service consumer
 - \rightarrow for example, to pay for and deliver a book
- Conceptual definition view
 - service characteristics
 - → encapsulation, reusability, loose coupling, contracting, abstraction, discoverability, composability
- Logical definition view
 - service interface, description and implementation
 - message-oriented and resource-oriented
- Software architecture view
 - business service (also application service)
 - → external, exposed functionality of an application
 - middleware service
 - → internal/technical, supports processing of requests

Interface, Description and Implementation



• Terminology clarification


- service ~ service interface + service implementation
- WSDL service ~ service description in WSDL language
- SOAP service ~ a service interface is possible to access through SOAP protocol; there is a WSDL description usually available too.
- REST/RESTful service ~ service interface that conforms to REST architectural style and HTTP protocol
- Microservice ~ a set of services that realize an app's capability

Service Interface


- Service interface components
 - Data
 - → Data model definition used by the service
 - → for example, input and output messages, representation of resources
 - Functions
 - → operations and input and output data used by operations
 - Process
 - → public process: how to consume the service's functionality
 - Technical
 - → security, usage aspects (SLA-Service Level Agreement)
 - → other technical details such as IP addresses, ports, protocols, etc.

Public Process

- A state diagram
 - operation of a service defines a **state transition** between two states.



Service Characteristics



Overview

- Service Definition
- Integrating Applications
- Enterprise Service Bus
- Microservices Architecture

Integration and Interoperability


• Integration

- A process of connecting applications so that they can exchange and share capabilities, that is information and functionalities.
- Includes methodological approaches as well as technologies

Interoperability

- Ability of two or more applications to understand each other
- Interoperability levels
 - \rightarrow Data syntax/structure and semantics
 - → Functions/Processes syntax and semantics
 - \rightarrow Technical aspects protocols, network addresses, etc.


Service Oriented Architecture



- SOA supports two core business strategies
 - Growing top-line revenue
 - → Enterprise reacts quickly to requirements from the market
 - → Business processes can be reconfigured rather than reimplemented
 - Improving bottom-line profit
 - → Saving development costs by resuing existing services
- Pre-integrated solutions
 - Out-of-the-box applications and integration solutions among them


One-to-One Service Integration

- Direct integration of applications
 - Multiple protocols problem, multiple vendor problem
 - Replication of integration functionalities such as interoperability solutions




Many-to-Many Service Integration


- Enterprise Service Bus central integration technology
 - Realizes so called Service Oriented Architecture (SOA)
 - Contains various integration components such as process server, mediators, messaging middleware, identity management, etc.



Integration Approaches Overview



Data-oriented Integration




• Third-party database access

- Application D accesses a database of application B directly by using SQL and a knowledge of database B structure and constraints
- *In the past: monolithic and two-tier client/server architectures*
- Today: ETL (Extract, Transform, Load) technologies

Problems

- App D must understand complex structures and constraints
 - → Data very complex, includes structure and integrity constraints
 - → Functions/processes hidden in integrity constraints
 - → Technical access mechanisms can vary

Service-oriented Integration



- Integration at the application layer
 - Application exposes services that other applications consume
 - Services hide implementation details but only define interfaces for integration

Problems

- Can become unmanageable if not properly designed
- Interoperability
 - → Data limited to input and output messages only
 - → Functions/processes limited to semantics of services
 - → Technical access mechanisms can vary

Integration and Types of Data

- Real-time data Web services
 - Service-oriented integration
 - online, realtime communication between a client and a service
 - Usually small data and small amount of service invocation in a process
- Bulk data ETL
 - Data-oriented integration
 - processing of large amount of data in batches
 - Sometimes required for reconciliation across apps
 - → when real-time integration fails and there is poor error handling
- SOA provides both Web service and ETL capabilities

Overview


- Service Definition
- Integrating Applications
- Enterprise Service Bus
- Microservices Architecture

Enterprise Service Bus

- ESB is a central intermediary in SOA
 - Types of services: shared and infrastructure
 - Types of processes: Technical and Business
- ESB Application
 - Application running on an application server
 - Exposes functionality via Web service interface
 - Allows to communicate with various messaging protocols
- Integration Patterns
 - Technical-level interoperability message broker
 - Location transparency
 - Dynamic routing
 - Data transformations mediator
 - Session pooling
 - Message enrichment

Service Types

- ESB services
 - shared services created for particular domain
 - infrastructure services support integration and interoperability



Overview


- Service Definition
- Integrating Applications
- Enterprise Service Bus
 - Integration Patterns
- Microservices Architecture

Integration Patterns

- Applied in implementation of business services and processes
 - Usually a combination of more patterns
- Technical patterns
 - Deals with technical aspects of service communication
 - Message broker technical-level interoperability
 - Location transparency
 - Session pooling
- Business patterns
 - Deals with business aspects (message content) of service communication
 - Dynamic routing
 - Data transformations mediator
 - Message enrichment


Message Broker

- Message broker
 - ESB can mix and match transports both standard and proprietary




Location Transparency

- Location transparency
 - ESB can hide changes in location of services
 - Such changes will not affect clients
 - Can also be used for load balancing for multiple service instances




Session Pooling

- Session Pooling
 - ESB can maintain a pool of connections (session tokens) to a back-end app when creating a new connection is expensive
 - A single session token can be reused by multiple instances of business processes




Dynamic Routing

- Dynamic routing
 - ESB exposes a service that routes to various back-end services based on message contents.



Message Enrichment

- Message enrichmenet
 - Enriches a message before invoking back-end application service.



Data Transformation

- Data transformation phases:
 - Definition of mapping and execution of mappings
- Definition of mappings (design-time)
 - A mapping associates one data structure to another data structure and defines a conversion between them.
 - Mapping languages
 - → graphical for design that translates to XSLT, XQuery
 - → Sometimes implemented in 3rd gen. languages (e.g., Java)
- Execution of mappings (runtime)
 - application of mappings to instance data
- CDM terminology
 - Application Business Message back-end app format
 - Enterprise Business Message CDM format

Key Mapping


- What is key mapping
 - Key = identifier of en entity in a back-end application
 - Key Mapping = a mapping of an ID of an entity in one system to an ID of the same entity in another system.
 - Key mapping is realized using universal IDs (UID)

Example

- A customer MOON exists in CRM and OMS systems
- In CRM system, MOON has an CRM-ID=AB1
- In OMS system, MOON has an CRM-ID=45A
- Key mappig allows to map the CRM-ID AB1 to the OMS-ID 45A
- Key mapping is a table

```
CRM-ID → UID → OMS-ID
```

Key Mapping Example




Overview

- Service Definition
- Integrating Applications
- Enterprise Service Bus
- Microservices Architecture

The Scale Cube

- Three-dimensional scalability model
 - X-Axis scaling requests across multiple instances
 - Y-Axis scaling decomposes an application into micro-services
 - Z-Axis scaling requests across "data partitioned" instances



Overview

- Emerging software architecture
 - monolithic vs. decoupled applications
 - applications as independenly deployable services


A monolithic application puts all its functionality into a single process...




A microservices architecture puts each element of functionality into a separate service...



... and scales by replicating the monolith on multiple servers



... and scales by distributing these services across servers, replicating as needed.



Major Characteristics

- Loosely coupled
 - Integrated using well-defined interfaces
- Technology-agnostic protocols
 - HTTP, they use REST architecture
- Independently deployable and easy to replace
 - A change in small part requires to redeploy only that part
- Organized around capabilities
 - such as accounting, billing, recommendation, etc.
- Impplemented using different technologies
 - polyglot programming languages, databases
- Owned by a small team