# Search for pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using proton–proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector

A DISSERTATION PRESENTED

BY

BAOJIA TONG

TO

THE DEPARTMENT OF PHYSICS

IN PARTIAL FULFILLMENT OF THE REQUIREMENTS

FOR THE DEGREE OF

DOCTOR OF PHILOSOPHY

IN THE SUBJECT OF

PHYSICS

Harvard University Cambridge, Massachusetts May 2017 ©2014 – Baojia Tong all rights reserved. Search for pair production of Higgs bosons in the  $b\bar{b}b\bar{b}$  final state using proton–proton collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector

#### **ABSTRACT**

We present a search for Higgs boson pair production, with two  $b\bar{b}$  pairs in the final state. This analysis uses the full 2015 and 2016 data collected collected by the ATLAS Collaboration at  $\sqrt{s}=13$  TeV, corresponding to  $X\pm y$  fb<sup>-1</sup> of 2015 and  $A\pm B$  fb<sup>-1</sup> of 2016 pp collision data. The data are interpreted in the context of the bulk Randall-Sundrum warped extra dimension model with a Kaluza-Klein graviton decaying to hh. Relative to the 2015 analysis, this analysis focuses on improvements in the boosted analysis in the highest resonance mass range (between 2000 GeV and 3000 GeV). The data is found to be compatible with the Standard model, and no signs of new physics have been observed.

#### Contents

0	INTRODUCTION	Ι
I	MOTIVATION FOR SEARCHES BEYOND THE STANDARD MODEL  1.1 the Standard Model	2 2 2 2
2	Machine of discovery-The Large Hadron Collider  2.1 Design	3 3
3	Eyes of giant-The ATLAS Detector	4
4	Game of Jigsaw–Reconstruction	5
5	Censor of work–Data Quality	6
	EVENT SELECTION  6.1 b tagging	7 7 8
,	Systematics	9
	Result	IO
10	Interretation	II
II	Conclusion	12
Aı	PPENDIX A SOME EXTRA STUFF	13
Ri	EFERENCES	14

### Listing of figures

### Listing of tables

This is the dedication.

#### Acknowledgments

THANK YOU MELISSA FRANKLIN, the best adivsor ever.

It was five years ago when I made the decision, that of all the schools I visited, Melissa is the only one that will make my life "suffer" the most for the next five years.

THANK YOU MY FATHER WEIDONG TONG, who has always been the greatest insparation for me.

THANK YOU MY MOTHER LIPING SUN, who has always been the greatest understanding for me.

# O Introduction

Why do we look for  $hh \rightarrow 4b$ ?

Random People

1

## Motivation for searches beyond the Standard Model

There's something out there that we don't know.

- I.I THE STANDARD MODEL
- 1.2 Problems with the Standard Model
- 1.3 Paths Beyond the Standard Model

Run.

Random Person

2

## Machine of discovery–The Large Hadron Collider

- 2.1 DESIGN
- 2.2 PERFORMANCE

Quoteauthor Lastname

3

#### Eyes of giant-The ATLAS Detector

Quoteauthor Lastname

4

#### Game of Jigsaw-Reconstruction

Quoteauthor Lastname

5

#### Censor of work-Data Quality

Quoteauthor Lastname

6

#### **Event Selection**

#### 6.1 b TAGGING

b-tagging, which is the identification of the bhadron, <sup>1</sup> is the core and main limiting factor of this analysis. Because of the relatively long lifetime, it is possible to tag the bhadron using the inner detector informations. A higher b-tagging efficiency will increase the signal selection efficiency, while a lower b-tagging fake rate will reduce the background like  $gg \to c\bar{c}$  in the signal regions.

Quoteauthor Lastname

7

#### Background Estimation

Quoteauthor Lastname

8
Systematics

Quoteauthor Lastname

9 Result

Quoteauthor Lastname

10
Intepretation

### 11 Conclusion

We will find something new one day, because there is always soemthing new.



#### Some extra stuff

Some appendix.

#### References

[1] Georges Aad et al. Performance of b-Jet Identification in the ATLAS Experiment. *JINST*, II (04):P04008, 2016. doi: 10.1088/1748-0221/II/04/P04008.