

## 第三单元 CASCADING STYLE SHEETS (PART II)

|    |  |
|----|--|
| 学号 |  |
| 姓名 |  |

|        |   |
|--------|---|
| 提交截止日期 | 2019年4月8日 (第八周周一)   |
| 提交地址   | <a href="http://xzc.cn/geE99EO475">http://xzc.cn/geE99EO475</a> |

请写出下列专业词汇对应的中文。

|            |  |
|------------|--|
| comma      |  |
| occurrence |  |
| generic    |  |
| child      |  |
| parent     |  |
| descendant |  |
| ancestor   |  |
| pseudo     |  |
| asterisk   |  |
| inherit    |  |
| font       |  |
| category   |  |

(Review Questions 3.15) Why is it better to use `em` than `pt` for font sizes?

|  |
|--|
|  |
|--|

(Review Questions 3.21) If you want text to flow around the right side of an image, which value, `right` or `left`, must be assigned to the `float` property of the image?

|  |
|--|
|  |
|--|

(Review Questions 3.33) Which has higher precedence, an `id` selector or a universal selector (`*`)?

|  |
|--|
|  |
|--|

(Exercise 3.4) Create and test an HTML document that has at least a half page of text and a small box of text embedded on the left margin, with the main text flowing around the small box. The embedded text must appear in a smaller font and also must be set in italic.

HTML 代码

CSS 代码

(Exercise 3.5) Create and test an HTML document that has six short paragraphs of text that describe various aspects of the state in which you live. You must define three different paragraph styles, `p1`, `p2`, and `p3`. The `p1` style must use left and right margins of 20 pixels, a background color of pink, and a foreground color of blue. The `p2` style must use left and right margins of 30 pixels, a background color of black, and a foreground color of yellow. The `p3` style must use a text indent of 1 centimeter, a background color of green, and a foreground color of white. The first and fourth paragraphs must use `p1`, the second and fifth must use `p2`, and the third and sixth must use `p3`.

## HTML 代码

CSS 代码

请使用 `vertical-align` 样式属性实现上述图片的内容。写出 HTML 代码及相应的样式规则。



HTML 代码

CSS 代码

