第四单元 THE BASICS OF JAVASCRIPT

学号	
姓名	

提交截止日期	2019年4月12日（第八周周五）
提交地址	http://xzc.cn/D0xKiu9cZ8

请写出下列专业词汇对应的中文。

operator	
operand	
expression	
statement	
scripting language	
object-oriented	
strongly typed	
dialog window	
interpreter	
execute	
dynamic	
primitives	
identifier	
variables	
dollar sign	
reserved words	
catenation	
type conversion	
assignment	
array	
constructors	
regular expression	

（Reviews Questions 4.11） In what circumstances would a variable have the value undefined?

（Reviews Questions 4.20） Describe the operation of the prompt method.

（Reviews Questions 4.31）How is a new property of an object created?

（Reviews Questions 4.33）Describe the two ways an Array object can be created.

（Exercise 4.3）Input: Three numbers, using prompt to get each.

Output: The largest of the three input numbers.

Hint: Use the predefined function Math.max.

HTML 代码

JavaScript 代码

JavaScript 代码

(Exercise 4.8) Function: no_zeros

Parameter: An array of numbers.

Result: The given array must be modified to remove all zero values.

Returns: true if the given array included zero values; false otherwise.

HTML 代码

JavaScript 代码

JavaScript 代码