Testing Spec Project: Cafeteria Management System: Reslove

T-RISE

Rendani Dau (13381467) Elana Kuun (12029522) Semaka Malapane (13081129) Antonia Michael (13014171) Isabel Nel (13070305)

August 28, 2015

Contents

1	Introduction				
2	Vision	4			
3	3 Background				
4	Standards and conventions 4.1 Design standards	5			
5	Authentication5.1 authentication.client.controller5.2 users.authentication.server.controller	5 5			
6	6.4 users.profile.server.controller	6 8 9 10 10			
7	Manage System	13			
8	6	13 13			
9	9.1 inventory.client.controller	15 15 17			
10	Place Order	18			

Document Title	ocument Title Design Requirements	
	Document	
Document Identification	Document 0.0.2	
Author	Rendani Dau, Elana Kuun,	
	Semaka Malapane, Antonia	
	Michael, Isabel Nel	
Version	0.0.2	
Document Status	Second Version - added the	
	function templates for the	
	client controllers	

Version	Date	Summary	Authors
0.0.1	29 May 2015	First draft contains first two use cases	Rendani Dau,
		template methods and	Elana Kuun,
		declarations	Semaka Malapane,
			Antonia Michael
			Isabel Nel,
	27 A 2017		D 1 1 D
0.0.2	27 August 2015	Second draft adding all the client	Rendani Dau,
		and controllers for	Elana Kuun,
		the updated system	Semaka Malapane,
			Antonia Michael
			Isabel Nel

1 Introduction

This document contains the functional requirements specification, architecture requirements and testing for the Resolve Cafeteria Management System that will be created for Software Engineering (COS 301) at the University of Pretoria 2015, by the group T-RISE. In this document we will thoroughly discuss and layout the project's design requirements to provide a clear view of the system as a whole. An agile method is being followed so the following document focusses on the PlaceOrder and ManageProfile modules.

2 Vision

The vision of this project is to implement a flexible, pluggable, fully functional software application that will be maintainable, with detailed supporting documentation and an instruction manual for the Cafeteria Management System. This system will assist in managing the cafeteria's inventory/stock, executing orders from the cafeteria, generating bills and sending these to the appropriate parties and facilitating payments for access cards (or the use of unique access card numbers).

3 Background

As specified in the project proposal document from Resolve - the cafeteria is currently cash only and does not accept bank cards or electronic payments. This makes it inconvenient for employees as they have to carry around cash if they want to purchase anything from the cafeteria. Hence, this is equivalent to purchasing from an external food outlet where they can also pay with their preferred method of payment. The employees have to hence use up fuel and time and lastly this does not bring in the maximum amount of income to the cafeteria, hindering its growth and improvement.

Resolve is therefore looking for a means to accept payments from employees for the canteen using their employee access cards or access card numbers, with an amount being deducted from their salary at the end of the month.

Resolve proposed the Cafeteria Management System to assist with this problem. After our first meeting with the client, they brought to our attention that at times the cafeteria does not even have enough stock to provide some of the menu items, thus the managing of inventory or stock will also be part of the system. The system will also predict what inventory/stock

needs to be bought for the next week in order to avoid such a problem. At the end of each month, the bill for the month will be sent to either payroll or to the employee. This option is configurable from the user's profile. The employee can also set a spending limit for each month for control purposes. The system will have its own maximum, such that users cannot set a limit that exeeds this.

4 Standards and conventions

4.1 Design standards

The diagrams are designed and created using UML. The main use case of the system is decomposed into components.

5 Authentication

5.1 authentication.client.controller

The authentication controller allows existing users to log in and new users to sign up.

1. Declaration:

angular.module('users').controller('AuthenticationController', ['\$scope', '\$http', '\$location', '\$cookies', 'Authentication', function(\$scope, \$http, \$location, \$cookies, Authentication)

2. Methods:

• Sign up \$scope.signup = function() -Usage

Method that allows a new user to sign up.

Sign in
\$scope.signin = function()
-Usage
Method that allows an existing user to sign in.

5.2 users.authentication.server.controller

The authentication controller allows existing users to log in and new users to sign up. It also creates a new super user or admin if eitehr one does not

exist, and it sets the system wide limit to 5000.

- 1. Declaration:
- 2. Methods:
 - Sign up exports.signUp = function(req,res)-Usage

This method ensures that all the fields neccessary to sign up were completed correctly. It returns an error message if one or more of the fields were entered incorrectly, otherwhise it adds the user deatils to the database.

• Sign in exports.signin = function(req, res, next)
-Usage

This method allows an existing user to sign it if the user entered his/her details correctly. It performs a check to see if the user id and the passoword is correct. If the details are incorrect an error message is displayed.

- Sign out
 - -Usage

This method lets a user sign out of the system.

- Check super user
 - -Usage

This method performs a check to confirm whether there is an existing super user or not. If there is no super user, it creates a super user and admin user, and sets the system wide limit to 5000. If these actions were not completed successfully the method displays an error message. This method also checks whether there is an existing admin user and creates one if there is not currently and admin user. An error message is displayed if this action was not performed successfully.

• add outh functions

6 Manage Profile

6.1 superuser.client.controller.js

1. Declaration: angular.module('users').controller('superuserController', ['\$scope', '\$http',

'\$location', '\$window', 'Users', 'Authentication', function(\$scope, \$http, \$location, \$window, Users, Authentication) { }

2. Methods:

Assign roles
 \$scope.assignRoles = function(isValid) {}

Usage: Superuser can assign cashier, cafeteria manager, finance manager and admin roles

Assign roles admin role
 \$scope.assignRolesAdminRole = function(isValid) { }

Usage: Admin user also has access to the assign roles functionality and serves as a back up superuser

Change employee ID
 \$scope.changeEmployeeID = function(Boolean isValid) {}

Usage: The superuser can change the employee ID of the users if the user signed up with the incorrect ID or if the company changes the IDs.

Remove employee
 \$scope.removeEmployee = function(Boolean isValid) {}

Usage: The superuser is also able to remove users from the system, due to resignation or dismissal for example

• Search employee \$scope.searchEmployee = function(Boolean isValid) { }

Usage: This function is used to retrieve employees from the system to be able to change their employe ID or remove them from the system

Search employee ID
 \$scope.searchEmployeeID = function(row) {}

Usage: This function is used to retrieve employee IDs

• Set system wide limit \$scope.setSystemWideLimit = function(Boolean isValid){ } Usage: This is used by the superuser to set the maximum monthly spending limit for all the users of the system.

Set canteen name
 \$scope.setCanteenName = function(Boolean isValid){ }

Usage: The canteen name is configurable from the superuser's branding settings page.

Check user\$scope.checkUser = function(){}

Usage: This is a security function that checks to make sure that the authorized superuser is accessing the page and if this is not the case, the user will be redirected to the home page

Load employees \$scope.loadEmployees = function(){}

Usage: This function is used to dynamically populate the drop down menu for the change employee ID functionality

6.2 cashier.client.controller.js

1. Declaration:

angular.module('users').controller('cashierController', ['\$scope', '\$http', '\$stateParams', '\$location', 'Authentication', function(\$scope, \$http, \$stateParams, \$location, Authentication) {}

2. Methods:

Get orders\$scope.getOrders = function(){}

Usage: Function to obtain the list of orders that an order placed from the menu

 Mark as ready \$scope.markAsReady = function(username, orderNumber){}

Usage: Function that the cashier uses to send a notification to the user notifying the user that their order is ready. The function also changes the status in the model from open to ready. Mark as collected
 \$scope.markAsCollected = function(username, itemName,orderNumber){}

Usage: On the click of the 'Order collected' button on the cashier page, this function will be called. It changes the status of the order in the model from ready/open to closed.

 Mark as paid \$scope.markAsPaid = function(username, itemName, orderNumber){}

Usage: On the click of the 'Paid and collected' button on the cashier page, this function will be called. It changes the status of the order in the model from ready/open to closed.

Check user\$scope.checkUser = function(){}

Usage: This is a security function that checks to make sure that the authorized cashier is accessing the page and if this is not the case, the user will be redirected to the home page

6.3 cashier.client.controller.js

- 1. Declaration: angular.module('users').controller('FinanceController', ['\$scope', '\$http', '\$location', '\$stateParams', 'Authentication', function(\$scope, \$http, \$location, \$stateParams, Authentication) {}
- 2. Methods:
 - Get user orders \$scope.getUserOrders = function(){}

Usage: Function to obtain the orders placed by the users via adding to plate from the menu page and proceeding to place that order. The finance manager will enter the employee ID of the user in the textbox displayed on the page and the orders placed by that user will be displayed on that page.

Check user \$scope.checkUser = function(){}

Usage: This is a security function that checks to make sure that

the authorized cashier is accessing the page and if this is not the case, the user will be redirected to the home page

6.4 users.profile.server.controller

The profile controller provides fuctionality to search for an employee, retrieve the system limit, and for a user to update his/her password.

1. Declaration:

2. Methods:

• Update exports.update = function(req, res) -Usage

This method allows a user to update his/her profile and displays an error message if the profile could not be updated.

• Me exports.me = function(req, res) -Usage

• Get system limit exports.getSystemLimit = function(req, res)

-Usage

This method retrieves the system limit, it is used to prevent an employee from setting their limit too high.

• Search employee exports.searchEmployee=function(req,res) -Usage

This method allows an employee to be searched. It returns the employee details if that employee is found, if the employee is not found it displays an error message.

6.5 settings.client.controller

The settings controller allows the user to view and edit profile information. The controller also performs security checks to make sure that unauthorised users cannot access certain functions of the system.

1. Declaration:

angular.module('users').controller('SettingsController', ['\$scope', '\$http', '\$location', 'Users', 'Authentication', function(\$scope, \$http, \$location, Users, Authentication)

2. Methods:

• Update user profile

\$scope.updateUserProfile = function(boolean isValid) -Usage This method allows the user to update profile information. It displays an error if any of the information entered by the user is not in the correct format, or if the limit set by the user exceeds the system limit.

• View user profile

\$scope.viewUserProfile = function(boolean isValid)

-Usage

• Change user password

\$scope.chageUserPassword = function()

-Usage

This method lets the user change his/her password.

• Get system limit

\$scope.getSystemLimit = function()

-Usage

This method retrieves the system wide limit.

• Search employee

\$scope.searchEmployee = function(boolean isValid)

-Usage

This method allows the superuser to search for an employee, for example when a new role needs to be assigned to the employee. This method is also used in finance where an employee is searched to display his/her bill.

• Load employees

scope.loadEmplyees = function()

-Usage

• Check user role

scope.checkuser = function()

-Usage

This method performs an authentication check to ensure that unauthorised users cannot access certain features. For example, a normal user will not be able to navigate to the manage cafeteria page.

 Check if the user has a financial role \$scope.checkFinUser = function()

-Usage

The checkFinUser method performs a check to establish wheter the user has a finance role or not. It prevents unauthorised users from performing actions that can only be done by users with a finance role.

6.6 password.client.controller

The password controller allows a user to reset his/her passoword if they forgot what their password is.

1. Declaration:

angular.module('users').controller('PasswordController', ['\$scope', '\$stateParams', '\$http', '\$location', 'Authentication', function(\$scope, \$stateParams, \$http, \$location, Authentication)

2. Methods:

• Forgot password exports.forgot = function(req, res, next)

-Usage

This method sends a link to the user who forgot his/her password that they can follow to reset the password. This link is sent to the user's email account. It displays an error message if the user could not be found, if the user id field is blank, or if an email could not be sent.

Validate reset token
 exports.validateResetToken = function(req, res)
 -Usage

The method validates that the user can reset his/her password with the link they followed. If the link is invalid it displays an error message.

• Reset

exports.reset = function(req, res, next)

-Usage

This method resets the user password if the link followed to reset his/her password is valid. It displays an error message if the user did not enter the same password twice or if the password reset token is invalid. If the password has been changed an email is sent to the user to notify him/her of the change.

• Change password

exports.changePassword = function(req, res)

-Usage

This method allows the user to change his/her password. It displays an error message if the user could not be found or is not logged in, if the user did not enter the current password correctly, if the new password is not long enough, or if the user did not enter the same new password twice in order to confirm the new password.

7 Manage System

8 Manage Cafeteria

8.1 menuitems.client.controller

The menuitems client controller handles all the functionality concerning the menu, such as adding and updating menu items.

1. Declaration:

angular.module('menuItems').controller('MenuItemsController', ['\$scope', '\$rootScope', '\$http', '\$stateParams', '\$location', '\$cookies', 'Authentication', 'MenuItems', function(\$scope, \$rootScope, \$http, \$stateParams, \$location, \$cookies, Authentication, MenuItems)

2. Methods:

• Toggle Collapsible Menu

scope.toggleCollapsibleMenu = function()

-Usage

This method collapses and opens the Menu Bar. The function is invoked on the click of a button in the HTML file.

• Add Form Field

\$scope.addFormField = function()

-Usage

This method adds new text-boxes to assist with adding ingredients for menu items. The method is invoked when the button addIngridients is clicked in the HTML.

• Load Ingridients

scope.loadIngredients = function()

-Usage

This method transfers ingredients from the request result array to the working scope array. The method is invoked by other methods in the controller.

• Add More Ingridients Update

\$scope.addMoreIngredientsUpdate = function()

-Usage

This method adds new text-boxes to assist with updating ingredients for existing menu items. The method is invoked when the button addIngridients is clicked in the update ingredients section in the HTML.

• Remove Ingridient

\$scope.removeIngredient = function(int index)

-Usage

This method removes the ingredient at the specified index for the menu item being updated.

• Undo Remove Ingredient

scope.undoRemoveIngredient = function(index)

-Usage

This method undo's a remove ingredient operation performed by the above function.

• Update Menu Itemp

\$scope.updateMenuItem = function()

-Usage

This method sends the update request to the server to update the menu items. It will perform all error checks and display any errors returned from the server in the HTML.

• Search Menu

\$scope.searchMenu = function(Boolean isValid)

-Usage

This method searches for a menu item in the database. The search query is obtained from the scope variable.

• Create menu item

\$scope.createMenuItem = function(Boolean isValid)

-Usage

This method creates a new menu item in the database. The method will perform all error checks and validation and send the request to the server. The server response will then be displayed on the page.

• Create Menu Category

\$scope.createMenuCatagory = function(isValid)

-Usage

This method adds a new Menu item category to the database. The method will perform error checks and send the request to the server. The server response will be displayed on the page.

• Remove Ingredient

\$scope.removeIngredientOption = function(index) -Usage Removes ingredients from the new menu item being added. Method is invoked on button click.

• Load Menu Items

scope.loadMenuItems = function() - Usage

This method gets all the menu items from the server and populates the local array. If the server responds with an error, the error will be displayed on the page.

9 Manage Inventory

9.1 inventory.client.controller

The inventory controller handles all the main functionality concerning inventory, such as adding an anventory item.

1. Declaration:

angular.module('inventory').controller('InventoryController', ['\$scope', '\$http', '\$stateParams', '\$location', 'Authentication', 'Inventory', function(\$scope, \$http, \$stateParams, \$location, Authentication, Inventory)

2. Methods:

• Add form field inventory

\$scope.addFormFieldInventory = function()

-Usage

This method dynamically adds fields to the inventory page that are used to update the quantity of an inventory item. Each inventory item is displayed with the option to edit the quantity.

• Update inventory quantity

\$scope.updateInventoryQuantity = function()

-Usage

This method updates the quantity of an inventory item.

• Delete inventory item

\$scope.deleteInventoryItem = function()

-Usage

This method removes an inventory item from the database. It displays an error message when a user wants to remove an inventory item that is used by a menu item, in this case it displays an error message and does not remove the inventory item from the database.

• Load inventory items

\$scope.loadInventoryItems = function()

-Usage

The load inventory items searches for and returns all the inventory items in the database. It displays an error message when it could not load all the inventory items.

• Create inventory item

\$scope.create = function(boolean isValid)

-Usage

This method creates a new inventory item and stores it in the database. It displays an error message if all the neccessary fields are not entered correctly.

• Search inventory

\$scope.searchInventory = function(boolean isValid)

-Usage

This method searches for and returns a specific inventory item. It displays an error message if the inventory item could not be found.

• Update inventory

\$scope.updateInventory = function(boolean isValid)

-Usage

This method updates a specified inventory item. It displays an error message if all the necessary fields were not entered correctly or if the item could not be updated.

• Check if cafeteria manager \$scope.checkCMUser = function()

-Usage

This method performs a check to te confirm that the user has the cafeteria manager role. It prevents unauthorised users to perform actions that only the cafeteria manager is allowed to perform.

9.2 inventory.server.controller

The inventory controller handles all the main functionality concerning inventory, such as adding an anventory item.

- 1. Declaration:
- 2. Methods:
 - Load inventory items exports.loadInventoryItems = function(req, res)
 - -Usage

This method retrieves and returns all the inventory items in the databse. It is used to display all the inventory items where neccessary.

• Search inventory

exports.searchInventory=function(req,res)

-Usage

This method searches and returns a specific inventory item. It returns an error message if the specified item could not be found, or if the inventory item's name is empty.

• Decrease inventory

exports.decreaseInventory = function(req,res)

-Usage

This method decreases a specific inventory item with a certain amount. It returns an error message if the inventory item could not be found or if the inventory item could not be decreased.

• Update inventory

exports.updateInventory = function(req, res)

-Usage

This method updates a specific inventory item. It returns an error

message if the item to be updated was not found, or if the item could not be updated.

• Update inventory quantity exports.updateInventoryQuantity=function(req,res)
-Usage
This method updates the quantity of a specific inventory item. If
the inventory item could not be found or updated it returns an

Delte inventory item
 exports.deleteInventoryItem = function(req, res)
 -Usage
 This method deletes a specific inventory item. It returns an error messag if the item could not be found or deleted.

10 Place Order

error message.