

Functional Requirements Document Specification

Project: Cafeteria Management System: Resolve

T-RISE

Rendani Dau (13381467)

Elana Kuun (12029522)

Semaka Malapane (13081129)

Antonia Michael (13014171)

Isabel Nel (13070305)

<https://github.com/toniamichael94/MainProjectCOS301>

August 25, 2015

Contents

1	Introduction	5
2	Vision	5
3	Background	5
4	Functional Requirements and Application Design	6
4.1	Use Cases	6
4.2	Use Case Prioritization	6
4.2.1	Critical	6
4.2.2	Important	7
5	Modular System	8
5.1	High level use case diagram of the CMS	8
5.2	Authentication Module	8
5.2.1	Forgot Password	9
5.2.2	Validate User credentials	11
5.2.3	Register	13
5.2.4	Set email	14
5.2.5	Set Password	16
5.2.6	Set Limit	17
5.2.7	Set Employee ID	18
5.2.8	Set Financial Preferences	19
5.3	Manage Cafeteria Module	21
5.3.1	addItem	21
5.3.2	deleteMenuItem	22
5.3.3	searchMenuItem	24
5.3.4	updateMenuItem	25
5.4	Place Orders Module	26
5.4.1	CheckProductAvailability	27
5.4.2	checkLimit	29
5.5	Manage Inventory Module	30
5.5.1	addInventory	31
5.5.2	searchInventory	32
5.5.3	deleteInventory	34
5.5.4	updateInventory	35
5.6	Manage Profile Module	36
5.6.1	setFinancialPreferences	37
5.6.2	changePassword	38

5.6.3	changeEmail	40
5.6.4	changeLimit	41
5.7	Manage System Module	42
5.7.1	assignRoles	43
5.7.2	changeEmployeeID	45
5.7.3	setSystemWideLimit	46
5.7.4	setCanteenName	48
5.7.5	uploadImage	49
6	Comment	51

Document Title	Functional Requirements Document
Document Identification	Document 0.0.4
Author	Rendani Dau, Elana Kuun, Semaka Malapane, Antonia Michael, Isabel Nel
Version	0.0.4
Document Status	Fourth Version - edited the whole document thoroughly, added Manage System module and made other module changes and additions

Version	Date	Summary	Authors
0.0.1	29 May 2015	First draft contains first two use cases	Rendani Dau, Elana Kuun, Semaka Malapane, Antonia Michael Isabel Nel,
0.0.2	6 July 2015	Second draft adding Register and Authentication use cases and updated profile	Rendani Dau, Elana Kuun, Semaka Malapane, Antonia Michael Isabel Nel
0.0.3	22 July 2015	Third draft adding Inventory and Menu use cases	Rendani Dau, Elana Kuun, Semaka Malapane, Antonia Michael Isabel Nel
0.0.4	23 July 2015	Fourth draft adding Manage system and editing whole document	Rendani Dau, Elana Kuun, Semaka Malapane, Antonia Michael Isabel Nel

1 Introduction

This document contains the functional requirements specification, architecture requirements and testing for the Resolve Cafeteria Management System that will be created for Software Engineering (COS 301) at the University of Pretoria 2015, by the group T-RISE. In this document we will thoroughly discuss and layout the project's functional requirements to provide a clear view of the system as a whole. An agile approach is being followed which involves an interactive and incremental method of managing and designing the system as described by the scrum methodology.

2 Vision

The vision of this project is to implement a flexible, pluggable, fully functional software application that will be maintainable, with detailed supporting documentation and an instruction manual for the Cafeteria Management System. This system will assist in managing the cafeteria's inventory/stock, placing orders made by employees, generating bills, and sending the appropriate information to the right parties.

3 Background

As specified in the project proposal document from Resolve, the cafeteria is currently cash only and does not accept bank cards or electronic payments. This makes it inconvenient for employees as they have to have cash on hand if they want to purchase anything from the cafeteria. Employees might choose to buy somewhere else where they can use another form of payment. The employees have to use fuel and time, and this does not bring in the maximum amount of income to the cafeteria, hindering its growth and improvement.

Resolve is therefore looking for a means to accept payments from employees for the canteen using their employee access cards or access card numbers. The amount spent at the cafeteria can then be deducted from their salary at the end of the month.

After our first meeting with the client, they brought to our attention that at times the cafeteria does not have enough stock to provide some of the menu items, therefore the managing of inventory and stock will also be part of the system. The system will also predict what inventory/stock needs to be bought for the next week in order to avoid shortcomings. At the end of

each month, the bill for that month will be sent to either payroll or to the employee. This option is configurable from the user's profile. The employee can also set a spending limit for each month. The system will also have a maximum limit that users cannot exceed.

4 Functional Requirements and Application Design

In this section we will discuss the functional requirements.

4.1 Use Cases

Below is a list of all the use cases we have identified:

- Authentication
- Manage System
- Manage Profile
- Place Order
- Manage Cafeteria
- Manage Inventory

4.2 Use Case Prioritization

Below the use cases mentioned above will be categorized as critical, important or nice to have.

4.2.1 Critical

- **Authentication**

This is a critical use case due to the fact that you cannot send through any order if you are not logged in. In such a case you will only be able to view the menu. In addition, you can not log into the system if you have not been registered on the system.

- **Place Order**

This is critical due to the fact that the main functionality of the system revolves around the ability to place orders at the cafeteria as well as other functionality that is closely related to the placing order functionality.

- **Manage Inventory**

This use case is considered critical because it deals with adding, removing, searching for and updating (i.e. incrementing stock that has been added and decrementing stock when it is purchased or expired). This is hence vital for achieving the purpose of the system. The items displayed on the menu will contain a field called "Not in stock" if there is not a sufficient supply of inventory for the various menu items and the option to order an 'out of stock' item will not be available.

- **Manage Cafeteria**

This use case is considered critical because it deals with firstly adding menu items to the menu that the user will view, which again is vital for achieving the purpose of the system, as well as removing, updating and searching for various menu items.

4.2.2 Important

- **Manage Profile**

This use case is considered important because the user must be able edit their profile by resetting their personal spending limits and changing their email and passwords. The user must also be able to view his/her account history and current bill as well as his/her available balance for credit spending for the month. It is crucial that the user is able to configure spending limits according to their own preferences as well as keep track of monthly purchases.

- **Manage System**

This use case is considered important because this is where the superuser will configure the maximum spending limit, assign roles such as a cashier, change employee IDs as well as branding functionality such as setting the canteen name and uploading a canteen photo for the home page.

5 Modular System

The system will be built using a modular approach to allow more modules to be added at a later stage. This will also provide for pluggability and integratibility of the system.

5.1 High level use case diagram of the CMS




Figure 1: Cafeteria Management System Use Case

The core of the system is a cafeteria management system that will provide functionality such as allowing users to place orders once they have registered and logged on to the system. Different types of users will have different privileges.

5.2 Authentication Module

In this module, the functionality provided consists of validating the credentials entered into the system by a user whilst signing in. In addition, assistance is provided via the forgotPassword functionality. The different roles

are also obtained in order to assign different functionality to users based on their roles. The register/ sign up functionality is also included here.




Figure 2: The main use case diagram for Authentication

Another crucial part of the authentication module is to verify if a user may have access to certain pages given his/her role which will also contribute to the security of the data stored on our system and to control which user has access to which functionality.

5.2.1 Forgot Password

The service contract and activity diagram for forgotPassword follow. forgotPassword falls under the use case for Authentication (refer to page 15 - figure 12 to view this use case diagram). Here, a user who has forgotten their password will be assisted via sending an email to the user's email account with steps to follow to create a new password.




Figure 3: The activity diagram for forgotPassword




Figure 4: The service contract for forgotPassword

5.2.2 Validate User credentials

The service contract and activity diagram for `validateUserCredentials` follow. `validateUserCredentials` falls under the use case for Authentication (refer to page 15 - figure 12 to view this use case diagram). Here, a user who has forgotten their password will be assisted via sending an email to the user's email account with steps to follow to create a new password.




Figure 5: The activity diagram for validateUserCredentials




Figure 6: The service contract for `validateUserCredentials`

5.2.3 Register

Register provides the functionality to sign up as a user of the system. The user will set their limit, and personal details upon registration, as well as the recipient of their monthly bill. This is indicated in the following use case diagram.




Figure 7: The use case for registering on the system

5.2.4 Set email

The service contract and activity diagram for setEmail follow. setEmail falls under the use case for Register (refer to page - figure to view this use case diagram). These details, entered by the user will be stored on the system.




Figure 8: The activity diagram for setting an email address on the system




Figure 9: The service contract for setting an email address on the system

5.2.5 Set Password

The service contract and activity diagram for setPassword follow. setPassword falls under the use case for Register (refer to page 8 - figure 2 to view this use case diagram). These details, entered by the user will be stored on the system.




Figure 10: The activity diagram for setting a password on the system




Figure 11: The service contract for setting a password on the system

5.2.6 Set Limit

The service contract and activity diagram for `setLimit` follow. `setLimit` falls under the use case for Register (refer to page 8 - figure 2 to view this use case diagram). These details, entered by the user will be stored on the system.




Figure 12: The activity diagram for setting a limit on the system




Figure 13: The service contract for setting a limit on the system

5.2.7 Set Employee ID

The service contract and activity diagram for setEmployeeID follow. setEmployeeID falls under the use case for Register (refer to page 8 - figure 2 to view this use case diagram). These details, entered by the user will be stored on the system.




Figure 14: The activity diagram for setting an employeeId on the system




Figure 15: The service contract for setting an employeeId on the system

5.2.8 Set Financial Preferences

The service contract and activity diagram for setFinancialPreferences follow. setFinancialPreferences falls under the use case for Register (refer to page 8

- figure 2 to view this use case diagram). These details, entered by the user will be stored on the system.




Figure 16: The activity diagram for setting financial preferences on the system




Figure 17: The service contract for setting financial preferences on the system

5.3 Manage Cafeteria Module

The menu module consists of the functionality of adding and removing menu items from the menu from which the user will place orders. This use case diagram indicates the functionality that this module consists of such as addMenuItem, updateMenuItem, searchMenuItem and deleteMenuItem, which are the use cases of this module.




Figure 18: The use case for menu

5.3.1 addMenuItem

The service contract and activity diagram for addMenuItem follow. addMenuItem falls under the use case for Menu (refer to page - figure to view this use case diagram). The system allows the cafeteria manager to add items to the menu via the menu managing page.




Figure 19: The activity diagram for adding a menu item




Figure 20: The service contract for adding a menu item

5.3.2 deleteMenuItem

The service contract and activity diagram for deleteMenuItem follow. deleteMenuItem falls under the use case for Menu (refer to page - figure to view

this use case diagram). The system allows the cafeteria manager to delete items from the menu via the menu managing page.




Figure 21: The activity diagram for deleting a menu item




Figure 22: The service contract for deleting a menu item

5.3.3 searchMenuItem

The service contract and activity diagram for searchMenuItem follow. searchMenuItem falls under the use case for Menu (refer to page - figure to view this use case diagram). The system allows the cafeteria manager to search for items from the menu via the menu managing page.




Figure 23: The activity diagram for searching for a menu item




Figure 24: The service contract for searching for a menu item

5.3.4 updateMenuItem

The service contract and activity diagram for updateMenuItem follow. updateMenuItem falls under the use case for Menu (refer to page - figure to view this use case diagram). The system allows the cafeteria manager to update menu items' unit, quantity and name via the menu managing page.




Figure 25: The activity diagram for updating a menu item




Figure 26: The service contract for updating a menu item

5.4 Place Orders Module

The main functionality the system serves to provide, is to allow the user to use their access card number to purchase food items from the cafeteria via

the system. This use case diagram indicates the functionality around placing orders, such as CheckProductAvailability and checkLimits, which are the use cases of this module.




Figure 27: The use case for placing an order

5.4.1 CheckProductAvailability

The service contract and activity diagram for CheckProductAvailability follow. CheckProductAvailability falls under the use case for Place Orders (refer to page 20 - figure 17 to view this use case diagram). The system will check whether the product that the user has selected to purchase is currently in stock.




Figure 28: The activity diagram for checking product availibilty




Figure 29: The service contract for checking product availability

5.4.2 checkLimit

The service contract and activity diagram for checkLimit follow. checkLimit falls under the use case for Place Orders (refer to figure 17 page 20 to view this use case diagram). The system will be able to view the user's personal limit to make sure that the total of the bill is not larger than the users spending limit.




Figure 30: The activity diagram for checking limits




Figure 31: The service contract for checking limits

5.5 Manage Inventory Module

The inventory module is where the cafeteria manager will keep track of stock additions and removals. Different menu items require certain inventory items. This use case diagram indicates the functionality around adding, deleting, searching for and updating inventory.




Figure 32: The use case for inventory

5.5.1 addInventory

The service contract and activity diagram for `addInventory` to follow. `addInventory` falls under the use case for `Inventory` (refer to page figure to view this use case diagram). The cafeteria manager will be able to manage inventory items via the allocated page.




Figure 33: The activity diagram for adding inventory




Figure 34: The service contract for adding inventory

5.5.2 searchInventory

The service contract and activity diagram for searchInventory to follow. searchInventory falls under the use case for Inventory (refer to page figure to view this use case diagram). The cafeteria manager will be able to search

for inventory items via the allocated page and from there be able to delete or update them.




Figure 35: The activity diagram for searching for inventory




Figure 36: The service contract for searching for inventory

5.5.3 deleteInventory

The service contract and activity diagram for deleteInventory to follow. deleteInventory falls under the use case for Inventory (refer to page figure to view this use case diagram). The cafeteria manager will be able to delete inventory items via the allocated page.




Figure 37: The activity diagram for adding inventory




Figure 38: The service contract for adding inventory

5.5.4 updateInventory

The service contract and activity diagram for updateInventory to follow. updateInventory falls under the use case for Inventory (refer to page figure to view this use case diagram). The cafeteria manager will be able to update inventory items via the allocated page.




Figure 39: The activity diagram for updating inventory




Figure 40: The service contract for updating inventory

5.6 Manage Profile Module

The user will be allowed to customize various settings such as resetting his/her personal limit, changing password and email, displaying the bill and

viewing favourites. The following use case diagram indicates the above mentioned functionality around managing the profile. Hence, it has the use cases generateFavourite and edit profile.




Figure 41: The use case diagram for managing profile

5.6.1 setFinancialPreferences

The service contract and activity diagram for setFinancialPreferences to follow. setFinancialPreferences falls under the use case for Manage Profile (refer to page 24 figure 22 to view this use case diagram). The user will be able to choose where their monthly bill is sent to.




Figure 42: The activity diagram for setting financial preferences




Figure 43: The service contract for setting financial preferences

5.6.2 changePassword

The service contract and activity diagram for changePassword follow. changePassword falls under the use case for Edit Profile (refer to page 24 figure 22 to

view this use case diagram). The user will be able to edit their password.




Figure 44: The activity diagram for changing password




Figure 45: The service contract for changing password

5.6.3 changeEmail

The service contract and activity diagram for changeEmail follow. changeEmail falls under the use case for Edit Profile (refer to page 24 figure 22 to view this use case diagram). The user will be able to edit their email address.




Figure 46: The activity diagram for changing email address




Figure 47: The service contract for changing email address

5.6.4 changeLimit

The service contract and activity diagram for changeLimit follow. changeLimit falls under the use case for Edit Profile (refer to page 24 figure 22 to view this use case diagram). The user will be able to change their personal spending limit on their profile, however, this must not exceed the system's limit.




Figure 48: The activity diagram for setting limit




Figure 49: The service contract for setting limit

5.7 Manage System Module

The superuser will be allowed to customize various settings such as assign roles to the users, changing employee IDs, setting the maximum spending

limit as well as branding settings such as setting the canteen name and changing the cover photo. The following use case diagram indicates the above mentioned functionality.




Figure 50: The use case diagram for managing system

5.7.1 assignRoles

The service contract and activity diagram for assignRoles to follow. assignRoles falls under the use case for Manage System (refer to page figure to view this use case diagram). The superuser is the only user who can allocate the various roles to users. Roles consist of finance managers, cashiers, cafeteria managers, and administrator.




Figure 51: The activity diagram for assign roles




Figure 52: The service contract for assign roles

5.7.2 changeEmployeeID

The service contract and activity diagram for changeEmployeeID to follow. changeEmployeeID falls under the use case for Manage System (refer to page figure to view this use case diagram). The superuser is the only user who can change the employee ID of employees if they typed their ID incorrectly or if the company changes the IDs.




Figure 53: The activity diagram for change employee ID




Figure 54: The service contract for change employee ID

5.7.3 setSystemWideLimit

The service contract and activity diagram for `setSystemWideLimit` to follow. `setSystemWideLimit` falls under the use case for Manage System (refer to page figure to view this use case diagram). The superuser is the only user who can change the maximum monthly spending limit. Users will then not be able to set their personal monthly spending limits to a value higher than this.




Figure 55: The activity diagram for setting the system wide limit




Figure 56: The service contract for setting the system wide limit

5.7.4 setCanteenName

The service contract and activity diagram for setCanteenName to follow. setCanteenName falls under the use case for Manage System (refer to page figure to view this use case diagram). The superuser can change the canteen name hence not restricting the system to be used at only one canteen - making the system portable.




Figure 57: The activity diagram for setting the canteen name




Figure 58: The service contract for setting the canteen name

5.7.5 uploadImage

The service contract and activity diagram for `uploadImage` to follow. `uploadImage` falls under the use case for Manage System (refer to page figure to view this use case diagram). The superuser can change the canteen cover photo hence not restricting the system to be used at only one canteen - making the system portable.




Figure 59: The activity diagram for uploading a cover image




Figure 60: The service contract for uploading a cover image

6 Comment

No comment for this version update.