



## nodeSimpleRest


### Lade Notizen aus JSON - File



### Gib alle Notizen als JSON zurück



## Löschen eine Notiz mit bestimmter ID




```
cmd - node app.js
16.05.2016 15:41 <DIR> documents
16.05.2016 15:41 <DIR> helper
16.05.2016 16:29 <DIR> node_modules
16.05.2016 18:44 378 package.json
16.05.2016 16:12 55 README.md
16.05.2016 16:36 <DIR> routes
3 Datei(en), 1'144 Bytes
7 Verzeichnis(se), 24'442'883'456 Bytes frei

node@DESKTOP-000000 C:\cas\git\repo\nodeSimpleRest-git\cas
> node app.js
[INFO] Server is listening on port: 4000
[INFO] loadNotes from: .\documents\noteSelf.json in helper.noteSelf[]
[INFO] loadFile - retValue: true
[INFO] Zedge alle
[INFO] Anzahl notes: 20
[INFO] i=0 - noteid=1 - checkID=102
[INFO] no
[INFO] i=1 - noteid=2 - checkID=102
[INFO] no
[INFO] i=2 - noteid=3 - checkID=102
[INFO] no
[INFO] i=3 - noteid=4 - checkID=102
[INFO] no
[INFO] i=4 - noteid=5 - checkID=102
[INFO] no
[INFO] i=5 - noteid=6 - checkID=102
[INFO] no
[INFO] i=6 - noteid=7 - checkID=102
[INFO] no
[INFO] i=7 - noteid=8 - checkID=102
[INFO] no
[INFO] i=8 - noteid=9 - checkID=102
[INFO] no
[INFO] i=9 - noteid=101 - checkID=102
[INFO] no
[INFO] i=10 - noteid=102 - checkID=102
[INFO] yes
[INFO] Gelöscht: entryID=10

localhost:4000/notebookdelete?noteid=102
[{"noteid":1,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld0"}, {"noteid":2,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld1"}, {"noteid":3,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld2"}, {"noteid":4,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld3"}, {"noteid":5,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld4"}, {"noteid":6,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld5"}, {"noteid":7,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld6"}, {"noteid":8,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld7"}, {"noteid":9,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld8"}, {"noteid":10,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld9"}, {"noteid":101,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld10"}, {"noteid":102,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld11"}, {"noteid":103,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld12"}, {"noteid":104,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld13"}, {"noteid":105,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld14"}, {"noteid":106,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld15"}, {"noteid":107,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld16"}, {"noteid":108,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld17"}, {"noteid":109,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld18"}, {"noteid":110,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld19"}, {"noteid":111,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld20"}, {"noteid":112,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld21"}, {"noteid":113,"title":"Alles Sense","author":"Terry Pratchett","entry":"discworld22"}]
```

## Zeige Notiz mit bestimmter ID an (-> ID nicht vorhanden)




```
cmd - node app.js
[INFO] Anzahl notes: 19
[INFO] i=0 - noteid=1 - checkID=102
[INFO] no
[INFO] i=1 - noteid=2 - checkID=102
[INFO] no
[INFO] i=2 - noteid=3 - checkID=102
[INFO] no
[INFO] i=3 - noteid=4 - checkID=102
[INFO] no
[INFO] i=4 - noteid=5 - checkID=102
[INFO] no
[INFO] i=5 - noteid=6 - checkID=102
[INFO] no
[INFO] i=6 - noteid=7 - checkID=102
[INFO] no
[INFO] i=7 - noteid=8 - checkID=102
[INFO] no
[INFO] i=8 - noteid=9 - checkID=102
[INFO] no
[INFO] i=9 - noteid=101 - checkID=102
[INFO] no
[INFO] i=10 - noteid=103 - checkID=102
[INFO] no
[INFO] i=11 - noteid=104 - checkID=102
[INFO] no
[INFO] i=12 - noteid=105 - checkID=102
[INFO] no
[INFO] i=13 - noteid=107 - checkID=102
[INFO] no
[INFO] i=14 - noteid=108 - checkID=102
[INFO] no
[INFO] i=15 - noteid=109 - checkID=102
[INFO] no
[INFO] i=16 - noteid=110 - checkID=102
[INFO] no
[INFO] i=17 - noteid=112 - checkID=102
[INFO] no
[INFO] i=18 - noteid=113 - checkID=102
[INFO] no

node.exe[64]:2456
```

```
localhost:4000/notebook?noteid=102
{"status":"Fehler","message":"Unbekannte ID"}
```

Zeige Notiz mit bestimmter ID an (-> ID vorhanden)



Füge Notizen hinzu (mit curl POST: curl for Windows: <http://www.confusedbycode.com/curl/> )

