-FOR LINUX APPLICATIONS-

[Keep learning. Stay alive.]

UBUNTU

general

`C-M-t` | `<f11>`

> launch terminal | full screen

switch

`M-TAB` | `C-M-<direction>`

> switch application | switch workspace

(ck) `C-<f1>` | `C-<f2>`

> switch or launch inkscape | switch or launch evince

(ck) `C-<f3>` | `C-<f4>` | `C-<f5>`

> switch or launch emacs | switch or launch terminal | switch or launch firefox

specific actions

(ck) `<f6>` | `C-<return>`

(ck) custom keybinding

> copy location bar in firefox and go to emacs | do C-c

TERMINAL

By default, the line editing commands are similar to those of Emacs.

window

`S-<prior>` | `S-<next>`

> window scrolling up | window scrolling down

`C-S-` `n | t | w`

> open new terminal | open new tab | close tab

`M-<number>` | `C-l`

> switch to tab <number> | clear the screen

process

`C-z` | `C-c`

> suspend process | kill process

retrieve command

`<tab>` | `C-r` | `C-p` | `C-n`

> autocomplete | reverse i-search | previous command | next command

---

move within line

`C-f` | `C-b` | `M-f` | `M-b`

> forward character | backward character | forward word | backward word

`C-e` | `C-a`

> line beginning | line end

delete/kill

`<backspace>` | `C-d`

> delete backward character | delete forward character

`M-<backspace>` | `M-d`

> kill backward word | kill forward word

`C-k` | `C-u`

> kill forward line | kill backward line

past/yank

`C-S-v` | `C-y`

> past | yank

[Keep learning.Stay alive.]

CHROMIUM

setting

To profit from Emacs-style text editing shortcuts in chromium text box, you must enable it in GNOME. To enable this style and see the defined keybindings, just run the lines below:

```
$ gsettings set
  org.gnome.desktop.interface
  gtk-key-theme "Emacs"
$ cat /usr/share/themes/Emacs/
  gtk-3.0/gtk-keys.css
```

The Saka Key extension offers an handy interface to customize keyboard shortcuts to browse the web.
The Saka extension is an elegant tab search, selection and beyond.

orginal keyboard shortcuts

miscellaneous

`C-l` | `C-o` | `C-h`

select location bar | open file | history sidebar

`<tab>` | `S-<tab>`

focus next link or input field | focus previous link or input field

---

`C-n` | `C-S-w`

new window | close window

search

`C-f` | `C-g` | `C-S-g`

find | find again | find Previous

zoom

`C-+` | `C--` | `C-0`

zoom in | zoom out | zoom reset

tabs

`C-t` | `C-S-t` | `C-r` | `C-w`

new tab | restore tab | refresh tab | close tab

`C-<tab>` | `C-S-<tab>`

next tab | previous tab

navigation

`M-<left>` | `M-<right>`

go back | go forward

dev part

`<f12>` | `C-u`

open developer tool | page source

---

saka key and saka extensions

toggle saka

(ck) `C-x`

toggle saka

link hints

hint characters: asurimefqndblwj

(ck) `l` | `o l` | `o r`

open link | open link in foreground tab | open link in background tab

navigation

(ck) `g b` | `g f` | `g u` | `g r`

go back | go forward | go up | go to root

scroll

(ck) `n` | `p` | `<` | `>`

scroll half page down | scroll half page up | scroll to top | scroll to bottom

zoom

(ck) `+` | `-` | `0`

zoom in | zoom out | zoom reset

tabs

(ck) `t` | `y t` | `y d`

-FOR LINUX APPLICATIONS-

[Keep learning. Stay alive.]

```
new tab | restore tab | duplicate
tab
```

ck **r** | **m** | **s p**

```
refresh tab | toggle mute tab |
toggle pin tab
```

ck **x** | **c o** | **c u** | **c i**

```
close tab | close other tabs |
close left tabs | close right
tabs
```

ck **a** | **u** | **i** | **e**

```
first tab | previous tab | next
tab | last tab
```

ck **b** | **f** | **s a** | **s e**

```
move tab left | move tab right |
move tab first | move tab last
```

— windows —

ck **o o** | **s o**

```
new window | move tab new window
```

LINKS

gnu.org: command line editing

key.saka.io: saka key introduction

saka.io: saka home page

https://github.com/tonyaldon   https://twitter.com/tonyaldon