

EMACS WORKFLOW (1/5)

[Keep learning. Stay alive.]

GET HELP

general

ck **C-c h** | **<f1>** | **C-h**

help

<f1> | **?** | **b** | **f** | **k**

help-for-help | describe-bindings
| describe-function | describe-
key

<f1> | **m** | **P** | **P** | **v**

describe-mode | finder-by-keyword
| describe-package | describe-
variable

miscellaneous

apropos-variable | customize |
customize-variable | elisp-index-
search | list-packages | info
| info-display-manual | info-
lookup-symbol | menu-bar-open |
<mode-name>-mode | search-emacs-
glossary

SPECIFIC ACTIONS

general

C-x | **C-f** | **k** | **C-c**

ido-find-file | ido-kill-buffer |
save-buffers-kill-terminal

save/undo/quit/kill

ck **<f4>** | **M--** | **M-q** | **C-c .**

save-buffer | undo | keyboard-
quit | kill-buffer

miscellaneous

M-x | **C-g** | **C-u** | **C--**

execute-extended-command |
keyboard-quit | universal-
argument | negative-argument

M-! | **M-=** | **C-j**

shell-command | count-words-
region | electric-newline-and-
maybe-indent

keyboard macro

C-x | **(** | **)** | **e**

kmacro-start-macro | kmacro-end-
macro | kmacro-end-and-call-macro

C-x C-k

C-c | **C-i** | **n** | **b**

kmacro-set-counter | kmacro-
insert-counter | kmacro-name-
last-macro | kmacro-bind-to-key

USER INTERFACE

switch windows

ck **C-<tab>**

ace-window [a|i|e|w|b|n|f|p|k]

window size - text scale

ck **<f3>** | **<f5>** | **<f10>** | **<f12>**

shrink-window-horizontally |
enlarge-window-horizontally |
shrink-window | enlarge-window

C-x | **C-+** | **C--** | **C-0**

text-scale-adjust | text-scale-
adjust | text-scale-adjust

delete/split windows

C-x | **0** | **1** | **2** | **3**

delete-window | delete-other-
windows | split-window-below |
split-window-right

ck **C-c** | **f** | **b** | **d** | **-**

ck custom keybinding

EMACS WORKFLOW (2/5)

[Keep learning. Stay alive.]

ido-find-file-other-window |
ido-switch-buffer-other-window
| delete-other-windows | delete-
window

specific interfaces

ck M-u t s c

ta/modify-ui-window-split-toggle
| ta/modify-ui-shell-window-below
| ta/modify-ui-writing-code

ck C-c C-u c d

ta/modify-ui-find-file-custom-
emacs | ta/modify-ui-find-file-
daily

ck C-c C-u k c d

ta/save-kill-buffer-custom-emacs
| ta/save-kill-buffer-daily

switch buffer

ck C-x b C-b

ido-switch-buffer | ibuffer

MOVE WITHIN BUFFER

large movements

M-< | M->

beginning-of-buffer | end-of-
buffer

<next> | <prior>

scroll-up-command | scroll-down-
command

M-<next> | M-<prior>

scroll-other-window | scroll-
other-window-down |

small movements

C-b | C-f | C-n | C-p

backward-char | forward-char |
next-line | previous-line

word/sentence movements

M-b | M-f | M-a | M-e

backward-word | forward-word
backward-sentence | forward-
sentence |

line movements

C-a | C-e | M-m

move-beginning-of-line | move-
end-of-line | back-to-indentation

top/bottom movements

M-r | C-l

move-to-window-line-top-bottom |
recenter-top-bottom

search

M-g M-g | M-n | M-p

goto-line | next-error |
previous-error

ck C-c s r

isearch-forward | isearch-
backward

C-s | C-r | M-s o

isearch-forward | isearch-
backward | occur

TEXT MANIPULATION

miscellaneous

ck C-y | C-o | M-; | C-c l

yank | open-line | comment-dwim |
ta/comment-line

EMACS WORKFLOW (3/5)

[Keep learning. Stay alive.]

M-q | C-x f | M-\$

fill-paragraph | set-fill-column
| ispell-word

replace

ck C-\$ | C-c q

replace-string | query-replace

character/word kill

C-d | M-d

delete-char | kill-word

<backspace> | C-<backspace>

backward-kill-word | delete-
backward-char

line/sentence/region kill

ck C-k | C-c u | C-x C-o

kill-line | ta/kill-line-backward
| delete-blank-lines

M-k | C-w | M-w

kill-sentence | kill-region |
kill-ring-save

mark

C-<space> | M-h | C-x h

set-mark-command | mark-paragraph
| mark-whole-buffer

multiple mark

ck C-c i | M-n | M-p

iedit-mode | mc/mark-next-like-
this-word | mc/mark-previous-
like-this-word

ck C-< | C->

mc/mark-previous-like-this
mc/mark-next-like-this

transposing

C-t | M-t | C-x C-t

transpose-chars | transpose-words
| transpose-lines

case changes

ck M-c | u | l | c

upcase-word | downcase-word |
capitalize-word

ck M-c r | u | l

upcase-region | downcase-region

rectangles

C-x r | o | c | k | M-w

open-rectangle | clear-rectangle
| kill-rectangle | copy-
rectangle-as-kill

C-x r | y | t

yank-rectangle | string-rectangle

DIRED-MODE

miscellaneous

C-x d

ido-dired

dired-mode | q | h | ?

quit-window | describe-mode |
dired-summary

dired-mode | C-x C-q | C-x C-s

dired-toggle-read-only | save-
buffer

dired-mode | f | o | +

EMACS WORKFLOW (4/5)

[Keep learning. Stay alive.]

dired-find-file | dired-find-file-other-window | dired-create-directory

— move within dired buffer —

dired-mode `p` | `n` | `<` | `>`

dired-previous-line | dired-next-line | dired-prev-dirline | dired-next-dirline

dired-mode `M-{` | `M-}` | `~`

dired-prev-marked-file | dired-next-marked-file | dired-up-directory

— dired user interface —

dired-mode `i` | `g` | `$` | `M-$`

dired-maybe-insert-subdir | revert-buffer | dired-hide-subdir | dired-hide-all

— mark and act —

dired-mode `m` | `u` | `U` | `t`

dired-mark | dired-unmark | dired-unmark-all-marks | dired-toggle-marks

dired-mode `C` | `R` | `d` | `x` | `!`

dired-do-copy | dired-do-rename | dired-flag-file-deletion | dired-do-flagged-delete | dired-do-shell-command

CSV-MODE

— move within —

csv-mode `C-M-b` | `C-M-f`

backward-sexp | forward-sexp

— handle —

csv-mode `C-c` `C-a` | `C-u` | `C-t`

csv-align-fields | csv-unalign-fields | csv-transpose

csv-mode `C-c` `C-s` | `C-n`

csv-sort-fields | csv-sort-numeric-fields

— act —

csv-mode `C-c` `C-k` | `C-y`

csv-kill-fields | csv-yank-fields

ORG-MODE

— visibility —

org-mode `TAB` | `S-TAB`

org-cycle | org-shifttab

— motion —

org-mode `C-c` `C-p` | `C-n`

outline-previous-visible-heading | outline-next-visible-heading

org-mode `C-c` `C-f` | `C-b`

org-forward-heading-same-level | org-backward-heading-same-level

org-mode `C-c` `C-u`

outline-up-heading

— structure editing —

org-mode `M-RET` | `C-RET`

org-meta-return | org-insert-heading-respect-content

org-mode `C-c` `-` | `*` | `C-x c`

EMACS WORKFLOW (5/5)

[Keep learning. Stay alive.]

org-ctrl-c-minus |
org-ctrl-c-star | org-clone-
subtree-with-time-shift

org-mode

M-LEFT

M-RIGHT

org-metaleft | org-metaright

source code

org-mode

C-c

'

C-c

org-edit-special |
org-ctrl-c-ctrl-c

miscellaneous

org-mode

C-c

C-l

C-o

org-insert-link | org-open-at-
point

org-mode

C-c C-e

org-export-dispatch

SHELL-MODE

retrieve command

shell-mode

M-p

M-n

comint-previous-input |
comint-next-input

PACKAGES

installed packages

ac-math | ace-window | auctex |
auto-complete | avy | bind-key |
cl-generic | company | concurrent
| csv-mode | ctable | dash |
deferred | ein | elpy | epc |
ess | eval-in-repl | eval-sexp-
fu | evil | evil-iedit-state |
find-file-in-project | goto-chg |
highlight | highlight-indentation
| iedit | image+ | ivy | jedi |
jedi-core | js2-mode | markdown-
mode | markdown-preview-mode |
math-symbol-lists | matlab-mode
| multiple-cursors | org-babel-
eval-in-repl | org-bullets |
paredit | php-mode | popup | py-
autopep8 | python-environment |
pyvenv | rainbow-mode | request
| request-deferred | s | simple-
httpd | skewer-mode | smartparens
| undo-tree | uuidgen | vlf |
web-mode | web-server | websocket
| yasnipet | yasnipet-snippets

built-in packages

allout | allout-widgets | ansi-
color | antlr-mode | artist |
bs | cedet | cfengine | chart
| checkdoc | cl-lib | cwarn |
delim-col | dunnet | ebnf2ps |

ede | ediff | edmacro | eieio
| eieio-core | epgerc | eshell
| feedmail | find-cmd | finder
| flymake | foldout | footnote
| gamegrid | gnus | hippie-exp
| htmlfontify | icalendar |
idlwave | image-dired | info-xref
| inversion | isearchbjs | json |
linum | master | md4 | meta-mode
| mh-e | mixal-mode | newsticker
| ntlm | package | printing |
ps-mode | ps-printpulse | python
| regi | remember | repeat |
ruby-mode | ruler-mode | savehist
| semantic | sh-script | sql |
srecode | tabulated-list | tetris
| tildify | timeclock | vera-mode
| viper | wdired | whitespace |
woman