

Identifying Inter-subject Difficulties in Norwegian

GPA Data Using Item Response Theory

Tony C. A. Tan

Centre for Educational Measurement, University of Oslo

Continuous Draft

Prof Rolf V. Olsen & Dr Astrid M. J. Sandsør

Autumn 2021

Identifying Inter-subject Difficulties in Norwegian

GPA Data Using Item Response Theory

Ever since men walked on this Earth, we have always been wondering about one thing:
What's for dinner? (Coe, [2008](#); He et al., [2018](#); Korobko et al., [2008](#))

Theoretical Framework

The Norwegian GPA System

Blah blah.

Methods

Sample

Say something about Norwegian registry data.

Missing Value Treatment

Missing patterns are not missing at random. If a candidate chose to do physics, he was also highly likely to have chosen advanced maths. So the presence and absence of data tend to group in clusters.

Marginal Maximum Likelihood

A unidimensional generalised partial credit model (Muraki, 1992) with the probability that Candidate n 's score in Subject i (x_{ni}) is Grade j ($j = 0, \dots, m$) is given by

$$p(x_{ni} = j | d_{ni} = 1; \theta_n) = \frac{\exp \left\{ j\alpha_i\theta_n - \sum_{h=1}^j \beta_{ih} \right\}}{1 + \sum_{h=1}^m \exp \left\{ h\alpha_i\theta_n - \sum_{k=1}^h \beta_{ik} \right\}}, \quad (1)$$

where θ_n is the unidimensional proficiency parameter that represents the overall proficiency of Candidate n .

In MML, a likelihood function (ℓ) is maximised where the candidates' proficiency parameters (θ) are integrated out of the likelihood. The marginal log-likelihood for a unidimensional GPCM is given by

$$\ell = \sum_p \sum_{n|p} \log \int \prod_i p(x_{ni} = j | d_{ni}; \theta) g(\theta; \mu_p, \sigma^2) d\theta, \quad (2)$$

where x_{ni} is the observed grade, $p(x_{ni} | d_{ni}; \theta)$ is equal to Equation (1) evaluated at x_{ni} if $d_{ni} = 1$, and $p(x_{ni} | d_{ni}; \theta) = 1$ if $d_{ni} = 0$. In addition, $g(\theta; \mu_p, \sigma^2)$ is the normal pdf with mean μ_p and variance σ^2 . The model can be identified by choosing standard normal $\mathcal{N}(0, 1)$.

Results

Model 1

Model 2

Model 3

Lots of tables here.

Discussions

What does all this mean? Well, let me make you a cup of tea first.

References

- Coe, R. (2008). Comparability of GCSE examinations in different subjects: An application of the Rasch model. *Oxford Review of Education*, 34(5), 609–636.
<https://doi.org/10.1080/03054980801970312>
- He, Q., Stockford, I., & Meadows, M. (2018). Inter-subject comparability of examination standards in GCSE and GCE in England. *Oxford Review of Education*, 44(4), 494–513. <https://doi.org/10.1080/03054985.2018.1430562>
- Korobko, O. B., Glas, C. A. W., Bosker, R. J., & Luyten, J. W. (2008). Comparing the difficulty of examination subjects with item response theory. *Journal of Educational Measurement*, 45(2), 139–157. <https://doi.org/10.1111/j.1745-3984.2007.00057.x>
- Muraki, E. (1992). A generalized partial credit model: Application of an EM algorithm. *ETS Research Report Series*, 1992(1), 1–30.
<https://doi.org/10.1002/j.2333-8504.1992.tb01436.x>