

# Installing DerbyNet on Debian Linux (including Ubuntu or Raspbian)

---

For Debian-based Linux distributions, including Ubuntu, or Raspbian for Raspberry Pi, DerbyNet is distributed as three “deb” package files, described below. Depending on what you wish to achieve, you may want to install one, two, or all three debs.

derbynet-server	Install this package if you want to host the DerbyNet web server on your Debian/Raspbian system.
derbynet-timer	Install this package if you wish to connect your track timer directly to your Debian/Raspbian system.
derbynet-extras	Install this package for utility scripts to help you e.g. run a kiosk or automated photo stand on your Debian/Raspbian system.

## Adding the DerbyNet Apt Repository

Debian-based systems use the “**apt**” package management system to download and install software. DerbyNet is available in its own repository. To allow **apt** to access the DerbyNet packages, do one of the following:

### The Easy Method

The easiest method for adding the DerbyNet repository for **apt** is to copy and paste the following command to download and execute a shell script.

```
wget -q -O - - https://derbynet.org/debian-install.sh | sh
```

### The Manual Method

The debian-install.sh script contains the following commands. If you prefer, you can enter them by hand instead of downloading the shell script:

```
sudo apt-get update

sudo apt-get install -y apt-transport-https

wget -q -O- https://derbynet.org/debian/derbynet.gpg | \
  sudo tee /usr/share/keyrings/derbynet-archive-keyring.gpg > /dev/null

echo "deb [arch=all signed-by=/usr/share/keyrings/derbynet-archive-keyring.gpg] " \
  " https://derbynet.org/debian stable main" | \
  sudo tee /etc/apt/sources.list.d/derbynet.list > /dev/null
```

```
sudo apt-get update
```

(The commands above also ensure that **apt** supports https-based repositories, and downloads the key used to sign the DerbyNet repository.)

Note that **apt** requires an internet connection to download packages from the repository. After installation is complete, you can run the installed software without access to the public internet.

### If apt Says There's No "Release" File

Versions of **apt** earlier than 1.1 authenticate a repository differently than more recent versions. If you see an error message that the repository "does not have a Release file," these commands are likely to be more successful:

```
wget -q -O- https://derbynet.org/debian/derbynet.gpg | \
sudo apt-key add -

echo "deb [arch=all] https://derbynet.org/debian stable main" | \
sudo tee /etc/apt/sources.list.d/derbynet.list > /dev/null

sudo apt-get update
```

## Installing derbynet-server

After adding the DerbyNet repository (see above), install derbynet-server with the following command:

```
sudo apt-get install derbynet-server
```

Derbynet-server has a dependency on nginx to provide the underlying web server. If you already have the Apache web server installed, you may wish to uninstall it to avoid conflicts with nginx:

```
sudo apt-get remove apache2
```

(If Apache is running, it will prevent nginx from starting. If your attempts to browse to the web server result only in "Forbidden" response pages, a conflict with Apache is a possible, even likely, cause.)

### Roles and Passwords for derbynet-server

When installed, the derbynet-server package establishes two roles and passwords by default. (These are the roles by which browser users identify themselves to the web server. They are unrelated to Linux user accounts.) For details, including how to recover and change the passwords, see the **"Default Roles and Passwords"** document that accompanies this installation guide in the **/usr/share/derbynet/docs** folder.

### derbynet-server and php.ini

The installation script for derbynet-server may (likely will) make changes to the PHP init file, php.ini, found (somewhere) under the /etc/php or /etc/php5 directory. This might be of concern if you host other PHP applications on the same system.

The change is to increase the upload\_max\_filesize parameter from 2M to 8M. A backup file named php.ini.pre-derbynet will be left in the same directory as any modified php.ini file.

Note that removing the `derbynet-server` package will **not** undo this change.

## Installing `derbynet-timer`

After adding the DerbyNet repository (see above), install `derbynet-timer` with the following command:

```
sudo apt-get install derbynet-timer
```

After installing, `derby-timer.jar` is available as a command on the command line:

```
derby-timer.jar
```

You may need to run with elevated permissions in order to access the serial ports:

```
sudo derby-timer.jar
```

## Installing `derbynet-extras`

After adding the DerbyNet repository (see above), install `derbynet-extras` with the following command:

```
sudo apt-get install derbynet-extras
```

`derbynet-extras` has no dependencies, and should install without complaint. Look through `/usr/share/derbynet` to see what's available.

## Turn-Key Clients on Raspberry Pi

The Raspberry Pi is especially well suited to act as dedicated a DerbyNet client, including being a kiosk or connecting to a timer. This section discusses setting up a Raspberry Pi as a dedicated DerbyNet client.

### The Raspberry Pi `/boot` Partition

The Raspberry Pi boots from an SD or micro-SD card. The card includes two partitions: the main partition, and a smaller `/boot` partition. While the main partition uses one of the Linux-only 'ext' file systems, the `/boot` partition is a `vfat` file system. `vfat`, and hence the `/boot` partition, can be read and written by Windows, Mac, and Linux systems.

### `/boot/wpa_supplicant.conf`

When Raspbian starts up, if a `/boot/wpa_supplicant.conf` file is present, it is moved to the `/etc/wpa_supplicant` directory. This allows a Windows, Mac, or Linux machine to write a WiFi configuration directly to the card. (<https://www.raspberrypi.org/blog/another-update-raspbian/>)

### `/boot/derbynet.conf` and `/etc/derbynet.conf`

Several scripts in `derbynet-extras` and `derbynet-timer` retrieve configuration information from two possible configuration files: `/etc/derbynet.conf` and `/boot/derbynet.conf`. If both files are present, settings in `/boot/derbynet.conf` take precedence over those in `/etc/derbynet.conf`.

The `derbynet-extras` package writes a skeleton `/etc/derbynet.conf` file. On Raspbian, the installer also copies the same skeleton to `/boot/derbynet.conf`, where it can be subsequently

customized by putting the card in a Windows, Mac, or Linux machine.

Nothing in the `derbynet-server` packages consults the `derbynet.conf` files; they are exclusively for configuring DerbyNet client scripts.

### Turn-key Kiosk on a Raspberry Pi

If you know in advance what either the DNS name or IP address for the DerbyNet web server will be, you can configure a Raspberry Pi so that it becomes a kiosk as soon as it's plugged in, with no additional intervention required. `derbynet-extras` includes scripts and configuration files to make this easy. Follow these steps:

1. Copy the autostart file to the local autostart directory:

```
mkdir ~/.config/autostart  
  
cp /usr/share/derbynet/autostart/kiosk.desktop \  
  ~/.config/autostart
```

2. *Optional:* Choose your browser. There are several web browsers available for the Raspberry Pi. By default, the script at `/usr/share/derbynet/scripts/kiosk.sh` will select a browser to use based on what browsers are installed. If you prefer to use a different browser, edit a config file (e.g., `/etc/derbynet.conf`). See the comments at the top of the `kiosk.sh` script for further details.
3. Enter the address of your DerbyNet server. Your kiosk browser needs to be pointed to your DerbyNet web server. For true turn-key operation, you must configure your kiosk with the DNS name or IP address of the DerbyNet web server.

Edit the `/boot/derbynet.conf` configuration file to set the value for the `DERBYNET_SERVER` variable.

4. If you have a screen saver installed, you will probably want to disable it.

### Turn-Key Timer Client on a Raspberry Pi

If you installed the `derbynet-timer` package, you can set up a Raspberry Pi to act as the intermediary between your track timer and the DerbyNet web server. For more details about the timer-to-web-server communication path, see the “**Timer Operations**” document that accompanies this installation guide in the `/usr/share/derbynet/docs` folder.

1. Copy the autostart file to the local autostart directory:

```
mkdir ~/.config/autostart  
  
cp /usr/share/derbynet/autostart/derby-timer.desktop \  
  ~/.config/autostart
```

2. Edit (or create) a `derbynet.conf` configuration file (either `/etc/derbynet.conf` or `/boot/derbynet.conf`; see above) to set the value for the `DERBYNET_SERVER` variable

to the DNS name or IP address of your DerbyNet server. (As described above, the derbyNet-extras package writes a skeleton version of these files which you can subsequently modify.)