

AWS HK SUMMIT • 2026

DEMO PLAYBOOK

IT Help Desk Voice Bot

EN Powered by Amazon Connect + Amazon Nova Sonic

粵 由 Amazon Connect + Amazon Nova Sonic 驅動

普 基于 Amazon Connect + Amazon Nova Sonic 的语音助手

EN • ENGLISH

粵 • CANTONESE

普 • MANDARIN

LIVE URL

d28jyp0rnkqvcx.
cloudfront.net

SCENARIO


IT Help Desk
(Cantonese voice • 粵語)

FORMAT

Booth-side voice demo
展台双向语音演示

Trilingual demo run-book for the AWS Hong Kong Summit 2026 booth. Each content block is mirrored in English, Cantonese (粵語), and Mandarin (普通話).

AWS 香港峰會 2026 展台演示手冊。每個內容塊都同時提供英文、粵語、普通話三個版本。



What you're about to demo

這次要展示嘅嘢 / 这次演示讲什么

● EN • English ● 粵 • Cantonese ● 普 • Mandarin

The pitch — 30-second elevator

- EN

An employee calls IT, gets their account unlocked end-to-end by voice in under 90 seconds — no agent, no portal, full audit trail. The same flow gracefully escalates to a human when needed.
- 粵

員工打電話入 IT 服務台，全程用語音 90 秒內解鎖個 account——唔使排隊、唔使開任何系統，工單自動開自動關。同一套流程喺需要嗰陣可以優雅咁轉去真人客服。
- 普

员工拨打 IT 服务台，整通电话语音完成账号解锁，全程不到 90 秒——不需要排队、不需要打开任何系统，工单自动开、自动关。同一套流程在必要时也能优雅地转人工。

The stack — architectural quick-look • 架構速覽 • 架构速览

Voice entry	Amazon Connect (PSTN/SIP)
Brain	Amazon Nova Sonic — single S2S model (ASR + NLU + TTS)
Orchestration	AWS Lambda (AD unlock • ticket open/close • OTP send)
Identity	SMS OTP via Amazon Pinpoint / Amazon SNS
ITSM	Case + Amazon DynamoDB (OTP • session)
Analytics	Contact Lens • Amazon CloudWatch • Amazon S3 (KMS encrypted recordings)

Headline targets

Metric • 指標 • 指标	Target	Why it matters • 業務意義 • 业务意义
Self-service rate • 自助成功率	≥ 65%	Lifts agent capacity for calls that genuinely need a human
Average call length • 平均通話時長	< 90 s	An order of magnitude faster than the typical lock-out ticket flow
Ticket automation • 單據自動化	100%	End-to-end audit trail without manual after-call work
P1 pickup time • P1 接聽時長	< 30 s	Critical incidents jump the queue straight to the major-incident manager

Built for Hong Kong enterprise reality

針對香港企業場景做嘅嘢 / 针对香港企业场景的设计

Native Cantonese UX — not Mandarin-translated voice

EN Sam speaks fluent Cantonese with HK enterprise tone, not the awkward Mandarin-translated voice you typically get from off-the-shelf bots. The booth demo uses MiniMax `Cantonese_ProfessionalHost` with the `language_boost=Chinese,Yue` flag, which keeps prosody on Cantonese rather than slipping into Mandarin readings.

粵 Sam 講嘅係正常嘅辦公室粵語口語，唔係將普通話直譯。展台 Demo 用 MiniMax `Cantonese_ProfessionalHost`，配合 Nova Sonic 嘅意圖識別。MiniMax 嗰邊開咗 `language_boost=Chinese,Yue`，鎖住粵語韻律，唔會讀成普通話。

普 Sam 说的是正常的办公室粤语口语，不是把普通话直译过来的别扭语音。展台 Demo 用 MiniMax `Cantonese_ProfessionalHost` 配 Nova Sonic 做意图识别。MiniMax 那边开了 `language_boost=Chinese,Yue` 锁住粤语韵律，不会读成普通话。

Compliance-friendly identity by default

EN Identity verification is SMS OTP only — no voice biometrics, no enrollment friction. Sensitive operations (MFA re-bind, password reset) are intentionally pushed off voice into the digital channel, where a stronger MFA challenge produces an audit-able trail.

粵 身份驗證淨係用短訊 OTP，唔搞聲紋註冊，員工零負擔。敏感操作（MFA 重綁、改密碼）係刻意由電話渠道推到數字渠道完成，留痕同強驗證兩樣都齊。

普 身份验证只用短信 OTP，不做声纹注册，员工零负担。敏感操作（MFA 重绑、改密码）有意从电话渠道推到数字渠道完成，留痕和强验证两样都齐。

One end-to-end model, not a Lex + Polly + LLM stitch-up

EN Amazon Nova Sonic collapses ASR, NLU, and TTS into one streaming speech-to-speech model with native barge-in and sub-second latency. Far less moving parts than the legacy Connect + Lex + Polly + Bedrock pattern, and the conversational quality is in a different league.

粵 Amazon Nova Sonic 將 ASR + NLU + TTS 收埋係一個流式端到端模型，原生支持打斷、延遲 1 秒以內。比起傳統 Connect + Lex + Polly + Bedrock 嘅拼接方式，活動部件少一半，對話質量完全係另一個級數。

普 Amazon Nova Sonic 把 ASR + NLU + TTS 收敛到一个流式端到端模型，原生支持打断、延迟在一秒以內。比传统的 Connect + Lex + Polly + Bedrock 拼接方式活动部件少一半，对话质量是另一个级别。

Step-by-step on the booth

展台演示流程

OPEN THIS ON THE BOOTH SCREEN

<https://d28jyp0rnkqvcx.cloudfront.net/>

Setup checklist

EN

① Headphones / speakers connected and unmuted — Cantonese TTS only sounds right at speaker volume. ② Mic permission granted in the browser. ③ "IT Help Desk (Amazon Connect)" appears as the only Quick Connect, already pre-selected. ④ Reasonably quiet corner — booth noise can trigger false-positive turn-stops.

粵

① 耳機或音箱已接駁並開咗聲——粵語 TTS 要原音量先聽得清。② 瀏覽器麥克風權限已批准。③ Quick Connects 只有一行「IT Help Desk (Amazon Connect)」並已預選。④ 揀個相對安靜嘅位置——展館太嘈會誤觸停頓檢測。

普

① 耳机或音箱已连接并取消静音——粤语 TTS 要原音量才听得清。② 浏览器麦克风权限已允许。③ Quick Connects 只有一项「IT Help Desk (Amazon Connect)」并默认选中。④ 选相对安静的位置——展台嘈杂会误触发停顿检测。

Happy path — Account Unlock in 7 steps

1

Click the green Connect button.

EN Click "Connect" — status flips to *Recording*.

粵 按綠色 Connect 鍵——狀態列由 idle 變成 Recording。

普 点击绿色 Connect 键——状态由 idle 变成 Recording。

Sam: 你好，呢度係 IT 服務台，我係 Sam。請問有咩可以幫到你？

2

Tell Sam your account is locked.

EN Reply in Cantonese: "我嘅 account 俾人鎖咗" (My account is locked).

粵 講「我嘅 account 俾人鎖咗。」

普 讲「我的账号被锁了。」(Sam 听得懂普通话，但保持粤语对话效果最好。)

Sam: 明白，你係想處理帳戶相關問題。可以提供你嘅員工編號俾我嗎？

3

Read out an employee ID — Sam reads it back digit-by-digit.

EN Say "W-1-2-3-4-5-6". Sam echoes for confirmation.

粵 講「W-1-2-3-4-5-6」。Sam 會逐位讀番確認。

普 报「W-1-2-3-4-5-6」。Sam 会逐位读回确认。

Sam: 等我幫你確認一下，你嘅員工編號係 W-1-2-3-4-5-6，啱唔啱？

4

Confirm clearly — vague answers will make Sam re-ask.

EN Answer "喺" / "對" / "係" / "Yes". Half-hearted "嗯..." will trigger Sam to politely ask again — that's a feature.
 粵 明確答「喺／對／係」。模糊答覆會被 Sam 再問一次，係故意嘅。
 普 明确答「对／是／好的」。模糊回应 Sam 会再问一次，这是故意的安全设计。

5

Sam announces the SMS OTP step. Read 6 digits aloud.

EN After Sam says it'll send the OTP, just read any 6 digits, e.g. "2-8-3-1-2-7".
 粵 Sam 講完會發 OTP 之後，講任何 6 位數字，例如「2-8-3-1-2-7」。
 普 Sam 说完会发 OTP 之后，报任意 6 位数字，例如「2-8-3-1-2-7」。

6

Sam unlocks and announces the ticket number digit-by-digit.

EN Notice ticket numbers always read INC- / SR- + 7 digits, one digit at a time — that's the bot enforcing its style rule.
 粵 留意工單號永遠係 INC- 或 SR- + 7 位數字，逐位讀——係 bot 嘅 style rule。
 普 注意工单号永远 INC- 或 SR- + 7 位数字，逐位念——这是 bot 的硬性风格要求。

Sam: 你嘅帳戶已經成功解鎖。相關服務請求編號係 INC-0-0-1-2-3-4-5。

7

Wrap up — say "Nothing else, thanks" or hit End.

EN Sam farewells, then auto-fires the `end_call(reason="task_completed")` tool. Or just click the red End button anytime.
 粵 講「冇嘢喇，多謝」，Sam 道別後自動 call `end_call`。或者隨時按紅色 End 鍵。
 普 说「没事了，谢谢」，Sam 道别后自动调 `end_call`。或随时按红色 End 键。

What else Sam can handle

Sam 仲識做嘅嘢 / Sam 还能处理的场景

All five scenarios share the same intent classifier and identity layer. Pick the one that matches the visitor's interest. Page 3 covers Scenario 1 in detail.

SCN 1 Account Unlock — Phone-eligible Fully automated

- EN** Caller wants unlock and SMS OTP is eligible. AD unlock + auto-resolved Incident in <90 s, zero human touch. Try line: "我嘅 account 俾人鎖咗."
- 粵** 客戶要解鎖且符合電話自助條件。AD 解鎖 + 自動開關 Incident，全程電話搞掂。試用台詞：「我嘅 account 俾人鎖咗。」
- 普** 客户要解锁且符合电话自助条件。AD 解锁 + 自动开关 Incident，全程电话搞定。试用台词：「我的账号被锁了。」

SCN 2 Unlock — push to Virtual Agent Digital channel

- EN** Caller wants unlock but is in a high-risk group / no registered phone. Sam SMS-pushes a one-time deep link; the same Lambda finishes unlock from the digital channel after stronger MFA. Try: tell Sam you don't have your phone with you.
- 粵** 客戶要解鎖，但屬高風險用戶組或者冇登記手機。Sam 推一次性深鏈到 Teams/SMS，喺數字渠道完成更強 MFA 之後，由同一個 Lambda 解鎖。試法：跟 Sam 講冇手機喺手邊。
- 普** 客户要解锁，但属高风险用户组或没登记手机。Sam 推一次性深链到 Teams/SMS，在数字渠道完成更强 MFA 后，由同一个 Lambda 解锁。试法：跟 Sam 说手机不在身边。

SCN 3 MFA Re-registration — coach + push Sensitive op

- EN** "I changed my phone, how do I rebind MFA?" Sam summarises 3 steps verbally, then pushes a Teams adaptive card with the full guide. SR ticket auto-opens with status = Awaiting user. Try: "我換咗手機，MFA 點重新綁？"
- 粵** 客戶問 MFA 重新綁。Sam 口頭講 3 步重點 + 推 Teams 詳細指引，自動開 SR 單據等用戶操作。試用台詞：「我換咗手機，MFA 點重新綁？」
- 普** 客户问 MFA 重新绑定。Sam 口头讲 3 步重点 + 推 Teams 详细指引，自动开 SR 工单等用户操作。试用台词：「我换了手机，MFA 怎么重新绑？」

SCN 4 Graceful escalation to a human

Human handoff

EN

Caller says "agent" / "real person", or 2× consecutive no-match, or sustained negative sentiment. Sam acknowledges then calls `transfer_to_human(topic=...)` with full context for screen-pop. Try: "我要真人."

粵

客戶話「人工」「真人」、連續兩次聽唔明、或情緒持續負面。Sam 簡短應一聲就 call `transfer_to_human`，連上下文一齊帶俾人工坐席屏幕彈窗。試用台詞：「我要真人。」

普

客户说「人工」「真人」，或连续两次听不懂，或情绪持续负面。Sam 简短应答后调 `transfer_to_human`，把上下文带给人工坐席屏幕弹窗。试用台词：「转人工。」

SCN 5 P1 incident — express lane

Critical

EN

Keywords like "production down", "全公司登唔到", "critical". Sam skips ALL self-service, fan-out to PagerDuty + Major Incident war room, route to MIM with SLA < 30 s. Try: "生產環境完全掛咗！"

粵

關鍵詞例如「生產掛咗」「全公司登唔到」「critical」。Sam 跳過所有自助，並行通知 PagerDuty / 戰時室，直接接值班經理，SLA 30 秒以內。試用台詞：「生產環境完全掛咗！」

普

关键词如「生产挂了」「全公司登不上」「critical」。Sam 跳过所有自助，并行通知 PagerDuty / 战时室，直接接值班经理，SLA 30 秒以内。试用台词：「生产环境完全挂了！」

Booth-floor questions

展台常見問題 / 展台常见问题

Each answer trimmed for a 30-second exchange. Expand only if the visitor pulls on the thread.

Q • Is this just GPT under the hood? / 係咪只係包咗個 GPT? / 是不是套个 GPT?

EN No. Sam runs on Amazon Nova Sonic — a single end-to-end speech-to-speech model. ASR + NLU + TTS in one shot, native barge-in, sub-second latency. We're not stitching Lex + Polly + Bedrock together.

粵 唔係。Sam 跑喺 Amazon Nova Sonic 上，係單一端到端語音模型，ASR + NLU + TTS 一次過、原生支持打斷、延遲 1 秒以內。唔係 Lex + Polly + Bedrock 拼起來嘅。

普 不是。Sam 跑在 Amazon Nova Sonic 上，是单一的端到端语音模型，ASR + NLU + TTS 一体化、原生支持打断、延迟在一秒以內。这不是 Lex + Polly + Bedrock 拼起来的方案。

Q • How do you stop someone from impersonating an employee? / 點防止有人冒充? / 怎么防止冒充?

EN Identity is SMS OTP to the phone registered in AD — voice alone never authenticates. OTP is 5-min TTL, max 3 tries, rate-limited to 1 per employee per 10 min. High-risk groups bypass voice and complete a stronger MFA in the digital channel by policy.

粵 身份驗證係短訊 OTP，發到 AD 登記嘅手機——聲音本身唔代表通過驗證。OTP 5 分鐘有效、最多試 3 次、每員工 10 分鐘最多 1 條。高風險用戶組按策略直接走數字渠道完成更強 MFA。

普 身份验证靠短信 OTP 发到 AD 里登记的手机——声音本身不构成验证。OTP 5 分钟有效、最多 3 次、每员工 10 分钟最多 1 条。高风险用户组按策略直接走数字渠道完成更强 MFA。

Q • What if the model hallucinates? / 模型亂答點算? / 如果模型乱答怎么办?

EN Three guardrails. (1) The KB is loaded into the conversation context and Sam is instructed to answer only from it. (2) Anything outside the 5 scenarios is acknowledged as out-of-scope and escalated to a human. (3) Real side-effects (AD unlock, ticket creation) are done by Lambda, not by free-form model output — the model only fills slots.

粵 三層保障。①知識庫注入到對話上下文，明確要求 Sam 只可以據此作答。②超出 5 個場景嘅嘢，模型按指令直接話「呢個我未必清楚，等我幫你轉人工」。③真正嘅副作用（AD 解鎖、開單）全部由 Lambda 執行，模型只負責填槽位，唔直接 call 系統。

普 三层保障。①知识库注入到对话上下文，明确要求 Sam 只能据此作答。②超出 5 个场景的问题，模型按指令直接说「这个我不太清楚，我帮您转人工」。③真正的副作用（AD 解锁、开单）全部由 Lambda 执行，模型只负责填槽位，不直接调系统。

Q • What's the deployment footprint? / 部署有幾複雜? / 部署难度如何?

EN

One CloudFormation stack — Connect contact flow, Lambda, DynamoDB, S3 recording bucket with KMS, plus IAM. The booth instance is a single t3.medium. For production we shape it around your existing Connect instance + ITSM system.

粵

一份 CloudFormation: Connect contact flow + Lambda + DynamoDB + S3 (KMS 加密) + IAM。展台實例係一台 t3.medium。客戶落地時複用客戶已有嘅 Connect instance 同 ITSM 系統。

普

一份 CloudFormation: Connect contact flow + Lambda + DynamoDB + S3 (KMS 加密) + IAM。展台实例是一台 t3.medium。客户落地时复用客户已有的 Connect instance 和 ITSM 系统。

Q • Can it integrate with our existing systems? / 接唔接到我哋自己嘅系統? / 能不能接我们自己的系统?

EN

Yes — the Lambda layer is the integration point. AD/Entra ID is wired in this demo; ServiceNow, Jira SM, Salesforce Service Cloud, custom ITSM all plug in the same way. Tell us what you use, we'll map it.

粵

得。Lambda 嗰層就係集成層。本 Demo 已經接咗 AD/Entra ID; ServiceNow、Jira SM、Salesforce Service Cloud、自研 ITSM 接法一樣。話我哋知你哋用乜，我哋畀映射方案。

普

可以。Lambda 那一层就是集成层。本 Demo 已接 AD/Entra ID; ServiceNow、Jira SM、Salesforce Service Cloud、自研 ITSM 接法一样。告诉我们你们用什么，我们给映射方案。

If things go sideways & what to leave with the visitor

現場救援同跟進資料 / 现场救援与跟进资料

Booth troubleshooting — quick reference

No voice from Sam • 聽唔到 Sam 把聲 • 听不到 Sam 的声音

- EN** (1) Check the browser tab isn't muted. (2) Confirm the system audio device. (3) DevTools → Network → filter `/ws` — if zero binary frames, MiniMax credentials are misconfigured (already verified pre-summit, shouldn't happen).
- 粵** ① 檢查瀏覽器 tab 冇靜音。② 確認系統音頻輸出裝置正確。③ F12 → Network → 過濾 `/ws`，如果完全冇 binary frame，係 MiniMax 憑證問題（峰會前已驗證過，正常情況唔會出）。
- 普** ① 检查浏览器 tab 没静音。② 确认系统音频输出设备正确。③ F12 → Network → 过滤 `/ws`，如果完全没 binary frame，是 MiniMax 凭证问题（峰会前已验证过，正常不会出）。

Sam answers in Mandarin instead of Cantonese • Sam 講普通話唔係粵語 • Sam 用普通话不用粤语

- EN** Runtime default is `lang=zh-HK` with voice `Cantonese_ProfessionalHost`. Refresh the page to reset to runtime defaults. Don't tinker with the admin panel during the summit.
- 粵** 運行時默認 `lang=zh-HK` + voice `Cantonese_ProfessionalHost`。如果跑偏，刷新頁面就 reset 返默認。展期間唔好去 admin 面板亂改。
- 普** 运行时默认 `lang=zh-HK` + voice `Cantonese_ProfessionalHost`。如果跑偏，刷新页面 reset 回默认。展期间不要去 admin 面板乱改。

Choppy / robotic audio • 卡頓 • 卡顿

- EN** Almost always Wi-Fi. Move closer to the AP, or hotspot off a phone. Audio is 24 kHz PCM streamed over WebSocket — packet loss shows up immediately as choppy speech.
- 粵** 99% 係展館 Wi-Fi。行近 AP 或者用手機開熱點。語音路徑係 24 kHz PCM over WebSocket，丟包即時體現為卡頓。
- 普** 99% 是展馆 Wi-Fi。靠近 AP 或用手机开热点。音频路径是 24 kHz PCM over WebSocket，丢包会立即体现为卡顿。

The "always works" fallback

EN

If the live demo struggles three times in front of a high-value visitor, switch to **narration mode**: walk them through pages 4 (the five scenarios) and 5 (Q&A). The architecture and value prop hold up without a working microphone.

粵

如果連續三次喺重要客戶面前 demo 唔順，切到「講解模式」：直接照住第 4 頁（五個場景）+ 第 5 頁（Q&A）講。架構同價值主張本身唔靠咪克風都企得住。

普

如果连续三次在重要客户面前 demo 不顺，切到「讲解模式」：直接照第 4 页（五个场景）+ 第 5 页（Q&A）讲。架构和价值主张本身不靠麦克风也能立住。

Conversation hooks — qualify the visitor

EN

- How many lock-out / password reset tickets does your service desk handle a month?
- What languages do your callers actually speak?
- Is your ITSM ServiceNow, Jira SM, or something custom?
- Who owns identity — AD, Entra ID, or Okta?

粵

- 貴司服務台每月解鎖／改密碼工單大約幾多單？
- 來電員工常用乜嘢語言？
- ITSM 用緊邊個系統？ServiceNow / Jira SM / 自研？
- 身份系統係 AD、Entra ID 定 Okta？

普

- 贵公司服务台每月解锁／改密码工单大约多少单？
- 来电员工常用什么语言？
- ITSM 用什么系统？ServiceNow / Jira SM / 自研？
- 身份系统是 AD、Entra ID 还是 Okta？

One-paragraph takeaway

EN

Voice-first IT self-service is finally possible because Amazon Nova Sonic collapses ASR + NLU + TTS into one low-latency model with native barge-in. Wrapped in Amazon Connect for telephony and AWS Lambda for orchestration, it delivers full audit trails, SMS-OTP-grade security, Cantonese-native UX, and graceful human escalation — without the complexity of a Lex + Polly + Bedrock stitch-up.

粵

語音優先嘅 IT 自助服務終於做得成——Amazon Nova Sonic 將 ASR + NLU + TTS 收埋到一個低延遲模型，原生支持打斷。配上 Amazon Connect 接電話、AWS Lambda 做編排，一套架構同時做到全程留痕、SMS OTP 級身份驗證、原生粵語體驗、優雅轉人工——比傳統 Lex + Polly + Bedrock 拼接方案乾淨一個級數。

普

语音优先的 IT 自助服务终于可行——Amazon Nova Sonic 把 ASR + NLU + TTS 收敛到单一低延迟模型，原生支持打断。配上 Amazon Connect 接电话、AWS Lambda 做编排，一套架构同时给到全程留痕、SMS OTP 级身份验证、原生粤语体验和优雅的人工升级——比传统的 Lex + Polly + Bedrock 拼接方案干净一个数量级。

Demo URL: <https://d28jyp0rnkqvcx.cloudfront.net/> • **Region:** us-east-1 • **Stack:** genaiic-voicebot-hksummit
Generated for AWS HK Summit 2026. Internal use only — do not redistribute the booth URL outside the summit.