



south elevation




west elevation

legend:


- f fixed glazing
- d glass door
- c side hung casement
- t top or bottom hung fan light
- cross indicates flywire screen.
- dp down pipe
- p post
- spray under floor for termites etc, as per council regulations
- check all dimensions prior to start.




north elevation



east elevation



PLAN 1:100



section 1:50 a-a

- 1 lysaghts trimdeck - hi ten. zincalume.
- 2 50 mm roll of fibreglass insulation, double sided with sisilation.
- 3 100x50 mm hardwood battens at 900 crs' max. on edge.
- 4 19 mm timber ceiling - possibly second hand flooring.
- 5 350x100 mm millsawn oregon secondary beams. heights above finished floor level to underside of beam at inside of piers or ridge are shown.
- 6 250x75 mm millsawn oregon purlins: at 1500 crs'.
- 7 two 400x50 mm millsawn oregon beams laminated together with a 350x75 mm sheet of mild steel inside. bolted together at every 600 crs' top & bottom alternately at 50 mm from top & bottom edge. (detail no 1)
- 8 100x150 mm packer between beam & clearstorey.
- 9 350x50 mm fascia, millsawn oregon.
- 10 300 mm concealed gutter
- 11 capping
- 12 150x150 verandah & pergola posts, held down by steel strips.
- 13 250x250 red gum lintel.
- 14 layout brickwork containing dpc's etc.
- 15 brick floor
- 16 waterproof mortar 25 mm
- 17 plastic membrane
- 18 50 mm packing sand
- 19 brick paving, to fall away from house
- 20 525x350 mm footings with two layers F11 trench mesh top and bottom. as for an intermediate classification
- 21 400x400x400 deep isolated pads under verandah posts
- 22 footing under fire place with two layers F 82 mesh. as on detail sheet.

MOULDEN HOUSE— MT. MARTHA

design Alistair Knox & Associates  
mt Pleasant rd, Eltham 439 7404

drawn Danny  
date december 84  
scale 1:100, 1:50

job № 1223 sheet 1 of 4

