



LEGEND.
 c. casement window.
 f. fixed glass.
 d. glass door.
 p. timber posts.
 dp. down pipes.
 cross_on_elevations indicates flywires.
 shading indicates mud brick.

glass must comply with ASA code 1288.

Section a-a

175° pitch over clerestory
 75° roof pitch to main roof.

75mm x 50mm hwd. battens at 900mm cts.
 timber ceiling lining
 silisilation and insulation.
 300mm x 50mm galv. iron box gutter with 100mm x 75mm downpipes.
 under side of rafters.
 300mm ø to solid conc. pad.
 375mm x size of fire place concrete footing reinforced with 2 layers of F72-25mm conc. cover.
 400mm x 375mm strip footing reinforced with 2 layers of F8TM.

ROOM	AREA m ²	GLASS m ²	%	OPEN m ²	%	VENTS m ²
kitchen	26.3	4.92	18.9	1.64	6.2	22000
living	43.3	23.5	54.2	6.6	15.2	37000
rumpus	33.1	10.3	31.1	3.4	10.2	28000
ensuite	4.1	0.8	19.5	0.4	9.8	8000
bed 1	22.2	12.3	55.4	4.92	22.1	18500
bed 2	14.6	9.84	67.5	4.92	33.7	13000
bed 3	13.9	9.84	70.7	4.92	35.4	12000
wc.	1.44	1.2	21.8	0.4	7.3	8000
bath	5.5	1.2	21.8	0.4	7.3	8000
l'dry	6.7	3.5	52.2	2.6	38.8	8000

vented skylight double glazed.

SMITH HOUSE
 Lot 29 WOODLAND DRIVE, TYERS.
 Alistair Knox + Associates
 Mount Pleasant road, Eltham. 439-7404
 scales: 1-100, 1-1000, date: sept. 1981.

Working drawing

Amended 2/10/81 to suit engineers comps.

Shire of TRARALGON (051) 741313.

Job no.1154.