




North Elevation




East Elevation




Detail : Glass/Ventilation



South Elevation




## West Elevation



## Plan


~~TOILET WASHING ETC. SEE SITE PLAN.~~



Section

### LEGEND

- f fixed glass
- c casement window
- d timber door with glass panel  
(min width 1000 mm x 2400 mm h  
150mm x 150mm posts
- dp downpipe

6)    
 fixed vents   
 corrugated iron roof. 75 x 50 battens at 900 mm c/s   
 50 mm insulation double sided s/slation   
 plaster lining   
 300mm x 50mm secondhand rafters at 1000mm c/s   
 250mm x 50mm ms oregon fascia   
 150 mm sq posts   
 2750   
 3225   
 150mm step   
 75mm a/c sheet to protect timber structure   
 from backfilling

MINIMUM BEARER CLEARANCE 400mm

**NOTE** FOOTING TO STUMPS  
TO BE 300\*300\*600 DEEP  
VERANDAH POST FOOTINGS TO BE  
400\*400\*600 DEEP  
MINIMUM FOUNDING DEPTH TO BE 700mm

SOIL CLASSIFICATION  
INTERMEDIATE

ROOM	GLASS m <sup>2</sup>	OPENABLE m <sup>2</sup>	FLOOR AREA m <sup>2</sup>	FIXED VENTILATION mm <sup>2</sup>
Classroom 1	23.68	6.663	61.16	108500
Classroom 2	13.79	6.706	51.56	91000
Lobby	2.03	1.01	13.96	25000
Office	2.03	1.01	11.12	20000

MOUNTAIN DISTRICT PARENT CONTROLLED  
CHRISTIAN SCHOOL  
Macclesfield road, Monbulk

ALISTER KNOX + ASSOCIATES  
Mt Pleasant Rd, Eltham. 439-7404

Scales . 1 = 100', 1 = 10'  
WORKING DRAWING

Date 28/10/81 (Amended drawing)

Job no 1134

Detail : Section through wall

ALL TIMBER CONSTRUCTION + MUST COMPLY  
WITH A.S. 1684 - 1975 "Light timber framing code"