AIM: Identify approaching stall symptoms in a range of configurations; execute a safe, timely recovery.

- [ ] P **E8**: Independent; no prompting at any stage
- [ ] DP **HASSELL**: Demo all items; student participates — ***before stalling begins, and every 15 min***
- [ ] DP **Slow flight**: 1.3Vs, coordinated S&L; student manages PAT/LARI; note control position at slow speed
- [ ] P **Slow flight turns**: Shallow banked; maintain coordination and altitude; lead with rudder
- [ ] D **Pre-stall symptoms**: Patter each in sequence — ***control position***, airspeed decay, high nose, sloppiness, stall warning, buffet
- [ ] DP **Impending stall recovery**: Relax backpressure when just forward of stall position (do not actually stall); full power; PAT; student practices; <=300 ft loss
- [ ] DP **S&L idle power stall**: Demo full stall all symptoms; student practices
- [ ] DP **Approach config stalls**: 3000 RPM, flaps 2 ***same control position at stall***; student practices
- [ ] D **Config change stalls**: Flap extension and retraction stalls
- [ ] P **Scenario**: "Airspeed dropping — controls? Actions?"

COMMON ERRORS

- **HASSELL forgotten** -> Mandatory; 360° lookout required
- **Overzealous recovery/flap limit exceeded** -> **Relax** backpressure — don't push aggressively
- **Ailerons on wing drop** -> Rudder only; ailerons neutral until unstalled *instructor intervention required*
- **Recovery to S&L** -> All stalls must be recovered to Vy climb
- **LARI in slow flight** -> Attitude and reference more critical than ever

STANDARDS FOR PROGRESSION

P S C NC

Progressing (P): Slow flight ±200 ft; HASSELL with minor prompting; impending stall recognised with some prompting; recovery <=400 ft

Solo (S): Slow flight ±150 ft; HASSELL without prompting; recovery within 3 s; <=300 ft; rudder on wing drop with one prompt

Note: Full C requires E10 (L10)

⚠️ **SAFETY Smooth air required — postpone if turbulent · Above 2500 ft AGL** · All recoveries above 2500 ft AGL · HASSELL every 15 min · Intervene immediately on wing drop + reaction with aileron · surface wind <25 knots