AIM: Confirm all Phase 1 elements to solo standard. Formally assess E8. Introduce radio procedures for circuit operations.

P **E8 Assessment**: Pre-takeoff brief before taxi; directional control; Vy +10/-0 kt; departure radio call (with guidance) ☐

P **Transit and climb**: Vy +10/-0 kt; level off at pre-determined altitude; active traffic awareness ☐

P **S&L**: Cruise and ***slow*** cruise — hdg ±5°, alt ±200 ft, ball centred ☐

P **Vx climb**: To nominated altitude; level-off APT ☐

P **Powered descent**: To nominated altitude; level-off PAT ☐

P **Turns**: 15° and 30° both directions; climbing and descending turns ☐

P **HASSELL, slow flight, stall**: Check completed; symptoms identified; stall and recovery executed ☐

P **Return**: All radio calls attempted, wording assisted by instructor; circuit entry assisted by instructor; student on flight controls until short final ☐

COMMON ERRORS

- **Incomplete HASSELL** -> NC for E7
- **Instructor intervening** -> The entire point of this lesson is to assess aircraft handling skills before circuit. *DO NOT* assist student on the flight controls unless *safety is at risk*. Stay off the controls, and let the student have an attempt at solving any new situations by themselves.

STANDARDS FOR PROGRESSION

P S **No P standard for this lesson - ALL aspects must be assessed at Solo (S) standard before progression**

C NC **All at S before Phase 2:** E2 smooth inputs . E3 hdg ±5°, alt ±200 ft . E4 Vy +10/-0, nose-down every 500 ft . E5 all types ±10 kt . E6 bank ±5°, rollout ±10° . E7 HASSELL; impending recovery <=200 ft . E8 brief before taxi; Vy maintained +10/-0 kt; . E13 circuit calls attempted; radio failure procedure known

⚠️ **SAFETY** Ceiling **>3500 ft** if E7 included . EFATO brief completed . HASSELL before stalling . Assessment mode — non-interventionist but safety-ready