

```

/**
 * Edited by Tony Shi
 * Honors Software Android
 * Drawing Project
 * Due Nov 28
 * points comment next to path commands are used to find x,y values on graph paper.
 * DrawArc is unable to be used due to minimum API requirement(current: API 15.
required: API 21)
 */
package com.tonyxr.drawingproject;

import android.support.v7.app.AppCompatActivity;
import android.os.Bundle;
import android.content.Context;
import android.graphics.Canvas;
import android.graphics.Color;
import android.graphics.DashPathEffect;
import android.graphics.Paint;
import android.graphics.Path;
import android.graphics.Rect;
import android.view.View;

public class DrawingProject extends AppCompatActivity {
    DemoView demoview;

    @Override
    public void onCreate(Bundle savedInstanceState)
    {
        super.onCreate(savedInstanceState);
        demoview = new DemoView(this);
        setContentView(demoview);
    }

    private class DemoView extends View
    {
        public DemoView(Context context)
        {
            super(context);
        }

        @Override protected
        void onDraw(Canvas canvas)
        {
            super.onDraw(canvas);

            int x = 0;           // horizontal placement of graphic shapes
            int y = 0;           // vertical placement of graphic shapes

            Paint paint = new Paint();

            // make the entire canvas blue
            paint.setColor(Color.BLUE);
            canvas.drawPaint(paint);

            paint.setAntiAlias(true);
            Path pathCar = new Path();
            pathCar.moveTo(50,1400); //F
            pathCar.lineTo(50,1600); //A
            pathCar.lineTo(200,1600); //B

```

```

pathCar.lineTo(200,1500);//C
pathCar.lineTo(300,1500);//D
pathCar.lineTo(300,1600);//E
pathCar.lineTo(700,1600);//R
pathCar.lineTo(700,1500);//O
pathCar.lineTo(800,1500);//P
pathCar.lineTo(800,1600);//Q
pathCar.lineTo(950,1600);//N
pathCar.lineTo(950,1400);//M
pathCar.lineTo(845,1350);//L
pathCar.lineTo(700,1300);//K
pathCar.lineTo(600,1100);//J
pathCar.lineTo(300,1100);//I
pathCar.lineTo(200,1300);//H
pathCar.lineTo(100,1300);//G
pathCar.close();
paint.setColor(Color.BLACK);
canvas.drawPath(pathCar, paint);

//door
paint.setColor(Color.WHITE);
canvas.drawRect(400,1330,430,1340,paint);
paint.setColor(Color.WHITE);
canvas.drawRect(660,1330,690,1340,paint);
paint.setStrokeWidth(3);
paint.setColor(Color.WHITE);
canvas.drawLine(200,1300,200,1500,paint);
paint.setColor(Color.WHITE);
canvas.drawLine(700,1300,700,1500,paint);

//left window
paint.setAntiAlias(true);
Path pathWindow = new Path();
pathWindow.moveTo(320,1120);
pathWindow.lineTo(430,1120);
pathWindow.lineTo(430,1280);
pathWindow.lineTo(240,1280);
pathWindow.close();
paint.setColor(Color.WHITE);
canvas.drawPath(pathWindow, paint);

//right window
paint.setAntiAlias(true);
Path pathWindow2 = new Path();
pathWindow2.moveTo(470,1120);
pathWindow2.lineTo(580,1120);
pathWindow2.lineTo(670,1280);
pathWindow2.lineTo(470,1280);
pathWindow2.close();
paint.setColor(Color.WHITE);
canvas.drawPath(pathWindow2, paint);

//door
paint.setColor(Color.WHITE);
paint.setStrokeWidth(3);
canvas.drawLine(450,1100,450,1550,paint);

paint.setColor(Color.WHITE);
paint.setStrokeWidth(3);
canvas.drawLine(300,1550,700,1550,paint);

```

```

paint.setColor(Color.WHITE);
paint.setStrokeWidth(3);
canvas.drawLine(200,1300,700,1300,paint);

//wheel right

paint.setColor(Color.GRAY);
canvas.drawCircle(750,1545,50,paint);
paint.setColor(Color.RED);
canvas.drawCircle(750,1545,40,paint);

//wheel left

paint.setColor(Color.GRAY);
canvas.drawCircle(250,1545,50,paint);
paint.setColor(Color.RED);
canvas.drawCircle(250,1545,40,paint);

//canvas.drawArc(200,400,300,600,0,90,false,paint);
//canvas.drawArc requires minimum API 21, we currently have the minimum
API set as API 15

//wyo symbol
paint.setAntiAlias(true);
Path pathWyo = new Path();
pathWyo.moveTo(200,400);//S
pathWyo.lineTo(300,400);//W
pathWyo.lineTo(400,600);//Z
pathWyo.lineTo(443,400);//C1
pathWyo.lineTo(547,400);//D1
pathWyo.lineTo(600,600);//E1
pathWyo.lineTo(700,400);//F1
pathWyo.lineTo(800,400);//G1
pathWyo.lineTo(700,600);//N1
pathWyo.lineTo(700,800);//H1
pathWyo.lineTo(600,800);//B1
pathWyo.lineTo(500,600);//A1
pathWyo.lineTo(400,800);//V
pathWyo.lineTo(300,800);//U
pathWyo.lineTo(300,600);//T
pathWyo.close();
paint.setColor(Color.WHITE);
canvas.drawPath(pathWyo, paint);
//paint.setColor((int)Color.pack(14,14,164)); API 26 required, suppose
color is navy blue

paint.setAntiAlias(true);
Path pathWyo1 = new Path();
pathWyo1.moveTo(450,700);
pathWyo1.lineTo(550,700);
pathWyo1.lineTo(575,750);
pathWyo1.lineTo(425,750);
pathWyo1.close();
paint.setColor(Color.WHITE);
canvas.drawPath(pathWyo1, paint);

//ground
paint.setStyle(Paint.Style.FILL);

```

```

paint.setColor(Color.DKGRAY);
canvas.drawRect(0,1800,1080,1920,paint);

// draw some hollow text using STROKE style
paint.setStyle(Paint.Style.FILL);
paint.setColor(Color.WHITE);
paint.setTextSize(72);
canvas.drawText("TONY", 250, 75, paint);

// draw some filled text using FILL style
paint.setStyle(Paint.Style.FILL);
paint.setColor(Color.WHITE);
paint.setAntiAlias(true); // turn antialiasing on to smooth out the

text
paint.setTextSize(72);
canvas.drawText("SHI", 250, 200, paint);

/**
// draw a solid blue circle
paint.setStyle(Paint.Style.FILL);
paint.setColor(Color.BLUE);
canvas.drawCircle(20, 20, 15, paint); // originx, originy, radius

// draw a solid green rectangle
// smooth edges
paint.setColor(Color.GREEN);
canvas.drawRect(100, 5, 130, 35, paint); // left, top, right, bottom

not filled
paint.setStyle(Paint.Style.STROKE); // next shape will be hollow,
paint.setStrokeWidth(1);

// using a Path object to store 3 line segments that form a triangle
Path path = new Path();
path.moveTo(160, -30);
path.lineTo(160, 0);
path.lineTo(180, 0);
path.close();

paint.setColor(Color.RED);
canvas.drawCircle(220, 20, 10, paint);

// using offset to draw the same triangle in multiple locations
path.offset(10, 40);
paint.setColor(Color.BLACK);
canvas.drawPath(path, paint); // first triangle is black

path.offset(40, 0); // next triangle placed 40 pixels to the
right and 0 pixels up or down
paint.setColor(Color.MAGENTA);
canvas.drawPath(path, paint); // reusing the same path (i.e. triangle)

path.offset(30, 40); // offset is cumulative
paint.setColor(Color.GREEN);
canvas.drawPath(path, paint);
**/

/**
// draw some hollow text using STROKE style

```

text

```
paint.setStyle(Paint.Style.STROKE);
paint.setColor(Color.CYAN);
paint.setTextSize(30);
canvas.drawText("TONY", 25, 75, paint);

// draw some filled text using FILL style
paint.setStyle(Paint.Style.FILL);
paint.setAntiAlias(true); // turn antialiasing on to smooth out the

paint.setTextSize(30);
canvas.drawText("SHI", 25, 110, paint);

**/

// draw rotated text
// get text width and height
// set desired drawing location
x = 75;
y = 185;
paint.setColor(Color.RED);
paint.setTextSize(40);
String word = "TNT";

// draw bounding rect before rotating text
Rect rect = new Rect();
paint.getTextBounds(word, 0, word.length(), rect);
canvas.translate(x, y);
paint.setStyle(Paint.Style.FILL);

// draw unrotated text
x = 100;
y = 185;
paint.setColor(Color.RED);
canvas.drawText("Not TNT", 0, 0, paint);
paint.setStyle(Paint.Style.STROKE);
canvas.drawRect(rect, paint);

// undo the translate
canvas.translate(-x, -y);

// rotate the canvas on center of the text to draw
canvas.rotate(-45, x + rect.exactCenterX(), y + rect.exactCenterY());

// draw the rotated text
paint.setStyle(Paint.Style.FILL);
canvas.drawText(word, x, y, paint);

// this paragraph of code have issue
// undo the rotate
//canvas.restore();
//canvas.drawText("After canvas.restore()", 50, 250, paint);

// draw a thick dashed line
/**
DashPathEffect dashPath = new DashPathEffect(new float[]{20,5}, 1);
paint.setPathEffect(dashPath);
paint.setStrokeWidth(8);
canvas.drawLine(0, 300, 320, 300, paint);
**/

try {
```

```
        Thread.sleep(10000);
    } catch (InterruptedException e) {
        e.printStackTrace();
    }
}
}
```