TASK NO. 04

OpenGL

```
#include<stdio.h>
#include<GL/glut.h>
#include<math.h>
#define pi 3.142857

// function to initialize
void myInit(void)
{
   // making background color black as first
   // 3 arguments all are 0.0
   glClearColor(0.0, 0.0, 0.0, 1.0);

   // making picture color green (in RGB mode), as middle argument is 1.0
   glColor3f(0.0, 1.0, 0.0);

   // breadth of picture boundary is 1 pixel
   glPointSize(1.0);
   glMatrixMode(GL_PROJECTION);
   glLoadIdentity();

   // setting window dimension in X- and Y- direction
   gluOrtho2D(-780, 780, -420, 420);
}

void display(void)
{
   glClear(GL_COLOR_BUFFER_BIT);
   glBegin(GL_POINTS);
   float x, y, i;

   // iterate y up to 2*pi, i.e., 360 degree
   // with small increment in angle as
   // glVertex2i just draws a point on specified co-ordinate
   for (i = 0; i < (2 * pi); i += 0.001)
   {
      // let 200 is radius of circle and as,
      // circle is defined as x=r*cos(i) and y=r*sin(i)
      x = 200 * cos(i);
      y = 200 * sin(i);
```

```
        glVertex2i(x, y);
    }
    glEnd();
    glFlush();
}

int main(int argc, char** argv)
{
    glutInit(&argc, argv);
    glutInitDisplayMode(GLUT_SINGLE | GLUT_RGB);

    // giving window size in X- and Y- direction
    glutInitWindowSize(1366, 768);
    glutInitWindowPosition(0, 0);

    // Giving name to window
    glutCreateWindow("Circle Drawing");
    myInit();

    glutDisplayFunc(display);
    glutMainLoop();
}
```

RESULTS