



Prodigy Projects

Hobby



cheeks-bar-and-grill



Find...

F

Feedback



Project Settings

[← Go to Team Settings](#)

Framework Settings

When using a framework for a new project, it will be automatically detected. As a result, several project settings are automatically configured to achieve the best result. You can override them below.

Framework Preset

Other



Build Command

``npm run vercel-build` or `np...`

Override





Output Directory

``public` if it exists, or ```

Override



Install Command

``yarn install`, `pnpm install`, `...`

Override



Development Command



None

Override

Learn more about [Build and Development Settings](#)

Save



Root Directory

The directory within your project, where your code is located. Leave this field empty if your code is not located in a subdirectory.

Include files outside the root directory in the [Build Step](#).

Enabled ☒

Skip deployments [when there are no changes to the root directory or its dependencies.](#)

Disabled ☐

[Learn more about Root Directory](#)

Save

Node.js Version

The version of Node.js that is used in the Build Step and for Serverless Functions. A new Deployment is required for your changes to take effect.

24.x



[Learn more about Node.js Version](#)

Save



On-Demand Concurrent Builds

Skip the build queue and build deployments immediately. Usage costs apply per build minute.

[Overview](#)[Deployments](#)[Analytics](#)[Speed Insights](#)[Logs](#)[Observability](#)[Redirects](#)[Firewall](#)[AI Gateway](#)[Storage](#)[Flags](#)[General](#)[Build and Deployment](#)[Domains](#)[Environments](#)[Environment Variables](#)[Git](#)[Integrations](#)[Deployment Protection](#)[Functions](#)[Caches](#)[Cron Jobs](#)[Microfrontends](#)

☐ **Run all builds immediately**
Skip the queue for all builds

☐ **Run up to one build per branch**
New deployments within a branch are queued

☒ **Disable on-demand concurrent builds**
Builds are queued, maximum of one at a time

This feature is available on the [Pro plan](#) [↗](#)

Build Machine

Choose a larger build machine. Charges apply per minute if it exceeds your team's pre-committed concurrency.

☒ **Standard performance** 4 vCPUs 8 GB Memory **Default**
Cost-effective option for lightweight apps and APIs

☐ **Enhanced performance** 8 vCPUs 16 GB Memory

Project Members



Drains

Security

Connectivity

Advanced

☐ Increased compute, ideal for large applications**Turbo performance**

30 vCPUs

60 GB Memory

Optimized for Turbopack builds which take advantage of multiple cores

Learn more about [Build Machine types](#) and [Pricing](#)

Deployment Checks

Define checks needed to promote a deployment to production

No checks configured

Use events or statuses from your checks provider to determine when a deployment is promoted to Production.

[+ Add Checks](#)

Rolling Releases

Configure rolling release settings for your production environment. Rolling releases allow you to gradually deploy changes to users by defining a percentage of traffic for each stage.



Disabled

This feature is available on the [Pro plan](#)

[Save](#)

Prioritize Production Builds

Builds for Production environment will be prioritized over Pre-Production environments.



Enabled

Learn more about [Prioritize Production Builds](#)

[Save](#)[Home](#)[Docs](#)[Knowledge Base](#)[Academy](#)[SDKs](#) [Help](#)[Contact](#)[Legal](#)

● [All systems normal.](#)

