

iRpgFormatter for RDi

License

This program and the accompanying materials are made available under the terms of the Common Public License v1.0 which accompanies this distribution, and is available at <http://www.eclipse.org/legal/cpl-v10.html>

Overview

The iRpgFormatter formats the DCL-* statements of RPGLE or SQLRPGLE sources:

- Execute from Remote System filters.
- Execute from Project Explorer items.
- Execute from Lpex view.
- Execute on save.
- Optionally executes the IBM formatter (only in Lpex editor).

iRpgFormatter is an open source plug-in for RDi 9.6.0.13+. It formats free-form RPG IV source code to improve readability and consistency.

Feature list:

- Formats free-form RPG IV source code.
- Various formatting options:
 - ◆ Casing style.
 - ◆ Add/remove const() keyword.
 - ◆ Break name on case change.
 - ◆ Sort const/value to end.
 - ◆ Replace dcl-pi name with *N.
 - ◆ Remove end-proc name.
 - ◆ Unindent compiler directives.
- Optionally executes the IBM formatter.
- Optionally format source on save.

iRpgFormatter is an Open Source project that is hosted on github.com.

Menu Options

The *iFormat* menu option is in the *Source* sub-menu. You can map a user key action to it on the **LPEX Editor – User Key Actions** page.

Preferences

The preferences page has been placed next to the IBM *Formatter* preferences page and is labeled as *iRpgFormatter*.

Play with the settings and watch the preview panel to understand the formatting options.

The following tabs contain lists of entries used for case-sensitive formatting:

- Data types
- Declaration types
- Keywords
- Special Words

A more detailed description of the settings can be found on the [iRpgFormatter](#) project page on GitHub.

Option "Execute IBM formatter" only works if the formatter is started in the Lpex editor.

Change Log 1.0.4.r (xx.xx.xxxx)

Plug-in: 9.6.0.13+

- Fix `ClassNotFoundException` in RDi 9.6.

Change Log 1.0.3.r (12.05.2026)

Plug-in: 9.6.0.13+

- Fix `Parents stack contains unexpected parent: dcl-pi *n end-pi;` parser error.
- Fix `Line n not found.` error in Lpex editor when positioning the cursor at the end of a formatting action.

Change Log 1.0.2.r (12.05.2026)

Plug-in: 9.6.0.13+

- Fix `Unexpected token of type: FUNCTION` exception.

Change Log 1.0.1.r (12.05.2026)

Plug-in: 9.6.0.13+

- Add formatting of compile time arrays.

Initial versionChange Log 1.0.0.r (12.05.2026)

Plug-in: 9.6.0.13+

- Initial version

IRpgFormatter On The Internet

Project page on GitHub	https://github.com/tools-400/irpgformatter-plugin/
Homepage	https://tools-400.github.io/irpgformatter/formatter-plugin/
RDİ 8.0+ Update Site	https://tools-400.github.io/irpgformatter/updatesite/eclipse/rdi8.0/
Eclipse Marketplace	https://marketplace.eclipse.org/content/irpgformatter-rdi-96013/
RDİ 8.0 Beta Update Site	https://tools-400.github.io/irpgformatter/beta-version/update-site/eclipse/rdi8.0/