

ECR Post Site Survey

Hello. Thank you for participating in the Emergency Departments LEading the transformation of Alzheimer's and Dementia care (ED-LEAD) study. Since the implementation of Emergency Care Redesign (ECR) is now complete, we wanted to take the opportunity to better understand how the ED-LEAD Our Practice Alert(s) and/or Navigator were implemented and maintained at your site. This survey should take about 15-25 minutes to complete.

If you had multiple Emergency Departments (EDs) enrolled in ED-LEAD we ask that you complete one survey PER ED.

Please answer the following questions to the best of your ability.

Select the health system name

- ☐ Advocate Aurora Health
- ☐ Atrium Health Wake Forest
- ☐ Brigham & Women
- ☐ Colorado
- ☐ Henry Ford Health System
- ☐ Harvard Mass General
- ☐ MAYO Clinic
- ☐ Mount Sinai
- ☐ Northwell
- ☐ Northwestern
- ☐ Ochsner
- ☐ Rochester

[survey-url]

Select your site name

- ☐ Austin
- ☐ Baptist-Ochsner
- ☐ Baptist-Atrium
- ☐ BayCare
- ☐ Brigham & Womens
- ☐ Central DuPage
- ☐ East
- ☐ Glen Cove
- ☐ Greeley
- ☐ High Point Regional
- ☐ Highland
- ☐ Huntington
- ☐ Jackson
- ☐ Lake Forest
- ☐ LJ Forest Hills
- ☐ LJ Hospital
- ☐ Lincoln
- ☐ Longs Peak
- ☐ McKeesport
- ☐ Mercy
- ☐ Morningside
- ☐ New Orleans
- ☐ North Shore
- ☐ Northwestern Memorial
- ☐ Noyes
- ☐ Palos
- ☐ Passavant
- ☐ Poudre Valley
- ☐ Queens
- ☐ Rochester
- ☐ Sheboygan County
- ☐ St Bernard Parish
- ☐ St Lukes South Shore
- ☐ Staten Island North
- ☐ Union
- ☐ University City
- ☐ West Bank
- ☐ West Bloomfield
- ☐ Wyandotte

Site Randomization

- ☐ ECR only
- ☐ ECR/NLTC
- ☐ ECR/CPTI
- ☐ All three

Full Name

Please select the role the alerts fired for.

	Physician	PA/NP	Nurse	Social Work/Case Management	Resident
Identification Alert	☐	☐	☐	☐	☐
Disposition Alert	☐	☐	☐	☐	☐

Please select the role that was primarily responsible for documenting the ECR components.

	Physicians	PA/NP	Nurse	Social Work/Case Management	Resident
Introductory Huddle	☐	☐	☐	☐	☐
Care Partner Information	☐	☐	☐	☐	☐
Navigator Assessments	☐	☐	☐	☐	☐
Discharge Huddle	☐	☐	☐	☐	☐

The first set of questions will be related to your EDs specific experience in adapting the recommended build to your ED environment, and the technical parts of the build components.

How often do you feel the identification alert fires on the appropriate patients? (Ex: Has this thought crossed your mind- This patient has dementia and/or relevant diagnosis; why didn't the OPA fire?)

- ☐ All of the time
☐ Often
☐ Sometimes
☐ Seldom
☐ Rarely
☐ Never
☐ Not applicable as I do not practice clinically

How often do you feel the identification alert does NOT fire for someone with dementia? (Ex: Has this thought crossed your mind- This patient has dementia and/or relevant diagnosis; why didn't the OPA fire?)

- ☐ All of the time
☐ Often
☐ Sometimes
☐ Seldom
☐ Rarely
☐ Never
☐ Not applicable as I do not practice clinically

What components of the identification alert build do you think were most effective? Select all that apply.

- ☐ Its placement on the screen
☐ When it popped up
☐ How often it was shown
☐ Ability to defer
☐ The accuracy of who it fired for
☐ The design of the OPA itself (e.g. graphics)
☐ The text of the OPA
☐ The associated prompts (e.g. Follow-up actions/orders)
☐ Direct link to navigator
☐ Other, please specify

Please specify other components of the identification alert build you think were most effective.

What components of this identification alert build do you think were least effective? Select all that apply.

- ☐ Its placement on the screen
☐ When it popped up
☐ How often it was shown
☐ Ability to defer
☐ The accuracy of who it fired for
☐ The design of the OPA itself (e.g. graphics)
☐ The text of the OPA
☐ The associated prompts (e.g. Follow-up actions/orders)
☐ Direct link to navigator
☐ Other, please specify

Please specify other components of the identification alert build you think were least effective.

Introductory Huddle

What aspect(s) of the introductory huddle do you think were most effective?

- ☐ Its placement on the screen
- ☐ When it popped up
- ☐ How often it was shown
- ☐ Ability to defer
- ☐ The accuracy of who it fired for
- ☐ The design of the OPA itself (e.g. graphics)
- ☐ The text of the OPA
- ☐ The associated prompts (e.g. Follow-up actions/orders)
- ☐ Direct link to navigator
- ☐ Other, please specify

Please specify other aspects of the introductory huddle you think were most effective.

What aspect(s) of the introductory huddle do you think were least effective?

- ☐ Its placement on the screen
- ☐ When it popped up
- ☐ How often it was shown
- ☐ Ability to defer
- ☐ The accuracy of who it fired for
- ☐ The design of the OPA itself (e.g. graphics)
- ☐ The text of the OPA
- ☐ The associated prompts (e.g. Follow-up actions/orders)
- ☐ Direct link to navigator
- ☐ Other, please specify

Please specify other aspects of the introductory huddle you think were least effective.

Care Partner Information

What aspect(s) of the care partner information do you think were most effective?

- ☐ Its placement on the screen
- ☐ When it popped up
- ☐ How often it was shown
- ☐ Ability to defer
- ☐ The accuracy of who it fired for
- ☐ The design of the OPA itself (e.g. graphics)
- ☐ The text of the OPA
- ☐ The associated prompts (e.g. Follow-up actions/orders)
- ☐ Direct link to navigator
- ☐ Other, please specify

Please specify other aspects of the care partner information you think were most effective.

What aspect(s) of the care partner information do you think were least effective?

- ☐ Its placement on the screen
- ☐ When it popped up
- ☐ How often it was shown
- ☐ Ability to defer
- ☐ The accuracy of who it fired for
- ☐ The design of the OPA itself (e.g. graphics)
- ☐ The text of the OPA
- ☐ The associated prompts (e.g. Follow-up actions/orders)
- ☐ Direct link to navigator
- ☐ Other, please specify

Please specify other aspects of the care partner information you think were least effective.

Dementia Navigator Assessments

What aspect(s) of the assessments do you think were most effective?

- ☐ Its placement on the screen
- ☐ When it popped up
- ☐ How often it was shown
- ☐ Ability to defer
- ☐ The accuracy of who it fired for
- ☐ The design of the OPA itself (e.g. graphics)
- ☐ The text of the OPA
- ☐ The associated prompts (e.g. Follow-up actions/orders)
- ☐ Direct link to navigator
- ☐ Other, please specify

Please specify other aspects of the assessments you think were most effective.

What aspect(s) of the assessments do you think were least effective?

- ☐ Its placement on the screen
- ☐ When it popped up
- ☐ How often it was shown
- ☐ Ability to defer
- ☐ The accuracy of who it fired for
- ☐ The design of the OPA itself (e.g. graphics)
- ☐ The text of the OPA
- ☐ The associated prompts (e.g. Follow-up actions/orders)
- ☐ Direct link to navigator
- ☐ Other, please specify

Please specify other aspects of the assessments you think were least effective.

Of the assessments implemented, please select the assessment you found most useful in clinical care.

- ☐ Goals of visit
- ☐ Memory & Cognition
- ☐ Physical Health & Function
- ☐ Delirium Screening
- ☐ Risk Appraisal
- ☐ No assessment built

Discharge Huddles

What aspect(s) of the discharge huddle do you think were most effective?

- ☐ Its placement on the screen
- ☐ When it popped up
- ☐ How often it was shown
- ☐ Ability to defer
- ☐ The accuracy of who it fired for
- ☐ The design of the OPA itself (e.g. graphics)
- ☐ The text of the OPA
- ☐ The associated prompts (e.g. Follow-up actions/orders)
- ☐ Direct link to navigator
- ☐ Other, please specify

Please specify other aspects of the discharge huddle you think were most effective.

What aspect(s) of the discharge huddle do you think were least effective?

- ☐ Its placement on the screen
- ☐ When it popped up
- ☐ How often it was shown
- ☐ Ability to defer
- ☐ The accuracy of who it fired for
- ☐ The design of the OPA itself (e.g. graphics)
- ☐ The text of the OPA
- ☐ The associated prompts (e.g. Follow-up actions/orders)
- ☐ Direct link to navigator
- ☐ Other, please specify

Please specify other aspects of the discharge huddle you think were least effective.

Other Implementation Challenges

Please elaborate on any unanticipated consequences of implementing any of the ECR components.

What were the biggest barriers to building the ECR components with your Information Technology (IT) department?

This section will ask about your ECR training experience, both pre-implementation and during the 6-month intervention period.

Overall, rate the following components for the ECR training your staff received on the Aliviado platform.

	Poor	Fair	Good	Very good	Excellent
Usefulness of content in relation to real world application	☐	☐	☐	☐	☐
Time required to complete	☐	☐	☐	☐	☐
Ability to log in and access training	☐	☐	☐	☐	☐
Ability to understand	☐	☐	☐	☐	☐

Since the training at the beginning of the intervention, approximately how many new staff were onboarded after the go-live date?

- ☐ 0 - no one onboarded
- ☐ 1-5 ED members
- ☐ 6-10 ED members
- ☐ 11-20 ED members
- ☐ More than 20 ED members
- ☐ I'm not sure

Since the training at the beginning of the intervention, approximately how many staff left their role after the go-live date?

- ☐ 0 - no one has left
- ☐ 1-5 ED members
- ☐ 6-10 ED members
- ☐ 11-20 ED members
- ☐ More than 20 ED members
- ☐ I'm not sure

How were new staff trained who came onboard after the intervention period began? Check all that apply.

- ☐ Training materials were included in new hire handbook
- ☐ Training materials were not distributed
- ☐ Other, please specify

Please specify how new staff were trained.

How satisfied were you with the re-training opportunities available during the 6-month intervention?

- ☐ Extremely unsatisfied
- ☐ Very unsatisfied
- ☐ Unsatisfied
- ☐ Neutral
- ☐ Satisfied
- ☐ Very satisfied
- ☐ Extremely satisfied

Is there anything ED-LEAD team could have done differently to support re-training opportunities?

What proportion of all new staff were onboarded to Aliviado?

- ☐ 0%
- ☐ 25%
- ☐ 50%
- ☐ 75%
- ☐ 100%

For this section we will be asking you to reflect on the real-time data reports you received and barriers and facilitators you faced in trying to increase engagement on the ECR components in clinical practice.

What were barriers to implementing the introductory huddle into consistent clinical practice? Check all that apply.

- ☐ Time
- ☐ Integration into current workflows
- ☐ Relevance
- ☐ Not appropriate for patients
- ☐ Lack of training
- ☐ Who it fired for
- ☐ Competing priorities
- ☐ Feeling that this is outside EM staff scope of work
- ☐ Other, please specify

Please specify other barriers to implementing the introductory huddle into consistent clinical practice.

What were barriers to implementing the care partner information into consistent clinical practice? Check all that apply.

- ☐ Time
- ☐ Integration into current workflows
- ☐ Relevance
- ☐ Not appropriate for patients
- ☐ Lack of training
- ☐ Who it fired for
- ☐ Competing priorities
- ☐ Feeling that this is outside EM staff scope of work
- ☐ Other, please specify

Please specify other barriers to implementing the care partner info into consistent clinical practice.

What were barriers to implementing the assessments into consistent clinical practice? Check all that apply.

- ☐ Time
- ☐ Integration into current workflows
- ☐ Relevance
- ☐ Not appropriate for patients
- ☐ Lack of training
- ☐ Who it fired for
- ☐ Competing priorities
- ☐ Feeling that this is outside EM staff scope of work
- ☐ Length too long
- ☐ Hard to find
- ☐ Other, please specify

Please specify other barriers to implementing the assessments into consistent clinical practice.

What were barriers to implementing the discharge huddle into consistent clinical practice? Check all that apply.

- ☐ Time
- ☐ Integration into current workflows
- ☐ Relevance
- ☐ Not appropriate for patients
- ☐ Lack of training
- ☐ Who it fired for
- ☐ Competing priorities
- ☐ Feeling that this is outside EM staff scope of work
- ☐ Other, please specify

Please specify other barriers to implementing the discharge huddle into consistent clinical practice.

What strategies did you find helpful to increase engagement for the huddles (either introductory or discharge)? Check all that apply.

- ☐ Reminder that huddles can be virtual
- ☐ Not all disciplines are required to be present
- ☐ Huddles can be short
- ☐ Real time data report - minimum one assessment complete counts
- ☐ Retraining staff
- ☐ Socializing in the ED
- ☐ Superuser shoutouts

Which ECR components would you recommend to other EDs not participating in ED-LEAD project? Check all that apply.

- ☐ Initial huddle
- ☐ Collection of Care partner information
- ☐ Full Dementia Navigator
- ☐ Parts of the Dementia Navigator
- ☐ Discharge huddle
- ☐ 72hr follow up call
- ☐ None

What were the primary drivers for changes that were made between the original Technical Report recommendations NYU team provided and the final ECR components implemented at your ED? Check all that apply.

- ☐ Feedback from physicians
- ☐ Feedback from nurses
- ☐ Feedback from physician or nurse leadership/champions
- ☐ Workflow adaptations
- ☐ Pressure from IT leadership
- ☐ EHR/IT factors (i.e. our ED doesn't have interruptive alerts)
- ☐ Feedback from other collaborating departments
- ☐ Other, please specify

Please specify other factors that drove the changes.

This tool _____ health inequities in our institution.

- ☐ Improved
☐ Worsened
☐ Did not impact

The final set of questions we will be asking you about sustainability of the ECR components. Refer to the below intervention period for the following section:

Wave 1 Intervention Period: 09/02/25 - 02/27/26

Did you keep any components of ECR on after the six-month intervention end date?

- ☐ Yes
☐ No

Below are screenshots of your original screenshots from the pre-implementation survey.

1. Identification Alert

2. ED Dementia Navigator

3. Disposition Alert - Providers

4. Disposition Alert - Nurses

Below are screenshots of your original screenshots from the pre-implementation survey.

1. Identification Alert

2. ED Dementia Navigator

3. Disposition Alert

Below are screenshots of your original screenshots from the pre-implementation survey.

1. Identification Alert

2. Disposition Alert

Below are screenshots of your original screenshots from the pre-implementation survey.

1. Identification Alert

2. Disposition Alert

Below are screenshots of your original screenshots from the pre-implementation survey.

1. Identification Alert

2. ED Dementia Navigator

3. Disposition Alert

Below are screenshots of your original screenshots from the pre-implementation survey.

1. Identification Alert

2. ED Dementia Navigator

3. Disposition Alert

Below are screenshots of your original screenshots from the pre-implementation survey.

1. Identification Alert

2. ED Dementia Navigator

3. Disposition Alert

Review the screenshots above. Now that the intervention is over, please select which components changed (after in-ED referral end date) in order to maintain ECR at your site.

- ☐ Identification alert
- ☐ ED Dementia Navigator
- ☐ Disposition alert

Please upload a screenshot of the updated Identification alert (post-implementation period).

Please upload a screenshot of the updated ED Dementia Navigator (post-implementation period).

Please upload a screenshot of the updated Disposition Alert (post-implementation period).

Of the other ECR components, please select which items have stayed in production within the EHR after the intervention end date?

- ☐ Icon
- ☐ Introductory huddle
- ☐ Care partner information
- ☐ Discharge huddle
- ☐ Resource Guide
- ☐ None of the above

If you removed some or all of the ECR components, please briefly explain why.

What was your overall feedback on the ECR program?

What do you think was most beneficial about the ECR program?

What do you think was least beneficial about the ECR program?

Would you be interested in participating in a qualitative interview to discuss barriers/facilitators to the effectiveness implementation and practical use of the ED-LEAD OPAs at your site?

- ☐ Yes
☐ No

Name/Demographic Information

Title

Select your role. Check all that apply.

- ☐ Practicing Emergency Medicine Clinician
☐ Site PI
☐ Researcher
☐ Provider Champion
☐ Nurse Champion
☐ Coordinator

Age

How many years have you been practicing as a physician or nurse? (for Physicians excluding residency)

- ☐ 0-14
☐ 15-25
☐ 25+

ED Variables

What is your hospital type?

- ☐ Academic
☐ Community
☐ Nonprofit
☐ For profit
☐ Governmental

What US region is your hospital located in?

- ☐ Northeast
☐ Midwest
☐ Southeast
☐ Southwest
☐ West

Is your hospital in a rural area?

- ☐ Yes
☐ No

Does your hospital have a geriatric certification?

- ☐ Yes
☐ No

EM Residency training site

- ☐ Yes
☐ No

Trauma Center

☐ Yes
☐ No

Dedicated EM social workers/care manager

☐ Yes
☐ No

What is your hospital system ID number?
