Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was "metasploitable3 dsvw phpldapadmin-remote-dump metasploit-emulator shellshock-lab heartbleed-lab xvwa railsgoat-alt bwapp-alt metasploitable3-alt mongodb-noauth gitlab10 es56 sonar67". The scan started at Mon Jan 26 16:34:56 2026 UTC and ended at Mon Jan 26 18:37:11 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 172.30.40.1 2

2.1.1 Critical 8000/tcp 2

2.1.2 High 8000/tcp 29

2.1.3 Medium 8000/tcp 56

2.1.4 Low 8000/tcp 100

2.1.5 Low general/icmp 106

2.1.6 Low general/tcp 107

2.1.7 Log 8000/tcp 109

2.1.8 Log general/CPE-T 114

2.1.9 Log general/tcp 114

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.30.40.1 dsvw.trabalho_vulnnet	15	17	28	6	12	0
Total: 1	15	17	28	6	12	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Debug" are not shown.

This report contains all 78 results selected by the filtering described above. Before filtering there were 1257 results.

2 Results per Host

2.1 172.30.40.1

Host scan start	Mon Jan 26 16:36:01 2026 UTC
Host scan end	Mon Jan 26 18:24:20 2026 UTC

Service (Port)	Threat Level
8000/tcp	Critical
8000/tcp	High
8000/tcp	Medium
8000/tcp	Low
general/icmp	Low
general/tcp	Low
8000/tcp	Log
general/CPE-T	Log
general/tcp	Log

2.1.1 Critical 8000/tcp

Critical (CVSS: 10.0)
NVT: Python End of Life (EOL) Detection - Linux

Product detection result
`cpe:/a:python:python:2.7.13`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)

Summary
The Python version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "Python" version on the remote host has reached the end of life.
CPE:                cpe:/a:python:python:2.7.13
Installed version:  2.7.13
Location/URL:       8000/tcp
EOL version:        2.7
EOL date:           2020-01-01
```

Impact
An EOL version of Python is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update the Python version on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: Python End of Life (EOL) Detection - Linux
OID:1.3.6.1.4.1.25623.1.0.117199
Version used: 2025-04-15T05:54:49Z

Product Detection Result
Product: cpe:/a:python:python:2.7.13
Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
url: https://en.wikipedia.org/wiki/History_of_Python#Table_of_versions

Critical (CVSS: 9.8)
NVT: Python 2.7.x < 2.7.17, 3.5.x < 3.5.7, 3.6.x < 3.6.9, 3.7.x < 3.7.3 Information Disclosure Vulnerability (bpo-36216) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.17
Installation
path / port:       8000/tcp
```

Impact
Information disclosure (credentials, cookies, etc. that are cached against a given hostname).

Solution:
Solution type: VendorFix
The vendor has released updates. Please see the references for more information.

Affected Software/OS
Python 2.7.x prior to version 2.7.17, versions 3.5.x prior to 3.5.7, 3.6.x prior to 3.6.9 and 3.7.x prior to 3.7.3.

Vulnerability Insight
Python is affected by improper Handling of Unicode Encoding (with an incorrect netloc) during NFKC normalization.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python 2.7.x < 2.7.17, 3.5.x < 3.5.7, 3.6.x < 3.6.9, 3.7.x < 3.7.3 Information .`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.118225
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2019-9636`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://python-security.readthedocs.io/vuln/urlsplit-nfkc-normalization.htm
↪l
advisory-id: bpo-36216
cert-bund: WID-SEC-2024-1600
cert-bund: CB-K20/0041
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2020-1839
dfn-cert: DFN-CERT-2020-1540
dfn-cert: DFN-CERT-2020-1078
dfn-cert: DFN-CERT-2020-0231
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2020-0102
dfn-cert: DFN-CERT-2020-0048
dfn-cert: DFN-CERT-2019-2252
dfn-cert: DFN-CERT-2019-2078
dfn-cert: DFN-CERT-2019-1877
dfn-cert: DFN-CERT-2019-1339
dfn-cert: DFN-CERT-2019-1288
dfn-cert: DFN-CERT-2019-1285
dfn-cert: DFN-CERT-2019-1095
dfn-cert: DFN-CERT-2019-0941
dfn-cert: DFN-CERT-2019-0915
dfn-cert: DFN-CERT-2019-0912
dfn-cert: DFN-CERT-2019-0841
dfn-cert: DFN-CERT-2019-0770
dfn-cert: DFN-CERT-2019-0702
dfn-cert: DFN-CERT-2019-0565
```

Critical (CVSS: 9.8)
NVT: Python < 3.9.5 Authentication Bypass Vulnerability - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to an authentication bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.9.5
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 8000/tcp

Impact
Successful exploitation would allow an attacker to gain unauthorized access to the target system.

Solution:
Solution type: VendorFix
Update to version 3.9.5 or later.

Affected Software/OS
Python through version 3.9.4.

Vulnerability Insight
The vulnerability exists in the ipaddress library, which mishandles leading zero characters in the octets of an IP address string. This would allow an attacker to bypass IP-based access control.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Python < 3.9.5 Authentication Bypass Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.113820
Version used: 2023-07-05T05:06:18Z

Product Detection Result
Product: cpe:/a:python:python:2.7.13
Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
cve: CVE-2021-29921
url: https://bugs.python.org/issue36384
url: https://docs.python.org/3/whatsnew/changelog.html#python-3-9-5-final
cert-bund: WID-SEC-2023-2460
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-0624
cert-bund: WID-SEC-2022-0464
cert-bund: CB-K21/0783
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2021-2354
dfn-cert: DFN-CERT-2021-2353
dfn-cert: DFN-CERT-2021-1801
dfn-cert: DFN-CERT-2021-1534
dfn-cert: DFN-CERT-2021-1414
dfn-cert: DFN-CERT-2021-1303
dfn-cert: DFN-CERT-2021-1184

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2021-0956

Critical (CVSS: 9.8)
NVT: Python 2.7.x < 2.7.17, 3.5.x < 3.5.8, 3.6.x < 3.6.9, 3.7.x < 3.7.4 Information Disclosure Vulnerability (bpo-36742) - Linux

Product detection result
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)

Summary
Python is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.17
Installation
path / port:       8000/tcp
```

Impact
Information disclosure (credentials, cookies, etc. that are cached against a given hostname).

Solution:
Solution type: VendorFix
The vendor has released updates. Please see the references for more information.

Affected Software/OS
Python 2.7.x prior to version 2.7.17, versions 3.5.x prior to 3.5.8, 3.6.x prior to 3.6.9 and 3.7.x prior to 3.7.4.

Vulnerability Insight
'urlsplit' is affected by a NFKD normalization vulnerability in 'user:password@'.
Note: The fix for 'CVE-2019-9636' ignored the 'user/password' before '@' whereas it still allowed to exploit the vulnerability.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Python 2.7.x < 2.7.17, 3.5.x < 3.5.8, 3.6.x < 3.6.9, 3.7.x < 3.7.4 Information . ↪..
OID:1.3.6.1.4.1.25623.1.0.118202
Version used: 2023-07-05T05:06:18Z

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:python:python:2.7.13
Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
cve: CVE-2019-10160
url: https://python-security.readthedocs.io/vuln/urlsplit-nfkc-normalization2.ht
↪ml
advisory-id: bpo-36742
cert-bund: WID-SEC-2024-1598
cert-bund: CB-K20/0109
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2020-1839
dfn-cert: DFN-CERT-2020-1540
dfn-cert: DFN-CERT-2020-0231
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-2560
dfn-cert: DFN-CERT-2019-2252
dfn-cert: DFN-CERT-2019-2078
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-1883
dfn-cert: DFN-CERT-2019-1877
dfn-cert: DFN-CERT-2019-1678
dfn-cert: DFN-CERT-2019-1610
dfn-cert: DFN-CERT-2019-1596
dfn-cert: DFN-CERT-2019-1370
dfn-cert: DFN-CERT-2019-1339
dfn-cert: DFN-CERT-2019-1288
dfn-cert: DFN-CERT-2019-1263

Critical (CVSS: 9.8)
NVT: Python <= 3.10.x Buffer Overflow Vulnerability - Linux

Product detection result
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)

Summary
Python is prone to a buffer overflow vulnerability in the _sha3 module.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.7.16
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.7.16, 3.8.16, 3.9.16, 3.10.9 or later.

Affected Software/OS
Python prior to version 3.7.16, version 3.8.x through 3.8.15, 3.9.x through 3.9.15 and 3.10.x through 3.10.8.

Vulnerability Insight
The Keccak XKCP SHA-3 reference implementation has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties. This occurs in the sponge function interface.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python <= 3.10.x Buffer Overflow Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.148942
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2022-37454
url: https://python-security.readthedocs.io/vuln/sha3-buffer-overflow.html
url: https://github.com/python/cpython/issues/98517
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0138
cert-bund: WID-SEC-2022-1816
dfn-cert: DFN-CERT-2026-0215
dfn-cert: DFN-CERT-2023-0552
dfn-cert: DFN-CERT-2023-0422
dfn-cert: DFN-CERT-2023-0028
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2793
dfn-cert: DFN-CERT-2022-2715
dfn-cert: DFN-CERT-2022-2639
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2535
dfn-cert: DFN-CERT-2022-2523
dfn-cert: DFN-CERT-2022-2420
dfn-cert: DFN-CERT-2022-2380
```

Critical (CVSS: 9.8)
NVT: Python < 2.7.14, 3.3.x < 3.3.7, 3.4.x < 3.4.7, 3.5.x < 3.5.4, 3.6.x < 3.6.2 Expat 2.2 (bpo-29591) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to various security vulnerabilities in bundled expat.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.14
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.7.14, 3.3.7, 3.4.7, 3.5.4, 3.6.2 or later.

Affected Software/OS

Python prior to version 2.7.14, versions 3.3.x prior to 3.3.7, 3.4.x prior to 3.4.7, 3.5.x prior to 3.5.3 and 3.6.x prior to 3.6.2.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2016-0718: Expat allows context-dependent attackers to cause a denial of service (crash) or possibly execute arbitrary code via a malformed input document, which triggers a buffer overflow.

- CVE-2016-4472: The overflow protection in Expat is removed by compilers with certain optimization settings, which allows remote attackers to cause a denial of service (crash) or possibly execute arbitrary code via crafted XML data.

NOTE: this vulnerability exists because of an incomplete fix for CVE-2015-1283 and CVE-2015-2716.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 2.7.14, 3.3.x < 3.3.7, 3.4.x < 3.4.7, 3.5.x < 3.5.4, 3.6.x < 3.6.2 Exp.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.118255
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2016-0718`
`cve: CVE-2016-4472`
`url: https://python-security.readthedocs.io/vuln/expat-2.2.html`
`advisory-id: bpo-29591`
`cert-bund: WID-SEC-2025-0045`
`cert-bund: WID-SEC-2025-0044`
`cert-bund: CB-K17/1709`
`cert-bund: CB-K17/1010`
`cert-bund: CB-K17/0536`
`cert-bund: CB-K17/0492`
`cert-bund: CB-K17/0356`
`cert-bund: CB-K16/1849`
`cert-bund: CB-K16/1816`
`cert-bund: CB-K16/1740`
`cert-bund: CB-K16/1739`
`cert-bund: CB-K16/1182`
`cert-bund: CB-K16/1090`
`cert-bund: CB-K16/0939`
`cert-bund: CB-K16/0931`
`cert-bund: CB-K16/0808`
`cert-bund: CB-K16/0754`
`dfn-cert: DFN-CERT-2025-0064`
`dfn-cert: DFN-CERT-2020-0405`
`dfn-cert: DFN-CERT-2018-1673`
`dfn-cert: DFN-CERT-2018-1408`
`dfn-cert: DFN-CERT-2017-1785`
`dfn-cert: DFN-CERT-2017-1044`
`dfn-cert: DFN-CERT-2017-0551`
`dfn-cert: DFN-CERT-2017-0508`
`dfn-cert: DFN-CERT-2017-0366`
`dfn-cert: DFN-CERT-2016-1954`
`dfn-cert: DFN-CERT-2016-1923`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1844
dfn-cert: DFN-CERT-2016-1843
dfn-cert: DFN-CERT-2016-1248
dfn-cert: DFN-CERT-2016-1160
dfn-cert: DFN-CERT-2016-1000
dfn-cert: DFN-CERT-2016-0984
dfn-cert: DFN-CERT-2016-0864
dfn-cert: DFN-CERT-2016-0861
dfn-cert: DFN-CERT-2016-0810
```

Critical (CVSS: 9.8)
NVT: Python < 2.7.14, 3.4.x < 3.4.8, 3.5.x < 3.5.5 PyString_DecodeEscape integer overflow (bpo-30657) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
CPython (aka Python) is prone to an integer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.14
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.7.14, 3.4.8, 3.5.5 or later.

Affected Software/OS
Python prior to version 2.7.14, versions 3.4.x prior to 3.4.8 and 3.5.x prior to 3.5.5.

Vulnerability Insight
An integer overflow in the 'PyString_DecodeEscape' function in 'stringobject.c' is resulting in a heap-based buffer overflow (and possible arbitrary code execution).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 2.7.14, 3.4.x < 3.4.8, 3.5.x < 3.5.5 PyString_DecodeEscape integer ove.`
`↪..`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.118247
Version used: 2023-07-05T05:06:18Z

Product Detection Result
Product: cpe:/a:python:python:2.7.13
Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
cve: CVE-2017-1000158
url: https://python-security.readthedocs.io/vuln/pystring_decodeescape-integer-o
↪verflow.html
advisory-id: bpo-30657
cert-bund: CB-K17/2057
dfn-cert: DFN-CERT-2020-0405
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2018-2030
dfn-cert: DFN-CERT-2018-1942
dfn-cert: DFN-CERT-2018-0995
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0659
dfn-cert: DFN-CERT-2017-2145

Critical (CVSS: 9.8)
NVT: Python Multiple Vulnerabilities (Aug 2024) - Linux

Product detection result
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)

Summary
Python is prone to an infinite loop vulnerability leading to a denial of service (DoS).

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.7.13
Fixed version: 3.8.20
Installation
path / port: 8000/tcp

Solution:
Solution type: VendorFix
Update to version 3.8.20, 3.9.20, 3.10.15, 3.11.10, 3.12.6 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Python prior to version 3.8.20, 3.9.x prior to 3.9.20, 3.10.x prior to 3.10.15, 3.11.x prior to 3.11.10 and 3.12.x prior to 3.12.6.

Vulnerability Insight
The following flaws exist:
- CVE-2024-6232: Regular expressions that allowed excessive backtracking during tarfile.TarFile header parsing are vulnerable to ReDoS via specifically-crafted tar archives.
- CVE-2024-7592: When parsing cookies that contained backslashes for quoted characters in the cookie value, the parser would use an algorithm with quadratic complexity, resulting in excess CPU resources being used while parsing the value.
- CVE-2024-8088: When iterating over names of entries in a zip archive (for example, methods of 'zipfile.Path' like 'namelist()', 'iterdir()', etc) the process can be put into an infinite loop with a maliciously crafted zip archive. This defect applies when reading only metadata or extracting the contents of the zip archive.This vulnerability only affects zipfile.Path, while the more common API zipfile.ZipFile class is unaffected.
- CVE-2024-45490, CVE-2024-45491, CVE-2024-45492: Vulnerabilities in libexpat prior to version 2.6.3

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python Multiple Vulnerabilities (Aug 2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.170805
Version used: `2025-10-10T05:39:02Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2024-6232
cve: CVE-2024-7592
cve: CVE-2024-8088
cve: CVE-2024-45490
cve: CVE-2024-45491
cve: CVE-2024-45492
url: https://github.com/python/cpython/issues/123678
url: https://mail.python.org/archives/list/security-announce@python.org/thread/J
↪RYFTPRHZRTLMZLWQEUHZSJXNHM4ACTY/
url: https://github.com/python/cpython/issues/121285
url: https://github.com/python/cpython/pull/121286
url: https://mail.python.org/archives/list/security-announce@python.org/thread/H
↪XJAAAALNUNGCQUS2W7WR6GFIZIHFOOK/
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://github.com/python/cpython/issues/123067
url: https://github.com/python/cpython/pull/123075
url: https://mail.python.org/archives/list/security-announce@python.org/thread/G
↪NFCKVI4TCATKQLALJ5SN4L4CSPSMILU/
url: https://github.com/python/cpython/issues/122905
url: https://github.com/python/cpython/pull/122906
url: https://docs.python.org/3/whatsnew/changelog.html#python-3-12-6-final
url: https://docs.python.org/3.11/whatsnew/changelog.html#python-3-11-10-final
url: https://docs.python.org/3.10/whatsnew/changelog.html#python-3-10-15-final
url: https://docs.python.org/3.9/whatsnew/changelog.html#python-3-9-20-final
url: https://docs.python.org/3.8/whatsnew/changelog.html#python-3-8-20-final
url: https://osv.dev/vulnerability/PSF-2024-9
url: https://osv.dev/vulnerability/PSF-2024-10
url: https://osv.dev/vulnerability/PSF-2024-11
url: https://osv.dev/vulnerability/CVE-2024-45490
url: https://osv.dev/vulnerability/CVE-2024-45491
url: https://osv.dev/vulnerability/CVE-2024-45492
cert-bund: WID-SEC-2025-0794
cert-bund: WID-SEC-2025-0225
cert-bund: WID-SEC-2025-0166
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0144
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2025-0135
cert-bund: WID-SEC-2025-0001
cert-bund: WID-SEC-2024-3692
cert-bund: WID-SEC-2024-3691
cert-bund: WID-SEC-2024-3684
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-3191
cert-bund: WID-SEC-2024-2047
cert-bund: WID-SEC-2024-1951
cert-bund: WID-SEC-2024-1914
cert-bund: WID-SEC-2024-1889
dfn-cert: DFN-CERT-2025-3631
dfn-cert: DFN-CERT-2025-3045
dfn-cert: DFN-CERT-2025-2077
dfn-cert: DFN-CERT-2025-1477
dfn-cert: DFN-CERT-2025-1463
dfn-cert: DFN-CERT-2025-1461
dfn-cert: DFN-CERT-2025-1433
dfn-cert: DFN-CERT-2025-1148
dfn-cert: DFN-CERT-2025-0933
dfn-cert: DFN-CERT-2025-0880
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0509
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2025-0175
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2024-3317
dfn-cert: DFN-CERT-2024-3316
dfn-cert: DFN-CERT-2024-3315
dfn-cert: DFN-CERT-2024-3314
dfn-cert: DFN-CERT-2024-3313
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-3103
dfn-cert: DFN-CERT-2024-3083
dfn-cert: DFN-CERT-2024-2994
dfn-cert: DFN-CERT-2024-2993
dfn-cert: DFN-CERT-2024-2937
dfn-cert: DFN-CERT-2024-2933
dfn-cert: DFN-CERT-2024-2783
dfn-cert: DFN-CERT-2024-2743
dfn-cert: DFN-CERT-2024-2664
dfn-cert: DFN-CERT-2024-2571
dfn-cert: DFN-CERT-2024-2540
dfn-cert: DFN-CERT-2024-2525
dfn-cert: DFN-CERT-2024-2512
dfn-cert: DFN-CERT-2024-2509
dfn-cert: DFN-CERT-2024-2497
dfn-cert: DFN-CERT-2024-2492
dfn-cert: DFN-CERT-2024-2466
dfn-cert: DFN-CERT-2024-2463
dfn-cert: DFN-CERT-2024-2456
dfn-cert: DFN-CERT-2024-2425
dfn-cert: DFN-CERT-2024-2399
dfn-cert: DFN-CERT-2024-2340
dfn-cert: DFN-CERT-2024-2332
dfn-cert: DFN-CERT-2024-2251
dfn-cert: DFN-CERT-2024-2245
dfn-cert: DFN-CERT-2024-2244
dfn-cert: DFN-CERT-2024-2227
```

Critical (CVSS: 9.8)
NVT: Python < 3.6.13, 3.7.x < 3.7.10, 3.8.x < 3.8.7, 3.9.x < 3.9.1 Python Issue (bpo-41944) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Python is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.6.13
Installation
path / port:       8000/tcp
```

Impact
If an attacker can compromise the pythontest.net server, they gain arbitrary code execution on all buildbots.
If an attacker has control over the network connection of a machine running the Python test suite, they gain arbitrary code execution there.

Solution:
Solution type: VendorFix
Update to version 3.6.13, 3.7.10, 3.8.7, 3.9.1 or later.

Affected Software/OS
Python prior to version 3.6.13, versions 3.7.x prior to 3.7.10, 3.8.x prior to 3.8.7 and 3.9.x prior to 3.9.1.

Vulnerability Insight
By default, the tests are not run with network resources enabled and so the Python test suite is safe. But if the Python test suite is run explicitly with the 'network' resource enabled (-u network or -u all command line option), the CJK codecs tests of the Python test suite run eval() on content received via HTTP from pythontest.net.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.6.13, 3.7.x < 3.7.10, 3.8.x < 3.8.7, 3.9.x < 3.9.1 Python Issue (bpo.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118185
Version used: `2024-06-28T15:38:46Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2020-27619
url: https://python-security.readthedocs.io/vuln/cjk-codec-download-eval.html
advisory-id: bpo-41944
cert-bund: WID-SEC-2025-0227
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2021-2350
dfn-cert: DFN-CERT-2021-1801
dfn-cert: DFN-CERT-2021-1330
dfn-cert: DFN-CERT-2021-1110
dfn-cert: DFN-CERT-2021-1080
dfn-cert: DFN-CERT-2021-1053
dfn-cert: DFN-CERT-2021-0533
dfn-cert: DFN-CERT-2021-0444
dfn-cert: DFN-CERT-2021-0430
dfn-cert: DFN-CERT-2020-2805
dfn-cert: DFN-CERT-2020-2757
```

Critical (CVSS: 9.8)
NVT: Python 2.7 Command Injection Vulnerability (Sep 2018) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     See advisory
Installation
path / port:       8000/tcp
```

Impact

This can result in Denial of service, Information gain via injection of arbitrary files on the system or entire drive. This attack appear to be exploitable via Passage of unfiltered user input to the function.

This vulnerability appears to have been fixed in versions after commit 'add531a1e55b0a739b0f42582f1c9747e5649ace'.

Solution:

Solution type: VendorFix

See the referenced vendor advisory for a solution.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Python version 2.7.

Vulnerability Insight
Python (CPython) version 2.7 contains a command injection vulnerability in shutil module.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python 2.7 Command Injection Vulnerability (Sep 2018) - Linux`
OID:1.3.6.1.4.1.25623.1.0.118272
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2018-1000802
url: https://bugs.python.org/issue32056
cert-bund: WID-SEC-2024-1181
dfn-cert: DFN-CERT-2020-0231
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-1610
dfn-cert: DFN-CERT-2018-2332
dfn-cert: DFN-CERT-2018-2030
dfn-cert: DFN-CERT-2018-1969
dfn-cert: DFN-CERT-2018-1942
dfn-cert: DFN-CERT-2018-1918
```

Critical (CVSS: 9.8)
NVT: Python < 3.6.13, 3.7.x < 3.7.10, 3.8.x < 3.8.8, 3.9.x < 3.9.2 Python Issue (bpo-42938) - Linux

Product detection result
```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary
Python is prone to a buffer overflow vulnerability in 'PyCArg_repr'.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.6.13
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.6.13, 3.7.10, 3.8.8, 3.9.2 or later.

Affected Software/OS
Python prior to version 3.6.13, versions 3.7.x prior to 3.7.10, 3.8.x prior to 3.8.8 and 3.9.x prior to 3.9.2.

Vulnerability Insight
A buffer overflow in 'PyCArg_repr' in '_ctypes/callproc.c' exists, which may lead to remote code execution in certain Python applications that accept floating-point numbers as untrusted input, as demonstrated by a '1e300' argument to 'c_double.from_param'. This occurs because sprintf is used unsafely.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.6.13, 3.7.x < 3.7.10, 3.8.x < 3.8.8, 3.9.x < 3.9.2 Python Issue (bpo.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118178
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2021-3177
url: https://python-security.readthedocs.io/vuln/ctypes-buffer-overflow-pycarg_r
↪epr.html
advisory-id: bpo-42938
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-0767
cert-bund: WID-SEC-2022-0495
cert-bund: CB-K22/0076
cert-bund: CB-K21/0782
dfn-cert: DFN-CERT-2024-1805
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-1200
dfn-cert: DFN-CERT-2023-0082
dfn-cert: DFN-CERT-2022-1438
dfn-cert: DFN-CERT-2022-0351
dfn-cert: DFN-CERT-2021-1801
dfn-cert: DFN-CERT-2021-1541
dfn-cert: DFN-CERT-2021-1414
dfn-cert: DFN-CERT-2021-1330
dfn-cert: DFN-CERT-2021-1080
dfn-cert: DFN-CERT-2021-1079
dfn-cert: DFN-CERT-2021-1071
dfn-cert: DFN-CERT-2021-0810
dfn-cert: DFN-CERT-2021-0675
dfn-cert: DFN-CERT-2021-0533
dfn-cert: DFN-CERT-2021-0430
dfn-cert: DFN-CERT-2021-0367
dfn-cert: DFN-CERT-2021-0297
dfn-cert: DFN-CERT-2021-0151
```

Critical (CVSS: 9.8)
NVT: Python < 2.7.14, 3.3.x < 3.3.7, 3.4.x < 3.4.7, 3.5.x < 3.5.4, 3.6.x < 3.6.2 Expat 2.2.1 (bpo-30694) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

'Expat' in Python is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.14
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.7.14, 3.3.7, 3.4.7, 3.5.4, 3.6.2 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Python prior to version 2.7.14, versions 3.3.x prior to 3.3.7, 3.4.x prior to 3.4.7, 3.5.x prior to 3.5.4 and 3.6.x prior to 3.6.2.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2012-0876: The XML parser (xmlparse.c) in expat computes hash values without restricting the ability to trigger hash collisions predictably, which allows context-dependent attackers to cause a denial of service (CPU consumption) via an XML file with many identifiers with the same value.
- CVE-2016-0718: Expat allows context-dependent attackers to cause a denial of service (crash) or possibly execute arbitrary code via a malformed input document, which triggers a buffer overflow.
- CVE-2016-9063: An integer overflow during the parsing of XML using the Expat library. This vulnerability affects Firefox < 50.
- CVE-2017-9233: XML External Entity vulnerability in libexpat 2.2.0 and earlier (Expat XML Parser Library) allows attackers to put the parser in an infinite loop using a malformed external entity definition from an external DTD.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 2.7.14, 3.3.x < 3.3.7, 3.4.x < 3.4.7, 3.5.x < 3.5.4, 3.6.x < 3.6.2 Exp.`
↪..
OID:1.3.6.1.4.1.25623.1.0.118250
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2012-0876`
`cve: CVE-2016-0718`
`cve: CVE-2016-9063`
`cve: CVE-2017-9233`
`url: https://python-security.readthedocs.io/vuln/expat-2.2.1.html`
`advisory-id: bpo-30694`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: WID-SEC-2025-0045`
`cert-bund: WID-SEC-2022-2037`
`cert-bund: CB-K17/1709`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/1585`
`cert-bund: CB-K17/1563`
`cert-bund: CB-K17/1218`
`cert-bund: CB-K17/1066`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/1010
cert-bund: CB-K17/0536
cert-bund: CB-K17/0492
cert-bund: CB-K17/0356
cert-bund: CB-K16/1849
cert-bund: CB-K16/1816
cert-bund: CB-K16/1774
cert-bund: CB-K16/1740
cert-bund: CB-K16/1739
cert-bund: CB-K16/1182
cert-bund: CB-K16/1090
cert-bund: CB-K16/0939
cert-bund: CB-K16/0931
cert-bund: CB-K16/0808
cert-bund: CB-K16/0754
cert-bund: CB-K16/0112
cert-bund: CB-K15/1792
cert-bund: CB-K15/0987
cert-bund: CB-K13/0845
dfn-cert: DFN-CERT-2025-0064
dfn-cert: DFN-CERT-2022-2566
dfn-cert: DFN-CERT-2020-0405
dfn-cert: DFN-CERT-2018-1673
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2017-1785
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1655
dfn-cert: DFN-CERT-2017-1630
dfn-cert: DFN-CERT-2017-1262
dfn-cert: DFN-CERT-2017-1101
dfn-cert: DFN-CERT-2017-1044
dfn-cert: DFN-CERT-2017-0551
dfn-cert: DFN-CERT-2017-0508
dfn-cert: DFN-CERT-2017-0366
dfn-cert: DFN-CERT-2016-1954
dfn-cert: DFN-CERT-2016-1923
dfn-cert: DFN-CERT-2016-1875
dfn-cert: DFN-CERT-2016-1844
dfn-cert: DFN-CERT-2016-1843
dfn-cert: DFN-CERT-2016-1248
dfn-cert: DFN-CERT-2016-1160
dfn-cert: DFN-CERT-2016-1000
dfn-cert: DFN-CERT-2016-0984
dfn-cert: DFN-CERT-2016-0864
dfn-cert: DFN-CERT-2016-0861
dfn-cert: DFN-CERT-2016-0810
dfn-cert: DFN-CERT-2016-0125
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-1898
dfn-cert: DFN-CERT-2015-1035
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2012-2129
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1522
dfn-cert: DFN-CERT-2012-1513
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1133
dfn-cert: DFN-CERT-2012-0948
dfn-cert: DFN-CERT-2012-0835
dfn-cert: DFN-CERT-2012-0693
dfn-cert: DFN-CERT-2012-0567
dfn-cert: DFN-CERT-2012-0559
```

Critical (CVSS: 9.7)
NVT: Python Multiple Vulnerabilities (Jun 2025) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.9.23
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

Update to version 3.9.23, 3.10.18, 3.11.13, 3.12.11, 3.13.4 or later.

Affected Software/OS

Python versions prior to 3.9.23, 3.10.x prior to 3.10.18, 3.11.x prior to 3.11.13, 3.12.x prior to 3.12.11 and 3.13.x prior to 3.13.4.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The following flaws exist:
- CVE-2024-12718: Allows modifying some file metadata (e.g. last modified) with filter='data' or file permissions (chmod) with filter='tar' of files outside the extraction directory.
- CVE-2025-4138: Allows creating arbitrary symlinks outside the extraction directory during extraction with filter='data'.
- CVE-2025-4330: Allows the extraction filter to be ignored, allowing symlink targets to point outside the destination directory, and the modification of some file metadata.
- CVE-2025-4435: Filtered members not skipped with TarFile.errorlevel = 0
- CVE-2025-4517: Allows arbitrary filesystem writes outside the extraction directory during extraction with filter='data'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python Multiple Vulnerabilities (Jun 2025) - Linux`
OID:1.3.6.1.4.1.25623.1.0.154642
Version used: `2025-10-10T05:39:02Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
cve: CVE-2024-12718
cve: CVE-2025-4138
cve: CVE-2025-4330
cve: CVE-2025-4435
cve: CVE-2025-4517
url: https://mail.python.org/archives/list/security-announce@python.org/thread/M
↪AXIJJCUUMCL7ATZNDVEGGHUMQMUUKLG/
url: https://mail.python.org/archives/list/security-announce@python.org/message/
↪HE3RYGNB64QZAE3HZ6A64XC7PTQ5IGVE/
url: https://github.com/python/cpython/issues/135034
url: https://github.com/python/cpython/pull/135037
url: https://docs.python.org/release/3.13.4/whatsnew/changelog.html#python-3-13-
↪4
url: https://docs.python.org/release/3.12.11/whatsnew/changelog.html#python-3-12
↪-11
url: https://docs.python.org/release/3.11.12/whatsnew/changelog.html#python-3-11
↪-13
url: https://docs.python.org/release/3.10.18/whatsnew/changelog.html
url: https://docs.python.org/release/3.9.23/whatsnew/changelog.html
url: https://gist.github.com/sethmlarson/52398e33eff261329a0180ac1d54f42f
url: https://osv.dev/vulnerability/PSF-2025-5
url: https://osv.dev/vulnerability/PSF-2025-6
url: https://osv.dev/vulnerability/PSF-2025-7

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://osv.dev/vulnerability/PSF-2025-8
url: https://osv.dev/vulnerability/PSF-2025-9
url: https://www.cve.org/CVERecord?id=CVE-2024-12718
url: https://www.cve.org/CVERecord?id=CVE-2025-4138
url: https://www.cve.org/CVERecord?id=CVE-2025-4330
url: https://www.cve.org/CVERecord?id=CVE-2025-4435
url: https://www.cve.org/CVERecord?id=CVE-2025-4517
cert-bund: WID-SEC-2025-2367
cert-bund: WID-SEC-2025-2363
cert-bund: WID-SEC-2025-2361
cert-bund: WID-SEC-2025-2360
cert-bund: WID-SEC-2025-2352
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1318
cert-bund: WID-SEC-2025-1231
dfn-cert: DFN-CERT-2026-0247
dfn-cert: DFN-CERT-2026-0243
dfn-cert: DFN-CERT-2025-3555
dfn-cert: DFN-CERT-2025-2946
dfn-cert: DFN-CERT-2025-2945
dfn-cert: DFN-CERT-2025-2938
dfn-cert: DFN-CERT-2025-2295
dfn-cert: DFN-CERT-2025-2212
dfn-cert: DFN-CERT-2025-2148
dfn-cert: DFN-CERT-2025-2047
dfn-cert: DFN-CERT-2025-1980
dfn-cert: DFN-CERT-2025-1936
dfn-cert: DFN-CERT-2025-1905
dfn-cert: DFN-CERT-2025-1868
dfn-cert: DFN-CERT-2025-1682
dfn-cert: DFN-CERT-2025-1653
dfn-cert: DFN-CERT-2025-1640
dfn-cert: DFN-CERT-2025-1489
```

Critical (CVSS: 9.1)
NVT: Python 2.x < 2.7.17, 3.5.x < 3.5.8, 3.6.x < 3.6.9, 3.7.x < 3.7.4 Protection Bypass Vulnerability (bpo-35907) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a protection bypass vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.17
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
The vendor has released updates. Please see the references for more information.

Affected Software/OS
Python 2.x prior to version 2.7.17, versions 3.5.x prior to 3.5.8, 3.6.x prior to 3.6.9 and 3.7.x prior to 3.7.4.

Vulnerability Insight
urllib supports the 'local_file:' scheme, which makes it easier for remote attackers to bypass protection mechanisms that blacklist 'file:' URIs, as demonstrated by triggering a 'urllib.urlopen('local_file:///etc/passwd')' call.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python 2.x < 2.7.17, 3.5.x < 3.5.8, 3.6.x < 3.6.9, 3.7.x < 3.7.4 Protection Byp.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118205
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2019-9948
url: https://python-security.readthedocs.io/vuln/urllib-local-file-scheme.html
advisory-id: bpo-35907
cert-bund: WID-SEC-2024-1599
cert-bund: CB-K20/0109
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2020-1839
dfn-cert: DFN-CERT-2020-1540
dfn-cert: DFN-CERT-2020-0783
dfn-cert: DFN-CERT-2020-0668
dfn-cert: DFN-CERT-2020-0200
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2019-2312
dfn-cert: DFN-CERT-2019-2302
dfn-cert: DFN-CERT-2019-2078
dfn-cert: DFN-CERT-2019-1877
dfn-cert: DFN-CERT-2019-1418
dfn-cert: DFN-CERT-2019-1370
dfn-cert: DFN-CERT-2019-1288
dfn-cert: DFN-CERT-2019-0770
```

Critical (CVSS: 9.1)
NVT: Python DoS Vulnerability (Dec 2025) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.13.11
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

Update to version 3.14.1 or later, or to the latest maintenance release of your Python version series (3.10.x, 3.12.x) once patches are available. Please see the references for more information.

Affected Software/OS

Python prior to version 3.13.11 and 3.14.x prior to 3.14.1.

Note: Fixes have been backported to maintenance branches (3.10, 3.12) but specific patch versions are not yet available.

Vulnerability Insight

When reading an HTTP response from a server, if no read amount is specified, the default behavior will be to use Content-Length. This allows a malicious server to cause the client to read large amounts of data into memory, potentially causing out-of-memory (OOM) or other DoS conditions.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python DoS Vulnerability (Dec 2025) - Linux`
OID:1.3.6.1.4.1.25623.1.0.125558
Version used: `2026-01-01T05:49:19Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2025-13836
url: https://github.com/python/cpython/issues/119451
url: https://github.com/python/cpython/pull/119454
url: https://github.com/python/cpython/commit/4ce27904b597c77d74dd93f2c912676021
↪a99155
url: https://github.com/python/cpython/commit/5a4c4a033a4a54481be6870aa1896fad73
↪2555b5
url: https://www.cve.org/CVERecord?id=CVE-2025-13836
cert-bund: WID-SEC-2025-2706
dfn-cert: DFN-CERT-2026-0215
dfn-cert: DFN-CERT-2026-0174
dfn-cert: DFN-CERT-2026-0167
dfn-cert: DFN-CERT-2026-0086
dfn-cert: DFN-CERT-2025-3621
```

[return to 172.30.40.1]

2.1.2 High 8000/tcp

High (CVSS: 7.8)
NVT: Python Command Injection Vulnerability (Oct 2024) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to a command injection vulnerability in the venv module.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 2.7.13
Fixed version:     3.9.21
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.9.21, 3.10.16, 3.11.11, 3.12.8, 3.13.1 or later.

Affected Software/OS
Python versions prior to 3.9.21, 3.10.x prior to 3.10.16, 3.11.x prior to 3.11.11, 3.12.x prior to 3.12.8 and 3.13.x prior to 3.13.1.

Vulnerability Insight
A vulnerability has been found in the venv module and CLI where path names provided when creating a virtual environment were not quoted properly, allowing the virtual environment creator to inject commands into virtual environment 'activation' scripts (ie 'source venv/bin/activate'). This means that attacker-controlled virtual environments are able to run commands when the virtual environment is activated. Virtual environments which are not created by an attacker or which aren't activated before being used (ie './venv/bin/python') are not affected.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python Command Injection Vulnerability (Oct 2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.114839
Version used: `2025-02-11T05:38:07Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2024-9287
url: https://mail.python.org/archives/list/security-announce@python.org/thread/R
↪SPJ2B5JL22FG3TKUJ7D7DQ4N5JRRBZL/
url: https://github.com/python/cpython/issues/124651
url: https://github.com/python/cpython/pull/124712
url: https://docs.python.org/release/3.13.1/whatsnew/changelog.html#changelog
url: https://docs.python.org/release/3.12.8/whatsnew/changelog.html#changelog
url: https://docs.python.org/release/3.11.11/whatsnew/changelog.html#changelog
url: https://docs.python.org/release/3.10.16/whatsnew/changelog.html#python-3-10
↪-16-final
url: https://docs.python.org/release/3.9.21/whatsnew/changelog.html#python-3-9-2
↪1-final
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://osv.dev/vulnerability/PSF-2024-12
cert-bund: WID-SEC-2025-1567
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-1559
cert-bund: WID-SEC-2024-3270
dfn-cert: DFN-CERT-2025-3555
dfn-cert: DFN-CERT-2025-1902
dfn-cert: DFN-CERT-2025-1682
dfn-cert: DFN-CERT-2025-1477
dfn-cert: DFN-CERT-2025-1461
dfn-cert: DFN-CERT-2025-1148
dfn-cert: DFN-CERT-2025-0655
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2024-3255
dfn-cert: DFN-CERT-2024-3220
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-3141
dfn-cert: DFN-CERT-2024-2837
```

High (CVSS: 7.8)
NVT: Python DoS Vulnerability (Jul 2025) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.9.24
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

Update to version 3.9.24, 3.10.19, 3.11.14, 3.12.12, 3.13.6 or later.

Affected Software/OS

Python versions prior to 3.9.24, 3.10.x prior to 3.10.19, 3.11.x prior to 3.11.14, 3.12.x prior to 3.12.12 and 3.13.x prior to 3.13.6.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
There is a defect in the CPython 'tarfile' module affecting the 'TarFile' extraction and entry enumeration APIs. The tar implementation would process tar archives with negative offsets without error, resulting in an infinite loop and deadlock during the parsing of maliciously crafted tar archives.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python DoS Vulnerability (Jul 2025) - Linux`
OID:1.3.6.1.4.1.25623.1.0.155051
Version used: `2025-12-18T05:46:55Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2025-8194
url: https://mail.python.org/archives/list/security-announce@python.org/thread/Z
↪ULLF3IZ726XP5EY7XJ7YIN3K5MDYR2D/
url: https://github.com/python/cpython/issues/130577
url: https://github.com/python/cpython/pull/137027
url: https://gist.github.com/sethmlarson/1716ac5b82b73dbcbf23ad2eff8b33e1
url: https://www.openwall.com/lists/oss-security/2025/07/29/1
url: https://osv.dev/vulnerability/PSF-2025-11
url: https://www.cve.org/CVERecord?id=CVE-2025-8194
cert-bund: WID-SEC-2026-0157
cert-bund: WID-SEC-2026-0153
cert-bund: WID-SEC-2025-2043
cert-bund: WID-SEC-2025-1664
dfn-cert: DFN-CERT-2026-0215
dfn-cert: DFN-CERT-2026-0202
dfn-cert: DFN-CERT-2025-3313
dfn-cert: DFN-CERT-2025-2372
dfn-cert: DFN-CERT-2025-2304
dfn-cert: DFN-CERT-2025-2235
dfn-cert: DFN-CERT-2025-2212
dfn-cert: DFN-CERT-2025-2148
dfn-cert: DFN-CERT-2025-2063
```

High (CVSS: 7.6)
NVT: Python Shell Command Injection Vulnerability (bpo-24778) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to a shell command injection vulnerability in the mailcap module.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.7.16
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.7.16, 3.8.16, 3.9.16, 3.10.8, 3.11 or later.

Affected Software/OS
Python prior to version 3.7.16, 3.8.x prior to 3.8.16, 3.9.x prior to 3.9.16 and 3.10.x prior to 3.10.8.

Vulnerability Insight
In Python (aka CPython) the mailcap module does not add escape characters into commands discovered in the system mailcap file. This may allow attackers to inject shell commands into applications that call mailcap.findmatch with untrusted input (if they lack validation of user-provided filenames or arguments).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python Shell Command Injection Vulnerability (bpo-24778) - Linux`
OID:1.3.6.1.4.1.25623.1.0.113930
Version used: `2025-01-21T05:37:33Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2015-20107`
`url: https://bugs.python.org/issue24778`
`url: https://github.com/python/cpython/issues/68966`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://github.com/python/cpython/issues/68966#issuecomment-1326478972
url: https://python-security.readthedocs.io/vuln/mailcap-shell-injection.html
advisory-id: bpo-24778
cert-bund: WID-SEC-2023-1542
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0395
cert-bund: WID-SEC-2022-0253
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2023-1517
dfn-cert: DFN-CERT-2023-1200
dfn-cert: DFN-CERT-2023-0552
dfn-cert: DFN-CERT-2022-2572
dfn-cert: DFN-CERT-2022-2264
dfn-cert: DFN-CERT-2022-2184
dfn-cert: DFN-CERT-2022-2020
dfn-cert: DFN-CERT-2022-1537
dfn-cert: DFN-CERT-2022-1307
```

High (CVSS: 7.5)
NVT: Python < 3.6.11, 3.7.x < 3.7.7, 3.8.x < 3.8.2 Use After Free Vulnerability (bpo-39421) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to an use after free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.6.11
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

Update to version 3.6.11, 3.7.7, 3.8.2, 3.9.0 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Python prior to version 3.6.11, versions 3.7.x prior to 3.7.7, 3.8.x prior to 3.8.2 and 3.9.x prior to 3.9.0.

Vulnerability Insight
A use-after-free exists in Python via heappushpop in heapq.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.6.11, 3.7.x < 3.7.7, 3.8.x < 3.8.2 Use After Free Vulnerability (bpo.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.170578
Version used: `2023-10-13T05:06:10Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2022-48560
url: https://mail.python.org/archives/list/security-announce@python.org/thread/T
↪RTM4UVSANUWNHC2QY2X73E5IBQLQU76/
url: https://bugs.python.org/issue39421
advisory-id: bpo-39421
cert-bund: WID-SEC-2024-1086
cert-bund: WID-SEC-2023-2119
dfn-cert: DFN-CERT-2025-0046
dfn-cert: DFN-CERT-2024-2179
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2024-1392
dfn-cert: DFN-CERT-2024-1325
dfn-cert: DFN-CERT-2024-0278
dfn-cert: DFN-CERT-2024-0227
dfn-cert: DFN-CERT-2024-0074
dfn-cert: DFN-CERT-2023-2485
dfn-cert: DFN-CERT-2023-2243
dfn-cert: DFN-CERT-2023-2227
```

High (CVSS: 7.5)
NVT: Python DoS Vulnerability (Oct 2022) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.7.16
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.7.16, 3.8.16, 3.9.16, 3.10.9, 3.11.1 or later.

Affected Software/OS
Python prior to version 3.7.16, versions 3.8.x prior to 3.8.16, 3.9.x prior to 3.9.16, 3.10.x prior to 3.10.9 and version 3.11.0.

Vulnerability Insight
An unnecessary quadratic algorithm exists in one path when processing some inputs to the IDNA (RFC 3490) decoder, such that a crafted, unreasonably long name being presented to the decoder could lead to a CPU denial of service. Hostnames are often supplied by remote servers that could be controlled by a malicious actor. In such a scenario, they could trigger excessive CPU consumption on the client attempting to make use of an attacker-supplied supposed hostname. For example, the attack payload could be placed in the Location header of an HTTP response with status code 302.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python DoS Vulnerability (Oct 2022) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104477
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2022-45061
url: https://python-security.readthedocs.io/vuln/slow-idna-large-strings.html
url: https://github.com/python/cpython/issues/98433
cert-bund: WID-SEC-2024-0794
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-2679
cert-bund: WID-SEC-2023-1812
cert-bund: WID-SEC-2023-1793
cert-bund: WID-SEC-2023-1542
cert-bund: WID-SEC-2023-1007
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0255
cert-bund: WID-SEC-2022-2043
dfn-cert: DFN-CERT-2025-0132
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-3141
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2024-0227
dfn-cert: DFN-CERT-2023-3168
dfn-cert: DFN-CERT-2023-2783
dfn-cert: DFN-CERT-2023-1656
dfn-cert: DFN-CERT-2023-1517
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1200
dfn-cert: DFN-CERT-2023-1109
dfn-cert: DFN-CERT-2023-0886
dfn-cert: DFN-CERT-2023-0580
dfn-cert: DFN-CERT-2023-0571
dfn-cert: DFN-CERT-2023-0552
dfn-cert: DFN-CERT-2023-0429
dfn-cert: DFN-CERT-2023-0120
dfn-cert: DFN-CERT-2023-0028
dfn-cert: DFN-CERT-2022-2793
dfn-cert: DFN-CERT-2022-2698
dfn-cert: DFN-CERT-2022-2658
dfn-cert: DFN-CERT-2022-2583
```

High (CVSS: 7.5)
NVT: Python < 2.7.17, 3.x < 3.5.8, 3.6.x < 3.6.10, 3.7.x < 3.7.5 Improper Input Validation Vulnerability (bpo-34155) - Linux

Product detection result

cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)

Summary

The email module in Python is vulnerable due to improper input validation.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.17
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.7.17, 3.5.8, 3.6.10, 3.7.5 or later.

Affected Software/OS
Python prior to version 2.7.17, versions 3.x prior to 3.5.8, 3.6.x prior to 3.6.10 and 3.7.x prior to 3.7.5.

Vulnerability Insight
The email module wrongly parses email addresses that contain multiple '@' characters. An application that uses the email module and implements some kind of checks on the 'From/To' headers of a message could be tricked into accepting an email address that should be denied.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 2.7.17, 3.x < 3.5.8, 3.6.x < 3.6.10, 3.7.x < 3.7.5 Improper Input Vali.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.118214
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2019-16056
url: https://python-security.readthedocs.io/vuln/email-parseaddr-domain.html
advisory-id: bpo-34155
cert-bund: WID-SEC-2024-1596
cert-bund: CB-K20/1049
cert-bund: CB-K20/0710
cert-bund: CB-K20/0324
cert-bund: CB-K20/0109
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2020-2621
dfn-cert: DFN-CERT-2020-2045
dfn-cert: DFN-CERT-2020-1839
dfn-cert: DFN-CERT-2020-1540
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-1537
dfn-cert: DFN-CERT-2020-0896
dfn-cert: DFN-CERT-2020-0550
dfn-cert: DFN-CERT-2020-0231
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-2560
dfn-cert: DFN-CERT-2019-2327
dfn-cert: DFN-CERT-2019-2252
dfn-cert: DFN-CERT-2019-2238
dfn-cert: DFN-CERT-2019-2210
dfn-cert: DFN-CERT-2019-2198
dfn-cert: DFN-CERT-2019-2113
dfn-cert: DFN-CERT-2019-2078
dfn-cert: DFN-CERT-2019-1883
dfn-cert: DFN-CERT-2019-1876
```

High (CVSS: 7.5)
NVT: Python < 3.7.17, 3.8.x < 3.8.17, 3.9.x < 3.9.17, 3.10.x < 3.10.12, 3.11.x < 3.11.4 RCE Vulnerability - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.7.17
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

Update to version 3.7.17, 3.8.17, 3.9.17, 3.10.12, 3.11.4, 3.12.0 or later.

Affected Software/OS

Python versions prior to 3.7.17, 3.8.x prior to 3.8.17, 3.9.x prior to 3.9.17, 3.10.x prior to 3.10.12 and 3.11.x prior to 3.11.4.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
An issue in the urllib.parse component allows attackers to bypass blocklisting methods by supplying a URL that starts with blank characters.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.7.17, 3.8.x < 3.8.17, 3.9.x < 3.9.17, 3.10.x < 3.10.12, 3.11.x < 3.1.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.124283
Version used: `2023-11-17T16:10:13Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2023-24329`
`url: https://github.com/python/cpython/issues/102153#issuecomment-1554965447`
`url: https://python-security.readthedocs.io/vuln/urlparse-scheme.html`
`url: https://github.com/advisories/GHSA-r32r-rqw2-wv5m`
`url: https://pointernull.com/security/python-url-parse-problem.html`
`url: https://github.com/python/cpython/issues/102153`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2024-0794`
`cert-bund: WID-SEC-2024-0064`
`cert-bund: WID-SEC-2023-2964`
`cert-bund: WID-SEC-2023-2917`
`cert-bund: WID-SEC-2023-1542`
`cert-bund: WID-SEC-2023-0513`
`dfn-cert: DFN-CERT-2025-0046`
`dfn-cert: DFN-CERT-2024-3182`
`dfn-cert: DFN-CERT-2024-2962`
`dfn-cert: DFN-CERT-2024-1805`
`dfn-cert: DFN-CERT-2023-2783`
`dfn-cert: DFN-CERT-2023-2542`
`dfn-cert: DFN-CERT-2023-2237`
`dfn-cert: DFN-CERT-2023-2227`
`dfn-cert: DFN-CERT-2023-1728`
`dfn-cert: DFN-CERT-2023-1667`
`dfn-cert: DFN-CERT-2023-1472`
`dfn-cert: DFN-CERT-2023-0571`
`dfn-cert: DFN-CERT-2023-0552`
`dfn-cert: DFN-CERT-2023-0527`
`dfn-cert: DFN-CERT-2023-0525`

High (CVSS: 7.5)
NVT: Python <= 3.12.1 'RecursionError' Vulnerability - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to a 'RecursionError' vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     None
Installation
path / port:       8000/tcp
```

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
NOTE: email.utils.parseaddr is categorized as a Legacy API in the documentation of the Python email package. Applications should instead use the email.parser.BytesParser or email.parser.Parser class.

Affected Software/OS
The legacy email.utils.parseaddr function in Python through 3.12.1.

Vulnerability Insight
The legacy email.utils.parseaddr function allows attackers to trigger 'RecursionError: maximum recursion depth exceeded while calling a Python object' via a crafted argument. This argument is plausibly an untrusted value from an application's input data that was supposed to contain a name and an e-mail address.
NOTE: The vendor's perspective is that this is neither a vulnerability nor a bug. The email package is intended to have size limits and to throw an exception when limits are exceeded.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python <= 3.12.1 'RecursionError' Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.104814
Version used: `2024-02-05T14:36:57Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2023-36632
url: https://github.com/psf/advisory-database/blob/main/advisories/python/PSF-20
↪23-4.json
url: https://osv.dev/list?ecosystem=&q=CVE-2023-36632
url: https://github.com/github/advisory-database/pull/2722
url: https://github.com/python/cpython/issues/103800
cert-bund: WID-SEC-2025-0225
cert-bund: WID-SEC-2024-0885
cert-bund: WID-SEC-2023-1561
dfn-cert: DFN-CERT-2024-1003
```

High (CVSS: 7.5)
NVT: Python DoS Vulnerability (Mar 2024) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a denial of service (DoS) vulnerability in libexpat.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.8.19
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.8.19, 3.9.19, 3.10.14, 3.11.9, 3.12.3 or later.

Affected Software/OS

Python prior to version 3.8.19, 3.9.x prior to 3.9.19, 3.10.x prior to 3.10.14, 3.11.x prior to 3.11.9 and 3.12.x prior to 3.12.3.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

libexpat allows a denial of service (resource consumption) because many full reparsings are required in the case of a large token for which multiple buffer fills are needed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python DoS Vulnerability (Mar 2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.170816
Version used: `2024-10-11T15:39:44Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2023-52425`
`url: https://discuss.python.org/t/python-3-10-14-3-9-19-and-3-8-19-is-now-availa`
`↪ble/48993`
`url: https://pythoninsider.blogspot.com/2024/03/python-31014-3919-and-3819-is-no`
`↪w.html`
`url: https://osv.dev/vulnerability/CVE-2023-52425`
`url: https://docs.python.org/3.11/whatsnew/changelog.html#python-3-11-9-final`
`url: https://docs.python.org/3.12/whatsnew/changelog.html#python-3-12-3-final`
`cert-bund: WID-SEC-2025-0225`
`cert-bund: WID-SEC-2024-3377`
`cert-bund: WID-SEC-2024-2100`
`cert-bund: WID-SEC-2024-1656`
`cert-bund: WID-SEC-2024-1642`
`cert-bund: WID-SEC-2024-1638`
`cert-bund: WID-SEC-2024-1637`
`cert-bund: WID-SEC-2024-1474`
`cert-bund: WID-SEC-2024-1226`
`cert-bund: WID-SEC-2024-1086`
`cert-bund: WID-SEC-2024-0687`
`cert-bund: WID-SEC-2024-0278`
`dfn-cert: DFN-CERT-2025-3426`
`dfn-cert: DFN-CERT-2025-3403`
`dfn-cert: DFN-CERT-2025-3295`
`dfn-cert: DFN-CERT-2025-1477`
`dfn-cert: DFN-CERT-2025-1464`
`dfn-cert: DFN-CERT-2025-1461`
`dfn-cert: DFN-CERT-2025-1433`
`dfn-cert: DFN-CERT-2025-0854`
`dfn-cert: DFN-CERT-2024-2463`
`dfn-cert: DFN-CERT-2024-2179`
`dfn-cert: DFN-CERT-2024-1865`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1846
dfn-cert: DFN-CERT-2024-1833
dfn-cert: DFN-CERT-2024-1432
dfn-cert: DFN-CERT-2024-1415
dfn-cert: DFN-CERT-2024-1413
dfn-cert: DFN-CERT-2024-1325
dfn-cert: DFN-CERT-2024-1313
dfn-cert: DFN-CERT-2024-1092
dfn-cert: DFN-CERT-2024-0974
dfn-cert: DFN-CERT-2024-0871
dfn-cert: DFN-CERT-2024-0828
dfn-cert: DFN-CERT-2024-0702
dfn-cert: DFN-CERT-2024-0588
dfn-cert: DFN-CERT-2024-0339
```

High (CVSS: 7.5)
NVT: Python urllib.parse Vulnerability (bpo-43882) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a vulnerability urllib.parse.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.6.14
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

Update to version 3.6.14, 3.7.11, 3.8.11, 3.9.5 or later.

Affected Software/OS

Python prior to version 3.6.14, version 3.7.x through 3.7.10, 3.8.x through 3.8.10 and 3.9.x through 3.9.4.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

A flaw was found in Python, specifically within the urllib.parse module. This module helps break Uniform Resource Locator (URL) strings into components. The issue involves how the urlparse method does not sanitize input and allows characters like '\r' and '\n' in the URL path. This flaw allows an attacker to input a crafted URL, leading to injection attacks.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python urllib.parse Vulnerability (bpo-43882) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147630
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2022-0391`
`url: https://python-security.readthedocs.io/vuln/urllib_parse_newline_tabs.html`
`advisory-id: bpo-43882`
`cert-bund: WID-SEC-2023-0831`
`cert-bund: WID-SEC-2023-0426`
`cert-bund: WID-SEC-2022-1335`
`cert-bund: WID-SEC-2022-1228`
`cert-bund: WID-SEC-2022-0432`
`cert-bund: WID-SEC-2022-0302`
`cert-bund: WID-SEC-2022-0146`
`cert-bund: CB-K22/0310`
`dfn-cert: DFN-CERT-2025-0717`
`dfn-cert: DFN-CERT-2024-3141`
`dfn-cert: DFN-CERT-2024-1805`
`dfn-cert: DFN-CERT-2023-2237`
`dfn-cert: DFN-CERT-2023-2227`
`dfn-cert: DFN-CERT-2023-1472`
`dfn-cert: DFN-CERT-2022-2020`
`dfn-cert: DFN-CERT-2022-1053`
`dfn-cert: DFN-CERT-2022-0968`
`dfn-cert: DFN-CERT-2022-0865`
`dfn-cert: DFN-CERT-2022-0742`
`dfn-cert: DFN-CERT-2022-0690`
`dfn-cert: DFN-CERT-2022-0618`
`dfn-cert: DFN-CERT-2022-0577`
`dfn-cert: DFN-CERT-2022-0576`
`dfn-cert: DFN-CERT-2022-0223`

High (CVSS: 7.5)
NVT: Python DoS Vulnerability (bpo-44022) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.7.13
Fixed version:     3.6.14
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.6.14, 3.7.11, 3.8.11, 3.9.6 or later.

Affected Software/OS
Python prior to version 3.6.14, version 3.7.x through 3.7.10, 3.8.x through 3.8.10 and 3.9.x through 3.9.5.

Vulnerability Insight
If a client request a HTTP/HTTPS/FTP service which is controlled by attacker, attacker can make this client hang forever, even if the client has set a timeout argument.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python DoS Vulnerability (bpo-44022) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147771
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2021-3737
url: https://python-security.readthedocs.io/vuln/urllib-100-continue-loop.html
advisory-id: bpo-44022
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-1524
cert-bund: WID-SEC-2023-0141
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0011
cert-bund: CB-K22/0129
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-3141
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2023-1517
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1200
dfn-cert: DFN-CERT-2023-0121
dfn-cert: DFN-CERT-2022-1304
dfn-cert: DFN-CERT-2022-1294
dfn-cert: DFN-CERT-2022-1056
dfn-cert: DFN-CERT-2022-1053
dfn-cert: DFN-CERT-2022-0972
dfn-cert: DFN-CERT-2022-0968
dfn-cert: DFN-CERT-2022-0235
dfn-cert: DFN-CERT-2021-2649
dfn-cert: DFN-CERT-2021-2648
dfn-cert: DFN-CERT-2021-2353
dfn-cert: DFN-CERT-2021-2207
dfn-cert: DFN-CERT-2021-1956
```

High (CVSS: 7.5)
NVT: Python 2.7.x < 2.7.16, 3.4.x < 3.4.10, 3.5.x < 3.5.7, 3.6.x < 3.6.7, 3.7.0 Python Issue (bpo-34623) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.16
Installation
path / port:       8000/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successful exploitation allows denial of service attacks against Expat by constructing an XML document that would cause pathological hash collisions in Expat's internal data structures, consuming large amounts CPU and RAM.

Solution:
Solution type: VendorFix
Update to version 2.7.16, 3.4.10, 3.5.7, 3.6.7, 3.7.1 or later.

Affected Software/OS
Python versions 2.7.0 through 2.7.15, 3.4.0 through 3.4.9, 3.5.0 through 3.5.6, 3.6.0 through 3.6.6 and 3.7.0.

Vulnerability Insight
The flaw exists because Python's elementtree C accelerator fails to initialise Expat's hash salt during initialization

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python 2.7.x < 2.7.16, 3.4.x < 3.4.10, 3.5.x < 3.5.7, 3.6.x < 3.6.7, 3.7.0 Pyth.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118243
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2018-14647`
`url: https://python-security.readthedocs.io/vuln/elementree_salt.html`
`url: http://www.securityfocus.com/bid/105396`
`url: https://bugs.python.org/issue34623`
`url: https://bugzilla.redhat.com/show_bug.cgi?id=CVE-2018-14647`
`advisory-id: bpo-34623`
`dfn-cert: DFN-CERT-2024-1805`
`dfn-cert: DFN-CERT-2020-2045`
`dfn-cert: DFN-CERT-2020-0783`
`dfn-cert: DFN-CERT-2020-0668`
`dfn-cert: DFN-CERT-2020-0200`
`dfn-cert: DFN-CERT-2020-0177`
`dfn-cert: DFN-CERT-2020-0111`
`dfn-cert: DFN-CERT-2019-2327`
`dfn-cert: DFN-CERT-2019-1610`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1288
dfn-cert: DFN-CERT-2019-1053
dfn-cert: DFN-CERT-2019-0841
dfn-cert: DFN-CERT-2019-0565
dfn-cert: DFN-CERT-2019-0402
dfn-cert: DFN-CERT-2018-2332
dfn-cert: DFN-CERT-2018-2030
dfn-cert: DFN-CERT-2018-1994
dfn-cert: DFN-CERT-2018-1969
```

High (CVSS: 7.5)
NVT: Python < 2.7.15, 3.x < 3.4.9, 3.5.x < 3.5.6, 3.6.x < 3.6.5, 3.7.x < 3.7.0.beta3 Python Issue (Issue32981) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.15
Installation
path / port:       8000/tcp
```

Impact
Successful exploitation will allow an attacker to conduct a denial of service attack on the affected user.

Solution:
Solution type: VendorFix
Update to version 2.7.15, 3.4.9, 3.5.6, 3.6.5, 3.7.0.beta3 or later.

Affected Software/OS
Python before versions 2.7.15, 3.4.9, 3.5.6, 3.6.5 and 3.7.0.beta3.

Vulnerability Insight
Python is failing to sanitize against backtracking in:
- CVE-2018-1060: pop3lib's apop method
- CVE-2018-1061: 'difflib.IS_LINE_JUNK' method

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 2.7.15, 3.x < 3.4.9, 3.5.x < 3.5.6, 3.6.x < 3.6.5, 3.7.x < 3.7.0.beta3.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.118244
Version used: `2023-10-20T16:09:12Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2018-1060
cve: CVE-2018-1061
url: https://bugs.python.org/issue32981
advisory-id: Issue32981
cert-bund: WID-SEC-2024-1602
cert-bund: CB-K20/0041
cert-bund: CB-K18/1075
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2020-0668
dfn-cert: DFN-CERT-2020-0231
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-2327
dfn-cert: DFN-CERT-2019-1053
dfn-cert: DFN-CERT-2019-0565
dfn-cert: DFN-CERT-2019-0563
dfn-cert: DFN-CERT-2019-0362
dfn-cert: DFN-CERT-2018-2332
dfn-cert: DFN-CERT-2018-2030
dfn-cert: DFN-CERT-2018-1969
dfn-cert: DFN-CERT-2018-1942
dfn-cert: DFN-CERT-2018-1676
dfn-cert: DFN-CERT-2018-1531
dfn-cert: DFN-CERT-2018-0644
```

High (CVSS: 7.5)
NVT: Python <= 3.7.2 DoS Vulnerability (bpo-36260) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     None
Installation
path / port:       8000/tcp
```

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
Python through version 3.7.2.

Vulnerability Insight
'Lib/zipfile.py' in Python allows remote attackers to cause a DOS (resource consumption) via a ZIP bomb.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python <= 3.7.2 DoS Vulnerability (bpo-36260) - Linux`
OID:1.3.6.1.4.1.25623.1.0.118211
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2019-9674
url: https://python-security.readthedocs.io/security.html#archives-and-zip-bomb
advisory-id: bpo-36260
dfn-cert: DFN-CERT-2025-0132
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2021-0533
dfn-cert: DFN-CERT-2020-1613
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-1168
dfn-cert: DFN-CERT-2020-0694
dfn-cert: DFN-CERT-2020-0395
```

High (CVSS: 7.5)
NVT: Python <= 3.8.3 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     See references
Installation
path / port:       8000/tcp
```

Impact

Successful exploitation would allow an attacker to deny legitimate users access to the application or exhaust a system's resources.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Python through version 3.8.3.

Vulnerability Insight

An attacker is able to craft a TAR archive leading to an infinite loop when opened by tarfile.open, because _proc_pax lacks header validation.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Python <= 3.8.3 DoS Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.113722

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:python:python:2.7.13
Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

cve: CVE-2019-20907
url: https://bugs.python.org/issue39017
cert-bund: WID-SEC-2025-0227
cert-bund: WID-SEC-2023-1298
dfn-cert: DFN-CERT-2025-2047
dfn-cert: DFN-CERT-2025-1464
dfn-cert: DFN-CERT-2025-1461
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2023-1200
dfn-cert: DFN-CERT-2021-1070
dfn-cert: DFN-CERT-2021-0715
dfn-cert: DFN-CERT-2021-0533
dfn-cert: DFN-CERT-2020-2805
dfn-cert: DFN-CERT-2020-2770
dfn-cert: DFN-CERT-2020-2621
dfn-cert: DFN-CERT-2020-2588
dfn-cert: DFN-CERT-2020-2543
dfn-cert: DFN-CERT-2020-2393
dfn-cert: DFN-CERT-2020-2392
dfn-cert: DFN-CERT-2020-2386
dfn-cert: DFN-CERT-2020-2300
dfn-cert: DFN-CERT-2020-2278
dfn-cert: DFN-CERT-2020-2207
dfn-cert: DFN-CERT-2020-2045
dfn-cert: DFN-CERT-2020-2006
dfn-cert: DFN-CERT-2020-1839
dfn-cert: DFN-CERT-2020-1832
dfn-cert: DFN-CERT-2020-1613
dfn-cert: DFN-CERT-2020-1545
dfn-cert: DFN-CERT-2020-1513

High (CVSS: 7.4)
NVT: Python < 3.10.6 Information Disclosure Vulnerability (bpo-43223) - Linux

Product detection result

cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Python is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.10.6
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.10.6 or later.

Affected Software/OS
Python prior to version 3.10.6.

Vulnerability Insight
An open redirection vulnerability in the HTTP server when an URI path starts with '//'.This may lead to information disclosure.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.10.6 Information Disclosure Vulnerability (bpo-43223) - Linux`
OID:1.3.6.1.4.1.25623.1.0.127156
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2021-28861
url: https://bugs.python.org/issue43223
advisory-id: bpo-43223
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-1542
cert-bund: WID-SEC-2022-1150
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-3141
dfn-cert: DFN-CERT-2023-1109
dfn-cert: DFN-CERT-2023-0429
dfn-cert: DFN-CERT-2022-2572
dfn-cert: DFN-CERT-2022-2232
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2184
dfn-cert: DFN-CERT-2022-1983
```

High (CVSS: 7.2)
NVT: Python < 3.5.10, 3.6.x < 3.6.12, 3.7.x < 3.7.9, 3.8.x < 3.8.5 Python Issue (bpo-39603) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
http.client in Python is prone to CRLF injection.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.5.10
Installation
path / port:       8000/tcp
```

Impact
If the attacker controls the HTTP request method, the http.client in Python allows CRLF injection.

Solution:
Solution type: VendorFix
Update to version 3.5.10, 3.6.12, 3.7.9, 3.8.5 or later.

Affected Software/OS
Python prior to version 3.5.10, versions 3.6.x prior to 3.6.12, 3.7.x prior to 3.7.9 and 3.8.x prior to 3.8.5.

Vulnerability Insight
It is possible to inject HTTP headers via the HTTP method which doesn't reject newline characters.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.5.10, 3.6.x < 3.6.12, 3.7.x < 3.7.9, 3.8.x < 3.8.5 Python Issue (bpo.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118188
Version used: `2023-07-05T05:06:18Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:python:python:2.7.13
Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
cve: CVE-2020-26116
url: https://python-security.readthedocs.io/vuln/http-header-injection-method.ht
↪ml
advisory-id: bpo-39603
cert-bund: WID-SEC-2025-0227
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2022-0492
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2023-2421
dfn-cert: DFN-CERT-2023-1200
dfn-cert: DFN-CERT-2023-0082
dfn-cert: DFN-CERT-2022-1438
dfn-cert: DFN-CERT-2021-1825
dfn-cert: DFN-CERT-2021-1330
dfn-cert: DFN-CERT-2021-1080
dfn-cert: DFN-CERT-2021-1079
dfn-cert: DFN-CERT-2021-1071
dfn-cert: DFN-CERT-2021-0533
dfn-cert: DFN-CERT-2021-0002
dfn-cert: DFN-CERT-2020-2805
dfn-cert: DFN-CERT-2020-2621
dfn-cert: DFN-CERT-2020-2543
dfn-cert: DFN-CERT-2020-2300
dfn-cert: DFN-CERT-2020-2278
dfn-cert: DFN-CERT-2020-2207
dfn-cert: DFN-CERT-2020-1940

[return to 172.30.40.1]

2.1.3 Medium 8000/tcp

Medium (CVSS: 6.5)
NVT: Python 2.7.x <= 2.7.17, 3.5 <= 3.5.9, 3.6.x <= 3.6.10, 3.7.x <= 3.7.6, 3.8.x <= 3.8.1 Regular Expression Denial of Service (ReDoS) Vulnerability - Linux

Product detection result
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Python is prone to a Regular Expression Denial of Service (ReDoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.5.10
Installation
path / port:       8000/tcp
```

Impact
Successful exploitation would allow an attacker to crash the application.

Solution:
Solution type: VendorFix
Update to version 3.5.10, 3.6.11, 3.7.8, 3.8.3 or 3.9.0 respectively.

Affected Software/OS
Python 2.7 through 2.7.17, 3.5 through 3.5.9, 3.6 through 3.6.10, 3.7 through 3.7.6, and 3.8 through 3.8.1.

Vulnerability Insight
The AbstractBasicAuthHandler class of the urllib.request module uses an inefficient regular expression (catastrophic backtracking) which can be exploited by an attacker to cause a denial of service.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python 2.7.x <= 2.7.17, 3.5 <= 3.5.9, 3.6.x <= 3.6.10, 3.7.x <= 3.7.6, 3.8.x <=. ↪..`
OID:1.3.6.1.4.1.25623.1.0.113637
Version used: `2024-06-26T05:05:39Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2020-8492`
`url: https://bugs.python.org/issue39503`
`url: https://python-security.readthedocs.io/vuln/urllib-basic-auth-Nregex.html`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2025-0227
cert-bund: WID-SEC-2022-2190
cert-bund: CB-K22/0130
cert-bund: CB-K20/1030
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2023-1200
dfn-cert: DFN-CERT-2022-2715
dfn-cert: DFN-CERT-2022-0224
dfn-cert: DFN-CERT-2021-2648
dfn-cert: DFN-CERT-2021-1070
dfn-cert: DFN-CERT-2021-0533
dfn-cert: DFN-CERT-2020-2805
dfn-cert: DFN-CERT-2020-2757
dfn-cert: DFN-CERT-2020-2621
dfn-cert: DFN-CERT-2020-2392
dfn-cert: DFN-CERT-2020-2386
dfn-cert: DFN-CERT-2020-2299
dfn-cert: DFN-CERT-2020-2278
dfn-cert: DFN-CERT-2020-2117
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1540
dfn-cert: DFN-CERT-2020-1405
dfn-cert: DFN-CERT-2020-1168
dfn-cert: DFN-CERT-2020-0694
dfn-cert: DFN-CERT-2020-0438
dfn-cert: DFN-CERT-2020-0395
```

Medium (CVSS: 6.5)
NVT: Python < 3.7.0 DoS Vulnerability (Mar 2018) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.7.0
Installation
path / port:       8000/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
This vulnerability allows attackers to cause a DoS (divide-by-zero and exception) via a crafted wav format audio file.
Note: CVE is disputed by vendor, although fixes have been applied.

Solution:
Solution type: VendorFix
Update to Python version 3.7.0 or later.

Affected Software/OS
Python through version 3.6.4.

Vulnerability Insight
The Wave_read._read_fmt_chunk function in Lib/wave.py does not ensure a nonzero channel value.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.7.0 DoS Vulnerability (Mar 2018) - Linux`
OID:1.3.6.1.4.1.25623.1.0.118271
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2017-18207`
`url: https://bugs.python.org/issue32056`
`dfn-cert: DFN-CERT-2020-0231`
`dfn-cert: DFN-CERT-2020-0177`
`dfn-cert: DFN-CERT-2020-0111`
`dfn-cert: DFN-CERT-2018-0707`

Medium (CVSS: 6.5)
NVT: Python < 3.6.13, 3.7.x < 3.7.10, 3.8.x < 3.8.7, 3.9.x < 3.9.1 DoS Vulnerability (bpo-42103) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.6.13
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.6.13, 3.7.10, 3.8.7, 3.9.1 or later.

Affected Software/OS
Python prior to version 3.6.13, versions 3.7.x prior to 3.7.10, 3.8.x prior to 3.8.7 and 3.9.x prior to 3.9.1.

Vulnerability Insight
read_ints in plistlib.py is vulnerable to a potential DoS attack via CPU and RAM exhaustion when processing malformed Apple Property List files in binary format.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.6.13, 3.7.x < 3.7.10, 3.8.x < 3.8.7, 3.9.x < 3.9.1 DoS Vulnerability.`
↪..
OID:1.3.6.1.4.1.25623.1.0.170575
Version used: `2023-10-13T05:06:10Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2022-48564
url: https://mail.python.org/archives/list/security-announce@python.org/thread/K
↪2T3WIJM6OCTVTPW5TVW62EMAULA2426/
url: https://bugs.python.org/issue42103
advisory-id: bpo-42103
cert-bund: WID-SEC-2024-1086
cert-bund: WID-SEC-2023-2119
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2024-0278
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0227
dfn-cert: DFN-CERT-2024-0074
dfn-cert: DFN-CERT-2023-2954
dfn-cert: DFN-CERT-2023-2485
```

Medium (CVSS: 6.1)
NVT: Python < 2.7.17, 3.5.x < 3.5.8, 3.6.x < 3.6.10, 3.7.x < 3.7.5 XSS Vulnerability (bpo-38243) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to a reflected cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.17
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
The vendor has released updates. Please see the references for more information.

Affected Software/OS
Python prior to version 2.7.17, versions 3.x prior to 3.5.8, 3.6.x prior to 3.6.10 and 3.7.x prior to 3.7.5.

Vulnerability Insight
The documentation XML-RPC server has XSS via the 'server_title' field. This occurs in 'Lib/DocXMLRPCServer.py' in Python 2.x, and in 'Lib/xmlrpc/server.py' in Python 3.x. If 'set_server_title' is called with untrusted input, arbitrary JavaScript can be delivered to clients that visit the http URL for this server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 2.7.17, 3.5.x < 3.5.8, 3.6.x < 3.6.10, 3.7.x < 3.7.5 XSS Vulnerability. ↪..`
OID:1.3.6.1.4.1.25623.1.0.118199
Version used: `2023-07-05T05:06:18Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:python:python:2.7.13
Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
cve: CVE-2019-16935
url: https://python-security.readthedocs.io/vuln/docxmlrpcserver-xss.html
advisory-id: bpo-38243
cert-bund: WID-SEC-2025-0227
cert-bund: WID-SEC-2024-1595
cert-bund: CB-K20/1030
cert-bund: CB-K20/0710
cert-bund: CB-K20/0109
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2021-1070
dfn-cert: DFN-CERT-2021-0790
dfn-cert: DFN-CERT-2020-2805
dfn-cert: DFN-CERT-2020-2386
dfn-cert: DFN-CERT-2020-2299
dfn-cert: DFN-CERT-2020-2278
dfn-cert: DFN-CERT-2020-2127
dfn-cert: DFN-CERT-2020-2117
dfn-cert: DFN-CERT-2020-2045
dfn-cert: DFN-CERT-2020-1540
dfn-cert: DFN-CERT-2020-0550
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-2560
dfn-cert: DFN-CERT-2019-2252
dfn-cert: DFN-CERT-2019-2210
dfn-cert: DFN-CERT-2019-2198
dfn-cert: DFN-CERT-2019-2113

Medium (CVSS: 6.1)
NVT: Python 2.x < 2.7.18, 3.x < 3.5.10, 3.6.x < 3.6.11, 3.7.x < 3.7.8, 3.8.x < 3.8.3 CRLF Injection Vulnerability (bpo-38576) - Linux

Product detection result
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Python is prone to a CRLF injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.18
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
The vendor has released updates. Please see the references for more information.

Affected Software/OS
Python 2.x prior to version 2.7.18, versions 3.x prior to 3.5.10, 3.6.x prior to 3.6.11, 3.7.x prior to 3.7.8 and 3.8.x prior to 3.8.3.

Vulnerability Insight
http.client allows to pass control characters like CRLF newlines which can be abused to inject HTTP headers.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python 2.x < 2.7.18, 3.x < 3.5.10, 3.6.x < 3.6.11, 3.7.x < 3.7.8, 3.8.x < 3.8.3.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118196
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2019-18348
url: https://python-security.readthedocs.io/vuln/urlopen-host-http-header-inject
↪ion.html
advisory-id: bpo-38576
cert-bund: WID-SEC-2022-2191
cert-bund: CB-K20/1028
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2022-2715
dfn-cert: DFN-CERT-2021-0553
dfn-cert: DFN-CERT-2020-2805
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-2757
dfn-cert: DFN-CERT-2020-2621
dfn-cert: DFN-CERT-2020-2278
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1540
dfn-cert: DFN-CERT-2020-1405
dfn-cert: DFN-CERT-2020-1168
dfn-cert: DFN-CERT-2020-0694
dfn-cert: DFN-CERT-2020-0597
dfn-cert: DFN-CERT-2019-2252
```

Medium (CVSS: 6.1)
NVT: Python 2.x < 2.7.17, 3.x < 3.5.8, 3.6.x < 3.6.9, 3.7.x < 3.7.4 HTTP Header Injection Vulnerability (bpo-30458) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a HTTP header injection vulnerability (follow-up of CVE-2016-5699).

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.17
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Python versions 2.x prior to 2.7.17, 3.x prior to 3.5.8, 3.6.x prior to 3.6.9 and 3.7.x prior to 3.7.4.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2019-9740: An issue was discovered in urllib2 in Python 2.x and urllib in Python 3.x. CRLF injection is possible if the attacker controls a url parameter, as demonstrated by the first argument to 'urllib.request.urlopen' with 'rn' (specifically in the query string after a '?' character) followed by an HTTP header or a Redis command.

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2019-9947: An issue was discovered in urllib2 in Python 2.x and urllib in Python 3.x. CRLF injection is possible if the attacker controls a url parameter, as demonstrated by the first argument to 'urllib.request.urlopen' with 'rn' (specifically in the path component of a URL that lacks a '?' character) followed by an HTTP header or a Redis command.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python 2.x < 2.7.17, 3.x < 3.5.8, 3.6.x < 3.6.9, 3.7.x < 3.7.4 HTTP Header Inje.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118208
Version used: `2025-07-18T15:43:33Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2019-9740`
`cve: CVE-2019-9947`
`url: https://python-security.readthedocs.io/vuln/http-header-injection2.html`
`advisory-id: bpo-30458`
`cert-bund: WID-SEC-2024-1599`
`cert-bund: WID-SEC-2023-1280`
`cert-bund: CB-K20/0109`
`dfn-cert: DFN-CERT-2025-2047`
`dfn-cert: DFN-CERT-2025-1464`
`dfn-cert: DFN-CERT-2025-1461`
`dfn-cert: DFN-CERT-2024-1805`
`dfn-cert: DFN-CERT-2023-2421`
`dfn-cert: DFN-CERT-2020-2653`
`dfn-cert: DFN-CERT-2020-2502`
`dfn-cert: DFN-CERT-2020-2045`
`dfn-cert: DFN-CERT-2020-1839`
`dfn-cert: DFN-CERT-2020-1540`
`dfn-cert: DFN-CERT-2020-0783`
`dfn-cert: DFN-CERT-2020-0668`
`dfn-cert: DFN-CERT-2020-0231`
`dfn-cert: DFN-CERT-2020-0200`
`dfn-cert: DFN-CERT-2020-0177`
`dfn-cert: DFN-CERT-2020-0111`
`dfn-cert: DFN-CERT-2019-2560`
`dfn-cert: DFN-CERT-2019-2327`
`dfn-cert: DFN-CERT-2019-2312`
`dfn-cert: DFN-CERT-2019-2302`
`dfn-cert: DFN-CERT-2019-2252`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-2210
dfn-cert: DFN-CERT-2019-2078
dfn-cert: DFN-CERT-2019-1877
dfn-cert: DFN-CERT-2019-1854
dfn-cert: DFN-CERT-2019-1831
dfn-cert: DFN-CERT-2019-1755
dfn-cert: DFN-CERT-2019-1339
dfn-cert: DFN-CERT-2019-1288
dfn-cert: DFN-CERT-2019-1084
dfn-cert: DFN-CERT-2019-1076
dfn-cert: DFN-CERT-2019-1053
dfn-cert: DFN-CERT-2019-0941
```

Medium (CVSS: 5.9)
NVT: Python < 3.6.13, 3.7.x < 3.7.10, 3.8.x < 3.8.8, 3.9.x < 3.9.2 Web Cache Poisoning Vulnerability - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a web cache poisoning vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.6.13
Installation
path / port:       8000/tcp
```

Impact

Successful exploitation can result in malicious requests being cached as completely safe ones, as the proxy would usually not see the semicolon as a separator, and therefore would not include it in a cache key of an unkeyed parameter.

Solution:

Solution type: VendorFix

Update to version 3.6.13, 3.7.10, 3.8.8, 3.9.2 or later.

Affected Software/OS

Python prior to version 3.6.13, versions 3.7.x prior to 3.7.10, 3.8.x prior to 3.8.8 and 3.9.x prior to 3.9.2.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The package python is vulnerable to Web Cache Poisoning via urllib.parse.parse_qsl and urllib.parse.parse_qs by using a vector called parameter cloaking. When the attacker can separate query parameters using a semicolon, they can cause a difference in the interpretation of the request between the proxy (running with default configuration) and the server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.6.13, 3.7.x < 3.7.10, 3.8.x < 3.8.8, 3.9.x < 3.9.2 Web Cache Poisoni.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145429
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2021-23336`
`url: https://snyk.io/vuln/SNYK-UPSTREAM-PYTHONCPYTHON-1074933`
`cert-bund: WID-SEC-2025-0227`
`cert-bund: WID-SEC-2022-0184`
`cert-bund: WID-SEC-2022-0141`
`dfn-cert: DFN-CERT-2023-2227`
`dfn-cert: DFN-CERT-2022-2419`
`dfn-cert: DFN-CERT-2022-1271`
`dfn-cert: DFN-CERT-2021-2354`
`dfn-cert: DFN-CERT-2021-2350`
`dfn-cert: DFN-CERT-2021-1801`
`dfn-cert: DFN-CERT-2021-1622`
`dfn-cert: DFN-CERT-2021-1414`
`dfn-cert: DFN-CERT-2021-1330`
`dfn-cert: DFN-CERT-2021-1282`
`dfn-cert: DFN-CERT-2021-1110`
`dfn-cert: DFN-CERT-2021-1080`
`dfn-cert: DFN-CERT-2021-0810`
`dfn-cert: DFN-CERT-2021-0790`
`dfn-cert: DFN-CERT-2021-0675`
`dfn-cert: DFN-CERT-2021-0553`
`dfn-cert: DFN-CERT-2021-0387`
`dfn-cert: DFN-CERT-2021-0367`

Medium (CVSS: 5.9)
NVT: Python < 3.5.10, 3.6.x < 3.6.12, 3.7.x < 3.7.9, 3.8.x < 3.8.4 Python Issue (bpo-41004) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.7.13
Fixed version:     3.5.10
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
The vendor has released updates. Please see the references for more information.

Affected Software/OS
Python prior to version 3.5.10, versions 3.6.x prior to 3.6.12, 3.7.x prior to 3.7.9 and 3.8.x prior to 3.8.4.

Vulnerability Insight
Lib/ipaddress.py improperly computes hash values in the IPv4Interface and IPv6Interface classes, which might allow a remote attacker to cause a denial of service if an application is affected by the performance of a dictionary containing IPv4Interface or IPv6Interface objects, and this attacker can cause many dictionary entries to be created.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.5.10, 3.6.x < 3.6.12, 3.7.x < 3.7.9, 3.8.x < 3.8.4 Python Issue (bpo.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118192
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2020-14422
url: https://python-security.readthedocs.io/vuln/ipaddress-hash-collisions.html
advisory-id: bpo-41004
cert-bund: WID-SEC-2025-0227
cert-bund: WID-SEC-2023-1220
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2021-1070
dfn-cert: DFN-CERT-2020-2805
dfn-cert: DFN-CERT-2020-2621
dfn-cert: DFN-CERT-2020-2588
dfn-cert: DFN-CERT-2020-2550
dfn-cert: DFN-CERT-2020-2392
dfn-cert: DFN-CERT-2020-2386
dfn-cert: DFN-CERT-2020-2300
dfn-cert: DFN-CERT-2020-2278
dfn-cert: DFN-CERT-2020-2207
dfn-cert: DFN-CERT-2020-2045
dfn-cert: DFN-CERT-2020-1613
dfn-cert: DFN-CERT-2020-1545
dfn-cert: DFN-CERT-2020-1540
dfn-cert: DFN-CERT-2020-1513
dfn-cert: DFN-CERT-2020-1427
```

Medium (CVSS: 5.9)
NVT: Python < 3.6.13, 3.7.x < 3.7.10, 3.8.x < 3.8.7, 3.9.x < 3.9.1 Race Condition Vulnerability (bpo-40791) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a race condition vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.6.13
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 3.6.13, 3.7.10, 3.8.7, 3.9.1 or later.

Affected Software/OS
Python prior to version 3.6.13, versions 3.7.x prior to 3.7.10, 3.8.x prior to 3.8.7 and 3.9.x prior to 3.9.1.

Vulnerability Insight
An issue was discovered in compare_digest in Lib/hmac.py. Constant-time-defeating optimisations were possible in the accumulator variable in hmac.compare_digest.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.6.13, 3.7.x < 3.7.10, 3.8.x < 3.8.7, 3.9.x < 3.9.1 Race Condition Vu.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.170572
Version used: `2023-10-17T05:05:34Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2022-48566`
`url: https://bugs.python.org/issue40791`
`advisory-id: bpo-40791`
`cert-bund: WID-SEC-2025-0225`
`cert-bund: WID-SEC-2023-2119`
`dfn-cert: DFN-CERT-2025-0046`
`dfn-cert: DFN-CERT-2024-1805`
`dfn-cert: DFN-CERT-2024-1432`
`dfn-cert: DFN-CERT-2024-0709`
`dfn-cert: DFN-CERT-2024-0408`
`dfn-cert: DFN-CERT-2023-2651`
`dfn-cert: DFN-CERT-2023-2485`
`dfn-cert: DFN-CERT-2023-2427`
`dfn-cert: DFN-CERT-2023-2309`
`dfn-cert: DFN-CERT-2023-2227`

Medium (CVSS: 5.7)
NVT: Python < 3.6.14, 3.7.x < 3.7.11, 3.8.x < 3.8.9, 3.9.x < 3.9.3 Python Issue (bpo-42988) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary
Python is prone to an information disclosure vulnerability via pydoc getfile.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.6.14
Installation
path / port:       8000/tcp
```

Impact
A local or adjacent attacker who discovers or is able to convince another local or adjacent user to start a pydoc server could access the server and use it to disclose sensitive information belonging to the other user that they would not normally be able to access.

Solution:
Solution type: VendorFix
Update to version 3.6.14, 3.7.11, 3.8.9, 3.9.3 or later.

Affected Software/OS
Python prior to version 3.6.14, versions 3.7.x prior to 3.7.11, 3.8.x prior to 3.8.9 and 3.9.x prior to 3.9.3.

Vulnerability Insight
Running 'pydoc -p' allows other local users to extract arbitrary files.
The '/getfile?key=path' URL allows to read arbitrary file on the filesystem.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.6.14, 3.7.x < 3.7.11, 3.8.x < 3.8.9, 3.9.x < 3.9.3 Python Issue (bpo.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.118175
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-3426
url: https://python-security.readthedocs.io/vuln/pydoc-getfile.html
advisory-id: bpo-42988
cert-bund: WID-SEC-2023-1418
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1308
cert-bund: WID-SEC-2022-0624
cert-bund: CB-K21/1268
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2023-1517
dfn-cert: DFN-CERT-2022-0690
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2354
dfn-cert: DFN-CERT-2021-2353
dfn-cert: DFN-CERT-2021-2207
dfn-cert: DFN-CERT-2021-1825
dfn-cert: DFN-CERT-2021-1801
dfn-cert: DFN-CERT-2021-1407
dfn-cert: DFN-CERT-2021-0943
dfn-cert: DFN-CERT-2021-0682
dfn-cert: DFN-CERT-2021-0675
```

Medium (CVSS: 5.6)
NVT: Python Symlink Dereference Vulnerability (Mar 2024) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a symlink dereference vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.8.19
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

Update to version 3.8.19, 3.9.19, 3.10.14, 3.11.8, 3.12.1 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Python prior to version 3.8.19, 3.9.x prior to 3.9.19, 3.10.x prior to 3.10.14, 3.11.x prior to 3.11.8 and 3.12.x prior to 3.12.1.

Vulnerability Insight
The tempfile.TemporaryDirectory class would dereference symlinks during cleanup of permissions-related errors. This means users which can run privileged programs are potentially able to modify permissions of files referenced by symlinks in some circumstances.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python Symlink Dereference Vulnerability (Mar 2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.170811
Version used: `2024-10-11T15:39:44Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2023-6597
url: https://discuss.python.org/t/python-3-10-14-3-9-19-and-3-8-19-is-now-availa
↪ble/48993
url: https://pythoninsider.blogspot.com/2024/03/python-31014-3919-and-3819-is-no
↪w.html
url: https://mail.python.org/archives/list/security-announce@python.org/thread/Q
↪5C6ATFC67K53XFV4KE45325S7NS62LD/
url: https://github.com/python/cpython/issues/91133
url: https://osv.dev/vulnerability/PSF-2024-1
cert-bund: WID-SEC-2025-0794
cert-bund: WID-SEC-2025-0225
cert-bund: WID-SEC-2025-0001
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1307
cert-bund: WID-SEC-2024-0687
dfn-cert: DFN-CERT-2025-1477
dfn-cert: DFN-CERT-2025-1461
dfn-cert: DFN-CERT-2025-0933
dfn-cert: DFN-CERT-2025-0688
dfn-cert: DFN-CERT-2025-0378
dfn-cert: DFN-CERT-2025-0375
dfn-cert: DFN-CERT-2025-0318
dfn-cert: DFN-CERT-2025-0274
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-0255
dfn-cert: DFN-CERT-2025-0184
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-2962
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2024-1433
dfn-cert: DFN-CERT-2024-1432
dfn-cert: DFN-CERT-2024-0974
dfn-cert: DFN-CERT-2024-0828
dfn-cert: DFN-CERT-2024-0785
dfn-cert: DFN-CERT-2024-0709
dfn-cert: DFN-CERT-2024-0641
dfn-cert: DFN-CERT-2024-0610
dfn-cert: DFN-CERT-2024-0609
dfn-cert: DFN-CERT-2024-0605
```

Medium (CVSS: 5.5)
NVT: Python DoS Vulnerability (Dec 2025) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.13.10
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

Update to version 3.13.10, 3.14.1 or later, or to the latest maintenance release of your Python version series (3.10.x, 3.12.x) once patches are available. Please see the references for more information.

Affected Software/OS

Python prior to version 3.13.10 and 3.14.x prior to 3.14.1.

Note: Fixes have been backported to maintenance branches (3.10, 3.12) but specific patch versions are not yet available.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
When loading a plist file, the plistlib module reads data in size specified by the file itself, meaning a malicious file can cause out-of-memory (OOM) and DoS issues.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python DoS Vulnerability (Dec 2025) - Linux`
OID:1.3.6.1.4.1.25623.1.0.125553
Version used: `2026-01-16T05:47:38Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2025-13837
url: https://github.com/python/cpython/issues/119342
url: https://github.com/python/cpython/pull/119343
url: https://github.com/python/cpython/commit/694922cf40aa3a28f898b5f5ee08b71b49
↪22df70
url: https://github.com/python/cpython/commit/71fa8eb8233b37f16c88b6e3e583b461b2
↪05d1ba
url: https://github.com/python/cpython/commit/b64441e4852383645af5b435411a6f849d
↪d1b4cb
url: https://www.cve.org/CVERecord?id=CVE-2025-13837
cert-bund: WID-SEC-2025-2706
dfn-cert: DFN-CERT-2026-0215
dfn-cert: DFN-CERT-2025-3621
```

Medium (CVSS: 5.3)
NVT: Python < 2.7.17, 3.x < 3.4.10, 3.5.x < 3.5.7, 3.6.x < 3.6.9, 3.7.x < 3.7.3 Cookie domain check returns incorrect results (bpo-35121) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to an improper input validation vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.17
Installation
path / port:       8000/tcp
```

Impact

When a program uses http.cookiejar.DefaultPolicy and tries to do an HTTP connection to an attacker-controlled server, existing cookies can be leaked to the attacker.

Solution:

Solution type: VendorFix

Update to version 2.7.17, 3.4.10, 3.5.7, 3.6.9, 3.7.3 or later.

Affected Software/OS

Python prior to version 2.7.17, versions 3.x prior to 3.4.10, 3.5.x prior to 3.5.7, 3.6.x prior to 3.6.9 and 3.7.x prior to 3.7.3.

Vulnerability Insight

http.cookiejar.DefaultPolicy.domain_return_ok in Lib/http/cookiejar.py does not correctly validate the domain: it can be tricked into sending existing cookies to the wrong server.

An attacker may abuse this flaw by using a server with a hostname that has another valid hostname as a suffix (e.g., pythonicexample.com to steal cookies for example.com).

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Python < 2.7.17, 3.x < 3.4.10, 3.5.x < 3.5.7, 3.6.x < 3.6.9, 3.7.x < 3.7.3 Cook.`
↪`..`

OID:1.3.6.1.4.1.25623.1.0.118273

Version used: `2023-07-05T05:06:18Z`

Product Detection Result

Product: `cpe:/a:python:python:2.7.13`

Method: `Python Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2018-20852
url: https://bugs.python.org/issue35121
cert-bund: WID-SEC-2024-1597
cert-bund: CB-K20/1049
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2020-2259
dfn-cert: DFN-CERT-2020-2045
dfn-cert: DFN-CERT-2020-1839
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-1540
dfn-cert: DFN-CERT-2020-0896
dfn-cert: DFN-CERT-2020-0231
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-2560
dfn-cert: DFN-CERT-2019-2327
dfn-cert: DFN-CERT-2019-2238
dfn-cert: DFN-CERT-2019-2198
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-1877
dfn-cert: DFN-CERT-2019-1682
dfn-cert: DFN-CERT-2019-1596
```

Medium (CVSS: 5.3)
NVT: Python < 3.6.14, 3.7.x < 3.7.11, 3.8.x < 3.8.9, 3.9.x < 3.9.3 (bpo-43285) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.6.14
Installation
path / port:       8000/tcp
```

Impact

This flaw allows an attacker to set up a malicious FTP server, that can trick FTP clients into connecting back to a given IP address and port.

Solution:

Solution type: VendorFix

Update to version 3.6.14, 3.7.11, 3.8.9, 3.9.3 or later.

Affected Software/OS

Python prior to version 3.6.14, versions 3.7.x prior to 3.7.11, 3.8.x prior to 3.8.9 and 3.9.x prior to 3.9.3.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.6.14, 3.7.x < 3.7.11, 3.8.x < 3.8.9, 3.9.x < 3.9.3 (bpo-43285) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.126132
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2021-4189
url: https://python-security.readthedocs.io/vuln/ftplib-pasv.html
advisory-id: bpo-43285
cert-bund: WID-SEC-2022-0011
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2023-1517
dfn-cert: DFN-CERT-2023-1200
dfn-cert: DFN-CERT-2022-1304
dfn-cert: DFN-CERT-2022-1294
dfn-cert: DFN-CERT-2022-1056
dfn-cert: DFN-CERT-2022-1053
dfn-cert: DFN-CERT-2022-0968
dfn-cert: DFN-CERT-2022-0742
dfn-cert: DFN-CERT-2022-0690
dfn-cert: DFN-CERT-2022-0618
dfn-cert: DFN-CERT-2022-0351
```

Medium (CVSS: 5.3)
NVT: Python DoS Vulnerability (Dec 2025) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 2.7.13
Fixed version:     3.13.11
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.13.11, 3.14.2 or later.

Affected Software/OS
Python prior to version 3.13.11 and 3.14.0 prior to 3.14.2.

Vulnerability Insight
When building nested elements using xml.dom.minidom methods such as appendChild() that have a dependency on _clear_id_cache() the algorithm is quadratic. Availability can be impacted when building excessively nested documents.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python DoS Vulnerability (Dec 2025) - Linux`
OID:1.3.6.1.4.1.25623.1.0.133141
Version used: `2025-12-17T05:46:28Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2025-12084
url: https://github.com/python/cpython/issues/142145
url: https://github.com/python/cpython/pull/142146
url: https://github.com/python/cpython/commit/08d8e18ad81cd45bc4a27d6da478b51ea4
↪9486e4
url: https://www.cve.org/CVERecord?id=CVE-2025-12084
cert-bund: WID-SEC-2025-2741
dfn-cert: DFN-CERT-2026-0215
dfn-cert: DFN-CERT-2026-0174
dfn-cert: DFN-CERT-2026-0167
dfn-cert: DFN-CERT-2026-0038
dfn-cert: DFN-CERT-2025-3621
dfn-cert: DFN-CERT-2025-3496
```

Medium (CVSS: 5.3)
NVT: Python <= 2.7.18, 3.x <= 3.12.3 Security Bypass Vulnerability - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to a security bypass vulnerability in the e-mail module.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     None
Installation
path / port:       8000/tcp
```

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one. Note: The vendor mentions, that a patch was included in main branch 3.13. This version is expected to release in October 2024. The patch might be included in the release of version 3.13 or later.

Affected Software/OS
Python versions through 2.7.18 and 3.x through 3.12.3.

Vulnerability Insight
The e-mail module incorrectly parses e-mail addresses which contain a special character. This vulnerability allows attackers to send messages from e-mail addresses that would otherwise be rejected.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python <= 2.7.18, 3.x <= 3.12.3 Security Bypass Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.104739
Version used: `2024-05-14T05:05:26Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2023-27043
url: https://github.com/psf/advisory-database/blob/main/advisories/python/PSF-20
↪23-2.json
url: https://osv.dev/list?ecosystem=&q=CVE-2023-27043
url: https://github.com/python/cpython/issues/102988
url: https://github.com/python/cpython/issues/102988#issuecomment-1983087271
url: https://peps.python.org/pep-0719
url: https://python-security.readthedocs.io/vuln/email-parseaddr-realname.html
cert-bund: WID-SEC-2025-0668
cert-bund: WID-SEC-2025-0225
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-1086
cert-bund: WID-SEC-2024-0423
cert-bund: WID-SEC-2023-1097
dfn-cert: DFN-CERT-2025-1477
dfn-cert: DFN-CERT-2025-1461
dfn-cert: DFN-CERT-2025-0809
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-3141
dfn-cert: DFN-CERT-2024-2425
dfn-cert: DFN-CERT-2024-2340
dfn-cert: DFN-CERT-2024-2186
dfn-cert: DFN-CERT-2024-2179
dfn-cert: DFN-CERT-2024-1391
dfn-cert: DFN-CERT-2024-1325
dfn-cert: DFN-CERT-2024-0744
dfn-cert: DFN-CERT-2024-0609
dfn-cert: DFN-CERT-2024-0605
dfn-cert: DFN-CERT-2024-0408
dfn-cert: DFN-CERT-2024-0278
dfn-cert: DFN-CERT-2024-0227
dfn-cert: DFN-CERT-2023-3186
dfn-cert: DFN-CERT-2023-2651
```

Medium (CVSS: 5.3)
NVT: Python < 3.8.18, 3.9.x < 3.9.18, 3.10.x < 3.10.13, 3.11.x < 3.11.5 Security Bypass Vulnerability - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Python is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.8.18
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.8.18, 3.9.18, 3.10.13, 3.11.5 or later.

Affected Software/OS
Python version prior to 3.8.18, 3.9.x prior to 3.9.18, 3.10.x prior to 3.10.13 and 3.11.x prior to 3.11.5.

Vulnerability Insight
Instances of ssl.SSLSocket are vulnerable to a bypass of the TLS handshake and included protections (like certificate verification) and treating sent unencrypted data as if it were post-handshake TLS encrypted data if the socket is closed before initiating its own handshake.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python < 3.8.18, 3.9.x < 3.9.18, 3.10.x < 3.10.13, 3.11.x < 3.11.5 Security Byp.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.124416
Version used: `2023-12-20T05:05:58Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2023-40217
url: https://mail.python.org/archives/list/security-announce@python.org/thread/P
↪EPLII27KYHLF4AK3ZQGKYNCRERG4YXY/
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2850
cert-bund: WID-SEC-2023-2173
dfn-cert: DFN-CERT-2025-0046
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-2962
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2024-0610
dfn-cert: DFN-CERT-2024-0609
dfn-cert: DFN-CERT-2023-3168
dfn-cert: DFN-CERT-2023-2954
dfn-cert: DFN-CERT-2023-2941
dfn-cert: DFN-CERT-2023-2783
dfn-cert: DFN-CERT-2023-2768
dfn-cert: DFN-CERT-2023-2714
dfn-cert: DFN-CERT-2023-2485
dfn-cert: DFN-CERT-2023-2370
dfn-cert: DFN-CERT-2023-2227
dfn-cert: DFN-CERT-2023-2226
```

Medium (CVSS: 5.0)
NVT: Python Email Header Injection Vulnerability (Aug 2024) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to an email header injection vulnerability in the email module.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.8.20
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

Update to version 3.8.20, 3.9.20, 3.10.15, 3.11.10, 3.12.5 or later.

Affected Software/OS

Python prior to version 3.8.20, 3.9.x prior to 3.9.20, 3.10.x prior to 3.10.15, 3.11.x prior to 3.11.10 and 3.12.x prior to 3.12.5.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The email module didn't properly quote newlines for email headers when serializing an email message allowing for header injection when an email is serialized.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python Email Header Injection Vulnerability (Aug 2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.114731
Version used: `2024-10-11T15:39:44Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2024-6923
url: https://mail.python.org/archives/list/security-announce@python.org/thread/Q
↪H3BUOE2DYQBWP7NAQ7UNHPPOELKISRW/
url: https://github.com/python/cpython/issues/121650
url: https://github.com/python/cpython/pull/122233
url: https://osv.dev/vulnerability/PSF-2024-8
url: https://docs.python.org/release/3.12.5/whatsnew/changelog.html#library
url: https://docs.python.org/3.11/whatsnew/changelog.html#python-3-11-10-final
url: https://docs.python.org/3.10/whatsnew/changelog.html#python-3-10-15-final
url: https://docs.python.org/3.9/whatsnew/changelog.html#python-3-9-20-final
url: https://docs.python.org/3.8/whatsnew/changelog.html#python-3-8-20-final
cert-bund: WID-SEC-2025-0647
cert-bund: WID-SEC-2024-2033
dfn-cert: DFN-CERT-2025-3045
dfn-cert: DFN-CERT-2025-1693
dfn-cert: DFN-CERT-2025-1477
dfn-cert: DFN-CERT-2025-1464
dfn-cert: DFN-CERT-2025-1461
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-3083
dfn-cert: DFN-CERT-2024-2937
dfn-cert: DFN-CERT-2024-2571
dfn-cert: DFN-CERT-2024-2525
dfn-cert: DFN-CERT-2024-2512
dfn-cert: DFN-CERT-2024-2497
dfn-cert: DFN-CERT-2024-2496
dfn-cert: DFN-CERT-2024-2466
dfn-cert: DFN-CERT-2024-2456
dfn-cert: DFN-CERT-2024-2425
dfn-cert: DFN-CERT-2024-2340
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-2271
dfn-cert: DFN-CERT-2024-2251
dfn-cert: DFN-CERT-2024-2245
dfn-cert: DFN-CERT-2024-2186
dfn-cert: DFN-CERT-2024-2152
dfn-cert: DFN-CERT-2024-2049
```

Medium (CVSS: 5.0)
NVT: Python SSL Vulnerability (Jun 2024) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to a vulnerability in the ssl module.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.8.20
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.8.20, 3.9.20, 3.10.14, 3.11.9, 3.12.3 or later.

Affected Software/OS
Python prior to version 3.8.20, 3.9.x prior to 3.9.20, 3.10.x prior to 3.10.14, 3.11.x prior to 3.11.9 and 3.12.x prior to 3.12.3.

Vulnerability Insight
A defect was discovered in the Python 'ssl' module where there is a memory race condition with the ssl.SSLContext methods 'cert_store_stats()' and 'get_ca_certs()'. The race condition can be triggered if the methods are called at the same time as certificates are loaded into the SSLContext, such as during the TLS handshake with a certificate directory configured.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python SSL Vulnerability (Jun 2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.152433
Version used: `2024-10-11T15:39:44Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:python:python:2.7.13
Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
cve: CVE-2024-0397
url: https://mail.python.org/archives/list/security-announce@python.org/thread/B
↪MAK5BCGKYWNJOACVUSLUF6SFGBIM4VP/
url: https://github.com/python/cpython/issues/114572
url: https://github.com/python/cpython/pull/114573
url: https://osv.dev/vulnerability/PSF-2024-4
url: https://docs.python.org/3/whatsnew/changelog.html#python-3-12-3-final
url: https://docs.python.org/3.11/whatsnew/changelog.html#python-3-11-9-final
url: https://docs.python.org/3.10/whatsnew/changelog.html#python-3-10-14-final
url: https://docs.python.org/3.9/whatsnew/changelog.html#python-3-9-20-final
url: https://docs.python.org/3.8/whatsnew/changelog.html#python-3-8-20-final
cert-bund: WID-SEC-2025-0225
cert-bund: WID-SEC-2024-1645
cert-bund: WID-SEC-2024-1396
dfn-cert: DFN-CERT-2025-1693
dfn-cert: DFN-CERT-2025-1477
dfn-cert: DFN-CERT-2025-1464
dfn-cert: DFN-CERT-2025-1461
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-3083
dfn-cert: DFN-CERT-2024-2448
dfn-cert: DFN-CERT-2024-2245
dfn-cert: DFN-CERT-2024-2227
dfn-cert: DFN-CERT-2024-2186
dfn-cert: DFN-CERT-2024-1908
dfn-cert: DFN-CERT-2024-1851
dfn-cert: DFN-CERT-2024-1833
dfn-cert: DFN-CERT-2024-1702

Medium (CVSS: 5.0)
NVT: Python 'zipfile' Module Vulnerability (Oct 2025) - Linux

Product detection result
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Python is prone to a vulnerability in the 'zipfile' module.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.9.24
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.9.24, 3.10.19, 3.11.14, 3.12.12, 3.13.10, 3.14.1 or later.

Affected Software/OS
Python prior to version 3.9.24, 3.10.x prior to 3.10.19, 3.11.x prior to 3.11.14, 3.12.x prior to 3.12.12, 3.13.x prior to 3.13.10 and 3.14.x prior to 3.14.1.

Vulnerability Insight
The 'zipfile' module would not check the validity of the ZIP64 End of Central Directory (EOCD) Locator record offset value would not be used to locate the ZIP64 EOCD record, instead the ZIP64 EOCD record would be assumed to be the previous record in the ZIP archive. This could be abused to create ZIP archives that are handled differently by the 'zipfile' module compared to other ZIP implementations. Remediation maintains this behavior, but checks that the offset specified in the ZIP64 EOCD Locator record matches the expected value.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python 'zipfile' Module Vulnerability (Oct 2025) - Linux`
OID:1.3.6.1.4.1.25623.1.0.119138
Version used: `2025-12-18T05:46:55Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2025-8291
url: https://mail.python.org/archives/list/security-announce@python.org/thread/Q
↪ECOPWMTH4VPPJAXAH2BGTA4XADOP62G/
url: https://github.com/python/cpython/issues/139700
url: https://github.com/python/cpython/pull/139702
url: https://github.com/python/cpython/pull/139706
url: https://github.com/python/cpython/pull/139708
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://github.com/python/cpython/pull/139712
url: https://github.com/python/cpython/pull/139713
url: https://github.com/python/cpython/pull/139714
url: https://github.com/python/cpython/pull/139715
url: https://osv.dev/vulnerability/PSF-2025-12
url: https://www.cve.org/CVERecord?id=CVE-2025-8291
cert-bund: WID-SEC-2025-2230
dfn-cert: DFN-CERT-2026-0215
dfn-cert: DFN-CERT-2026-0167
dfn-cert: DFN-CERT-2026-0038
dfn-cert: DFN-CERT-2025-3563
dfn-cert: DFN-CERT-2025-3555
dfn-cert: DFN-CERT-2025-3298
dfn-cert: DFN-CERT-2025-3045
dfn-cert: DFN-CERT-2025-2812
```

Medium (CVSS: 5.0)
NVT: Python Buffer Over-Read Vulnerability (Jul 2024) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a buffer over-read vulnerability in SSLContext.set_npn_protocols().

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.10.0
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

Suggested mitigation by the vendor is one of the following:
- Update to Python 3.10 or later where NPN isn't supported
- Avoid using NPN via SSLContext.set_npn_protocols()
- Avoid providing an empty list as a parameter to SSLContext.set_npn_protocols()

Affected Software/OS

Python versions prior to 3.10.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The product doesn't disallow configuring an empty list ('[]') for SSLContext.set_npn_protocols() which is an invalid value for the underlying OpenSSL API. This results in a buffer over-read when NPN is used (see CVE-2024-5535 for OpenSSL). This vulnerability is of low severity due to NPN being not widely used and specifying an empty list likely being uncommon in-practice (typically a protocol name would be configured).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python Buffer Over-Read Vulnerability (Jul 2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.114744
Version used: `2024-08-14T05:05:52Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
```
cve: CVE-2024-5642
url: https://mail.python.org/archives/list/security-announce@python.org/thread/P
↪LP2JI3PJY33YG6P5BZYSSNU66HASXBQ/
url: https://github.com/python/cpython/pull/23014
url: https://github.com/python/cpython/issues/121227
url: https://osv.dev/vulnerability/PSF-2024-6
cert-bund: WID-SEC-2025-2648
dfn-cert: DFN-CERT-2025-3563
dfn-cert: DFN-CERT-2025-3555
dfn-cert: DFN-CERT-2025-3248
dfn-cert: DFN-CERT-2025-2826
dfn-cert: DFN-CERT-2024-2571
dfn-cert: DFN-CERT-2024-2491
dfn-cert: DFN-CERT-2024-2271
dfn-cert: DFN-CERT-2024-2186
```

Medium (CVSS: 5.0)
NVT: Python IP Ranges Vulnerability (Jun 2024) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to a vulnerability in the ipaddress module.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.8.20
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.8.20, 3.9.20, 3.10.15, 3.11.10, 3.12.4 or later.

Affected Software/OS
Python prior to version 3.8.20, 3.9.x prior to 3.9.20, 3.10.x prior to 3.10.15, 3.11.x prior to 3.11.10 and 3.12.x prior to 3.12.4.

Vulnerability Insight
The 'ipaddress' module contained incorrect information about whether certain IPv4 and IPv6 addresses were designated as 'globally reachable' or 'private'. This affected the 'is_private' and 'is_global' properties of the ipaddress.IPv4Address, ipaddress.IPv4Network, ipaddress.IPv6Address, and ipaddress.IPv6Network classes, where values wouldn't be returned in accordance with the latest information from the IANA Special-Purpose Address Registries.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python IP Ranges Vulnerability (Jun 2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.152430
Version used: `2024-10-11T15:39:44Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2024-4032
url: https://mail.python.org/archives/list/security-announce@python.org/thread/N
↪RUHDUS2IV2USIZM2CVMSFL6SCKU3RZA/
url: https://github.com/python/cpython/issues/113171
url: https://github.com/python/cpython/pull/113179
url: https://osv.dev/vulnerability/PSF-2024-5
url: https://docs.python.org/3/whatsnew/changelog.html#python-3-12-4-final
url: https://docs.python.org/3.11/whatsnew/changelog.html#python-3-11-10-final
url: https://docs.python.org/3.10/whatsnew/changelog.html#python-3-10-15-final
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://docs.python.org/3.9/whatsnew/changelog.html#python-3-9-20-final
url: https://docs.python.org/3.8/whatsnew/changelog.html#python-3-8-20-final
cert-bund: WID-SEC-2025-0225
cert-bund: WID-SEC-2024-1396
dfn-cert: DFN-CERT-2025-1693
dfn-cert: DFN-CERT-2025-1477
dfn-cert: DFN-CERT-2025-1464
dfn-cert: DFN-CERT-2025-1461
dfn-cert: DFN-CERT-2025-0655
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-3083
dfn-cert: DFN-CERT-2024-2993
dfn-cert: DFN-CERT-2024-2525
dfn-cert: DFN-CERT-2024-2512
dfn-cert: DFN-CERT-2024-2448
dfn-cert: DFN-CERT-2024-2340
dfn-cert: DFN-CERT-2024-2251
dfn-cert: DFN-CERT-2024-2227
dfn-cert: DFN-CERT-2024-2186
dfn-cert: DFN-CERT-2024-2152
dfn-cert: DFN-CERT-2024-1908
dfn-cert: DFN-CERT-2024-1833
dfn-cert: DFN-CERT-2024-1702
dfn-cert: DFN-CERT-2024-1615
```

Medium (CVSS: 5.0)
NVT: Python DoS Vulnerability (Oct 2025) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.9.25
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to Python 3.9.25, 3.15.0 or later, or to the latest maintenance release of your Python version series (3.10.x, 3.12.x, 3.13.x, 3.14.x) once patches are available. Please see the references for more information.

Affected Software/OS
Python versions prior to 3.9.25 and 3.10.x prior to 3.15.0.
Note: Fixes have been backported to maintenance branches (3.10, 3.12, 3.13, 3.14) but specific patch versions are not yet available.

Vulnerability Insight
If the value passed to os.path.expandvars() is user-controlled a performance degradation is possible when expanding environment variables. This vulnerability exhibits quadratic complexity behavior that could be exploited for denial of service attacks.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python DoS Vulnerability (Oct 2025) - Linux`
OID:1.3.6.1.4.1.25623.1.0.125434
Version used: `2025-11-05T05:40:07Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2025-6075`
`url: https://mail.python.org/archives/list/security-announce@python.org/thread/I`
`↪UP5QJ6D4KK6ULHOMPC7DPNKRYQTQNLA/`
`url: https://github.com/python/cpython/issues/136065`
`url: https://github.com/python/cpython/commit/2e6150adccaaf5bd95d4c19dfd04a36e0b`
`↪325d8c`
`url: https://github.com/python/cpython/commit/631ba3407e3348ccd56ce5160c4fb2c5dc`
`↪5f4d84`
`url: https://github.com/python/cpython/commit/892747b4cf0f95ba8beb51c0d0658bfaa3`
`↪81ebca`
`url: https://github.com/python/cpython/commit/9ab89c026aa9611c4b0b67c288b8303a48`
`↪0fe742`
`url: https://github.com/python/cpython/commit/c8a5f3435c342964e0a432cc9fb448b7db`
`↪ecd1ba`
`url: https://github.com/python/cpython/commit/f029e8db626ddc6e3a3beea4eff511a71a`
`↪aceb5c`
`url: https://docs.python.org/release/3.9.25/whatsnew/changelog.html`
`cert-bund: WID-SEC-2025-2468`
`dfn-cert: DFN-CERT-2026-0215`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-3563
dfn-cert: DFN-CERT-2025-3555
dfn-cert: DFN-CERT-2025-3298
dfn-cert: DFN-CERT-2025-3267
```

Medium (CVSS: 4.9)
NVT: Python Multiple Vulnerabilities (Mar 2024) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.8.19
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.8.19, 3.9.19, 3.10.14, 3.11.8, 3.12.2 or later.

Affected Software/OS
Python prior to version 3.8.19, 3.9.x prior to 3.9.19, 3.10.x prior to 3.10.14, 3.11.x prior to 3.11.8 and 3.12.x prior to 3.12.2.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2024-0450: Quoted zip-bomb protection for zipfile
- No CVE: crash in socket.if_indextoname() with a specific value (UINT_MAX).
- No CVE: .pth files with names starting with a dot or containing the hidden file attribute are not skipped

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python Multiple Vulnerabilities (Mar 2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.151951
Version used: `2024-10-11T15:39:44Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:python:python:2.7.13
Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
cve: CVE-2024-0450
url: https://discuss.python.org/t/python-3-10-14-3-9-19-and-3-8-19-is-now-availa
↪ble/48993
url: https://pythoninsider.blogspot.com/2024/03/python-31014-3919-and-3819-is-no
↪w.html
url: https://mail.python.org/archives/list/security-announce@python.org/thread/X
↪ELNUX2L3IOHBTFU7RQHCY6OUVEWZ2FG/
url: https://github.com/python/cpython/issues/109858
url: https://osv.dev/vulnerability/PSF-2024-2
url: https://docs.python.org/3.12/whatsnew/changelog.html#python-3-12-2-final
url: https://docs.python.org/3.11/whatsnew/changelog.html#python-3-11-8-final
cert-bund: WID-SEC-2025-0794
cert-bund: WID-SEC-2025-0225
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-3222
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1656
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1307
cert-bund: WID-SEC-2024-0687
dfn-cert: DFN-CERT-2025-1477
dfn-cert: DFN-CERT-2025-1464
dfn-cert: DFN-CERT-2025-1461
dfn-cert: DFN-CERT-2025-0933
dfn-cert: DFN-CERT-2025-0132
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-2994
dfn-cert: DFN-CERT-2024-2993
dfn-cert: DFN-CERT-2024-2962
dfn-cert: DFN-CERT-2024-2745
dfn-cert: DFN-CERT-2024-2179
dfn-cert: DFN-CERT-2024-1846
dfn-cert: DFN-CERT-2024-1833
dfn-cert: DFN-CERT-2024-1805
dfn-cert: DFN-CERT-2024-1645
dfn-cert: DFN-CERT-2024-1433
dfn-cert: DFN-CERT-2024-1432
dfn-cert: DFN-CERT-2024-1415
dfn-cert: DFN-CERT-2024-0828

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0785
dfn-cert: DFN-CERT-2024-0782
```

Medium (CVSS: 4.3)
NVT: Python 2.7 < 3.4 DoS Vulnerability (bpo-14621) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.4
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
The vendor has released updates. Please see the references for more information.

Affected Software/OS
Python 2.7 before 3.4.

Vulnerability Insight
Python only uses the last eight bits of the prefix to randomize hash values, which causes it to compute hash values without restricting the ability to trigger hash collisions predictably and makes it easier for context-dependent attackers to cause a denial of service (CPU consumption) via crafted input to an application that maintains a hash table.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python 2.7 < 3.4 DoS Vulnerability (bpo-14621) - Linux`
OID:1.3.6.1.4.1.25623.1.0.112995
Version used: `2023-07-05T05:06:18Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.112857)

References
cve: CVE-2013-7040
url: https://python-security.readthedocs.io/vuln/hash-function-not-randomized-pr
↪operly.html
advisory-id: bpo-14621
cert-bund: CB-K15/1188
dfn-cert: DFN-CERT-2015-1252

Medium (CVSS: 4.3)
NVT: Python < 3.2.6, 3.3.x < 3.3.3 Wildcard DoS Vulnerability (bpo-17980) - Linux

Product detection result
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)

Summary
Python's ssl.match_hostname() trips over crafted wildcard names.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.7.13
Fixed version: 3.2.6
Installation
path / port: 8000/tcp

Solution:
Solution type: VendorFix
The vendor has released updates. Please see the references for more information.

Affected Software/OS
Python before 3.2.6 and 3.3 before 3.3.3.

Vulnerability Insight
If the name in the certificate contains many * characters (wildcard), matching the compiled regular expression against the host name can take a very long time.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Python < 3.2.6, 3.3.x < 3.3.3 Wildcard DoS Vulnerability (bpo-17980) - Linux
OID:1.3.6.1.4.1.25623.1.0.112996

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2023-07-05T05:06:18Z

Product Detection Result
Product: cpe:/a:python:python:2.7.13
Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

References

```
cve: CVE-2013-2099
url: https://python-security.readthedocs.io/vuln/ssl-match_hostname-wildcard-dos
↪.html
advisory-id: bpo-17980
cert-bund: CB-K15/1462
cert-bund: CB-K14/1512
cert-bund: CB-K14/1179
cert-bund: CB-K14/1078
cert-bund: CB-K13/0654
dfn-cert: DFN-CERT-2016-0872
dfn-cert: DFN-CERT-2015-1540
dfn-cert: DFN-CERT-2014-1606
dfn-cert: DFN-CERT-2014-1235
dfn-cert: DFN-CERT-2014-1126
dfn-cert: DFN-CERT-2013-1369
dfn-cert: DFN-CERT-2013-1302
```

Medium (CVSS: 4.0)
NVT: Python Use After Free Vulnerability (May 2025) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary
Python is prone to an use after free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.9.23
Installation
path / port:       8000/tcp
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 3.9.23, 3.10.18, 3.11.13, 3.12.11, 3.13.4 or later.

Affected Software/OS
Python prior to version 3.9.23, 3.10.x prior to 3.10.18, 3.11.x prior to 3.11.13, 3.12.x prior to 3.12.11 and 3.13.x prior to 3.13.4.

Vulnerability Insight
There is an issue in CPython when using bytes.decode(). If you are not using the 'unicode_escape' encoding or an error handler your usage is not affected. To work-around this issue you may stop using the error= handler and instead wrap the bytes.decode() call in a try-except catching the DecodeError.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python Use After Free Vulnerability (May 2025) - Linux`
OID:1.3.6.1.4.1.25623.1.0.171522
Version used: `2025-10-10T05:39:02Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2025-4516`
`url: https://mail.python.org/archives/list/security-announce@python.org/thread/L`
`↪75IPBBTSCYEF56I2M4KIW353BB3AY74/`
`url: https://github.com/python/cpython/issues/133767`
`url: https://github.com/python/cpython/pull/129648`
`url: https://osv.dev/vulnerability/PSF-2025-4`
`url: https://www.cve.org/CVERecord?id=CVE-2025-4516`
`cert-bund: WID-SEC-2025-1850`
`cert-bund: WID-SEC-2025-1080`
`dfn-cert: DFN-CERT-2026-0215`
`dfn-cert: DFN-CERT-2025-3555`
`dfn-cert: DFN-CERT-2025-2212`
`dfn-cert: DFN-CERT-2025-2047`
`dfn-cert: DFN-CERT-2025-1905`
`dfn-cert: DFN-CERT-2025-1868`
`dfn-cert: DFN-CERT-2025-1682`
`dfn-cert: DFN-CERT-2025-1653`
`dfn-cert: DFN-CERT-2025-1589`
`dfn-cert: DFN-CERT-2025-1558`
`dfn-cert: DFN-CERT-2025-1489`

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2025-1477

Medium (CVSS: 4.0)
NVT: Python DoS Vulnerability (Jun 2025) - Linux

Product detection result
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)

Summary
Python is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.9.24
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.9.24, 3.10.19, 3.11.14, 3.12.12, 3.13.6 or later.

Affected Software/OS
Python prior to version 3.9.24, 3.10.x prior to 3.10.19, 3.11.x prior to 3.11.14, 3.12.x prior to 3.12.12 and 3.13.x prior to 3.13.6.

Vulnerability Insight
The html.parser.HTMLParser class had worse-case quadratic complexity when processing certain crafted malformed inputs potentially leading to amplified denial of service.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Python DoS Vulnerability (Jun 2025) - Linux
OID:1.3.6.1.4.1.25623.1.0.154798
Version used: 2025-12-18T05:46:55Z

Product Detection Result
Product: cpe:/a:python:python:2.7.13
Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2025-6069
url: https://mail.python.org/archives/list/security-announce@python.org/thread/K
↪5PIYLR6EP3WR7ZOKKYQUWEDNQVUXOYM/
url: https://github.com/python/cpython/pull/135464
url: https://github.com/python/cpython/issues/135462
url: https://osv.dev/vulnerability/PSF-2025-10
url: https://www.cve.org/CVERecord?id=CVE-2025-6069
cert-bund: WID-SEC-2025-1470
dfn-cert: DFN-CERT-2026-0215
dfn-cert: DFN-CERT-2025-3563
dfn-cert: DFN-CERT-2025-3555
dfn-cert: DFN-CERT-2025-3313
dfn-cert: DFN-CERT-2025-3045
dfn-cert: DFN-CERT-2025-2304
dfn-cert: DFN-CERT-2025-2235
dfn-cert: DFN-CERT-2025-2212
dfn-cert: DFN-CERT-2025-2148
dfn-cert: DFN-CERT-2025-2047
dfn-cert: DFN-CERT-2025-1980
dfn-cert: DFN-CERT-2025-1868
dfn-cert: DFN-CERT-2025-1800
```

[return to 172.30.40.1]

2.1.4 Low 8000/tcp

Low (CVSS: 3.6)
NVT: Python 2.7.x < 2.7.15 Heap-Based Buffer Overflow Vulnerability Python Issue (bpo-31530) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a heap-based buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     2.7.15
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 8000/tcp

Impact
Successful exploitation will allow an attacker to cause a heap-based buffer overflow.

Solution:
Solution type: VendorFix
Update to version 2.7.15 or later.

Affected Software/OS
Python 2.7.x before version 2.7.15.

Vulnerability Insight
The flaw exists due to an improper notification mechanism on buffer reallocation and corruption in a file's internal readahead buffer which, while processing large amounts of data with multiple threads, could create a condition where a buffer that gets allocated with one thread is reallocated due to a large size of input.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Python 2.7.x < 2.7.15 Heap-Based Buffer Overflow Vulnerability Python Issue (bp.
↪..
OID:1.3.6.1.4.1.25623.1.0.118239
Version used: 2023-07-05T05:06:18Z

Product Detection Result
Product: cpe:/a:python:python:2.7.13
Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
cve: CVE-2018-1000030
url: https://python-security.readthedocs.io/vuln/python-2.7-readahead-not-thread
↪-safe.html
url: https://bugs.python.org/issue31530
advisory-id: bpo-31530
cert-bund: CB-K20/0041
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2019-0362
dfn-cert: DFN-CERT-2018-2332
dfn-cert: DFN-CERT-2018-0995

Low (CVSS: 2.6)
NVT: Python Improper Input Validation Vulnerability (Jan 2025) - Linux

Product detection result
`cpe:/a:python:python:2.7.13`
`Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)`

Summary
Python is prone to an improper input validation vulnerability in the urllib.parse.urlsplit and urlparse standard functions.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.9.22
Installation
path / port:       8000/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.9.22, 3.10.17, 3.11.12, 3.12.9, 3.13.2 or later.

Affected Software/OS
Python versions prior to 3.9.22, 3.10.x prior to 3.10.17, 3.11.x prior to 3.11.12, 3.12.x prior to 3.12.9 and 3.13.x prior to 3.13.2.

Vulnerability Insight
The Python standard library functions urllib.parse.urlsplit and urlparse accepted domain names that included square brackets which isn't valid according to RFC 3986. Square brackets are only meant to be used as delimiters for specifying IPv6 and IPvFuture hosts in URLs. This could result in differential parsing across the Python URL parser and other specification-compliant URL parsers.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python Improper Input Validation Vulnerability (Jan 2025) - Linux`
OID:1.3.6.1.4.1.25623.1.0.171143
Version used: `2025-10-10T05:39:02Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2025-0938
url: https://mail.python.org/archives/list/security-announce@python.org/thread/K
↪4EUG6EKV6JYFIC24BASYOZS4M5XOQIB/
url: https://github.com/python/cpython/issues/105704
url: https://github.com/python/cpython/pull/129418
url: https://docs.python.org/3.13/whatsnew/changelog.html#python-3-13-2-final
url: https://docs.python.org/3.12/whatsnew/changelog.html#python-3-12-9-final
url: https://docs.python.org/3.11/whatsnew/changelog.html#python-3-11-12-final
url: https://docs.python.org/3.10/whatsnew/changelog.html#python-3-10-17-final
url: https://docs.python.org/3.9/whatsnew/changelog.html#python-3-9-22-final
url: https://osv.dev/vulnerability/PSF-2025-1
url: https://www.cve.org/CVERecord?id=CVE-2025-0938
cert-bund: WID-SEC-2025-0233
dfn-cert: DFN-CERT-2025-3555
dfn-cert: DFN-CERT-2025-3045
dfn-cert: DFN-CERT-2025-1682
dfn-cert: DFN-CERT-2025-1477
dfn-cert: DFN-CERT-2025-1461
dfn-cert: DFN-CERT-2025-0993
dfn-cert: DFN-CERT-2025-0717
dfn-cert: DFN-CERT-2025-0655
dfn-cert: DFN-CERT-2025-0409
dfn-cert: DFN-CERT-2025-0399
dfn-cert: DFN-CERT-2025-0309
```

Low (CVSS: 2.6)
NVT: Python SSRF Vulnerability (Nov 2024) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to a server-side request forgery (SSRF) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.9.21
Installation
path / port:       8000/tcp
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 3.9.21, 3.10.16, 3.11.4 or later.

Affected Software/OS
Python versions prior to 3.9.21, 3.10.x prior to 3.10.16 and 3.11.x prior to 3.11.4.

Vulnerability Insight
The urllib.parse.urlsplit() and urlparse() functions improperly validated bracketed hosts ([]), allowing hosts that weren't IPv6 or IPvFuture. This behavior was not conformant to RFC 3986 and potentially enabled SSRF if a URL is processed by more than one URL parser.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Python SSRF Vulnerability (Nov 2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.170965
Version used: `2024-12-13T15:40:54Z`

Product Detection Result
Product: `cpe:/a:python:python:2.7.13`
Method: `Python Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
`cve: CVE-2024-11168`
`url: https://mail.python.org/archives/list/security-announce@python.org/thread/X`
`↪PWB6XVZ5G5KGEI63M4AWLIEUF5BPH4T/`
`url: https://docs.python.org/release/3.12.0/whatsnew/changelog.html#python-3-12-`
`↪0-beta-1`
`url: https://docs.python.org/release/3.11.4/whatsnew/changelog.html#python-3-11-`
`↪4-final`
`url: https://docs.python.org/release/3.10.16/whatsnew/changelog.html#python-3-10`
`↪-16-final`
`url: https://docs.python.org/release/3.9.21/whatsnew/changelog.html#python-3-9-2`
`↪1-final`
`url: https://github.com/python/cpython/issues/103848`
`url: https://github.com/python/cpython/pull/103849`
`url: https://github.com/python/cpython/commit/29f348e232e82938ba2165843c448c2b29`
`↪1504c5`
`url: https://github.com/python/cpython/commit/b2171a2fd41416cf68afd67460578631d7`
`↪55a550`
`url: https://osv.dev/vulnerability/PSF-2024-13`
`cert-bund: WID-SEC-2025-1439`
`cert-bund: WID-SEC-2024-3463`
`dfn-cert: DFN-CERT-2025-3555`
`dfn-cert: DFN-CERT-2025-3045`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-2235
dfn-cert: DFN-CERT-2025-1148
dfn-cert: DFN-CERT-2025-0655
dfn-cert: DFN-CERT-2025-0399
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2024-3220
dfn-cert: DFN-CERT-2024-3182
dfn-cert: DFN-CERT-2024-3055
```

Low (CVSS: 2.1)
NVT: Python Improper Encoding of Output Vulnerability (Feb 2025) - Linux

Product detection result

```
cpe:/a:python:python:2.7.13
Detected by Python Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.112857)
```

Summary

Python is prone to an improper encoding of output vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.7.13
Fixed version:     3.11.10
Installation
path / port:       8000/tcp
```

Solution:

Solution type: VendorFix

Update to version 3.11.10, 3.12.4 or later.

Affected Software/OS

Python versions prior to 3.11.10 and 3.12.x prior to 3.12.4.

Vulnerability Insight

During an address list folding when a separating comma ends up on a folded line and that line is to be unicode-encoded then the separator itself is also unicode-encoded. Expected behavior is that the separating comma remains a plan comma. This can result in the address header being misinterpreted by some mail servers.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Python Improper Encoding of Output Vulnerability (Feb 2025) - Linux`
OID:1.3.6.1.4.1.25623.1.0.171266

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-10-10T05:39:02Z

Product Detection Result
Product: cpe:/a:python:python:2.7.13
Method: Python Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.112857)

References
cve: CVE-2025-1795
url: https://mail.python.org/archives/list/security-announce@python.org/thread/M
↪B62IZMEC3UM6SGHP5LET5JX2Y7H4ZUR/
url: https://github.com/python/cpython/issues/100884
url: https://github.com/python/cpython/pull/100885
url: https://github.com/python/cpython/pull/119099
url: https://github.com/python/cpython/commit/09fab93c3d857496c0bd162797fab816c3
↪11ee48
url: https://github.com/python/cpython/commit/70754d21c288535e86070ca7a6e90dcb67
↪0b8593
url: https://github.com/python/cpython/commit/9148b77e0af91cdacaa7fe3dfac09635c3
↪fe9a74
url: https://docs.python.org/3.12/whatsnew/changelog.html#python-3-12-4-final
url: https://docs.python.org/3.11/whatsnew/changelog.html#python-3-11-10-final
url: https://osv.dev/vulnerability/PSF-2025-3
url: https://www.cve.org/CVERecord?id=CVE-2025-1795
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1439
cert-bund: WID-SEC-2025-0471
dfn-cert: DFN-CERT-2025-3045
dfn-cert: DFN-CERT-2025-1905
dfn-cert: DFN-CERT-2025-1682
dfn-cert: DFN-CERT-2025-1589
dfn-cert: DFN-CERT-2025-1477
dfn-cert: DFN-CERT-2025-1461
dfn-cert: DFN-CERT-2025-0717
dfn-cert: DFN-CERT-2025-0687

[return to 172.30.40.1]

2.1.5 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact

This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:

Solution type: Mitigation

Various mitigations are possible:

- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight

The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method

Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.

Details: `ICMP Timestamp Reply Information Disclosure`

OID:1.3.6.1.4.1.25623.1.0.103190

Version used: `2025-01-21T05:37:33Z`

References

```
cve: CVE-1999-0524
url: https://datatracker.ietf.org/doc/html/rfc792
url: https://datatracker.ietf.org/doc/html/rfc2780
cert-bund: CB-K15/1514
cert-bund: CB-K14/0632
dfn-cert: DFN-CERT-2014-0658
```

[return to 172.30.40.1]

2.1.6 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 3314348634
Packet 2: 3314349788
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
```
url: https://datatracker.ietf.org/doc/html/rfc1323
url: https://datatracker.ietf.org/doc/html/rfc7323
url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d
↪ownload/details.aspx?id=9152
url: https://www.fortiguard.com/psirt/FG-IR-16-090
```

[return to 172.30.40.1]

2.1.7 Log 8000/tcp

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner                       | Enumeration technique
--------------------------------------------------------------------------------
↪---------------------
Server: BaseHTTP/0.3 Python/2.7.13 | Invalid HTTP 00.5 GET request (non-existent
↪ HTTP version) to '/'
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Log Method
Details: `HTTP Server Banner Enumeration`
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote HTTP Server banner is:
Server: BaseHTTP/0.3 Python/2.7.13
```

Solution:

Log Method
Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Header Name      | Header Value
-------------------------------
X-XSS-Protection | 0
Missing Headers                   | More Information
-----------------------------------------------------------------------------
↪-----------------------------------------------------------------------------
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪-----------------------------------------------
Content-Security-Policy           | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy        | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                   | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Feature-Policy                    | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Referrer-Policy                   | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options            | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options                   | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
```

Solution:

Log Method

Details: `HTTP Security Headers Detection`
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: `2025-03-21T15:40:43Z`

References

`url: https://owasp.org/www-project-secure-headers/`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://owasp.org/www-project-secure-headers/#div-headers
url: https://securityheaders.com/
```

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Hostname/IP "dsvw.trabalho_vulnnet" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.0.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
http://dsvw.trabalho_vulnnet:8000/
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following CGIs were discovered:
Syntax : cginame (arguments [default value])
http://dsvw.trabalho_vulnnet:8000/ (foobar#lang [en%3Cscript%3Ealert(%22arbitrar
↪y%20javascript%22)%3C%2Fscript%3E] path [] object [%28dp0%0AS%27admin%27%0Ap1%
↪0A%28S%27admin%27%0Ap2%0AS%27admin%27%0Ap3%0Atp4%0AsS%27dricci%27%0Ap5%0A%28S%
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪27dian%27%0Ap6%0AS%27ricci%27%0Ap7%0Atp8%0AsS%27amason%27%0Ap9%0A%28S%27anthon
↪y%27%0Ap10%0AS%27mason%27%0Ap11%0Atp12%0AsS%27svargas%27%0Ap13%0A%28S%27sandra
↪%27%0Ap14%0AS%27vargas%27%0Ap15%0Atp16%0As.] size [32] include [] domain [www.
↪google.com] id [2] comment [] charset [utf8] name [dian] xml [%3Croot%3E%3C%2F
↪root%3E] #lang [en] redir [] cmd [ifconfig] v [0.2] )
http://dsvw.trabalho_vulnnet:8000/login (password [] username [] )
http://dsvw.trabalho_vulnnet:8000/users.json (callback [process] )
```

Solution:

Log Method
Details: `Web Application Scanning Consolidation / Info Reporting`
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: `2026-01-13T05:47:36Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration

Summary
Enumerates which HTTP methods are allowed.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The following list contains the URLs and corresponding supported HTTP methods.
URL                                | HTTP Methods
-----------------------------------------------
http://dsvw.trabalho_vulnnet:8000/ | GET
```

Solution:

Vulnerability Insight
- Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE
- Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTIVITY, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL

Log Method
Sends multiple HTTP requests and checks the responses.

. . . continues on next page . . .

. . . continued from previous page . . .

Disclaimer:
- This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods
- This script doesn't guarantee completeness or full reliability
For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host.
Details: `Allowed HTTP Methods Enumeration`
OID:1.3.6.1.4.1.25623.1.0.153974
Version used: `2025-02-28T05:38:49Z`

[return to 172.30.40.1]

2.1.8 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`172.30.40.1|cpe:/a:python:python:2.7.13`
`172.30.40.1|cpe:/o:linux:kernel`

Solution:

Log Method
Details: `CPE Inventory`
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: `2022-07-27T10:11:28Z`

References
`url: https://nvd.nist.gov/products/cpe`

[return to 172.30.40.1]

2.1.9 Log general/tcp

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
```
It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.
```

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: `IP Forwarding Enabled - Active Check`
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: `2021-12-03T08:27:06Z`

References
`cve: CVE-1999-0511`

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Network route from scanner (172.30.0.2) to target (172.30.40.1):
172.30.0.2
172.30.40.1
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method

. . . continues on next page . . .

. . . continued from previous page . . .

A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `2022-10-17T11:13:19Z`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Linux Kernel
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.102002 (Operating System (OS) Detection (ICM
↪P))
Concluded from ICMP based OS fingerprint
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method
Details: `OS Detection Consolidation and Reporting`
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: `2026-01-21T05:50:46Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Hostname determination for IP 172.30.40.1:
Hostname|Source
dsvw.trabalho_vulnnet|Reverse-DNS
```

Solution:

Log Method

Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: Python Detection Consolidation

Summary

Consolidation of Python detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Python
Version:       2.7.13
Location:      8000/tcp
CPE:           cpe:/a:python:python:2.7.13
Concluded from version/product identification result:
Server: BaseHTTP/0.3 Python/2.7.13
```

Solution:

Log Method

Details: `Python Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.112857
Version used: `2021-07-09T08:01:09Z`

References

`url: https://www.python.org/`

[return to 172.30.40.1]