Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was " hgdfdghgdgd". The scan started at Mon Jan 26 01:47:47 2026 UTC and ended at Mon Jan 26 14:04:13 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 172.30.9.3 . . . 2

2.1.1 Critical 3306/tcp . . . 2

2.1.2 Critical 80/tcp . . . 15

2.1.3 High 3306/tcp . . . 109

2.1.4 High 80/tcp . . . 137

2.1.5 Medium 3306/tcp . . . 219

2.1.6 Medium 80/tcp . . . 261

2.1.7 Low 3306/tcp . . . 353

2.1.8 Low general/tcp . . . 355

2.1.9 Low 80/tcp . . . 356

2.1.10 Low general/icmp . . . 359

2.1.11 Log 3306/tcp . . . 360

2.1.12 Log general/tcp . . . 362

2.1.13 Log general/CPE-T . . . 367

2.1.14 Log 80/tcp . . . 367

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.30.9.3 mutillidae.trabalho_vulnnet	62	68	99	6	19	0
Total: 1	62	68	99	6	19	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Debug" are not shown.

This report contains all 254 results selected by the filtering described above. Before filtering there were 5586 results.

2 Results per Host

2.1 172.30.9.3

Host scan start	Mon Jan 26 08:56:52 2026 UTC
Host scan end	Mon Jan 26 10:41:41 2026 UTC

Service (Port)	Threat Level
3306/tcp	Critical
80/tcp	Critical
3306/tcp	High
80/tcp	High
3306/tcp	Medium
80/tcp	Medium
3306/tcp	Low
general/tcp	Low
80/tcp	Low
general/icmp	Low
3306/tcp	Log
general/tcp	Log
general/CPE-T	Log
80/tcp	Log

2.1.1 Critical 3306/tcp

Critical (CVSS: 9.8)
NVT: Oracle Mysql Security Update (cpuoct2018 - 02) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.60-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     See reference
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation will allow remote attackers to have an impact on confidentiality, integrity and availability.

Solution:
Solution type: VendorFix
The vendor has released updates. Please see the references for more information.

Affected Software/OS
Oracle MySQL version 5.5.x through 5.5.61, 5.6.x through 5.6.41, 5.7.x through 5.7.23 and 8.0.x through 8.0.12.

Vulnerability Insight
Multiple flaws exist due to:
- An unspecified error within 'InnoDB (zlib)' component of MySQL Server.
- An unspecified error within 'Server: Parser' component of MySQL Server.
- An unspecified error within 'Client programs' component of MySQL Server.
- An unspecified error within 'Server: Storage Engines' component of MySQL Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle Mysql Security Update (cpuoct2018 - 02) - Linux`
OID:1.3.6.1.4.1.25623.1.0.814259
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2018-3133
cve: CVE-2018-3174
cve: CVE-2018-3282
cve: CVE-2016-9843
cve: CVE-2016-9840
cve: CVE-2016-9841
cve: CVE-2016-9842
url: https://www.oracle.com/security-alerts/cpuoct2018.html#AppendixMSQL
advisory-id: cpuoct2018
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-1365
cert-bund: WID-SEC-2025-0370
cert-bund: WID-SEC-2024-1232
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K20/0714
cert-bund: CB-K18/1005
cert-bund: CB-K18/0799
cert-bund: CB-K18/0030
cert-bund: CB-K17/2199
cert-bund: CB-K17/2168
cert-bund: CB-K17/1745
cert-bund: CB-K17/1709
cert-bund: CB-K17/1622
cert-bund: CB-K17/1585
cert-bund: CB-K17/1062
cert-bund: CB-K17/0877
cert-bund: CB-K17/0784
cert-bund: CB-K16/1996
dfn-cert: DFN-CERT-2026-0129
dfn-cert: DFN-CERT-2025-1437
dfn-cert: DFN-CERT-2025-1423
dfn-cert: DFN-CERT-2024-0998
dfn-cert: DFN-CERT-2020-1536
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1588
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0592
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2019-0463
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2018-2435
dfn-cert: DFN-CERT-2018-2273
dfn-cert: DFN-CERT-2018-2110
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2018-0659
dfn-cert: DFN-CERT-2018-0645
dfn-cert: DFN-CERT-2018-0039
dfn-cert: DFN-CERT-2017-2300
dfn-cert: DFN-CERT-2017-2268
dfn-cert: DFN-CERT-2017-1825
dfn-cert: DFN-CERT-2017-1785
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1655
dfn-cert: DFN-CERT-2017-1097
dfn-cert: DFN-CERT-2017-0904
dfn-cert: DFN-CERT-2017-0806
dfn-cert: DFN-CERT-2016-2109
```

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.34, 8.1.0 Security Update (cpuoct2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.44
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.44, 8.0.35, 8.1.1 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Oracle MySQL Server version 5.7.43 and prior, 8.x through 8.0.34 and 8.1.0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.34, 8.1.0 Security Update (cpuoct2023.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.151217
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2023-38545`
`cve: CVE-2023-22084`
`cve: CVE-2023-38546`
`url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL`
`advisory-id: cpuoct2023`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2024-3377`
`cert-bund: WID-SEC-2024-1226`
`cert-bund: WID-SEC-2024-1086`
`cert-bund: WID-SEC-2024-0893`
`cert-bund: WID-SEC-2024-0290`
`cert-bund: WID-SEC-2024-0178`
`cert-bund: WID-SEC-2024-0175`
`cert-bund: WID-SEC-2024-0123`
`cert-bund: WID-SEC-2024-0119`
`cert-bund: WID-SEC-2024-0110`
`cert-bund: WID-SEC-2023-2788`
`cert-bund: WID-SEC-2023-2690`
`cert-bund: WID-SEC-2023-2570`
`dfn-cert: DFN-CERT-2024-2795`
`dfn-cert: DFN-CERT-2024-2543`
`dfn-cert: DFN-CERT-2024-1601`
`dfn-cert: DFN-CERT-2024-1517`
`dfn-cert: DFN-CERT-2024-1188`
`dfn-cert: DFN-CERT-2024-1090`
`dfn-cert: DFN-CERT-2024-1025`
`dfn-cert: DFN-CERT-2024-0963`
`dfn-cert: DFN-CERT-2024-0869`
`dfn-cert: DFN-CERT-2024-0593`
`dfn-cert: DFN-CERT-2024-0454`
`dfn-cert: DFN-CERT-2024-0376`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0220
dfn-cert: DFN-CERT-2024-0185
dfn-cert: DFN-CERT-2024-0184
dfn-cert: DFN-CERT-2024-0181
dfn-cert: DFN-CERT-2024-0133
dfn-cert: DFN-CERT-2024-0132
dfn-cert: DFN-CERT-2024-0127
dfn-cert: DFN-CERT-2024-0108
dfn-cert: DFN-CERT-2023-3124
dfn-cert: DFN-CERT-2023-3071
dfn-cert: DFN-CERT-2023-3064
dfn-cert: DFN-CERT-2023-2988
dfn-cert: DFN-CERT-2023-2941
dfn-cert: DFN-CERT-2023-2819
dfn-cert: DFN-CERT-2023-2763
dfn-cert: DFN-CERT-2023-2681
dfn-cert: DFN-CERT-2023-2680
dfn-cert: DFN-CERT-2023-2643
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-2475
dfn-cert: DFN-CERT-2023-2458
```

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.35 / 8.0 <= 8.0.26 Security Update (cpuoct2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.36
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.36, 8.0.27 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server version 5.7.35 and prior and 8.0 through 8.0.26.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.35 / 8.0 <= 8.0.26 Security Update (cpuoct2021) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.117740
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2021-3711
cve: CVE-2021-22926
cve: CVE-2021-35604
cve: CVE-2021-35624
cve: CVE-2021-22922
cve: CVE-2021-22923
cve: CVE-2021-22924
cve: CVE-2021-22925
cve: CVE-2021-22945
cve: CVE-2021-22946
cve: CVE-2021-22947
cve: CVE-2021-3712
url: https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixMSQL
advisory-id: cpuoct2021
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-2366
cert-bund: WID-SEC-2025-1459
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0556
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1821
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1030
cert-bund: WID-SEC-2023-0530
cert-bund: WID-SEC-2022-2354
cert-bund: WID-SEC-2022-2000
cert-bund: WID-SEC-2022-1908
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1894
cert-bund: WID-SEC-2022-1515
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1308
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1225
cert-bund: WID-SEC-2022-1056
cert-bund: WID-SEC-2022-0875
cert-bund: WID-SEC-2022-0874
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0673
cert-bund: WID-SEC-2022-0602
cert-bund: WID-SEC-2022-0530
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0400
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0101
cert-bund: WID-SEC-2022-0094
cert-bund: CB-K22/0473
cert-bund: CB-K22/0469
cert-bund: CB-K22/0316
cert-bund: CB-K22/0224
cert-bund: CB-K22/0077
cert-bund: CB-K22/0072
cert-bund: CB-K22/0062
cert-bund: CB-K22/0045
cert-bund: CB-K22/0030
cert-bund: CB-K22/0011
cert-bund: CB-K21/1268
cert-bund: CB-K21/1179
cert-bund: CB-K21/1161
cert-bund: CB-K21/1087
cert-bund: CB-K21/0994
cert-bund: CB-K21/0991
cert-bund: CB-K21/0969
cert-bund: CB-K21/0907
cert-bund: CB-K21/0897
cert-bund: CB-K21/0797
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-0573
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-0469
dfn-cert: DFN-CERT-2022-2825
dfn-cert: DFN-CERT-2022-2376
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2350
dfn-cert: DFN-CERT-2022-2086
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1469
dfn-cert: DFN-CERT-2022-1386
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-1143
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0922
dfn-cert: DFN-CERT-2022-0867
dfn-cert: DFN-CERT-2022-0835
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0586
dfn-cert: DFN-CERT-2022-0437
dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0122
dfn-cert: DFN-CERT-2022-0120
dfn-cert: DFN-CERT-2022-0118
dfn-cert: DFN-CERT-2022-0112
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0052
dfn-cert: DFN-CERT-2022-0031
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2502
dfn-cert: DFN-CERT-2021-2481
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2434
dfn-cert: DFN-CERT-2021-2403
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2369
dfn-cert: DFN-CERT-2021-2329
dfn-cert: DFN-CERT-2021-2223
dfn-cert: DFN-CERT-2021-2216
dfn-cert: DFN-CERT-2021-2214
dfn-cert: DFN-CERT-2021-2189
dfn-cert: DFN-CERT-2021-2188
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2167
dfn-cert: DFN-CERT-2021-1996
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-1931
dfn-cert: DFN-CERT-2021-1917
dfn-cert: DFN-CERT-2021-1915
dfn-cert: DFN-CERT-2021-1871
dfn-cert: DFN-CERT-2021-1803
dfn-cert: DFN-CERT-2021-1799
dfn-cert: DFN-CERT-2021-1743
dfn-cert: DFN-CERT-2021-1593
dfn-cert: DFN-CERT-2021-1580
dfn-cert: DFN-CERT-2021-1568
```

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpujan2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a vulnerability in libcurl.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.41
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.41, 8.0.32 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.40 and prior and 8.0 through 8.0.31.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpujan2023) - Lin.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.149169

Version used: `2025-09-09T05:38:49Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-32221
cve: CVE-2022-35260
cve: CVE-2022-42915
cve: CVE-2022-42916
url: https://www.oracle.com/security-alerts/cpujan2023.html#AppendixMSQL
advisory-id: cpujan2023
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1728
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1026
cert-bund: WID-SEC-2023-0296
cert-bund: WID-SEC-2023-0189
cert-bund: WID-SEC-2023-0137
cert-bund: WID-SEC-2023-0126
cert-bund: WID-SEC-2022-2372
cert-bund: WID-SEC-2022-1862
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2023-1636
dfn-cert: DFN-CERT-2023-1230
dfn-cert: DFN-CERT-2023-0898
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0372
dfn-cert: DFN-CERT-2023-0278
dfn-cert: DFN-CERT-2023-0216
dfn-cert: DFN-CERT-2023-0214
dfn-cert: DFN-CERT-2023-0157
dfn-cert: DFN-CERT-2023-0156
dfn-cert: DFN-CERT-2023-0105
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2401
dfn-cert: DFN-CERT-2022-2400
dfn-cert: DFN-CERT-2022-2393
dfn-cert: DFN-CERT-2022-2391

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.31 Security Update (cpuapr2023) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.60-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to a vulnerability in InnoDB (zlib).

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.60
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.32 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.31.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.31 Security Update (cpuapr2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.149535
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-37434
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-1653
cert-bund: WID-SEC-2024-1591
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0122
cert-bund: WID-SEC-2024-0120
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1812
cert-bund: WID-SEC-2023-1791
cert-bund: WID-SEC-2023-1790
cert-bund: WID-SEC-2023-1783
cert-bund: WID-SEC-2023-1728
cert-bund: WID-SEC-2023-1542
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1033
cert-bund: WID-SEC-2023-1031
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2023-0140
cert-bund: WID-SEC-2023-0137
cert-bund: WID-SEC-2023-0132
cert-bund: WID-SEC-2023-0126
cert-bund: WID-SEC-2023-0125
cert-bund: WID-SEC-2022-1888
cert-bund: WID-SEC-2022-1438
cert-bund: WID-SEC-2022-0929
dfn-cert: DFN-CERT-2024-0998
dfn-cert: DFN-CERT-2024-0790
dfn-cert: DFN-CERT-2024-0125
dfn-cert: DFN-CERT-2023-3028
dfn-cert: DFN-CERT-2023-2816
dfn-cert: DFN-CERT-2023-2799
dfn-cert: DFN-CERT-2023-1643
dfn-cert: DFN-CERT-2023-0885
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2023-0553
dfn-cert: DFN-CERT-2023-0122
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2023-0105
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2421
dfn-cert: DFN-CERT-2022-2415
dfn-cert: DFN-CERT-2022-2366
dfn-cert: DFN-CERT-2022-2365
dfn-cert: DFN-CERT-2022-2364
dfn-cert: DFN-CERT-2022-2363
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-1841
dfn-cert: DFN-CERT-2022-1710
```

[return to 172.30.9.3]

2.1.2 Critical 80/tcp

Critical (CVSS: 10.0)
NVT: PHP End of Life (EOL) Detection - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
The PHP version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "PHP" version on the remote host has reached the end of life.
CPE:                cpe:/a:php:php:5.5.9
Installed version: 5.5.9
EOL version:        5.5
EOL date:           2016-07-21
```

Impact
An EOL version of PHP is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update the PHP version on the remote host to a still supported version.

Vulnerability Insight
Each release branch of PHP is fully supported for two years from its initial stable release. During this period, bugs and security issues that have been reported are fixed and are released in regular point releases.
After this two year period of active support, each branch is then supported for an additional year for critical security issues only. Releases during this period are made on an as-needed basis: there may be multiple point releases, or none, depending on the number of reports.
Once the three years of support are completed, the branch reaches its end of life and is no longer supported.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `PHP End of Life (EOL) Detection - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.105889
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
url: https://secure.php.net/supported-versions.php
url: https://secure.php.net/eol.php

Critical (CVSS: 10.0)
NVT: phpMyAdmin End of Life (EOL) Detection - Linux

Summary
The phpMyAdmin version on the remote host has reached the End of Life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "phpMyAdmin" version on the remote host has reached the end of life.
CPE:                cpe:/a:phpmyadmin:phpmyadmin:3.5.2.2
Installed version:  3.5.2.2
Location/URL:       /phpmyadmin
EOL version:        3.5
EOL date:           unknown
```

Impact
An EOL version of phpMyAdmin is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update the phpMyAdmin version on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: phpMyAdmin End of Life (EOL) Detection - Linux
OID:1.3.6.1.4.1.25623.1.0.113015
Version used: 2025-04-15T05:54:49Z

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.phpmyadmin.net/downloads/
url: https://www.phpmyadmin.net/news/2011/7/12/phpmyadmin-211-end-of-life/
url: https://www.phpmyadmin.net/news/2017/1/23/phpmyadmin-466-441510-and-401019-
↪are-released/
```

Critical (CVSS: 9.9)
NVT: jQuery End of Life (EOL) Detection - Linux

Summary
The jQuery version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "jQuery" version on the remote host has reached the end of life.
CPE:                cpe:/a:jquery:jquery:1.6.2
Installed version:  1.6.2
Location/URL:       /phpmyadmin/js/jquery/jquery-1.6.2.js
EOL version:        1
EOL date:           unknown
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquer
↪y-1.6.2.js
- Referenced at:   http://mutillidae.trabalho_vulnnet/phpmyadmin/
```

Impact
An EOL version of jQuery is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update jQuery on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `jQuery End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.117149
Version used: `2025-04-15T05:54:49Z`

References
`url: https://github.com/jquery/jquery.com/pull/163`

Critical (CVSS: 9.8)
NVT: PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.1.29
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.29, 8.2.20, 8.3.8 or later.

Affected Software/OS
PHP prior to version 8.1.29, version 8.2.x through 8.2.19 and 8.3.x through 8.3.7.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2024-4577: Argument injection in PHP-CGI (bypass of CVE-2012-1823)
- CVE-2024-5458: Filter bypass in filter_var FILTER_VALIDATE_URL
- CVE-2024-5585: Bypass of CVE-2024-1874
Note: As of 06/2024 the CVEs CVE-2024-4577 and CVE-2024-5585 are known to be exploitable on Windows systems only.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.152369
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2024-4577
cve: CVE-2024-5458
cve: CVE-2024-5585
url: https://www.php.net/ChangeLog-8.php#8.1.29
url: https://www.php.net/ChangeLog-8.php#8.2.20
url: https://www.php.net/ChangeLog-8.php#8.3.8
url: https://github.com/php/php-src/security/advisories/GHSA-3qgc-jrrr-25jv
url: https://github.com/php/php-src/security/advisories/GHSA-9fcc-425m-g385
url: https://github.com/php/php-src/security/advisories/GHSA-w8qr-v226-r27w
url: https://devco.re/blog/2024/06/06/security-alert-cve-2024-4577-php-cgi-argum
↪ent-injection-vulnerability-en/
url: https://blog.orange.tw/2024/06/cve-2024-4577-yet-another-php-rce.html
url: https://labs.watchtowr.com/no-way-php-strikes-again-cve-2024-4577/
url: https://github.com/watchtowrlabs/CVE-2024-4577
url: https://blog.talosintelligence.com/new-persistent-attacks-japan/
url: https://www.bitdefender.com/en-us/blog/businessinsights/technical-advisory-
↪update-mass-exploitation-cve-2024-4577
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1320
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-3329
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1586
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1563
dfn-cert: DFN-CERT-2024-1476
```

Critical (CVSS: 9.8)
NVT: PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.5.9
Fixed version:     8.1.31
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.31, 8.2.26, 8.3.14 or later.

Affected Software/OS
PHP versions prior to 8.1.31, 8.2.x prior to 8.2.26 and 8.3.x prior to 8.3.14.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2024-8929: Leak partial content of the heap through heap buffer over-read
- CVE-2024-8932: OOB access in ldap_escape
- CVE-2024-11233: Single byte overread with convert.quoted-printable-decode filter
- CVE-2024-11234: Configuring a proxy in a stream context might allow for CRLF injection in URIs
- CVE-2024-11236: Integer overflow in the firebird/dblib quoter causing OOB writes
- No CVE: Heap-Use-After-Free in sapi_read_post_data Processing in CLI SAPI Interface

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.153495
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2024-8929
cve: CVE-2024-8932
cve: CVE-2024-11233
cve: CVE-2024-11234
cve: CVE-2024-11236
url: https://www.php.net/ChangeLog-8.php#8.1.31
url: https://www.php.net/ChangeLog-8.php#8.2.26
url: https://www.php.net/ChangeLog-8.php#8.3.14
url: https://github.com/php/php-src/security/advisories/GHSA-h35g-vwh6-m678
url: https://github.com/php/php-src/security/advisories/GHSA-g665-fm4p-vhff
url: https://github.com/php/php-src/security/advisories/GHSA-r977-prxv-hc43
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://github.com/php/php-src/security/advisories/GHSA-c5f2-jwm7-mmq2
url: https://github.com/php/php-src/security/advisories/GHSA-5hqh-c84r-qjcv
url: https://github.com/php/php-src/security/advisories/GHSA-4w77-75f9-2c8w
url: https://thephp.foundation/blog/2025/04/10/php-core-security-audit-results/
url: https://ostif.org/php-audit-complete/
url: https://blog.quarkslab.com/security-audit-of-php-src.html
url: https://www.openwall.com/lists/oss-security/2025/04/12/2
cert-bund: WID-SEC-2024-3519
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2025-1082
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2024-3200
dfn-cert: DFN-CERT-2024-3172
dfn-cert: DFN-CERT-2024-3108
```

Critical (CVSS: 9.8)
NVT: PHP < 8.1.32, 8.2.x < 8.2.28 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.1.32
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.32, 8.2.28 or later.

Affected Software/OS

PHP versions prior to 8.1.32, and 8.2.x prior to 8.2.28.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2025-1217: Header parser of 'http' stream wrapper does not handle folded headers

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2025-1219: libxml streams use wrong 'content-type' header when requesting a redirected resource
- CVE-2025-1734: Streams HTTP wrapper does not fail for headers without colon
- CVE-2025-1736: Stream HTTP wrapper header check might omit basic auth header
- CVE-2025-1861: Stream HTTP wrapper truncate redirect location to 1024 bytes

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.32, 8.2.x < 8.2.28 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.154187
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2025-1217
cve: CVE-2025-1219
cve: CVE-2025-1734
cve: CVE-2025-1736
cve: CVE-2025-1861
url: https://www.php.net/ChangeLog-8.php#8.1.32
url: https://www.php.net/ChangeLog-8.php#8.2.28
url: https://github.com/php/php-src/security/advisories/GHSA-v8xr-gpvj-cx9g
url: https://github.com/php/php-src/security/advisories/GHSA-p3x9-6h7p-cgfc
url: https://github.com/php/php-src/security/advisories/GHSA-pcmh-g36c-qc44
url: https://github.com/php/php-src/security/advisories/GHSA-hgf5-96fm-v528
url: https://github.com/php/php-src/security/advisories/GHSA-52jp-hrpf-2jff
cert-bund: WID-SEC-2025-0566
dfn-cert: DFN-CERT-2025-1939
dfn-cert: DFN-CERT-2025-1082
dfn-cert: DFN-CERT-2025-0665
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.37, 5.6.x < 5.6.23, 7.x < 7.0.8 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result
```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.37
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code.

Solution:

Solution type: VendorFix

Update to PHP version 5.5.37, 5.6.23, 7.0.8 or later.

Affected Software/OS

PHP prior to version 5.5.37, 5.6.x prior to 5.6.23 and 7.x prior to 7.0.8 on Linux.

Vulnerability Insight

The following flaws exist:

- The 'php_zip.c' script in the zip extension improperly interacts with the unserialize implementation and garbage collection.

- The php_wddx_process_data function in 'wddx.c' script in the WDDX extension mishandled data in a wddx_deserialize call.

- The multiple integer overflows in 'mcrypt.c' script in the mcrypt extension.

- The double free vulnerability in the '_php_mb_regex_ereg_replace_exec' function in 'php_mbregex.c' script in the mbstring extension.

- An integer overflow in the '_gd2GetHeader' function in 'gd_gd2.c' script in the GD Graphics Library.

- An integer overflow in the 'gdImageCreate' function in 'gd.c' script in the GD Graphics Library.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.5.37, 5.6.x < 5.6.23, 7.x < 7.0.8 Multiple Vulnerabilities (Aug 2016) -. ↪..`

OID:1.3.6.1.4.1.25623.1.0.808788

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2016-5766
cve: CVE-2016-5767
cve: CVE-2016-5768
cve: CVE-2016-5769
cve: CVE-2016-5772
cve: CVE-2016-5773
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/91397
url: http://www.securityfocus.com/bid/91398
url: http://www.securityfocus.com/bid/91399
url: http://www.securityfocus.com/bid/91396
url: http://www.securityfocus.com/bid/91395
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K17/1575
cert-bund: CB-K17/1461
cert-bund: CB-K17/1252
cert-bund: CB-K16/1868
cert-bund: CB-K16/1776
cert-bund: CB-K16/1722
cert-bund: CB-K16/1629
cert-bund: CB-K16/1600
cert-bund: CB-K16/1452
cert-bund: CB-K16/1257
cert-bund: CB-K16/1230
cert-bund: CB-K16/1179
cert-bund: CB-K16/1115
cert-bund: CB-K16/1106
cert-bund: CB-K16/1077
cert-bund: CB-K16/1070
cert-bund: CB-K16/1045
cert-bund: CB-K16/1030
cert-bund: CB-K16/0975
cert-bund: CB-K16/0966
cert-bund: CB-K16/0965
dfn-cert: DFN-CERT-2021-0715
dfn-cert: DFN-CERT-2020-2741
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2016-1974
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1822
dfn-cert: DFN-CERT-2016-1729
dfn-cert: DFN-CERT-2016-1697
dfn-cert: DFN-CERT-2016-1541
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1335
dfn-cert: DFN-CERT-2016-1295
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1144
dfn-cert: DFN-CERT-2016-1139
dfn-cert: DFN-CERT-2016-1110
dfn-cert: DFN-CERT-2016-1097
dfn-cert: DFN-CERT-2016-1033
dfn-cert: DFN-CERT-2016-1022
dfn-cert: DFN-CERT-2016-1021
```

Critical (CVSS: 9.8)
NVT: PHP < 7.4.33, 8.0.x < 8.0.25, 8.1.x < 8.1.12 Security Update - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.4.33
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.4.33, 8.0.25, 8.1.12 or later.

Affected Software/OS

PHP prior to version 7.4.33, version 8.0.x through 8.0.24 and 8.1.x through 8.1.11.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2022-31630: OOB read due to insufficient input validation in imageloadfont()
- CVE-2022-37454: Buffer overflow in hash_update() on long parameter

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: PHP < 7.4.33, 8.0.x < 8.0.25, 8.1.x < 8.1.12 Security Update - Linux
OID:1.3.6.1.4.1.25623.1.0.148830
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2022-31630
cve: CVE-2022-37454
url: https://www.php.net/ChangeLog-7.php#7.4.33
url: https://www.php.net/ChangeLog-8.php#8.0.25
url: https://www.php.net/ChangeLog-8.php#8.1.12
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0138
cert-bund: WID-SEC-2022-1934
cert-bund: WID-SEC-2022-1816
dfn-cert: DFN-CERT-2026-0215
dfn-cert: DFN-CERT-2023-0552
dfn-cert: DFN-CERT-2023-0422
dfn-cert: DFN-CERT-2023-0028
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2793
dfn-cert: DFN-CERT-2022-2715
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2535
dfn-cert: DFN-CERT-2022-2523
dfn-cert: DFN-CERT-2022-2420
dfn-cert: DFN-CERT-2022-2380

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.60
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.60 or later.

Affected Software/OS
Apache HTTP Server version 2.4.59 and prior.

Vulnerability Insight
The following flaws exist:
- CVE-2024-36387: Denial of Service (DoS) by Null pointer in websocket over HTTP/2
- CVE-2024-38473: Proxy encoding problem
- CVE-2024-38474: Weakness with encoded question marks in backreferences
- CVE-2024-38475: Weakness in mod_rewrite when first segment of substitution matches filesystem path
- CVE-2024-38476: May use exploitable/malicious backend application output to run local handlers via internal redirect
- CVE-2024-38477: Crash resulting in DoS in mod_proxy via a malicious request
- CVE-2024-39573: mod_rewrite proxy handler substitution

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114682
Version used: `2025-08-07T05:44:51Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2024-36387`
`cve: CVE-2024-38473`
`cve: CVE-2024-38474`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2024-38475
cve: CVE-2024-38476
cve: CVE-2024-38477
cve: CVE-2024-39573
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.60
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2024-3291
cert-bund: WID-SEC-2024-3199
cert-bund: WID-SEC-2024-1913
cert-bund: WID-SEC-2024-1504
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1808
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2024-2841
dfn-cert: DFN-CERT-2024-2787
dfn-cert: DFN-CERT-2024-2736
dfn-cert: DFN-CERT-2024-2342
dfn-cert: DFN-CERT-2024-2214
dfn-cert: DFN-CERT-2024-2201
dfn-cert: DFN-CERT-2024-2180
dfn-cert: DFN-CERT-2024-2110
dfn-cert: DFN-CERT-2024-2017
dfn-cert: DFN-CERT-2024-1963
dfn-cert: DFN-CERT-2024-1920
dfn-cert: DFN-CERT-2024-1919
dfn-cert: DFN-CERT-2024-1911
dfn-cert: DFN-CERT-2024-1907
dfn-cert: DFN-CERT-2024-1893
dfn-cert: DFN-CERT-2024-1816
dfn-cert: DFN-CERT-2024-1811
dfn-cert: DFN-CERT-2024-1784
dfn-cert: DFN-CERT-2024-1741
dfn-cert: DFN-CERT-2024-1699
```

Critical (CVSS: 9.8)
NVT: PHP < 8.0.30, 8.1.x < 8.1.22, 8.2.x < 8.2.9 Security Update - Linux

Product detection result

cpe:/a:php:php:5.5.9

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.0.30
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.30, 8.1.22, 8.2.9 or later.

Affected Software/OS
PHP prior to version 8.0.30, 8.1.x prior to 8.1.22 and 8.2.x prior to 8.2.9.

Vulnerability Insight
The following flaws exist:
- CVE-2023-3823: Fixed bug GHSA-3qrf-m4j2-pcrr (Security issue with external entity loading in XML without enabling it)
- CVE-2023-3824: Fixed bug GHSA-jqcx-ccgc-xwhv (Buffer mismanagement in phar_dir_read())

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 8.0.30, 8.1.x < 8.1.22, 8.2.x < 8.2.9 Security Update - Linux
OID:1.3.6.1.4.1.25623.1.0.170529
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2023-3823
cve: CVE-2023-3824
url: https://www.php.net/ChangeLog-8.php#8.1.22
url: https://www.php.net/ChangeLog-8.php#8.0.30
url: https://www.php.net/ChangeLog-8.php#8.2.9

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://github.com/php/php-src/security/advisories/GHSA-3qrf-m4j2-pcrr
url: https://github.com/php/php-src/security/advisories/GHSA-jqcx-ccgc-xwhv
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2679
cert-bund: WID-SEC-2023-1970
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-2681
dfn-cert: DFN-CERT-2024-0993
dfn-cert: DFN-CERT-2023-2570
dfn-cert: DFN-CERT-2023-2542
dfn-cert: DFN-CERT-2023-1775
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.52
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.52 or later.

Affected Software/OS

Apache HTTP Server versions through 2.4.51.

Vulnerability Insight

A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.117856
Version used: 2021-12-23T12:12:57Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2021-44790
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0727
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0619
cert-bund: CB-K21/1296
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0192
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2022-0068
dfn-cert: DFN-CERT-2021-2656

Critical (CVSS: 9.8)
NVT: PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.28
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service (NULL pointer dereference and application crash) or trigger unintended method execution to defeat cryptographic protection mechanisms.

Solution:

Solution type: VendorFix

Update to version 5.4.44, 5.5.28, 5.6.12 or later.

Affected Software/OS

PHP prior to version 5.4.44, 5.5.x prior to 5.5.28 and 5.6.x prior to 5.6.12 on Linux.

Vulnerability Insight

Multiple flaws exist due to:

- An improper validation of certain Exception objects in 'Zend/zend_exceptions.c' script.

- The 'openssl_random_pseudo_bytes' function in 'ext/openssl/openssl.c' incorrectly relies on the deprecated 'RAND_pseudo_bytes' function.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Jul 2016. ↪..`

OID:1.3.6.1.4.1.25623.1.0.808604

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-8835
cve: CVE-2015-8867
cve: CVE-2015-8873
cve: CVE-2015-8876
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/87481
url: http://www.securityfocus.com/bid/90867
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/84426
url: http://www.securityfocus.com/bid/90712
cert-bund: CB-K17/0318
cert-bund: CB-K16/1776
cert-bund: CB-K16/1190
cert-bund: CB-K16/1179
cert-bund: CB-K16/0944
cert-bund: CB-K16/0937
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
cert-bund: CB-K16/0868
cert-bund: CB-K16/0705
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1265
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0996
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0764
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.43, 5.5.x < 5.5.27, 5.6.x < 5.6.11 Multiple Vulnerabilities (Mar 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.27
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successfully exploiting these issues allow remote attackers to execute arbitrary code in the context of the PHP process. Failed exploit attempts will likely crash the webserver.

Solution:
Solution type: VendorFix
Update to version 5.4.43, 5.5.27, 5.6.11 or later.

Affected Software/OS
PHP prior to version 5.4.43, 5.5.x prior to 5.5.27 and 5.6.x prior to 5.6.11 on Linux.

Vulnerability Insight
The following flaws exist:
- Inadequate boundary checks on user-supplied input by 'phar_fix_filepath' function in 'ext/phar/phar.c' script.
- Improper validation of file pointer in the 'phar_convert_to_other' function in 'ext/phar/phar_object.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.43, 5.5.x < 5.5.27, 5.6.x < 5.6.11 Multiple Vulnerabilities (Mar 2016. ↪..`
OID:1.3.6.1.4.1.25623.1.0.807507
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-5589`
`cve: CVE-2015-5590`
`cve: CVE-2015-8838`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/75970`
`url: http://www.securityfocus.com/bid/88763`
`url: http://www.securityfocus.com/bid/75974`
`url: https://bugs.php.net/bug.php?id=69923`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0623`
`cert-bund: CB-K16/0614`
`cert-bund: CB-K16/0422`
`cert-bund: CB-K15/1439`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/1261
cert-bund: CB-K15/1147
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1335
dfn-cert: DFN-CERT-2015-1203
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.42, 5.5.x < 5.5.26, 5.6.x < 5.6.10 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.26
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service, to read or write to arbitrary files, also execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow.

Solution:

Solution type: VendorFix

Update to version 5.4.42, 5.5.26, 5.6.10 or later.

Affected Software/OS

PHP prior to version 5.4.42, 5.5.x prior to 5.5.26 and 5.6.x prior to 5.6.10 on Linux.

Vulnerability Insight

The following flaws exist:

. . . continues on next page . . .

. . . continued from previous page . . .

- Improper validation of token extraction for table names, in the php_pgsql_meta_data function in pgsql.c in the PostgreSQL extension.
- Integer overflow in the ftp_genlist function in ext/ftp/ftp.c
- PHP does not ensure that pathnames lack %00 sequences.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.42, 5.5.x < 5.5.26, 5.6.x < 5.6.10 Multiple Vulnerabilities (Aug 2016. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808675
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-4598`
`cve: CVE-2015-4643`
`cve: CVE-2015-4644`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/75291`
`url: http://www.securityfocus.com/bid/75292`
`url: http://www.securityfocus.com/bid/75244`
`url: http://www.securityfocus.com/bid/75290`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K15/1261`
`cert-bund: CB-K15/1158`
`cert-bund: CB-K15/1031`
`cert-bund: CB-K15/0973`
`cert-bund: CB-K15/0966`
`cert-bund: CB-K15/0942`
`cert-bund: CB-K15/0936`
`cert-bund: CB-K15/0880`
`cert-bund: CB-K15/0854`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2015-1335`
`dfn-cert: DFN-CERT-2015-1217`
`dfn-cert: DFN-CERT-2015-1083`
`dfn-cert: DFN-CERT-2015-1021`
`dfn-cert: DFN-CERT-2015-1017`
`dfn-cert: DFN-CERT-2015-0989`
`dfn-cert: DFN-CERT-2015-0983`
`dfn-cert: DFN-CERT-2015-0926`
`dfn-cert: DFN-CERT-2015-0900`

Critical (CVSS: 9.8)
NVT: PHP < 5.6.31, 7.0.x < 7.0.21, 7.1.x < 7.1.7 Multiple Vulnerabilities (Jul 2017) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.31
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to leak information from the interpreter, crash PHP interpreter and also disclose sensitive information.

Solution:
Solution type: VendorFix
Update to version 5.6.31, 7.0.21, 7.1.7 or later.

Affected Software/OS
PHP prior to version 5.6.31, 7.0.x prior to 7.0.21 and 7.1.x prior to 7.1.7.

Vulnerability Insight
The following vulnerabilities exist:
- An ext/date/lib/parse_date.c out-of-bounds read affecting the php_parse_date function.
- The openssl extension PEM sealing code did not check the return value of the OpenSSL sealing function.
- lack of bounds checks in the date extension's timelib_meridian parsing code.
- A stack-based buffer overflow in the zend_ini_do_op() function in the 'Zend/zend_ini_parser.c' script.
- The GIF decoding function gdImageCreateFromGifCtx in gd_gif_in.c in the GD Graphics Library (aka libgd) does not zero colorMap arrays before use.
- Heap buffer overread (READ: 1) finish_nested_data from unserialize
- oniguruma upstream fix

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.31, 7.0.x < 7.0.21, 7.1.x < 7.1.7 Multiple Vulnerabilities (Jul 2017).`
`↪..`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.811482
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2017-7890
cve: CVE-2017-9224
cve: CVE-2017-9225
cve: CVE-2017-9226
cve: CVE-2017-9227
cve: CVE-2017-9228
cve: CVE-2017-9229
cve: CVE-2017-11144
cve: CVE-2017-11145
cve: CVE-2017-11628
cve: CVE-2017-12933
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/99492
url: http://www.securityfocus.com/bid/99550
url: http://www.securityfocus.com/bid/99605
url: http://www.securityfocus.com/bid/99612
url: http://www.securityfocus.com/bid/99489
url: http://www.php.net/ChangeLog-7.php
cert-bund: WID-SEC-2023-2719
cert-bund: WID-SEC-2023-2718
cert-bund: CB-K18/0270
cert-bund: CB-K18/0048
cert-bund: CB-K17/2123
cert-bund: CB-K17/1575
cert-bund: CB-K17/1573
cert-bund: CB-K17/1562
cert-bund: CB-K17/1468
cert-bund: CB-K17/1461
cert-bund: CB-K17/1373
cert-bund: CB-K17/1358
cert-bund: CB-K17/1132
cert-bund: CB-K17/1011
cert-bund: CB-K17/0908
dfn-cert: DFN-CERT-2020-1221
dfn-cert: DFN-CERT-2020-0484
dfn-cert: DFN-CERT-2020-0479
dfn-cert: DFN-CERT-2019-1052

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2018-2116
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0290
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-2219
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1644
dfn-cert: DFN-CERT-2017-1629
dfn-cert: DFN-CERT-2017-1530
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1432
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1161
dfn-cert: DFN-CERT-2017-1046
dfn-cert: DFN-CERT-2017-0932
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.24
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service, to obtain sensitive information from process memory and to execute arbitrary code via crafted dimensions.

Solution:

Solution type: VendorFix

Update to version 5.4.40, 5.5.24, 5.6.8 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

PHP prior to version 5.4.40, 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.

Vulnerability Insight
The following flaws exist:
- Multiple stack-based buffer overflows in the 'phar_set_inode' function in phar_internal.h script in PHP.
- Vulnerabilities in 'phar_parse_metadata' and 'phar_parse_pharfile' functions in ext/phar/phar.c script in PHP.
- A NULL pointer dereference flaw in the 'build_tablename' function in 'ext/pgsql/pgsql.c' script that is triggered when handling NULL return values for 'token'

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.805657
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2015-1352
cve: CVE-2015-2783
cve: CVE-2015-3307
cve: CVE-2015-3329
cve: CVE-2015-3411
cve: CVE-2015-3412
cve: CVE-2015-4599
cve: CVE-2015-4600
cve: CVE-2015-4602
cve: CVE-2015-4603
cve: CVE-2015-4604
cve: CVE-2015-4605
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/74240
url: http://www.securityfocus.com/bid/74239
url: http://www.securityfocus.com/bid/74703
url: http://www.securityfocus.com/bid/75251
url: http://www.securityfocus.com/bid/75252
url: http://www.securityfocus.com/bid/74413
url: http://www.securityfocus.com/bid/75249
url: http://www.securityfocus.com/bid/75241
url: http://www.securityfocus.com/bid/75233
url: http://www.securityfocus.com/bid/75255
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/75250
url: https://bugs.php.net/bug.php?id=69085
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: CB-K16/0944
cert-bund: CB-K15/1437
cert-bund: CB-K15/1188
cert-bund: CB-K15/1158
cert-bund: CB-K15/1129
cert-bund: CB-K15/1031
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0936
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0763
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0648
cert-bund: CB-K15/0561
cert-bund: CB-K15/0552
cert-bund: CB-K15/0207
dfn-cert: DFN-CERT-2023-0071
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1217
dfn-cert: DFN-CERT-2015-1188
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0983
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0803
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0677
dfn-cert: DFN-CERT-2015-0583
dfn-cert: DFN-CERT-2015-0579
dfn-cert: DFN-CERT-2015-0212
```

Critical (CVSS: 9.8)
NVT: PHP < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14 Multiple Vulnerabilities (Jun/Aug 2014) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.5.14
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.3.29, 5.4.30, 5.5.14 or later.

Affected Software/OS
PHP versions 5.3.x prior to 5.3.29, 5.4.x prior to 5.4.30 and 5.5.x prior to 5.5.14.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2014-3981: Insecure temporary file use in the configure script
- CVE-2014-4721: phpinfo() Type Confusion Information Leak Vulnerability
- CVE-2014-0207: cdf_read_short_sector insufficient boundary check
- CVE-2014-3478: mconvert incorrect handling of truncated pascal string size
- CVE-2014-3479: cdf_check_stream_offset insufficient boundary check
- CVE-2014-3480: cdf_count_chain insufficient boundary check
- CVE-2014-3487: cdf_read_property_info insufficient boundary check
- CVE-2014-4049: Fix potential segfault in dns_get_record()
- CVE-2014-3515: unserialize() SPL ArrayObject / SPLObjectStorage Type Confusion
- CVE-2014-9912: Buffer overflow in locale_get_display_name and uloc_getDisplayName (libicu 4.8.1)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14 Multiple Vulnerabilities (Jun/Aug . ↪..`
OID:1.3.6.1.4.1.25623.1.0.809736
Version used: `2025-09-24T05:39:03Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2014-0207
cve: CVE-2014-3478
cve: CVE-2014-3479
cve: CVE-2014-3480
cve: CVE-2014-3487
cve: CVE-2014-3515
cve: CVE-2014-3981
cve: CVE-2014-4049
cve: CVE-2014-4721
cve: CVE-2014-9912
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/67837
url: http://www.securityfocus.com/bid/68423
url: http://www.securityfocus.com/bid/68239
url: http://www.securityfocus.com/bid/68237
url: http://www.securityfocus.com/bid/68243
url: http://www.securityfocus.com/bid/68120
url: http://www.securityfocus.com/bid/68241
url: http://www.securityfocus.com/bid/68238
url: https://bugs.php.net/bug.php?id=67390
url: https://bugs.php.net/bug.php?id=67498
url: https://bugs.php.net/bug.php?id=67326
url: https://bugs.php.net/bug.php?id=67410
url: https://bugs.php.net/bug.php?id=67411
url: https://bugs.php.net/bug.php?id=67412
url: https://bugs.php.net/bug.php?id=67413
url: https://bugs.php.net/bug.php?id=67432
url: https://bugs.php.net/bug.php?id=67492
url: https://bugs.php.net/bug.php?id=67397
url: http://seclists.org/fulldisclosure/2014/Jun/21
url: https://www.sektioneins.de/en/blog/14-07-04-phpinfo-infoleak.html
url: http://secunia.com/advisories/59575
cert-bund: CB-K17/0269
cert-bund: CB-K17/0053
cert-bund: CB-K16/0944
cert-bund: CB-K15/1704
cert-bund: CB-K15/1405
cert-bund: CB-K15/0774
cert-bund: CB-K15/0493

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K14/1359
cert-bund: CB-K14/1267
cert-bund: CB-K14/1214
cert-bund: CB-K14/1174
cert-bund: CB-K14/1167
cert-bund: CB-K14/1130
cert-bund: CB-K14/1110
cert-bund: CB-K14/0973
cert-bund: CB-K14/0972
cert-bund: CB-K14/0938
cert-bund: CB-K14/0866
cert-bund: CB-K14/0849
cert-bund: CB-K14/0842
cert-bund: CB-K14/0834
cert-bund: CB-K14/0830
cert-bund: CB-K14/0829
cert-bund: CB-K14/0818
cert-bund: CB-K14/0805
cert-bund: CB-K14/0776
cert-bund: CB-K14/0750
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0058
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2015-1487
dfn-cert: DFN-CERT-2015-0815
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1333
dfn-cert: DFN-CERT-2014-1280
dfn-cert: DFN-CERT-2014-1219
dfn-cert: DFN-CERT-2014-1181
dfn-cert: DFN-CERT-2014-1166
dfn-cert: DFN-CERT-2014-1014
dfn-cert: DFN-CERT-2014-1013
dfn-cert: DFN-CERT-2014-0982
dfn-cert: DFN-CERT-2014-0908
dfn-cert: DFN-CERT-2014-0887
dfn-cert: DFN-CERT-2014-0880
dfn-cert: DFN-CERT-2014-0870
dfn-cert: DFN-CERT-2014-0868
dfn-cert: DFN-CERT-2014-0867
dfn-cert: DFN-CERT-2014-0857
dfn-cert: DFN-CERT-2014-0839
dfn-cert: DFN-CERT-2014-0816
dfn-cert: DFN-CERT-2014-0782
```

Critical (CVSS: 9.8)
NVT: PHP 5.x < 5.6.34, 7.x < 7.0.28, 7.1.x < 7.1.15, 7.2.x < 7.2.3 Stack Buffer Overflow Vulnerability (Mar 2018) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a stack buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.34
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow an attacker to execute arbitrary code in the context of the affected application. Failed exploit attempts will result in denial-of-service conditions.

Solution:
Solution type: VendorFix
Update to version 5.6.34, 7.0.28, 7.1.15, 7.2.3 or later.

Affected Software/OS
PHP versions 5.x prior to 5.6.34, 7.x prior to 7.0.28, 7.1.x prior to 7.1.15 and 7.2.x prior to 7.2.3 on Linux.

Vulnerability Insight
The flaw exists because php fails to adequately bounds-check user-supplied data before copying it into an insufficiently sized buffer.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 5.6.34, 7.x < 7.0.28, 7.1.x < 7.1.15, 7.2.x < 7.2.3 Stack Buffer Over.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.812821
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2018-7584
url: http://php.net/ChangeLog-7.php
url: http://www.securityfocus.com/bid/103204
url: https://bugs.php.net/bug.php?id=75981
cert-bund: CB-K18/0698
cert-bund: CB-K18/0498
cert-bund: CB-K18/0383
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-1232
dfn-cert: DFN-CERT-2018-1059
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2018-0537
dfn-cert: DFN-CERT-2018-0399
```

Critical (CVSS: 9.8)
NVT: PHP 'CVE-2019-13224' Use-After-Free Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a use-after-free vulnerability in a used third-pary library.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.1.32
Installation
path / port:       80/tcp
```

Impact

This flaw allows attackers to potentially cause information disclosure, denial of service, or possibly code execution by providing a crafted regular expression.

Solution:

Solution type: VendorFix

Update to version 7.1.32, 7.3.9 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP version before 7.1.32 and 7.3.x before 7.3.9.

Vulnerability Insight
The flaw exists due to a use-after-free in onig_new_deluxe() in regext.c of the third-party library Oniguruma 6.9.2 which is used by PHP.
The attacker provides a pair of a regex pattern and a string, with a multi-byte encoding that gets handled by onig_new_deluxe().

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 'CVE-2019-13224' Use-After-Free Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.108633
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2019-13224`
`url: http://bugs.php.net/78380`
`url: https://www.php.net/ChangeLog-7.php#7.3.9`
`url: https://www.php.net/ChangeLog-7.php#7.1.32`
`cert-bund: WID-SEC-2024-1086`
`cert-bund: WID-SEC-2024-0218`
`cert-bund: CB-K20/1030`
`dfn-cert: DFN-CERT-2024-0233`
`dfn-cert: DFN-CERT-2022-2107`
`dfn-cert: DFN-CERT-2020-2412`
`dfn-cert: DFN-CERT-2020-2105`
`dfn-cert: DFN-CERT-2020-1964`
`dfn-cert: DFN-CERT-2019-1804`
`dfn-cert: DFN-CERT-2019-1471`
`dfn-cert: DFN-CERT-2019-1424`

Critical (CVSS: 9.8)
NVT: PHP < 5.6.27, 7.x < 7.0.12 Multiple DoS Vulnerabilities (Oct 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.27
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allows a remote attacker to cause a DoS, or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.6.27, 7.0.12 or later.

Affected Software/OS
PHP prior to version 5.6.27 and 7.0.x through 7.0.11.

Vulnerability Insight
The following flaws exist:
- Integer Overflow in gdImageWebpCtx of gd_webp.c
- Use After Free in PHP7 unserialize()

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.27, 7.x < 7.0.12 Multiple DoS Vulnerabilities (Oct 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809338
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-7568`
`cve: CVE-2016-9137`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/93184`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/93577
url: http://www.php.net/ChangeLog-7.php
url: http://seclists.org/oss-sec/2016/q3/639
url: https://bugs.php.net/bug.php?id=73003
url: https://bugs.php.net/bug.php?id=73147
cert-bund: CB-K17/0327
cert-bund: CB-K17/0269
cert-bund: CB-K16/1941
cert-bund: CB-K16/1868
cert-bund: CB-K16/1854
cert-bund: CB-K16/1811
cert-bund: CB-K16/1645
cert-bund: CB-K16/1606
cert-bund: CB-K16/1603
dfn-cert: DFN-CERT-2017-0334
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2016-2047
dfn-cert: DFN-CERT-2016-1974
dfn-cert: DFN-CERT-2016-1961
dfn-cert: DFN-CERT-2016-1918
dfn-cert: DFN-CERT-2016-1745
dfn-cert: DFN-CERT-2016-1704
dfn-cert: DFN-CERT-2016-1700
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.26
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successful exploitation will allow remote attackers to bypass authentication and perform unauthorized actions, cause a denial-of-service condition and gain access to potentially sensitive information.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server 2.2.33 or 2.4.26 or later.

Affected Software/OS
Apache HTTP Server 2.2.x before 2.2.33 and 2.4.x before 2.4.26.

Vulnerability Insight
Multiple flaws exist as,
- The mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.
- The mod_ssl may dereference a NULL pointer when third-party modules call ap_hook_process_connection() during an HTTP request to an HTTPS port.
- An use of the ap_get_basic_auth_pw() by third-party modules outside of the authentication phase may lead to authentication requirements being bypassed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Linux`
OID:1.3.6.1.4.1.25623.1.0.811214
Version used: `2024-02-16T05:06:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2017-7679`
`cve: CVE-2017-3169`
`cve: CVE-2017-3167`
`url: http://seclists.org/oss-sec/2017/q2/509`
`url: http://www.securityfocus.com/bid/99135`
`url: http://www.securityfocus.com/bid/99134`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`url: http://httpd.apache.org/security/vulnerabilities_22.html`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: WID-SEC-2022-0673`
`cert-bund: CB-K22/0045`
`cert-bund: CB-K18/0066`
`cert-bund: CB-K17/2188`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/2013
cert-bund: CB-K17/1936
cert-bund: CB-K17/1854
cert-bund: CB-K17/1842
cert-bund: CB-K17/1768
cert-bund: CB-K17/1747
cert-bund: CB-K17/1622
cert-bund: CB-K17/1382
cert-bund: CB-K17/1279
cert-bund: CB-K17/1154
cert-bund: CB-K17/1023
dfn-cert: DFN-CERT-2019-0358
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2290
dfn-cert: DFN-CERT-2017-2104
dfn-cert: DFN-CERT-2017-2021
dfn-cert: DFN-CERT-2017-1926
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1828
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1443
dfn-cert: DFN-CERT-2017-1327
dfn-cert: DFN-CERT-2017-1193
dfn-cert: DFN-CERT-2017-1058
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Apr 2018) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.30
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successful exploitation will allow an attacker to replay HTTP requests across servers without detection, influence the user content, upload a malicious file, crash the Apache HTTP Server and perform denial of service attack.

Solution:
Solution type: VendorFix
Update to version 2.4.30 or later. Please see the references for more information.

Affected Software/OS
Apache HTTP Server versions from 2.4.1 to 2.4.4, 2.4.6, 2.4.7, 2.4.9, 2.4.10, 2.4.12, 2.4.16 to 2.4.18, 2.4.20, 2.4.23, 2.4.25 to 2.4.29.

Vulnerability Insight
Multiple flaws exist due to:
- Apache HTTP Server fails to correctly generate the nonce sent to prevent reply attacks.
- Misconfigured mod_session variable, HTTP_SESSION.
- Apache HTTP Server fails to sanitize the expression specified in '<FilesMatch>'.
- An error in Apache HTTP Server 'mod_authnz_ldap' when configured with AuthLDAPCharsetConfig.
- Apache HTTP Server fails to sanitize against a specially crafted request.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Apr 2018) - Linux`
OID:1.3.6.1.4.1.25623.1.0.812844
Version used: `2024-02-09T05:06:25Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2018-1312`
`cve: CVE-2018-1283`
`cve: CVE-2017-15715`
`cve: CVE-2017-15710`
`cve: CVE-2018-1301`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`url: http://www.securityfocus.com/bid/103524`
`url: http://www.securityfocus.com/bid/103520`
`url: http://www.securityfocus.com/bid/103525`
`url: http://www.securityfocus.com/bid/103512`
`url: http://www.securityfocus.com/bid/103515`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-1594
cert-bund: CB-K20/1030
cert-bund: CB-K19/0354
cert-bund: CB-K18/0535
dfn-cert: DFN-CERT-2020-2133
dfn-cert: DFN-CERT-2020-0673
dfn-cert: DFN-CERT-2019-1550
dfn-cert: DFN-CERT-2019-0736
dfn-cert: DFN-CERT-2019-0359
dfn-cert: DFN-CERT-2019-0351
dfn-cert: DFN-CERT-2018-2316
dfn-cert: DFN-CERT-2018-0985
dfn-cert: DFN-CERT-2018-0795
dfn-cert: DFN-CERT-2018-0703
dfn-cert: DFN-CERT-2018-0570
```

Critical (CVSS: 9.8)
NVT: phpMyAdmin < 4.9.6, 5.x < 5.0.3 Multiple Vulnerabilities (PMASA-2020-5, PMASA-2020-6) - Linux

Summary
phpMyAdmin is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.2.2
Fixed version:     4.9.6
Installation
path / port:       /phpmyadmin
```

Impact
Successful exploitation would allow an attacker to:
- If an attacker sends a crafted link to the victim with the malicious JavaScript, when the victim clicks on the link, the JavaScript will run and complete the instructions made by the attacker (CVE-2020-26934)
- An attacker could use this flaw to inject malicious SQL in to a query (CVE-2020-26935)

Solution:
Solution type: VendorFix
Update to version 4.9.6, 5.0.3 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.6 and 5.x prior to 5.0.3.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The following vulnerabilities exist:
- XSS relating to the transformation feature (CVE-2020-26934)
- SQL injection vulnerability in SearchController (CVE-2020-26935)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.6, 5.x < 5.0.3 Multiple Vulnerabilities (PMASA-2020-5, PMASA-2.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.144896
Version used: `2024-02-13T05:06:26Z`

References
```
cve: CVE-2020-26934
cve: CVE-2020-26935
url: https://www.phpmyadmin.net/security/PMASA-2020-5/
url: https://www.phpmyadmin.net/security/PMASA-2020-6/
cert-bund: CB-K20/0969
dfn-cert: DFN-CERT-2020-2526
dfn-cert: DFN-CERT-2020-2366
dfn-cert: DFN-CERT-2020-2322
dfn-cert: DFN-CERT-2020-2220
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.26, 7.x < 7.0.11 Multiple Vulnerabilities (Sep 2016) - Linux

Product detection result
```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.6.26
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service, or possibly have unspecified other impact.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.6.26, 7.0.11 or later.

Affected Software/OS
PHP prior to version 5.6.26 and 7.x prior to 7.0.11 on Linux.

Vulnerability Insight
The following flaws exist:
- Use-after-free vulnerability in the 'wddx_stack_destroy' function in 'ext/wddx/wddx.c' script.
- Improper verification of a BIT field has the UNSIGNED_FLAG flag in 'ext/mysqlnd/mysqlnd_wireprotocol.c' script.
- The ZIP signature-verification feature does not ensure that the uncompressed_filesize field is large enough.
- The script 'ext/spl/spl_array.c' proceeds with SplArray unserialization without validating a return value and data type.
- The script 'ext/intl/msgformat/msgformat_format.c' does not properly restrict the locale length provided to the Locale class in the ICU library.
- An error in the php_wddx_push_element function in ext/wddx/wddx.c.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.26, 7.x < 7.0.11 Multiple Vulnerabilities (Sep 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809317
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-7412`
`cve: CVE-2016-7413`
`cve: CVE-2016-7414`
`cve: CVE-2016-7416`
`cve: CVE-2016-7417`
`cve: CVE-2016-7418`
`url: http://www.php.net/ChangeLog-7.php`
`url: http://www.securityfocus.com/bid/93005`
`url: http://www.securityfocus.com/bid/93006`
`url: http://www.securityfocus.com/bid/93004`
`url: http://www.securityfocus.com/bid/93022`
`url: http://www.securityfocus.com/bid/93008`
`url: http://www.securityfocus.com/bid/93007`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/93011
url: http://www.php.net/ChangeLog-5.php
cert-bund: CB-K16/1958
cert-bund: CB-K16/1549
cert-bund: CB-K16/1543
cert-bund: CB-K16/1532
cert-bund: CB-K16/1426
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2016-2063
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1639
dfn-cert: DFN-CERT-2016-1631
dfn-cert: DFN-CERT-2016-1495
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.26 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.26
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.6.26 or later.

Affected Software/OS

PHP prior to version 5.6.26 on Linux.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The flaw is due to improper handling of object-deserialization failures in 'ext/standard/var_unserializer.re' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.26 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.809321
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-7411
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/93009
cert-bund: CB-K16/1958
cert-bund: CB-K16/1543
cert-bund: CB-K16/1532
cert-bund: CB-K16/1426
dfn-cert: DFN-CERT-2016-2063
dfn-cert: DFN-CERT-2016-1639
dfn-cert: DFN-CERT-2016-1631
dfn-cert: DFN-CERT-2016-1495
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.29, 7.0.x < 7.0.14 DoS Vulnerability - Linux

Product detection result
```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.6.29
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.6.29, 7.0.14 or later.

Affected Software/OS
PHP versions prior to 5.6.29 and 7.0.x prior to 7.0.14.

Vulnerability Insight
The php_wddx_push_element function in ext/wddx/wddx.c allows remote attackers to cause a denial of service (out-of-bounds read and memory corruption) or possibly have unspecified other impact via an empty boolean element in a wddxPacket XML document.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.29, 7.0.x < 7.0.14 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.117803
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-9935`
`url: https://www.php.net/ChangeLog-7.php#7.0.14`
`url: https://www.php.net/ChangeLog-5.php#5.6.29`
`url: https://bugs.php.net/bug.php?id=73631`
`cert-bund: CB-K17/0527`
`cert-bund: CB-K17/0327`
`cert-bund: CB-K17/0269`
`cert-bund: CB-K17/0053`
`cert-bund: CB-K17/0015`
`cert-bund: CB-K16/2015`
`cert-bund: CB-K16/1982`
`dfn-cert: DFN-CERT-2018-0835`
`dfn-cert: DFN-CERT-2017-0532`
`dfn-cert: DFN-CERT-2017-0334`
`dfn-cert: DFN-CERT-2017-0274`
`dfn-cert: DFN-CERT-2017-0058`
`dfn-cert: DFN-CERT-2017-0016`
`dfn-cert: DFN-CERT-2016-2130`
`dfn-cert: DFN-CERT-2016-2084`

Critical (CVSS: 9.8)
NVT: PHP < 5.6.25, 7.x < 7.0.10 Multiple Vulnerabilities (Sep 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.25
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service, to obtain sensitive information from process memory, to inject arbitrary-type session data by leveraging control of a session name.

Solution:
Solution type: VendorFix
Update to version 5.6.25, 7.0.10 or later.

Affected Software/OS
PHP prior to version 5.6.25 and 7.x prior to 7.0.10 on Linux.

Vulnerability Insight
The following flaws exist:
- Invalid wddxPacket XML document that is mishandled in a wddx_deserialize call in 'ext/wddx/wddx.c' script.
- Error in 'php_wddx_pop_element' function in 'ext/wddx/wddx.c' script.
- An error in 'php_wddx_process_data' function in 'ext/wddx/wddx.c' script.
- Improper handling of the case of a thumbnail offset that exceeds the file size in 'exif_process_IFD_in_TIFF' function in 'ext/exif/exif.c' script.
- Improper validation of gamma values in 'imagegammacorrect' function in 'ext/gd/gd.c' script.
- Improper validation of number of colors in 'imagegammacorrect' function in 'ext/gd/gd.c' script.
- The script 'ext/session/session.c' skips invalid session names in a way that triggers incorrect parsing.
- Improper handling of certain objects in 'ext/standard/var_unserializer.c' script.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: PHP < 5.6.25, 7.x < 7.0.10 Multiple Vulnerabilities (Sep 2016) - Linux
OID:1.3.6.1.4.1.25623.1.0.809319
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-7124
cve: CVE-2016-7125
cve: CVE-2016-7126
cve: CVE-2016-7127
cve: CVE-2016-7128
cve: CVE-2016-7129
cve: CVE-2016-7130
cve: CVE-2016-7131
cve: CVE-2016-7132
url: http://www.php.net/ChangeLog-7.php
url: http://www.securityfocus.com/bid/92756
url: http://www.securityfocus.com/bid/92552
url: http://www.securityfocus.com/bid/92755
url: http://www.securityfocus.com/bid/92757
url: http://www.securityfocus.com/bid/92564
url: http://www.securityfocus.com/bid/92758
url: http://www.php.net/ChangeLog-5.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/1772
cert-bund: CB-K16/1549
cert-bund: CB-K16/1543
cert-bund: CB-K16/1532
cert-bund: CB-K16/1499
cert-bund: CB-K16/1440
cert-bund: CB-K16/1280
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1878
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1639
dfn-cert: DFN-CERT-2016-1631
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1526
dfn-cert: DFN-CERT-2016-1359

Critical (CVSS: 9.8)
NVT: PHP < 5.6.7 DoS Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.7
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 5.6.7 or later.

Affected Software/OS
PHP prior to version 5.6.7 on Linux.

Vulnerability Insight
The flaw is due to 'type confusion' issues in 'ext/soap/php_encoding.c', 'ext/soap/php_http.c', and 'ext/soap/soap.c' scripts.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.7 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.808673
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-4601`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75246
cert-bund: CB-K16/0944
cert-bund: CB-K15/1158
cert-bund: CB-K15/1031
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0936
cert-bund: CB-K15/0854
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1217
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0983
dfn-cert: DFN-CERT-2015-0900
```

Critical (CVSS: 9.8)
NVT: PHP <= 5.6.27 / 7.0.x <= 7.0.12 DoS Vulnerability

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     None
Installation
path / port:       80/tcp
```

Solution:

Solution type: WillNotFix

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS

PHP versions through 5.6.27 and 7.0.x through 7.0.12.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
PHP mishandles property modification during __wakeup processing, which allows remote attackers to cause a denial of service or possibly have unspecified other impact via crafted serialized data, as demonstrated by Exception::__toString with DateInterval::__wakeup.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP <= 5.6.27 / 7.0.x <= 7.0.12 DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.117802
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-9138
url: https://bugs.php.net/bug.php?id=73147
cert-bund: CB-K17/0318
cert-bund: CB-K16/1943
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2016-2053
```

Critical (CVSS: 9.8)
NVT: PHP <= 7.1.5 Multiple DoS Vulnerabilities

Product detection result
```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     None
Installation
path / port:       80/tcp
```

Solution:
Solution type: WillNotFix

. . . continues on next page . . .

. . . continued from previous page . . .

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
PHP versions through 7.1.5.

Vulnerability Insight
The following flaws exist:
- CVE-2017-8923: The zend_string_extend function in Zend/zend_string.h does not prevent changes to string objects that result in a negative length, which allows remote attackers to cause a denial of service (application crash) or possibly have unspecified other impact by leveraging a script's use of .= with a long string.
- CVE-2017-9119: The i_zval_ptr_dtor function in Zend/zend_variables.h allows attackers to cause a denial of service (memory consumption and application crash) or possibly have unspecified other impact by triggering crafted operations on array data structures.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP <= 7.1.5 Multiple DoS Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.117799
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2017-8923`
`cve: CVE-2017-9119`
`url: https://bugs.php.net/bug.php?id=73122`
`url: https://bugs.php.net/bug.php?id=74310`
`url: https://bugs.php.net/bug.php?id=74577`
`url: https://bugs.php.net/bug.php?id=74593`
`url: http://www.securityfocus.com/bid/98518`
`url: http://www.securityfocus.com/bid/98596`
`cert-bund: WID-SEC-2024-3760`
`dfn-cert: DFN-CERT-2022-2639`
`dfn-cert: DFN-CERT-2022-2638`
`dfn-cert: DFN-CERT-2022-0485`
`dfn-cert: DFN-CERT-2022-0455`
`dfn-cert: DFN-CERT-2022-0431`
`dfn-cert: DFN-CERT-2022-0410`

Critical (CVSS: 9.8)
NVT: PHP Multiple Vulnerabilities (Feb 2019) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.40
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.40, 7.1.16, 7.2.14, 7.3.1 or later.

Affected Software/OS
PHP versions before 5.6.40, 7.x before 7.1.26, 7.2.x before 7.2.14 and 7.3.x before 7.3.1.

Vulnerability Insight
The following flaws exist:
- Fixed bug #77269 (efree() on uninitialized Heap data in imagescale leads to use-after-free). (CVE-2016-10166)
- Fixed bug #77270 (imagecolormatch Out Of Bounds Write on Heap). (CVE-2019-6977)
- Fixed bug #77370 (Buffer overflow on mb regex functions - fetch_token). (CVE-2019-9023)
- Fixed bug #77371 (heap buffer overflow in mb regex functions - compile_string_node). (CVE-2019-9023)
- Fixed bug #77381 (heap buffer overflow in multibyte match_at). (CVE-2019-9023)
- Fixed bug #77382 (heap buffer overflow due to incorrect length in expand_case_fold_string). (CVE-2019-9023)
- Fixed bug #77385 (buffer overflow in fetch_token). (CVE-2019-9023)
- Fixed bug #77394 (Buffer overflow in multibyte case folding - unicode). (CVE-2019-9023)
- Fixed bug #77418 (Heap overflow in utf32be_mbc_to_code). (CVE-2019-9023)
- Fixed bug #77247 (heap buffer overflow in phar_detect_phar_fname_ext). (CVE-2019-9021)
- Fixed bug #77242 (heap out of bounds read in xmlrpc_decode()). (CVE-2019-9020)
- Fixed bug #77380 (Global out of bounds read in xmlrpc base64 code). (CVE-2019-9024)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Vulnerabilities (Feb 2019) - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.142048
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-10166
cve: CVE-2019-6977
cve: CVE-2019-9020
cve: CVE-2019-9021
cve: CVE-2019-9023
cve: CVE-2019-9024
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
url: https://bugs.php.net/bug.php?id=77269
url: https://bugs.php.net/bug.php?id=77270
url: https://bugs.php.net/bug.php?id=77370
url: https://bugs.php.net/bug.php?id=77371
url: https://bugs.php.net/bug.php?id=77381
url: https://bugs.php.net/bug.php?id=77382
url: https://bugs.php.net/bug.php?id=77385
url: https://bugs.php.net/bug.php?id=77394
url: https://bugs.php.net/bug.php?id=77418
url: https://bugs.php.net/bug.php?id=77247
url: https://bugs.php.net/bug.php?id=77242
url: https://bugs.php.net/bug.php?id=77380
cert-bund: WID-SEC-2022-2127
cert-bund: CB-K19/0166
cert-bund: CB-K17/1252
cert-bund: CB-K17/0318
cert-bund: CB-K17/0232
cert-bund: CB-K17/0182
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2398
dfn-cert: DFN-CERT-2020-1078
dfn-cert: DFN-CERT-2020-0898
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-2283
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2019-1181
dfn-cert: DFN-CERT-2019-0804
dfn-cert: DFN-CERT-2019-0698
dfn-cert: DFN-CERT-2019-0434

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-0368
dfn-cert: DFN-CERT-2019-0313
dfn-cert: DFN-CERT-2019-0241
dfn-cert: DFN-CERT-2019-0212
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2017-0234
dfn-cert: DFN-CERT-2017-0179
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.38, 5.6.x < 5.6.24, 7.0.x < 7.0.9 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.38
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues may allow attackers to cause a denial of service obtain sensitive information from process memory, or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.5.38, 5.6.24, 7.0.9 or later.

Affected Software/OS

PHP prior to version 5.5.38, 5.6.x prior to 5.6.24 and 7.x prior to 7.0.9.

Vulnerability Insight

The following flaws exist:

- Integer overflow in the 'php_stream_zip_opener' function in 'ext/zip/zip_stream.c'
- Integer signedness error in the 'simplestring_addn' function in 'simplestring.c' in xmlrpc-epi
- 'ext/snmp/snmp.c' improperly interacts with the unserialize implementation and garbage collection

. . . continues on next page . . .

. . . continued from previous page . . .

- The 'locale_accept_from_http' function in 'ext/intl/locale/locale_methods.c' does not properly restrict calls to the ICU 'uloc_acceptLanguageFromHTTP' function
- Error in the 'exif_process_user_comment' function of 'ext/exif/exif.c'
- Error in the 'exif_process_IFD_in_MAKERNOTE' function of 'ext/exif/exif.c'
- 'ext/session/session.c' does not properly maintain a certain hash data structure
- Integer overflow in the 'virtual_file_ex' function of 'TSRM/tsrm_virtual_cwd.c'
- Error in the 'php_url_parse_ex' function of 'ext/standard/url.c'
- Integer overflow error within _gdContributionsAlloc()
- Inadequate error handling in bzread()

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.38, 5.6.x < 5.6.24, 7.0.x < 7.0.9 Multiple Vulnerabilities (Jul 2016).`
↪..
OID:1.3.6.1.4.1.25623.1.0.808634
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-5399`
`cve: CVE-2016-6207`
`cve: CVE-2016-6288`
`cve: CVE-2016-6289`
`cve: CVE-2016-6290`
`cve: CVE-2016-6291`
`cve: CVE-2016-6292`
`cve: CVE-2016-6294`
`cve: CVE-2016-6295`
`cve: CVE-2016-6296`
`cve: CVE-2016-6297`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/92111`
`url: http://www.securityfocus.com/bid/92074`
`url: http://www.securityfocus.com/bid/92097`
`url: http://www.securityfocus.com/bid/92073`
`url: http://www.securityfocus.com/bid/92078`
`url: http://www.securityfocus.com/bid/92115`
`url: http://www.securityfocus.com/bid/92094`
`url: http://www.securityfocus.com/bid/92095`
`url: http://www.securityfocus.com/bid/92099`
`url: http://php.net/ChangeLog-7.php`
`url: http://openwall.com/lists/oss-security/2016/07/24/2`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/1252
cert-bund: CB-K17/1011
cert-bund: CB-K16/1776
cert-bund: CB-K16/1722
cert-bund: CB-K16/1549
cert-bund: CB-K16/1499
cert-bund: CB-K16/1458
cert-bund: CB-K16/1452
cert-bund: CB-K16/1440
cert-bund: CB-K16/1407
cert-bund: CB-K16/1345
cert-bund: CB-K16/1283
cert-bund: CB-K16/1257
cert-bund: CB-K16/1248
cert-bund: CB-K16/1235
cert-bund: CB-K16/1233
cert-bund: CB-K16/1179
cert-bund: CB-K16/1130
cert-bund: CB-K16/1115
cert-bund: CB-K16/1110
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-1046
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1822
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1541
dfn-cert: DFN-CERT-2016-1536
dfn-cert: DFN-CERT-2016-1526
dfn-cert: DFN-CERT-2016-1498
dfn-cert: DFN-CERT-2016-1431
dfn-cert: DFN-CERT-2016-1367
dfn-cert: DFN-CERT-2016-1335
dfn-cert: DFN-CERT-2016-1326
dfn-cert: DFN-CERT-2016-1310
dfn-cert: DFN-CERT-2016-1309
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1203
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1179
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux

Product detection result

cpe:/a:apache:http_server:2.4.7

. . . continues on next page . . .

. . . continued from previous page . . .

```
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.53
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.53 or later.

Affected Software/OS
Apache HTTP Server version 2.4.52 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-22719: mod_lua Use of uninitialized value of in r:parsebody
- CVE-2022-22720: HTTP request smuggling vulnerability
- CVE-2022-22721: Possible buffer overflow with very large or unlimited LimitXMLRequestBody
- CVE-2022-23943: mod_sed: Read/write beyond bounds

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.113837
Version used: `2022-03-21T03:03:41Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2022-22719
cve: CVE-2022-22720
cve: CVE-2022-22721
cve: CVE-2022-23943
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.53
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1772
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1161
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0898
cert-bund: WID-SEC-2022-0799
cert-bund: WID-SEC-2022-0755
cert-bund: WID-SEC-2022-0646
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0290
cert-bund: CB-K22/0619
cert-bund: CB-K22/0306
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0678
dfn-cert: DFN-CERT-2022-0582
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.37, 5.6.x < 5.6.23 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.37
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (use-after-free and application crash) or possibly execute arbitrary code or possibly have unspecified other impact via a large integer argument.

Solution:
Solution type: VendorFix
Update to version 5.5.37, 5.6.23 or later.

Affected Software/OS
PHP prior to version 5.5.37 and 5.6.x prior to 5.6.23 on Linux.

Vulnerability Insight
The following flaws exist:
- The 'spl_array.c' in the SPL extension improperly interacts with the unserialize implementation and garbage collection.
- Integer overflow in the 'SplFileObject::fread' function in 'spl_directory.c' in the SPL extension.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.37, 5.6.x < 5.6.23 Multiple Vulnerabilities (Aug 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808790
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-5770
cve: CVE-2016-5771
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/91401
url: http://www.securityfocus.com/bid/91403
cert-bund: CB-K16/2012
cert-bund: CB-K16/1776
cert-bund: CB-K16/1452
cert-bund: CB-K16/1179
cert-bund: CB-K16/1106
cert-bund: CB-K16/1070
cert-bund: CB-K16/1030
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0965
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2016-2125
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1541
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1139
dfn-cert: DFN-CERT-2016-1097
dfn-cert: DFN-CERT-2016-1022
```

Critical (CVSS: 9.8)
NVT: PHP < 7.4.28, 8.0.x < 8.0.16, 8.1.x < 8.1.3 Security Update (Feb 2022) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP released new versions which include a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.4.28
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.4.28, 8.0.16, 8.1.3 or later.

Affected Software/OS

PHP prior to version 7.4.28, 8.0.x through 8.0.15 and 8.1.x through 8.1.2.

Vulnerability Insight

Fix #81708: UAF due to php_filter_float() failing for ints.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 7.4.28, 8.0.x < 8.0.16, 8.1.x < 8.1.3 Security Update (Feb 2022) - Linux`

OID:1.3.6.1.4.1.25623.1.0.147657

Version used: `2025-09-24T05:39:03Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2021-21708
url: https://www.php.net/ChangeLog-7.php#7.4.28
url: https://www.php.net/ChangeLog-8.php#8.0.16
url: https://www.php.net/ChangeLog-8.php#8.1.3
url: https://bugs.php.net/bug.php?id=81708
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-0280
cert-bund: CB-K22/0201
dfn-cert: DFN-CERT-2024-1062
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2500
dfn-cert: DFN-CERT-2022-2499
dfn-cert: DFN-CERT-2022-1605
dfn-cert: DFN-CERT-2022-0557
dfn-cert: DFN-CERT-2022-0407
dfn-cert: DFN-CERT-2022-0365

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.4.7

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     2.4.54
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.54 or later.

Affected Software/OS
Apache HTTP Server version 2.4.53 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-26377: mod_proxy_ajp: Possible request smuggling
- CVE-2022-28614: Read beyond bounds via ap_rwrite()
- CVE-2022-28615: Read beyond bounds in ap_strcmp_match()
- CVE-2022-29404: Denial of service in mod_lua r:parsebody
- CVE-2022-30556: Information disclosure in mod_lua with websockets
- CVE-2022-31813: mod_proxy X-Forwarded-For dropped by hop-by-hop mechanism

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.148252
Version used: `2022-06-20T03:04:15Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2022-26377
cve: CVE-2022-28614
cve: CVE-2022-28615
cve: CVE-2022-29404
cve: CVE-2022-30556
cve: CVE-2022-31813
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.54
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-0134
cert-bund: WID-SEC-2023-0132
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1766
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1764
cert-bund: WID-SEC-2022-0858
cert-bund: WID-SEC-2022-0192
cert-bund: CB-K22/0692
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2789
dfn-cert: DFN-CERT-2022-2652
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2310
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1833
dfn-cert: DFN-CERT-2022-1720
dfn-cert: DFN-CERT-2022-1353
dfn-cert: DFN-CERT-2022-1296
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.49
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.49 or later.

Affected Software/OS

Apache HTTP Server version 2.4.48 and prior.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The following vulnerabilities exist:
- CVE-2021-34798: NULL pointer dereference in httpd core
- CVE-2021-39275: ap_escape_quotes buffer overflow
- CVE-2021-40438: mod_proxy SSRF

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.146725
Version used: `2022-08-09T10:11:17Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2021-34798
cve: CVE-2021-39275
cve: CVE-2021-40438
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0186
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2022-1298
cert-bund: WID-SEC-2022-1189
cert-bund: WID-SEC-2022-0724
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0476
cert-bund: CB-K22/0465
cert-bund: CB-K22/0463
cert-bund: CB-K21/0992
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2022-2405
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-0904
dfn-cert: DFN-CERT-2022-0878
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0672
dfn-cert: DFN-CERT-2022-0207
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2021-2629
dfn-cert: DFN-CERT-2021-2471
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2164
dfn-cert: DFN-CERT-2021-2153
dfn-cert: DFN-CERT-2021-2098
dfn-cert: DFN-CERT-2021-2090
dfn-cert: DFN-CERT-2021-2047
dfn-cert: DFN-CERT-2021-2020
dfn-cert: DFN-CERT-2021-1961
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server 2.4.0 - 2.4.46 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.48
Installation
path / port:       80/tcp
```

Impact

- CVE-2020-35452: A specially crafted Digest nonce can cause a stack overflow in mod_auth_digest.
- CVE-2021-26690: A specially crafted Cookie header handled by mod_session can cause a NULL pointer dereference and crash, leading to a possible Denial Of Service.
- CVE-2021-26691: A specially crafted SessionHeader sent by an origin server could cause a heap overflow.

Solution:

Solution type: VendorFix

Update to version 2.4.48 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server versions 2.4.0 to 2.4.46 on Linux.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2020-35452: mod_auth_digest possible stack overflow by one null byte
- CVE-2021-26690: mod_session NULL pointer dereference
- CVE-2021-26691: mod_session response handling heap overflow

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.46 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.112897
Version used: `2021-08-24T09:01:06Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2020-35452
cve: CVE-2021-26690
cve: CVE-2021-26691
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2022-0438
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0072
cert-bund: CB-K21/1092
cert-bund: CB-K21/1090
cert-bund: CB-K21/0646
dfn-cert: DFN-CERT-2022-1047
dfn-cert: DFN-CERT-2022-0207
dfn-cert: DFN-CERT-2022-0122
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2365
dfn-cert: DFN-CERT-2021-2300
dfn-cert: DFN-CERT-2021-2187
dfn-cert: DFN-CERT-2021-2153
dfn-cert: DFN-CERT-2021-1467
dfn-cert: DFN-CERT-2021-1412
dfn-cert: DFN-CERT-2021-1355
dfn-cert: DFN-CERT-2021-1340
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-1333
dfn-cert: DFN-CERT-2021-1321
dfn-cert: DFN-CERT-2021-1273
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server 2.4.0 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a HTTP request smuggling vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.56
Installation
path / port:       80/tcp
```

Impact

Request splitting/smuggling could result in bypass of access controls in the proxy server, proxying unintended URLs to existing origin servers, and cache poisoning.

Solution:

Solution type: VendorFix

Update to version 2.4.56 or later.

Affected Software/OS

Apache HTTP Server versions 2.4.0 through 2.4.55.

Vulnerability Insight

Some mod_proxy configurations allow a HTTP Request Smuggling attack.
Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.104597
Version used: 2024-02-15T05:05:40Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2023-25690
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56
cert-bund: WID-SEC-2025-1285
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-3129
cert-bund: WID-SEC-2023-2694
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1809
cert-bund: WID-SEC-2023-1807
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-0657
cert-bund: WID-SEC-2023-0583
dfn-cert: DFN-CERT-2023-1648
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-1232
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0788
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0546

Critical (CVSS: 9.8)
NVT: PHP < 7.0.12 RCE / DoS Vulnerability - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a remote code execution (RCE) or denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.5.9
Fixed version:     7.0.12
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.0.12 or later.

Affected Software/OS
PHP versions prior to 7.0.12.

Vulnerability Insight
The SplObjectStorage unserialize implementation in ext/spl/spl_observer.c does not verify that a key is an object, which allows remote attackers to execute arbitrary code or cause a denial of service (uninitialized memory access) via crafted serialized data.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.0.12 RCE / DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.117800
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-7480
url: https://www.php.net/ChangeLog-7.php#7.0.12
url: https://bugs.php.net/bug.php?id=73257
url: http://blog.checkpoint.com/2016/12/27/check-point-discovers-three-zero-day-
↪vulnerabilities-web-programming-language-php-7
cert-bund: CB-K17/0318
dfn-cert: DFN-CERT-2017-0325
```

Critical (CVSS: 9.8)
NVT: phpMyAdmin < 4.9.2 Multiple Vulnerabilities (PMASA-2019-5) - Linux

Summary
phpMyAdmin is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 3.5.2.2
Fixed version:     4.9.2
Installation
path / port:       /phpmyadmin
```

Solution:
Solution type: VendorFix
Update to version 4.9.2 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.2.

Vulnerability Insight
phpMyAdmin is prone to multiple vulnerabilities:
- SQL injection vulnerability (CVE-2019-18622)
- Certain Git information is not escaped (CVE-2019-19617)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.2 Multiple Vulnerabilities (PMASA-2019-5) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143167
Version used: `2024-02-13T05:06:26Z`

References

```
cve: CVE-2019-18622
cve: CVE-2019-19617
url: https://www.phpmyadmin.net/security/PMASA-2019-5/
url: https://www.phpmyadmin.net/news/2019/11/22/phpmyadmin-492-released/
cert-bund: CB-K20/0214
cert-bund: CB-K19/1043
cert-bund: CB-K19/1016
dfn-cert: DFN-CERT-2020-2322
dfn-cert: DFN-CERT-2020-0488
dfn-cert: DFN-CERT-2020-0089
dfn-cert: DFN-CERT-2019-2577
dfn-cert: DFN-CERT-2019-2465
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.35, 5.6.x < 5.6.21, 7.x < 7.0.6 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.35
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.5.35, 5.6.21, 7.0.6 or later.

Affected Software/OS
PHP prior to version 5.5.35, 5.6.x prior to 5.6.21 and 7.x prior to 7.0.6 on Linux.

Vulnerability Insight
The following flaws exist:
- Improper validation of TIFF start data in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script.
- Improper validation of IFD sizes in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script.
- Improper construction of spprintf arguments, in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script.
- Error in 'grapheme_strpos function' in 'ext/intl/grapheme/grapheme_string.c'.
- Error in 'xml_parse_into_struct' function in 'ext/xml/xml.c' script.
- The 'bcpowmod' function in 'ext/bcmath/bcmath.c' improperly modifies certain data structures.
- Improper validation of input passed to 'bcpowmod' function in 'ext/bcmath/bcmath.c' script.
- Error in 'grapheme_strpos' function in ext/intl/grapheme/grapheme_string.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.35, 5.6.x < 5.6.21, 7.x < 7.0.6 Multiple Vulnerabilities (Jul 2016) -. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808603
Version used: `2025-09-24T05:39:03Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-4537
cve: CVE-2016-4538
cve: CVE-2016-4539
cve: CVE-2016-4540
cve: CVE-2016-4541
cve: CVE-2016-4542
cve: CVE-2016-4543
cve: CVE-2016-4544
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/89844
url: http://www.securityfocus.com/bid/90172
url: http://www.securityfocus.com/bid/90173
url: http://www.securityfocus.com/bid/90174
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0909
cert-bund: CB-K16/0868
cert-bund: CB-K16/0779
cert-bund: CB-K16/0774
cert-bund: CB-K16/0760
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0960
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0827
dfn-cert: DFN-CERT-2016-0814

Critical (CVSS: 9.8)
NVT: PHP < 7.1.33, 7.2.x < 7.2.24, 7.3.x < 7.3.11 RCE Vulnerability - Version Check

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to a remote code execution (RCE) vulnerability in certain nginx + php-fpm configurations.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.1.33
Installation
path / port:       80/tcp
```

Impact
Successful exploitation would allow an unauthenticated remote attacker to execute arbitrary code on the target machine.

Solution:
Solution type: VendorFix
Update to version 7.1.33, 7.2.24, 7.3.11 or later.
As an alternative a workaround to update the nginx configuration to mitigate this vulnerability is described at the PHP.net bugtracker linked in the references.

Affected Software/OS
PHP prior to version 7.1.33, 7.2.x prior to 7.2.24 and 7.3.x prior to 7.3.11.

Vulnerability Insight
The file sapi/fpm/fpm/fpm_main.c contains pointer arithmetic that assumes that env_path_info has a prefix equal to the path to the php script. However, the code does not check this assumption is satisfied. The absence of the check can lead to an invalid pointer in the 'path_info' variable.
Such conditions can be achieved in a pretty standard Nginx configuration. The regexp in 'fastcgi_split_path_info' directive can be broken using the newline character (in encoded form, %0a). Broken regexp leads to empty PATH_INFO, which triggers the bug.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.1.33, 7.2.x < 7.2.24, 7.3.x < 7.3.11 RCE Vulnerability - Version Check`
OID:1.3.6.1.4.1.25623.1.0.108692
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2019-11043
url: https://bugs.php.net/bug.php?id=78599
url: https://www.php.net/ChangeLog-7.php#7.3.11
url: https://www.php.net/ChangeLog-7.php#7.2.24
url: https://www.php.net/ChangeLog-7.php#7.1.33
url: https://github.com/neex/phuip-fpizdam
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2022-0418
cert-bund: CB-K20/0081
cert-bund: CB-K19/0943
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-0415
dfn-cert: DFN-CERT-2020-0193
dfn-cert: DFN-CERT-2019-2283
dfn-cert: DFN-CERT-2019-2206
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.34, 5.6.x < 5.6.20, 7.x < 7.0.5 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.34
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code.

Solution:

Solution type: VendorFix

Update to version 5.5.34, 5.6.20, 7.0.5 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP prior to version 5.5.34, 5.6.x prior to 5.6.20 and 7.0.x prior to 7.0.5 on Linux.

Vulnerability Insight
The following flaws exist:
- Multiple integer overflows in the mbfl_strcut function in 'ext/mbstring/libmbfl/mbfl/mbfilter.c' script.
- Format string vulnerability in the php_snmp_error function in 'ext/snmp/snmp.c' script.
- An improper handling of '\0' characters by the 'phar_analyze_path' function in 'ext/phar/phar.c' script.
- An integer overflow in the 'php_raw_url_encode' function in 'ext/standard/url.c' script.
- An improper handling of continuation-level jumps in 'file_check_mem' function in 'funcs.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.34, 5.6.x < 5.6.20, 7.x < 7.0.5 Multiple Vulnerabilities (Jul 2016) -. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808199
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-8865`
`cve: CVE-2016-4070`
`cve: CVE-2016-4071`
`cve: CVE-2016-4072`
`cve: CVE-2016-4073`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/85800`
`url: http://www.securityfocus.com/bid/85801`
`url: http://www.securityfocus.com/bid/85802`
`url: http://www.securityfocus.com/bid/85991`
`url: http://www.securityfocus.com/bid/85993`
`url: http://www.php.net/ChangeLog-7.php`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/1319`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0884`
`cert-bund: CB-K16/0872`
`cert-bund: CB-K16/0779`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0723
cert-bund: CB-K16/0705
cert-bund: CB-K16/0614
cert-bund: CB-K16/0494
dfn-cert: DFN-CERT-2018-1161
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1402
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0940
dfn-cert: DFN-CERT-2016-0929
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0775
dfn-cert: DFN-CERT-2016-0764
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0536
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.30, 7.x < 7.0.15, 7.1.x < 7.1.1 Multiple Vulnerabilities (Jan 2017) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.30
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.30, 7.0.15, 7.1.1 or later.

Affected Software/OS

PHP prior to version 5.6.30, 7.x prior to 7.0.15 and 7.1.x prior to 7.1.1.

Vulnerability Insight

The following flaws exist:

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2016-10161: Heap out of bounds read on unserialize in finish_nested_data()
- CVE-2016-10158: FPE when parsing a tag format
- CVE-2016-10168: Signed Integer Overflow gd_io.c
- CVE-2016-10167: DOS vulnerability in gdImageCreateFromGd2Ctx()
- CVE-2017-11147: Seg fault when loading hostile phar
- CVE-2016-10160: Memory corruption when loading hostile phar
- CVE-2016-10159: Crash while loading hostile phar archive

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.30, 7.x < 7.0.15, 7.1.x < 7.1.1 Multiple Vulnerabilities (Jan 2017) -. ↪..`

OID:1.3.6.1.4.1.25623.1.0.108052

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-10158
cve: CVE-2016-10159
cve: CVE-2016-10160
cve: CVE-2016-10161
cve: CVE-2016-10167
cve: CVE-2016-10168
cve: CVE-2017-11147
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
url: http://bugs.php.net/73825
url: http://bugs.php.net/73737
url: http://bugs.php.net/73869
url: http://bugs.php.net/73868
url: http://bugs.php.net/73773
url: http://bugs.php.net/73768
url: http://bugs.php.net/73764
cert-bund: WID-SEC-2023-2718
cert-bund: CB-K17/1957
cert-bund: CB-K17/1575
cert-bund: CB-K17/1461
cert-bund: CB-K17/1358
cert-bund: CB-K17/1252
cert-bund: CB-K17/0527
cert-bund: CB-K17/0327
cert-bund: CB-K17/0318
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/0269
cert-bund: CB-K17/0264
cert-bund: CB-K17/0232
cert-bund: CB-K17/0182
cert-bund: CB-K17/0141
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2017-2044
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0334
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0270
dfn-cert: DFN-CERT-2017-0234
dfn-cert: DFN-CERT-2017-0179
dfn-cert: DFN-CERT-2017-0144
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.33, 5.6.x < 5.6.19 Multiple Vulnerabilities (Apr 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.33
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to gain access to potentially sensitive information and conduct a denial of service (memory corruption and application crash).

Solution:

Solution type: VendorFix

Update to PHP version 5.5.33, 5.6.19 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP prior to version 5.5.33 and 5.6.x prior to 5.6.19 on Linux.

Vulnerability Insight
The following flaws exist:
- Use-after-free error in wddx.c script in the WDDX extension in PHP
- Error in the phar_parse_zipfile function in zip.c script in the PHAR extension in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.33, 5.6.x < 5.6.19 Multiple Vulnerabilities (Apr 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.807807
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-3141
cve: CVE-2016-3142
url: https://bugs.php.net/bug.php?id=71587
url: https://bugs.php.net/bug.php?id=71498
url: https://secure.php.net/ChangeLog-5.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/1620
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0723
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1717
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0775
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Multiple Vulnerabilities (Jul 2016) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 5.5.32
Installation
path / port: 80/tcp

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.5.32, 5.6.18, 7.0.3 or later.

Affected Software/OS
PHP prior to version 5.5.32, 5.6.x prior to 5.6.18 and 7.x prior to 7.0.3 on Linux.

Vulnerability Insight
The following flaws exist:
- CVE-2016-2554: Stack-based buffer overflow in ext/phar/tar.c
- CVE-2016-4342: ext/phar/phar_object.c mishandles zero-length uncompressed data

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Multiple Vulnerabilities (Jul 2016) -. ↪..
OID:1.3.6.1.4.1.25623.1.0.808607
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2016-2554
cve: CVE-2016-4342
url: http://www.php.net/ChangeLog-7.php
url: http://www.securityfocus.com/bid/89154
url: http://www.securityfocus.com/bid/83353
url: http://www.openwall.com/lists/oss-security/2016/04/28/2
cert-bund: CB-K16/1776
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0868
cert-bund: CB-K16/0779
cert-bund: CB-K16/0760
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
cert-bund: CB-K16/0405
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0814
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0441
```

Critical (CVSS: 9.8)
NVT: phpMyAdmin < 4.8.6 SQL Injection Vulnerability (PMASA-2019-3) - Linux

Summary
phpMyAdmin is prone to an SQL injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.2.2
Fixed version:     4.8.6
Installation
path / port:       /phpmyadmin
```

Solution:
Solution type: VendorFix
Update to version 4.8.6 or later.

Affected Software/OS
phpMyAdmin prior to version 4.8.6.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
A vulnerability was reported where a specially crafted database name can be used to trigger an SQL injection attack through the designer feature.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.8.6 SQL Injection Vulnerability (PMASA-2019-3) - Linux`
OID:1.3.6.1.4.1.25623.1.0.140207
Version used: `2024-02-13T05:06:26Z`

References
`cve: CVE-2019-11768`
`url: https://www.phpmyadmin.net/security/PMASA-2019-3/`
`cert-bund: CB-K19/0477`
`dfn-cert: DFN-CERT-2019-1127`

Critical (CVSS: 9.8)
NVT: PHP < 5.5.27, 5.6.x < 5.6.11 Arbitrary Code Execution Vulnerability (Aug 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an arbitrary code execution vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.5.27
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.

Solution:
Solution type: VendorFix
Update to version 5.5.27, 5.6.11 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

PHP prior to version 5.5.27 and 5.6.x prior to 5.6.11 on Linux.

Vulnerability Insight
An use-after-free vulnerability occurs in the 'spl_ptr_heap_insert' function in 'ext/spl/spl_heap.c'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.27, 5.6.x < 5.6.11 Arbitrary Code Execution Vulnerability (Aug 2016) .`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.808671
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2015-4116
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75127
cert-bund: CB-K16/1179
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
cert-bund: CB-K16/0868
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0924
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.28, 7.x < 7.0.13 Multiple Vulnerabilities (Nov 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.28
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.28, 7.0.13 or later.

Affected Software/OS
PHP prior to version 5.6.28 and 7.x prior to 7.0.13.

Vulnerability Insight
The following flaws exist:
- CVE-2016-8670: Stack Buffer Overflow in GD dynamicGetbuf
- CVE-2016-9933, CVE-2016-9934: Multiple denial of service (DoS) vulnerabilities
- CVE-2016-10397: Security bypass vulnerability

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.28, 7.x < 7.0.13 Multiple Vulnerabilities (Nov 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.811489
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-8670
cve: CVE-2016-9933
cve: CVE-2016-9934
cve: CVE-2016-10397
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
url: http://bugs.php.net/73280
url: http://bugs.php.net/72696
url: http://bugs.php.net/73331
url: http://bugs.php.net/73192
cert-bund: CB-K17/1575
cert-bund: CB-K17/1461
cert-bund: CB-K17/1358
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/1252
cert-bund: CB-K17/0269
cert-bund: CB-K17/0124
cert-bund: CB-K17/0053
cert-bund: CB-K17/0015
cert-bund: CB-K16/2015
cert-bund: CB-K16/2011
cert-bund: CB-K16/1943
cert-bund: CB-K16/1790
cert-bund: CB-K16/1606
dfn-cert: DFN-CERT-2019-2707
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0131
dfn-cert: DFN-CERT-2017-0058
dfn-cert: DFN-CERT-2017-0016
dfn-cert: DFN-CERT-2016-2130
dfn-cert: DFN-CERT-2016-2123
dfn-cert: DFN-CERT-2016-2053
dfn-cert: DFN-CERT-2016-1887
dfn-cert: DFN-CERT-2016-1704
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.29
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successfully exploiting these issues allow remote attackers to read arbitrary empty directories, also to cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 5.4.45, 5.5.29, 5.6.13 or later.

Affected Software/OS
PHP prior to version 5.4.45, 5.5.x prior to 5.5.29 and 5.6.x prior to 5.6.13 on Linux.

Vulnerability Insight
The following flaws exist:
- Error in the 'ZipArchive::extractTo' function in 'ext/zip/php_zip.c' script.
- The xsl_ext_function_php function in ext/xsl/xsltprocessor.c when libxml2 is used, does not consider the possibility of a NULL valuePop return value before proceeding with a free operation after the principal argument loop.
- Improper handling of multiple php_var_unserialize calls
- Multiple use-after-free vulnerabilities

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 Multiple Vulnerabilities (Jul 2016. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808617
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-9767`
`cve: CVE-2015-6834`
`cve: CVE-2015-6835`
`cve: CVE-2015-6837`
`cve: CVE-2015-6838`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/76652`
`url: http://www.securityfocus.com/bid/76649`
`url: http://www.securityfocus.com/bid/76733`
`url: http://www.securityfocus.com/bid/76734`
`url: http://www.securityfocus.com/bid/76738`
`url: http://www.openwall.com/lists/oss-security/2016/03/16/20`
`cert-bund: WID-SEC-2025-1425`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/1776
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
cert-bund: CB-K16/0422
cert-bund: CB-K15/1571
cert-bund: CB-K15/1561
cert-bund: CB-K15/1478
cert-bund: CB-K15/1439
cert-bund: CB-K15/1415
cert-bund: CB-K15/1337
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1658
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1556
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1493
dfn-cert: DFN-CERT-2015-1407
```

Critical (CVSS: 9.6)
NVT: PHP < 5.5.22, 5.6.x < 5.6.6 XXE Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to an XML external entity (XXE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.22
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successfully exploiting this issue allow remote attackers to conduct XML External Entity (XXE) and XML Entity Expansion (XEE) attacks.

Solution:
Solution type: VendorFix
Update to PHP version 5.5.22, 5.6.6 or later.

Affected Software/OS
PHP prior to version 5.5.22 and 5.6.x prior to 5.6.6 on Linux.

Vulnerability Insight
The flaw is due to script 'ext/libxml/libxml.c' does not isolate each thread from 'libxml_disable_entity_loader' when PHP-FPM is used.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.22, 5.6.x < 5.6.6 XXE Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.808615
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-8866`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/87470`
`cert-bund: CB-K18/0028`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0705`
`cert-bund: CB-K16/0614`
`dfn-cert: DFN-CERT-2018-0010`
`dfn-cert: DFN-CERT-2016-1882`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0972`
`dfn-cert: DFN-CERT-2016-0764`
`dfn-cert: DFN-CERT-2016-0659`

Critical (CVSS: 9.1)
NVT: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 DoS Vulnerability (Aug 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.31
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow attackers to obtain sensitive information from process memory or cause a denial of service (out-of-bounds read and buffer overflow) via a long string.

Solution:
Solution type: VendorFix
Update to version 5.5.31, 5.6.17, 7.0.2 or later.

Affected Software/OS
PHP prior to version 5.5.31, 5.6.x prior to 5.6.17 and 7.x prior to 7.0.2 on Linux.

Vulnerability Insight
The flaw is due to the 'sapi/fpm/fpm/fpm_log.c' script misinterprets the semantics of the snprintf return value.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 DoS Vulnerability (Aug 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809139
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2016-5114
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/81808
cert-bund: CB-K16/1776
cert-bund: CB-K16/1179
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944
```

Critical (CVSS: 9.1)
NVT: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 Out of Bounds Read Memory Corruption Vulnerability (Mar 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to an out-of-bounds read memory corruption vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.31
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to obtain sensitive information or cause a denial-of-service condition.

Solution:

Solution type: VendorFix

Update to version 5.5.31, 5.6.17, 7.0.2 or later.

Affected Software/OS

PHP prior to version 5.5.31, 5.6.x prior to 5.6.17 and 7.x prior to 7.0.2 on Linux.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
A memory corruption vulnerability occurs via a large 'bgd_color' argument to the 'imagerotate' function in 'ext/gd/libgd/gd_interpolation.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 Out of Bounds Read Memory Corruption . ↪..`
OID:1.3.6.1.4.1.25623.1.0.807504
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-1903`
`url: https://bugs.php.net/bug.php?id=70976`
`url: http://www.securityfocus.com/bid/79916`
`url: http://www.openwall.com/lists/oss-security/2016/01/14/8`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/0614`
`cert-bund: CB-K16/0161`
`cert-bund: CB-K16/0136`
`dfn-cert: DFN-CERT-2016-1882`
`dfn-cert: DFN-CERT-2016-0659`
`dfn-cert: DFN-CERT-2016-0176`
`dfn-cert: DFN-CERT-2016-0154`

Critical (CVSS: 9.1)
NVT: Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1 ↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 2.4.7
Fixed version:     2.4.27
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to cause the target service to crash. A remote user can obtain potentially sensitive information as well on the target system.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server 2.2.34 or 2.4.27 or later.

Affected Software/OS
Apache HTTP Server 2.2.x before 2.2.34 and 2.4.x before 2.4.27.

Vulnerability Insight
The flaw exists due to error in Apache 'mod_auth_digest' which does not properly initialize memory used to process 'Digest' type HTTP Authorization headers.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.811237
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2017-9788
url: http://www.securitytracker.com/id/1038906
url: http://www.securityfocus.com/bid/99569
url: http://httpd.apache.org/security/vulnerabilities_22.html
url: http://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K18/0066
cert-bund: CB-K17/2013
cert-bund: CB-K17/1980
cert-bund: CB-K17/1936
cert-bund: CB-K17/1871
cert-bund: CB-K17/1854
cert-bund: CB-K17/1842
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/1768
cert-bund: CB-K17/1747
cert-bund: CB-K17/1622
cert-bund: CB-K17/1558
cert-bund: CB-K17/1382
cert-bund: CB-K17/1197
cert-bund: CB-K17/1177
cert-bund: CB-K17/1023
dfn-cert: DFN-CERT-2019-0358
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2104
dfn-cert: DFN-CERT-2017-2070
dfn-cert: DFN-CERT-2017-2021
dfn-cert: DFN-CERT-2017-1954
dfn-cert: DFN-CERT-2017-1926
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1828
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1626
dfn-cert: DFN-CERT-2017-1443
dfn-cert: DFN-CERT-2017-1240
dfn-cert: DFN-CERT-2017-1217
dfn-cert: DFN-CERT-2017-1058
```

Critical (CVSS: 9.1)
NVT: PHP < 7.2.27, 7.3.x < 7.3.14, 7.4.x < 7.4.2 Multiple Vulnerabilities (Jan 2020) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.2.27
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 7.2.27, 7.3.14, 7.4.2 or later.

Affected Software/OS
PHP versions before 7.2.27, 7.3.x and 7.4.x.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- OOB read in php_strip_tags_ex (CVE-2020-7059)
- Global buffer-overflow in 'mbfl_filt_conv_big5_wchar' (CVE-2020-7060)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.27, 7.3.x < 7.3.14, 7.4.x < 7.4.2 Multiple Vulnerabilities (Jan 2020).`
↪..
OID:1.3.6.1.4.1.25623.1.0.143392
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2020-7059`
`cve: CVE-2020-7060`
`url: https://www.php.net/ChangeLog-7.php#7.2.27`
`url: https://www.php.net/ChangeLog-7.php#7.3.14`
`url: https://www.php.net/ChangeLog-7.php#7.4.2`
`cert-bund: WID-SEC-2022-2121`
`cert-bund: CB-K20/1199`
`cert-bund: CB-K20/0067`
`dfn-cert: DFN-CERT-2022-2638`
`dfn-cert: DFN-CERT-2020-2627`
`dfn-cert: DFN-CERT-2020-1964`
`dfn-cert: DFN-CERT-2020-0485`
`dfn-cert: DFN-CERT-2020-0422`
`dfn-cert: DFN-CERT-2020-0415`
`dfn-cert: DFN-CERT-2020-0382`
`dfn-cert: DFN-CERT-2020-0342`
`dfn-cert: DFN-CERT-2020-0339`
`dfn-cert: DFN-CERT-2020-0337`
`dfn-cert: DFN-CERT-2020-0139`

Critical (CVSS: 9.0)
NVT: Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.55
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.55 or later.

Affected Software/OS
Apache HTTP Server version 2.4.54 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2006-20001: mod_dav out of bounds read, or write of zero byte
- CVE-2022-36760: Possible request smuggling in mod_proxy_ajp
- CVE-2022-37436: mod_proxy allows a backend to trigger HTTP response splitting

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.149152
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2006-20001`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2022-36760
cve: CVE-2022-37436
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.55
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1022
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0110
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-1895
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0548
dfn-cert: DFN-CERT-2023-0497
dfn-cert: DFN-CERT-2023-0118
```

[return to 172.30.9.3]

2.1.3 High 3306/tcp

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.39
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.39, 8.0.30 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server version 5.7.38 and prior and 8.0 through 8.0.29.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Li.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.148510
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2022-1292`
`cve: CVE-2022-27778`
`cve: CVE-2018-25032`
`cve: CVE-2022-21515`
`url: https://www.oracle.com/security-alerts/cpujul2022.html#AppendixMSQL`
`advisory-id: cpujul2022`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2024-1186`
`cert-bund: WID-SEC-2024-0794`
`cert-bund: WID-SEC-2023-2723`
`cert-bund: WID-SEC-2023-2229`
`cert-bund: WID-SEC-2023-1969`
`cert-bund: WID-SEC-2023-1784`
`cert-bund: WID-SEC-2023-1542`
`cert-bund: WID-SEC-2023-1432`
`cert-bund: WID-SEC-2023-1424`
`cert-bund: WID-SEC-2023-1350`
`cert-bund: WID-SEC-2023-1021`
`cert-bund: WID-SEC-2023-0141`
`cert-bund: WID-SEC-2023-0132`
`cert-bund: WID-SEC-2022-1775`
`cert-bund: WID-SEC-2022-1772`
`cert-bund: WID-SEC-2022-1767`
`cert-bund: WID-SEC-2022-1461`
`cert-bund: WID-SEC-2022-1438`
`cert-bund: WID-SEC-2022-1335`
`cert-bund: WID-SEC-2022-1245`
`cert-bund: WID-SEC-2022-1228`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1068
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0833
cert-bund: WID-SEC-2022-0826
cert-bund: WID-SEC-2022-0767
cert-bund: WID-SEC-2022-0755
cert-bund: WID-SEC-2022-0736
cert-bund: WID-SEC-2022-0735
cert-bund: WID-SEC-2022-0677
cert-bund: WID-SEC-2022-0554
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0277
cert-bund: WID-SEC-2022-0071
cert-bund: WID-SEC-2022-0005
cert-bund: CB-K22/0619
cert-bund: CB-K22/0570
cert-bund: CB-K22/0536
cert-bund: CB-K22/0386
dfn-cert: DFN-CERT-2024-2686
dfn-cert: DFN-CERT-2024-2451
dfn-cert: DFN-CERT-2024-0998
dfn-cert: DFN-CERT-2024-0790
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-3028
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-2600
dfn-cert: DFN-CERT-2023-2599
dfn-cert: DFN-CERT-2023-2571
dfn-cert: DFN-CERT-2023-0553
dfn-cert: DFN-CERT-2023-0430
dfn-cert: DFN-CERT-2023-0372
dfn-cert: DFN-CERT-2023-0121
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2023-0100
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-2309
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2268
dfn-cert: DFN-CERT-2022-2254
dfn-cert: DFN-CERT-2022-2150
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2066
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1905
dfn-cert: DFN-CERT-2022-1875
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1646
dfn-cert: DFN-CERT-2022-1614
dfn-cert: DFN-CERT-2022-1609
dfn-cert: DFN-CERT-2022-1520
dfn-cert: DFN-CERT-2022-1476
dfn-cert: DFN-CERT-2022-1425
dfn-cert: DFN-CERT-2022-1310
dfn-cert: DFN-CERT-2022-1304
dfn-cert: DFN-CERT-2022-1267
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1103
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-1076
dfn-cert: DFN-CERT-2022-1054
dfn-cert: DFN-CERT-2022-1049
dfn-cert: DFN-CERT-2022-0986
dfn-cert: DFN-CERT-2022-0768
dfn-cert: DFN-CERT-2022-0716
```

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.35
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.35, 8.0.26 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.34 and prior and 8.0 through 8.0.25.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Li.`
↪..
OID:1.3.6.1.4.1.25623.1.0.146354
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-22901
cve: CVE-2019-17543
cve: CVE-2021-2389
cve: CVE-2021-2390
cve: CVE-2021-2356
cve: CVE-2021-2385
cve: CVE-2021-2342
cve: CVE-2021-2372
cve: CVE-2021-22897
cve: CVE-2021-22898
url: https://www.oracle.com/security-alerts/cpujul2021.html#AppendixMSQL
advisory-id: cpujul2021
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-2364
cert-bund: WID-SEC-2025-1905
cert-bund: WID-SEC-2025-1550
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1963

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-0873
cert-bund: CB-K22/0044
cert-bund: CB-K21/0813
cert-bund: CB-K21/0770
dfn-cert: DFN-CERT-2025-2944
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2369
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-1743
dfn-cert: DFN-CERT-2021-1677
dfn-cert: DFN-CERT-2021-1593
dfn-cert: DFN-CERT-2021-1580
dfn-cert: DFN-CERT-2021-1537
dfn-cert: DFN-CERT-2021-1329
dfn-cert: DFN-CERT-2021-1174
dfn-cert: DFN-CERT-2021-1165
dfn-cert: DFN-CERT-2021-1157
dfn-cert: DFN-CERT-2021-1151
dfn-cert: DFN-CERT-2021-1148
dfn-cert: DFN-CERT-2021-1045
dfn-cert: DFN-CERT-2019-2216
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.33 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Lin.`
↪..
OID:1.3.6.1.4.1.25623.1.0.149537
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2023-0215
cve: CVE-2022-43551
cve: CVE-2023-21980
cve: CVE-2022-4304
cve: CVE-2022-4450
cve: CVE-2023-0286
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023
cert-bund: WID-SEC-2025-1365
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-2086
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0114
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1886
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-1812
cert-bund: WID-SEC-2023-1793
cert-bund: WID-SEC-2023-1790
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1553
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1033
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2023-0777
cert-bund: WID-SEC-2023-0304
cert-bund: WID-SEC-2022-2375
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2024-0126
dfn-cert: DFN-CERT-2024-0016
dfn-cert: DFN-CERT-2023-2192
dfn-cert: DFN-CERT-2023-1760
dfn-cert: DFN-CERT-2023-1697
dfn-cert: DFN-CERT-2023-1656
dfn-cert: DFN-CERT-2023-1643
dfn-cert: DFN-CERT-2023-1590
dfn-cert: DFN-CERT-2023-1522
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-1256
dfn-cert: DFN-CERT-2023-1162
dfn-cert: DFN-CERT-2023-1043
dfn-cert: DFN-CERT-2023-1037
dfn-cert: DFN-CERT-2023-0898
dfn-cert: DFN-CERT-2023-0885
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2023-0774
dfn-cert: DFN-CERT-2023-0685
dfn-cert: DFN-CERT-2023-0662
dfn-cert: DFN-CERT-2023-0661
dfn-cert: DFN-CERT-2023-0639
dfn-cert: DFN-CERT-2023-0618
dfn-cert: DFN-CERT-2023-0543
dfn-cert: DFN-CERT-2023-0471
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-0430
dfn-cert: DFN-CERT-2023-0329
dfn-cert: DFN-CERT-2023-0318
dfn-cert: DFN-CERT-2023-0310
dfn-cert: DFN-CERT-2023-0299
dfn-cert: DFN-CERT-2023-0288
dfn-cert: DFN-CERT-2023-0284
dfn-cert: DFN-CERT-2023-0283
dfn-cert: DFN-CERT-2022-2902
```

High (CVSS: 7.5)
NVT: Oracle MySQL Denial Of Service Vulnerability (Feb 2017) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.6.21
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability will allow attackers to cause crash of applications using that MySQL client.

Solution:

Solution type: VendorFix

Upgrade to Oracle MySQL version 5.6.21 or 5.7.5 or later.

Affected Software/OS

Oracle MySQL version before 5.6.21 and 5.7.x before 5.7.5 on Linux

Vulnerability Insight

Multiple errors exist as,

- In sql-common/client.c script 'mysql_prune_stmt_list' function, the for loop adds elements to pruned_list without removing it from the existing list.

. . . continues on next page . . .

. . . continued from previous page . . .

- If application gets disconnected just before it tries to prepare a new statement, 'mysql_prune_stmt_list' tries to detach all previously prepared statements.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Denial Of Service Vulnerability (Feb 2017) - Linux`
OID:1.3.6.1.4.1.25623.1.0.810604
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2017-3302
url: https://bugs.mysql.com/bug.php?id=63363
url: https://bugs.mysql.com/bug.php?id=70429
url: http://www.openwall.com/lists/oss-security/2017/02/11/11
cert-bund: CB-K18/0224
cert-bund: CB-K17/1604
cert-bund: CB-K17/1298
cert-bund: CB-K17/1239
cert-bund: CB-K17/0657
cert-bund: CB-K17/0423
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1675
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-1282
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0430
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.6.48 Security Update (cpujul2020) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.6.49
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.49 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.48 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.48 Security Update (cpujul2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.144285
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2020-1967
cve: CVE-2020-14539
cve: CVE-2020-14559
url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixMSQL
advisory-id: cpujul2020
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-3080
cert-bund: CB-K21/1088
cert-bund: CB-K21/0070
cert-bund: CB-K20/1023
cert-bund: CB-K20/1017
cert-bund: CB-K20/0711
cert-bund: CB-K20/0708
cert-bund: CB-K20/0357
dfn-cert: DFN-CERT-2021-2192
dfn-cert: DFN-CERT-2021-0830
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0444
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-0140
dfn-cert: DFN-CERT-2020-2295
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2006
dfn-cert: DFN-CERT-2020-1827
dfn-cert: DFN-CERT-2020-1788
dfn-cert: DFN-CERT-2020-1508
dfn-cert: DFN-CERT-2020-0956
dfn-cert: DFN-CERT-2020-0930
dfn-cert: DFN-CERT-2020-0841
dfn-cert: DFN-CERT-2020-0824
dfn-cert: DFN-CERT-2020-0822
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.34
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.34, 8.0.24 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.33 and prior and 8.0 through 8.0.23.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Li.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.145795

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-3449
cve: CVE-2021-3450
cve: CVE-2021-23840
cve: CVE-2021-23841
cve: CVE-2021-2307
cve: CVE-2021-2304
cve: CVE-2021-2180
cve: CVE-2021-2194
cve: CVE-2021-2166
cve: CVE-2021-2179
cve: CVE-2021-2226
cve: CVE-2021-2169
cve: CVE-2021-2146
cve: CVE-2021-2174
cve: CVE-2021-2171
cve: CVE-2021-2162
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-0227
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-1894
cert-bund: WID-SEC-2022-1320
cert-bund: WID-SEC-2022-1303
cert-bund: WID-SEC-2022-1294
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0671
cert-bund: WID-SEC-2022-0669
cert-bund: WID-SEC-2022-0602
cert-bund: CB-K22/0476
cert-bund: CB-K22/0061
cert-bund: CB-K21/1097
cert-bund: CB-K21/1095
cert-bund: CB-K21/1065
cert-bund: CB-K21/0785
cert-bund: CB-K21/0770

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K21/0573
cert-bund: CB-K21/0572
cert-bund: CB-K21/0565
cert-bund: CB-K21/0421
cert-bund: CB-K21/0412
cert-bund: CB-K21/0409
cert-bund: CB-K21/0389
cert-bund: CB-K21/0317
cert-bund: CB-K21/0185
dfn-cert: DFN-CERT-2024-2451
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0121
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0024
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2223
dfn-cert: DFN-CERT-2021-2216
dfn-cert: DFN-CERT-2021-2214
dfn-cert: DFN-CERT-2021-2197
dfn-cert: DFN-CERT-2021-2196
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-2126
dfn-cert: DFN-CERT-2021-1996
dfn-cert: DFN-CERT-2021-1825
dfn-cert: DFN-CERT-2021-1803
dfn-cert: DFN-CERT-2021-1740
dfn-cert: DFN-CERT-2021-1670
dfn-cert: DFN-CERT-2021-1660
dfn-cert: DFN-CERT-2021-1549
dfn-cert: DFN-CERT-2021-1547
dfn-cert: DFN-CERT-2021-1537
dfn-cert: DFN-CERT-2021-1500
dfn-cert: DFN-CERT-2021-1418
dfn-cert: DFN-CERT-2021-1330
dfn-cert: DFN-CERT-2021-1132
dfn-cert: DFN-CERT-2021-1129
dfn-cert: DFN-CERT-2021-1128
dfn-cert: DFN-CERT-2021-1098
dfn-cert: DFN-CERT-2021-1070
dfn-cert: DFN-CERT-2021-1061
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-0984
dfn-cert: DFN-CERT-2021-0884
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0829
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0818
dfn-cert: DFN-CERT-2021-0813
dfn-cert: DFN-CERT-2021-0807
dfn-cert: DFN-CERT-2021-0806
dfn-cert: DFN-CERT-2021-0740
dfn-cert: DFN-CERT-2021-0696
dfn-cert: DFN-CERT-2021-0656
dfn-cert: DFN-CERT-2021-0630
dfn-cert: DFN-CERT-2021-0629
dfn-cert: DFN-CERT-2021-0409
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0379
dfn-cert: DFN-CERT-2021-0363
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.37
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.37, 8.0.28 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.147464
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2021-22946
cve: CVE-2022-21367
cve: CVE-2022-21270
cve: CVE-2022-21304
cve: CVE-2022-21344
cve: CVE-2022-21303
cve: CVE-2022-21245
cve: CVE-2021-22947
url: https://www.oracle.com/security-alerts/cpujan2022.html#AppendixMSQL
advisory-id: cpujan2022
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1056
cert-bund: WID-SEC-2022-0875
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0101
cert-bund: CB-K22/0316
cert-bund: CB-K22/0077
cert-bund: CB-K22/0062
cert-bund: CB-K22/0030
cert-bund: CB-K21/0991
cert-bund: CB-K21/0969
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2086
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1143
dfn-cert: DFN-CERT-2022-0835
dfn-cert: DFN-CERT-2022-0586
dfn-cert: DFN-CERT-2022-0118
dfn-cert: DFN-CERT-2022-0112
dfn-cert: DFN-CERT-2022-0052
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-1931
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.38
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.38, 8.0.29 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.37 and prior and 8.0 through 8.0.28.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Li.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪. .
OID:1.3.6.1.4.1.25623.1.0.113943
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-0778
cve: CVE-2022-21454
cve: CVE-2022-21417
cve: CVE-2022-21427
cve: CVE-2022-21451
cve: CVE-2022-21444
cve: CVE-2022-21460
url: https://www.oracle.com/security-alerts/cpuapr2022.html#AppendixMSQL
advisory-id: cpuapr2022
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-2086
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1081
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0836
cert-bund: WID-SEC-2022-0833
cert-bund: WID-SEC-2022-0826
cert-bund: WID-SEC-2022-0767
cert-bund: WID-SEC-2022-0677
cert-bund: WID-SEC-2022-0551
cert-bund: WID-SEC-2022-0530
cert-bund: WID-SEC-2022-0515
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0270
cert-bund: WID-SEC-2022-0261
cert-bund: WID-SEC-2022-0200
cert-bund: WID-SEC-2022-0190
cert-bund: WID-SEC-2022-0169
cert-bund: WID-SEC-2022-0065

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K22/0619
cert-bund: CB-K22/0470
cert-bund: CB-K22/0468
cert-bund: CB-K22/0321
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-0081
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2268
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1469
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1294
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1205
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-0955
dfn-cert: DFN-CERT-2022-0902
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0873
dfn-cert: DFN-CERT-2022-0866
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0779
dfn-cert: DFN-CERT-2022-0759
dfn-cert: DFN-CERT-2022-0627
dfn-cert: DFN-CERT-2022-0625
dfn-cert: DFN-CERT-2022-0610
dfn-cert: DFN-CERT-2022-0603
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.31 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.30.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Lin.
↪..
OID:1.3.6.1.4.1.25623.1.0.149533
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-21912
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1033
dfn-cert: DFN-CERT-2023-1058
dfn-cert: DFN-CERT-2023-1037
dfn-cert: DFN-CERT-2023-0885

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.60
Fixed version: 5.7.43
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.43, 8.0.34 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Lin.
↪..
OID:1.3.6.1.4.1.25623.1.0.151213
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-2650
cve: CVE-2023-0464
cve: CVE-2023-0465
cve: CVE-2023-0466
cve: CVE-2023-1255
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL

. . . continues on next page . . .

. . . continued from previous page . . .

```
advisory-id: cpuoct2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0120
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2024-0053
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2690
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1794
cert-bund: WID-SEC-2023-1781
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1323
cert-bund: WID-SEC-2023-1130
cert-bund: WID-SEC-2023-1053
cert-bund: WID-SEC-2023-0782
cert-bund: WID-SEC-2023-0732
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1067
dfn-cert: DFN-CERT-2024-0565
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2024-0125
dfn-cert: DFN-CERT-2023-3071
dfn-cert: DFN-CERT-2023-3070
dfn-cert: DFN-CERT-2023-2749
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-2116
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2023-1903
dfn-cert: DFN-CERT-2023-1720
dfn-cert: DFN-CERT-2023-1649
dfn-cert: DFN-CERT-2023-1642
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1428
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1332
dfn-cert: DFN-CERT-2023-1246
dfn-cert: DFN-CERT-2023-1245
dfn-cert: DFN-CERT-2023-1233
dfn-cert: DFN-CERT-2023-0999
dfn-cert: DFN-CERT-2023-0960
dfn-cert: DFN-CERT-2023-0929
dfn-cert: DFN-CERT-2023-0904
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-0782
dfn-cert: DFN-CERT-2023-0700
dfn-cert: DFN-CERT-2023-0645
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     8.0.40
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.40, 8.4.3, 9.0.2 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.2 and 9.0 through 9.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuo.
↪..
OID:1.3.6.1.4.1.25623.1.0.170874
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2024-5535
cve: CVE-2024-6119
cve: CVE-2024-21230
cve: CVE-2024-7264
cve: CVE-2024-21196
cve: CVE-2024-21194
cve: CVE-2024-21199
cve: CVE-2024-21218
cve: CVE-2024-21236
cve: CVE-2024-21239
cve: CVE-2024-21198
cve: CVE-2024-21219
cve: CVE-2024-21203
cve: CVE-2024-21197
cve: CVE-2024-21201
cve: CVE-2024-21241
cve: CVE-2024-21193
cve: CVE-2024-21213
cve: CVE-2024-21231
cve: CVE-2024-21237
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-2838
cert-bund: WID-SEC-2025-2836
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-0823
cert-bund: WID-SEC-2025-0814
cert-bund: WID-SEC-2025-0612
cert-bund: WID-SEC-2025-0225
cert-bund: WID-SEC-2025-0166
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2025-0001
cert-bund: WID-SEC-2024-3674
cert-bund: WID-SEC-2024-3412
cert-bund: WID-SEC-2024-3201
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3192
cert-bund: WID-SEC-2024-3188
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-2040
cert-bund: WID-SEC-2024-1736
cert-bund: WID-SEC-2024-1469
dfn-cert: DFN-CERT-2026-0015
dfn-cert: DFN-CERT-2025-3495
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-3494
dfn-cert: DFN-CERT-2025-3493
dfn-cert: DFN-CERT-2025-3492
dfn-cert: DFN-CERT-2025-3491
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-1659
dfn-cert: DFN-CERT-2025-1474
dfn-cert: DFN-CERT-2025-1454
dfn-cert: DFN-CERT-2025-0975
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0474
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2025-0175
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2024-3300
dfn-cert: DFN-CERT-2024-3152
dfn-cert: DFN-CERT-2024-3013
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2783
dfn-cert: DFN-CERT-2024-2734
dfn-cert: DFN-CERT-2024-2732
dfn-cert: DFN-CERT-2024-2381
dfn-cert: DFN-CERT-2024-2322
dfn-cert: DFN-CERT-2024-2285
dfn-cert: DFN-CERT-2024-2168
dfn-cert: DFN-CERT-2024-2025
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1968
dfn-cert: DFN-CERT-2024-1967
dfn-cert: DFN-CERT-2024-1681
```

High (CVSS: 7.2)
NVT: Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a vulnerability in the parser.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.30
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.30, 8.0.20 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.29 and prior and 8.0 through 8.0.19.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145799
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-2144
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2021-0821
```

High (CVSS: 7.1)
NVT: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (cpujan2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Server accessible data and unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server.

Solution:
Solution type: VendorFix
Updates are available. Apply the necessary patch from the referenced link.

Affected Software/OS
Oracle MySQL Server versions 5.6.42 and prior, 5.7 through 5.7.24 and 8.0 through 8.0.13.

Vulnerability Insight
The attacks range in variety and difficulty. Most of them allow an attacker with network access via multiple protocols to compromise the MySQL Server.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.112488
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2019-2534`
`cve: CVE-2019-2529`
`cve: CVE-2019-2482`
`cve: CVE-2019-2455`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2019-2503
cve: CVE-2018-0734
cve: CVE-2019-2537
cve: CVE-2019-2481
cve: CVE-2019-2507
cve: CVE-2019-2531
cve: CVE-2018-5407
url: https://www.oracle.com/security-alerts/cpujan2019.html#AppendixMSQL
advisory-id: cpujan2019
cert-bund: WID-SEC-2025-2349
cert-bund: WID-SEC-2025-1212
cert-bund: WID-SEC-2023-3083
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-1696
cert-bund: WID-SEC-2022-0673
cert-bund: WID-SEC-2022-0517
cert-bund: CB-K22/0045
cert-bund: CB-K20/0324
cert-bund: CB-K20/0136
cert-bund: CB-K19/1121
cert-bund: CB-K19/0696
cert-bund: CB-K19/0622
cert-bund: CB-K19/0615
cert-bund: CB-K19/0321
cert-bund: CB-K19/0320
cert-bund: CB-K19/0319
cert-bund: CB-K19/0318
cert-bund: CB-K19/0316
cert-bund: CB-K19/0314
cert-bund: CB-K19/0050
cert-bund: CB-K19/0044
cert-bund: CB-K18/1173
cert-bund: CB-K18/1065
cert-bund: CB-K18/1039
dfn-cert: DFN-CERT-2020-0326
dfn-cert: DFN-CERT-2019-2457
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-2305
dfn-cert: DFN-CERT-2019-2300
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-1996
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1746
dfn-cert: DFN-CERT-2019-1713
dfn-cert: DFN-CERT-2019-1617
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1600
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1588
dfn-cert: DFN-CERT-2019-1562
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-1450
dfn-cert: DFN-CERT-2019-1240
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0782
dfn-cert: DFN-CERT-2019-0781
dfn-cert: DFN-CERT-2019-0778
dfn-cert: DFN-CERT-2019-0775
dfn-cert: DFN-CERT-2019-0772
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2019-0232
dfn-cert: DFN-CERT-2019-0204
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2019-0104
dfn-cert: DFN-CERT-2019-0103
dfn-cert: DFN-CERT-2019-0102
dfn-cert: DFN-CERT-2018-2541
dfn-cert: DFN-CERT-2018-2539
dfn-cert: DFN-CERT-2018-2513
dfn-cert: DFN-CERT-2018-2456
dfn-cert: DFN-CERT-2018-2444
dfn-cert: DFN-CERT-2018-2396
dfn-cert: DFN-CERT-2018-2360
dfn-cert: DFN-CERT-2018-2338
dfn-cert: DFN-CERT-2018-2214
```

[return to 172.30.9.3]

2.1.4 High 80/tcp

High (CVSS: 8.8)
NVT: PHP < 7.4.30, 8.0.x < 8.0.20, 8.1.x < 8.1.7 Security Update (Jun 2022) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP released new versions which include a security fix.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.4.30
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.4.30, 8.0.20, 8.1.7 or later.

Affected Software/OS
PHP prior to version 7.4.30, 8.0.x through 8.0.19 and 8.1.x through 8.1.6.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-31625: Uninitialized array in pg_query_params()
- CVE-2022-31626: mysqlnd/pdo password buffer overflow

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.4.30, 8.0.x < 8.0.20, 8.1.x < 8.1.7 Security Update (Jun 2022) - Linux`
OID:1.3.6.1.4.1.25623.1.0.148249
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2022-31625
cve: CVE-2022-31626
url: https://www.php.net/ChangeLog-7.php#7.4.30
url: https://www.php.net/ChangeLog-8.php#8.0.20
url: https://www.php.net/ChangeLog-8.php#8.1.7
url: https://bugs.php.net/bug.php?id=81720
url: https://bugs.php.net/bug.php?id=81719
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-0255
cert-bund: CB-K22/0700
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2500
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-1881
dfn-cert: DFN-CERT-2022-1552
dfn-cert: DFN-CERT-2022-1516
dfn-cert: DFN-CERT-2022-1493
dfn-cert: DFN-CERT-2022-1473
dfn-cert: DFN-CERT-2022-1288
```

High (CVSS: 8.8)
NVT: PHP < 5.6.18, 7.x < 7.0.3 DoS Vulnerability (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.18
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.6.18, 7.0.3 or later.

Affected Software/OS

PHP prior to version 5.6.18 and 7.x prior to 7.0.3 on Linux.

Vulnerability Insight

The flaw is due an improper handling of zero-size '././@LongLink' files by 'phar_make_dirstream' function in ext/phar/dirstream.c script.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.18, 7.x < 7.0.3 DoS Vulnerability (Jul 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808609
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-4343
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/89179
url: http://www.openwall.com/lists/oss-security/2016/04/28/2
cert-bund: CB-K16/1776
cert-bund: CB-K16/0796
cert-bund: CB-K16/0779
cert-bund: CB-K16/0760
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-0847
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0814
```

High (CVSS: 8.8)
NVT: PHP < 5.6.36, 7.x < 7.0.30, 7.1.x < 7.1.17, 7.2.x < 7.2.5 Multiple Vulnerabilities (May 2018) - Linux

Product detection result
```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.6.36
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successful exploitation will allow an attacker to conduct XSS attacks, crash PHP, conduct denial of service condition and execute arbitrary code in the context of the affected application.

Solution:
Solution type: VendorFix
Update to version 5.6.36, 7.0.30, 7.1.17, 7.2.5 or later.

Affected Software/OS
PHP prior to version 5.6.36, 7.0.x prior to 7.0.30, 7.1.x prior to 7.1.17 and 7.2.x prior to 7.2.5 on Linux.

Vulnerability Insight
The following flaws exist:
- CVE-2018-10549: Out of bounds read error in 'exif_read_data' function while processing crafted JPG data.
- CVE-2018-10546: An error in stream filter 'convert.iconv' which leads to infinite loop on invalid sequence.
- CVE-2018-10548: An error in the LDAP module of PHP which allows a malicious LDAP server or man-in-the-middle attacker to crash PHP.
- CVE-2018-10547: An error in the 'phar_do_404()' function in 'ext/phar/phar_object.c' script which returns parts of the request unfiltered, leading to another XSS vector. This is due to incomplete fix for CVE-2018-5712.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.36, 7.x < 7.0.30, 7.1.x < 7.1.17, 7.2.x < 7.2.5 Multiple Vulnerabilit.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.813160
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2018-10546
cve: CVE-2018-10547
cve: CVE-2018-10548
cve: CVE-2018-10549
url: http://www.php.net/ChangeLog-5.php#5.6.36
url: http://www.php.net/ChangeLog-7.php#7.0.30
url: http://www.php.net/ChangeLog-7.php#7.1.17
url: http://www.php.net/ChangeLog-7.php#7.2.5
cert-bund: CB-K18/0633
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-1232
dfn-cert: DFN-CERT-2018-0920
dfn-cert: DFN-CERT-2018-0877
```

High (CVSS: 8.8)
NVT: phpMyAdmin < 4.9.4, 5.x < 5.0.1 SQL Injection Vulnerability (PMASA-2020-1) - Linux

Summary
phpMyAdmin is prone to an SQL injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.2.2
Fixed version:     4.9.4
Installation
path / port:       /phpmyadmin
```

Impact
A malicious user could inject custom SQL in place of their own username when creating queries to this page. An attacker must have a valid MySQL account to access the server.

Solution:
Solution type: VendorFix
Update to version 4.9.4, 5.0.1 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.4 and 5.x prior to 5.0.1.

Vulnerability Insight
An SQL injection flaw has been discovered in the user accounts page.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.4, 5.x < 5.0.1 SQL Injection Vulnerability (PMASA-2020-1) - Li.`
↪..
OID:1.3.6.1.4.1.25623.1.0.143346
Version used: `2024-02-13T05:06:26Z`

References

```
cve: CVE-2020-5504
url: https://www.phpmyadmin.net/security/PMASA-2020-1/
cert-bund: WID-SEC-2025-2723
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K20/0214
cert-bund: CB-K20/0010
dfn-cert: DFN-CERT-2020-0488
dfn-cert: DFN-CERT-2020-0089
dfn-cert: DFN-CERT-2020-0026
```

High (CVSS: 8.8)
NVT: PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.1.30
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.30, 8.2.24, 8.3.12 or later.

Affected Software/OS

PHP versions prior to 8.1.30, 8.2.x prior to 8.2.24 and 8.3.x prior to 8.3.12.

Vulnerability Insight

The following vulnerabilities exist:
- CVE-2024-8925, CVE-2024-8928: Erroneous parsing of multipart form data
- CVE-2024-8926: Bypass of CVE-2024-4577, Parameter Injection Vulnerability
- CVE-2024-8927: cgi.force_redirect configuration is bypassable due to the environment variable collision
- CVE-2024-9026: Logs from children may be altered

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114787
Version used: `2025-09-24T05:39:03Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2024-8925
cve: CVE-2024-8926
cve: CVE-2024-8927
cve: CVE-2024-8928
cve: CVE-2024-9026
url: https://www.php.net/ChangeLog-8.php#8.1.30
url: https://www.php.net/ChangeLog-8.php#8.2.24
url: https://www.php.net/ChangeLog-8.php#8.3.12
url: https://github.com/php/php-src/security/advisories/GHSA-9pqp-7h25-4f32
url: https://github.com/php/php-src/security/advisories/GHSA-p99j-rfp4-xqvq
url: https://github.com/php/php-src/security/advisories/GHSA-94p6-54jq-9mwp
url: https://github.com/php/php-src/security/advisories/GHSA-865w-9rf3-2wh5
url: https://bugzilla.redhat.com/show_bug.cgi?id=2317439
url: https://thephp.foundation/blog/2025/04/10/php-core-security-audit-results/
url: https://ostif.org/php-audit-complete/
url: https://blog.quarkslab.com/security-audit-of-php-src.html
url: https://www.openwall.com/lists/oss-security/2025/04/12/2
cert-bund: WID-SEC-2025-0137
cert-bund: WID-SEC-2024-3116
cert-bund: WID-SEC-2024-2230
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2025-0168
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-3329
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-2591
dfn-cert: DFN-CERT-2024-2550

High (CVSS: 8.8)
NVT: phpMyAdmin <= 5.1.1 CSV Injection Vulnerability - Linux

Summary
phpMyAdmin is prone to a CSV injection vulnerability via Export Section.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.5.2.2

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      None
Installation
path / port:        /phpmyadmin
```

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
phpMyAdmin version 5.1.1 and prior.

Vulnerability Insight
NOTE: the vendor disputes this because 'the CSV file is accurately generated based on the database contents.'
Nevertheless the vendor could implement measures while doing the CSV export which could lower or mitigate the risk originating from this flaw.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin <= 5.1.1 CSV Injection Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.144898
Version used: `2023-10-17T05:05:34Z`

References
`cve: CVE-2020-22278`
`url: https://cert.ikiu.ac.ir/public-files/news/document/CVE-99/CVE-2020-22278.pd`
`↪f`

High (CVSS: 8.6)
NVT: PHP < 5.5.36, 5.6.x < 5.6.22 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     5.5.36
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.5.36, 5.6.22 or later.

Affected Software/OS
PHP prior to version 5.5.36 and 5.6.x prior to 5.6.22 on Linux.

Vulnerability Insight
The following flaws exist:
- Integer overflow in the fread function in 'ext/standard/file.c' script.
- Integer overflow in the php_html_entities function in 'ext/standard/html.c' script.
- An Integer overflow in the php_escape_html_entities_ex function in 'ext/standard/html.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.36, 5.6.x < 5.6.22 Multiple Vulnerabilities (Aug 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808792
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-5094
cve: CVE-2016-5095
cve: CVE-2016-5096
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/90861
url: http://www.securityfocus.com/bid/90857
url: http://www.securityfocus.com/bid/92144
cert-bund: CB-K16/1982
cert-bund: CB-K16/1776
cert-bund: CB-K16/1179
cert-bund: CB-K16/0944
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0937
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
cert-bund: CB-K16/0909
cert-bund: CB-K16/0796
dfn-cert: DFN-CERT-2016-2084
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0996
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0960
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0847
```

High (CVSS: 8.6)
NVT: PHP < 5.5.36, 5.6.x < 5.6.22, 7.x < 7.0.7 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.36
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.5.36, 5.6.22, 7.0.7 or later.

Affected Software/OS

PHP prior to version 5.5.36, 5.6.x prior to 5.6.22 and 7.x prior to 7.0.7 on Linux.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The following flaws exist:
- The 'get_icu_value_internal' function in 'ext/intl/locale/locale_methods.c' script does not ensure the presence of a '\0' character.
- The 'gd_interpolation.c' script in the GD Graphics Library mishandled by the imagescale function.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.36, 5.6.x < 5.6.22, 7.x < 7.0.7 Multiple Vulnerabilities (Aug 2016) -. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808794
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2013-7456`
`cve: CVE-2016-5093`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/90946`
`url: http://www.securityfocus.com/bid/90859`
`url: http://www.php.net/ChangeLog-7.php`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/1179`
`cert-bund: CB-K16/1045`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0937`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0911`
`cert-bund: CB-K16/0909`
`cert-bund: CB-K16/0801`
`cert-bund: CB-K16/0796`
`dfn-cert: DFN-CERT-2016-1882`
`dfn-cert: DFN-CERT-2016-1253`
`dfn-cert: DFN-CERT-2016-1110`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0996`
`dfn-cert: DFN-CERT-2016-0972`
`dfn-cert: DFN-CERT-2016-0960`
`dfn-cert: DFN-CERT-2016-0944`
`dfn-cert: DFN-CERT-2016-0857`
`dfn-cert: DFN-CERT-2016-0847`

High (CVSS: 8.2)
NVT: Apache HTTP Server 2.4.7 - 2.4.51 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.52
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.52 or later.

Affected Software/OS
Apache HTTP Server version 2.4.7 through 2.4.51.

Vulnerability Insight
A crafted URI sent to httpd configured as a forward proxy (ProxyRequests on) can cause a crash (NULL pointer dereference) or, for configurations mixing forward and reverse proxy declarations, can allow for requests to be directed to a declared Unix Domain Socket endpoint (Server Side Request Forgery).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.7 - 2.4.51 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.117854
Version used: `2021-12-23T12:12:57Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2021-44224`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0727
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K22/0619
cert-bund: CB-K21/1296
dfn-cert: DFN-CERT-2022-2405
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1047
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0068
dfn-cert: DFN-CERT-2021-2656
```

High (CVSS: 8.2)
NVT: PHP < 8.2.30, 8.3.x < 8.3.29, 8.4.x < 8.4.16 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.2.30
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.2.30, 8.3.29, 8.4.16 or later.

Affected Software/OS

PHP versions prior to 8.2.30, 8.3.x prior to 8.3.29 and 8.4.x prior to 8.4.16.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The following flaws exist:
- CVE-2025-14177: Information leak of memory in getimagesize
- CVE-2025-14178: Heap buffer overflow in array_merge()
- CVE-2025-14180: PDO quoting result null deref
- No CVE: Null byte termination in dns_get_record()

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.2.30, 8.3.x < 8.3.29, 8.4.x < 8.4.16 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.156071
Version used: `2026-01-12T05:50:06Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2025-14177`
`cve: CVE-2025-14178`
`cve: CVE-2025-14180`
`url: https://www.php.net/ChangeLog-8.php#8.2.30`
`url: https://www.php.net/ChangeLog-8.php#8.3.29`
`url: https://www.php.net/ChangeLog-8.php#8.4.16`
`url: https://github.com/php/php-src/security/advisories/GHSA-3237-qqm7-mfv7`
`url: https://github.com/php/php-src/security/advisories/GHSA-h96m-rvf9-jgm2`
`url: https://github.com/php/php-src/security/advisories/GHSA-8xr5-qppj-gvwj`
`url: https://github.com/php/php-src/security/advisories/GHSA-www2-q4fc-65wf`
`dfn-cert: DFN-CERT-2026-0262`
`dfn-cert: DFN-CERT-2025-3544`

High (CVSS: 8.1)
NVT: PHP < 8.0.28, 8.1.x < 8.1.16, 8.2.x < 8.2.3 Security Update - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.0.28
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.28, 8.1.16, 8.2.3 or later.

Affected Software/OS
PHP versions prior to 8.0.28, 8.1.x prior to 8.1.16 and 8.2.x prior to 8.2.3.

Vulnerability Insight
The following flaws exist:
- CVE-2023-0567: Fixed bug #81744 (Password_verify() always return true with some hash)
- CVE-2023-0568: Fixed bug #81746 (1-byte array overrun in common path resolve code)
- CVE-2023-0662: Fixed bug GHSA-54hq-v5wp-fqgv (DOS vulnerability when parsing multipart request body)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.28, 8.1.x < 8.1.16, 8.2.x < 8.2.3 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.104541
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2023-0567
cve: CVE-2023-0568
cve: CVE-2023-0662
url: https://www.php.net/ChangeLog-8.php#8.2.3
url: https://www.php.net/ChangeLog-8.php#8.1.16
url: https://www.php.net/ChangeLog-8.php#8.0.28
url: https://www.php.net/archive/2023.php#2023-02-14-2
url: https://www.php.net/archive/2023.php#2023-02-14-3
url: https://www.php.net/archive/2023.php#2023-02-14-1
url: http://bugs.php.net/81744
url: http://bugs.php.net/81746
url: https://github.com/php/php-src/security/advisories/GHSA-54hq-v5wp-fqgv
url: https://github.com/php/php-src/security/advisories/GHSA-7fj2-8x79-rjf4
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-2671
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1022
cert-bund: WID-SEC-2023-0383
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-2681
dfn-cert: DFN-CERT-2023-2570
dfn-cert: DFN-CERT-2023-2538
dfn-cert: DFN-CERT-2023-0994
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0462
dfn-cert: DFN-CERT-2023-0435
dfn-cert: DFN-CERT-2023-0336
```

High (CVSS: 8.1)
NVT: PHP < 5.6.24, 7.x <= 7.0.8 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.24
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues may allow remote, unauthenticated to conduct MITM attacks on internal server subrequests or direct the server to initiate connections to arbitrary hosts or to cause a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.6.24, 7.0.9 or later.

Affected Software/OS

PHP versions 5.x through 5.6.23 and 7.0.x through 7.0.8 on Linux.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The following flaws exist:
- The web servers running in a CGI or CGI-like context may assign client request proxy header values to internal HTTP_PROXY environment variables.
- 'HTTP_PROXY' is improperly trusted by some PHP libraries and applications
- An unspecified flaw in the gdImageCropThreshold function in 'gd_crop.c' in the GD Graphics Library.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.24, 7.x <= 7.0.8 Multiple Vulnerabilities (Jul 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808628
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-5385
cve: CVE-2016-6128
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/91821
url: http://www.securityfocus.com/bid/91509
url: http://www.php.net/ChangeLog-7.php
url: http://www.kb.cert.org/vuls/id/797896
url: https://bugs.php.net/bug.php?id=72573
url: https://bugs.php.net/bug.php?id=72494
cert-bund: WID-SEC-2025-2522
cert-bund: CB-K17/1252
cert-bund: CB-K16/1941
cert-bund: CB-K16/1854
cert-bund: CB-K16/1776
cert-bund: CB-K16/1549
cert-bund: CB-K16/1499
cert-bund: CB-K16/1407
cert-bund: CB-K16/1283
cert-bund: CB-K16/1248
cert-bund: CB-K16/1179
cert-bund: CB-K16/1115
cert-bund: CB-K16/1110
cert-bund: CB-K16/1106
cert-bund: CB-K16/1092
cert-bund: CB-K16/1077
cert-bund: CB-K16/1045
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2016-2047
dfn-cert: DFN-CERT-2016-1961
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1498
dfn-cert: DFN-CERT-2016-1367
dfn-cert: DFN-CERT-2016-1326
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1179
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1157
dfn-cert: DFN-CERT-2016-1144
dfn-cert: DFN-CERT-2016-1110
```

High (CVSS: 8.1)
NVT: Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a man-in-the-middle attack vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.24
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to redirect an application's outbound HTTP traffic to an arbitrary proxy server via a crafted proxy header in an HTTP request.

Solution:

Solution type: VendorFix

Update to version 2.4.24, or 2.2.32, or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server through 2.4.23.
NOTE: Apache HTTP Server 2.2.32 is not vulnerable.

Vulnerability Insight
The flaw is due to 'CGI Servlet' does not protect applications from the presence of untrusted client data in the 'HTTP_PROXY' environment variable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808632
Version used: `2024-02-08T14:36:53Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2016-5387`
`url: https://www.apache.org/security/asf-httpoxy-response.txt`
`url: http://www.securityfocus.com/bid/91816`
`cert-bund: WID-SEC-2025-2522`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: CB-K17/2013`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1842`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/0527`
`cert-bund: CB-K17/0055`
`cert-bund: CB-K16/1995`
`cert-bund: CB-K16/1620`
`cert-bund: CB-K16/1289`
`cert-bund: CB-K16/1103`
`cert-bund: CB-K16/1088`
`cert-bund: CB-K16/1087`
`dfn-cert: DFN-CERT-2017-2104`
`dfn-cert: DFN-CERT-2017-1926`
`dfn-cert: DFN-CERT-2017-1925`
`dfn-cert: DFN-CERT-2017-1692`
`dfn-cert: DFN-CERT-2017-0532`
`dfn-cert: DFN-CERT-2017-0060`
`dfn-cert: DFN-CERT-2016-2108`
`dfn-cert: DFN-CERT-2016-1717`
`dfn-cert: DFN-CERT-2016-1372`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1175
dfn-cert: DFN-CERT-2016-1162
dfn-cert: DFN-CERT-2016-1153
```

High (CVSS: 8.0)
NVT: phpMyAdmin < 4.9.5, 5.x < 5.0.2 Multiple SQL Injection Vulnerabilities (PMASA-2020-2, PMASA-2020-3, PMASA-2020-4) - Linux

Summary
phpMyAdmin is prone to multiple SQL injection vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.2.2
Fixed version:     4.9.5
Installation
path / port:       /phpmyadmin
```

Impact
Successful exploitation would allow an attacker to:
- create a specially-crafted username and then trick the victim in to performing specific actions with that user account (such as editing its privileges)
- generate specially-crafted database or table names
- insert specially-crafted data in to certain database tables, which when retrieved (for instance, through the Browse tab) can trigger an XSS attack

Solution:
Solution type: VendorFix
Update to version 4.9.5, 5.0.2 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.5 and 5.x prior to 5.0.2.

Vulnerability Insight
The following SQL injection vulnerabilities exist:
- An SQL injection vulnerability was found in how phpMyAdmin retrieves the current username
- An SQL injection vulnerability has been discovered where certain parameters are not properly escaped when generating certain queries for search actions within phpMyAdmin
- An SQL injection vulnerability was discovered where malicious code could be used to trigger an XSS attack through retrieving and displaying results.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.5, 5.x < 5.0.2 Multiple SQL Injection Vulnerabilities (PMASA-2.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪. .
OID:1.3.6.1.4.1.25623.1.0.112715
Version used: 2024-02-13T05:06:26Z

References
cve: CVE-2020-10802
cve: CVE-2020-10803
cve: CVE-2020-10804
url: https://www.phpmyadmin.net/security/PMASA-2020-2/
url: https://www.phpmyadmin.net/security/PMASA-2020-3/
url: https://www.phpmyadmin.net/security/PMASA-2020-4/
cert-bund: CB-K20/0251
dfn-cert: DFN-CERT-2020-2366
dfn-cert: DFN-CERT-2020-0998
dfn-cert: DFN-CERT-2020-0592

High (CVSS: 7.8)
NVT: PHP < 8.0.27, 8.1.x < 8.1.14, 8.2.x < 8.2.1 Security Update - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to an integer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 8.0.27
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 8.0.27, 8.1.14, 8.2.1 or later.

Affected Software/OS
PHP prior to version 8.0.27, version 8.1.x through 8.1.13 and 8.2.0.

Vulnerability Insight
Due to an uncaught integer overflow, PDO::quote() of PDO_SQLite may return a not properly quoted string.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.27, 8.1.x < 8.1.14, 8.2.x < 8.2.1 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.149069
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2022-31631
url: https://www.php.net/ChangeLog-8.php#8.0.27
url: https://www.php.net/ChangeLog-8.php#8.1.14
url: https://www.php.net/ChangeLog-8.php#8.2.1
cert-bund: WID-SEC-2023-0035
dfn-cert: DFN-CERT-2023-0435
dfn-cert: DFN-CERT-2023-0422
dfn-cert: DFN-CERT-2023-0071
dfn-cert: DFN-CERT-2023-0034
```

High (CVSS: 7.5)
NVT: PHP < 5.6.5 Multiple Vulnerabilities (Jan 2015)

Product detection result
```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.6.5
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to cause a denial of service or possibly have unspecified other impact.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.6.5 or later.

Affected Software/OS
PHP versions prior to 5.6.5.

Vulnerability Insight
A free operation on a stack-based character array is performed by the apprentice_load function in libmagic/apprentice.c in the Fileinfo component.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.5 Multiple Vulnerabilities (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805413
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-9426`
`url: https://bugs.php.net/bug.php?id=68665`
`url: http://securitytracker.com/id/1031480`

High (CVSS: 7.5)
NVT: PHP < 7.2.28 Multiple Vulnerabilities (Feb 2020) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     7.2.28
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.28 or later.

Affected Software/OS
PHP versions before 7.2.28.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- Null Pointer Dereference in PHP Session Upload Progress (CVE-2020-7062)
- Files added to tar with Phar::buildFromIterator have all-access permissions (CVE-2020-7063)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.28 Multiple Vulnerabilities (Feb 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143541
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7062
cve: CVE-2020-7063
url: https://www.php.net/ChangeLog-7.php#7.2.28
cert-bund: WID-SEC-2022-2119
cert-bund: CB-K20/0147
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-0787
dfn-cert: DFN-CERT-2020-0518
dfn-cert: DFN-CERT-2020-0485
dfn-cert: DFN-CERT-2020-0341
```

High (CVSS: 7.5)
NVT: phpMyAdmin < 4.9.10, 5.x < 5.1.3 Information Disclosure Vulnerability - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
phpMyAdmin is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.2.2
Fixed version:     4.9.10
Installation
path / port:       /phpmyadmin
```

Solution:
Solution type: VendorFix
Update to version 4.9.10, 5.1.3 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.10 and version 5.x through 5.1.2.

Vulnerability Insight
The issue could allow users to cause an error that would reveal the path on disk where phpMyAdmin is running from. This requires the server to be running with display_errors on, which is not the recommended setting for a production environment.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.10, 5.x < 5.1.3 Information Disclosure Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.147786
Version used: `2023-10-17T05:05:34Z`

References

```
cve: CVE-2022-0813
url: https://www.phpmyadmin.net/news/2022/2/11/phpmyadmin-4910-and-513-are-relea
↪sed/
url: https://www.incibe-cert.es/en/early-warning/security-advisories/phpmyadmin-
↪exposure-sensitive-information
cert-bund: WID-SEC-2023-3005
cert-bund: CB-K22/0304
dfn-cert: DFN-CERT-2023-0379
dfn-cert: DFN-CERT-2022-0570
```

High (CVSS: 7.5)
NVT: PHP < 5.5.21, 5.6.x < 5.6.5 Multiple DoS Vulnerabilities (Jan 2015)

Product detection result
`cpe:/a:php:php:5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.21
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to PHP version 5.5.21, 5.6.5 or later.

Affected Software/OS
PHP version 5.5.20 and prior and 5.6.x through 5.6.4

Vulnerability Insight
The following flaws exist:
- CVE-2014-9425: Double free error in the 'zend_ts_hash_graceful_destroy' function in 'zend_ts_hash.c script in the Zend Engine.
- CVE-2014-9709: Improper handling of GIF images in the gdImageCreateFromGif function used in the GetCode_ from 'gd_gif_in.c' script in GD Graphics Library (LibGD).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.5.21, 5.6.x < 5.6.5 Multiple DoS Vulnerabilities (Jan 2015)
OID:1.3.6.1.4.1.25623.1.0.805412
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2014-9425

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2014-9709
url: http://securitytracker.com/id/1031479
url: http://www.securityfocus.com/bid/71800
url: http://www.securityfocus.com/bid/73306
url: https://bugs.php.net/bug.php?id=68676
cert-bund: WID-SEC-2023-0069
cert-bund: CB-K17/1176
cert-bund: CB-K16/0944
cert-bund: CB-K15/1437
cert-bund: CB-K15/0966
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0482
cert-bund: CB-K15/0454
cert-bund: CB-K15/0420
dfn-cert: DFN-CERT-2023-0071
dfn-cert: DFN-CERT-2017-1209
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0876
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0473
dfn-cert: DFN-CERT-2015-0442
```

High (CVSS: 7.5)
NVT: PHP < 5.5.24, 5.6.x < 5.6.8 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.24
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.5.24, 5.6.8 or later.

Affected Software/OS

PHP versions 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.

Vulnerability Insight

An use-after-free vulnerability occurs in the '_zend_shared_memdup' function in 'zend_shared_alloc.c' script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.5.24, 5.6.x < 5.6.8 DoS Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.805687

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-1351
url: http://bugzilla.redhat.com/show_bug.cgi?id=1185900
url: http://www.securityfocus.com/bid/71929
url: http://openwall.com/lists/oss-security/2015/01/24/9
cert-bund: CB-K15/1437
cert-bund: CB-K15/0757
cert-bund: CB-K15/0552
cert-bund: CB-K15/0459
cert-bund: CB-K15/0207
dfn-cert: DFN-CERT-2019-1354
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-0794
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-0579
dfn-cert: DFN-CERT-2015-0487
dfn-cert: DFN-CERT-2015-0212
```

High (CVSS: 7.5)
NVT: PHP < 5.6.12 Multiple DoS Vulnerabilities - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.12
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (application crash or memory consuption).

Solution:
Solution type: VendorFix
Update to version 5.6.12 or later.

Affected Software/OS
PHP prior to version 5.6.12 on Linux.

Vulnerability Insight
The following flaws exist:
- Improper handling of driver behavior for SQL_WVARCHAR columns in the 'odbc_bindcols function' in 'ext/odbc/php_odbc.c' script.
- The 'gdImageScaleTwoPass' function in gd_interpolation.c script in the GD Graphics Library uses inconsistent allocate and free approaches.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.12 Multiple DoS Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.808611

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-8874
cve: CVE-2015-8877
cve: CVE-2015-8879
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/90866
url: http://www.securityfocus.com/bid/90842
url: http://www.securityfocus.com/bid/90714
cert-bund: CB-K17/1252
cert-bund: CB-K16/1776
cert-bund: CB-K16/0975
cert-bund: CB-K16/0965
cert-bund: CB-K16/0944
cert-bund: CB-K16/0937
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
cert-bund: CB-K16/0868
cert-bund: CB-K16/0805
cert-bund: CB-K16/0801
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1033
dfn-cert: DFN-CERT-2016-1022
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0996
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0876
dfn-cert: DFN-CERT-2016-0871
dfn-cert: DFN-CERT-2016-0857
dfn-cert: DFN-CERT-2016-0855

High (CVSS: 7.5)
NVT: PHP < 5.6.31 DoS Vulnerability - Linux

Product detection result
cpe:/a:php:php:5.5.9

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.31
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers inject XML for deserialization to crash the PHP interpreter.

Solution:
Solution type: VendorFix
Update to version 5.6.31 or later.

Affected Software/OS
PHP prior to version 5.6.31.

Vulnerability Insight
The flaw exists due to an invalid free error for an empty boolean element in ext/wddx/wddx.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.6.31 DoS Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.811490
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2017-11143
url: http://www.php.net/ChangeLog-5.php
cert-bund: CB-K18/0048
cert-bund: CB-K17/1461

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/1358
cert-bund: CB-K17/1132
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1161
```

High (CVSS: 7.5)
NVT: PHP < 5.6.31, 7.x < 7.0.17, 7.1.x < 7.1.3 DoS Vulnerability (Jul 2017) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.31
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow an attacker to cause a CPU consumption denial of service attack.

Solution:
Solution type: VendorFix
Update to version 5.6.31, 7.0.17, 7.1.3 or later.

Affected Software/OS

PHP prior to version 5.6.31, 7.x prior to 7.0.17 and 7.1.x prior to 7.1.3.

Vulnerability Insight

The flaw exists due to improper handling of long form variables in main/php_variables.c script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.31, 7.x < 7.0.17, 7.1.x < 7.1.3 DoS Vulnerability (Jul 2017) - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.811487
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2017-11142
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K18/0048
cert-bund: CB-K17/1461
cert-bund: CB-K17/1132
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1161

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities (Jan 2015)

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 5.5.18
Installation
path / port: 80/tcp

Impact
Successful exploitation will allow remote attackers to cause a denial of service or possibly execute arbitrary code via different crafted dimensions.

Solution:
Solution type: VendorFix
Update to version 5.4.34, 5.5.18, 5.6.2 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP versions 5.4.x before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2

Vulnerability Insight
The following flaws exist:
- CVE-2014-3668: Buffer overflow in the date_from_ISO8601 function in the mkgmtime implementation in libxmlrpc/xmlrpc.c in the XMLRPC extension in PHP.
- CVE-2014-3669: Integer overflow in the object_custom function in ext/standard/var _unserializer.c.
- CVE-2014-3670: The exif_ifd_make_value function in exif.c in the EXIF extension in PHP operates on floating-point arrays incorrectly.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Vulnerabilities (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805409
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2014-3668
cve: CVE-2014-3669
cve: CVE-2014-3670
url: https://bugs.php.net/bug.php?id=68044
url: http://www.securityfocus.com/bid/70611
url: http://www.securityfocus.com/bid/70665
url: http://www.securityfocus.com/bid/70666
cert-bund: CB-K16/0944
cert-bund: CB-K15/0493
cert-bund: CB-K14/1413
cert-bund: CB-K14/1359
cert-bund: CB-K14/1349
cert-bund: CB-K14/1308
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2014-1494
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1424
dfn-cert: DFN-CERT-2014-1371
```

High (CVSS: 7.5)
NVT: PHP Out of Bounds Read Vulnerability (Jan 2015)

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an out of bounds read vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.5.21
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to obtain sensitive information and trigger unexpected code execution.

Solution:
Solution type: VendorFix
Update to version 5.4.37 or 5.5.21 or 5.6.5 or later.

Affected Software/OS
PHP versions through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4.

Vulnerability Insight
An out of bounds read error exists in sapi/cgi/cgi_main.c in the CGI component in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Out of Bounds Read Vulnerability (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805414
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-9427`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://bugs.php.net/bug.php?id=68618
url: http://www.securityfocus.com/bid/71833
cert-bund: CB-K15/1437
cert-bund: CB-K15/0757
cert-bund: CB-K15/0215
cert-bund: CB-K15/0207
cert-bund: CB-K15/0095
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0223
dfn-cert: DFN-CERT-2015-0212
dfn-cert: DFN-CERT-2015-0093
```

High (CVSS: 7.5)
NVT: PHP Multiple Heap Buffer Overflow and Information Disclosure Vulnerabilities (Aug 2018) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple heap buffer overflow and information disclosure vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.37
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow attackers to cause heap overflow, denial of service and disclose sensitive information.

Solution:

Solution type: VendorFix

Update to version 5.6.37, 7.0.31, 7.1.20 or 7.2.8 or later.

Affected Software/OS

PHP prior to version 5.6.37, 7.x prior to 7.0.31, 7.1.x prior to 7.1.20 and 7.2.x prior to 7.2.8.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The following flaws exist:
- CVE-2018-14851: exif_process_IFD_in_MAKERNOTE function in exif.c file suffers from improper validation against crafted JPEG files.
- CVE-2018-14883: exif_thumbnail_extract function in exif.c file suffers from improper validation of length of 'ImageInfo->Thumbnail.offset + ImageInfo->Thumbnail.size'
- CVE-2018-15132: linkinfo function on windows doesn't implement openbasedir check.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Heap Buffer Overflow and Information Disclosure Vulnerabilities (A.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.813901
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2018-14851
cve: CVE-2018-14883
cve: CVE-2018-15132
url: https://access.redhat.com/security/cve/cve-2018-14851
url: https://bugs.php.net/bug.php?id=76557
url: https://bugs.php.net/bug.php?id=76423
url: https://bugs.php.net/bug.php?id=76459
cert-bund: WID-SEC-2022-2130
cert-bund: CB-K18/0838
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-2116
dfn-cert: DFN-CERT-2018-1882
dfn-cert: DFN-CERT-2018-1835
dfn-cert: DFN-CERT-2018-1834
dfn-cert: DFN-CERT-2018-1777
dfn-cert: DFN-CERT-2018-1655
```

High (CVSS: 7.5)
NVT: PHP < 8.1.33, 8.2.x < 8.2.29, 8.3.x < 8.3.23, 8.4.x < 8.4.10 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     8.1.33
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.33, 8.2.29, 8.3.23, 8.4.10 or later.

Affected Software/OS
PHP versions prior to 8.1.33, 8.2.x prior to 8.2.29, 8.3.x prior to 8.3.23 and 8.4.x prior to 8.4.10.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2025-1220: Null byte termination in hostnames
- CVE-2025-1735: pgsql extension does not check for errors during escaping
- CVE-2025-6491: NULL pointer dereference in PHP SOAP extension via large XML namespace prefix

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.33, 8.2.x < 8.2.29, 8.3.x < 8.3.23, 8.4.x < 8.4.10 Multiple Vulnerabi.`
↪..
OID:1.3.6.1.4.1.25623.1.0.154869
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2025-1220
cve: CVE-2025-1735
cve: CVE-2025-6491
url: https://www.php.net/ChangeLog-8.php#8.1.33
url: https://www.php.net/ChangeLog-8.php#8.2.29
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.php.net/ChangeLog-8.php#8.3.23
url: https://www.php.net/ChangeLog-8.php#8.4.10
url: https://github.com/php/php-src/security/advisories/GHSA-3cr5-j632-f35r
url: https://github.com/php/php-src/security/advisories/GHSA-hrwm-9436-5mv3
url: https://github.com/php/php-src/security/advisories/GHSA-453j-q27h-5p8x
cert-bund: WID-SEC-2025-1460
dfn-cert: DFN-CERT-2025-1785
```

High (CVSS: 7.5)
NVT: Apache HTTP Server 'Whitespace Defects' Multiple Vulnerabilities

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to conduct request smuggling, response splitting and cache pollution attacks.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.2.32 or 2.4.25 or later.

Affected Software/OS

Apache HTTP Server 2.2.x before 2.2.32 and 2.3.x through 2.4.24 prior to 2.4.25.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Multiple flaws exist because the application accepted a broad pattern of unusual whitespace patterns from the user-agent, including bare CR, FF, VTAB in parsing the request line and request header lines, as well as HTAB in parsing the request line. Any bare CR present in request lines was treated as whitespace and remained in the request field member 'the_request', while a bare CR in the request header field name would be honored as whitespace, and a bare CR in the request header field value was retained the input headers array. Implied additional whitespace was accepted in the request line and prior to the ':' delimiter of any request header lines.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'Whitespace Defects' Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.812033
Version used: `2022-09-09T10:12:35Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2016-8743`
`url: https://httpd.apache.org/security/vulnerabilities_22.html`
`url: http://www.securityfocus.com/bid/95077`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: CB-K19/0354`
`cert-bund: CB-K18/0066`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/1279`
`cert-bund: CB-K17/1163`
`cert-bund: CB-K17/0955`
`cert-bund: CB-K17/0794`
`cert-bund: CB-K17/0704`
`cert-bund: CB-K17/0659`
`cert-bund: CB-K17/0527`
`cert-bund: CB-K17/0477`
`cert-bund: CB-K17/0185`
`cert-bund: CB-K16/1995`
`dfn-cert: DFN-CERT-2018-1764`
`dfn-cert: DFN-CERT-2018-1070`
`dfn-cert: DFN-CERT-2018-0077`
`dfn-cert: DFN-CERT-2017-1925`
`dfn-cert: DFN-CERT-2017-1692`
`dfn-cert: DFN-CERT-2017-1327`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1204
dfn-cert: DFN-CERT-2017-0988
dfn-cert: DFN-CERT-2017-0814
dfn-cert: DFN-CERT-2017-0723
dfn-cert: DFN-CERT-2017-0673
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0489
dfn-cert: DFN-CERT-2017-0189
dfn-cert: DFN-CERT-2016-2108
```

High (CVSS: 7.5)
NVT: Apache HTTP Server 'mod_auth_digest' DoS Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause a denial-of-service condition.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.4.25 or later.

Affected Software/OS

Apache HTTP Server versions 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6, 2.4.4, 2.4.3, 2.4.2 and 2.4.1.

Vulnerability Insight

The flaw exists due to insufficient handling of malicious input to 'mod_auth_digest'.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server 'mod_auth_digest' DoS Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.812067
Version used: 2024-02-15T05:05:40Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2016-2161
url: https://httpd.apache.org/security/vulnerabilities_24.html#CVE-2016-2161
url: http://www.securityfocus.com/bid/95076
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K19/0354
cert-bund: CB-K17/1854
cert-bund: CB-K17/1622
cert-bund: CB-K17/0955
cert-bund: CB-K17/0794
cert-bund: CB-K17/0704
cert-bund: CB-K17/0527
cert-bund: CB-K17/0477
cert-bund: CB-K16/1995
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-0988
dfn-cert: DFN-CERT-2017-0814
dfn-cert: DFN-CERT-2017-0723
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0489
dfn-cert: DFN-CERT-2016-2108

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.38 mod_session_cookie Vulnerability - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

In Apache HTTP Server mod_session checks the session expiry time before decoding the session. This causes session expiry time to be ignored for mod_session_cookie sessions since the expiry time is loaded when the session is decoded.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.38
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.38 or later.

Affected Software/OS
Apache HTTP Server version 2.4.37 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.38 mod_session_cookie Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.141964
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2018-17199
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K19/0316
cert-bund: CB-K19/0071
dfn-cert: DFN-CERT-2021-1069
dfn-cert: DFN-CERT-2020-0673
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-0857
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0198
dfn-cert: DFN-CERT-2019-0184
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.39 mod_auth_digest Access Control Bypass Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.117232)`

Summary
In Apache HTTP Server, a race condition in mod_auth_digest when running in a threaded server could allow a user with valid credentials to authenticate using another username, bypassing configured access control restrictions.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.39
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.39 or later.

Affected Software/OS
Apache HTTP Server version 2.4.38 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.39 mod_auth_digest Access Control Bypass Vulnerability.`
OID:1.3.6.1.4.1.25623.1.0.142220
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2019-0217`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2023-2047`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K19/0623
cert-bund: CB-K19/0267
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-0736
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0680
dfn-cert: DFN-CERT-2019-0676
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an out-of-bounds read vulnerability in mod_macro.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.58
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.58 or later.

Affected Software/OS

Apache HTTP Server version 2.4.57 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.100272

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.7`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2023-31122
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.58
url: https://www.openwall.com/lists/oss-security/2023/10/19/4
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0899
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2024-0107
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2712
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2024-0732
dfn-cert: DFN-CERT-2023-2640
dfn-cert: DFN-CERT-2023-2583
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.59
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.59 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server version 2.4.58 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2023-38709: HTTP response splitting
- CVE-2024-24795: HTTP response splitting in multiple modules
- CVE-2024-27316: HTTP/2 DoS by memory exhaustion on endless continuation frames

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.152039
Version used: `2024-06-07T05:05:42Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2023-38709
cve: CVE-2024-24795
cve: CVE-2024-27316
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.59
url: https://kb.cert.org/vuls/id/421644
url: https://nowotarski.info/http2-continuation-flood/
url: https://nowotarski.info/http2-continuation-flood-technical-details/
cert-bund: WID-SEC-2025-1529
cert-bund: WID-SEC-2024-1725
cert-bund: WID-SEC-2024-1643
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1504
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0801
cert-bund: WID-SEC-2024-0789
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-2658
dfn-cert: DFN-CERT-2025-2657
dfn-cert: DFN-CERT-2024-2900
dfn-cert: DFN-CERT-2024-2534
dfn-cert: DFN-CERT-2024-2076
dfn-cert: DFN-CERT-2024-1958
dfn-cert: DFN-CERT-2024-1853
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1749
dfn-cert: DFN-CERT-2024-1697
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1335
dfn-cert: DFN-CERT-2024-1238
dfn-cert: DFN-CERT-2024-1031
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-0964
dfn-cert: DFN-CERT-2024-0901
dfn-cert: DFN-CERT-2024-0890
```

High (CVSS: 7.5)
NVT: Apache HTTP Server Denial of Service Vulnerability-02 (Apr 2018) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.30
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow an attacker to crash the Apache HTTP Server resulting in denial of service condition.

Solution:

Solution type: VendorFix

Update to version 2.4.30 or later. Please see the references for more information.

Affected Software/OS

Apache HTTP Server versions 2.4.6, 2.4.7, 2.4.9, 2.4.10, 2.4.12, 2.4.16 through 2.4.18, 2.4.20, 2.4.23, and 2.4.25 through 2.4.29.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The flaw exists as the Apache HTTP Server fails to sanitize against a specially crafted HTTP request header.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Denial of Service Vulnerability-02 (Apr 2018) - Linux`
OID:1.3.6.1.4.1.25623.1.0.812849
Version used: `2024-02-09T05:06:25Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2018-1303`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`url: http://www.securityfocus.com/bid/103522`
`cert-bund: CB-K20/1030`
`cert-bund: CB-K18/0535`
`dfn-cert: DFN-CERT-2020-2133`
`dfn-cert: DFN-CERT-2019-0359`
`dfn-cert: DFN-CERT-2019-0351`
`dfn-cert: DFN-CERT-2018-2316`
`dfn-cert: DFN-CERT-2018-0985`
`dfn-cert: DFN-CERT-2018-0570`

High (CVSS: 7.5)
NVT: PHP < 7.3.27, 7.4.x < 7.4.15, 8.0.x < 8.0.2 NULL Deference Vulnerability (Feb 2021) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a NULL dereference vulnerability in the SoapClient.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     7.3.27
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 7.3.27, 7.4.15, 8.0.2 or later.

Affected Software/OS
PHP versions prior to 7.3.27, 7.4.x prior to 7.4.15 and 8.0.x prior to 8.0.2.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 7.3.27, 7.4.x < 7.4.15, 8.0.x < 8.0.2 NULL Deference Vulnerability (Feb 2.
↪..
OID:1.3.6.1.4.1.25623.1.0.145323
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2021-21702
url: https://www.php.net/ChangeLog-7.php#7.3.27
url: https://www.php.net/ChangeLog-7.php#7.4.15
url: https://www.php.net/ChangeLog-8.php#8.0.2
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-2113
cert-bund: CB-K21/0124
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-0904
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1509
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-0556
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2021-0246

High (CVSS: 7.5)
NVT: Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version Check

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.28
Installation
path / port:       80/tcp
```

Impact
The successful exploitation allows the attacker to read chunks of the host's memory.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server 2.4.28. For Apache HTTP Server running version 2.2.34 apply the patch linked in the references.
As a workaround the usage of .htaccess should be disabled completely via the 'AllowOverride None' directive within the webservers configuration. Furthermore all <Limit> statements within the webserver configuration needs to be verified for invalid HTTP methods.

Affected Software/OS
Apache HTTP Server 2.2.x versions up to 2.2.34 and 2.4.x below 2.4.28.

Vulnerability Insight
Optionsbleed is a use after free error in the Apache HTTP Server that causes a corrupted Allow header to be constructed in response to HTTP OPTIONS requests. This can leak pieces of arbitrary memory from the server process that may contain secrets. The memory pieces change after multiple requests, so for a vulnerable host an arbitrary number of memory chunks can be leaked.
The bug appears if a webmaster tries to use the 'Limit' directive with an invalid HTTP method.
Example .htaccess:
<Limit abcxyz> </Limit>

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version C.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.108252
Version used: `2025-01-21T05:37:33Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2017-9798
url: http://openwall.com/lists/oss-security/2017/09/18/2
url: https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-le
↪ak-Apaches-server-memory.html
url: http://www.securityfocus.com/bid/100872
url: https://archive.apache.org/dist/httpd/patches/apply_to_2.2.34/
url: https://www.apache.org/dist/httpd/CHANGES_2.4.28
cert-bund: WID-SEC-2023-1594
cert-bund: CB-K18/1012
cert-bund: CB-K18/0800
cert-bund: CB-K18/0606
cert-bund: CB-K18/0098
cert-bund: CB-K18/0066
cert-bund: CB-K17/2188
cert-bund: CB-K17/2117
cert-bund: CB-K17/2021
cert-bund: CB-K17/1980
cert-bund: CB-K17/1936
cert-bund: CB-K17/1871
cert-bund: CB-K17/1773
cert-bund: CB-K17/1768
cert-bund: CB-K17/1587
dfn-cert: DFN-CERT-2019-0359
dfn-cert: DFN-CERT-2018-2113
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-0725
dfn-cert: DFN-CERT-2018-0100
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2290
dfn-cert: DFN-CERT-2017-2211
dfn-cert: DFN-CERT-2017-2108
dfn-cert: DFN-CERT-2017-2070
dfn-cert: DFN-CERT-2017-2021
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1954
dfn-cert: DFN-CERT-2017-1854
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1659
```

High (CVSS: 7.5)
NVT: Apache HTTP Server mod_session_crypto Vulnerability (Dec 2016) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a vulnerability in mod_session_crypto.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.25 or later.

Affected Software/OS

Apache HTTP Server version 2.4.1 through 2.4.23.

Vulnerability Insight

mod_sessioncrypto is encrypting its data/cookie using the configured ciphers with possibly either CBC or ECB modes of operation (AES256-CBC by default), hence no selectable or builtin authenticated encryption. This makes it vulnerable to padding oracle attacks, particularly with CBC. An authentication tag (SipHash MAC) is now added to prevent such attacks.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server mod_session_crypto Vulnerability (Dec 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147045

Version used: `2021-11-01T14:03:43Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2016-0736
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K19/0354
cert-bund: CB-K17/1854
cert-bund: CB-K17/1622
cert-bund: CB-K17/0955
cert-bund: CB-K17/0794
cert-bund: CB-K17/0704
cert-bund: CB-K17/0527
cert-bund: CB-K16/1995
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-0988
dfn-cert: DFN-CERT-2017-0814
dfn-cert: DFN-CERT-2017-0723
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2016-2108
```

High (CVSS: 7.5)
NVT: EasyPHP Webserver <= 12.1 Multiple Vulnerabilities - Active Check

Summary

EasyPHP Webserver is prone to multiple vulnerabilities.

Quality of Detection (QoD): 99%

Vulnerability Detection Result

```
Vulnerable URL: http://mutillidae.trabalho_vulnnet/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p5/apache2 </td></tr>
  <h2>PHP Variables</h2>
```

Impact

Successful exploitation will allow attackers to gain administrative access, disclose the information, inject PHP code/shell and execute a remote PHP Code.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
EasyPHP version 12.1 and prior.

Vulnerability Insight
The bug in EasyPHP WebServer Manager, its skipping authentication for certain requests. Which allows to bypass the authentication, disclose the information or execute a remote PHP code.

Vulnerability Detection Method
Sends a crafted HTTP GET request and checks the response.
Note: It is currently expected that a result of this VT is reported if the system is generally exposing a phpinfo() output on the relevant URL / endpoint (independent from the running product). Exposing such sensitive information is generally seen as a security misconfiguration and should be avoided.
Details: `EasyPHP Webserver <= 12.1 Multiple Vulnerabilities - Active Check`
OID:1.3.6.1.4.1.25623.1.0.803189
Version used: `2025-11-11T05:40:18Z`

References
`url: https://cxsecurity.com/issue/WLB-2013040069`

High (CVSS: 7.5)
NVT: PHP 'CVE-2017-7189' Improper Input Validation Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is improperly validating input from untrusted input.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     None
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: WillNotFix
No solution was made available by the vendor. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Note: PHP versions 7.0.18 and 7.1.4 introduced a fix which was reverted again in version 7.0.19 / 7.1.5 respectively and the fix wasn't introduced again as of today (08-2020).

Affected Software/OS
All PHP versions since 4.3.0 up to the latest 7.x versions.
Note: PHP versions 7.0.18 and 7.1.4 introduced a fix which was reverted again in version 7.0.19 / 7.1.5 respectively.

Vulnerability Insight
main/streams/xp_socket.c in PHP misparses fsockopen calls, such as by interpreting fsockopen('127.0.0.1:80', 443) as if the address/port were 127.0.0.1:80:443, which is later truncated to 127.0.0.1:80. This behavior has a security risk if the explicitly provided port number (i.e., 443 in this example) is hardcoded into an application as a security policy, but the hostname argument (i.e., 127.0.0.1:80 in this example) is obtained from untrusted input.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 'CVE-2017-7189' Improper Input Validation Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.108874
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2017-7189`
`url: https://bugs.php.net/bug.php?id=74192`
`url: https://bugs.php.net/bug.php?id=74429`
`url: https://github.com/php/php-src/commit/bab0b99f376dac9170ac81382a5ed526938d5`
`↪95a`

High (CVSS: 7.5)
NVT: PHP 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Mar 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.28
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to execute arbitrary code and to create or overwrite arbitrary files on the system and this may lead to launch further attacks.

Solution:
Solution type: VendorFix
Update to version 5.4.44, 5.5.28, 5.6.12 or later.

Affected Software/OS
PHP prior to version 5.4.44, 5.5.x prior to 5.5.28 and 5.6.x prior to 5.6.12 on Linux.

Vulnerability Insight
The following flaws exist:
- Multiple use-after-free vulnerabilities in SPL unserialize implementation.
- Insufficient validation of user supplied input by 'phar/phar_object.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Mar 2016) . ↪..
OID:1.3.6.1.4.1.25623.1.0.807503
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-6831
cve: CVE-2015-6832

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2015-6833
url: https://bugs.php.net/bug.php?id=70068
url: http://www.securityfocus.com/bid/76737
url: http://www.securityfocus.com/bid/76739
url: http://www.securityfocus.com/bid/76735
url: http://www.openwall.com/lists/oss-security/2015/08/19/3
cert-bund: CB-K16/0944
cert-bund: CB-K16/0422
cert-bund: CB-K15/1571
cert-bund: CB-K15/1439
cert-bund: CB-K15/1415
cert-bund: CB-K15/1261
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1658
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1493
dfn-cert: DFN-CERT-2015-1335
```

High (CVSS: 7.5)
NVT: PHP < 5.6.32, 7.x < 7.0.24, 7.1.x < 7.1.11 Heap Based Buffer Overflow Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a heap buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.32
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow attacker to execute arbitrary code with elevated privileges within the context of a privileged process.

Solution:

Solution type: VendorFix

Update to version 5.6.32, 7.0.25, 7.1.11 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP prior to version 5.6.32, 7.x prior to 7.0.25 and 7.1.x prior to 7.1.11.

Vulnerability Insight
The flaw exists due to an error in the date extension's 'timelib_meridian' handling of 'front of' and 'back of' directives.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.32, 7.x < 7.0.24, 7.1.x < 7.1.11 Heap Based Buffer Overflow Vulnerabi.`
↪..
OID:1.3.6.1.4.1.25623.1.0.812073
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2017-16642
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/101745
url: http://php.net/ChangeLog-7.php
url: https://bugs.php.net/bug.php?id=75055
cert-bund: CB-K18/0270
cert-bund: CB-K18/0048
cert-bund: CB-K17/2123
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0290
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-2219
```

High (CVSS: 7.5)
NVT: PHP 5.4.x < 5.4.36, 5.5.x < 5.5.20, 5.6.x < 5.6.4 Use After Free Vulnerability (Jan 2015)

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to an use after free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.20
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to execute arbitrary code via a crafted unserialize call.

Solution:
Solution type: VendorFix
Update to version 5.4.36, 5.5.20, 5.6.4 or later.

Affected Software/OS
PHP versions 5.4.x before 5.4.36, 5.5.x before 5.5.20 and 5.6.x before 5.6.4.

Vulnerability Insight
An use after free vulnerability exists in the process_nested_data function in ext/standard/var_unserializer.re in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.36, 5.5.x < 5.5.20, 5.6.x < 5.6.4 Use After Free Vulnerability . ↪..`
OID:1.3.6.1.4.1.25623.1.0.805411
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-8142
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/71791
url: http://secunia.com/advisories/60920
url: https://bugs.php.net/bug.php?id=68594
cert-bund: CB-K16/0944
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0757
cert-bund: CB-K15/0215
cert-bund: CB-K15/0207
cert-bund: CB-K14/1614
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0223
dfn-cert: DFN-CERT-2015-0212
dfn-cert: DFN-CERT-2014-1708
```

High (CVSS: 7.5)
NVT: PHP 5.4.x < 5.4.37, 5.5.x < 5.5.21, 5.6.x < 5.6.5 Multiple Vulnerabilities (Feb 2015)

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.21
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause a denial of service or possibly execute arbitrary code via different crafted dimensions.

Solution:

Solution type: VendorFix

Update to PHP version 5.4.37, 5.5.21, 5.6.5 or later.

Affected Software/OS

PHP versions 5.4.x before 5.4.37, 5.5.x before 5.5.21, and 5.6.x before 5.6.5.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The following flaws exist:
- CVE-2014-9652: Improper handle of a certain string-length field during a copy of a truncated version of a Pascal string in the mconvert function from softmagic.c file
- CVE-2014-9653: Uninitialized memory access in the readelf.c file
- CVE-2015-0231: Use after free vulnerability in the 'process_nested_data' function in ext/standard/var_unserializer.re
- CVE-2015-0232: Uninitialized pointer free in the 'exif_process_unicode' function in ext/exif/exif.c script when parsing JPEG EXIF entries

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.37, 5.5.x < 5.5.21, 5.6.x < 5.6.5 Multiple Vulnerabilities (Feb.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.805446
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2014-9652
cve: CVE-2014-9653
cve: CVE-2015-0231
cve: CVE-2015-0232
url: https://bugs.php.net/bug.php?id=68799
url: http://www.securityfocus.com/bid/72505
url: http://www.securityfocus.com/bid/72516
url: http://www.securityfocus.com/bid/72541
url: http://www.securityfocus.com/bid/72539
url: https://bugs.php.net/bug.php?id=68710
cert-bund: CB-K18/0057
cert-bund: CB-K16/1315
cert-bund: CB-K16/0944
cert-bund: CB-K16/0692
cert-bund: CB-K15/1704
cert-bund: CB-K15/1437
cert-bund: CB-K15/0966
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0774
cert-bund: CB-K15/0757
cert-bund: CB-K15/0372
cert-bund: CB-K15/0362
cert-bund: CB-K15/0361
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0293
cert-bund: CB-K15/0278
cert-bund: CB-K15/0215
cert-bund: CB-K15/0207
cert-bund: CB-K15/0202
cert-bund: CB-K15/0095
dfn-cert: DFN-CERT-2018-1161
dfn-cert: DFN-CERT-2018-0064
dfn-cert: DFN-CERT-2016-1401
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0752
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0815
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0383
dfn-cert: DFN-CERT-2015-0372
dfn-cert: DFN-CERT-2015-0371
dfn-cert: DFN-CERT-2015-0301
dfn-cert: DFN-CERT-2015-0286
dfn-cert: DFN-CERT-2015-0223
dfn-cert: DFN-CERT-2015-0212
dfn-cert: DFN-CERT-2015-0201
dfn-cert: DFN-CERT-2015-0093
```

High (CVSS: 7.5)
NVT: PHP 5.4.x < 5.4.40, 5.5.x < 5.5.22, 5.6.x < 5.6.6 RCE Vulnerability (Jul 2015) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.22
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successfully exploiting this issue allow remote attackers to execute arbitrary code on the target system.

Solution:
Solution type: VendorFix
Update to version 5.4.40, 5.5.22, 5.6.6 or later.

Affected Software/OS
PHP versions 5.4.x prior to 5.4.40, 5.5.x prior to 5.5.22 and 5.6.x prior to 5.6.6.

Vulnerability Insight
The flaw is due to Use-after-free vulnerability in the 'phar_rename_archive' function in 'phar_object.c' script

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.40, 5.5.x < 5.5.22, 5.6.x < 5.6.6 RCE Vulnerability (Jul 2015) .`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.805686
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-2301`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/73037`
`url: https://bugzilla.redhat.com/show_bug.cgi?id=1194747`
`url: http://lists.opensuse.org/opensuse-updates/2015-04/msg00002.html`
`cert-bund: WID-SEC-2023-0069`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K15/1437`
`cert-bund: CB-K15/0966`
`cert-bund: CB-K15/0854`
`cert-bund: CB-K15/0806`
`cert-bund: CB-K15/0769`
`cert-bund: CB-K15/0757`
`cert-bund: CB-K15/0665`
`cert-bund: CB-K15/0482`
`cert-bund: CB-K15/0377`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0358
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0387
dfn-cert: DFN-CERT-2015-0370
```

High (CVSS: 7.5)
NVT: PHP 5.x < 5.6.39, 7.x < 7.0.33, 7.1.x < 7.1.26, 7.2.x < 7.2.14 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.39
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow attackers to cause a denial of service of the affected application.

Solution:

Solution type: VendorFix

Update to version 5.6.39, 7.0.33, 7.1.26, 7.2.14, 7.3.0 or later.

Affected Software/OS

PHP versions 5.x prior to 5.6.39, 7.0.x prior to 7.0.33, 7.1.x prior to 7.1.26 and 7.2.x prior to 7.2.14.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

A NULL pointer dereference and application crash via an empty string occurs in the message argument to the imap_mail function of ext/imap/php_imap.c.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 5.6.39, 7.x < 7.0.33, 7.1.x < 7.1.26, 7.2.x < 7.2.14 DoS Vulnerabilit.`
↪..
OID:1.3.6.1.4.1.25623.1.0.108505
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2018-19935
url: https://bugs.php.net/bug.php?id=77020
url: http://www.securityfocus.com/bid/106143
cert-bund: WID-SEC-2022-2128
cert-bund: CB-K18/1154
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2019-1181
dfn-cert: DFN-CERT-2019-0313
dfn-cert: DFN-CERT-2019-0044
dfn-cert: DFN-CERT-2018-2476
```

High (CVSS: 7.5)
NVT: PHP < 7.2.30, 7.3 < 7.3.17, 7.4 < 7.4.5 DoS Vulnerability (Apr 2020) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     7.2.30
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 7.2.30, 7.3.17, 7.4.5 or later.

Affected Software/OS
PHP versions prior 7.2.30, 7.3 prior 7.3.17 and 7.4 prior to 7.4.5.

Vulnerability Insight
If 'CHARSET_EBCDIC' is defined (usually, on systems with EBCDIC encoding support), an out-of-bounds read can occur using a malformed url-encoded string.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.30, 7.3 < 7.3.17, 7.4 < 7.4.5 DoS Vulnerability (Apr 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143722
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2020-7067`
`url: https://www.php.net/ChangeLog-7.php#7.2.30`
`url: https://www.php.net/ChangeLog-7.php#7.3.17`
`url: https://www.php.net/ChangeLog-7.php#7.4.5`
`cert-bund: CB-K20/1199`
`cert-bund: CB-K20/0336`
`dfn-cert: DFN-CERT-2020-1438`
`dfn-cert: DFN-CERT-2020-0851`
`dfn-cert: DFN-CERT-2020-0751`

High (CVSS: 7.5)
NVT: PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 Multiple RCE Vulnerabilities (Jul 2015) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.22
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to execute arbitrary code via some crafted dimensions.

Solution:

Solution type: VendorFix

Update to version 5.4.38, 5.5.22, 5.6.6 or later.

Affected Software/OS

PHP prior to version 5.4.38, 5.5.x prior to 5.5.22 and 5.6.x prior to 5.6.6.

Vulnerability Insight

The following flaws exist:

- Multiple use-after-free vulnerabilities in 'ext/date/php_date.c' script.

- Heap-based buffer overflow in the 'enchant_broker_request_dict' function in 'ext/enchant/enchant.c' script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 Multiple RCE Vulnerabilities (Jul 2. ↪..`

OID:1.3.6.1.4.1.25623.1.0.805685

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-9705
cve: CVE-2015-0273
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/73031
url: http://www.securityfocus.com/bid/72701
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://bugzilla.redhat.com/show_bug.cgi?id=1194730
url: http://lists.opensuse.org/opensuse-updates/2015-04/msg00002.html
cert-bund: WID-SEC-2023-0069
cert-bund: CB-K16/0944
cert-bund: CB-K15/1561
cert-bund: CB-K15/1437
cert-bund: CB-K15/0966
cert-bund: CB-K15/0901
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0482
cert-bund: CB-K15/0362
cert-bund: CB-K15/0358
cert-bund: CB-K15/0278
cert-bund: CB-K15/0222
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0956
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0371
dfn-cert: DFN-CERT-2015-0370
dfn-cert: DFN-CERT-2015-0286
dfn-cert: DFN-CERT-2015-0228
```

High (CVSS: 7.5)
NVT: PHP < 5.4.39, 5.5.x < 5.5.23, 5.6.x < 5.6.7 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.23
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to obtain sensitive information by providing crafted serialized data with an int data type and to execute arbitrary code by providing crafted serialized data with an unexpected data type.

Solution:

Solution type: VendorFix

Update to version 5.4.39, 5.5.23, 5.6.7 or later.

Affected Software/OS

PHP prior to version 5.4.39, 5.5.x prior to 5.5.23 and 5.6.x prior to 5.6.7.

Vulnerability Insight

The following flaws exist:

- 'do_soap_call' function in ext/soap/soap.c script in PHP does not verify that the uri property is a string.
- 'SoapClient::__call' method in ext/soap/soap.c script in PHP does not verify that __default_headers is an array.
- use-after-free error related to the 'unserialize' function when using DateInterval input.
- a flaw in the 'move_uploaded_file' function that is triggered when handling NULL bytes.
- an integer overflow condition in the '_zip_cdir_new' function in 'zip_dirent.c' script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.39, 5.5.x < 5.5.23, 5.6.x < 5.6.7 Multiple Vulnerabilities - Linux`

OID:1.3.6.1.4.1.25623.1.0.805651

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-2331
cve: CVE-2015-2348
cve: CVE-2015-2787
cve: CVE-2015-4147
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2015-4148
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/73357
url: http://www.securityfocus.com/bid/73431
url: http://www.securityfocus.com/bid/73434
url: https://bugs.php.net/bug.php?id=69085
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: WID-SEC-2023-1281
cert-bund: WID-SEC-2023-0069
cert-bund: CB-K16/0944
cert-bund: CB-K15/1437
cert-bund: CB-K15/1188
cert-bund: CB-K15/1031
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0854
cert-bund: CB-K15/0809
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0561
cert-bund: CB-K15/0482
cert-bund: CB-K15/0377
cert-bund: CB-K15/0375
cert-bund: CB-K15/0372
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0854
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0583
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0387
dfn-cert: DFN-CERT-2015-0383
dfn-cert: DFN-CERT-2015-0382
```

High (CVSS: 7.5)
NVT: PHP < 5.4.41, 5.5.x < 5.5.25, 5.6.x < 5.6.9 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.25
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service, bypass intended extension restrictions and access and execute files or directories with unexpected names via crafted dimensions and remote FTP servers to execute arbitrary code.

Solution:
Solution type: VendorFix
Update to version 5.4.41, 5.5.25, 5.6.9 or later.

Affected Software/OS
PHP prior to version 5.4.41, 5.5.x prior to 5.5.25 and 5.6.x prior to 5.6.9.

Vulnerability Insight
The following flaws exist:
- Algorithmic complexity vulnerability in the 'multipart_buffer_headers' function in main/rfc1867.c script in PHP.
- 'pcntl_exec' implementation in PHP truncates a pathname upon encountering a \x00 character.
- Integer overflow in the 'ftp_genlist' function in ext/ftp/ftp.c script in PHP.
- The 'phar_parse_tarfile' function in ext/phar/tar.c script in PHP does not verify that the first character of a filename is different from the \0 character.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.41, 5.5.x < 5.5.25, 5.6.x < 5.6.9 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.805660
Version used: `2025-09-24T05:39:03Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

cve: CVE-2015-4021
cve: CVE-2015-4022
cve: CVE-2015-4024
cve: CVE-2015-4025
cve: CVE-2015-4026
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75056
url: http://www.securityfocus.com/bid/74904
url: http://www.securityfocus.com/bid/74903
url: http://www.securityfocus.com/bid/74902
url: http://www.securityfocus.com/bid/74700
url: https://bugs.php.net/bug.php?id=69085
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: CB-K17/2123
cert-bund: CB-K16/0944
cert-bund: CB-K15/1188
cert-bund: CB-K15/1082
cert-bund: CB-K15/1031
cert-bund: CB-K15/0973
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0923
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
cert-bund: CB-K15/0769
cert-bund: CB-K15/0763
cert-bund: CB-K15/0759
cert-bund: CB-K15/0703
dfn-cert: DFN-CERT-2017-2219
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1139
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1021
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0973
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0803

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-0797
dfn-cert: DFN-CERT-2015-0732
```

High (CVSS: 7.5)
NVT: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Privilege Escalation Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.32
Installation
path / port:       80/tcp
```

Impact

Successfully exploitation will allow an attacker to update the 'metadata' and affect on confidentiality, integrity, and availability.

Solution:

Solution type: VendorFix

Update to version 5.5.32, 5.6.18, 7.0.3 or later.

Affected Software/OS

PHP prior to version 5.5.32, 5.6.x prior to 5.6.18 and 7.x prior to 7.0.3 on Linux.

Vulnerability Insight

An error occurs in the function stream_get_meta_data of the component File Upload. The manipulation as part of a Return Value leads to a privilege escalation vulnerability (Metadata).

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Privilege Escalation Vulnerability - . ↪..`

OID:1.3.6.1.4.1.25623.1.0.812512

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-10712
url: https://bugs.php.net/bug.php?id=71323
url: https://git.php.net/?p=php-src.git;a=commit;h=6297a117d77fa3a0df2e21ca926a9
↪2c231819cd5
cert-bund: CB-K18/0498
cert-bund: CB-K18/0350
dfn-cert: DFN-CERT-2019-1052
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2018-0537
dfn-cert: DFN-CERT-2018-0380
```

High (CVSS: 7.5)
NVT: PHP < 5.6.0 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.0
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 5.6.0 or later.

Affected Software/OS

PHP prior to version 5.6.0 on Linux.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The flaw is due an improper validation of input to zero root_storage value in a CDF file.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.0 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.808669
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-0236`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/90957`

High (CVSS: 7.3)
NVT: PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 RCE Vulnerability (Mar 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.5.29
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to execute arbitrary code in the context of the user running the affected application. Failed exploit attempts will likely cause a denial-of-service condition.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 5.4.45, 5.5.29, 5.6.13 or later.

Affected Software/OS
PHP prior to version 5.4.45, 5.5.x prior to 5.5.29 and 5.6.x prior to 5.6.13 on Linux.

Vulnerability Insight
The flaw is due to 'SoapClient __call' method in 'ext/soap/soap.c' script does not properly manage headers.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 RCE Vulnerability (Mar 2016) - Lin.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.807505
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-6836`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/76644`
`url: https://bugs.php.net/bug.php?id=70388`
`cert-bund: WID-SEC-2025-1425`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0422`
`cert-bund: CB-K15/1571`
`cert-bund: CB-K15/1561`
`cert-bund: CB-K15/1478`
`cert-bund: CB-K15/1439`
`cert-bund: CB-K15/1415`
`cert-bund: CB-K15/1337`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0460`
`dfn-cert: DFN-CERT-2015-1658`
`dfn-cert: DFN-CERT-2015-1644`
`dfn-cert: DFN-CERT-2015-1556`
`dfn-cert: DFN-CERT-2015-1515`
`dfn-cert: DFN-CERT-2015-1493`
`dfn-cert: DFN-CERT-2015-1407`

High (CVSS: 7.2)
NVT: PHP 5.4.x < 5.4.27, 5.5.x < 5.5.12 Privilege Escalation Vulnerability

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.12
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to gain access to the socket and gain elevated privileges.

Solution:
Solution type: VendorFix
Update to version 5.4.28, 5.5.12 or later.

Affected Software/OS
PHP versions 5.4.x before 5.4.28 and 5.5.x before 5.5.12.

Vulnerability Insight
An error in 'sapi/fpm/fpm/fpm_unix.c' within FastCGI Process Manager allows setting insecure permissions for a unix socket.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.27, 5.5.x < 5.5.12 Privilege Escalation Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.804290
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2014-0185
url: http://seclists.org/oss-sec/2014/q2/192
url: http://www.securityfocus.com/bid/67118
url: http://www.php.net/archive/2014.php#id2014-05-01-1
url: http://www.openwall.com/lists/oss-security/2014/04/29/5
cert-bund: WID-SEC-2023-1282
cert-bund: CB-K14/1174
cert-bund: CB-K14/0776
cert-bund: CB-K14/0738
cert-bund: CB-K14/0660
cert-bund: CB-K14/0524
dfn-cert: DFN-CERT-2014-0816
dfn-cert: DFN-CERT-2014-0769
dfn-cert: DFN-CERT-2014-0685
dfn-cert: DFN-CERT-2014-0541
```

High (CVSS: 7.1)
NVT: PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12, 7.x < 7.0.4 DoS and Information Disclosure Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) and an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.28
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to obtain sensitive information from process memory or cause a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.4.44, 5.5.28, 5.6.12, 7.0.4 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

PHP prior to version 5.4.44, 5.5.x prior to 5.5.28, 5.6.x prior to 5.6.12 and 7.x prior to 7.0.4.

Vulnerability Insight
The flaw is due an error in the 'make_http_soap_request' function of the 'ext/soap/php_http.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12, 7.x < 7.0.4 DoS and Information D.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.808666
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-3185`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.php.net/ChangeLog-7.php`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0623`
`cert-bund: CB-K16/0614`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0972`
`dfn-cert: DFN-CERT-2016-0676`
`dfn-cert: DFN-CERT-2016-0659`

High (CVSS: 7.0)
NVT: PHP 5.3.7 - 7.3.31, 7.4.x < 7.4.25, 8.0.x < 8.0.12 Security Update (Oct 2021) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP released new versions which includes a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.5.9
Fixed version:     7.3.32 (not released yet)
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.32 (not released yet), 7.4.25, 8.0.12 or later.

Affected Software/OS
PHP versions 5.3.7 through 7.3.31, 7.4.x through 7.4.24 and 8.0.x through 8.0.11.
Note: While the referenced CVE is only listing PHP 7.3.x, 7.4.x and 8.0.x as affected the security research team is stating in the linked blog post that all versions down to 5.3.7 are affected.

Vulnerability Insight
Fixed bug #81026 (PHP-FPM oob R/W in root process leading to privilege escalation).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.3.7 - 7.3.31, 7.4.x < 7.4.25, 8.0.x < 8.0.12 Security Update (Oct 2021) -.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.117752
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2021-21703
url: https://www.php.net/ChangeLog-7.php#7.3.32
url: https://www.php.net/ChangeLog-7.php#7.4.25
url: https://www.php.net/ChangeLog-8.php#8.0.12
url: http://bugs.php.net/81026
url: https://www.ambionics.io/blog/php-fpm-local-root
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-0624
cert-bund: WID-SEC-2022-0586
cert-bund: CB-K21/1106
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2337
dfn-cert: DFN-CERT-2022-1493
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1046
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2021-2586
dfn-cert: DFN-CERT-2021-2474
dfn-cert: DFN-CERT-2021-2200
```

[return to 172.30.9.3]

2.1.5 Medium 3306/tcp

Medium (CVSS: 6.5)
NVT: Oracle MySQL Security Update (cpujul2018 - 02) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     See reference
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow remote attackers to have an impact on confidentiality, integrity and availability.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle MySQL version 5.5.60 and earlier, 5.6.40 and earlier, 5.7.22 and earlier.

Vulnerability Insight

Multiple flaws exist due to errors in 'Server: Security: Encryption', 'Server: Options', 'MyISAM', 'Client mysqldump' components of application.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Security Update (cpujul2018 - 02) - Linux`
OID:1.3.6.1.4.1.25623.1.0.813707
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2018-2767
cve: CVE-2018-3066
cve: CVE-2018-3058
cve: CVE-2018-3070
url: https://www.oracle.com/security-alerts/cpujul2018.html#AppendixMSQL
advisory-id: cpujul2018
cert-bund: WID-SEC-2023-1594
cert-bund: CB-K18/0795
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1588
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2018-1649
dfn-cert: DFN-CERT-2018-1402
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0913
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.49 / 5.7 <= 5.7.31 / 8.0 <= 8.0.21 Security Update (cpuoct2020) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.6.50
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.50, 5.7.32, 8.0.22 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.49 and prior, 5.7 through 5.7.31 and 8.0 through 8.0.21.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.49 / 5.7 <= 5.7.31 / 8.0 <= 8.0.21 Security Update (.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.108958
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2020-14765
cve: CVE-2020-14769
cve: CVE-2020-14812
cve: CVE-2020-14793
cve: CVE-2020-14672
cve: CVE-2020-14867
url: https://www.oracle.com/security-alerts/cpuoct2020.html#AppendixMSQL
advisory-id: cpuoct2020
cert-bund: CB-K20/1066
cert-bund: CB-K20/1017
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-0002
dfn-cert: DFN-CERT-2020-2763
dfn-cert: DFN-CERT-2020-2756
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2380
dfn-cert: DFN-CERT-2020-2295
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpuapr2025) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	5.5.60
Fixed version:	8.0.42
Installation path / port:	3306/tcp

Solution:
Solution type: VendorFix
Update to version 8.0.42, 8.4.5, 9.3.0 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.41 and prior, 8.1 through 8.4.4 and 9.0 through 9.2.0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpua.
↪..
OID:1.3.6.1.4.1.25623.1.0.171441
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2025-21577
cve: CVE-2025-30682
cve: CVE-2025-30687
cve: CVE-2025-30688
cve: CVE-2025-21574

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2025-21575
cve: CVE-2025-30693
cve: CVE-2025-30695
cve: CVE-2025-30715
cve: CVE-2025-21584
cve: CVE-2025-21580
cve: CVE-2025-21581
cve: CVE-2025-21585
cve: CVE-2025-30689
cve: CVE-2025-21579
cve: CVE-2025-30696
cve: CVE-2025-30705
cve: CVE-2025-30683
cve: CVE-2025-30684
cve: CVE-2025-30685
cve: CVE-2025-30699
cve: CVE-2025-30704
cve: CVE-2024-13176
cve: CVE-2024-9143
cve: CVE-2025-30721
cve: CVE-2025-30703
cve: CVE-2025-30681
url: https://www.oracle.com/security-alerts/cpuapr2025.html#AppendixMSQL
advisory-id: cpuapr2025
cert-bund: WID-SEC-2025-2364
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-1568
cert-bund: WID-SEC-2025-1566
cert-bund: WID-SEC-2025-1564
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-1257
cert-bund: WID-SEC-2025-1035
cert-bund: WID-SEC-2025-0828
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0813
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0131
cert-bund: WID-SEC-2024-3230
dfn-cert: DFN-CERT-2026-0037
dfn-cert: DFN-CERT-2025-3583
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2944
dfn-cert: DFN-CERT-2025-2602
dfn-cert: DFN-CERT-2025-2523
dfn-cert: DFN-CERT-2025-1905
dfn-cert: DFN-CERT-2025-1903
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-1901
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1648
dfn-cert: DFN-CERT-2025-1611
dfn-cert: DFN-CERT-2025-1470
dfn-cert: DFN-CERT-2025-1424
dfn-cert: DFN-CERT-2025-1304
dfn-cert: DFN-CERT-2025-0993
dfn-cert: DFN-CERT-2025-0981
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0973
dfn-cert: DFN-CERT-2025-0564
dfn-cert: DFN-CERT-2025-0465
dfn-cert: DFN-CERT-2025-0354
dfn-cert: DFN-CERT-2025-0158
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2764
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 / 8.0 <= 8.0.17 Security Update (cpuoct2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.6.46
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.46, 5.7.28, 8.0.18 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.45 and prior, 5.7 through 5.7.27 and 8.0 through 8.0.17.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Oracle MySQL Server is prone to multiple vulnerabilities.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 / 8.0 <= 8.0.17 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.143029
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2019-2974`
`cve: CVE-2019-2911`
`url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL`
`advisory-id: cpuoct2019`
`cert-bund: CB-K20/1030`
`cert-bund: CB-K20/0109`
`cert-bund: CB-K19/0915`
`dfn-cert: DFN-CERT-2020-2763`
`dfn-cert: DFN-CERT-2020-2756`
`dfn-cert: DFN-CERT-2020-2620`
`dfn-cert: DFN-CERT-2020-2299`
`dfn-cert: DFN-CERT-2020-2180`
`dfn-cert: DFN-CERT-2020-1827`
`dfn-cert: DFN-CERT-2020-0658`
`dfn-cert: DFN-CERT-2020-0517`
`dfn-cert: DFN-CERT-2020-0103`
`dfn-cert: DFN-CERT-2019-2695`
`dfn-cert: DFN-CERT-2019-2687`
`dfn-cert: DFN-CERT-2019-2656`
`dfn-cert: DFN-CERT-2019-2301`
`dfn-cert: DFN-CERT-2019-2149`

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.60-`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.33
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.33, 8.0.23 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.32 and prior and 8.0 through 8.0.22.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Li.`
↪..
OID:1.3.6.1.4.1.25623.1.0.145793
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2020-1971
cve: CVE-2021-2178
cve: CVE-2021-2202
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-0067
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-2047
cert-bund: WID-SEC-2022-1908
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1000
cert-bund: WID-SEC-2022-0585
cert-bund: CB-K21/1065
cert-bund: CB-K21/0788
cert-bund: CB-K21/0615
cert-bund: CB-K21/0421
cert-bund: CB-K21/0111
cert-bund: CB-K21/0062
cert-bund: CB-K21/0006
cert-bund: CB-K20/1217
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-2126
dfn-cert: DFN-CERT-2021-1504
dfn-cert: DFN-CERT-2021-1225
dfn-cert: DFN-CERT-2021-0924
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0828
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0715
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0338
dfn-cert: DFN-CERT-2021-0255
dfn-cert: DFN-CERT-2021-0134
dfn-cert: DFN-CERT-2021-0131
dfn-cert: DFN-CERT-2021-0128
dfn-cert: DFN-CERT-2021-0120
dfn-cert: DFN-CERT-2021-0107
dfn-cert: DFN-CERT-2021-0078
dfn-cert: DFN-CERT-2021-0012
dfn-cert: DFN-CERT-2020-2791
dfn-cert: DFN-CERT-2020-2668
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.46 Security Update (cpujan2020) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to an unspecified denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.60
Fixed version:     5.6.47
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.47 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.46 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.46 Security Update (cpujan2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143358
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2020-2579
url: https://www.oracle.com/security-alerts/cpujan2020.html#AppendixMSQL
advisory-id: cpujan2020
cert-bund: CB-K20/0038
dfn-cert: DFN-CERT-2020-1827
dfn-cert: DFN-CERT-2020-1078
dfn-cert: DFN-CERT-2020-0096
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (cpujul2019) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.6.45
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.45, 5.7.27, 8.0.17 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.44 and prior, 5.7 through 5.7.26 and 8.0 through 8.0.16.

Vulnerability Insight
Oracle MySQL Server is prone to multiple denial of service vulnerabilities.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (.
↪..`
OID:1.3.6.1.4.1.25623.1.0.142644
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2019-2805
cve: CVE-2019-2740
cve: CVE-2019-2819
cve: CVE-2019-2739
cve: CVE-2019-2737
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2019-2738
url: https://www.oracle.com/security-alerts/cpujul2019.html#AppendixMSQL
advisory-id: cpujul2019
cert-bund: CB-K19/0620
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2180
dfn-cert: DFN-CERT-2020-0658
dfn-cert: DFN-CERT-2020-0517
dfn-cert: DFN-CERT-2019-2695
dfn-cert: DFN-CERT-2019-2656
dfn-cert: DFN-CERT-2019-2300
dfn-cert: DFN-CERT-2019-2008
dfn-cert: DFN-CERT-2019-1713
dfn-cert: DFN-CERT-2019-1683
dfn-cert: DFN-CERT-2019-1568
dfn-cert: DFN-CERT-2019-1453
```

Medium (CVSS: 6.2)
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (cpuoct2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a local unauthenticated vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.6.45
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.45, 5.7.27, 8.0.17 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.44 and prior, 5.7 through 5.7.26 and 8.0 through 8.0.16.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where MySQL Server executes to compromise MySQL Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.143031
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2019-2969`
`url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL`
`advisory-id: cpuoct2019`
`cert-bund: CB-K19/0915`
`dfn-cert: DFN-CERT-2019-2149`

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (cpuapr2019) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.60-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to a vulnerability in the libmysqld subcomponent.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.60
Fixed version:     5.6.43
Installation
path / port:       3306/tcp
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 5.6.43, 5.7.25, 8.0.14 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.42 and prior, 5.7 through 5.7.24 and 8.0 through 8.0.13.

Vulnerability Insight
Difficult to exploit vulnerability allows unauthenticated attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Server accessible data.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.142404
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2018-3123`
`url: https://www.oracle.com/security-alerts/cpuapr2019.html#AppendixMSQL`
`advisory-id: cpuapr2019`
`cert-bund: WID-SEC-2023-1594`
`cert-bund: CB-K19/0319`
`dfn-cert: DFN-CERT-2019-0775`

Medium (CVSS: 5.9)
NVT: Oracle MySQL Backronym Vulnerability (Jun 2016) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.60-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)`

Summary
Oracle MySQL is prone to a backronym vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.3
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow man-in-the-middle attackers to spoof servers via a cleartext-downgrade attack.

Solution:

Solution type: VendorFix

Upgrade to version Oracle MySQL Server 5.7.3 or later.

Affected Software/OS

Oracle MySQL Server 5.7.2 and earlier on Linux.

Vulnerability Insight

The flaw exists due to improper validation of MySQL client library when establishing a secure connection to a MySQL server using the –ssl option.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Backronym Vulnerability (Jun 2016) - Linux`

OID:1.3.6.1.4.1.25623.1.0.808064

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.60-`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2015-3152
url: http://www.ocert.org/advisories/ocert-2015-003.html
url: https://duo.com/blog/backronym-mysql-vulnerability
cert-bund: CB-K18/0871
cert-bund: CB-K16/0944
cert-bund: CB-K15/1045
cert-bund: CB-K15/1042
cert-bund: CB-K15/1020
cert-bund: CB-K15/0994
cert-bund: CB-K15/0964
cert-bund: CB-K15/0895
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1105
dfn-cert: DFN-CERT-2015-1096
dfn-cert: DFN-CERT-2015-1071
dfn-cert: DFN-CERT-2015-1051
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-0942
```

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.43, 8.0.34 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Lin.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.149980

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.60-`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2023-22053
url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMSQL
advisory-id: cpujul2023
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2023-1794
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0491
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2023-1642
```

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.6.43 / 5.7 <= 5.7.25 / 8.0 <= 8.0.15 Security Update (cpuapr2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.6.44
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.44, 5.7.26, 8.0.16 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.43 and prior, 5.7 through 5.7.25 and 8.0 through 8.0.15.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The attacks range in variety and difficulty. Most of them allow an attacker with network access via multiple protocols to compromise the MySQL Server.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.43 / 5.7 <= 5.7.25 / 8.0 <= 8.0.15 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.142402
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2019-1559`
`cve: CVE-2019-2683`
`cve: CVE-2019-2627`
`cve: CVE-2019-2614`
`url: https://www.oracle.com/security-alerts/cpuapr2019.html#AppendixMSQL`
`advisory-id: cpuapr2019`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2023-2946`
`cert-bund: WID-SEC-2023-1594`
`cert-bund: WID-SEC-2022-0673`
`cert-bund: WID-SEC-2022-0462`
`cert-bund: CB-K22/0045`
`cert-bund: CB-K20/0041`
`cert-bund: CB-K19/0911`
`cert-bund: CB-K19/0639`
`cert-bund: CB-K19/0623`
`cert-bund: CB-K19/0622`
`cert-bund: CB-K19/0620`
`cert-bund: CB-K19/0619`
`cert-bund: CB-K19/0615`
`cert-bund: CB-K19/0332`
`cert-bund: CB-K19/0320`
`cert-bund: CB-K19/0319`
`cert-bund: CB-K19/0173`
`dfn-cert: DFN-CERT-2020-2620`
`dfn-cert: DFN-CERT-2020-2189`
`dfn-cert: DFN-CERT-2020-2180`
`dfn-cert: DFN-CERT-2020-0092`
`dfn-cert: DFN-CERT-2020-0048`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-2625
dfn-cert: DFN-CERT-2019-2457
dfn-cert: DFN-CERT-2019-2300
dfn-cert: DFN-CERT-2019-2274
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-2157
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-2008
dfn-cert: DFN-CERT-2019-1996
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1755
dfn-cert: DFN-CERT-2019-1746
dfn-cert: DFN-CERT-2019-1722
dfn-cert: DFN-CERT-2019-1713
dfn-cert: DFN-CERT-2019-1683
dfn-cert: DFN-CERT-2019-1678
dfn-cert: DFN-CERT-2019-1677
dfn-cert: DFN-CERT-2019-1617
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1486
dfn-cert: DFN-CERT-2019-1460
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-1453
dfn-cert: DFN-CERT-2019-1450
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2019-1240
dfn-cert: DFN-CERT-2019-0968
dfn-cert: DFN-CERT-2019-0781
dfn-cert: DFN-CERT-2019-0775
dfn-cert: DFN-CERT-2019-0771
dfn-cert: DFN-CERT-2019-0566
dfn-cert: DFN-CERT-2019-0556
dfn-cert: DFN-CERT-2019-0412
```

Medium (CVSS: 5.5)
NVT: Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (cpuoct2025) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     8.0.44
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.44, 8.4.7, 9.4.1 or later.

Affected Software/OS
Oracle MySQL Server versions 8.0.43 and prior, 8.1.x through 8.4.6 and 9.0.0 through 9.4.0.
Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that all versions prior to 8.x and versions like 9.2.x in between are also affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.119198
Version used: `2025-10-24T05:39:31Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2025-53054
cve: CVE-2025-53053
cve: CVE-2025-53044
cve: CVE-2025-53045
cve: CVE-2025-53062
cve: CVE-2025-53069
cve: CVE-2025-53040
cve: CVE-2025-53042
url: https://www.oracle.com/security-alerts/cpuoct2025.html#AppendixMSQL
advisory-id: cpuoct2025
cert-bund: WID-SEC-2025-2363
dfn-cert: DFN-CERT-2025-3598
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2025-2945

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.6.46 / 5.7 <= 5.7.26 Security Update (cpuapr2020) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities in OpenSSL.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.60
Fixed version: 5.6.47
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.6.47, 5.7.27 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.46 and prior and 5.7 through 5.7.26.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.6.46 / 5.7 <= 5.7.26 Security Update (cpuapr2020) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.143734
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2019-1547
cve: CVE-2019-1549

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2019-1552
cve: CVE-2019-1563
url: https://www.oracle.com/security-alerts/cpuapr2020.html#AppendixMSQL
advisory-id: cpuapr2020
cert-bund: WID-SEC-2023-3081
cert-bund: WID-SEC-2023-1762
cert-bund: WID-SEC-2023-1049
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K20/1049
cert-bund: CB-K20/1016
cert-bund: CB-K20/0321
cert-bund: CB-K20/0318
cert-bund: CB-K20/0043
cert-bund: CB-K20/0038
cert-bund: CB-K20/0036
cert-bund: CB-K20/0028
cert-bund: CB-K19/1025
cert-bund: CB-K19/0919
cert-bund: CB-K19/0915
cert-bund: CB-K19/0808
cert-bund: CB-K19/0675
dfn-cert: DFN-CERT-2023-2709
dfn-cert: DFN-CERT-2020-2014
dfn-cert: DFN-CERT-2020-1729
dfn-cert: DFN-CERT-2020-0895
dfn-cert: DFN-CERT-2020-0776
dfn-cert: DFN-CERT-2020-0775
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0716
dfn-cert: DFN-CERT-2020-0277
dfn-cert: DFN-CERT-2020-0101
dfn-cert: DFN-CERT-2020-0096
dfn-cert: DFN-CERT-2020-0091
dfn-cert: DFN-CERT-2020-0090
dfn-cert: DFN-CERT-2019-2164
dfn-cert: DFN-CERT-2019-2149
dfn-cert: DFN-CERT-2019-1900
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1559
```

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     8.0.40
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.40, 8.4.2, 9.0.2 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo.
↪..
OID:1.3.6.1.4.1.25623.1.0.170872
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2024-21238
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2024-2732

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.60
Fixed version: 5.7.40
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.40, 8.0.31 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.30.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.118387
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-2097
cve: CVE-2022-21617
cve: CVE-2022-21608
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2022-1777
cert-bund: WID-SEC-2022-1776
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1245
cert-bund: WID-SEC-2022-1146
cert-bund: WID-SEC-2022-1068
cert-bund: WID-SEC-2022-1065
cert-bund: WID-SEC-2022-0561
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-2491
dfn-cert: DFN-CERT-2023-1230
dfn-cert: DFN-CERT-2023-1058
dfn-cert: DFN-CERT-2023-0509
dfn-cert: DFN-CERT-2023-0299
dfn-cert: DFN-CERT-2023-0100
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-2315
dfn-cert: DFN-CERT-2022-2306
dfn-cert: DFN-CERT-2022-2150
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-1905
dfn-cert: DFN-CERT-2022-1646
dfn-cert: DFN-CERT-2022-1536
dfn-cert: DFN-CERT-2022-1521
dfn-cert: DFN-CERT-2022-1520
dfn-cert: DFN-CERT-2022-1515
dfn-cert: DFN-CERT-2022-1497
```

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 Security Update (cpuoct2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.6.46
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.46, 5.7.28 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.45 and prior and 5.7 through 5.7.27.

Vulnerability Insight
Oracle MySQL Server is prone to multiple vulnerabilities.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 Security Update (cpuoct2019) - Li.`
↪..
OID:1.3.6.1.4.1.25623.1.0.143033
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2019-2922
cve: CVE-2019-2923
cve: CVE-2019-2924
cve: CVE-2019-2910
url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL
advisory-id: cpuoct2019
cert-bund: CB-K19/0915
dfn-cert: DFN-CERT-2020-0103
dfn-cert: DFN-CERT-2019-2149
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.60
Fixed version: 5.7.44
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.44, 8.0.32 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.43 and prior and 8.x through 8.0.31.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Lin.
↪..
OID:1.3.6.1.4.1.25623.1.0.151215
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-22028
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL
advisory-id: cpuoct2023
cert-bund: WID-SEC-2023-2690
dfn-cert: DFN-CERT-2024-0108
dfn-cert: DFN-CERT-2023-2536

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpujan2021) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.60-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	5.5.60
Fixed version:	5.6.51
Installation path / port:	3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.6.51, 5.7.33, 8.0.23 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.50 and prior, 5.7 through 5.7.32 and 8.0 through 8.0.22.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.32 / 8.0 <= 8.0.22 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145223
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2021-2022`
`cve: CVE-2021-2060`
`url: https://www.oracle.com/security-alerts/cpujan2021.html#AppendixMSQL`
`advisory-id: cpujan2021`
`cert-bund: WID-SEC-2023-0067`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K21/0062
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-0131
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.42, 8.0.33 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Lin.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.149978

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.60-`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2023-22007
url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMSQL
advisory-id: cpujul2023
cert-bund: WID-SEC-2023-1794
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2023-1642
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.34
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.34 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.33 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Linux`

OID:1.3.6.1.4.1.25623.1.0.145801

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.60-`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-2154
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2021-1660
dfn-cert: DFN-CERT-2021-0984
dfn-cert: DFN-CERT-2021-0821
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.43, 8.0.32 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.31.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Lin.
↪..
OID:1.3.6.1.4.1.25623.1.0.151211
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-22015
cve: CVE-2023-22026
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL
advisory-id: cpuoct2023
cert-bund: WID-SEC-2023-2690
dfn-cert: DFN-CERT-2023-2536

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.60
Fixed version: 5.7.31
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.31, 8.0.18 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.30 and prior and 8.0 through 8.0.17.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145803
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2021-2160
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2021-0821
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpujan2021) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.60-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.60
Fixed version:     5.6.51
Installation
path / port:       3306/tcp
```

Impact
Successful attacks of this vulnerability can result in the unauthorized ability to cause a hang or frequently repeatedly crash (complete DOS) the MySQL Server.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.6.51, 5.7.31, 8.0.18 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.50 and prior, 5.7 through 5.7.30 and 8.0 through 8.0.17.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.30 / 8.0 <= 8.0.17 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145221
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2021-2001`
`url: https://www.oracle.com/security-alerts/cpujan2021.html#AppendixMSQL`
`advisory-id: cpujan2021`
`cert-bund: WID-SEC-2023-0067`
`cert-bund: CB-K21/0062`
`dfn-cert: DFN-CERT-2021-2155`
`dfn-cert: DFN-CERT-2021-0810`
`dfn-cert: DFN-CERT-2021-0131`

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.60-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     8.0.36
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.36 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.35 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.170866
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2024-21200
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2024-2732
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     8.0.39
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.39, 8.4.2, 9.0.2 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.38 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.170868
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2024-21207
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2024-2732
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.41
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.41 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.40 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Linux`
OID:1.3.6.1.4.1.25623.1.0.149167
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2023-21840
url: https://www.oracle.com/security-alerts/cpujan2023.html#AppendixMSQL
advisory-id: cpujan2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-0126
dfn-cert: DFN-CERT-2023-0105
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Security Update (cpujul2018 - 04) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     See reference
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation of this vulnerability will allow remote attackers to conduct a denial-of-service condition.

Solution:
Solution type: VendorFix
The vendor has released updates. Please see the references for more information.

Affected Software/OS
Oracle MySQL version 5.5.60 and earlier.

Vulnerability Insight
Multiple flaws exist due to an error in the 'Server: Security: Privileges' component of MySQL Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Security Update (cpujul2018 - 04) - Linux`
OID:1.3.6.1.4.1.25623.1.0.813711
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2018-3063
url: https://www.oracle.com/security-alerts/cpujul2018.html#AppendixMSQL
advisory-id: cpujul2018
cert-bund: WID-SEC-2023-1594
cert-bund: CB-K18/0795
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1588
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2018-1649
dfn-cert: DFN-CERT-2018-1402
```

Medium (CVSS: 4.4)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     8.0.40
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.0.40, 8.4.1 or later.

Affected Software/OS

Oracle MySQL Server version 8.0.39 and prior and 8.1 through 8.4.0.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Linux`

OID:1.3.6.1.4.1.25623.1.0.170870

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.60-`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2024-21212
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2024-2732
```

Medium (CVSS: 4.4)
NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.37
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.37, 8.0.28 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Li.`
↪..

OID:1.3.6.1.4.1.25623.1.0.118381

Version used: `2025-09-09T05:38:49Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-21595
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1776
dfn-cert: DFN-CERT-2023-0504
dfn-cert: DFN-CERT-2022-2306

Medium (CVSS: 4.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.60
Fixed version: 5.7.40
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.40, 8.0.17 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.16.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Li.

. . . continues on next page . . .

. . . continued from previous page . . .

↪..
OID:1.3.6.1.4.1.25623.1.0.118383
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.60-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-21589
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2022-1776
dfn-cert: DFN-CERT-2022-2306

Medium (CVSS: 4.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.60
Fixed version: 5.7.40
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.40, 8.0.30 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.29.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118385
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2022-21592`
`url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL`
`advisory-id: cpuoct2022`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2023-2031`
`cert-bund: WID-SEC-2022-1776`
`dfn-cert: DFN-CERT-2022-2306`

[return to 172.30.9.3]

2.1.6 Medium 80/tcp

Medium (CVSS: 6.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (May 2015)

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.7
Fixed version:     2.4.10
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Impact
Successful exploitation will allow a remote attacker to bypass intended access restrictions in opportunistic circumstances by leveraging multiple Require directives.

Solution:
Solution type: VendorFix
Update to version 2.4.10 or later.

Affected Software/OS
Apache HTTP Server version before 2.4.10.

Vulnerability Insight
Multiple flaws are due to:
- Vulnerability in the WinNT MPM component within the 'winnt_accept' function in server/mpm/winnt/child.c script that is triggered when the default AcceptFilter is used.
- Vulnerability in the mod_deflate module that is triggered when handling highly compressed bodies.
- A race condition in the mod_status module that is triggered as user-supplied input is not properly validated when handling the scoreboard.
- Vulnerability in the mod_cgid module that is triggered when used to host CGI scripts that do not consume standard input.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server Multiple Vulnerabilities (May 2015)
OID:1.3.6.1.4.1.25623.1.0.805638
Version used: 2024-02-20T05:05:48Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2014-3523
cve: CVE-2014-0118
cve: CVE-2014-0226
cve: CVE-2014-0231
url: http://httpd.apache.org/security/vulnerabilities_24.html
url: http://www.securityfocus.com/bid/73040
url: http://www.rapid7.com/db/vulnerabilities/apache-httpd-cve-2014-8109
cert-bund: CB-K16/1972
cert-bund: CB-K15/1517

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0960
cert-bund: CB-K15/0806
cert-bund: CB-K15/0493
cert-bund: CB-K15/0079
cert-bund: CB-K15/0075
cert-bund: CB-K14/1568
cert-bund: CB-K14/1095
cert-bund: CB-K14/1050
cert-bund: CB-K14/1043
cert-bund: CB-K14/0969
cert-bund: CB-K14/0968
cert-bund: CB-K14/0924
cert-bund: CB-K14/0883
dfn-cert: DFN-CERT-2016-2081
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1008
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2014-1668
dfn-cert: DFN-CERT-2014-1145
dfn-cert: DFN-CERT-2014-1094
dfn-cert: DFN-CERT-2014-1088
dfn-cert: DFN-CERT-2014-1019
dfn-cert: DFN-CERT-2014-1017
dfn-cert: DFN-CERT-2014-0967
dfn-cert: DFN-CERT-2014-0926
```

Medium (CVSS: 6.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Sep 2014) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.12
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 2.2.29, 2.4.12 or later.

Affected Software/OS
Apache HTTP Server version 2.2.0 through 2.2.27 and 2.4.1 through 2.4.10.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2013-5704: HTTP trailers could be used to replace HTTP headers late during request processing, potentially undoing or otherwise confusing modules that examined or modified request headers earlier. This fix adds the 'MergeTrailers' directive to restore legacy behavior.
- CVE-2014-0118: A resource consumption flaw was found in mod_deflate. If request body decompression was configured (using the 'DEFLATE' input filter), a remote attacker could cause the server to consume significant memory and/or CPU resources. The use of request body decompression is not a common configuration.
- CVE-2014-0226: A race condition was found in mod_status. An attacker able to access a public server status page on a server using a threaded MPM could send a carefully crafted request which could lead to a heap buffer overflow. Note that it is not a default or recommended configuration to have a public accessible server status page.
- CVE-2014-0231: A flaw was found in mod_cgid. If a server using mod_cgid hosted CGI scripts which did not consume standard input, a remote attacker could cause child processes to hang indefinitely, leading to denial of service.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server Multiple Vulnerabilities (Sep 2014) - Linux
OID:1.3.6.1.4.1.25623.1.0.147048
Version used: 2021-11-01T03:59:12Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2013-5704
cve: CVE-2014-0118
cve: CVE-2014-0226
cve: CVE-2014-0231
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K16/0112

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/1841
cert-bund: CB-K15/1517
cert-bund: CB-K15/1360
cert-bund: CB-K15/1078
cert-bund: CB-K15/1011
cert-bund: CB-K15/0960
cert-bund: CB-K15/0954
cert-bund: CB-K15/0806
cert-bund: CB-K15/0493
cert-bund: CB-K15/0469
cert-bund: CB-K15/0079
cert-bund: CB-K15/0075
cert-bund: CB-K14/1626
cert-bund: CB-K14/1592
cert-bund: CB-K14/1568
cert-bund: CB-K14/1545
cert-bund: CB-K14/1095
cert-bund: CB-K14/1050
cert-bund: CB-K14/1043
cert-bund: CB-K14/0969
cert-bund: CB-K14/0968
cert-bund: CB-K14/0924
cert-bund: CB-K14/0883
dfn-cert: DFN-CERT-2016-0125
dfn-cert: DFN-CERT-2015-1950
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1137
dfn-cert: DFN-CERT-2015-1069
dfn-cert: DFN-CERT-2015-1008
dfn-cert: DFN-CERT-2015-1002
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0495
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2014-1727
dfn-cert: DFN-CERT-2014-1691
dfn-cert: DFN-CERT-2014-1668
dfn-cert: DFN-CERT-2014-1633
dfn-cert: DFN-CERT-2014-1145
dfn-cert: DFN-CERT-2014-1094
dfn-cert: DFN-CERT-2014-1088
dfn-cert: DFN-CERT-2014-1019
dfn-cert: DFN-CERT-2014-1017
dfn-cert: DFN-CERT-2014-0967
dfn-cert: DFN-CERT-2014-0926
```

Medium (CVSS: 6.8)
NVT: PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Improper Input Validation Vulnerability (Jun 2015) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an improper input validation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.24
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service or possibly execute arbitrary code via pipelined HTTP requests.

Solution:
Solution type: VendorFix
Update to version 5.4.40, 5.5.24, 5.6.8 or later.

Affected Software/OS
PHP prior to version 5.4.40, 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.

Vulnerability Insight
The flaw is due to vulnerability in 'php_handler' function in sapi/apache2handler/sapi_apache2.c script in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Improper Input Validation Vulnerabi.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.805658
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2015-3330
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/74204
url: https://bugs.php.net/bug.php?id=69085
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: CB-K15/1437
cert-bund: CB-K15/1188
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
cert-bund: CB-K15/0665
cert-bund: CB-K15/0648
cert-bund: CB-K15/0561
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0677
dfn-cert: DFN-CERT-2015-0583
```

Medium (CVSS: 6.8)
NVT: PHP < 5.5.30, 5.6.x < 5.6.14 Multiple DoS Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.30
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (NULL pointer dereference and application crash).

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 5.5.30, 5.6.14 or later.

Affected Software/OS
PHP prior to version 5.5.30 and 5.6.x prior to 5.6.14.

Vulnerability Insight
The following flaws exist:
- CVE-2015-7804: Off-by-one error in the 'phar_parse_zipfile' function within ext/phar/zip.c script.
- CVE-2015-7803: An error in the 'phar_get_entry_data' function in ext/phar/util.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.30, 5.6.x < 5.6.14 Multiple DoS Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.806649
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-7803`
`cve: CVE-2015-7804`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/76959`
`url: https://bugs.php.net/bug.php?id=70433`
`url: http://www.openwall.com/lists/oss-security/2015/10/05/8`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0623`
`cert-bund: CB-K16/0422`
`cert-bund: CB-K16/0161`
`cert-bund: CB-K16/0136`
`cert-bund: CB-K15/1792`
`cert-bund: CB-K15/1453`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0972`
`dfn-cert: DFN-CERT-2016-0676`
`dfn-cert: DFN-CERT-2016-0460`
`dfn-cert: DFN-CERT-2016-0176`
`dfn-cert: DFN-CERT-2016-0154`
`dfn-cert: DFN-CERT-2015-1898`

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2015-1530

Medium (CVSS: 6.8)
NVT: PHP Heap Use-After-Free Vulnerability (Sep 2019) - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a heap-based use-after-free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 7.1.32
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 7.1.32 or later.

Affected Software/OS
PHP versions before 7.1.32.

Vulnerability Insight
PHP is prone to a heap use-after-free in pcrelib (cmb).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP Heap Use-After-Free Vulnerability (Sep 2019) - Linux
OID:1.3.6.1.4.1.25623.1.0.108635
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
url: http://bugs.php.net/75457

. . . continues on next page . . .

. . . continued from previous page . . .

`url: https://www.php.net/ChangeLog-7.php#7.1.32`

Medium (CVSS: 6.8)
NVT: PHP Multiple Vulnerabilities (Sep 2019) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.2.22
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.22, 7.3.9 or later.

Affected Software/OS
PHP versions before 7.2.22 and 7.3.x before 7.3.9.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- Buffer overflow in zendparse
- Cast to object confuses GC, causes crash
- Exif crash (bus error) due to wrong alignment and invalid cast
- Use-after-free in FPM master event handling

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Vulnerabilities (Sep 2019) - Linux`
OID:1.3.6.1.4.1.25623.1.0.108637
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
url: http://bugs.php.net/78363
url: http://bugs.php.net/78379
url: http://bugs.php.net/78333
url: http://bugs.php.net/77185
url: https://www.php.net/ChangeLog-7.php#7.3.9
url: https://www.php.net/ChangeLog-7.php#7.2.22
```

Medium (CVSS: 6.8)
NVT: PHP 5.4.x < 5.4.32, 5.5.x < 5.5.15 Multiple Vulnerabilities (Aug 2014)

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.16
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to overwrite arbitrary files, conduct denial of service attacks or potentially execute arbitrary code.

Solution:

Solution type: VendorFix

Update to version 5.4.32, 5.5.16 or later.

Affected Software/OS

PHP version 5.4.x prior to 5.4.32 and 5.5.x prior to 5.5.16.

Vulnerability Insight

The following flaws exist:

- CVE-2014-3597: Multiple overflow conditions in the 'php_parserr' function within ext/standard/dns.c script.

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2014-3587: Integer overflow in the 'cdf_read_property_info' function in cdf.c within the Fileinfo component.
- CVE-2014-5120: An error in the '_php_image_output_ctx' function within ext/gd/gd_ctx.c script as NULL bytes in paths to various image handling functions are not stripped.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.32, 5.5.x < 5.5.15 Multiple Vulnerabilities (Aug 2014)`
OID:1.3.6.1.4.1.25623.1.0.804820
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-3587`
`cve: CVE-2014-3597`
`cve: CVE-2014-5120`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/69322`
`url: http://www.securityfocus.com/bid/69325`
`url: http://www.securityfocus.com/bid/69375`
`url: http://secunia.com/advisories/59709`
`url: http://secunia.com/advisories/57349`
`cert-bund: CB-K16/1499`
`cert-bund: CB-K16/1440`
`cert-bund: CB-K16/1345`
`cert-bund: CB-K16/1315`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0692`
`cert-bund: CB-K15/1704`
`cert-bund: CB-K15/0774`
`cert-bund: CB-K15/0493`
`cert-bund: CB-K14/1359`
`cert-bund: CB-K14/1215`
`cert-bund: CB-K14/1214`
`cert-bund: CB-K14/1167`
`cert-bund: CB-K14/1130`
`cert-bund: CB-K14/1117`
`cert-bund: CB-K14/1054`
`cert-bund: CB-K14/1051`
`cert-bund: CB-K14/1045`
`dfn-cert: DFN-CERT-2016-1590`
`dfn-cert: DFN-CERT-2016-1526`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1431
dfn-cert: DFN-CERT-2016-1401
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0752
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2015-0815
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1280
dfn-cert: DFN-CERT-2014-1279
dfn-cert: DFN-CERT-2014-1219
dfn-cert: DFN-CERT-2014-1181
dfn-cert: DFN-CERT-2014-1176
dfn-cert: DFN-CERT-2014-1103
dfn-cert: DFN-CERT-2014-1098
dfn-cert: DFN-CERT-2014-1095
dfn-cert: DFN-CERT-2014-1092
```

Medium (CVSS: 6.5)
NVT: PHP < 7.2.34, 7.3 < 7.3.23, 7.4 < 7.4.11 Multiple Vulnerabilities (Oct 2020) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.2.34
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.2.34, 7.3.23, 7.4.11 or later.

Affected Software/OS

PHP versions prior 7.2.34, 7.3 prior 7.3.23 and 7.4 prior to 7.4.11.

Vulnerability Insight

The following vulnerabilities exist:

. . . continues on next page . . .

. . . continued from previous page . . .

- Wrong ciphertext/tag in AES-CCM encryption for a 12 bytes IV (CVE-2020-7069)
- PHP parses encoded cookie names so malicious '__Host-' cookies can be sent (CVE-2020-7070)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.34, 7.3 < 7.3.23, 7.4 < 7.4.11 Multiple Vulnerabilities (Oct 2020) - . ↪..`
OID:1.3.6.1.4.1.25623.1.0.144694
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7069
cve: CVE-2020-7070
url: https://www.php.net/ChangeLog-7.php#7.2.34
url: https://www.php.net/ChangeLog-7.php#7.3.23
url: https://www.php.net/ChangeLog-7.php#7.4.11
cert-bund: WID-SEC-2022-2115
cert-bund: CB-K20/0949
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2021-0002
dfn-cert: DFN-CERT-2020-2187
dfn-cert: DFN-CERT-2020-2111
```

Medium (CVSS: 6.5)
NVT: PHP < 7.3.31, 7.4.x < 7.4.24, 8.0.x < 8.0.11 Security Update (Sep 2021) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP released new versions which includes a security fix.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.3.31
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.31, 7.4.24, 8.0.11 or later.

Affected Software/OS
PHP versions prior to 7.3.31, 7.4.x through 7.4.23 and 8.0.x through 8.0.10.

Vulnerability Insight
Fixed bug #81420 (ZipArchive::extractTo extracts outside of destination).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.31, 7.4.x < 7.4.24, 8.0.x < 8.0.11 Security Update (Sep 2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.117694
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2021-21706
url: https://www.php.net/ChangeLog-7.php#7.3.31
url: https://www.php.net/ChangeLog-7.php#7.4.24
url: https://www.php.net/ChangeLog-8.php#8.0.11
url: http://bugs.php.net/81420
cert-bund: WID-SEC-2022-2112
cert-bund: CB-K21/1008
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2021-2474
dfn-cert: DFN-CERT-2021-1994
```

Medium (CVSS: 6.5)
NVT: PHP < 7.2.26 Multiple Vulnerabilities (Dec 2019) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 7.2.26
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 7.2.26 or later.

Affected Software/OS
PHP versions before 7.2.26.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- Buffer underflow in bc_shift_addsub (CVE-2019-11046)
- DirectoryIterator class silently truncates after a null byte (CVE-2019-11045)
- Use-after-free in exif parsing under memory sanitizer (CVE-2019-11050)
- Heap-buffer-overflow READ in exif (CVE-2019-11047)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 7.2.26 Multiple Vulnerabilities (Dec 2019) - Linux
OID:1.3.6.1.4.1.25623.1.0.143276
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2019-11045
cve: CVE-2019-11046
cve: CVE-2019-11047
cve: CVE-2019-11050
url: https://www.php.net/ChangeLog-7.php#7.2.26

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-2122
cert-bund: CB-K20/1199
cert-bund: CB-K19/1099
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-0415
dfn-cert: DFN-CERT-2020-0382
dfn-cert: DFN-CERT-2020-0339
dfn-cert: DFN-CERT-2019-2709
dfn-cert: DFN-CERT-2019-2659
```

Medium (CVSS: 6.5)
NVT: PHP < 7.4.31, 8.0.x < 8.0.24, 8.1.x < 8.1.11 Security Update - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.4.31
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.4.31, 8.0.24, 8.1.11 or later.

Affected Software/OS

PHP versions prior to 7.4.31, 8.0.x prior to 8.0.24 and 8.1.x prior to 8.1.11.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2022-31628: The phar uncompressor code would recursively uncompress 'quines' gzip files, resulting in an infinite loop.

- CVE-2022-31629: The vulnerability enables network and same-site attackers to set a standard insecure cookie in the victim's browser which is treated as a '__Host-' or '__Secure-' cookie by PHP applications.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.4.31, 8.0.x < 8.0.24, 8.1.x < 8.1.11 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.104331
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2022-31628
cve: CVE-2022-31629
url: https://www.php.net/ChangeLog-7.php#7.4.31
url: https://www.php.net/ChangeLog-8.php#8.0.24
url: https://www.php.net/ChangeLog-8.php#8.1.11
url: https://bugs.php.net/bug.php?id=81726
url: https://bugs.php.net/bug.php?id=81727
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0137
cert-bund: WID-SEC-2022-1567
dfn-cert: DFN-CERT-2024-1192
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2023-0422
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2523
dfn-cert: DFN-CERT-2022-2337
dfn-cert: DFN-CERT-2022-2157
```

Medium (CVSS: 6.5)
NVT: PHP 5.x < 7.1.20, 7.2.x < 7.2.8, 7.3.0alpha1 < 7.3.0alpha3 DoS Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.1.20
Installation
path / port:       80/tcp
```

Impact

Successfully exploitation will allow an attacker to consume 100% of the CPU, and consume disk space with a large volume of error logs, as demonstrated by an attack by a customer of a shared-hosting facility.

Solution:

Solution type: VendorFix

Update to version 7.1.20, 7.2.8, 7.3.0alpha3 or later.

Affected Software/OS

PHP versions 5.x, 7.0.x, 7.1.x prior to 7.1.20, 7.2.x prior to 7.2.8 and 7.3.x prior to 7.3.0alpha3 on Linux.

Vulnerability Insight

The flaw exists due to the php-fpm master process restarts a child process in an endless loop when using program execution functions with a non-blocking STDIN stream.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 5.x < 7.1.20, 7.2.x < 7.2.8, 7.3.0alpha1 < 7.3.0alpha3 DoS Vulnerability - .`
↪`..`

OID:1.3.6.1.4.1.25623.1.0.812520

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-9253
url: https://bugs.php.net/bug.php?id=73342
url: https://bugs.php.net/bug.php?id=70185
url: https://github.com/php/php-src/pull/3287
url: https://www.futureweb.at/security/CVE-2015-9253
dfn-cert: DFN-CERT-2022-2638
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2022-0455
dfn-cert: DFN-CERT-2022-0431
dfn-cert: DFN-CERT-2020-0337
dfn-cert: DFN-CERT-2018-1882
```

Medium (CVSS: 6.5)
NVT: phpMyAdmin < 4.9.0 CSRF Vulnerability (PMASA-2019-4) - Linux

Summary
phpMyAdmin is prone to a CSRF vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.2.2
Fixed version:     4.9.0
Installation
path / port:       /phpmyadmin
```

Solution:
Solution type: VendorFix
Update to version 4.9.0 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.0.

Vulnerability Insight
A vulnerability was found that allows an attacker to trigger a CSRF attack against a phpMyAdmin user. The attacker can trick the user, for instance through a broken <img> tag pointing at the victim's phpMyAdmin database, and the attacker can potentially deliver a payload (such as a specific INSERT or DELETE statement) through the victim.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.0 CSRF Vulnerability (PMASA-2019-4) - Linux`
OID:1.3.6.1.4.1.25623.1.0.142499
Version used: `2024-02-13T05:06:26Z`

References

```
cve: CVE-2019-12616
url: https://www.phpmyadmin.net/security/PMASA-2019-4/
cert-bund: CB-K19/0477
dfn-cert: DFN-CERT-2019-1217
dfn-cert: DFN-CERT-2019-1127
```

Medium (CVSS: 6.5)
NVT: phpMyAdmin < 4.9.1 CSRF Vulnerability - Linux

Summary
phpMyAdmin is prone to a CSRF vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.5.2.2
Fixed version:     4.9.1
Installation
path / port:       /phpmyadmin
```

Solution:
Solution type: VendorFix
Update to phpMyAdmin version 4.9.1 or later.

Affected Software/OS
phpMyAdmin version 4.9.0.1 and prior.

Vulnerability Insight
A CSRF issue in phpMyAdmin allows deletion of any server in the Setup page.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.1 CSRF Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.142897
Version used: `2024-02-13T05:06:26Z`

References
```
cve: CVE-2019-12922
url: https://seclists.org/fulldisclosure/2019/Sep/23
url: https://github.com/phpmyadmin/phpmyadmin/commit/7d21d4223bdbe0306593309132b
↪4263d7087d13b
cert-bund: CB-K19/0836
dfn-cert: DFN-CERT-2020-0089
dfn-cert: DFN-CERT-2019-1975
```

Medium (CVSS: 6.1)
NVT: jQuery < 3.4.0 Object Extensions Vulnerability

Summary
jQuery is prone to multiple vulnerabilities regarding property injection in Object.prototype.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     3.4.0
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquer
↪y-1.6.2.js
- Referenced at:   http://mutillidae.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 3.4.0 or later. Patch diffs are available for older versions.

Affected Software/OS
jQuery prior to version 3.4.0.

Vulnerability Insight
The following flaws exist:
- CVE-2019-5428: A prototype pollution vulnerability exists that allows an attacker to inject properties on Object.prototype.
- CVE-2019-11358: jQuery mishandles jQuery.extend(true, }}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 3.4.0 Object Extensions Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.142314
Version used: `2023-07-14T05:06:08Z`

References

```
cve: CVE-2019-5428
cve: CVE-2019-11358
url: https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/
url: https://github.com/DanielRuf/snyk-js-jquery-174006?files=1
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2022-1948
cert-bund: WID-SEC-2022-1947
cert-bund: WID-SEC-2022-0732
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K21/1083
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K20/1049
cert-bund: CB-K20/1030
cert-bund: CB-K20/0800
cert-bund: CB-K20/0710
cert-bund: CB-K20/0324
cert-bund: CB-K20/0314
cert-bund: CB-K20/0309
cert-bund: CB-K20/0106
cert-bund: CB-K20/0041
cert-bund: CB-K20/0037
cert-bund: CB-K20/0034
cert-bund: CB-K19/0921
cert-bund: CB-K19/0920
cert-bund: CB-K19/0916
cert-bund: CB-K19/0911
cert-bund: CB-K19/0909
cert-bund: CB-K19/0619
cert-bund: CB-K19/0504
cert-bund: CB-K19/0329
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2024-1997
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-2467
dfn-cert: DFN-CERT-2021-1536
dfn-cert: DFN-CERT-2021-1503
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1574
dfn-cert: DFN-CERT-2020-1537
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0769
dfn-cert: DFN-CERT-2020-0721
dfn-cert: DFN-CERT-2020-0276
dfn-cert: DFN-CERT-2020-0102
dfn-cert: DFN-CERT-2020-0100
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-2156
dfn-cert: DFN-CERT-2019-2126
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1861
dfn-cert: DFN-CERT-2019-1663
dfn-cert: DFN-CERT-2019-1460
dfn-cert: DFN-CERT-2019-1182
dfn-cert: DFN-CERT-2019-1153
dfn-cert: DFN-CERT-2019-1118
dfn-cert: DFN-CERT-2019-1033
dfn-cert: DFN-CERT-2019-0914
dfn-cert: DFN-CERT-2019-0899
dfn-cert: DFN-CERT-2019-0805
```

Medium (CVSS: 6.1)
NVT: phpMyAdmin Cross-Site Scripting Vulnerability (PMASA-2018-3) - Linux

Summary
phpMyAdmin is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.2.2
Fixed version:     4.8.2
Installation
path / port:       /phpmyadmin
```

Impact
Successful exploitation will allow an attacker to inject arbitrary web script or HTML via crafted database name.

Solution:
Solution type: VendorFix
Upgrade to version 4.8.2 or newer. Please see the references for more information.

Affected Software/OS
phpMyAdmin versions prior to 4.8.2 on Linux

Vulnerability Insight
The flaw exists due to insufficient validation of input passed to 'js/designer/move.js' script in phpMyAdmin.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin Cross-Site Scripting Vulnerability (PMASA-2018-3) - Linux`
OID:1.3.6.1.4.1.25623.1.0.813451
Version used: `2025-09-12T05:38:45Z`

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2018-12581
url: https://www.phpmyadmin.net/security/PMASA-2018-3
url: http://www.securityfocus.com/bid/104530
cert-bund: CB-K18/0744
dfn-cert: DFN-CERT-2018-1207

Medium (CVSS: 6.1)
NVT: phpMyAdmin Multiple XSS Vulnerabilities (PMASA-2013-1) - Linux

Summary
phpMyAdmin is prone to multiple cross-site scripting (XSS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.5.2.2
Fixed version: 3.5.8

Solution:
Solution type: VendorFix
Update to version 3.5.8.

Affected Software/OS
phpMyAdmin 3.5.x before 3.5.8

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: phpMyAdmin Multiple XSS Vulnerabilities (PMASA-2013-1) - Linux
OID:1.3.6.1.4.1.25623.1.0.112023
Version used: 2024-02-13T05:06:26Z

References
cve: CVE-2013-1937
url: https://www.phpmyadmin.net/security/PMASA-2013-1/
dfn-cert: DFN-CERT-2013-1188
dfn-cert: DFN-CERT-2013-0814

Medium (CVSS: 6.1)
NVT: phpMyAdmin <= 4.8.2 XSS Vulnerability (PMASA-2018-5) - Linux

Summary
phpMyAdmin is prone to an authenticated cross-site scripting (XSS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.2.2
Fixed version:     4.8.3
```

Solution:
Solution type: VendorFix
Update to version 4.8.3.

Affected Software/OS
phpMyAdmin through version 4.8.2.

Vulnerability Insight
An authenticated attacker could trick a user into importing a specially crafted file, resulting in the attacker gaining control over the user's account.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin <= 4.8.2 XSS Vulnerability (PMASA-2018-5) - Linux`
OID:1.3.6.1.4.1.25623.1.0.113255
Version used: `2025-12-11T05:46:19Z`

References

```
cve: CVE-2018-15605
url: https://www.phpmyadmin.net/security/PMASA-2018-5/
cert-bund: CB-K18/0877
dfn-cert: DFN-CERT-2018-1704
```

Medium (CVSS: 6.1)
NVT: jQuery 1.0.3 < 3.5.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability when appending HTML containing option elements.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     3.5.0
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
- Identified file: http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquer
↪y-1.6.2.js
- Referenced at:   http://mutillidae.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 3.5.0 or later.

Affected Software/OS
jQuery versions starting from 1.0.3 and prior to version 3.5.0.

Vulnerability Insight
Passing HTML containing <option> elements from untrusted sources - even after sanitizing them - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.0.3 < 3.5.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143813
Version used: `2025-01-31T15:39:24Z`

References

```
cve: CVE-2020-11023
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://github.com/jquery/jquery/security/advisories/GHSA-jpcq-cgw6-v4j6
url: https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
url: https://masatokinugawa.l0.cm/2020/05/jquery3.5.0-xss.html
url: https://security.snyk.io/vuln/SNYK-JS-JQUERY-565129
cert-bund: WID-SEC-2025-1459
cert-bund: WID-SEC-2024-3191
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1347
cert-bund: WID-SEC-2022-1189
cert-bund: WID-SEC-2022-0757
cert-bund: WID-SEC-2022-0732
cert-bund: CB-K21/1085
cert-bund: CB-K21/1067
cert-bund: CB-K21/0418
cert-bund: CB-K20/1049
cert-bund: CB-K20/1027
cert-bund: CB-K20/1025
cert-bund: CB-K20/1024
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K20/1021
cert-bund: CB-K20/1008
cert-bund: CB-K20/0870
cert-bund: CB-K20/0800
cert-bund: CB-K20/0705
cert-bund: CB-K20/0521
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2025-0559
dfn-cert: DFN-CERT-2025-0497
dfn-cert: DFN-CERT-2025-0373
dfn-cert: DFN-CERT-2025-0348
dfn-cert: DFN-CERT-2024-2743
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-1988
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2348
dfn-cert: DFN-CERT-2021-1687
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2021-0820
dfn-cert: DFN-CERT-2021-0633
dfn-cert: DFN-CERT-2021-0563
dfn-cert: DFN-CERT-2021-0545
dfn-cert: DFN-CERT-2020-2776
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2287
dfn-cert: DFN-CERT-2020-2227
dfn-cert: DFN-CERT-2020-2209
dfn-cert: DFN-CERT-2020-2074
dfn-cert: DFN-CERT-2020-1743
dfn-cert: DFN-CERT-2020-1712
dfn-cert: DFN-CERT-2020-1509
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-1433
dfn-cert: DFN-CERT-2020-1163
dfn-cert: DFN-CERT-2020-1099
```

Medium (CVSS: 6.1)
NVT: jQuery 1.2 < 3.5.0 XSS Vulnerability

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability in jQuery.htmlPrefilter and related methods.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     3.5.0
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquer
↪y-1.6.2.js
- Referenced at:   http://mutillidae.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 3.5.0 or later.

Affected Software/OS
jQuery versions starting from 1.2 and prior to version 3.5.0.

Vulnerability Insight
Passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.2 < 3.5.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143812
Version used: `2023-07-14T05:06:08Z`

References

```
cve: CVE-2020-11022
url: https://github.com/jquery/jquery/security/advisories/GHSA-gxr4-xjj5-5px2
url: https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
url: https://masatokinugawa.l0.cm/2020/05/jquery3.5.0-xss.html
url: https://security.snyk.io/vuln/SNYK-JS-JQUERY-567880
cert-bund: WID-SEC-2025-1087
cert-bund: WID-SEC-2024-3217
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1347
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-0740
cert-bund: WID-SEC-2022-0732
cert-bund: WID-SEC-2022-0624
cert-bund: CB-K22/0463
cert-bund: CB-K21/1085
cert-bund: CB-K21/0071
cert-bund: CB-K21/0070
cert-bund: CB-K21/0069
cert-bund: CB-K21/0067
cert-bund: CB-K21/0061
cert-bund: CB-K21/0059
cert-bund: CB-K20/1049
cert-bund: CB-K20/1030
cert-bund: CB-K20/1027
cert-bund: CB-K20/1025
cert-bund: CB-K20/1023
cert-bund: CB-K20/1008
cert-bund: CB-K20/0870
cert-bund: CB-K20/0800
cert-bund: CB-K20/0705
cert-bund: CB-K20/0521
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2025-0559
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-1988
dfn-cert: DFN-CERT-2022-1670
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2021-0828
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0633
dfn-cert: DFN-CERT-2021-0545
dfn-cert: DFN-CERT-2021-0140
dfn-cert: DFN-CERT-2021-0138
dfn-cert: DFN-CERT-2021-0135
dfn-cert: DFN-CERT-2021-0132
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2305
dfn-cert: DFN-CERT-2020-2286
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-2227
dfn-cert: DFN-CERT-2020-2209
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-2074
dfn-cert: DFN-CERT-2020-2015
dfn-cert: DFN-CERT-2020-2001
dfn-cert: DFN-CERT-2020-1838
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1712
dfn-cert: DFN-CERT-2020-1509
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-1433
dfn-cert: DFN-CERT-2020-1163
dfn-cert: DFN-CERT-2020-1161
dfn-cert: DFN-CERT-2020-1138
dfn-cert: DFN-CERT-2020-1099
```

Medium (CVSS: 6.1)
NVT: PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 XSS Vulnerability (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.22
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allows remote attackers to conduct cross-site scripting (XSS) attacks against Internet Explorer by leveraging '%0A%20' or '%0D%0A%20' mishandling in the header function.

Solution:

Solution type: VendorFix

Update to version 5.4.38, 5.5.22, 5.6.6 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP prior to version 5.4.38, 5.5.x prior to 5.5.22 and 5.6.x prior to 5.6.6 on Linux.

Vulnerability Insight
The flaw is due to the 'sapi_header_op' function in 'main/SAPI.c' script supports deprecated line folding without considering browser compatibility.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 XSS Vulnerability (Aug 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809137
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-8935`
`url: https://bugs.php.net/bug.php?id=68978`
`url: http://www.securityfocus.com/bid/92356`
`cert-bund: CB-K16/1614`
`cert-bund: CB-K16/1257`
`cert-bund: CB-K16/1230`
`cert-bund: CB-K16/1179`
`cert-bund: CB-K16/1106`
`cert-bund: CB-K16/1030`
`dfn-cert: DFN-CERT-2016-1719`
`dfn-cert: DFN-CERT-2016-1335`
`dfn-cert: DFN-CERT-2016-1295`
`dfn-cert: DFN-CERT-2016-1253`
`dfn-cert: DFN-CERT-2016-1178`
`dfn-cert: DFN-CERT-2016-1097`

Medium (CVSS: 6.1)
NVT: jQuery 1.4.2 <= 1.11.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability via vectors related to use of the text method inside after.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 1.6.2
Fixed version:     1.11.1
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquer
↪y-1.6.2.js
- Referenced at:   http://mutillidae.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 1.11.1 or later.

Affected Software/OS
jQuery version 1.4.2 through 1.11.0.

Vulnerability Insight
Please see the references for more information on the vulnerabilities.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.4.2 <= 1.11.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.150660
Version used: `2023-07-14T05:06:08Z`

References
`cve: CVE-2014-6071`
`url: https://seclists.org/fulldisclosure/2014/Sep/10`

Medium (CVSS: 6.1)
NVT: jQuery < 1.9.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     1.9.0
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquer
↪y-1.6.2.js
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
- Referenced at:   http://mutillidae.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 1.9.0 or later.

Affected Software/OS
jQuery prior to version 1.9.0.

Vulnerability Insight
The jQuery(strInput) function does not differentiate selectors from HTML in a reliable fashion. In vulnerable versions, jQuery determined whether the input was HTML by looking for the '<' character anywhere in the string, giving attackers more flexibility when attempting to construct a malicious payload. In fixed versions, jQuery only deems the input to be HTML if it explicitly starts with the '<' character, limiting exploitability only to attackers who can control the beginning of a string, which is far less common.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 1.9.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141636
Version used: `2023-07-14T05:06:08Z`

References
```
cve: CVE-2012-6708
url: https://bugs.jquery.com/ticket/11290
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K18/1131
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2020-0590
```

Medium (CVSS: 6.1)
NVT: jQuery < 1.9.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability via the load method.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 1.6.2
Fixed version:     1.9.0
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquer
↪y-1.6.2.js
- Referenced at:   http://mutillidae.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 1.9.0 or later.

Affected Software/OS
jQuery versions prior to 1.9.0.

Vulnerability Insight
jQuery allows cross-site scripting attacks via the load method. The load method fails to recognize and remove '<script>' HTML tags that contain a whitespace character, i.e: '</script >', which results in the enclosed script logic to be executed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 1.9.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143968
Version used: `2023-07-14T05:06:08Z`

References
```
cve: CVE-2020-7656
url: https://snyk.io/vuln/SNYK-JS-JQUERY-569619
cert-bund: WID-SEC-2023-0558
cert-bund: WID-SEC-2022-0736
dfn-cert: DFN-CERT-2022-1614
dfn-cert: DFN-CERT-2021-2348
dfn-cert: DFN-CERT-2021-1503
dfn-cert: DFN-CERT-2020-2259
dfn-cert: DFN-CERT-2020-2209
```

Medium (CVSS: 6.1)
NVT: PHP < 5.6.33, 7.x < 7.0.27, 7.1.x < 7.1.13, 7.2.x < 7.2.1 Multiple Vulnerabilities - Linux

Product detection result
```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.33
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allows attacker to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site. This may allow the attacker to steal cookie-based authentication credentials and to launch other attacks and will also lead to a denial of service and exhausting the server resources.

Solution:

Solution type: VendorFix

Update to version 5.6.33, 7.0.27, 7.1.13, 7.2.1 or later.

Affected Software/OS

PHP prior to version 5.6.33, 7.0.x prior to 7.0.27, 7.1.x prior to 7.1.13 and 7.2.x prior to 7.2.1.

Vulnerability Insight

The following flaws exist:

- CVE-2018-5712: Input validation error on the PHAR 404 error page via the URI of a request for a .phar file.

- CVE-2018-5711: Integer signedness error in gd_gif_in.c in the GD Graphics Library (aka libgd).

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.33, 7.x < 7.0.27, 7.1.x < 7.1.13, 7.2.x < 7.2.1 Multiple Vulnerabilit.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.812735

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2018-5711
cve: CVE-2018-5712
url: http://php.net/ChangeLog-5.php
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://php.net/ChangeLog-7.php
url: https://bugs.php.net/bug.php?id=74782
url: https://bugs.php.net/bug.php?id=75571
cert-bund: WID-SEC-2024-0991
cert-bund: WID-SEC-2024-0990
cert-bund: CB-K20/0307
cert-bund: CB-K18/0498
cert-bund: CB-K18/0270
cert-bund: CB-K18/0188
cert-bund: CB-K18/0174
dfn-cert: DFN-CERT-2020-0774
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2019-0362
dfn-cert: DFN-CERT-2019-0212
dfn-cert: DFN-CERT-2019-0204
dfn-cert: DFN-CERT-2018-1739
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2018-0537
dfn-cert: DFN-CERT-2018-0290
dfn-cert: DFN-CERT-2018-0205
dfn-cert: DFN-CERT-2018-0191
```

Medium (CVSS: 6.1)
NVT: jQuery < 3.0.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     3.0.0
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquer
↪y-1.6.2.js
- Referenced at:   http://mutillidae.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 3.0.0 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
jQuery prior to version 3.0.0.

Vulnerability Insight
When a cross-domain Ajax request is performed without the dataType option, causing text/javascript responses to be executed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 3.0.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141635
Version used: `2023-07-14T05:06:08Z`

References
`cve: CVE-2015-9251`
`url: https://github.com/jquery/jquery/issues/2432`
`cert-bund: WID-SEC-2025-1660`
`cert-bund: WID-SEC-2025-1212`
`cert-bund: WID-SEC-2024-1872`
`cert-bund: WID-SEC-2024-1682`
`cert-bund: WID-SEC-2023-0239`
`cert-bund: WID-SEC-2022-0673`
`cert-bund: CB-K22/0045`
`cert-bund: CB-K20/1030`
`cert-bund: CB-K20/0309`
`cert-bund: CB-K20/0041`
`cert-bund: CB-K19/0911`
`cert-bund: CB-K19/0909`
`cert-bund: CB-K19/0615`
`cert-bund: CB-K19/0321`
`cert-bund: CB-K19/0313`
`cert-bund: CB-K19/0054`
`cert-bund: CB-K19/0052`
`cert-bund: CB-K19/0049`
`cert-bund: CB-K19/0048`
`cert-bund: CB-K19/0046`
`cert-bund: CB-K18/1006`
`dfn-cert: DFN-CERT-2023-1197`
`dfn-cert: DFN-CERT-2023-0245`
`dfn-cert: DFN-CERT-2020-2423`
`dfn-cert: DFN-CERT-2020-2130`
`dfn-cert: DFN-CERT-2020-0630`
`dfn-cert: DFN-CERT-2020-0590`
`dfn-cert: DFN-CERT-2020-0318`
`dfn-cert: DFN-CERT-2019-2158`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-0777
dfn-cert: DFN-CERT-2019-0772
dfn-cert: DFN-CERT-2019-0119
dfn-cert: DFN-CERT-2019-0111
dfn-cert: DFN-CERT-2018-2103
dfn-cert: DFN-CERT-2018-1163
```

Medium (CVSS: 6.1)
NVT: Apache HTTP Server 2.4.0 < 2.4.42 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.42
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.42 or later.

Affected Software/OS

Apache HTTP Server version 2.4.0 to 2.4.41.

Vulnerability Insight

Apache HTTP Server is prone to multiple vulnerabilities:
- mod_rewrite CWE-601 open redirect (CVE-2020-1927)
- mod_proxy_ftp use of uninitialized value (CVE-2020-1934)

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 < 2.4.42 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.143671
Version used: `2024-02-15T05:05:40Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2020-1927
cve: CVE-2020-1934
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-0757
cert-bund: CB-K20/1030
cert-bund: CB-K20/0708
cert-bund: CB-K20/0691
cert-bund: CB-K20/0280
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-1467
dfn-cert: DFN-CERT-2020-2422
dfn-cert: DFN-CERT-2020-2133
dfn-cert: DFN-CERT-2020-1854
dfn-cert: DFN-CERT-2020-1793
dfn-cert: DFN-CERT-2020-1538
dfn-cert: DFN-CERT-2020-1335
dfn-cert: DFN-CERT-2020-1289
dfn-cert: DFN-CERT-2020-1124
dfn-cert: DFN-CERT-2020-0850
dfn-cert: DFN-CERT-2020-0835
dfn-cert: DFN-CERT-2020-0688

Medium (CVSS: 6.1)
NVT: Apache HTTP Server 2.4.0 - 2.4.40 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.41
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.41 or later.

Affected Software/OS
Apache HTTP Server version 2.4.0 to 2.4.40.

Vulnerability Insight
Apache HTTP server is prone to multiple vulnerabilities:
- A limited cross-site scripting issue affecting the mod_proxy error page. An attacker could cause the link on the error page to be malformed and instead point to a page of their choice. This would be exploitable where a server was set up with proxying enabled but was misconfigured in such a way that the Proxy Error page was displayed. (CVE-2019-10092)
- Redirects configured with mod_rewrite that were intended to be self referential might be fooled by encoded newlines and redirect instead to an unexpected URL within the request URL. (CVE-2019-10098)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.40 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114143
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2019-10092
cve: CVE-2019-10098
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: CB-K20/1030
cert-bund: CB-K20/0708
cert-bund: CB-K20/0043
cert-bund: CB-K19/0909
cert-bund: CB-K19/0728
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-1333
dfn-cert: DFN-CERT-2021-0540
dfn-cert: DFN-CERT-2020-2422
dfn-cert: DFN-CERT-2020-2133
dfn-cert: DFN-CERT-2020-1124
dfn-cert: DFN-CERT-2020-0716
dfn-cert: DFN-CERT-2020-0090
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-1961
dfn-cert: DFN-CERT-2019-1810
dfn-cert: DFN-CERT-2019-1797
dfn-cert: DFN-CERT-2019-1751
```

Medium (CVSS: 6.1)
NVT: Apache HTTP Server CRLF Injection Vulnerability (Dec 2016) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a CRLF injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.2.32, 2.4.25 or later.

Affected Software/OS

Apache HTTP Server version 2.2.0 through 2.2.31 and 2.4.1 through 2.4.23.

Vulnerability Insight

Possible CRLF injection allowing HTTP response splitting attacks for sites which use mod_userdir. This issue was mitigated to prohibit CR or LF injection into the 'Location' or other outbound header key or value.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server CRLF Injection Vulnerability (Dec 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147044
Version used: `2021-11-01T14:03:43Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2016-4975`
`url: https://httpd.apache.org/security/vulnerabilities_22.html`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: CB-K19/0354`
`dfn-cert: DFN-CERT-2019-0358`
`dfn-cert: DFN-CERT-2018-1764`

Medium (CVSS: 6.0)
NVT: phpMyAdmin Multiple Security Vulnerabilities (Apr 2013) - Linux

Summary
phpMyAdmin is prone to multiple security vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.5.2.2
Fixed version:     3.5.8
```

Solution:
Solution type: VendorFix
Update to version 3.5.8, 4.0.0-rc3 or later.

Affected Software/OS
phpMyAdmin 3.5.x before 3.5.8 and 4.x before 4.0.0-rc3.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin Multiple Security Vulnerabilities (Apr 2013) - Linux`
OID:1.3.6.1.4.1.25623.1.0.108214
Version used: `2024-02-09T05:06:25Z`

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2013-3238
cve: CVE-2013-3239
url: https://www.phpmyadmin.net/security/PMASA-2013-2/
url: https://www.phpmyadmin.net/security/PMASA-2013-3/
dfn-cert: DFN-CERT-2013-1188
dfn-cert: DFN-CERT-2013-0885

Medium (CVSS: 5.9)
NVT: PHP < 5.5.28, 5.6.x < 5.6.12 DoS Vulnerability (Jul 2016) - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 5.5.28
Installation
path / port: 80/tcp

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service (race condition and heap memory corruption) by leveraging an application that performs many temporary-file accesses.

Solution:
Solution type: VendorFix
Update to version 5.5.28, 5.6.12 or later.

Affected Software/OS
PHP prior to version 5.5.28 and 5.6.x prior to 5.6.12 on Linux.

Vulnerability Insight
The flaw is due to script 'main/php_open_temporary_file.c' does not ensure thread safety.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: PHP < 5.5.28, 5.6.x < 5.6.12 DoS Vulnerability (Jul 2016) - Linux
OID:1.3.6.1.4.1.25623.1.0.808613
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-8878
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/90837

Medium (CVSS: 5.9)
NVT: PHP < 7.3.29 Multiple Vulnerabilities (Jul 2021) - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 7.3.29
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 7.3.29 or later.

Affected Software/OS
PHP versions prior to 7.3.29.

Vulnerability Insight
The following flaws exist:
- CVE-2021-21705: SSRF bypass in FILTER_VALIDATE_URL.
- CVE-2021-21704: Stack buffer overflow in firebird_info_cb.

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2021-21704: SIGSEGV in firebird_handle_doer.
- CVE-2021-21704: SIGSEGV in firebird_stmt_execute.
- CVE-2021-21704: Crash while parsing blob data in firebird_fetch_blob.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.29 Multiple Vulnerabilities (Jul 2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.117524
Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2021-21704
cve: CVE-2021-21705
url: https://www.php.net/ChangeLog-7.php#7.3.29
url: http://bugs.php.net/81122
url: http://bugs.php.net/76448
url: http://bugs.php.net/76449
url: http://bugs.php.net/76450
url: http://bugs.php.net/76452
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-1577
cert-bund: WID-SEC-2022-0624
cert-bund: CB-K21/0705
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-1046
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-1676
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1627
dfn-cert: DFN-CERT-2021-1509
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-1419
```

Medium (CVSS: 5.8)
NVT: PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Security Update (GHSA-h746-cjrr-wfmr) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to a vulnerability in password_verify.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.1.28
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.28, 8.2.18, 8.3.6 or later.

Affected Software/OS
PHP prior to version 8.1.28, version 8.2.x through 8.2.17 and 8.3.x through 8.3.5.

Vulnerability Insight
If a password stored with password_hash starts with a null byte (\x00), testing a blank string as the password via password_verify will incorrectly return true.
If a user were able to create a password with a leading null byte (unlikely, but syntactically valid), an attacker could trivially compromise the victim's account by attempting to sign in with a blank string.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Security Update (GHSA-h746-cjrr-wfm.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.152118
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2024-3096
url: https://github.com/php/php-src/security/advisories/GHSA-h746-cjrr-wfmr
url: https://www.php.net/ChangeLog-8.php#8.1.28
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.php.net/ChangeLog-8.php#8.2.18
url: https://www.php.net/ChangeLog-8.php#8.3.6
cert-bund: WID-SEC-2024-0867
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-3329
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1192
dfn-cert: DFN-CERT-2024-1132
dfn-cert: DFN-CERT-2024-1115
dfn-cert: DFN-CERT-2024-0993
dfn-cert: DFN-CERT-2024-0962
```

Medium (CVSS: 5.8)
NVT: Apache HTTP Server 2.4.7 - 2.4.65 Authentication Bypass Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an authentication bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.66 or later.

Affected Software/OS

Apache HTTP Server version 2.4.7 through 2.4.65.

Vulnerability Insight

mod_userdir+suexec bypass via AllowOverride FileInfo vulnerability in Apache HTTP Server. Users with access to use the RequestHeader directive in htaccess can cause some CGI scripts to run under an unexpected userid.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.7 - 2.4.65 Authentication Bypass Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125567
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2025-66200`
`url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66`
`url: https://www.openwall.com/lists/oss-security/2025/12/04/8`
`cert-bund: WID-SEC-2025-2750`
`dfn-cert: DFN-CERT-2025-3602`
`dfn-cert: DFN-CERT-2025-3581`
`dfn-cert: DFN-CERT-2025-3512`
`dfn-cert: DFN-CERT-2025-3405`

Medium (CVSS: 5.5)
NVT: PHP < 8.0.22, 8.1.x < 8.1.9 Security Update - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     8.0.22/8.1.9/8.2.0
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.22, 8.1.9, 8.2.0 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP versions prior to 8.0.22 and 8.1.x prior to 8.1.9.

Vulnerability Insight
Fixed potential overflow for the builtin server via the PHP_CLI_SERVER_WORKERS environment variable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.22, 8.1.x < 8.1.9 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.104644
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2022-4900
url: https://www.php.net/ChangeLog-8.php#8.2.0
url: https://www.php.net/ChangeLog-8.php#8.1.9
url: https://www.php.net/ChangeLog-8.php#8.0.22
url: https://github.com/php/php-src/issues/8989
url: https://github.com/php/php-src/pull/9000
url: https://github.com/php/php-src/commit/789a37f14405e2d1a05a76c9fb4ed2d49d458
↪0d5
url: https://bugzilla.redhat.com/show_bug.cgi?id=2179880
cert-bund: WID-SEC-2023-0695
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1132
dfn-cert: DFN-CERT-2023-0681
```

Medium (CVSS: 5.4)
NVT: PHP < 7.2.29 Multiple Vulnerabilities (Mar 2020) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.2.29
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.29 or later.

Affected Software/OS
PHP versions before 7.2.29.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- Use-of-uninitialized-value in exif (CVE-2020-7064)
- get_headers() silently truncates after a null byte (CVE-2020-7066)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.29 Multiple Vulnerabilities (Mar 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143615
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2020-7064
cve: CVE-2020-7066
url: https://www.php.net/ChangeLog-7.php#7.2.29
cert-bund: WID-SEC-2022-2118
cert-bund: CB-K21/0068
cert-bund: CB-K20/1199
cert-bund: CB-K20/0239
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-1202
dfn-cert: DFN-CERT-2020-0965
dfn-cert: DFN-CERT-2020-0851
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-0787
dfn-cert: DFN-CERT-2020-0554
```

Medium (CVSS: 5.3)
NVT: Apache HTTP Server 2.4.1 < 2.4.24 IP Spoofing Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an IP address spoofing vulnerability when proxying using mod_remoteip and mod_rewrite.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.24
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.24 or later.

Affected Software/OS

Apache HTTP Server version 2.4.1 to 2.4.23.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server 2.4.1 < 2.4.24 IP Spoofing Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.144376

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.7`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2020-11985
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-3319
cert-bund: CB-K20/0798
dfn-cert: DFN-CERT-2020-1905
dfn-cert: DFN-CERT-2020-1854
```

Medium (CVSS: 5.3)
NVT: Apache HTTP Server 2.4.6 - 2.4.46 Tunneling Misconfiguration Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a tunneling misconfiguration vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.48
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.48 or later.

Affected Software/OS

Apache HTTP Server versions 2.4.6 to 2.4.46 on Linux.

Vulnerability Insight

mod_proxy_wstunnel configured on an URL that is not necessarily upgraded by the origin server was tunneling the whole connection regardless, thus allowing for subsequent requests on the same connection to pass through with no HTTP validation, authentication or authorization possibly configured.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server 2.4.6 - 2.4.46 Tunneling Misconfiguration Vulnerability - Li.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.112898

Version used: `2021-08-24T09:01:06Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2019-17567
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-0438
cert-bund: CB-K21/0646
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-1273

Medium (CVSS: 5.3)
NVT: PHP < 7.2.31, 7.3 < 7.3.18, 7.4 < 7.4.6 Multiple DoS Vulnerabilities (May 2020) - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to two Denial-of-Service vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 7.2.31
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 7.2.31, 7.3.18, 7.4.6 or later.

Affected Software/OS
PHP versions prior 7.2.31, 7.3 prior 7.3.18 and 7.4 prior to 7.4.6.

Vulnerability Insight
The following flaws exist:

. . . continues on next page . . .

. . . continued from previous page . . .

- Long filenames cause OOM and temp files to not be cleaned
- Long variables in multipart/form-data cause OOM and temp files are not cleaned
leading to a Denial-of-Service condition (CVE-2019-11048).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.31, 7.3 < 7.3.18, 7.4 < 7.4.6 Multiple DoS Vulnerabilities (May 2020).`
↪..
OID:1.3.6.1.4.1.25623.1.0.143913
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2019-11048`
`url: https://www.php.net/ChangeLog-7.php#7.2.31`
`url: https://www.php.net/ChangeLog-7.php#7.3.18`
`url: https://www.php.net/ChangeLog-7.php#7.4.6`
`url: https://bugs.php.net/bug.php?id=78875`
`url: https://bugs.php.net/bug.php?id=78876`
`cert-bund: WID-SEC-2022-2117`
`cert-bund: CB-K20/1199`
`cert-bund: CB-K20/0467`
`dfn-cert: DFN-CERT-2022-2638`
`dfn-cert: DFN-CERT-2020-2627`
`dfn-cert: DFN-CERT-2020-2006`
`dfn-cert: DFN-CERT-2020-1964`
`dfn-cert: DFN-CERT-2020-1438`
`dfn-cert: DFN-CERT-2020-1376`
`dfn-cert: DFN-CERT-2020-1202`
`dfn-cert: DFN-CERT-2020-1019`

Medium (CVSS: 5.3)
NVT: Apache HTTP Server < 2.4.39 URL Normalization Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
↪`.0.117232)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

When the path component of a request URL contains multiple consecutive slashes ('/'), directives such as LocationMatch and RewriteRule must account for duplicates in regular expressions while other aspects of the servers processing will implicitly collapse them.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.39
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.39 or later.

Affected Software/OS
Apache HTTP Server version 2.4.38 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.39 URL Normalization Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.142228
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2019-0220
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2023-2047
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-0757
cert-bund: CB-K20/0708
cert-bund: CB-K19/0623
cert-bund: CB-K19/0267
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2020-0184
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-1519
dfn-cert: DFN-CERT-2019-0815
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0680
dfn-cert: DFN-CERT-2019-0676
```

Medium (CVSS: 5.3)
NVT: PHP < 7.3.26, 7.4.x < 7.4.14, 8.0.x < 8.0.1 Filter Vulnerability (Jan 2021) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a vulnerability where FILTER_VALIDATE_URL accepts URLs with invalid userinfo.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.3.26
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.26, 7.4.14, 8.0.1 or later.

Affected Software/OS
PHP versions prior to 7.3.26, 7.4.x prior to 7.4.14 and 8.0.x prior to 8.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.26, 7.4.x < 7.4.14, 8.0.x < 8.0.1 Filter Vulnerability (Jan 2021) - L.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145114
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2020-7071
url: https://www.php.net/ChangeLog-7.php#7.3.26
url: https://www.php.net/ChangeLog-7.php#7.4.14
url: https://www.php.net/ChangeLog-8.php#8.0.1
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-2114
cert-bund: CB-K21/0009
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1586
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1509
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2021-0013
```

Medium (CVSS: 5.3)
NVT: phpinfo() Output Reporting (HTTP)

Summary

Reporting of files containing the output of the phpinfo() PHP function previously detected via HTTP.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following files are calling the function phpinfo() which disclose potentiall
↪y sensitive information:
http://mutillidae.trabalho_vulnnet/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p5/apache2 </td></tr>
  <h2>PHP Variables</h2>
```

Impact

Some of the information that can be gathered from this file includes:
The username of the user running the PHP process, if it is a sudo user, the IP address of the host, the web server version, the system version (Unix, Linux, Windows, ...), and the root directory of the web server.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: Workaround
Delete the listed files or restrict access to them.

Affected Software/OS
All systems exposing a file containing the output of the phpinfo() PHP function.
This VT is also reporting if an affected endpoint for the following products have been identified:
- CVE-2008-0149: TUTOS
- CVE-2023-49282, CVE-2023-49283: Microsoft Graph PHP SDK
- CVE-2024-10486: Google for WooCommerce plugin for WordPress

Vulnerability Insight
Many PHP installation tutorials instruct the user to create a file called phpinfo.php or similar containing the phpinfo() statement. Such a file is often left back in the webserver directory.

Vulnerability Detection Method
This script reports files identified by the following separate VT: 'phpinfo() Output Detection (HTTP)' (OID: 1.3.6.1.4.1.25623.1.0.108474).
Details: `phpinfo() Output Reporting (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.11229
Version used: `2025-07-09T05:43:50Z`

References
`cve: CVE-2008-0149`
`cve: CVE-2023-49282`
`cve: CVE-2023-49283`
`cve: CVE-2024-10486`
`url: https://www.php.net/manual/en/function.phpinfo.php`
`url: https://beaglesecurity.com/blog/vulnerability/revealing-phpinfo.html`

Medium (CVSS: 5.3)
NVT: PHP < 7.3.33, 7.4.x < 7.4.26, 8.0.x < 8.0.13 Security Update (Nov 2021) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP released new versions which include a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     7.3.33
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.33, 7.4.26, 8.0.13 or later.

Affected Software/OS
PHP prior to version 7.3.33 and version 7.4.x through 7.4.25 and 8.0.x through 8.0.12.

Vulnerability Insight
Fixed bug #79971 (special character is breaking the path in xml function).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.33, 7.4.x < 7.4.26, 8.0.x < 8.0.13 Security Update (Nov 2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147187
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2021-21707
url: https://www.php.net/ChangeLog-7.php#7.3.33
url: https://www.php.net/ChangeLog-7.php#7.4.26
url: https://www.php.net/ChangeLog-8.php#8.0.13
url: http://bugs.php.net/79971
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-0587
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K21/1213
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2499
dfn-cert: DFN-CERT-2022-1516
dfn-cert: DFN-CERT-2022-1493
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0557
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2022-0455
dfn-cert: DFN-CERT-2022-0431
dfn-cert: DFN-CERT-2022-0407
dfn-cert: DFN-CERT-2022-0110
dfn-cert: DFN-CERT-2021-2474
dfn-cert: DFN-CERT-2021-2436
```

Medium (CVSS: 5.1)
NVT: PHP 5.3.x < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14, 5.6.0alpha1 < 5.6.0 Heap Based Buffer Overflow Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a heap-based buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.14
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allows remote attackers to cause a denial of service (crash) and possibly execute arbitrary code on the affected system.

Solution:

Solution type: VendorFix

Update to version 5.3.29, 5.4.30, 5.5.14, 5.6.0 or later.

Affected Software/OS

PHP versions 5.3.x prior to 5.3.29, 5.4.x prior to 5.4.30, 5.5.x prior to 5.5.14 and 5.6.x prior to 5.6.0 on Linux.

Vulnerability Insight

The flaw is due to buffer overflow error in the 'php_parserr' function in ext/standard/dns.c script.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP 5.3.x < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14, 5.6.0alpha1 < 5.6.0 Heap Ba.
↪..
OID:1.3.6.1.4.1.25623.1.0.809743
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2014-4049
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/68007
url: http://www.openwall.com/lists/oss-security/2014/06/13/4
cert-bund: CB-K16/0944
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/1174
cert-bund: CB-K14/1167
cert-bund: CB-K14/1110
cert-bund: CB-K14/0973
cert-bund: CB-K14/0972
cert-bund: CB-K14/0834
cert-bund: CB-K14/0830
cert-bund: CB-K14/0829
cert-bund: CB-K14/0805
cert-bund: CB-K14/0776
cert-bund: CB-K14/0750
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1219
dfn-cert: DFN-CERT-2014-1166
dfn-cert: DFN-CERT-2014-1014
dfn-cert: DFN-CERT-2014-1013
dfn-cert: DFN-CERT-2014-0870
dfn-cert: DFN-CERT-2014-0868
dfn-cert: DFN-CERT-2014-0867
dfn-cert: DFN-CERT-2014-0839
dfn-cert: DFN-CERT-2014-0816
dfn-cert: DFN-CERT-2014-0782

Medium (CVSS: 5.0)
NVT: Apache HTTP Server Multiple Vulnerabilities (Mar 2014) - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.9
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.2.27, 2.4.9 or later.

Affected Software/OS
Apache HTTP Server version 2.2.0 through 2.2.26 and 2.4.1 through 2.4.7.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2013-6438: XML parsing code in mod_dav incorrectly calculates the end of the string when removing leading spaces and places a NUL character outside the buffer, causing random crashes. This XML parsing code is only used with DAV provider modules that support DeltaV, of which the only publicly released provider is mod_dav_svn.
- CVE-2014-0098: A flaw was found in mod_log_config. A remote attacker could send a specific truncated cookie causing a crash. This crash would only be a denial of service if using a threaded MPM.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Mar 2014) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147047
Version used: `2021-11-01T03:59:12Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2013-6438
cve: CVE-2014-0098
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K15/1518
cert-bund: CB-K15/0960
cert-bund: CB-K15/0493
cert-bund: CB-K15/0079
cert-bund: CB-K14/1568
cert-bund: CB-K14/1313
cert-bund: CB-K14/1110
cert-bund: CB-K14/1095
cert-bund: CB-K14/1043
cert-bund: CB-K14/0969
cert-bund: CB-K14/0876
cert-bund: CB-K14/0319
dfn-cert: DFN-CERT-2015-1604
dfn-cert: DFN-CERT-2015-1008
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2014-1668
dfn-cert: DFN-CERT-2014-1166
dfn-cert: DFN-CERT-2014-1145
dfn-cert: DFN-CERT-2014-1088
dfn-cert: DFN-CERT-2014-1019
dfn-cert: DFN-CERT-2014-0917
dfn-cert: DFN-CERT-2014-0331
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server 'mod_lua' Denial of Service Vulnerability -01 (May 2015)

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 2.4.7
Fixed version:     2.4.13
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow a remote attacker to cause a denial of service via some crafted dimension.

Solution:
Solution type: VendorFix
Update to version 2.4.13 or later.

Affected Software/OS
Apache HTTP Server versions through 2.4.12.

Vulnerability Insight
Flaw is due to vulnerability in lua_websocket_read function in lua_request.c in the mod_lua module.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_lua' Denial of Service Vulnerability -01 (May 2015)`
OID:1.3.6.1.4.1.25623.1.0.805616
Version used: `2024-02-20T05:05:48Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2015-0228
url: https://bugs.mageia.org/show_bug.cgi?id=15428
url: http://www.securityfocus.com/bid/73041
url: http://svn.apache.org/repos/asf/httpd/httpd/branches/2.4.x/CHANGES
cert-bund: CB-K15/1360
cert-bund: CB-K15/1188
cert-bund: CB-K15/1051
cert-bund: CB-K15/0273
cert-bund: CB-K14/1592
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1087
dfn-cert: DFN-CERT-2015-0285
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2014-1691

Medium (CVSS: 5.0)
NVT: Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	2.4.7
Fixed version:	2.4.64
Installation path / port:	80/tcp

Solution:
Solution type: VendorFix
Update to version 2.4.64 or later.

Affected Software/OS
Apache HTTP Server version 2.4.63 and prior.

Vulnerability Insight
The following flaws exist:
- CVE-2024-42516: HTTP response splitting
- CVE-2024-43204: SSRF with mod_headers setting Content-Type header
- CVE-2024-47252: mod_ssl error log variable escaping
- CVE-2025-49812: mod_ssl TLS upgrade attack

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux
OID:1.3.6.1.4.1.25623.1.0.154909
Version used: 2025-07-11T15:43:14Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2024-42516
cve: CVE-2024-43204
cve: CVE-2024-47252
cve: CVE-2025-49812
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.64
cert-bund: WID-SEC-2026-0162
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1529
dfn-cert: DFN-CERT-2026-0205
dfn-cert: DFN-CERT-2025-2421
dfn-cert: DFN-CERT-2025-2403
dfn-cert: DFN-CERT-2025-2402
dfn-cert: DFN-CERT-2025-2373
dfn-cert: DFN-CERT-2025-2231
dfn-cert: DFN-CERT-2025-2182
dfn-cert: DFN-CERT-2025-1917
dfn-cert: DFN-CERT-2025-1860
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server DoS Vulnerability (Sep 2014) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.12
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.12 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server version 2.4.1 through 2.4.10.

Vulnerability Insight
A NULL pointer deference was found in mod_cache. A malicious HTTP server could cause a crash in a caching forward proxy configuration. This crash would only be a denial of service if using a threaded MPM.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server DoS Vulnerability (Sep 2014) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147046
Version used: `2021-11-01T03:59:12Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2014-3581
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K15/1841
cert-bund: CB-K15/1360
cert-bund: CB-K15/1188
cert-bund: CB-K15/0469
cert-bund: CB-K14/1592
cert-bund: CB-K14/1545
dfn-cert: DFN-CERT-2015-1950
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-0495
dfn-cert: DFN-CERT-2014-1691
dfn-cert: DFN-CERT-2014-1633
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server Multiple Vulnerabilities (Aug 2015) - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.14
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to bypass intended access restrictions in opportunistic circumstances and to cause cache poisoning or credential hijacking if an intermediary proxy is in use.

Solution:
Solution type: VendorFix
Update to version 2.4.14 or later.

Affected Software/OS
Apache HTTP Server version 2.4.x before 2.4.14.

Vulnerability Insight
Multiple flaws are due to:
- an error in 'ap_some_auth_required' function in 'server/request.c' script which does not consider that a Require directive may be associated with an authorization setting rather than an authentication setting.
- an error in chunked transfer coding implementation.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Aug 2015) - Linux`
OID:1.3.6.1.4.1.25623.1.0.806018
Version used: `2024-02-16T05:06:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2015-3185`
`cve: CVE-2015-3183`
`url: http://www.apache.org/dist/httpd/CHANGES_2.4`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/75965
url: http://www.securityfocus.com/bid/75963
url: http://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K17/1558
cert-bund: CB-K16/1972
cert-bund: CB-K16/1593
cert-bund: CB-K16/1102
cert-bund: CB-K16/0564
cert-bund: CB-K16/0112
cert-bund: CB-K16/0090
cert-bund: CB-K16/0030
cert-bund: CB-K15/1841
cert-bund: CB-K15/1578
cert-bund: CB-K15/1517
cert-bund: CB-K15/1464
cert-bund: CB-K15/1360
cert-bund: CB-K15/1358
cert-bund: CB-K15/1281
cert-bund: CB-K15/1188
cert-bund: CB-K15/1146
cert-bund: CB-K15/1089
cert-bund: CB-K15/1051
dfn-cert: DFN-CERT-2017-1626
dfn-cert: DFN-CERT-2016-2081
dfn-cert: DFN-CERT-2016-1692
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0125
dfn-cert: DFN-CERT-2016-0101
dfn-cert: DFN-CERT-2016-0035
dfn-cert: DFN-CERT-2015-1950
dfn-cert: DFN-CERT-2015-1665
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1542
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1431
dfn-cert: DFN-CERT-2015-1350
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1198
dfn-cert: DFN-CERT-2015-1146
dfn-cert: DFN-CERT-2015-1087
```

Medium (CVSS: 5.0)
NVT: Enabled Directory Listing/Indexing Detection (HTTP)

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

The script attempts to identify directories with an enabled directory listing/indexing on a remote web server.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The following directories with an enabled directory listing/indexing were identi
↪fied:
http://mutillidae.trabalho_vulnnet/.git
http://mutillidae.trabalho_vulnnet/.git/branches
http://mutillidae.trabalho_vulnnet/.git/hooks
http://mutillidae.trabalho_vulnnet/.git/info
http://mutillidae.trabalho_vulnnet/.git/logs
http://mutillidae.trabalho_vulnnet/.git/objects
http://mutillidae.trabalho_vulnnet/.git/objects/09
http://mutillidae.trabalho_vulnnet/.git/objects/15
http://mutillidae.trabalho_vulnnet/.git/objects/37
http://mutillidae.trabalho_vulnnet/.git/objects/3e
http://mutillidae.trabalho_vulnnet/.git/objects/6a
http://mutillidae.trabalho_vulnnet/.git/objects/7b
http://mutillidae.trabalho_vulnnet/.git/objects/7c
http://mutillidae.trabalho_vulnnet/.git/objects/8a
http://mutillidae.trabalho_vulnnet/.git/objects/96
http://mutillidae.trabalho_vulnnet/.git/objects/bf
http://mutillidae.trabalho_vulnnet/.git/objects/e0
http://mutillidae.trabalho_vulnnet/.git/objects/pack
http://mutillidae.trabalho_vulnnet/.git/refs
http://mutillidae.trabalho_vulnnet/.git/refs/heads
http://mutillidae.trabalho_vulnnet/.git/refs/remotes
http://mutillidae.trabalho_vulnnet/.git/refs/remotes/origin
http://mutillidae.trabalho_vulnnet/.git/refs/tags
http://mutillidae.trabalho_vulnnet/classes
http://mutillidae.trabalho_vulnnet/data
http://mutillidae.trabalho_vulnnet/documentation
http://mutillidae.trabalho_vulnnet/includes
http://mutillidae.trabalho_vulnnet/includes/hints
http://mutillidae.trabalho_vulnnet/passwords
http://mutillidae.trabalho_vulnnet/test
http://mutillidae.trabalho_vulnnet/test/testoutput
http://mutillidae.trabalho_vulnnet/webservices
http://mutillidae.trabalho_vulnnet/webservices/rest
http://mutillidae.trabalho_vulnnet/webservices/soap
http://mutillidae.trabalho_vulnnet/webservices/soap/lib
Please review the content manually.
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Based on the information shown an attacker might be able to gather additional info about the structure of this application.

Solution:
Solution type: Mitigation
If not needed disable the directory listing/indexing within the web servers config.

Affected Software/OS
Web servers with an enabled directory listing/indexing.

Vulnerability Detection Method
Checks previously detected directories on a remote web server if a directory listing/indexing is enabled.
Note: This check has a low QoD (Quality of Detection) value as it is not possible to automatically determine if the directory listing/indexing has been enabled on purpose (which is also a valid use case for some software products).
Details: `Enabled Directory Listing/Indexing Detection (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.111074
Version used: `2025-03-14T15:40:32Z`

References
`cve: CVE-1999-0569`
`cve: CVE-2023-37599`
`cve: CVE-2024-1076`
`url: https://wiki.owasp.org/index.php/OWASP_Periodic_Table_of_Vulnerabilities_-_`
`↪Directory_Indexing`

Medium (CVSS: 5.0)
NVT: Missing 'HttpOnly' Cookie Attribute (HTTP)

Summary
The remote HTTP web server / application is missing to set the 'HttpOnly' cookie attribute for one or more sent HTTP cookie.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
```
The cookie(s):
Set-Cookie: PHPSESSID=***replaced***; path=/
Set-Cookie: showhints=1
is/are missing the "HttpOnly" cookie attribute.
```

Solution:
Solution type: Mitigation
- Set the 'HttpOnly' cookie attribute for any session cookie

. . . continues on next page . . .

. . . continued from previous page . . .

- Evaluate / do an own assessment of the security impact on the web server / application and create an override for this result if there is none (this can't be checked automatically by this VT)

Affected Software/OS
Any web application with session handling in cookies.

Vulnerability Insight
The flaw exists if a session cookie is not using the 'HttpOnly' cookie attribute.
This allows a cookie to be accessed by JavaScript which could lead to session hijacking attacks.

Vulnerability Detection Method
Checks all cookies sent by the remote HTTP web server / application for a missing 'HttpOnly' cookie attribute.
Details: `Missing 'HttpOnly' Cookie Attribute (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.105925
Version used: `2024-01-12T16:12:12Z`

References
`url: https://www.rfc-editor.org/rfc/rfc6265#section-5.2.6`
`url: https://owasp.org/www-community/HttpOnly`
`url: https://wiki.owasp.org/index.php/Testing_for_cookies_attributes_(OTG-SESS-0`
`↪02)`

Medium (CVSS: 5.0)
NVT: PHP 5.4.x < 5.4.35, 5.5.x < 5.5.19, 5.6.x < 5.6.3 DoS Vulnerability (Nov 2014)

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.5.19
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow a local attacker to conduct a denial of service attack.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to PHP version 5.4.35, 5.5.19, 5.6.3 or later.

Affected Software/OS
PHP versions 5.4.x before 5.4.35, 5.5.x before 5.5.19 and 5.6.x before 5.6.3

Vulnerability Insight
An out of bounds read error exists in the 'donote' function in readelf.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.35, 5.5.x < 5.5.19, 5.6.x < 5.6.3 DoS Vulnerability (Nov 2014)`
OID:1.3.6.1.4.1.25623.1.0.804884
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-3710`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/70807`
`url: https://bugs.php.net/bug.php?id=68283`
`url: http://xforce.iss.net/xforce/xfdb/98385`
`cert-bund: CB-K18/0057`
`cert-bund: CB-K16/1315`
`cert-bund: CB-K16/0692`
`cert-bund: CB-K15/1704`
`cert-bund: CB-K15/0493`
`cert-bund: CB-K14/1528`
`cert-bund: CB-K14/1359`
`cert-bund: CB-K14/1349`
`cert-bund: CB-K14/1330`
`dfn-cert: DFN-CERT-2018-0064`
`dfn-cert: DFN-CERT-2016-1401`
`dfn-cert: DFN-CERT-2016-0752`
`dfn-cert: DFN-CERT-2015-1799`
`dfn-cert: DFN-CERT-2014-1639`
`dfn-cert: DFN-CERT-2014-1434`
`dfn-cert: DFN-CERT-2014-1424`
`dfn-cert: DFN-CERT-2014-1406`

Medium (CVSS: 5.0)
NVT: PHP 5.x < 5.4.29, 5.5.x < 5.5.13 Multiple DoS Vulnerabilities (Jun 2014)

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.13
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to conduct denial of service attacks.

Solution:
Solution type: VendorFix
Update to version 5.4.29, 5.5.13 or later.

Affected Software/OS
PHP version 5.x before 5.4.29 and 5.5.x before 5.5.13.

Vulnerability Insight
The following flaws exist:
- CVE-2014-0237: Infinite loop within the 'unpack_summary_info' function in src/cdf.c script.
- CVE-2014-0238: An error within the 'cdf_read_property_info' function in src/cdf.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 5.4.29, 5.5.x < 5.5.13 Multiple DoS Vulnerabilities (Jun 2014)`
OID:1.3.6.1.4.1.25623.1.0.804639
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2014-0237
cve: CVE-2014-0238
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/67759
url: http://www.securityfocus.com/bid/67765
url: http://secunia.com/advisories/58804
url: https://www.hkcert.org/my_url/en/alert/14060401
cert-bund: CB-K15/1704
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/1267
cert-bund: CB-K14/1174
cert-bund: CB-K14/1130
cert-bund: CB-K14/0973
cert-bund: CB-K14/0972
cert-bund: CB-K14/0830
cert-bund: CB-K14/0818
cert-bund: CB-K14/0776
cert-bund: CB-K14/0738
cert-bund: CB-K14/0660
cert-bund: CB-K14/0659
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1333
dfn-cert: DFN-CERT-2014-1181
dfn-cert: DFN-CERT-2014-1014
dfn-cert: DFN-CERT-2014-1013
dfn-cert: DFN-CERT-2014-0868
dfn-cert: DFN-CERT-2014-0857
dfn-cert: DFN-CERT-2014-0816
dfn-cert: DFN-CERT-2014-0769
dfn-cert: DFN-CERT-2014-0685
dfn-cert: DFN-CERT-2014-0684
```

Medium (CVSS: 5.0)
NVT: PHP < 7.3.28, 7.4.x < 7.4.18 IMAP Header Injection Vulnerability (Apr 2021) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to an IMAP header injection vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.3.28
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.28, 7.4.18 or later.

Affected Software/OS
PHP versions prior to 7.3.28 and 7.4.x through 7.4.17.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.28, 7.4.x < 7.4.18 IMAP Header Injection Vulnerability (Apr 2021) - L.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145869
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`url: https://www.php.net/ChangeLog-7.php#7.3.28`
`url: https://www.php.net/ChangeLog-7.php#7.4.18`

Medium (CVSS: 5.0)
NVT: PHP < 7.3.30, 7.4.x < 7.4.23, 8.0.x < 8.0.10 Security Update (Aug 2021) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP released new versions which include security fixes.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.5.9
Fixed version:     7.3.30
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.30, 7.4.23, 8.0.10 or later.

Affected Software/OS
PHP versions prior to 7.3.30, 7.4.x through 7.4.22 and 8.0.x through 8.0.9.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.30, 7.4.x < 7.4.23, 8.0.x < 8.0.10 Security Update (Aug 2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.146584
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`url: https://www.php.net/ChangeLog-7.php#7.3.30`
`url: https://www.php.net/ChangeLog-7.php#7.4.23`
`url: https://www.php.net/ChangeLog-8.php#8.0.10`

Medium (CVSS: 5.0)
NVT: Unprotected Web App / Device Installers (HTTP)

Summary
The script attempts to identify installation/setup pages of various web apps/devices that are publicly accessible and not protected by e.g. account restrictions or having their setup finished.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following web app/device installers are unprotected/have not finished their
↪setup and are publicly accessible (URL:Description):
http://mutillidae.trabalho_vulnnet/phpmyadmin/setup/index.php - CubeCart / phpMy
↪Admin installer
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

It is possible to install or reconfigure the software. In doing so, the attacker could overwrite existing configurations. It could be possible for the attacker to gain access to the base system

Solution:
Solution type: Mitigation
Setup and/or installation pages for Web Apps should not be publicly accessible via a web server. Restrict access to it, remove it completely or finish the setup of the application / device.

Vulnerability Detection Method
Enumerate the remote web server and check if unprotected web apps/devices are accessible for installation.
Details: `Unprotected Web App / Device Installers (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.107307
Version used: `2025-12-18T05:46:55Z`

Medium (CVSS: 5.0)
NVT: Source Control Management (SCM) Files/Folders Accessible (HTTP)

Summary
The script attempts to identify files/folders of a SCM accessible at the webserver.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The following SCM files/folders were identified:
Match:      0000000000000000000000000000000000000000 15ca375e54f056a576905b41a41
↪7b413c57df6eb root <root@dfc2eabdf236.(none)> 1455532500 +0000
clone: from htt
↪ps://github.com/fermayo/hello-world-lamp.git
Used regex: ^[a-f0-9]{40} [a-f0-9]{40}
URL:        http://mutillidae.trabalho_vulnnet/.git/logs/HEAD
Match:      [core]
[remote "origin"]
[branch "master"]
Used regex: ^\[(core|receive|(remote|branch) .+)\]$
URL:        http://mutillidae.trabalho_vulnnet/.git/config
Match:      # git ls-files --others --exclude-from=.git/info/exclude
Used regex: ^# git ls-files
URL:        http://mutillidae.trabalho_vulnnet/.git/info/exclude
Match:      DIRC
Used regex: ^DIRC
URL:        http://mutillidae.trabalho_vulnnet/.git/index
Match:      Unnamed repository; edit this file 'description' to name the reposit
↪ory.
Used regex: ^Unnamed repository
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
URL:        http://mutillidae.trabalho_vulnnet/.git/description
Match:      ref: refs/heads/master
Used regex: ^ref: refs/
URL:        http://mutillidae.trabalho_vulnnet/.git/HEAD
```

Impact
Based on the information provided in these files/folders an attacker might be able to gather additional info about the structure of the system and its applications.

Solution:
Solution type: Mitigation
Restrict access to the SCM files/folders for authorized systems only.

Vulnerability Insight
Currently the script is checking for files/folders of the following SCM software:
- Git (.git)
- Mercurial (.hg)
- Bazaar (.bzr)
- CVS (CVS/Root, CVS/Entries)
- Subversion (.svn)

Vulnerability Detection Method
Check the response if SCM files/folders are accessible.
Details: `Source Control Management (SCM) Files/Folders Accessible (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.111084
Version used: `2023-08-01T13:29:10Z`

References
```
url: http://pen-testing.sans.org/blog/pen-testing/2012/12/06/all-your-svn-are-be
↪long-to-us
url: https://github.com/anantshri/svn-extractor
url: https://blog.skullsecurity.org/2012/using-git-clone-to-get-pwn3d
url: https://blog.netspi.com/dumping-git-data-from-misconfigured-web-servers/
url: http://resources.infosecinstitute.com/hacking-svn-git-and-mercurial/
```

Medium (CVSS: 4.7)
NVT: PHP < 5.6.35, 7.x < 7.0.29, 7.1.x < 7.1.16, 7.2.x < 7.2.4 Security Bypass Vulnerability (May 2018) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

PHP is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.35
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow an attacker to bypass security restrictions and access sensitive configuration data for other accounts directly in the PHP worker process's memory.

Solution:

Solution type: VendorFix

Update to version 5.6.35, 7.0.29, 7.1.16, 7.2.4 or later.

Affected Software/OS

PHP prior to version 5.6.35, 7.x prior to 7.0.29, 7.1.x prior to 7.1.16 and 7.2.x prior to 7.2.4 on Linux.

Vulnerability Insight

The flaw exists as the dumpable FPM child processes allow bypassing opcache access controls.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.35, 7.x < 7.0.29, 7.1.x < 7.1.16, 7.2.x < 7.2.4 Security Bypass Vulne.`
↪`..`

OID:1.3.6.1.4.1.25623.1.0.813162

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2018-10545
url: http://www.php.net/ChangeLog-5.php#5.6.35
url: http://www.php.net/ChangeLog-7.php#7.0.29
url: http://www.php.net/ChangeLog-7.php#7.1.16
url: http://www.php.net/ChangeLog-7.php#7.2.4
cert-bund: CB-K18/0633
dfn-cert: DFN-CERT-2019-1737
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2018-1232
dfn-cert: DFN-CERT-2018-0920
dfn-cert: DFN-CERT-2018-0877
```

Medium (CVSS: 4.6)
NVT: PHP 5.5.x < 5.5.15 Multiple Use After Free Vulnerabilities (Jul 2014)

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple use after free vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.15
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to conduct denial of service attacks or possibly have some other unspecified impact.

Solution:
Solution type: VendorFix
Update to version 5.5.15 or later.

Affected Software/OS
PHP version 5.x through 5.5.14.

Vulnerability Insight
An use-after-free error exists in the ext/spl/spl_dllist.c file in the SPL component.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.5.x < 5.5.15 Multiple Use After Free Vulnerabilities (Jul 2014)`
OID:1.3.6.1.4.1.25623.1.0.804682
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-4670
cve: CVE-2014-4698
url: https://bugs.php.net/bug.php?id=67539
url: http://www.securityfocus.com/bid/68511
url: http://www.securityfocus.com/bid/68513
url: https://bugs.php.net/bug.php?id=67538
url: http://git.php.net/?p=php-src.git;a=patch;h=df78c48354f376cf419d7a97f88ca07
↪d572f00fb
url: http://git.php.net/?p=php-src.git;a=patch;h=22882a9d89712ff2b6ebc20a689a894
↪52bba4dcd
cert-bund: CB-K16/0944
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/1215
cert-bund: CB-K14/1214
cert-bund: CB-K14/1051
cert-bund: CB-K14/1045
cert-bund: CB-K14/0938
cert-bund: CB-K14/0849
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1280
dfn-cert: DFN-CERT-2014-1279
dfn-cert: DFN-CERT-2014-1095
dfn-cert: DFN-CERT-2014-1092
dfn-cert: DFN-CERT-2014-0982
dfn-cert: DFN-CERT-2014-0887
```

Medium (CVSS: 4.3)
NVT: phpMyAdmin 3.5.x < 3.5.3 Multiple Vulnerabilities (PMASA-2012-6, PMASA-2012-7) - Linux

Summary
phpMyAdmin is prone to multiple cross-site scripting (XSS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.2.2
Fixed version:     3.5.3
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 3.5.3 or later.

Affected Software/OS
phpMyAdmin 3.5.x before 3.5.3.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin 3.5.x < 3.5.3 Multiple Vulnerabilities (PMASA-2012-6, PMASA-2012-7) .`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.108238
Version used: `2024-02-13T05:06:26Z`

References
```
cve: CVE-2012-5339
cve: CVE-2012-5368
url: https://www.phpmyadmin.net/security/PMASA-2012-6/
url: http://www.securityfocus.com/bid/55925
url: http://www.securityfocus.com/bid/55939
url: https://www.phpmyadmin.net/security/PMASA-2012-7/
dfn-cert: DFN-CERT-2012-2146
dfn-cert: DFN-CERT-2012-2044
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 'mod_lua' Denial of Service Vulnerability (May 2015)

Product detection result
```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.7
Fixed version:     2.4.12
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successful exploitation will allow a remote attacker to bypass intended access restrictions in opportunistic circumstances by leveraging multiple Require directives.

Solution:
Solution type: VendorFix
Update to version 2.4.12 or later.

Affected Software/OS
Apache HTTP Server version 2.3.x through 2.4.10.

Vulnerability Insight
Flaw is due to a vulnerability in LuaAuthzProvider that is triggered if a user-supplied LUA script is supplied more than once with different arguments.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_lua' Denial of Service Vulnerability (May 2015)`
OID:1.3.6.1.4.1.25623.1.0.805637
Version used: `2024-02-20T05:05:48Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2014-8109`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`url: http://www.securityfocus.com/bid/73040`
`url: http://www.rapid7.com/db/vulnerabilities/apache-httpd-cve-2014-8109`
`cert-bund: CB-K15/1360`
`cert-bund: CB-K15/1188`
`cert-bund: CB-K15/0736`
`cert-bund: CB-K14/1626`
`cert-bund: CB-K14/1592`
`dfn-cert: DFN-CERT-2015-1435`
`dfn-cert: DFN-CERT-2015-1252`
`dfn-cert: DFN-CERT-2015-0771`
`dfn-cert: DFN-CERT-2014-1727`
`dfn-cert: DFN-CERT-2014-1691`

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 'mod_cache' Denial of Service Vulnerability -01 (May 2015)

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.10
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow a remote attacker to cause a denial of service via a crafted HTTP Connection header when a reverse proxy is enabled.

Solution:
Solution type: VendorFix
Update to version 2.4.10 or later.

Affected Software/OS
Apache HTTP Server version 2.4.6 through 2.4.9.

Vulnerability Insight
Flaw is due to vulnerability in mod_proxy module in the Apache HTTP Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server 'mod_cache' Denial of Service Vulnerability -01 (May 2015)
OID:1.3.6.1.4.1.25623.1.0.805635
Version used: 2024-02-20T05:05:48Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2014-0117
url: http://zerodayinitiative.com/advisories/ZDI-14-239/

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/68740
url: http://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K15/0493
cert-bund: CB-K14/1043
cert-bund: CB-K14/0883
dfn-cert: DFN-CERT-2014-1088
dfn-cert: DFN-CERT-2014-0926
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a Server Side Includes (SSI) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.66 or later.

Affected Software/OS

Apache HTTP Server prior to version 2.4.66.

Vulnerability Insight

Apache HTTP Server with SSI enabled and mod_cgid (but not mod_cgi) passes the shell-escaped query string to #exec cmd='...' directives.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.125564

Version used: `2025-12-05T05:44:55Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2025-58098
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/5
cert-bund: WID-SEC-2026-0153
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0027
dfn-cert: DFN-CERT-2026-0012
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405

Medium (CVSS: 4.3)
NVT: PHP < 5.4.32, 5.5.x < 5.5.16 DoS Vulnerability

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 5.5.16
Installation
path / port: 80/tcp

Impact
Successful exploitation will allow remote attackers to conduct denial of service attacks.

Solution:
Solution type: VendorFix
Update to version 5.4.32, 5.5.16 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP versions prior to 5.4.32 and 5.5.x prior to 5.5.16.

Vulnerability Insight
A NULL pointer dereference error exists in the 'gdImageCreateFromXpm' function within LibGD.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.32, 5.5.x < 5.5.16 DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.804292
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-2497`
`url: https://bugs.php.net/bug.php?id=66901`
`url: http://www.securityfocus.com/bid/66233`
`cert-bund: CB-K15/0493`
`cert-bund: CB-K15/0454`
`cert-bund: CB-K14/1359`
`cert-bund: CB-K14/1215`
`cert-bund: CB-K14/1214`
`cert-bund: CB-K14/1052`
`cert-bund: CB-K14/1051`
`cert-bund: CB-K14/0904`
`cert-bund: CB-K14/0834`
`cert-bund: CB-K14/0830`
`cert-bund: CB-K14/0829`
`cert-bund: CB-K14/0738`
`dfn-cert: DFN-CERT-2016-0876`
`dfn-cert: DFN-CERT-2015-0473`
`dfn-cert: DFN-CERT-2014-1434`
`dfn-cert: DFN-CERT-2014-1280`
`dfn-cert: DFN-CERT-2014-1279`
`dfn-cert: DFN-CERT-2014-1098`
`dfn-cert: DFN-CERT-2014-1095`
`dfn-cert: DFN-CERT-2014-0936`
`dfn-cert: DFN-CERT-2014-0870`
`dfn-cert: DFN-CERT-2014-0868`
`dfn-cert: DFN-CERT-2014-0867`
`dfn-cert: DFN-CERT-2014-0769`

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 2.4.x < 2.4.66 Improper Neutralization Vulnerability - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to an improper neutralization vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.4.7
Fixed version: 2.4.66
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

Affected Software/OS
Apache HTTP Server version 2.4.x prior to 2.4.66.

Vulnerability Insight
Improper neutralization of escape, meta, or control sequences vulnerability in Apache HTTP Server through environment variables set via the Apache configuration unexpectedly superseding variables calculated by the server for CGI programs.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server 2.4.x < 2.4.66 Improper Neutralization Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.125566
Version used: 2025-12-05T05:44:55Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2025-65082
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.openwall.com/lists/oss-security/2025/12/04/7
cert-bund: WID-SEC-2026-0155
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0214
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

Medium (CVSS: 4.3)
NVT: jQuery < 1.6.3 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     1.6.3
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquer
↪y-1.6.2.js
- Referenced at:   http://mutillidae.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 1.6.3 or later.

Affected Software/OS
jQuery prior to version 1.6.3.

Vulnerability Insight
Cross-site scripting (XSS) vulnerability in jQuery before 1.6.3, when using location.hash to select elements, allows remote attackers to inject arbitrary web script or HTML via a crafted tag.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 1.6.3 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141637
Version used: `2023-07-14T05:06:08Z`

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2011-4969
url: https://blog.jquery.com/2011/09/01/jquery-1-6-3-released/
cert-bund: CB-K17/0195
dfn-cert: DFN-CERT-2017-0199
dfn-cert: DFN-CERT-2016-0890
```

Medium (CVSS: 4.3)
NVT: PHP < 8.0.29, 8.1.x < 8.1.20, 8.2.x < 8.2.7 Security Update - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a missing error check and insufficient random bytes in HTTP Digest authentication for SOAP vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.0.29
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.29, 8.1.10, 8.2.7 or later.

Affected Software/OS
PHP prior to version 8.0.29, 8.1.x prior to 8.1.20 and 8.2.x prior to 8.2.7.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.29, 8.1.x < 8.1.20, 8.2.x < 8.2.7 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.149760
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2023-3247
url: https://www.php.net/ChangeLog-8.php#8.0.29
url: https://www.php.net/ChangeLog-8.php#8.1.20
url: https://www.php.net/ChangeLog-8.php#8.2.7
url: https://github.com/php/php-src/security/advisories/GHSA-76gg-c692-v2mw
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2680
cert-bund: WID-SEC-2023-1506
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2023-2570
dfn-cert: DFN-CERT-2023-2542
dfn-cert: DFN-CERT-2023-1328
```

[return to 172.30.9.3]

2.1.7 Low 3306/tcp

Low (CVSS: 2.7)
NVT: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.60-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.60
Fixed version:     5.7.41
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.41, 8.0.32 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.40 and prior and 8.x through 8.0.31.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Lin.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.149531
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2023-21963`
`url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL`
`advisory-id: cpuapr2023`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2023-1033`
`dfn-cert: DFN-CERT-2023-0885`

Low (CVSS: 2.7)
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.18 Security Update (cpujul2019) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.60-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
↪`25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.60
Fixed version:     5.6.45
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.45, 5.7.19 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server versions 5.6.44 and prior and 5.7 through 5.7.18.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.18 Security Update (cpujul2019) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.142642
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.60-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2019-2730`
`url: https://www.oracle.com/security-alerts/cpujul2019.html#AppendixMSQL`
`advisory-id: cpujul2019`
`cert-bund: CB-K19/0620`
`dfn-cert: DFN-CERT-2019-2169`
`dfn-cert: DFN-CERT-2019-1453`

[return to 172.30.9.3]

2.1.8 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 264225108
Packet 2: 264226231
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
`url: https://datatracker.ietf.org/doc/html/rfc1323`
`url: https://datatracker.ietf.org/doc/html/rfc7323`
`url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d`
`↪ownload/details.aspx?id=9152`
`url: https://www.fortiguard.com/psirt/FG-IR-16-090`

[return to 172.30.9.3]

2.1.9 Low 80/tcp

Low (CVSS: 3.6)
NVT: PHP <= 5.6.0 'PEAR' Symlink Attack Vulnerability

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

PHP is prone to a symlink attack vulnerability in the included PEAR installer.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     See references
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to a later PHP version including an PEAR installer in version 1.9.2 or later.

Affected Software/OS
PHP through version 5.6.0.

Vulnerability Insight
The PEAR_REST class in REST.php in PEAR allows local users to write to arbitrary files via a symlink attack on a (1) rest.cachefile or (2) rest.cacheid file in /tmp/pear/cache/, related to the retrieveCacheFirst and useLocalCache functions.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP <= 5.6.0 'PEAR' Symlink Attack Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.117252
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-5459
url: https://pear.php.net/bugs/bug.php?id=18056
url: https://pear.php.net/bugs/bug.php?id=18055
url: http://www.openwall.com/lists/oss-security/2014/08/27/3
cert-bund: CB-K16/0944
cert-bund: CB-K14/1167
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2014-1219
```

Low (CVSS: 3.6)
NVT: PHP < 7.2.33, 7.3 < 7.3.21, 7.4 < 7.4.9 DoS Vulnerability (Aug 2020) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service vulnerability in the phar_parse_zipfile function.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.2.33
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.33, 7.3.21, 7.4.9 or later.

Affected Software/OS
PHP versions prior 7.2.33, 7.3 prior 7.3.21 and 7.4 prior to 7.4.9.

Vulnerability Insight
The phar_parse_zipfile function had use-after-free vulnerability because of mishandling of the actual_alias variable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.33, 7.3 < 7.3.21, 7.4 < 7.4.9 DoS Vulnerability (Aug 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.144365
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2020-7068`
`url: https://www.php.net/ChangeLog-7.php#7.2.33`
`url: https://www.php.net/ChangeLog-7.php#7.3.21`
`url: https://www.php.net/ChangeLog-7.php#7.4.9`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-2116
cert-bund: CB-K20/0788
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2020-1910
dfn-cert: DFN-CERT-2020-1732
```

[return to 172.30.9.3]

2.1.10 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

References
`cve: CVE-1999-0524`
`url: https://datatracker.ietf.org/doc/html/rfc792`
`url: https://datatracker.ietf.org/doc/html/rfc2780`
`cert-bund: CB-K15/1514`
`cert-bund: CB-K14/0632`
`dfn-cert: DFN-CERT-2014-0658`

[return to 172.30.9.3]

2.1.11 Log 3306/tcp

Log (CVSS: 0.0)
NVT: Database Open Access Information Disclosure Vulnerability

Summary
Various Database server might be prone to an information disclosure vulnerability if accessible to remote systems.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`Oracle MySQL can be accessed by remote attackers`

Impact
Successful exploitation could allow an attacker to obtain sensitive information from the database.

Solution:
Solution type: Workaround
Restrict database access to remote systems. Please see the manual of the affected database server for more information.

Affected Software/OS
- Oracle MySQL
- MariaDB
- IBM DB2
- PostgreSQL
- IBM solidDB
- Oracle Database

. . . continues on next page . . .

. . . continued from previous page . . .

- Microsoft SQL Server

Vulnerability Insight
The remote database server is not restricting direct access from remote systems.

Log Method
Checks the result of various database server detections and evaluates their results.
Details: `Database Open Access Information Disclosure Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.902799
Version used: `2025-09-09T05:38:49Z`

References
`url: https://www.pcisecuritystandards.org/security_standards/index.php?id=pci_ds`
`↪s_v1-2.pdf`

Log (CVSS: 0.0)
NVT: MariaDB / Oracle MySQL Detection (MySQL Protocol)

Summary
MySQL protocol-based detection of MariaDB / Oracle MySQL.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Oracle MySQL
Version:       5.5.60-0ubuntu0.14.04.1
Location:      3306/tcp
CPE:           cpe:/a:oracle:mysql:5.5.60
Concluded from version/product identification result:
5.5.60-0ubuntu0.14.04.1
```

Solution:

Log Method
Details: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID:1.3.6.1.4.1.25623.1.0.100152
Version used: `2025-09-09T05:38:49Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A MySQL server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

[return to 172.30.9.3]

2.1.12 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Hostname determination for IP 172.30.9.3:
Hostname|Source
mutillidae.trabalho_vulnnet|Reverse-DNS
```

Solution:

Log Method
Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Network route from scanner (172.30.0.2) to target (172.30.9.3):
172.30.0.2
172.30.9.3
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `2022-10-17T11:13:19Z`

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
```
It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.
```

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: `IP Forwarding Enabled - Active Check`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.147205
Version used: 2021-12-03T08:27:06Z

References
cve: CVE-1999-0511

Log (CVSS: 0.0)
NVT: jQuery Detection Consolidation

Summary
Consolidation of jQuery detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected jQuery
Version:       1.6.2
Location:      /phpmyadmin/js/jquery/jquery-1.6.2.js
CPE:           cpe:/a:jquery:jquery:1.6.2
Concluded from version/product identification result:
src="./js/jquery/jquery-1.6.2.js
Concluded from version/product identification location:
- Identified file: http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquer
↪y-1.6.2.js
- Referenced at:   http://mutillidae.trabalho_vulnnet/phpmyadmin/
```

Solution:

Log Method
Details: jQuery Detection Consolidation
OID:1.3.6.1.4.1.25623.1.0.150658
Version used: 2023-07-14T05:06:08Z

References
url: https://jquery.com/

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.

. . . continues on next page . . .

. . . continued from previous page . . .

If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Ubuntu
CPE:          cpe:/o:canonical:ubuntu_linux
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from PHP Server banner on port 80/tcp: X-Powered-By: PHP/5.5.9-1ubuntu
↪4.25
Setting key "Host/runs_unixoide" based on this information
Other OS detections (in order of reliability):
OS:           Ubuntu
CPE:          cpe:/o:canonical:ubuntu_linux
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from HTTP Server banner on port 80/tcp: Server: Apache/2.4.7 (Ubuntu)
OS:           Ubuntu 14.04
Version:      14.04
CPE:          cpe:/o:canonical:ubuntu_linux:14.04
Found by VT:  1.3.6.1.4.1.25623.1.0.108192 (Operating System (OS) Detection (MyS
↪QL/MariaDB))
Concluded from MySQL/MariaDB server banner on port 3306/tcp: 5.5.60-0ubuntu0.14.
↪04.1
```

Solution:

Log Method

Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-01-21T05:50:46Z

References

url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: PHP Detection Consolidation

Summary

Consolidation of PHP detections.

Quality of Detection (QoD): 80%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Detected PHP
Version:       5.5.9
Location:      80/tcp
CPE:           cpe:/a:php:php:5.5.9
Concluded from version/product identification result:
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Concluded from version/product identification location:
http://mutillidae.trabalho_vulnnet/
```

Solution:

Log Method

Details: `PHP Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.171722
Version used: `2025-09-24T05:39:03Z`

References

`url: https://www.php.net/`

Log (CVSS: 0.0)
NVT: Apache HTTP Server Detection Consolidation

Summary

Consolidation of Apache HTTP Server detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Apache HTTP Server
Version:       2.4.7
Location:      80/tcp
CPE:           cpe:/a:apache:http_server:2.4.7
Concluded from version/product identification result:
Server: Apache/2.4.7 (Ubuntu)
```

Solution:

Log Method

Details: `Apache HTTP Server Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.117232
Version used: `2024-03-08T15:37:10Z`

. . . continues on next page . . .

. . . continued from previous page . . .

References
`url: https://httpd.apache.org`

[return to 172.30.9.3]

2.1.13 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
172.30.9.3|cpe:/a:apache:http_server:2.4.7
172.30.9.3|cpe:/a:jquery:jquery:1.6.2
172.30.9.3|cpe:/a:mysql:mysql:5.5.60-
172.30.9.3|cpe:/a:oracle:mysql:5.5.60
172.30.9.3|cpe:/a:php:php:5.5.9
172.30.9.3|cpe:/a:phpmyadmin:phpmyadmin:3.5.2.2
172.30.9.3|cpe:/o:canonical:ubuntu_linux
```

Solution:

Log Method
Details: `CPE Inventory`
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: `2022-07-27T10:11:28Z`

References
`url: https://nvd.nist.gov/products/cpe`

[return to 172.30.9.3]

2.1.14 Log 80/tcp

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Missing Headers                   | More Information
--------------------------------------------------------------------------------
↪--------------------------------------------------------------------------------
↪-----------------------------------------------
Content-Security-Policy           | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy        | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                   | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Feature-Policy                    | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Referrer-Policy                   | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options            | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options                   | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                  | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

Log Method
Details: `HTTP Security Headers Detection`
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: `2025-03-21T15:40:43Z`

References
`url: https://owasp.org/www-project-secure-headers/`
`url: https://owasp.org/www-project-secure-headers/#div-headers`
`url: https://securityheaders.com/`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: robot.txt / robots.txt exists on the Web Server (HTTP)

Summary
Web Servers can use a file called /robot(s).txt to ask search engines to ignore certain files and directories. By nature this file can not be used to protect private files from public read access.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The file 'http://mutillidae.trabalho_vulnnet/robots.txt' contains the following:
User-agent: *
Disallow: passwords/
Disallow: config.inc
Disallow: classes/
Disallow: javascript/
Disallow: owasp-esapi-php/
Disallow: documentation/
Disallow: phpmyadmin/
Disallow: includes/
```

Solution:
Solution type: Mitigation
Review the content of the /robot(s).txt file and consider removing the files from the server or protect them in other ways in case you actually intended non-public availability.

Vulnerability Insight
Any serious web search engine will honor the /robot(s).txt file and not scan the files and directories listed there.
Any entries listed in this file are not even hidden anymore.

Log Method
Details: `robot.txt / robots.txt exists on the Web Server (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.10302
Version used: `2024-02-26T14:36:40Z`

References
`url: https://www.robotstxt.org/`
`url: https://www.robotstxt.org/norobots-rfc.txt`

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner                       | Enumeration technique
--------------------------------------------------------------------------------
↪----------------------
Server: Apache/2.4.7 (Ubuntu)       | Invalid HTTP 00.5 GET request (non-existen
↪t HTTP version) to '/'
X-Powered-By: PHP/5.5.9-1ubuntu4.25 | Valid HTTP 1.1 GET request (with extended
↪headers) to '/'
```

Solution:

Log Method

Details: `HTTP Server Banner Enumeration`
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary

This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote HTTP Server banner is:
Server: Apache/2.4.7 (Ubuntu)
```

Solution:

Log Method

Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: phpMyAdmin Detection (HTTP)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
HTTP based detection of phpMyAdmin.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected phpMyAdmin
Version:       3.5.2.2
Location:      /phpmyadmin
CPE:           cpe:/a:phpmyadmin:phpmyadmin:3.5.2.2
Concluded from version/product identification result:
phpMyAdmin 3.5.2.2
Concluded from version/product identification location:
  http://mutillidae.trabalho_vulnnet/phpmyadmin/index.php
Extra information:
- Possible unprotected setup dir identified at http://mutillidae.trabalho_vulnne
↪t/phpmyadmin/setup/
```

Solution:

Log Method
Details: `phpMyAdmin Detection (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.900129
Version used: `2024-02-19T14:37:31Z`

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
The Hostname/IP "mutillidae.trabalho_vulnnet" was used to access the remote host
↪.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
A possible recursion was detected during web application scanning:
The service is using a relative URL in one or more HTML references where e.g. /f
↪ile1.html contains <a href="subdir/file2.html"> and a subsequent request for s
↪ubdir/file2.html is linking to subdir/file2.html. This would resolves to subdi
↪r/subdir/file2.html causing a recursion. To work around this counter-measures
↪have been enabled but the service should be fixed as well to not use such prob
↪lematic links. Below an excerpt of URLs is shown to help identify those issues
↪.
Syntax : URL (HTML link)
http://mutillidae.trabalho_vulnnet/.git/logs/ (refs/)
http://mutillidae.trabalho_vulnnet/.git/logs/?D=A (refs/)
http://mutillidae.trabalho_vulnnet/.git/objects/ (info/)
http://mutillidae.trabalho_vulnnet/.git/objects/?D=A (info/)
http://mutillidae.trabalho_vulnnet/includes/main-menu.php (index.php?page=docume
↪nt-viewer.php&PathToDocument=documentation/how-to-access-Mutillidae-over-Virtu
↪al-Box-network.php)
The following directories were used for web application scanning:
http://mutillidae.trabalho_vulnnet/
http://mutillidae.trabalho_vulnnet/.git
http://mutillidae.trabalho_vulnnet/.git/branches
http://mutillidae.trabalho_vulnnet/.git/hooks
http://mutillidae.trabalho_vulnnet/.git/info
http://mutillidae.trabalho_vulnnet/.git/logs
http://mutillidae.trabalho_vulnnet/.git/objects
http://mutillidae.trabalho_vulnnet/.git/objects/09
http://mutillidae.trabalho_vulnnet/.git/objects/15
http://mutillidae.trabalho_vulnnet/.git/objects/37
http://mutillidae.trabalho_vulnnet/.git/objects/3e
http://mutillidae.trabalho_vulnnet/.git/objects/6a
http://mutillidae.trabalho_vulnnet/.git/objects/7b
http://mutillidae.trabalho_vulnnet/.git/objects/7c
http://mutillidae.trabalho_vulnnet/.git/objects/8a
http://mutillidae.trabalho_vulnnet/.git/objects/96
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
http://mutillidae.trabalho_vulnnet/.git/objects/bf
http://mutillidae.trabalho_vulnnet/.git/objects/e0
http://mutillidae.trabalho_vulnnet/.git/objects/pack
http://mutillidae.trabalho_vulnnet/.git/refs
http://mutillidae.trabalho_vulnnet/.git/refs/heads
http://mutillidae.trabalho_vulnnet/.git/refs/remotes
http://mutillidae.trabalho_vulnnet/.git/refs/remotes/origin
http://mutillidae.trabalho_vulnnet/.git/refs/tags
http://mutillidae.trabalho_vulnnet/classes
http://mutillidae.trabalho_vulnnet/data
http://mutillidae.trabalho_vulnnet/documentation
http://mutillidae.trabalho_vulnnet/includes
http://mutillidae.trabalho_vulnnet/includes/documentation
http://mutillidae.trabalho_vulnnet/includes/hints
http://mutillidae.trabalho_vulnnet/includes/webservices/rest
http://mutillidae.trabalho_vulnnet/includes/webservices/soap
http://mutillidae.trabalho_vulnnet/mutillidae
http://mutillidae.trabalho_vulnnet/mutillidae/webservices/rest
http://mutillidae.trabalho_vulnnet/passwords
http://mutillidae.trabalho_vulnnet/phpmyadmin
http://mutillidae.trabalho_vulnnet/test
http://mutillidae.trabalho_vulnnet/test/testoutput
http://mutillidae.trabalho_vulnnet/webservices
http://mutillidae.trabalho_vulnnet/webservices/rest
http://mutillidae.trabalho_vulnnet/webservices/soap
http://mutillidae.trabalho_vulnnet/webservices/soap/lib
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following directories were excluded from web application scanning because th
↪e "Regex pattern to exclude directories from CGI scanning" setting of the VT "
↪Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was
↪: "/(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graph
↪ic|grafik|picture|bilder|thumbnail|media/|skins?/)"
http://mutillidae.trabalho_vulnnet/icons
http://mutillidae.trabalho_vulnnet/images
http://mutillidae.trabalho_vulnnet/javascript
http://mutillidae.trabalho_vulnnet/javascript/ddsmoothmenu
http://mutillidae.trabalho_vulnnet/javascript/jQuery
http://mutillidae.trabalho_vulnnet/javascript/jQuery/colorbox
http://mutillidae.trabalho_vulnnet/phpmyadmin/js
http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery
http://mutillidae.trabalho_vulnnet/phpmyadmin/themes
http://mutillidae.trabalho_vulnnet/phpmyadmin/themes/pmahomme/img
http://mutillidae.trabalho_vulnnet/phpmyadmin/themes/pmahomme/jquery
http://mutillidae.trabalho_vulnnet/styles
http://mutillidae.trabalho_vulnnet/styles/ddsmoothmenu
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Directory index found at:
http://mutillidae.trabalho_vulnnet/.git/
http://mutillidae.trabalho_vulnnet/.git/branches/
http://mutillidae.trabalho_vulnnet/.git/hooks/
http://mutillidae.trabalho_vulnnet/.git/info/
http://mutillidae.trabalho_vulnnet/.git/logs/
http://mutillidae.trabalho_vulnnet/.git/objects/
http://mutillidae.trabalho_vulnnet/.git/objects/09/
http://mutillidae.trabalho_vulnnet/.git/objects/15/
http://mutillidae.trabalho_vulnnet/.git/objects/37/
http://mutillidae.trabalho_vulnnet/.git/objects/3e/
http://mutillidae.trabalho_vulnnet/.git/objects/6a/
http://mutillidae.trabalho_vulnnet/.git/objects/7b/
http://mutillidae.trabalho_vulnnet/.git/objects/7c/
http://mutillidae.trabalho_vulnnet/.git/objects/8a/
http://mutillidae.trabalho_vulnnet/.git/objects/96/
http://mutillidae.trabalho_vulnnet/.git/objects/bf/
http://mutillidae.trabalho_vulnnet/.git/objects/e0/
http://mutillidae.trabalho_vulnnet/.git/objects/pack/
http://mutillidae.trabalho_vulnnet/.git/refs/
http://mutillidae.trabalho_vulnnet/.git/refs/heads/
http://mutillidae.trabalho_vulnnet/.git/refs/remotes/
http://mutillidae.trabalho_vulnnet/.git/refs/tags/
http://mutillidae.trabalho_vulnnet/classes/
http://mutillidae.trabalho_vulnnet/data/
http://mutillidae.trabalho_vulnnet/includes/
http://mutillidae.trabalho_vulnnet/includes/hints/
http://mutillidae.trabalho_vulnnet/passwords/
http://mutillidae.trabalho_vulnnet/test/
http://mutillidae.trabalho_vulnnet/test/testoutput/
http://mutillidae.trabalho_vulnnet/webservices/soap/
Extraneous phpinfo() output found at:
http://mutillidae.trabalho_vulnnet/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p5/apache2 </td></tr>
  <h2>PHP Variables</h2>The "Number of pages to mirror" setting (Current: 200) o
↪f the VT "Web mirroring" (OID: 1.3.6.1.4.1.25623.1.0.10662) was reached. Raisi
↪ng this limit allows to mirror this host more thoroughly but might increase th
↪e scanning time.
The following CGIs were discovered:
Syntax : cginame (arguments [default value])
http://mutillidae.trabalho_vulnnet/ (page [add-to-your-blog.php] )
http://mutillidae.trabalho_vulnnet/.git/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D;O [A
↪] )
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
http://mutillidae.trabalho_vulnnet/.git/branches/ (C=S;O [A] C=N;O [D] C=M;O [A]
↪ C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/hooks/ (C=S;O [A] C=N;O [D] C=M;O [A] C=
↪D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/info/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D
↪;O [A] )
http://mutillidae.trabalho_vulnnet/.git/logs/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D
↪;O [A] )
http://mutillidae.trabalho_vulnnet/.git/objects/ (C=S;O [A] C=N;O [D] C=M;O [A]
↪C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/objects/09/ (C=S;O [A] C=N;O [D] C=M;O [
↪A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/objects/15/ (C=S;O [A] C=N;O [D] C=M;O [
↪A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/objects/37/ (C=S;O [A] C=N;O [D] C=M;O [
↪A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/objects/3e/ (C=S;O [A] C=N;O [D] C=M;O [
↪A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/objects/6a/ (C=S;O [A] C=N;O [D] C=M;O [
↪A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/objects/7b/ (C=S;O [A] C=N;O [D] C=M;O [
↪A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/objects/7c/ (C=S;O [A] C=N;O [D] C=M;O [
↪A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/objects/8a/ (C=S;O [A] C=N;O [D] C=M;O [
↪A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/objects/96/ (C=S;O [A] C=N;O [D] C=M;O [
↪A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/objects/bf/ (C=S;O [A] C=N;O [D] C=M;O [
↪A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/objects/e0/ (C=S;O [A] C=N;O [D] C=M;O [
↪A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/objects/pack/ (C=S;O [A] C=N;O [D] C=M;O
↪ [A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/refs/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D
↪;O [A] )
http://mutillidae.trabalho_vulnnet/.git/refs/heads/ (C=S;O [A] C=N;O [D] C=M;O [
↪A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/refs/remotes/ (C=S;O [A] C=N;O [D] C=M;O
↪ [A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/.git/refs/tags/ (C=S;O [A] C=N;O [D] C=M;O [A
↪] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/classes/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D;O
↪ [A] )
http://mutillidae.trabalho_vulnnet/data/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D;O [A
↪] )
http://mutillidae.trabalho_vulnnet/database-offline.php (database-offline-php-su
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪bmit-button [Opt Out] )
http://mutillidae.trabalho_vulnnet/documentation/ (C=S;O [A] C=N;O [D] C=M;O [A]
↪ C=D;O [A] )
http://mutillidae.trabalho_vulnnet/hints-page-wrapper.php (level1HintIncludeFile
↪ [57] )
http://mutillidae.trabalho_vulnnet/includes/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D;
↪O [A] page [add-to-your-blog.php] )
http://mutillidae.trabalho_vulnnet/includes/hints/ (C=S;O [A] C=N;O [D] C=M;O [A
↪] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/includes/index.php (iv [6bc24fc1ab650b25b4114
↪e93a98f1eba] username [] page [user-info.php] page-to-frame [styling.php%3Fpag
↪e-title%3DStyling+with+Mutillidae] )
http://mutillidae.trabalho_vulnnet/includes/pop-up-help-context-generator.php (p
↪agename [/app/home.php] )
http://mutillidae.trabalho_vulnnet/index.php (popUpNotificationCode [HPH0] PathT
↪oDocument [documentation/how-to-access-Mutillidae-over-Virtual-Box-network.php
↪] iv [6bc24fc1ab650b25b4114e93a98f1eba] username [anonymous] do [toggle-hints]
↪ page [home.php] page-to-frame [styling.php%3Fpage-title%3DStyling+with+Mutill
↪idae] )
http://mutillidae.trabalho_vulnnet/mutillidae/webservices/rest/ws-user-account.p
↪hp (username [adrian] )
http://mutillidae.trabalho_vulnnet/passwords/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D
↪;O [A] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/chk_rel.php (lang [en] collation_c
↪onnection [utf8_general_ci] token [***replaced***] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/index.php (token [***replaced***]
↪goto [tbl_structure.php] selected_recent_table [] target [main.php] table [] s
↪et_theme [] collation_connection [utf8_general_ci] set_fontsize [] lang [en] s
↪erver [1] db [information_schema] Go [Go] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/js/get_image.js.php (theme [pmahom
↪me] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/js/messages.php (token [***replace
↪d***] ts [1526333067] collation_connection [utf8_general_ci] lang [en] db [] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/main.php (token [***replaced***] c
↪ollation_connection [utf8_general_ci] lang [en] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/navigation.php (token [***replaced
↪***] ?uniqid [697743c28810f] collation_connection [utf8_general_ci] lang [en]
↪)
http://mutillidae.trabalho_vulnnet/phpmyadmin/phpmyadmin.css.php (token [***repl
↪aced***] collation_connection [utf8_general_ci] js_frame [left] lang [en] serv
↪er [1] nocache [6348423397] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/prefs_manage.php (return_url [main
↪.php?] token [***replaced***] json [] collation_connection [utf8_general_ci] l
↪ang [en] submit_import [1] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/querywindow.php (lang [en] collati
↪on_connection [utf8_general_ci] token [***replaced***] no_js [true] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/server_collations.php (lang [en] c
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪ollation_connection [utf8_general_ci] token [***replaced***] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/server_databases.php (lang [en] co
↪llation_connection [utf8_general_ci] token [***replaced***] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/server_engines.php (lang [en] coll
↪ation_connection [utf8_general_ci] token [***replaced***] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/server_export.php (lang [en] colla
↪tion_connection [utf8_general_ci] token [***replaced***] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/server_import.php (lang [en] colla
↪tion_connection [utf8_general_ci] token [***replaced***] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/server_privileges.php (lang [en] c
↪ollation_connection [utf8_general_ci] token [***replaced***] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/server_replication.php (lang [en]
↪collation_connection [utf8_general_ci] token [***replaced***] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/server_sql.php (lang [en] collatio
↪n_connection [utf8_general_ci] token [***replaced***] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/server_status.php (lang [en] colla
↪tion_connection [utf8_general_ci] token [***replaced***] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/server_synchronize.php (lang [en]
↪collation_connection [utf8_general_ci] token [***replaced***] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/server_variables.php (lang [en] co
↪llation_connection [utf8_general_ci] token [***replaced***] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/url.php (token [***replaced***] ur
↪l [http%3A%2F%2Fdev.mysql.com%2Fdoc%2Frefman%2F5.5%2Fen%2Findex.html] amp;toke
↪n [***replaced***] collation_connection [utf8_general_ci] lang [en] amp;lang [
↪en] amp;collation_connection [utf8_general_ci] )
http://mutillidae.trabalho_vulnnet/test/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D;O [A
↪] )
http://mutillidae.trabalho_vulnnet/test/testoutput/ (C=S;O [A] C=N;O [D] C=M;O [
↪A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/webservices/rest/ (C=S;O [A] C=N;O [D] C=M;O
↪[A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/webservices/soap/ (C=S;O [A] C=N;O [D] C=M;O
↪[A] C=D;O [A] )
http://mutillidae.trabalho_vulnnet/webservices/soap/ws-hello-world.php (wsdl []
↪)
http://mutillidae.trabalho_vulnnet/webservices/soap/ws-lookup-dns-record.php (ws
↪dl [] )
http://mutillidae.trabalho_vulnnet/webservices/soap/ws-user-account.php (wsdl []
↪ )
The following cgi scripts were excluded from web application scanning because of
↪ the "Regex pattern to exclude cgi scripts" setting of the VT "Web mirroring"
↪(OID: 1.3.6.1.4.1.25623.1.0.10662) for this scan was: "\.(js|css)$"
Syntax : cginame (arguments [default value])
http://mutillidae.trabalho_vulnnet/phpmyadmin/js/common.js (ts [1526333067] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/js/config.js (ts [1526333067] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/js/cross_framing_protection.js (ts
↪ [1526333067] )
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
http://mutillidae.trabalho_vulnnet/phpmyadmin/js/functions.js (ts [1526333067] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquery-1.6.2.js (ts [152
↪6333067] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquery-ui-1.8.16.custom.
↪js (ts [1526333067] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquery.qtip-1.0.0-rc3.js
↪ (ts [1526333067] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/js/jquery/jquery.sprintf.js (ts [1
↪526333067] )
http://mutillidae.trabalho_vulnnet/phpmyadmin/js/navigation.js (ts [1526333067]
↪)
http://mutillidae.trabalho_vulnnet/phpmyadmin/js/update-location.js (ts [1526333
↪067] )
```

Solution:

Log Method
Details: `Web Application Scanning Consolidation / Info Reporting`
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: `2026-01-13T05:47:36Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: 'favicon.ico' Based Fingerprinting (HTTP)

Summary
HTTP based fingerprinting of web applications based on an exposed 'favicon.ico' file.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following apps/services were identified:
"phpmyadmin (2.11.8.1 - 4.2.x)" fingerprinted by the file: "http://mutillidae.tr
↪abalho_vulnnet/phpmyadmin/favicon.ico"
```

Solution:

Log Method
Details: `'favicon.ico' Based Fingerprinting (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.20108
Version used: `2023-08-01T13:29:10Z`

[return to 172.30.9.3]

This file was automatically generated.