Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was " hgdfdghgdgd". The scan started at Mon Jan 26 01:47:47 2026 UTC and ended at Mon Jan 26 14:04:13 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 172.31.1.9 2

2.1.1 Critical 80/tcp 2

2.1.2 High 80/tcp 18

2.1.3 Medium 80/tcp 35

2.1.4 Low general/tcp 45

2.1.5 Low general/icmp 46

2.1.6 Log general/tcp 47

2.1.7 Log general/CPE-T 51

2.1.8 Log 80/tcp 52

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.31.1.9 apache22.trabalho_vulnnet	9	9	6	2	13	0
Total: 1	9	9	6	2	13	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Debug" are not shown.

This report contains all 39 results selected by the filtering described above. Before filtering there were 5586 results.

2 Results per Host

2.1 172.31.1.9

Host scan start	Mon Jan 26 10:33:09 2026 UTC
Host scan end	Mon Jan 26 12:16:29 2026 UTC

Service (Port)	Threat Level
80/tcp	Critical
80/tcp	High
80/tcp	Medium
general/tcp	Low
general/icmp	Low
general/tcp	Log
general/CPE-T	Log
80/tcp	Log

2.1.1 Critical 80/tcp

Critical (CVSS: 10.0)
NVT: Apache HTTP Server End of Life (EOL) Detection - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.34
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
```

. . . continues on next page . . .

. . . continued from previous page . . .

↪.0.117232)

Summary
The Apache HTTP Server version on the remote host has reached the End of Life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "Apache HTTP Server" version on the remote host has reached the end of life.
CPE:               cpe:/a:apache:http_server:2.2.34
Installed version: 2.2.34
Location/URL:      80/tcp
EOL version:       2.2
EOL date:          2017-12-31
```

Impact
An EOL version of the Apache HTTP Server is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update the Apache HTTP Server version on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `Apache HTTP Server End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.108085
Version used: `2025-04-15T05:54:49Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.34`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`url: https://archive.apache.org/dist/httpd/Announcement1.3.html`
`url: https://archive.apache.org/dist/httpd/Announcement2.0.html`
`url: https://www.apache.org/dist/httpd/Announcement2.2.html`
`url: https://en.wikipedia.org/wiki/Apache_HTTP_Server#Versions`

Critical (CVSS: 10.0)
NVT: OpenSSL End of Life (EOL) Detection - Linux

Product detection result
`cpe:/a:openssl:openssl:1.0.1t`
`Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)`

Summary
The OpenSSL version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "OpenSSL" version on the remote host has reached the end of life.
CPE:                cpe:/a:openssl:openssl:1.0.1t
Installed version:  1.0.1t
Location/URL:       80/tcp
EOL version:        1.0.1
EOL date:           2016-07-06
```

Impact
An EOL version of OpenSSL is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update the OpenSSL version on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `OpenSSL End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.113018
Version used: `2025-07-09T05:43:50Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:1.0.1t`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
`url: https://openssl-library.org/policies/releasestrat/index.html`

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.2.34`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.34
Fixed version:     2.4.54
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.54 or later.

Affected Software/OS
Apache HTTP Server version 2.4.53 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-26377: mod_proxy_ajp: Possible request smuggling
- CVE-2022-28614: Read beyond bounds via ap_rwrite()
- CVE-2022-28615: Read beyond bounds in ap_strcmp_match()
- CVE-2022-29404: Denial of service in mod_lua r:parsebody
- CVE-2022-30556: Information disclosure in mod_lua with websockets
- CVE-2022-31813: mod_proxy X-Forwarded-For dropped by hop-by-hop mechanism

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.148252
Version used: `2022-06-20T03:04:15Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.34`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2022-26377
cve: CVE-2022-28614
cve: CVE-2022-28615
cve: CVE-2022-29404
cve: CVE-2022-30556
cve: CVE-2022-31813
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.54
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-0134
cert-bund: WID-SEC-2023-0132
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1766
cert-bund: WID-SEC-2022-1764
cert-bund: WID-SEC-2022-0858
cert-bund: WID-SEC-2022-0192
cert-bund: CB-K22/0692
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2789
dfn-cert: DFN-CERT-2022-2652
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2310
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1833
dfn-cert: DFN-CERT-2022-1720
dfn-cert: DFN-CERT-2022-1353
dfn-cert: DFN-CERT-2022-1296
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.34
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.2.34
Fixed version:     2.4.53
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.53 or later.

Affected Software/OS
Apache HTTP Server version 2.4.52 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-22719: mod_lua Use of uninitialized value of in r:parsebody
- CVE-2022-22720: HTTP request smuggling vulnerability
- CVE-2022-22721: Possible buffer overflow with very large or unlimited LimitXMLRequestBody
- CVE-2022-23943: mod_sed: Read/write beyond bounds

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.113837
Version used: `2022-03-21T03:03:41Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.34`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2022-22719
cve: CVE-2022-22720
cve: CVE-2022-22721
cve: CVE-2022-23943
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.53
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1772
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1161
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0898
cert-bund: WID-SEC-2022-0799
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-0755
cert-bund: WID-SEC-2022-0646
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0290
cert-bund: CB-K22/0619
cert-bund: CB-K22/0306
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0678
dfn-cert: DFN-CERT-2022-0582
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.34
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.34
Fixed version:     2.4.52
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.52 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server versions through 2.4.51.

Vulnerability Insight
A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.117856
Version used: `2021-12-23T12:12:57Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.34`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2021-44790
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0727
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0619
cert-bund: CB-K21/1296
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0192
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2022-0068
dfn-cert: DFN-CERT-2021-2656
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
`cpe:/a:apache:http_server:2.2.34`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.34
Fixed version:     2.4.60
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.60 or later.

Affected Software/OS
Apache HTTP Server version 2.4.59 and prior.

Vulnerability Insight
The following flaws exist:
- CVE-2024-36387: Denial of Service (DoS) by Null pointer in websocket over HTTP/2
- CVE-2024-38473: Proxy encoding problem
- CVE-2024-38474: Weakness with encoded question marks in backreferences
- CVE-2024-38475: Weakness in mod_rewrite when first segment of substitution matches filesystem path
- CVE-2024-38476: May use exploitable/malicious backend application output to run local handlers via internal redirect
- CVE-2024-38477: Crash resulting in DoS in mod_proxy via a malicious request
- CVE-2024-39573: mod_rewrite proxy handler substitution

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114682
Version used: `2025-08-07T05:44:51Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.34`
Method: `Apache HTTP Server Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2024-36387
cve: CVE-2024-38473
cve: CVE-2024-38474
cve: CVE-2024-38475
cve: CVE-2024-38476
cve: CVE-2024-38477
cve: CVE-2024-39573
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.60
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2024-3291
cert-bund: WID-SEC-2024-3199
cert-bund: WID-SEC-2024-1913
cert-bund: WID-SEC-2024-1504
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1808
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2024-2841
dfn-cert: DFN-CERT-2024-2787
dfn-cert: DFN-CERT-2024-2736
dfn-cert: DFN-CERT-2024-2342
dfn-cert: DFN-CERT-2024-2214
dfn-cert: DFN-CERT-2024-2201
dfn-cert: DFN-CERT-2024-2180
dfn-cert: DFN-CERT-2024-2110
dfn-cert: DFN-CERT-2024-2017
dfn-cert: DFN-CERT-2024-1963
dfn-cert: DFN-CERT-2024-1920
dfn-cert: DFN-CERT-2024-1919
dfn-cert: DFN-CERT-2024-1911
dfn-cert: DFN-CERT-2024-1907
dfn-cert: DFN-CERT-2024-1893
dfn-cert: DFN-CERT-2024-1816
dfn-cert: DFN-CERT-2024-1811
dfn-cert: DFN-CERT-2024-1784
dfn-cert: DFN-CERT-2024-1741
dfn-cert: DFN-CERT-2024-1699
```

Critical (CVSS: 9.8)
NVT: OpenSSL 1.0.2 and 1.0.1 Multiple Vulnerabilities (Sep 2016) - Linux

Product detection result
`cpe:/a:openssl:openssl:1.0.1t`
`Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)`

Summary
OpenSSL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.0.1t
Fixed version:     1.0.1u
Installation
path / port:       80/tcp
```

Impact
Successful exploitation could result in Denial of Service.

Solution:
Solution type: VendorFix
OpenSSL 1.0.2 users should upgrade to 1.0.2i, OpenSSL 1.0.1 users should upgrade to 1.0.1u.

Affected Software/OS
OpenSSL 1.0.2 and 1.0.1.

Vulnerability Insight
OpenSSL suffers from the possibility of multiple vulnerabilities due to:
1) Missing message length checks which results in Out of Bounds reads up to 2 bytes beyond the allocated buffer, this leads to Denial of Service. The attack works only if client authentication is enabled.
2) Calling MDC2_Update() can cause an overflow if an attacker is able to supply very large amounts of input data after a previous call to EVP_EncryptUpdate() with a partial block then a length check can overflow resulting in a heap corruption.
3) A malfored SHA512 TLS session ticket resulting in an Out of Bounds read which leads to service crash.
4) Unchecking the return value of BN_div_word() function causing an Out of Bounds write if it is used with an overly large BIGNUM. TLS is not affected.
5) Misusing OBJ_obj2txt() function by the function TS_OBJ_print_bio() will results in Out of Bounds reads when large OIDs are presented.
6) DTLS out-of-order messages handling which enable an attacker to cause a DoS attack through memory exhaustion.

. . . continues on next page . . .

. . . continued from previous page . . .

7) A flaw in the DTLS replay attack protection mechanism enabling the attacker to send records for next epochs with a very large sequence number, this causes in dropping all the subsequent legitimate packets and causing a denial of service for a specific DTLS connection.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL 1.0.2 and 1.0.1 Multiple Vulnerabilities (Sep 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.107048
Version used: `2024-02-16T05:06:55Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:1.0.1t`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
`cve: CVE-2016-6306`
`cve: CVE-2016-6303`
`cve: CVE-2016-2181`
`cve: CVE-2016-6302`
`cve: CVE-2016-2182`
`cve: CVE-2016-2180`
`cve: CVE-2016-2179`
`url: https://www.openssl.org/news/secadv/20160922.txt`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2025-1459`
`cert-bund: WID-SEC-2024-1277`
`cert-bund: WID-SEC-2024-0212`
`cert-bund: WID-SEC-2024-0211`
`cert-bund: WID-SEC-2024-0210`
`cert-bund: WID-SEC-2024-0209`
`cert-bund: CB-K20/1023`
`cert-bund: CB-K20/0321`
`cert-bund: CB-K20/0314`
`cert-bund: CB-K19/0618`
`cert-bund: CB-K19/0615`
`cert-bund: CB-K18/0296`
`cert-bund: CB-K18/0098`
`cert-bund: CB-K17/1753`
`cert-bund: CB-K17/1709`
`cert-bund: CB-K17/1202`
`cert-bund: CB-K17/0917`
`cert-bund: CB-K17/0724`
`cert-bund: CB-K17/0661`
`cert-bund: CB-K17/0657`
`cert-bund: CB-K17/0506`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/0394
cert-bund: CB-K17/0391
cert-bund: CB-K17/0098
cert-bund: CB-K17/0097
cert-bund: CB-K17/0086
cert-bund: CB-K17/0082
cert-bund: CB-K16/1958
cert-bund: CB-K16/1837
cert-bund: CB-K16/1830
cert-bund: CB-K16/1635
cert-bund: CB-K16/1630
cert-bund: CB-K16/1624
cert-bund: CB-K16/1622
cert-bund: CB-K16/1620
cert-bund: CB-K16/1500
cert-bund: CB-K16/1465
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2018-1377
dfn-cert: DFN-CERT-2018-0323
dfn-cert: DFN-CERT-2018-0100
dfn-cert: DFN-CERT-2017-1831
dfn-cert: DFN-CERT-2017-1785
dfn-cert: DFN-CERT-2017-1239
dfn-cert: DFN-CERT-2017-0947
dfn-cert: DFN-CERT-2017-0746
dfn-cert: DFN-CERT-2017-0677
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0522
dfn-cert: DFN-CERT-2017-0402
dfn-cert: DFN-CERT-2017-0394
dfn-cert: DFN-CERT-2017-0093
dfn-cert: DFN-CERT-2017-0090
dfn-cert: DFN-CERT-2017-0089
dfn-cert: DFN-CERT-2017-0086
dfn-cert: DFN-CERT-2016-2063
dfn-cert: DFN-CERT-2016-1943
dfn-cert: DFN-CERT-2016-1937
dfn-cert: DFN-CERT-2016-1732
dfn-cert: DFN-CERT-2016-1726
dfn-cert: DFN-CERT-2016-1717
dfn-cert: DFN-CERT-2016-1715
dfn-cert: DFN-CERT-2016-1714
dfn-cert: DFN-CERT-2016-1588
dfn-cert: DFN-CERT-2016-1555
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.2.34`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.34
Fixed version:     2.4.49
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.49 or later.

Affected Software/OS
Apache HTTP Server version 2.4.48 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2021-34798: NULL pointer dereference in httpd core
- CVE-2021-39275: ap_escape_quotes buffer overflow
- CVE-2021-40438: mod_proxy SSRF

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.146725
Version used: `2022-08-09T10:11:17Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.34`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2021-34798`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-39275
cve: CVE-2021-40438
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0186
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2022-1298
cert-bund: WID-SEC-2022-1189
cert-bund: WID-SEC-2022-0724
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0476
cert-bund: CB-K22/0465
cert-bund: CB-K22/0463
cert-bund: CB-K21/0992
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2022-2405
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-0904
dfn-cert: DFN-CERT-2022-0878
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0672
dfn-cert: DFN-CERT-2022-0207
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2021-2629
dfn-cert: DFN-CERT-2021-2471
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2164
dfn-cert: DFN-CERT-2021-2153
dfn-cert: DFN-CERT-2021-2098
dfn-cert: DFN-CERT-2021-2090
dfn-cert: DFN-CERT-2021-2047
dfn-cert: DFN-CERT-2021-2020
dfn-cert: DFN-CERT-2021-1961
```

Critical (CVSS: 9.0)
NVT: Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux

Product detection result

cpe:/a:apache:http_server:2.2.34

. . . continues on next page . . .

. . . continued from previous page . . .

```
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.34
Fixed version:     2.4.55
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.55 or later.

Affected Software/OS
Apache HTTP Server version 2.4.54 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2006-20001: mod_dav out of bounds read, or write of zero byte
- CVE-2022-36760: Possible request smuggling in mod_proxy_ajp
- CVE-2022-37436: mod_proxy allows a backend to trigger HTTP response splitting

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.149152
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.34`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2006-20001
cve: CVE-2022-36760
cve: CVE-2022-37436
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.55
cert-bund: WID-SEC-2024-3195
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1022
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0110
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-1895
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0548
dfn-cert: DFN-CERT-2023-0497
dfn-cert: DFN-CERT-2023-0118
```

[return to 172.31.1.9]

2.1.2 High 80/tcp

High (CVSS: 8.1)
NVT: Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.34
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a man-in-the-middle attack vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.34
Fixed version:     2.4.24
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to redirect an application's outbound HTTP traffic to an arbitrary proxy server via a crafted proxy header in an HTTP request.

Solution:

Solution type: VendorFix

Update to version 2.4.24, or 2.2.32, or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server through 2.4.23.
NOTE: Apache HTTP Server 2.2.32 is not vulnerable.

Vulnerability Insight
The flaw is due to 'CGI Servlet' does not protect applications from the presence of untrusted client data in the 'HTTP_PROXY' environment variable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808632
Version used: `2024-02-08T14:36:53Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.34`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2016-5387`
`url: https://www.apache.org/security/asf-httpoxy-response.txt`
`url: http://www.securityfocus.com/bid/91816`
`cert-bund: WID-SEC-2025-2522`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: CB-K17/2013`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1842`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/0527`
`cert-bund: CB-K17/0055`
`cert-bund: CB-K16/1995`
`cert-bund: CB-K16/1620`
`cert-bund: CB-K16/1289`
`cert-bund: CB-K16/1103`
`cert-bund: CB-K16/1088`
`cert-bund: CB-K16/1087`
`dfn-cert: DFN-CERT-2017-2104`
`dfn-cert: DFN-CERT-2017-1926`
`dfn-cert: DFN-CERT-2017-1925`
`dfn-cert: DFN-CERT-2017-1692`
`dfn-cert: DFN-CERT-2017-0532`
`dfn-cert: DFN-CERT-2017-0060`
`dfn-cert: DFN-CERT-2016-2108`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1717
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1175
dfn-cert: DFN-CERT-2016-1162
dfn-cert: DFN-CERT-2016-1153
```

High (CVSS: 7.5)
NVT: OpenSSL OCSP Status Request extension unbounded memory growth Vulnerability - Linux

Product detection result

```
cpe:/a:openssl:openssl:1.0.1t
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary

OpenSSL is prone to a Denial of Service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.0.1t
Fixed version:     1.0.1u
Installation
path / port:       80/tcp
```

Impact

Successful exploitation could result in service crash.

Solution:

Solution type: VendorFix

OpenSSL 1.1.0 users should upgrade to 1.1.0a. OpenSSL 1.0.2 users should upgrade to 1.0.2i. OpenSSL 1.0.1 users should upgrade to 1.0.1u.

Affected Software/OS

OpenSSL 1.1.0 and previous versions.

Vulnerability Insight

OpenSSL suffers from the possibility of DoS attack through sending a large OCSP Status Request extensions which lead to unbounded memory growth on the server which in turn lead to denial of service.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `OpenSSL OCSP Status Request extension unbounded memory growth Vulnerability - L.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪. .
OID:1.3.6.1.4.1.25623.1.0.107050
Version used: 2024-02-15T05:05:40Z

Product Detection Result
Product: cpe:/a:openssl:openssl:1.0.1t
Method: OpenSSL Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
cve: CVE-2016-6304
url: https://www.openssl.org/news/secadv/20160922.txt
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-1277
cert-bund: WID-SEC-2024-0209
cert-bund: CB-K18/0296
cert-bund: CB-K17/1753
cert-bund: CB-K17/1709
cert-bund: CB-K17/1423
cert-bund: CB-K17/1202
cert-bund: CB-K17/1092
cert-bund: CB-K17/0955
cert-bund: CB-K17/0917
cert-bund: CB-K17/0661
cert-bund: CB-K17/0657
cert-bund: CB-K17/0098
cert-bund: CB-K17/0086
cert-bund: CB-K17/0082
cert-bund: CB-K16/1958
cert-bund: CB-K16/1837
cert-bund: CB-K16/1830
cert-bund: CB-K16/1784
cert-bund: CB-K16/1755
cert-bund: CB-K16/1638
cert-bund: CB-K16/1635
cert-bund: CB-K16/1630
cert-bund: CB-K16/1624
cert-bund: CB-K16/1622
cert-bund: CB-K16/1500
cert-bund: CB-K16/1465
dfn-cert: DFN-CERT-2018-0323
dfn-cert: DFN-CERT-2017-1831
dfn-cert: DFN-CERT-2017-1785
dfn-cert: DFN-CERT-2017-1485
dfn-cert: DFN-CERT-2017-1239
dfn-cert: DFN-CERT-2017-1124

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-0988
dfn-cert: DFN-CERT-2017-0947
dfn-cert: DFN-CERT-2017-0677
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0090
dfn-cert: DFN-CERT-2017-0089
dfn-cert: DFN-CERT-2017-0086
dfn-cert: DFN-CERT-2016-2063
dfn-cert: DFN-CERT-2016-1943
dfn-cert: DFN-CERT-2016-1937
dfn-cert: DFN-CERT-2016-1898
dfn-cert: DFN-CERT-2016-1859
dfn-cert: DFN-CERT-2016-1734
dfn-cert: DFN-CERT-2016-1732
dfn-cert: DFN-CERT-2016-1726
dfn-cert: DFN-CERT-2016-1715
dfn-cert: DFN-CERT-2016-1714
dfn-cert: DFN-CERT-2016-1588
dfn-cert: DFN-CERT-2016-1555
```

High (CVSS: 7.5)
NVT: OpenSSL: Integer overflow in CipherUpdate (CVE-2021-23840) - Linux

Product detection result

```
cpe:/a:openssl:openssl:1.0.1t
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary

OpenSSL is prone to an integer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.0.1t
Fixed version:     1.0.2y / 1.1.1j
Installation
path / port:       80/tcp
```

Impact

This vulnerability could cause applications to behave incorrectly or crash.

Solution:

Solution type: VendorFix

Update to version 1.0.2y, 1.1.1j or later. See the references for more details.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
OpenSSL versions 1.0.2x and prior and 1.1.1i and prior.

Vulnerability Insight
Calls to EVP_CipherUpdate, EVP_EncryptUpdate and EVP_DecryptUpdate may overflow the output length argument in some cases where the input length is close to the maximum permissible length for an integer on the platform. In such cases the return value from the function call will be 1 (indicating success), but the output length value will be negative.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL: Integer overflow in CipherUpdate (CVE-2021-23840) - Linux`
OID:1.3.6.1.4.1.25623.1.0.145407
Version used: `2021-08-30T10:29:27Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:1.0.1t`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
`cve: CVE-2021-23840`
`url: https://www.openssl.org/news/secadv/20210216.txt`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2024-0794`
`cert-bund: WID-SEC-2022-1894`
`cert-bund: WID-SEC-2022-1320`
`cert-bund: WID-SEC-2022-0676`
`cert-bund: WID-SEC-2022-0669`
`cert-bund: WID-SEC-2022-0602`
`cert-bund: CB-K22/0061`
`cert-bund: CB-K21/0389`
`cert-bund: CB-K21/0185`
`dfn-cert: DFN-CERT-2024-2451`
`dfn-cert: DFN-CERT-2022-1582`
`dfn-cert: DFN-CERT-2022-1571`
`dfn-cert: DFN-CERT-2022-1215`
`dfn-cert: DFN-CERT-2022-0121`
`dfn-cert: DFN-CERT-2022-0076`
`dfn-cert: DFN-CERT-2021-2527`
`dfn-cert: DFN-CERT-2021-2394`
`dfn-cert: DFN-CERT-2021-2223`
`dfn-cert: DFN-CERT-2021-2216`
`dfn-cert: DFN-CERT-2021-2214`
`dfn-cert: DFN-CERT-2021-1996`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-1803
dfn-cert: DFN-CERT-2021-1670
dfn-cert: DFN-CERT-2021-1547
dfn-cert: DFN-CERT-2021-1418
dfn-cert: DFN-CERT-2021-1061
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0829
dfn-cert: DFN-CERT-2021-0818
dfn-cert: DFN-CERT-2021-0806
dfn-cert: DFN-CERT-2021-0740
dfn-cert: DFN-CERT-2021-0409
dfn-cert: DFN-CERT-2021-0379
dfn-cert: DFN-CERT-2021-0363
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.34
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an out-of-bounds read vulnerability in mod_macro.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.34
Fixed version:     2.4.58
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.58 or later.

Affected Software/OS

Apache HTTP Server version 2.4.57 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.100272

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2024-02-15T05:05:40Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.2.34
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2023-31122
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.58
url: https://www.openwall.com/lists/oss-security/2023/10/19/4
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0899
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2024-0107
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2712
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2024-0732
dfn-cert: DFN-CERT-2023-2640
dfn-cert: DFN-CERT-2023-2583

High (CVSS: 7.5)
NVT: OpenSSL Multiple Vulnerabilities (Feb 2017)

Product detection result
cpe:/a:openssl:openssl:1.0.1t
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)

Summary
OpenSSL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 1.0.1t
Fixed version: 1.0.2k
Installation
path / port: 80/tcp

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successful exploitation will allow a remote attacker to conduct a denial of service attack and produce incorrect results.

Solution:
Solution type: VendorFix
Upgrade to OpenSSL version 1.1.0d or 1.0.2k or later.

Affected Software/OS
OpenSSL 1.1.0 before 1.1.0d and 1.0.2 before 1.0.2k

Vulnerability Insight
Multiple flaws exist due to:
- An out-of-bounds read error while using a specific cipher.
- A carry propagating bug in the x86_64 Montgomery squaring procedure.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL Multiple Vulnerabilities (Feb 2017)`
OID:1.3.6.1.4.1.25623.1.0.810542
Version used: `2024-02-20T05:05:48Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:1.0.1t`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
`cve: CVE-2017-3731`
`cve: CVE-2017-3732`
`url: https://www.openssl.org/news/secadv/20170126.txt`
`url: http://www.securityfocus.com/bid/95813`
`url: http://www.securityfocus.com/bid/95814`
`cert-bund: WID-SEC-2025-1459`
`cert-bund: WID-SEC-2025-1212`
`cert-bund: WID-SEC-2023-1594`
`cert-bund: WID-SEC-2022-1914`
`cert-bund: WID-SEC-2022-0673`
`cert-bund: CB-K22/0045`
`cert-bund: CB-K19/0354`
`cert-bund: CB-K18/0482`
`cert-bund: CB-K18/0296`
`cert-bund: CB-K18/0098`
`cert-bund: CB-K18/0006`
`cert-bund: CB-K17/1892`
`cert-bund: CB-K17/1753`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/1749
cert-bund: CB-K17/1748
cert-bund: CB-K17/1747
cert-bund: CB-K17/1725
cert-bund: CB-K17/1709
cert-bund: CB-K17/1205
cert-bund: CB-K17/1204
cert-bund: CB-K17/1198
cert-bund: CB-K17/0896
cert-bund: CB-K17/0724
cert-bund: CB-K17/0659
cert-bund: CB-K17/0657
cert-bund: CB-K17/0583
cert-bund: CB-K17/0308
cert-bund: CB-K17/0307
cert-bund: CB-K17/0302
cert-bund: CB-K17/0289
cert-bund: CB-K17/0267
cert-bund: CB-K17/0214
cert-bund: CB-K17/0175
cert-bund: CB-K17/0158
cert-bund: CB-K17/0153
dfn-cert: DFN-CERT-2019-0228
dfn-cert: DFN-CERT-2018-1907
dfn-cert: DFN-CERT-2018-1675
dfn-cert: DFN-CERT-2018-1377
dfn-cert: DFN-CERT-2018-1048
dfn-cert: DFN-CERT-2018-1036
dfn-cert: DFN-CERT-2018-0952
dfn-cert: DFN-CERT-2018-0620
dfn-cert: DFN-CERT-2018-0512
dfn-cert: DFN-CERT-2018-0323
dfn-cert: DFN-CERT-2018-0100
dfn-cert: DFN-CERT-2018-0011
dfn-cert: DFN-CERT-2017-1972
dfn-cert: DFN-CERT-2017-1831
dfn-cert: DFN-CERT-2017-1830
dfn-cert: DFN-CERT-2017-1828
dfn-cert: DFN-CERT-2017-1827
dfn-cert: DFN-CERT-2017-1807
dfn-cert: DFN-CERT-2017-1785
dfn-cert: DFN-CERT-2017-1244
dfn-cert: DFN-CERT-2017-1243
dfn-cert: DFN-CERT-2017-1236
dfn-cert: DFN-CERT-2017-0925
dfn-cert: DFN-CERT-2017-0746
dfn-cert: DFN-CERT-2017-0675
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-0673
dfn-cert: DFN-CERT-2017-0608
dfn-cert: DFN-CERT-2017-0314
dfn-cert: DFN-CERT-2017-0313
dfn-cert: DFN-CERT-2017-0307
dfn-cert: DFN-CERT-2017-0301
dfn-cert: DFN-CERT-2017-0272
dfn-cert: DFN-CERT-2017-0219
dfn-cert: DFN-CERT-2017-0178
dfn-cert: DFN-CERT-2017-0162
dfn-cert: DFN-CERT-2017-0156
```

High (CVSS: 7.5)
NVT: OpenSSL Death Alert Denial of Service Vulnerability - Linux

Product detection result

```
cpe:/a:openssl:openssl:1.0.1t
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary

OpenSSL is prone to a Denial of Service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.0.1t
Fixed version:     1.1.0b or 1.0.2j
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow a remote attacker to conduct a denial of service condition.

Solution:

Solution type: VendorFix

Upgrade to OpenSSL version 1.0.2j or 1.1.0b or later.

Affected Software/OS

OpenSSL versions 1.1.0, 1.0.2 through 1.0.2h, all 1.0.1 and all 0.9.8.

Vulnerability Insight

The flaw is due to an error in function 'ssl3_read_bytes' in ssl/s3_pkt.c script which might lead to higher CPU usage due to improper handling of warning packets.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL Death Alert Denial of Service Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.809778
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:1.0.1t`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
```
cve: CVE-2016-8610
url: http://seclists.org/oss-sec/2016/q4/224
url: http://www.securityfocus.com/bid/93841
url: https://git.openssl.org/gitweb/?p=openssl.git;a=commit;h=af58be768ebb690f78
↪530f796e92b8ae5c9a4401
url: https://securingtomorrow.mcafee.com/mcafee-labs/ssl-death-alert-cve-2016-86
↪10-can-cause-denial-of-service-to-openssl-servers
cert-bund: WID-SEC-2026-0180
cert-bund: CB-K20/1023
cert-bund: CB-K20/0321
cert-bund: CB-K20/0314
cert-bund: CB-K19/0618
cert-bund: CB-K19/0615
cert-bund: CB-K17/1725
cert-bund: CB-K17/1716
cert-bund: CB-K17/1709
cert-bund: CB-K17/1423
cert-bund: CB-K17/1385
cert-bund: CB-K17/1092
cert-bund: CB-K17/0955
cert-bund: CB-K17/0917
cert-bund: CB-K17/0724
cert-bund: CB-K17/0380
cert-bund: CB-K17/0302
cert-bund: CB-K17/0267
cert-bund: CB-K17/0214
cert-bund: CB-K17/0203
cert-bund: CB-K17/0190
cert-bund: CB-K17/0181
cert-bund: CB-K17/0175
cert-bund: CB-K17/0158
cert-bund: CB-K16/1694
dfn-cert: DFN-CERT-2019-2157
dfn-cert: DFN-CERT-2019-1455
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1240
dfn-cert: DFN-CERT-2018-2513
dfn-cert: DFN-CERT-2018-2491
dfn-cert: DFN-CERT-2018-2396
dfn-cert: DFN-CERT-2017-1807
dfn-cert: DFN-CERT-2017-1799
dfn-cert: DFN-CERT-2017-1785
dfn-cert: DFN-CERT-2017-1485
dfn-cert: DFN-CERT-2017-1447
dfn-cert: DFN-CERT-2017-1124
dfn-cert: DFN-CERT-2017-0988
dfn-cert: DFN-CERT-2017-0947
dfn-cert: DFN-CERT-2017-0746
dfn-cert: DFN-CERT-2017-0385
dfn-cert: DFN-CERT-2017-0307
dfn-cert: DFN-CERT-2017-0272
dfn-cert: DFN-CERT-2017-0219
dfn-cert: DFN-CERT-2017-0205
dfn-cert: DFN-CERT-2017-0196
dfn-cert: DFN-CERT-2017-0185
dfn-cert: DFN-CERT-2017-0178
dfn-cert: DFN-CERT-2017-0162
dfn-cert: DFN-CERT-2016-1797
```

High (CVSS: 7.5)
NVT: Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version Check

Product detection result

```
cpe:/a:apache:http_server:2.2.34
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.34
Fixed version:     Apply the referenced patch or upgrade to 2.4.28
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
The successful exploitation allows the attacker to read chunks of the host's memory.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server 2.4.28. For Apache HTTP Server running version 2.2.34 apply the patch linked in the references.
As a workaround the usage of .htaccess should be disabled completely via the 'AllowOverride None' directive within the webservers configuration. Furthermore all <Limit> statements within the webserver configuration needs to be verified for invalid HTTP methods.

Affected Software/OS
Apache HTTP Server 2.2.x versions up to 2.2.34 and 2.4.x below 2.4.28.

Vulnerability Insight
Optionsbleed is a use after free error in the Apache HTTP Server that causes a corrupted Allow header to be constructed in response to HTTP OPTIONS requests. This can leak pieces of arbitrary memory from the server process that may contain secrets. The memory pieces change after multiple requests, so for a vulnerable host an arbitrary number of memory chunks can be leaked.
The bug appears if a webmaster tries to use the 'Limit' directive with an invalid HTTP method.
Example .htaccess:
<Limit abcxyz> </Limit>

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version C.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.108252
Version used: `2025-01-21T05:37:33Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.34`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2017-9798`
`url: http://openwall.com/lists/oss-security/2017/09/18/2`
`url: https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-le`
↪`ak-Apaches-server-memory.html`
`url: http://www.securityfocus.com/bid/100872`
`url: https://archive.apache.org/dist/httpd/patches/apply_to_2.2.34/`
`url: https://www.apache.org/dist/httpd/CHANGES_2.4.28`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-1594
cert-bund: CB-K18/1012
cert-bund: CB-K18/0800
cert-bund: CB-K18/0606
cert-bund: CB-K18/0098
cert-bund: CB-K18/0066
cert-bund: CB-K17/2188
cert-bund: CB-K17/2117
cert-bund: CB-K17/2021
cert-bund: CB-K17/1980
cert-bund: CB-K17/1936
cert-bund: CB-K17/1871
cert-bund: CB-K17/1773
cert-bund: CB-K17/1768
cert-bund: CB-K17/1587
dfn-cert: DFN-CERT-2019-0359
dfn-cert: DFN-CERT-2018-2113
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-0725
dfn-cert: DFN-CERT-2018-0100
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2290
dfn-cert: DFN-CERT-2017-2211
dfn-cert: DFN-CERT-2017-2108
dfn-cert: DFN-CERT-2017-2070
dfn-cert: DFN-CERT-2017-2021
dfn-cert: DFN-CERT-2017-1954
dfn-cert: DFN-CERT-2017-1854
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1659
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.34
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 2.2.34
Fixed version:     2.4.59
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.59 or later.

Affected Software/OS
Apache HTTP Server version 2.4.58 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2023-38709: HTTP response splitting
- CVE-2024-24795: HTTP response splitting in multiple modules
- CVE-2024-27316: HTTP/2 DoS by memory exhaustion on endless continuation frames

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.152039
Version used: `2024-06-07T05:05:42Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.34`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2023-38709
cve: CVE-2024-24795
cve: CVE-2024-27316
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.59
url: https://kb.cert.org/vuls/id/421644
url: https://nowotarski.info/http2-continuation-flood/
url: https://nowotarski.info/http2-continuation-flood-technical-details/
cert-bund: WID-SEC-2025-1529
cert-bund: WID-SEC-2024-1725
cert-bund: WID-SEC-2024-1643
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1504
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0801
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-0789
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-2658
dfn-cert: DFN-CERT-2025-2657
dfn-cert: DFN-CERT-2024-2900
dfn-cert: DFN-CERT-2024-2534
dfn-cert: DFN-CERT-2024-2076
dfn-cert: DFN-CERT-2024-1958
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1749
dfn-cert: DFN-CERT-2024-1697
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1335
dfn-cert: DFN-CERT-2024-1238
dfn-cert: DFN-CERT-2024-1031
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-0964
dfn-cert: DFN-CERT-2024-0901
dfn-cert: DFN-CERT-2024-0890
```

High (CVSS: 7.1)
NVT: Apache HTTP Server 'mod_proxy_http.c' Denial Of Service Vulnerability

Product detection result

```
cpe:/a:apache:http_server:2.2.34
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a Denial of Service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.34
Fixed version:     2.3.3
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause Denial of Service to the legitimate user by CPU consumption.

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 2.3.3 or later.

Affected Software/OS
Apache HTTP Server version prior to 2.3.3.

Vulnerability Insight
The flaw is due to error in 'stream_reqbody_cl' function in 'mod_proxy_http.c' in the mod_proxy module. When a reverse proxy is configured, it does not properly handle an amount of streamed data that exceeds the Content-Length value via crafted requests.

Vulnerability Detection Method
Details: `Apache HTTP Server 'mod_proxy_http.c' Denial Of Service Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.800827
Version used: `2022-05-09T13:48:18Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.34`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2009-1890
url: http://secunia.com/advisories/35691
url: http://www.securityfocus.com/bid/35565
url: http://www.vupen.com/english/advisories/2009/1773
url: http://svn.apache.org/viewvc/httpd/httpd/trunk/CHANGES?r1=790587&r2=790586&
↪pathrev=790587
dfn-cert: DFN-CERT-2010-1665
dfn-cert: DFN-CERT-2010-1647
dfn-cert: DFN-CERT-2009-1725
dfn-cert: DFN-CERT-2009-1507
dfn-cert: DFN-CERT-2009-1225
```

[return to 172.31.1.9]

2.1.3 Medium 80/tcp

Medium (CVSS: 5.9)
NVT: OpenSSL: Null pointer deref in X509_issuer_and_serial_hash() (CVE-2021-23841) - Linux

Product detection result
`cpe:/a:openssl:openssl:1.0.1t`
`Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
OpenSSL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.0.1t
Fixed version:     1.0.2y / 1.1.1j
Installation
path / port:       80/tcp
```

Impact
This vulnerability may subsequently result in a NULL pointer deref and a crash leading to a potential denial of service attack.

Solution:
Solution type: VendorFix
Update to version 1.0.2y, 1.1.1j or later. See the references for more details.

Affected Software/OS
OpenSSL version 1.0.2x and prior and 1.1.1i and prior.

Vulnerability Insight
The OpenSSL public API function X509_issuer_and_serial_hash() attempts to create a unique hash value based on the issuer and serial number data contained within an X509 certificate. However it fails to correctly handle any errors that may occur while parsing the issuer field (which might occur if the issuer field is maliciously constructed).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL: Null pointer deref in X509_issuer_and_serial_hash() (CVE-2021-23841) -. ↪..`
OID:1.3.6.1.4.1.25623.1.0.145403
Version used: `2021-08-30T10:29:27Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:1.0.1t`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
`cve: CVE-2021-23841`
`url: https://www.openssl.org/news/secadv/20210216.txt`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-1303
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0669
cert-bund: WID-SEC-2022-0602
cert-bund: CB-K21/0573
cert-bund: CB-K21/0572
cert-bund: CB-K21/0565
cert-bund: CB-K21/0421
cert-bund: CB-K21/0412
cert-bund: CB-K21/0389
cert-bund: CB-K21/0185
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2216
dfn-cert: DFN-CERT-2021-2214
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-1803
dfn-cert: DFN-CERT-2021-1670
dfn-cert: DFN-CERT-2021-1547
dfn-cert: DFN-CERT-2021-1418
dfn-cert: DFN-CERT-2021-1132
dfn-cert: DFN-CERT-2021-1129
dfn-cert: DFN-CERT-2021-1128
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0818
dfn-cert: DFN-CERT-2021-0806
dfn-cert: DFN-CERT-2021-0740
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0379
dfn-cert: DFN-CERT-2021-0363
```

Medium (CVSS: 5.5)
NVT: OpenSSL: Information Disclosure Vulnerability (CVE-2016-7056) - Linux

Product detection result

```
cpe:/a:openssl:openssl:1.0.1t
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
OpenSSL is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.0.1t
Fixed version:     1.1.0 or 1.0.2
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow a malicious user with local access to recover ECDSA P-256 private keys.

Solution:
Solution type: VendorFix
Upgrade to OpenSSL version 1.1.0 or 1.0.2 or later. See the references for more details.

Affected Software/OS
OpenSSL versions 1.0.1u and prior.

Vulnerability Insight
The flaw exists due to an insufficient setting in the 'BN_FLG_CONSTTIME' flag for nonces, which could trigger a failure to take a secure code path in the BN_mod_inverse method that results in a cache-timing condition.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL: Information Disclosure Vulnerability (CVE-2016-7056) - Linux`
OID:1.3.6.1.4.1.25623.1.0.813794
Version used: `2024-02-19T05:05:57Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:1.0.1t`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References

```
cve: CVE-2016-7056
url: https://tools.cisco.com/security/center/viewAlert.x?alertId=52295
url: http://www.securityfocus.com/bid/95375
url: https://eprint.iacr.org/2016/1195
url: https://git.openssl.org/?p=openssl.git;a=commit;h=8aed2a7548362e88e84a7feb7
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪95a3a97e8395008
cert-bund: WID-SEC-2026-0180
cert-bund: CB-K18/0296
cert-bund: CB-K17/1709
cert-bund: CB-K17/0955
cert-bund: CB-K17/0792
cert-bund: CB-K17/0772
cert-bund: CB-K17/0727
cert-bund: CB-K17/0527
cert-bund: CB-K17/0380
cert-bund: CB-K17/0267
cert-bund: CB-K17/0175
cert-bund: CB-K17/0158
cert-bund: CB-K17/0026
dfn-cert: DFN-CERT-2018-0323
dfn-cert: DFN-CERT-2017-1785
dfn-cert: DFN-CERT-2017-0988
dfn-cert: DFN-CERT-2017-0820
dfn-cert: DFN-CERT-2017-0797
dfn-cert: DFN-CERT-2017-0742
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0385
dfn-cert: DFN-CERT-2017-0272
dfn-cert: DFN-CERT-2017-0178
dfn-cert: DFN-CERT-2017-0162
dfn-cert: DFN-CERT-2017-0027
```

Medium (CVSS: 5.3)
NVT: OpenSSL 'OOB read' Security Bypass Vulnerability - Linux

Product detection result

```
cpe:/a:openssl:openssl:1.0.1t
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary

OpenSSL is prone to an 'OOB read' security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.0.1t
Fixed version:     1.1.0g-dev or 1.0.2m-dev
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successfully exploiting this issue will allow attackers to bypass security restrictions and perform unauthorized actions, this may aid in launching further attacks.

Solution:
Solution type: VendorFix
Upgrade to OpenSSL version 1.1.0g-dev or 1.0.2m-dev or later.

Affected Software/OS
OpenSSL 1.1.0x prior to 1.1.0g-dev, 1.0.2x prior to 1.0.2m-dev, all 1.0.1x, all 0.9.8x and all 1.0.0x versions.

Vulnerability Insight
The flaw exists as OpenSSL could do a one-byte buffer overread if an X.509 certificate has a malformed IPAddressFamily extension.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL 'OOB read' Security Bypass Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.811720
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:1.0.1t`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
```
cve: CVE-2017-3735
url: https://www.openssl.org/news/secadv/20170828.txt
url: http://www.securityfocus.com/bid/100515
url: https://www.openssl.org/news/vulnerabilities.html#y2017
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-1212
cert-bund: WID-SEC-2024-2008
cert-bund: WID-SEC-2024-0207
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K18/1075
cert-bund: CB-K18/0808
cert-bund: CB-K18/0607
cert-bund: CB-K18/0605
cert-bund: CB-K18/0602
cert-bund: CB-K18/0205
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K18/0099
cert-bund: CB-K18/0097
cert-bund: CB-K18/0096
cert-bund: CB-K18/0057
cert-bund: CB-K17/2117
cert-bund: CB-K17/1446
cert-bund: CB-K17/0267
dfn-cert: DFN-CERT-2019-1722
dfn-cert: DFN-CERT-2019-1285
dfn-cert: DFN-CERT-2019-1108
dfn-cert: DFN-CERT-2018-2210
dfn-cert: DFN-CERT-2018-1410
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2018-0736
dfn-cert: DFN-CERT-2018-0729
dfn-cert: DFN-CERT-2018-0696
dfn-cert: DFN-CERT-2018-0223
dfn-cert: DFN-CERT-2018-0106
dfn-cert: DFN-CERT-2018-0104
dfn-cert: DFN-CERT-2018-0101
dfn-cert: DFN-CERT-2018-0064
dfn-cert: DFN-CERT-2017-2211
dfn-cert: DFN-CERT-2017-1512
dfn-cert: DFN-CERT-2017-0272
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server 'mod_lua' Denial of Service Vulnerability -01 (May 2015)

Product detection result

```
cpe:/a:apache:http_server:2.2.34
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.34
Fixed version:     2.4.13
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successful exploitation will allow a remote attacker to cause a denial of service via some crafted dimension.

Solution:
Solution type: VendorFix
Update to version 2.4.13 or later.

Affected Software/OS
Apache HTTP Server versions through 2.4.12.

Vulnerability Insight
Flaw is due to vulnerability in lua_websocket_read function in lua_request.c in the mod_lua module.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_lua' Denial of Service Vulnerability -01 (May 2015)`
OID:1.3.6.1.4.1.25623.1.0.805616
Version used: `2024-02-20T05:05:48Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.34`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2015-0228`
`url: https://bugs.mageia.org/show_bug.cgi?id=15428`
`url: http://www.securityfocus.com/bid/73041`
`url: http://svn.apache.org/repos/asf/httpd/httpd/branches/2.4.x/CHANGES`
`cert-bund: CB-K15/1360`
`cert-bund: CB-K15/1188`
`cert-bund: CB-K15/1051`
`cert-bund: CB-K15/0273`
`cert-bund: CB-K14/1592`
`dfn-cert: DFN-CERT-2015-1435`
`dfn-cert: DFN-CERT-2015-1252`
`dfn-cert: DFN-CERT-2015-1087`
`dfn-cert: DFN-CERT-2015-0285`
`dfn-cert: DFN-CERT-2014-1691`

Medium (CVSS: 5.0)
NVT: Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:apache:http_server:2.2.34
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.34
Fixed version:     2.4.64
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.64 or later.

Affected Software/OS
Apache HTTP Server version 2.4.63 and prior.

Vulnerability Insight
The following flaws exist:
- CVE-2024-42516: HTTP response splitting
- CVE-2024-43204: SSRF with mod_headers setting Content-Type header
- CVE-2024-47252: mod_ssl error log variable escaping
- CVE-2025-49812: mod_ssl TLS upgrade attack

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux
OID:1.3.6.1.4.1.25623.1.0.154909
Version used: 2025-07-11T15:43:14Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.2.34
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2024-42516
cve: CVE-2024-43204

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2024-47252
cve: CVE-2025-49812
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.64
cert-bund: WID-SEC-2026-0162
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1529
dfn-cert: DFN-CERT-2026-0205
dfn-cert: DFN-CERT-2025-2421
dfn-cert: DFN-CERT-2025-2403
dfn-cert: DFN-CERT-2025-2402
dfn-cert: DFN-CERT-2025-2373
dfn-cert: DFN-CERT-2025-2231
dfn-cert: DFN-CERT-2025-2182
dfn-cert: DFN-CERT-2025-1917
dfn-cert: DFN-CERT-2025-1860
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.34
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a Server Side Includes (SSI) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.34
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.66 or later.

Affected Software/OS

Apache HTTP Server prior to version 2.4.66.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server with SSI enabled and mod_cgid (but not mod_cgi) passes the shell-escaped query string to #exec cmd='...' directives.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125564
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.34`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2025-58098
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/5
cert-bund: WID-SEC-2026-0153
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0027
dfn-cert: DFN-CERT-2026-0012
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

[return to 172.31.1.9]

2.1.4 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 3280428127
Packet 2: 3280429207
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
`url: https://datatracker.ietf.org/doc/html/rfc1323`
`url: https://datatracker.ietf.org/doc/html/rfc7323`
`url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d`
`↪ownload/details.aspx?id=9152`
`url: https://www.fortiguard.com/psirt/FG-IR-16-090`

[return to 172.31.1.9]

2.1.5 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact

This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:

Solution type: Mitigation

Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight

The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method

Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.

Details: `ICMP Timestamp Reply Information Disclosure`

OID:1.3.6.1.4.1.25623.1.0.103190

Version used: `2025-01-21T05:37:33Z`

References

```
cve: CVE-1999-0524
url: https://datatracker.ietf.org/doc/html/rfc792
url: https://datatracker.ietf.org/doc/html/rfc2780
cert-bund: CB-K15/1514
cert-bund: CB-K14/0632
dfn-cert: DFN-CERT-2014-0658
```

[return to 172.31.1.9]

2.1.6 Log general/tcp

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Linux/Unix
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from HTTP Server banner on port 80/tcp: Server: Apache/2.2.34 (Unix) m
↪od_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method
Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-01-21T05:50:46Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: Apache HTTP Server Detection Consolidation

Summary
Consolidation of Apache HTTP Server detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Apache HTTP Server
Version:       2.2.34
Location:      80/tcp
CPE:           cpe:/a:apache:http_server:2.2.34
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Concluded from version/product identification result:
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
```

Solution:

Log Method
Details: `Apache HTTP Server Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.117232
Version used: `2024-03-08T15:37:10Z`

References
`url: https://httpd.apache.org`

Log (CVSS: 0.0)
NVT: OpenSSL Detection Consolidation

Summary
Consolidation of OpenSSL detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected OpenSSL
Version:       1.0.1t
Location:      80/tcp
CPE:           cpe:/a:openssl:openssl:1.0.1t
Concluded from version/product identification result:
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
```

Solution:

Log Method
Note: Depending on the install method of OpenSSL on the target host multiple detection and vulnerability results for the same version / installation needs to be expected.
Details: `OpenSSL Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.145462
Version used: `2025-07-09T05:43:50Z`

References
`url: https://openssl-library.org/`

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Hostname determination for IP 172.31.1.9:
Hostname|Source
apache22.trabalho_vulnnet|Reverse-DNS
```

Solution:

Log Method
Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Network route from scanner (172.30.0.2) to target (172.31.1.9):
172.30.0.2
172.31.1.9
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.51662
Version used: 2022-10-17T11:13:19Z

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: IP Forwarding Enabled - Active Check
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: 2021-12-03T08:27:06Z

References
cve: CVE-1999-0511

[return to 172.31.1.9]

2.1.7 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result
172.31.1.9|cpe:/a:apache:http_server:2.2.34
172.31.1.9|cpe:/a:apache:mod_ssl:2.2.34
172.31.1.9|cpe:/a:openssl:openssl:1.0.1t
172.31.1.9|cpe:/o:linux:kernel

Solution:

Log Method
Details: CPE Inventory
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: 2022-07-27T10:11:28Z

References
url: https://nvd.nist.gov/products/cpe

[return to 172.31.1.9]

2.1.8 Log 80/tcp

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
A web server is running on this port

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: Services
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Missing Headers                   | More Information
--------------------------------------------------------------------------------
↪--------------------------------------------------------------------------------
↪-----------------------------------------------
Content-Security-Policy           | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy        | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                   | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Feature-Policy                    | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Referrer-Policy                   | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options            | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options                   | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                  | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

Log Method
Details: `HTTP Security Headers Detection`
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: `2025-03-21T15:40:43Z`

References
`url: https://owasp.org/www-project-secure-headers/`
`url: https://owasp.org/www-project-secure-headers/#div-headers`
`url: https://securityheaders.com/`

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner                                                    | Enumeration t
↪echnique
--------------------------------------------------------------------------------
↪--------------------------------------------------
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2 | Invalid HTTP
↪00.5 GET request (non-existent HTTP version) to '/'
```

Solution:

Log Method
Details: `HTTP Server Banner Enumeration`
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote HTTP Server banner is:
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
```

Solution:

Log Method
Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The Hostname/IP "apache22.trabalho_vulnnet" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
http://apache22.trabalho_vulnnet/
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
```

Solution:

Log Method
Details: `Web Application Scanning Consolidation / Info Reporting`
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: `2026-01-13T05:47:36Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: Apache mod_ssl Detection (HTTP)

Summary
HTTP based detection of Apache mod_ssl.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Apache mod_ssl
Version:       2.2.34
Location:      80/tcp
CPE:           cpe:/a:apache:mod_ssl:2.2.34
Concluded from version/product identification result:
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
```

Solution:

Log Method
Details: `Apache mod_ssl Detection (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.117570

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: `2021-07-19T10:09:41Z`

References

`url: https://httpd.apache.org/docs/2.4/mod/mod_ssl.html`

[return to 172.31.1.9]