Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was " hgdfdghgdgd". The scan started at Mon Jan 26 01:47:47 2026 UTC and ended at Mon Jan 26 14:04:13 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 172.30.6.3 2

2.1.1 Critical 80/tcp 2

2.1.2 High 80/tcp 14

2.1.3 Medium 80/tcp 21

2.1.4 Low 80/tcp 33

2.1.5 Low general/icmp 34

2.1.6 Low general/tcp 35

2.1.7 Log general/CPE-T 36

2.1.8 Log 80/tcp 37

2.1.9 Log general/tcp 42

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.30.6.3 apache-path-traversal.trabalho_vulnnet	7	5	9	3	12	0
Total: 1	7	5	9	3	12	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Debug" are not shown.

This report contains all 36 results selected by the filtering described above. Before filtering there were 5586 results.

2 Results per Host

2.1 172.30.6.3

Host scan start	Mon Jan 26 07:07:13 2026 UTC
Host scan end	Mon Jan 26 08:50:30 2026 UTC

Service (Port)	Threat Level
80/tcp	Critical
80/tcp	High
80/tcp	Medium
80/tcp	Low
general/icmp	Low
general/tcp	Low
general/CPE-T	Log
80/tcp	Log
general/tcp	Log

2.1.1 Critical 80/tcp

Critical (CVSS: 9.8)
NVT: Apache HTTP Server 2.4.0 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.49`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a HTTP request smuggling vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.56
Installation
path / port:       80/tcp
```

Impact
Request splitting/smuggling could result in bypass of access controls in the proxy server, proxying unintended URLs to existing origin servers, and cache poisoning.

Solution:
Solution type: VendorFix
Update to version 2.4.56 or later.

Affected Software/OS
Apache HTTP Server versions 2.4.0 through 2.4.55.

Vulnerability Insight
Some mod_proxy configurations allow a HTTP Request Smuggling attack.
Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server 2.4.0 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.104597
Version used: 2024-02-15T05:05:40Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.49
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2023-25690
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56
cert-bund: WID-SEC-2025-1285
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-3129
cert-bund: WID-SEC-2023-2694
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1809
cert-bund: WID-SEC-2023-1807
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-0657
cert-bund: WID-SEC-2023-0583
dfn-cert: DFN-CERT-2023-1648
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-1232
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0788
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0546
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.60
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.60 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server version 2.4.59 and prior.

Vulnerability Insight
The following flaws exist:
- CVE-2024-36387: Denial of Service (DoS) by Null pointer in websocket over HTTP/2
- CVE-2024-38473: Proxy encoding problem
- CVE-2024-38474: Weakness with encoded question marks in backreferences
- CVE-2024-38475: Weakness in mod_rewrite when first segment of substitution matches filesystem path
- CVE-2024-38476: May use exploitable/malicious backend application output to run local handlers via internal redirect
- CVE-2024-38477: Crash resulting in DoS in mod_proxy via a malicious request
- CVE-2024-39573: mod_rewrite proxy handler substitution

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114682
Version used: `2025-08-07T05:44:51Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2024-36387
cve: CVE-2024-38473
cve: CVE-2024-38474
cve: CVE-2024-38475
cve: CVE-2024-38476
cve: CVE-2024-38477
cve: CVE-2024-39573
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.60
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2024-3291
cert-bund: WID-SEC-2024-3199
cert-bund: WID-SEC-2024-1913
cert-bund: WID-SEC-2024-1504
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1808
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2024-2841
dfn-cert: DFN-CERT-2024-2787
dfn-cert: DFN-CERT-2024-2736
dfn-cert: DFN-CERT-2024-2342
dfn-cert: DFN-CERT-2024-2214
dfn-cert: DFN-CERT-2024-2201
dfn-cert: DFN-CERT-2024-2180
dfn-cert: DFN-CERT-2024-2110
dfn-cert: DFN-CERT-2024-2017
dfn-cert: DFN-CERT-2024-1963
dfn-cert: DFN-CERT-2024-1920
dfn-cert: DFN-CERT-2024-1919
dfn-cert: DFN-CERT-2024-1911
dfn-cert: DFN-CERT-2024-1907
dfn-cert: DFN-CERT-2024-1893
dfn-cert: DFN-CERT-2024-1816
dfn-cert: DFN-CERT-2024-1811
dfn-cert: DFN-CERT-2024-1784
dfn-cert: DFN-CERT-2024-1741
dfn-cert: DFN-CERT-2024-1699
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.53
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 2.4.53 or later.

Affected Software/OS
Apache HTTP Server version 2.4.52 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-22719: mod_lua Use of uninitialized value of in r:parsebody
- CVE-2022-22720: HTTP request smuggling vulnerability
- CVE-2022-22721: Possible buffer overflow with very large or unlimited LimitXMLRequestBody
- CVE-2022-23943: mod_sed: Read/write beyond bounds

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.113837
Version used: `2022-03-21T03:03:41Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2022-22719
cve: CVE-2022-22720
cve: CVE-2022-22721
cve: CVE-2022-23943
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.53
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1772
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1161
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0898
cert-bund: WID-SEC-2022-0799
cert-bund: WID-SEC-2022-0755
cert-bund: WID-SEC-2022-0646
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0290
cert-bund: CB-K22/0619
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K22/0306
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0678
dfn-cert: DFN-CERT-2022-0582
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server 2.4.49 - 2.4.50 Directory Traversal / RCE Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a directory traversal and a possible remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.51
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.51 or later.

Affected Software/OS

Apache HTTP Server version 2.4.49 through 2.4.50.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

It was found that the fix for CVE-2021-41773 in Apache HTTP Server 2.4.50 was insufficient. An attacker could use a path traversal attack to map URLs to files outside the directories configured by Alias-like directives.
If files outside of these directories are not protected by the usual default configuration 'require all denied', these requests can succeed. If CGI scripts are also enabled for these aliased paths, this could allow for remote code execution.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.49 - 2.4.50 Directory Traversal / RCE Vulnerability - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.117710
Version used: `2022-08-09T10:11:17Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2021-42013`
`cisa: Known Exploited Vulnerability (KEV) catalog`
`url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2022-1025`
`cert-bund: CB-K22/0473`
`cert-bund: CB-K21/1029`
`dfn-cert: DFN-CERT-2022-0867`
`dfn-cert: DFN-CERT-2021-2185`
`dfn-cert: DFN-CERT-2021-2099`

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.49`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.54
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.54 or later.

Affected Software/OS
Apache HTTP Server version 2.4.53 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-26377: mod_proxy_ajp: Possible request smuggling
- CVE-2022-28614: Read beyond bounds via ap_rwrite()
- CVE-2022-28615: Read beyond bounds in ap_strcmp_match()
- CVE-2022-29404: Denial of service in mod_lua r:parsebody
- CVE-2022-30556: Information disclosure in mod_lua with websockets
- CVE-2022-31813: mod_proxy X-Forwarded-For dropped by hop-by-hop mechanism

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.148252
Version used: `2022-06-20T03:04:15Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2022-26377
cve: CVE-2022-28614
cve: CVE-2022-28615
cve: CVE-2022-29404
cve: CVE-2022-30556
cve: CVE-2022-31813
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.54
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-0134
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-0132
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1766
cert-bund: WID-SEC-2022-1764
cert-bund: WID-SEC-2022-0858
cert-bund: WID-SEC-2022-0192
cert-bund: CB-K22/0692
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2789
dfn-cert: DFN-CERT-2022-2652
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2310
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1833
dfn-cert: DFN-CERT-2022-1720
dfn-cert: DFN-CERT-2022-1353
dfn-cert: DFN-CERT-2022-1296
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.52
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.52 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server versions through 2.4.51.

Vulnerability Insight
A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.117856
Version used: `2021-12-23T12:12:57Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2021-44790`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2024-0064`
`cert-bund: WID-SEC-2022-1908`
`cert-bund: WID-SEC-2022-1767`
`cert-bund: WID-SEC-2022-1057`
`cert-bund: WID-SEC-2022-0727`
`cert-bund: WID-SEC-2022-0432`
`cert-bund: WID-SEC-2022-0302`
`cert-bund: WID-SEC-2022-0190`
`cert-bund: CB-K22/0619`
`cert-bund: CB-K21/1296`
`dfn-cert: DFN-CERT-2022-1116`
`dfn-cert: DFN-CERT-2022-1115`
`dfn-cert: DFN-CERT-2022-1114`
`dfn-cert: DFN-CERT-2022-0747`
`dfn-cert: DFN-CERT-2022-0369`
`dfn-cert: DFN-CERT-2022-0192`
`dfn-cert: DFN-CERT-2022-0098`
`dfn-cert: DFN-CERT-2022-0068`
`dfn-cert: DFN-CERT-2021-2656`

Critical (CVSS: 9.0)
NVT: Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.55
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.55 or later.

Affected Software/OS
Apache HTTP Server version 2.4.54 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2006-20001: mod_dav out of bounds read, or write of zero byte
- CVE-2022-36760: Possible request smuggling in mod_proxy_ajp
- CVE-2022-37436: mod_proxy allows a backend to trigger HTTP response splitting

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.149152
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2006-20001
cve: CVE-2022-36760
cve: CVE-2022-37436
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.55
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1022
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0110
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-1895
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0548
dfn-cert: DFN-CERT-2023-0497
dfn-cert: DFN-CERT-2023-0118
```

[return to 172.30.6.3]

2.1.2 High 80/tcp

High (CVSS: 8.2)
NVT: Apache HTTP Server 2.4.7 - 2.4.51 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.52
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.52 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server version 2.4.7 through 2.4.51.

Vulnerability Insight
A crafted URI sent to httpd configured as a forward proxy (ProxyRequests on) can cause a crash (NULL pointer dereference) or, for configurations mixing forward and reverse proxy declarations, can allow for requests to be directed to a declared Unix Domain Socket endpoint (Server Side Request Forgery).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.7 - 2.4.51 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.117854
Version used: `2021-12-23T12:12:57Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2021-44224`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2024-2180`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2022-1057`
`cert-bund: WID-SEC-2022-0727`
`cert-bund: WID-SEC-2022-0432`
`cert-bund: WID-SEC-2022-0302`
`cert-bund: CB-K22/0619`
`cert-bund: CB-K21/1296`
`dfn-cert: DFN-CERT-2022-2405`
`dfn-cert: DFN-CERT-2022-2167`
`dfn-cert: DFN-CERT-2022-1116`
`dfn-cert: DFN-CERT-2022-1115`
`dfn-cert: DFN-CERT-2022-1114`
`dfn-cert: DFN-CERT-2022-1047`
`dfn-cert: DFN-CERT-2022-0872`
`dfn-cert: DFN-CERT-2022-0068`
`dfn-cert: DFN-CERT-2021-2656`

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.49`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.59
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.59 or later.

Affected Software/OS
Apache HTTP Server version 2.4.58 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2023-38709: HTTP response splitting
- CVE-2024-24795: HTTP response splitting in multiple modules
- CVE-2024-27316: HTTP/2 DoS by memory exhaustion on endless continuation frames

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.152039
Version used: `2024-06-07T05:05:42Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2023-38709
cve: CVE-2024-24795
cve: CVE-2024-27316
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.59
url: https://kb.cert.org/vuls/id/421644
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://nowotarski.info/http2-continuation-flood/
url: https://nowotarski.info/http2-continuation-flood-technical-details/
cert-bund: WID-SEC-2025-1529
cert-bund: WID-SEC-2024-1725
cert-bund: WID-SEC-2024-1643
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1504
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0801
cert-bund: WID-SEC-2024-0789
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-2658
dfn-cert: DFN-CERT-2025-2657
dfn-cert: DFN-CERT-2024-2900
dfn-cert: DFN-CERT-2024-2534
dfn-cert: DFN-CERT-2024-2076
dfn-cert: DFN-CERT-2024-1958
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1749
dfn-cert: DFN-CERT-2024-1697
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1335
dfn-cert: DFN-CERT-2024-1238
dfn-cert: DFN-CERT-2024-1031
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-0964
dfn-cert: DFN-CERT-2024-0901
dfn-cert: DFN-CERT-2024-0890
```

High (CVSS: 7.5)
NVT: Apache HTTP Server 2.4.30 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a HTTP request smuggling vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      2.4.56
Installation
path / port:        80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.56 or later.

Affected Software/OS
Apache HTTP Server versions 2.4.30 through 2.4.55.

Vulnerability Insight
HTTP Response Smuggling vulnerability via mod_proxy_uwsgi.
Special characters in the origin response header can truncate/split the response forwarded to the client.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.30 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.104599
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2023-27522
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-0583
dfn-cert: DFN-CERT-2024-1808
dfn-cert: DFN-CERT-2023-1895
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0546
```

High (CVSS: 7.5)
NVT: Apache HTTP Server 2.4.49 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.49`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.50
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.50 or later.

Affected Software/OS
Apache HTTP Server version 2.4.49.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2021-41524: Null pointer dereference in h2 fuzzing
- CVE-2021-41773: Path traversal and file disclosure
Note: If 'mod_cgi' is enabled CVE-2021-41773 can be also be used by an attacker to achieve remote code execution (RCE).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server 2.4.49 Multiple Vulnerabilities - Linux
OID:1.3.6.1.4.1.25623.1.0.146836
Version used: 2023-10-20T16:09:12Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.49
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2021-41524
cve: CVE-2021-41773
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1025
cert-bund: CB-K21/1029
dfn-cert: DFN-CERT-2022-2405
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2074
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an out-of-bounds read vulnerability in mod_macro.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.58
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.58 or later.

Affected Software/OS

Apache HTTP Server version 2.4.57 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.100272

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.49`

Method: `Apache HTTP Server Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2023-31122
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.58
url: https://www.openwall.com/lists/oss-security/2023/10/19/4
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0899
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2024-0107
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2712
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2024-0732
dfn-cert: DFN-CERT-2023-2640
dfn-cert: DFN-CERT-2023-2583
```

[return to 172.30.6.3]

2.1.3 Medium 80/tcp

Medium (CVSS: 5.9)
NVT: Apache HTTP Server 2.4.17 - 2.4.57 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.58
Installation
path / port:       80/tcp
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 2.4.58 or later.

Affected Software/OS
Apache HTTP Server version 2.4.17 through 2.4.57.

Vulnerability Insight
When a HTTP/2 stream was reset (RST frame) by a client, there was a time window were the request's memory resources were not reclaimed immediately. Instead, de-allocation was deferred to connection close. A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.
This was found by the reporter during testing of CVE-2023-44487 (HTTP/2 Rapid Reset Exploit) with their own test client. During 'normal' HTTP/2 use, the probability to hit this bug is very low. The kept memory would not become noticeable before the connection closes or times out.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.17 - 2.4.57 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.100310
Version used: `2024-08-02T05:05:39Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2023-45802`
`url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.58`
`url: https://www.openwall.com/lists/oss-security/2023/10/19/6`
`url: https://github.com/icing/blog/blob/main/h2-rapid-reset.md`
`cert-bund: WID-SEC-2024-0769`
`cert-bund: WID-SEC-2023-2917`
`cert-bund: WID-SEC-2023-2712`
`dfn-cert: DFN-CERT-2024-2968`
`dfn-cert: DFN-CERT-2024-1411`
`dfn-cert: DFN-CERT-2024-1335`
`dfn-cert: DFN-CERT-2024-1152`
`dfn-cert: DFN-CERT-2024-1010`
`dfn-cert: DFN-CERT-2023-3071`
`dfn-cert: DFN-CERT-2023-2596`
`dfn-cert: DFN-CERT-2023-2583`

Medium (CVSS: 5.8)
NVT: Apache HTTP Server 2.4.7 - 2.4.65 Authentication Bypass Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.49`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to an authentication bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

Affected Software/OS
Apache HTTP Server version 2.4.7 through 2.4.65.

Vulnerability Insight
mod_userdir+suexec bypass via AllowOverride FileInfo vulnerability in Apache HTTP Server. Users with access to use the RequestHeader directive in htaccess can cause some CGI scripts to run under an unexpected userid.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.7 - 2.4.65 Authentication Bypass Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125567
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2025-66200`
`url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.openwall.com/lists/oss-security/2025/12/04/8
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

Medium (CVSS: 5.8)
NVT: HTTP Debugging Methods (TRACE/TRACK) Enabled

Summary
The remote web server supports the TRACE and/or TRACK methods. TRACE and TRACK are HTTP methods which are used to debug web server connections.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
`The web server has the following HTTP methods enabled: TRACE`

Impact
An attacker may use this flaw to trick your legitimate web users to give him their credentials.

Solution:
Solution type: Mitigation
Disable the TRACE and TRACK methods in your web server configuration.
Please see the manual of your web server or the references for more information.

Affected Software/OS
Web servers with enabled TRACE and/or TRACK methods.

Vulnerability Insight
It has been shown that web servers supporting this methods are subject to cross-site-scripting attacks, dubbed XST for Cross-Site-Tracing, when used in conjunction with various weaknesses in browsers.

Vulnerability Detection Method
Checks if HTTP methods such as TRACE and TRACK are enabled and can be used.
Details: `HTTP Debugging Methods (TRACE/TRACK) Enabled`
OID:1.3.6.1.4.1.25623.1.0.11213
Version used: `2023-08-01T13:29:10Z`

References
```
cve: CVE-2003-1567
cve: CVE-2004-2320
cve: CVE-2004-2763
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2005-3398
cve: CVE-2006-4683
cve: CVE-2007-3008
cve: CVE-2008-7253
cve: CVE-2009-2823
cve: CVE-2010-0386
cve: CVE-2012-2223
cve: CVE-2014-7883
url: http://www.kb.cert.org/vuls/id/288308
url: http://www.securityfocus.com/bid/11604
url: http://www.securityfocus.com/bid/15222
url: http://www.securityfocus.com/bid/19915
url: http://www.securityfocus.com/bid/24456
url: http://www.securityfocus.com/bid/33374
url: http://www.securityfocus.com/bid/36956
url: http://www.securityfocus.com/bid/36990
url: http://www.securityfocus.com/bid/37995
url: http://www.securityfocus.com/bid/9506
url: http://www.securityfocus.com/bid/9561
url: http://www.kb.cert.org/vuls/id/867593
url: https://httpd.apache.org/docs/current/en/mod/core.html#traceenable
url: https://techcommunity.microsoft.com/t5/iis-support-blog/http-track-and-trac
↪e-verbs/ba-p/784482
url: https://owasp.org/www-community/attacks/Cross_Site_Tracing
cert-bund: CB-K14/0981
dfn-cert: DFN-CERT-2021-1825
dfn-cert: DFN-CERT-2014-1018
dfn-cert: DFN-CERT-2010-0020
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server 2.4.26 < 2.4.64 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service (DoS) vulnerability in mod_proxy_http2.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.64
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.64 or later.

Affected Software/OS
Apache HTTP Server version 2.4.26 through 2.4.63.

Vulnerability Insight
In certain proxy configurations, a denial of service attack against Apache HTTP Server can be triggered by untrusted clients causing an assertion in mod_proxy_http2.
Configurations affected are a reverse proxy is configured for an HTTP/2 backend, with ProxyPreserveHost set to 'on'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.26 < 2.4.64 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.154913
Version used: `2025-07-11T15:43:14Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2025-49630
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.64
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1529
dfn-cert: DFN-CERT-2025-2421
dfn-cert: DFN-CERT-2025-2345
dfn-cert: DFN-CERT-2025-2231
dfn-cert: DFN-CERT-2025-2182
dfn-cert: DFN-CERT-2025-1860
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
```

. . . continues on next page . . .

. . . continued from previous page . . .

↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.64
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.64 or later.

Affected Software/OS
Apache HTTP Server version 2.4.63 and prior.

Vulnerability Insight
The following flaws exist:
- CVE-2024-42516: HTTP response splitting
- CVE-2024-43204: SSRF with mod_headers setting Content-Type header
- CVE-2024-47252: mod_ssl error log variable escaping
- CVE-2025-49812: mod_ssl TLS upgrade attack

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.154909
Version used: `2025-07-11T15:43:14Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2024-42516
cve: CVE-2024-43204
cve: CVE-2024-47252
cve: CVE-2025-49812
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.64
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2026-0162
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1529
dfn-cert: DFN-CERT-2026-0205
dfn-cert: DFN-CERT-2025-2421
dfn-cert: DFN-CERT-2025-2403
dfn-cert: DFN-CERT-2025-2402
dfn-cert: DFN-CERT-2025-2373
dfn-cert: DFN-CERT-2025-2231
dfn-cert: DFN-CERT-2025-2182
dfn-cert: DFN-CERT-2025-1917
dfn-cert: DFN-CERT-2025-1860
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server 2.4.35 < 2.4.64 Access Control Bypass Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an access control bypass vulnerability in mod_ssl.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.64
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.64 or later.

Affected Software/OS

Apache HTTP Server version 2.4.35 through 2.4.63.

Vulnerability Insight

In some mod_ssl configurations an access control bypass by trusted clients is possible using TLS 1.3 session resumption.

. . . continues on next page . . .

. . . continued from previous page . . .

Configurations are affected when mod_ssl is configured for multiple virtual hosts, with each restricted to a different set of trusted client certificates (for example with a different SSLCACertificateFile/Path setting). In such a case, a client trusted to access one virtual host may be able to access another virtual host, if SSLStrictSNIVHostCheck is not enabled in either virtual host.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.35 < 2.4.64 Access Control Bypass Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.154911
Version used: `2025-07-11T15:43:14Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2025-23048
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.64
cert-bund: WID-SEC-2026-0162
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1529
dfn-cert: DFN-CERT-2026-0205
dfn-cert: DFN-CERT-2025-2421
dfn-cert: DFN-CERT-2025-2373
dfn-cert: DFN-CERT-2025-2231
dfn-cert: DFN-CERT-2025-2182
dfn-cert: DFN-CERT-2025-1860
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server 2.4.17 < 2.4.64 DoS Vulnerability - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to a denial of service (DoS) vulnerability via HTTP/2.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.49
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      2.4.64
Installation
path / port:        80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.64 or later.

Affected Software/OS
Apache HTTP Server version 2.4.17 through 2.4.63.

Vulnerability Insight
Late release of memory after effective lifetime vulnerability in Apache HTTP Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.17 < 2.4.64 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.154915
Version used: `2025-07-11T15:43:14Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2025-53020`
`url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.64`
`cert-bund: WID-SEC-2025-1850`
`cert-bund: WID-SEC-2025-1529`
`dfn-cert: DFN-CERT-2025-2182`
`dfn-cert: DFN-CERT-2025-1860`

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 2.4.x < 2.4.66 Improper Neutralization Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.49`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to an improper neutralization vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

Affected Software/OS
Apache HTTP Server version 2.4.x prior to 2.4.66.

Vulnerability Insight
Improper neutralization of escape, meta, or control sequences vulnerability in Apache HTTP Server through environment variables set via the Apache configuration unexpectedly superseding variables calculated by the server for CGI programs.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.x < 2.4.66 Improper Neutralization Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125566
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2025-65082
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/7
cert-bund: WID-SEC-2026-0155
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0214
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.49`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a Server Side Includes (SSI) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

Affected Software/OS
Apache HTTP Server prior to version 2.4.66.

Vulnerability Insight
Apache HTTP Server with SSI enabled and mod_cgid (but not mod_cgi) passes the shell-escaped query string to #exec cmd='...' directives.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125564
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2025-58098`
`url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66`
`url: https://www.openwall.com/lists/oss-security/2025/12/04/5`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2026-0153
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0027
dfn-cert: DFN-CERT-2026-0012
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

[return to 172.30.6.3]

2.1.4 Low 80/tcp

Low (CVSS: 2.6)
NVT: Apache HTTP Server 2.4.30 - 2.4.65 Integer Overflow Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.49
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an integer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.49
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.66 or later.

Affected Software/OS

Apache HTTP Server version 2.4.30 through 2.4.65.

Vulnerability Insight

An integer overflow in the case of failed ACME certificate renewal leads, after a number of failures (30 days in default configurations), to the backoff timer becoming 0. Attempts to renew the certificate then are repeated without delays until it succeeds.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.30 - 2.4.65 Integer Overflow Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125565
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.49`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2025-55753
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/4
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0218
dfn-cert: DFN-CERT-2026-0012
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3415
dfn-cert: DFN-CERT-2025-3405
```

[return to 172.30.6.3]

2.1.5 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

References
`cve: CVE-1999-0524`
`url: https://datatracker.ietf.org/doc/html/rfc792`
`url: https://datatracker.ietf.org/doc/html/rfc2780`
`cert-bund: CB-K15/1514`
`cert-bund: CB-K14/0632`
`dfn-cert: DFN-CERT-2014-0658`

[return to 172.30.6.3]

2.1.6 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 3332983778
Packet 2: 3332984862
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
`url: https://datatracker.ietf.org/doc/html/rfc1323`
`url: https://datatracker.ietf.org/doc/html/rfc7323`
`url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d`
`↪ownload/details.aspx?id=9152`
`url: https://www.fortiguard.com/psirt/FG-IR-16-090`

[return to 172.30.6.3]

2.1.7 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background:

. . . continues on next page . . .

. . . continued from previous page . . .

After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
172.30.6.3|cpe:/a:apache:http_server:2.4.49
172.30.6.3|cpe:/o:linux:kernel
```

Solution:

Log Method

Details: `CPE Inventory`
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: `2022-07-27T10:11:28Z`

References

`url: https://nvd.nist.gov/products/cpe`

[return to 172.30.6.3]

2.1.8 Log 80/tcp

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary

This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner                | Enumeration technique
-------------------------------------------------------------------------------
↪---------------
Server: Apache/2.4.49 (Unix) | Invalid HTTP 00.5 GET request (non-existent HTTP
↪version) to '/'
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Log Method
Details: `HTTP Server Banner Enumeration`
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote HTTP Server banner is:
Server: Apache/2.4.49 (Unix)
```

Solution:

Log Method
Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Missing Headers                   | More Information
--------------------------------------------------------------------------------
↪--------------------------------------------------------------------------------
↪-----------------------------------------------
Content-Security-Policy           | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Cross-Origin-Opener-Policy        | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                   | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Feature-Policy                    | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Referrer-Policy                   | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options            | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options                   | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                  | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

Log Method

Details: `HTTP Security Headers Detection`
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: `2025-03-21T15:40:43Z`

References

```
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-secure-headers/#div-headers
url: https://securityheaders.com/
```

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The Hostname/IP "apache-path-traversal.trabalho_vulnnet" was used to access the
↪remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
http://apache-path-traversal.trabalho_vulnnet/
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
```

Solution:

Log Method
Details: Web Application Scanning Consolidation / Info Reporting
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: 2026-01-13T05:47:36Z

. . . continues on next page . . .

. . . continued from previous page . . .

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration

Summary
Enumerates which HTTP methods are allowed.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The following list contains the URLs and corresponding supported HTTP methods.
URL                                          | HTTP Methods
--------------------------------------------------------------------------------
↪-------------------------------
http://apache-path-traversal.trabalho_vulnnet/ | HEAD,GET,POST,OPTIONS,TRACE (ob
↪tained via HTTP OPTIONS method)
```

Solution:

Vulnerability Insight
- Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE
- Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTIVITY, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL

Log Method
Sends multiple HTTP requests and checks the responses.
Disclaimer:
- This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods
- This script doesn't guarantee completeness or full reliability
For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host.
Details: `Allowed HTTP Methods Enumeration`
OID:1.3.6.1.4.1.25623.1.0.153974
Version used: `2025-02-28T05:38:49Z`

Log (CVSS: 0.0)
NVT: Services

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

[return to 172.30.6.3]

2.1.9 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Hostname determination for IP 172.30.6.3:
Hostname|Source
apache-path-traversal.trabalho_vulnnet|Reverse-DNS
```

Solution:

Log Method
Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: Apache HTTP Server Detection Consolidation

Summary
Consolidation of Apache HTTP Server detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Detected Apache HTTP Server
Version:       2.4.49
Location:      80/tcp
CPE:           cpe:/a:apache:http_server:2.4.49
Concluded from version/product identification result:
Server: Apache/2.4.49 (Unix)
```

Solution:

Log Method
Details: `Apache HTTP Server Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.117232
Version used: `2024-03-08T15:37:10Z`

References
`url: https://httpd.apache.org`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Best matching OS:
OS:           Linux/Unix
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from HTTP Server banner on port 80/tcp: Server: Apache/2.4.49 (Unix)
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method
Details: `OS Detection Consolidation and Reporting`
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: `2026-01-21T05:50:46Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.
```

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: `IP Forwarding Enabled - Active Check`
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: `2021-12-03T08:27:06Z`

References
`cve: CVE-1999-0511`

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Network route from scanner (172.30.0.2) to target (172.30.6.3):
172.30.0.2
172.30.6.3
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight

For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method

A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.

Details: `Traceroute`

OID:1.3.6.1.4.1.25623.1.0.51662

Version used: `2022-10-17T11:13:19Z`

[return to 172.30.6.3]