Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was "metasploitable3 dsvw phpldapadmin-remote-dump metasploit-emulator shellshock-lab heartbleed-lab xvwa railsgoat-alt bwapp-alt metasploitable3-alt mongodb-noauth gitlab10 es56 sonar67". The scan started at Mon Jan 26 16:34:56 2026 UTC and ended at Mon Jan 26 18:37:11 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

1.1 Host Authentications . . . 2

2 Results per Host **2**

2.1 172.30.1.3 . . . 2

2.1.1 Critical 22/tcp . . . 3

2.1.2 Critical 80/tcp . . . 8

2.1.3 Critical 445/tcp . . . 110

2.1.4 Critical general/tcp . . . 117

2.1.5 Critical 21/tcp . . . 118

2.1.6 High 22/tcp . . . 119

2.1.7 High 80/tcp . . . 134

2.1.8 High 445/tcp . . . 232

2.1.9 High general/tcp . . . 268

2.1.10 High 21/tcp . . . 274

2.1.11 Medium 22/tcp . . . 276

2.1.12 Medium 80/tcp . . . 306

2.1.13 Medium 445/tcp . . . 430

2.1.14 Medium general/tcp . . . 466

2.1.15 Medium 21/tcp . . . 471

2.1.16 Low 22/tcp 472
2.1.17 Low 80/tcp 475
2.1.18 Low 445/tcp 477
2.1.19 Low general/icmp 479
2.1.20 Low general/tcp 480
2.1.21 Log 22/tcp 481
2.1.22 Log 137/udp 485
2.1.23 Log general/CPE-T 486
2.1.24 Log 80/tcp 487
2.1.25 Log 139/tcp 496
2.1.26 Log 445/tcp 497
2.1.27 Log general/tcp 500
2.1.28 Log 21/tcp 508

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.30.1.3 metasploitable3.trabalho_vulnnet	75	112	140	7	38	0
Total: 1	75	112	140	7	38	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Debug" are not shown.

This report contains all 372 results selected by the filtering described above. Before filtering there were 1257 results.

1.1 Host Authentications

Host	Protocol	Result	Port/User
172.30.1.3 - metasploitable3.trabalho_vulnnet	SMB	Success	Protocol SMB, Port 445, User

2 Results per Host

2.1 172.30.1.3

Host scan start	Mon Jan 26 16:36:01 2026 UTC
Host scan end	Mon Jan 26 18:32:39 2026 UTC

Service (Port)	Threat Level
22/tcp	Critical
80/tcp	Critical
445/tcp	Critical
general/tcp	Critical
21/tcp	Critical
22/tcp	High
80/tcp	High
445/tcp	High
general/tcp	High
21/tcp	High

. . . (continues) . . .

. . . (continued) . . .

Service (Port)	Threat Level
22/tcp	Medium
80/tcp	Medium
445/tcp	Medium
general/tcp	Medium
21/tcp	Medium
22/tcp	Low
80/tcp	Low
445/tcp	Low
general/icmp	Low
general/tcp	Low
22/tcp	Log
137/udp	Log
general/CPE-T	Log
80/tcp	Log
139/tcp	Log
445/tcp	Log
general/tcp	Log
21/tcp	Log

2.1.1 Critical 22/tcp

Critical (CVSS: 9.8)
NVT: OpenBSD OpenSSH < 9.3p2 RCE Vulnerability

Product detection result

```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenBSD OpenSSH is prone to a remote code execution (RCE) vulnerability in OpenSSH's forwarded ssh-agent.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     9.3p2
Installation
path / port:       22/tcp
```

Solution:

Solution type: VendorFix

Update to version 9.3p2 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
OpenBSD OpenSSH prior to version 9.3p2.
The following conditions needs to be met:
- Exploitation requires the presence of specific libraries on the victim system.
- Remote exploitation requires that the agent was forwarded to an attacker-controlled system.

Vulnerability Insight
A condition where specific libraries loaded via ssh-agent(1)'s PKCS#11 support could be abused to achieve remote code execution via a forwarded agent socket.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH < 9.3p2 RCE Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.104869
Version used: `2023-10-13T05:06:10Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2023-38408
url: https://www.openssh.com/releasenotes.html#9.3p2
url: https://www.qualys.com/2023/07/19/cve-2023-38408/rce-openssh-forwarded-ssh-
↪agent.txt
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1082
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-2679
cert-bund: WID-SEC-2023-2625
cert-bund: WID-SEC-2023-2240
cert-bund: WID-SEC-2023-1843
cert-bund: WID-SEC-2023-1819
dfn-cert: DFN-CERT-2026-0097
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2024-0491
dfn-cert: DFN-CERT-2023-2792
dfn-cert: DFN-CERT-2023-2179
dfn-cert: DFN-CERT-2023-1961
dfn-cert: DFN-CERT-2023-1920
dfn-cert: DFN-CERT-2023-1845
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-1773
dfn-cert: DFN-CERT-2023-1665
```

Critical (CVSS: 9.8)
NVT: OpenSSH < 7.2 X11 Forwarding Security Bypass Vulnerability - Linux

Product detection result

```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenSSH is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     7.2
Installation
path / port:       22/tcp
```

Impact

Successfully exploiting this issue allows local users to bypass certain security restrictions and perform unauthorized actions. This may lead to further attacks.

Solution:

Solution type: VendorFix

Update to version 7.2 or later.

Affected Software/OS

OpenSSH versions before 7.2 on Linux.

Vulnerability Insight

An access flaw was discovered in OpenSSH, it did not correctly handle failures to generate authentication cookies for untrusted X11 forwarding. A malicious or compromised remote X application could possibly use this flaw to establish a trusted connection to the local X server, even if only untrusted X11 forwarding was requested.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `OpenSSH < 7.2 X11 Forwarding Security Bypass Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.810769

Version used: `2024-12-13T05:05:32Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:openbsd:openssh:6.6.1p1
Method: OpenSSH Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.108577)

References

```
cve: CVE-2016-1908
url: http://openwall.com/lists/oss-security/2016/01/15/13
url: http://www.securityfocus.com/bid/84427
url: https://bugzilla.redhat.com/show_bug.cgi?id=1298741#c4
url: http://www.openssh.com/txt/release-7.2
url: https://anongit.mindrot.org/openssh.git/commit/?id=ed4ce82dbfa8a3a3c8ea6fa0
↪db113c71e234416c
url: https://bugzilla.redhat.com/show_bug.cgi?id=1298741
cert-bund: CB-K16/1485
cert-bund: CB-K16/0694
cert-bund: CB-K16/0684
cert-bund: CB-K16/0449
cert-bund: CB-K16/0162
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2016-1574
dfn-cert: DFN-CERT-2016-0754
dfn-cert: DFN-CERT-2016-0733
dfn-cert: DFN-CERT-2016-0488
dfn-cert: DFN-CERT-2016-0182
```

Critical (CVSS: 9.8)
NVT: SSH Brute Force Logins With Default Credentials Reporting

Summary
It was possible to login into the remote SSH server using default credentials.

Quality of Detection (QoD): 95%

Vulnerability Detection Result

```
It was possible to login with the following credentials <User>:<Password>
msfadmin:msfadmin
```

Impact
This issue may be exploited by a remote attacker to e.g. gain access to sensitive information or modify system configuration.

Solution:
Solution type: Mitigation
Change the password as soon as possible.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
The following products are known to use the default credentials checked by the VT 'SSH Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108013) used for this reporting:
- CVE-2017-16523: MitraStar GPT-2541GNAC (HGU) 1.00(VNJ0)b1 and DSL-100HN-T1 ES_113WJY0b16 devices
- CVE-2017-20214: FLIR Thermal Camera F/FC/PT/D
- CVE-2018-25138: FLIR AX8 Thermal Camera
- CVE-2018-25147: Microhard Systems IPn4G
- CVE-2019-25241: FaceSentry Access Control System
- CVE-2019-25291: INIM Electronics Smartliving SmartLAN/G/SI
- CVE-2020-29583: Zyxel Firewall / AP Controller
- CVE-2020-36915: Adtec Digital SignEdje Digital Signage Player
- CVE-2020-9473: S. Siedle & Soehne SG 150-0 Smart Gateway before 1.2.4
- CVE-2021-27797: Brocade Fabric OS
- CVE-2021-47744: Cypress Solutions CTM-200/CTM-ONE
- CVE-2023-1944: minikube 1.29.0 and probably prior
- CVE-2023-53983: Anevia Flamingo XL/XS
- CVE-2024-22902: Vinchin Backup & Recovery
- CVE-2024-31970: AdTran SRG 834-5 HDC17600021F1 devices (with SmartOS 11.1.1.1) during a window of time when the device is being set up
- CVE-2024-46328: VONETS VAP11G-300 v3.3.23.6.9
- CVE-2025-12592: Legacy Vivotek devices
- CVE-2025-68718: KAYSUS KS-WR1200
- Various additional products like e.g. Ubiquiti EdgeMax / EdgeRouter, Crestron AM-100 and similar for which no CVE was assigned (See 'default_credentials.inc' file on the file system for a full list)
Other products might be affected as well.

Vulnerability Insight
As the VT 'SSH Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108013) might run into a timeout the actual reporting of this vulnerability takes place in this VT instead.

Vulnerability Detection Method
Reports default credentials detected by the VT 'SSH Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108013).
Details: `SSH Brute Force Logins With Default Credentials Reporting`
OID:1.3.6.1.4.1.25623.1.0.103239
Version used: `2026-01-16T15:42:49Z`

References
`cve: CVE-1999-0502`
`cve: CVE-1999-0501`
`cve: CVE-1999-0507`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-1999-0508
cve: CVE-2005-1379
cve: CVE-2006-5288
cve: CVE-2009-3710
cve: CVE-2012-4577
cve: CVE-2016-1000245
cve: CVE-2017-16523
cve: CVE-2017-20214
cve: CVE-2018-25138
cve: CVE-2018-25147
cve: CVE-2019-25241
cve: CVE-2019-25291
cve: CVE-2020-29583
cve: CVE-2020-36915
cve: CVE-2020-9473
cve: CVE-2021-27797
cve: CVE-2021-47744
cve: CVE-2023-1944
cve: CVE-2023-53983
cve: CVE-2024-22902
cve: CVE-2024-31970
cve: CVE-2024-46328
cve: CVE-2025-12592
cve: CVE-2025-41696
cve: CVE-2025-68718
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2025-2760
```

[return to 172.30.1.3]

2.1.2 Critical 80/tcp

Critical (CVSS: 10.0)
NVT: PHP End of Life (EOL) Detection - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

The PHP version on the remote host has reached the end of life (EOL) and should not be used anymore.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "PHP" version on the remote host has reached the end of life.
CPE:                cpe:/a:php:php:5.4.5
Installed version: 5.4.5
EOL version:        5.4
EOL date:           2015-09-03
```

Impact

An EOL version of PHP is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:

Solution type: VendorFix

Update the PHP version on the remote host to a still supported version.

Vulnerability Insight

Each release branch of PHP is fully supported for two years from its initial stable release. During this period, bugs and security issues that have been reported are fixed and are released in regular point releases.

After this two year period of active support, each branch is then supported for an additional year for critical security issues only. Releases during this period are made on an as-needed basis: there may be multiple point releases, or none, depending on the number of reports.

Once the three years of support are completed, the branch reaches its end of life and is no longer supported.

Vulnerability Detection Method

Checks if an EOL version is present on the target host.

Details: `PHP End of Life (EOL) Detection - Linux`

OID:1.3.6.1.4.1.25623.1.0.105889

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

`url: https://secure.php.net/supported-versions.php`

`url: https://secure.php.net/eol.php`

Critical (CVSS: 10.0)
NVT: phpMyAdmin End of Life (EOL) Detection - Linux

Summary
The phpMyAdmin version on the remote host has reached the End of Life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "phpMyAdmin" version on the remote host has reached the end of life.
CPE:               cpe:/a:phpmyadmin:phpmyadmin:3.5.8
Installed version: 3.5.8
Location/URL:      /phpmyadmin
EOL version:       3.5
EOL date:          unknown
```

Impact
An EOL version of phpMyAdmin is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update the phpMyAdmin version on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `phpMyAdmin End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.113015
Version used: `2025-04-15T05:54:49Z`

References
`url: https://www.phpmyadmin.net/downloads/`
`url: https://www.phpmyadmin.net/news/2011/7/12/phpmyadmin-211-end-of-life/`
`url: https://www.phpmyadmin.net/news/2017/1/23/phpmyadmin-466-441510-and-401019-`
`↪are-released/`

Critical (CVSS: 10.0)
NVT: Drupal End of Life (EOL) Detection - Linux

Summary
The Drupal version on the remote host has reached the End of Life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
The "Drupal" version on the remote host has reached the end of life.
CPE:                cpe:/a:drupal:drupal:7.5
Installed version:  7.5
Location/URL:       /drupal
EOL version:        7
EOL date:           2025-01-05
```

Impact

An EOL version of Drupal is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:

Solution type: VendorFix

Update the Drupal version on the remote host to a still supported version.

Vulnerability Detection Method

Checks if an EOL version is present on the target host.

Details: `Drupal End of Life (EOL) Detection - Linux`

OID:1.3.6.1.4.1.25623.1.0.113023

Version used: `2025-04-15T05:54:49Z`

References

```
url: https://www.drupal.org/psa-2023-11-01
url: https://www.drupal.org/psa-2023-06-07
url: https://www.drupal.org/psa-2022-02-23
url: https://www.drupal.org/psa-2021-11-30
url: https://www.drupal.org/psa-2020-06-24
url: https://www.drupal.org/psa-2019-02-25
url: https://www.drupal.org/forum/general/news-and-announcements/2015-11-09/drup
↪al-6-end-of-life-announcement
url: https://www.drupal.org/docs/understanding-drupal/understanding-drupal-versi
↪on-numbers/legacy-drupal-release-history
```

Critical (CVSS: 10.0)

NVT: Drupal Coder RCE Vulnerability (SA-CONTRIB-2016-039) - Active Check

Summary

Drupal is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 95%

Vulnerability Detection Result

```
Vulnerable URL: http://metasploitable3.trabalho_vulnnet/drupal/sites/all/modules
↪/coder/coder_upgrade/scripts/coder_upgrade.run.php
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Install the latest version.

Vulnerability Insight
The Coder module checks your Drupal code against coding standards and other best practices. It can also fix coding standard violations and perform basic upgrades on modules. The module doesn't sufficiently validate user inputs in a script file that has the php extension. A malicious unauthenticated user can make requests directly to this file to execute arbitrary php code.

Vulnerability Detection Method
Checks for known error message from affected modules.
Details: `Drupal Coder RCE Vulnerability (SA-CONTRIB-2016-039) - Active Check`
OID:1.3.6.1.4.1.25623.1.0.105818
Version used: `2023-07-21T05:05:22Z`

References
`url: https://www.drupal.org/node/2765575`

Critical (CVSS: 9.9)
NVT: jQuery End of Life (EOL) Detection - Linux

Summary
The jQuery version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "jQuery" version on the remote host has reached the end of life.
CPE:                cpe:/a:jquery:jquery:1.6.2
Installed version: 1.6.2
Location/URL:       /phpmyadmin/js/jquery/jquery-1.6.2.js
EOL version:        1
EOL date:           unknown
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery/
↪jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/
```

Impact
An EOL version of jQuery is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update jQuery on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `jQuery End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.117149
Version used: `2025-04-15T05:54:49Z`

References
`url: https://github.com/jquery/jquery.com/pull/163`

Critical (CVSS: 9.9)
NVT: jQuery End of Life (EOL) Detection - Linux

Summary
The jQuery version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "jQuery" version on the remote host has reached the end of life.
CPE:                cpe:/a:jquery:jquery:1.6.2
Installed version: 1.6.2
Location/URL:       /phpmyadmin/setup/../js/jquery/jquery-1.6.2.js
EOL version:        1
EOL date:           unknown
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/../j
↪s/jquery/jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/
```

Impact
An EOL version of jQuery is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update jQuery on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: `jQuery End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.117149
Version used: `2025-04-15T05:54:49Z`

References
`url: https://github.com/jquery/jquery.com/pull/163`

Critical (CVSS: 9.8)
NVT: phpMyAdmin < 4.9.6, 5.x < 5.0.3 Multiple Vulnerabilities (PMASA-2020-5, PMASA-2020-6) - Linux

Summary
phpMyAdmin is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.8
Fixed version:     4.9.6
Installation
path / port:       /phpmyadmin
```

Impact
Successful exploitation would allow an attacker to:
- If an attacker sends a crafted link to the victim with the malicious JavaScript, when the victim clicks on the link, the JavaScript will run and complete the instructions made by the attacker (CVE-2020-26934)
- An attacker could use this flaw to inject malicious SQL in to a query (CVE-2020-26935)

Solution:
Solution type: VendorFix
Update to version 4.9.6, 5.0.3 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.6 and 5.x prior to 5.0.3.

Vulnerability Insight
The following vulnerabilities exist:
- XSS relating to the transformation feature (CVE-2020-26934)
- SQL injection vulnerability in SearchController (CVE-2020-26935)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.6, 5.x < 5.0.3 Multiple Vulnerabilities (PMASA-2020-5, PMASA-2.`
`↪..`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.144896
Version used: 2024-02-13T05:06:26Z

References

```
cve: CVE-2020-26934
cve: CVE-2020-26935
url: https://www.phpmyadmin.net/security/PMASA-2020-5/
url: https://www.phpmyadmin.net/security/PMASA-2020-6/
cert-bund: CB-K20/0969
dfn-cert: DFN-CERT-2020-2526
dfn-cert: DFN-CERT-2020-2366
dfn-cert: DFN-CERT-2020-2322
dfn-cert: DFN-CERT-2020-2220
```

Critical (CVSS: 9.8)
NVT: phpMyAdmin < 4.9.2 Multiple Vulnerabilities (PMASA-2019-5) - Linux

Summary
phpMyAdmin is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.8
Fixed version:     4.9.2
Installation
path / port:       /phpmyadmin
```

Solution:
Solution type: VendorFix
Update to version 4.9.2 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.2.

Vulnerability Insight
phpMyAdmin is prone to multiple vulnerabilities:
- SQL injection vulnerability (CVE-2019-18622)
- Certain Git information is not escaped (CVE-2019-19617)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: phpMyAdmin < 4.9.2 Multiple Vulnerabilities (PMASA-2019-5) - Linux
OID:1.3.6.1.4.1.25623.1.0.143167
Version used: 2024-02-13T05:06:26Z

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2019-18622
cve: CVE-2019-19617
url: https://www.phpmyadmin.net/security/PMASA-2019-5/
url: https://www.phpmyadmin.net/news/2019/11/22/phpmyadmin-492-released/
cert-bund: CB-K20/0214
cert-bund: CB-K19/1043
cert-bund: CB-K19/1016
dfn-cert: DFN-CERT-2020-2322
dfn-cert: DFN-CERT-2020-0488
dfn-cert: DFN-CERT-2020-0089
dfn-cert: DFN-CERT-2019-2577
dfn-cert: DFN-CERT-2019-2465

Critical (CVSS: 9.8)
NVT: phpMyAdmin < 4.8.6 SQL Injection Vulnerability (PMASA-2019-3) - Linux

Summary
phpMyAdmin is prone to an SQL injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.5.8
Fixed version: 4.8.6
Installation
path / port: /phpmyadmin

Solution:
Solution type: VendorFix
Update to version 4.8.6 or later.

Affected Software/OS
phpMyAdmin prior to version 4.8.6.

Vulnerability Insight
A vulnerability was reported where a specially crafted database name can be used to trigger an SQL injection attack through the designer feature.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: phpMyAdmin < 4.8.6 SQL Injection Vulnerability (PMASA-2019-3) - Linux
OID:1.3.6.1.4.1.25623.1.0.140207
Version used: 2024-02-13T05:06:26Z

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2019-11768
url: https://www.phpmyadmin.net/security/PMASA-2019-3/
cert-bund: CB-K19/0477
dfn-cert: DFN-CERT-2019-1127

Critical (CVSS: 9.8)
NVT: PHP <= 5.6.27 / 7.0.x <= 7.0.12 DoS Vulnerability

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.4.5
Fixed version: None
Installation
path / port: 80/tcp

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
PHP versions through 5.6.27 and 7.0.x through 7.0.12.

Vulnerability Insight
PHP mishandles property modification during __wakeup processing, which allows remote attackers to cause a denial of service or possibly have unspecified other impact via crafted serialized data, as demonstrated by Exception::__toString with DateInterval::__wakeup.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP <= 5.6.27 / 7.0.x <= 7.0.12 DoS Vulnerability
OID:1.3.6.1.4.1.25623.1.0.117802
Version used: 2025-09-24T05:39:03Z

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-9138`
`url: https://bugs.php.net/bug.php?id=73147`
`cert-bund: CB-K17/0318`
`cert-bund: CB-K16/1943`
`dfn-cert: DFN-CERT-2017-0325`
`dfn-cert: DFN-CERT-2016-2053`

Critical (CVSS: 9.8)
NVT: PHP <= 7.1.5 Multiple DoS Vulnerabilities

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     None
Installation
path / port:       80/tcp
```

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
PHP versions through 7.1.5.

Vulnerability Insight
The following flaws exist:

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2017-8923: The zend_string_extend function in Zend/zend_string.h does not prevent changes to string objects that result in a negative length, which allows remote attackers to cause a denial of service (application crash) or possibly have unspecified other impact by leveraging a script's use of .= with a long string.
- CVE-2017-9119: The i_zval_ptr_dtor function in Zend/zend_variables.h allows attackers to cause a denial of service (memory consumption and application crash) or possibly have unspecified other impact by triggering crafted operations on array data structures.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `PHP <= 7.1.5 Multiple DoS Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.117799
Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2017-8923
cve: CVE-2017-9119
url: https://bugs.php.net/bug.php?id=73122
url: https://bugs.php.net/bug.php?id=74310
url: https://bugs.php.net/bug.php?id=74577
url: https://bugs.php.net/bug.php?id=74593
url: http://www.securityfocus.com/bid/98518
url: http://www.securityfocus.com/bid/98596
cert-bund: WID-SEC-2024-3760
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2022-0455
dfn-cert: DFN-CERT-2022-0431
dfn-cert: DFN-CERT-2022-0410
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.26 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.26
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.6.26 or later.

Affected Software/OS

PHP prior to version 5.6.26 on Linux.

Vulnerability Insight

The flaw is due to improper handling of object-deserialization failures in 'ext/standard/var_unserializer.re' script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.26 DoS Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.809321

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-7411
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/93009
cert-bund: CB-K16/1958
cert-bund: CB-K16/1543
cert-bund: CB-K16/1532
cert-bund: CB-K16/1426
dfn-cert: DFN-CERT-2016-2063
dfn-cert: DFN-CERT-2016-1639
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1631
dfn-cert: DFN-CERT-2016-1495
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.25, 7.x < 7.0.10 Multiple Vulnerabilities (Sep 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.25
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service, to obtain sensitive information from process memory, to inject arbitrary-type session data by leveraging control of a session name.

Solution:

Solution type: VendorFix

Update to version 5.6.25, 7.0.10 or later.

Affected Software/OS

PHP prior to version 5.6.25 and 7.x prior to 7.0.10 on Linux.

Vulnerability Insight

The following flaws exist:

- Invalid wddxPacket XML document that is mishandled in a wddx_deserialize call in 'ext/wddx/wddx.c' script.
- Error in 'php_wddx_pop_element' function in 'ext/wddx/wddx.c' script.
- An error in 'php_wddx_process_data' function in 'ext/wddx/wddx.c' script.
- Improper handling of the case of a thumbnail offset that exceeds the file size in 'exif_process_IFD_in_TIFF' function in 'ext/exif/exif.c' script.
- Improper validation of gamma values in 'imagegammacorrect' function in 'ext/gd/gd.c' script.
- Improper validation of number of colors in 'imagegammacorrect' function in 'ext/gd/gd.c' script.

. . . continues on next page . . .

. . . continued from previous page . . .

- The script 'ext/session/session.c' skips invalid session names in a way that triggers incorrect parsing.
- Improper handling of certain objects in 'ext/standard/var_unserializer.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.25, 7.x < 7.0.10 Multiple Vulnerabilities (Sep 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809319
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-7124`
`cve: CVE-2016-7125`
`cve: CVE-2016-7126`
`cve: CVE-2016-7127`
`cve: CVE-2016-7128`
`cve: CVE-2016-7129`
`cve: CVE-2016-7130`
`cve: CVE-2016-7131`
`cve: CVE-2016-7132`
`url: http://www.php.net/ChangeLog-7.php`
`url: http://www.securityfocus.com/bid/92756`
`url: http://www.securityfocus.com/bid/92552`
`url: http://www.securityfocus.com/bid/92755`
`url: http://www.securityfocus.com/bid/92757`
`url: http://www.securityfocus.com/bid/92564`
`url: http://www.securityfocus.com/bid/92758`
`url: http://www.php.net/ChangeLog-5.php`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/1772`
`cert-bund: CB-K16/1549`
`cert-bund: CB-K16/1543`
`cert-bund: CB-K16/1532`
`cert-bund: CB-K16/1499`
`cert-bund: CB-K16/1440`
`cert-bund: CB-K16/1280`
`dfn-cert: DFN-CERT-2016-1882`
`dfn-cert: DFN-CERT-2016-1878`
`dfn-cert: DFN-CERT-2016-1641`
`dfn-cert: DFN-CERT-2016-1639`
`dfn-cert: DFN-CERT-2016-1631`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1526
dfn-cert: DFN-CERT-2016-1359
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.38, 5.6.x < 5.6.24, 7.0.x < 7.0.9 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.38
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues may allow attackers to cause a denial of service obtain sensitive information from process memory, or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.5.38, 5.6.24, 7.0.9 or later.

Affected Software/OS

PHP prior to version 5.5.38, 5.6.x prior to 5.6.24 and 7.x prior to 7.0.9.

Vulnerability Insight

The following flaws exist:
- Integer overflow in the 'php_stream_zip_opener' function in 'ext/zip/zip_stream.c'
- Integer signedness error in the 'simplestring_addn' function in 'simplestring.c' in xmlrpc-epi
- 'ext/snmp/snmp.c' improperly interacts with the unserialize implementation and garbage collection
- The 'locale_accept_from_http' function in 'ext/intl/locale/locale_methods.c' does not properly restrict calls to the ICU 'uloc_acceptLanguageFromHTTP' function
- Error in the 'exif_process_user_comment' function of 'ext/exif/exif.c'
- Error in the 'exif_process_IFD_in_MAKERNOTE' function of 'ext/exif/exif.c'
- 'ext/session/session.c' does not properly maintain a certain hash data structure

. . . continues on next page . . .

. . . continued from previous page . . .

- Integer overflow in the 'virtual_file_ex' function of 'TSRM/tsrm_virtual_cwd.c'
- Error in the 'php_url_parse_ex' function of 'ext/standard/url.c'
- Integer overflow error within _gdContributionsAlloc()
- Inadequate error handling in bzread()

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.5.38, 5.6.x < 5.6.24, 7.0.x < 7.0.9 Multiple Vulnerabilities (Jul 2016).`
↪..

OID:1.3.6.1.4.1.25623.1.0.808634

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-5399
cve: CVE-2016-6207
cve: CVE-2016-6288
cve: CVE-2016-6289
cve: CVE-2016-6290
cve: CVE-2016-6291
cve: CVE-2016-6292
cve: CVE-2016-6294
cve: CVE-2016-6295
cve: CVE-2016-6296
cve: CVE-2016-6297
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/92111
url: http://www.securityfocus.com/bid/92074
url: http://www.securityfocus.com/bid/92097
url: http://www.securityfocus.com/bid/92073
url: http://www.securityfocus.com/bid/92078
url: http://www.securityfocus.com/bid/92115
url: http://www.securityfocus.com/bid/92094
url: http://www.securityfocus.com/bid/92095
url: http://www.securityfocus.com/bid/92099
url: http://php.net/ChangeLog-7.php
url: http://openwall.com/lists/oss-security/2016/07/24/2
cert-bund: CB-K17/1252
cert-bund: CB-K17/1011
cert-bund: CB-K16/1776
cert-bund: CB-K16/1722
cert-bund: CB-K16/1549
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/1499
cert-bund: CB-K16/1458
cert-bund: CB-K16/1452
cert-bund: CB-K16/1440
cert-bund: CB-K16/1407
cert-bund: CB-K16/1345
cert-bund: CB-K16/1283
cert-bund: CB-K16/1257
cert-bund: CB-K16/1248
cert-bund: CB-K16/1235
cert-bund: CB-K16/1233
cert-bund: CB-K16/1179
cert-bund: CB-K16/1130
cert-bund: CB-K16/1115
cert-bund: CB-K16/1110
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-1046
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1822
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1541
dfn-cert: DFN-CERT-2016-1536
dfn-cert: DFN-CERT-2016-1526
dfn-cert: DFN-CERT-2016-1498
dfn-cert: DFN-CERT-2016-1431
dfn-cert: DFN-CERT-2016-1367
dfn-cert: DFN-CERT-2016-1335
dfn-cert: DFN-CERT-2016-1326
dfn-cert: DFN-CERT-2016-1310
dfn-cert: DFN-CERT-2016-1309
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1203
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1179
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.37, 5.6.x < 5.6.23, 7.x < 7.0.8 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result

cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.37
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code.

Solution:

Solution type: VendorFix

Update to PHP version 5.5.37, 5.6.23, 7.0.8 or later.

Affected Software/OS

PHP prior to version 5.5.37, 5.6.x prior to 5.6.23 and 7.x prior to 7.0.8 on Linux.

Vulnerability Insight

The following flaws exist:

- The 'php_zip.c' script in the zip extension improperly interacts with the unserialize implementation and garbage collection.

- The php_wddx_process_data function in 'wddx.c' script in the WDDX extension mishandled data in a wddx_deserialize call.

- The multiple integer overflows in 'mcrypt.c' script in the mcrypt extension.

- The double free vulnerability in the '_php_mb_regex_ereg_replace_exec' function in 'php_mbregex.c' script in the mbstring extension.

- An integer overflow in the '_gd2GetHeader' function in 'gd_gd2.c' script in the GD Graphics Library.

- An integer overflow in the 'gdImageCreate' function in 'gd.c' script in the GD Graphics Library.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.5.37, 5.6.x < 5.6.23, 7.x < 7.0.8 Multiple Vulnerabilities (Aug 2016) -.`
↪`..`

OID:1.3.6.1.4.1.25623.1.0.808788

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

cve: CVE-2016-5766
cve: CVE-2016-5767
cve: CVE-2016-5768
cve: CVE-2016-5769
cve: CVE-2016-5772
cve: CVE-2016-5773
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/91397
url: http://www.securityfocus.com/bid/91398
url: http://www.securityfocus.com/bid/91399
url: http://www.securityfocus.com/bid/91396
url: http://www.securityfocus.com/bid/91395
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K17/1575
cert-bund: CB-K17/1461
cert-bund: CB-K17/1252
cert-bund: CB-K16/1868
cert-bund: CB-K16/1776
cert-bund: CB-K16/1722
cert-bund: CB-K16/1629
cert-bund: CB-K16/1600
cert-bund: CB-K16/1452
cert-bund: CB-K16/1257
cert-bund: CB-K16/1230
cert-bund: CB-K16/1179
cert-bund: CB-K16/1115
cert-bund: CB-K16/1106
cert-bund: CB-K16/1077
cert-bund: CB-K16/1070
cert-bund: CB-K16/1045
cert-bund: CB-K16/1030
cert-bund: CB-K16/0975
cert-bund: CB-K16/0966
cert-bund: CB-K16/0965
dfn-cert: DFN-CERT-2021-0715
dfn-cert: DFN-CERT-2020-2741
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2016-1974
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1822
dfn-cert: DFN-CERT-2016-1729
dfn-cert: DFN-CERT-2016-1697
dfn-cert: DFN-CERT-2016-1541

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1335
dfn-cert: DFN-CERT-2016-1295
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1144
dfn-cert: DFN-CERT-2016-1139
dfn-cert: DFN-CERT-2016-1110
dfn-cert: DFN-CERT-2016-1097
dfn-cert: DFN-CERT-2016-1033
dfn-cert: DFN-CERT-2016-1022
dfn-cert: DFN-CERT-2016-1021
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.37, 5.6.x < 5.6.23 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.37
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (use-after-free and application crash) or possibly execute arbitrary code or possibly have unspecified other impact via a large integer argument.

Solution:

Solution type: VendorFix

Update to version 5.5.37, 5.6.23 or later.

Affected Software/OS

PHP prior to version 5.5.37 and 5.6.x prior to 5.6.23 on Linux.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The following flaws exist:
- The 'spl_array.c' in the SPL extension improperly interacts with the unserialize implementation and garbage collection.
- Integer overflow in the 'SplFileObject::fread' function in 'spl_directory.c' in the SPL extension.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.37, 5.6.x < 5.6.23 Multiple Vulnerabilities (Aug 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808790
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-5770
cve: CVE-2016-5771
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/91401
url: http://www.securityfocus.com/bid/91403
cert-bund: CB-K16/2012
cert-bund: CB-K16/1776
cert-bund: CB-K16/1452
cert-bund: CB-K16/1179
cert-bund: CB-K16/1106
cert-bund: CB-K16/1070
cert-bund: CB-K16/1030
cert-bund: CB-K16/0965
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2016-2125
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1541
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1139
dfn-cert: DFN-CERT-2016-1097
dfn-cert: DFN-CERT-2016-1022
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.35, 5.6.x < 5.6.21, 7.x < 7.0.6 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.35
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.5.35, 5.6.21, 7.0.6 or later.

Affected Software/OS
PHP prior to version 5.5.35, 5.6.x prior to 5.6.21 and 7.x prior to 7.0.6 on Linux.

Vulnerability Insight
The following flaws exist:
- Improper validation of TIFF start data in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script.
- Improper validation of IFD sizes in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script.
- Improper construction of spprintf arguments, in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script.
- Error in 'grapheme_strpos function' in 'ext/intl/grapheme/grapheme_string.c'.
- Error in 'xml_parse_into_struct' function in 'ext/xml/xml.c' script.
- The 'bcpowmod' function in 'ext/bcmath/bcmath.c' improperly modifies certain data structures.
- Improper validation of input passed to 'bcpowmod' function in 'ext/bcmath/bcmath.c' script.
- Error in 'grapheme_strpos' function in ext/intl/grapheme/grapheme_string.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.5.35, 5.6.x < 5.6.21, 7.x < 7.0.6 Multiple Vulnerabilities (Jul 2016) -. ↪..
OID:1.3.6.1.4.1.25623.1.0.808603
Version used: 2025-09-24T05:39:03Z

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-4537
cve: CVE-2016-4538
cve: CVE-2016-4539
cve: CVE-2016-4540
cve: CVE-2016-4541
cve: CVE-2016-4542
cve: CVE-2016-4543
cve: CVE-2016-4544
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/89844
url: http://www.securityfocus.com/bid/90172
url: http://www.securityfocus.com/bid/90173
url: http://www.securityfocus.com/bid/90174
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0909
cert-bund: CB-K16/0868
cert-bund: CB-K16/0779
cert-bund: CB-K16/0774
cert-bund: CB-K16/0760
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0960
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0827
dfn-cert: DFN-CERT-2016-0814

Critical (CVSS: 9.8)
NVT: PHP < 5.5.34, 5.6.x < 5.6.20, 7.x < 7.0.5 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.34
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code.

Solution:
Solution type: VendorFix
Update to version 5.5.34, 5.6.20, 7.0.5 or later.

Affected Software/OS
PHP prior to version 5.5.34, 5.6.x prior to 5.6.20 and 7.0.x prior to 7.0.5 on Linux.

Vulnerability Insight
The following flaws exist:
- Multiple integer overflows in the mbfl_strcut function in 'ext/mbstring/libmbfl/mbfl/mbfilter.c' script.
- Format string vulnerability in the php_snmp_error function in 'ext/snmp/snmp.c' script.
- An improper handling of '\0' characters by the 'phar_analyze_path' function in 'ext/phar/phar.c' script.
- An integer overflow in the 'php_raw_url_encode' function in 'ext/standard/url.c' script.
- An improper handling of continuation-level jumps in 'file_check_mem' function in 'funcs.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.34, 5.6.x < 5.6.20, 7.x < 7.0.5 Multiple Vulnerabilities (Jul 2016) -. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808199
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2015-8865
cve: CVE-2016-4070
cve: CVE-2016-4071
cve: CVE-2016-4072
cve: CVE-2016-4073
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/85800
url: http://www.securityfocus.com/bid/85801
url: http://www.securityfocus.com/bid/85802
url: http://www.securityfocus.com/bid/85991
url: http://www.securityfocus.com/bid/85993
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/1319
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0884
cert-bund: CB-K16/0872
cert-bund: CB-K16/0779
cert-bund: CB-K16/0723
cert-bund: CB-K16/0705
cert-bund: CB-K16/0614
cert-bund: CB-K16/0494
dfn-cert: DFN-CERT-2018-1161
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1402
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0940
dfn-cert: DFN-CERT-2016-0929
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0775
dfn-cert: DFN-CERT-2016-0764
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0536
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.33, 5.6.x < 5.6.19 Multiple Vulnerabilities (Apr 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.33
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to gain access to potentially sensitive information and conduct a denial of service (memory corruption and application crash).

Solution:
Solution type: VendorFix
Update to PHP version 5.5.33, 5.6.19 or later.

Affected Software/OS
PHP prior to version 5.5.33 and 5.6.x prior to 5.6.19 on Linux.

Vulnerability Insight
The following flaws exist:
- Use-after-free error in wddx.c script in the WDDX extension in PHP
- Error in the phar_parse_zipfile function in zip.c script in the PHAR extension in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.33, 5.6.x < 5.6.19 Multiple Vulnerabilities (Apr 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.807807
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-3141
cve: CVE-2016-3142
url: https://bugs.php.net/bug.php?id=71587
url: https://bugs.php.net/bug.php?id=71498
url: https://secure.php.net/ChangeLog-5.php
cert-bund: CB-K16/1776
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/1620
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0723
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1717
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0775
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.32
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.5.32, 5.6.18, 7.0.3 or later.

Affected Software/OS

PHP prior to version 5.5.32, 5.6.x prior to 5.6.18 and 7.x prior to 7.0.3 on Linux.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The following flaws exist:
- CVE-2016-2554: Stack-based buffer overflow in ext/phar/tar.c
- CVE-2016-4342: ext/phar/phar_object.c mishandles zero-length uncompressed data

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Multiple Vulnerabilities (Jul 2016) -. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808607
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-2554`
`cve: CVE-2016-4342`
`url: http://www.php.net/ChangeLog-7.php`
`url: http://www.securityfocus.com/bid/89154`
`url: http://www.securityfocus.com/bid/83353`
`url: http://www.openwall.com/lists/oss-security/2016/04/28/2`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0868`
`cert-bund: CB-K16/0779`
`cert-bund: CB-K16/0760`
`cert-bund: CB-K16/0623`
`cert-bund: CB-K16/0614`
`cert-bund: CB-K16/0405`
`dfn-cert: DFN-CERT-2016-1882`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0972`
`dfn-cert: DFN-CERT-2016-0924`
`dfn-cert: DFN-CERT-2016-0835`
`dfn-cert: DFN-CERT-2016-0814`
`dfn-cert: DFN-CERT-2016-0676`
`dfn-cert: DFN-CERT-2016-0659`
`dfn-cert: DFN-CERT-2016-0441`

Critical (CVSS: 9.8)
NVT: PHP < 5.5.27, 5.6.x < 5.6.11 Arbitrary Code Execution Vulnerability (Aug 2016) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an arbitrary code execution vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.27
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.

Solution:
Solution type: VendorFix
Update to version 5.5.27, 5.6.11 or later.

Affected Software/OS
PHP prior to version 5.5.27 and 5.6.x prior to 5.6.11 on Linux.

Vulnerability Insight
An use-after-free vulnerability occurs in the 'spl_ptr_heap_insert' function in 'ext/spl/spl_heap.c'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.27, 5.6.x < 5.6.11 Arbitrary Code Execution Vulnerability (Aug 2016) .`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.808671
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-4116`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75127
cert-bund: CB-K16/1179
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
cert-bund: CB-K16/0868
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0924
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.45
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to read arbitrary empty directories, also to cause a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.4.45, 5.5.29, 5.6.13 or later.

Affected Software/OS

PHP prior to version 5.4.45, 5.5.x prior to 5.5.29 and 5.6.x prior to 5.6.13 on Linux.

Vulnerability Insight

The following flaws exist:

. . . continues on next page . . .

. . . continued from previous page . . .

- Error in the 'ZipArchive::extractTo' function in 'ext/zip/php_zip.c' script.
- The xsl_ext_function_php function in ext/xsl/xsltprocessor.c when libxml2 is used, does not consider the possibility of a NULL valuePop return value before proceeding with a free operation after the principal argument loop.
- Improper handling of multiple php_var_unserialize calls
- Multiple use-after-free vulnerabilities

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 Multiple Vulnerabilities (Jul 2016. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808617
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-9767`
`cve: CVE-2015-6834`
`cve: CVE-2015-6835`
`cve: CVE-2015-6837`
`cve: CVE-2015-6838`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/76652`
`url: http://www.securityfocus.com/bid/76649`
`url: http://www.securityfocus.com/bid/76733`
`url: http://www.securityfocus.com/bid/76734`
`url: http://www.securityfocus.com/bid/76738`
`url: http://www.openwall.com/lists/oss-security/2016/03/16/20`
`cert-bund: WID-SEC-2025-1425`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0623`
`cert-bund: CB-K16/0614`
`cert-bund: CB-K16/0422`
`cert-bund: CB-K15/1571`
`cert-bund: CB-K15/1561`
`cert-bund: CB-K15/1478`
`cert-bund: CB-K15/1439`
`cert-bund: CB-K15/1415`
`cert-bund: CB-K15/1337`
`dfn-cert: DFN-CERT-2016-1882`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1658
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1556
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1493
dfn-cert: DFN-CERT-2015-1407
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.44
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service (NULL pointer dereference and application crash) or trigger unintended method execution to defeat cryptographic protection mechanisms.

Solution:

Solution type: VendorFix

Update to version 5.4.44, 5.5.28, 5.6.12 or later.

Affected Software/OS

PHP prior to version 5.4.44, 5.5.x prior to 5.5.28 and 5.6.x prior to 5.6.12 on Linux.

Vulnerability Insight

Multiple flaws exist due to:

. . . continues on next page . . .

. . . continued from previous page . . .

- An improper validation of certain Exception objects in 'Zend/zend_exceptions.c' script.
- The 'openssl_random_pseudo_bytes' function in 'ext/openssl/openssl.c' incorrectly relies on the deprecated 'RAND_pseudo_bytes' function.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Jul 2016. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808604
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-8835`
`cve: CVE-2015-8867`
`cve: CVE-2015-8873`
`cve: CVE-2015-8876`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/87481`
`url: http://www.securityfocus.com/bid/90867`
`url: http://www.securityfocus.com/bid/84426`
`url: http://www.securityfocus.com/bid/90712`
`cert-bund: CB-K17/0318`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/1190`
`cert-bund: CB-K16/1179`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0937`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0911`
`cert-bund: CB-K16/0868`
`cert-bund: CB-K16/0705`
`cert-bund: CB-K16/0623`
`cert-bund: CB-K16/0614`
`dfn-cert: DFN-CERT-2017-0325`
`dfn-cert: DFN-CERT-2016-1882`
`dfn-cert: DFN-CERT-2016-1265`
`dfn-cert: DFN-CERT-2016-1253`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0996`
`dfn-cert: DFN-CERT-2016-0972`
`dfn-cert: DFN-CERT-2016-0944`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0764
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.43, 5.5.x < 5.5.27, 5.6.x < 5.6.11 Multiple Vulnerabilities (Mar 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.43
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to execute arbitrary code in the context of the PHP process. Failed exploit attempts will likely crash the webserver.

Solution:

Solution type: VendorFix

Update to version 5.4.43, 5.5.27, 5.6.11 or later.

Affected Software/OS

PHP prior to version 5.4.43, 5.5.x prior to 5.5.27 and 5.6.x prior to 5.6.11 on Linux.

Vulnerability Insight

The following flaws exist:

- Inadequate boundary checks on user-supplied input by 'phar_fix_filepath' function in 'ext/phar/phar.c' script.

- Improper validation of file pointer in the 'phar_convert_to_other' function in 'ext/phar/phar_object.c' script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.43, 5.5.x < 5.5.27, 5.6.x < 5.6.11 Multiple Vulnerabilities (Mar 2016.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪. .
OID:1.3.6.1.4.1.25623.1.0.807507
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-5589
cve: CVE-2015-5590
cve: CVE-2015-8838
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75970
url: http://www.securityfocus.com/bid/88763
url: http://www.securityfocus.com/bid/75974
url: https://bugs.php.net/bug.php?id=69923
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
cert-bund: CB-K16/0422
cert-bund: CB-K15/1439
cert-bund: CB-K15/1261
cert-bund: CB-K15/1147
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1335
dfn-cert: DFN-CERT-2015-1203

Critical (CVSS: 9.8)
NVT: PHP < 5.4.42, 5.5.x < 5.5.26, 5.6.x < 5.6.10 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.42
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service, to read or write to arbitrary files, also execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow.

Solution:

Solution type: VendorFix

Update to version 5.4.42, 5.5.26, 5.6.10 or later.

Affected Software/OS

PHP prior to version 5.4.42, 5.5.x prior to 5.5.26 and 5.6.x prior to 5.6.10 on Linux.

Vulnerability Insight

The following flaws exist:

- Improper validation of token extraction for table names, in the php_pgsql_meta_data function in pgsql.c in the PostgreSQL extension.
- Integer overflow in the ftp_genlist function in ext/ftp/ftp.c
- PHP does not ensure that pathnames lack %00 sequences.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.42, 5.5.x < 5.5.26, 5.6.x < 5.6.10 Multiple Vulnerabilities (Aug 2016. ↪..`

OID:1.3.6.1.4.1.25623.1.0.808675

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-4598
cve: CVE-2015-4643
cve: CVE-2015-4644
url: http://www.php.net/ChangeLog-5.php
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/75291
url: http://www.securityfocus.com/bid/75292
url: http://www.securityfocus.com/bid/75244
url: http://www.securityfocus.com/bid/75290
cert-bund: CB-K16/0944
cert-bund: CB-K15/1261
cert-bund: CB-K15/1158
cert-bund: CB-K15/1031
cert-bund: CB-K15/0973
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0936
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1335
dfn-cert: DFN-CERT-2015-1217
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1021
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0983
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.40
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successfully exploiting these issues allow remote attackers to cause a denial of service, to obtain sensitive information from process memory and to execute arbitrary code via crafted dimensions.

Solution:
Solution type: VendorFix
Update to version 5.4.40, 5.5.24, 5.6.8 or later.

Affected Software/OS
PHP prior to version 5.4.40, 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.

Vulnerability Insight
The following flaws exist:
- Multiple stack-based buffer overflows in the 'phar_set_inode' function in phar_internal.h script in PHP.
- Vulnerabilities in 'phar_parse_metadata' and 'phar_parse_pharfile' functions in ext/phar/phar.c script in PHP.
- A NULL pointer dereference flaw in the 'build_tablename' function in 'ext/pgsql/pgsql.c' script that is triggered when handling NULL return values for 'token'

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.805657
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-1352`
`cve: CVE-2015-2783`
`cve: CVE-2015-3307`
`cve: CVE-2015-3329`
`cve: CVE-2015-3411`
`cve: CVE-2015-3412`
`cve: CVE-2015-4599`
`cve: CVE-2015-4600`
`cve: CVE-2015-4602`
`cve: CVE-2015-4603`
`cve: CVE-2015-4604`
`cve: CVE-2015-4605`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/74240`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/74239
url: http://www.securityfocus.com/bid/74703
url: http://www.securityfocus.com/bid/75251
url: http://www.securityfocus.com/bid/75252
url: http://www.securityfocus.com/bid/74413
url: http://www.securityfocus.com/bid/75249
url: http://www.securityfocus.com/bid/75241
url: http://www.securityfocus.com/bid/75233
url: http://www.securityfocus.com/bid/75255
url: http://www.securityfocus.com/bid/75250
url: https://bugs.php.net/bug.php?id=69085
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: CB-K16/0944
cert-bund: CB-K15/1437
cert-bund: CB-K15/1188
cert-bund: CB-K15/1158
cert-bund: CB-K15/1129
cert-bund: CB-K15/1031
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0936
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0763
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0648
cert-bund: CB-K15/0561
cert-bund: CB-K15/0552
cert-bund: CB-K15/0207
dfn-cert: DFN-CERT-2023-0071
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1217
dfn-cert: DFN-CERT-2015-1188
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0983
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0803
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0677
dfn-cert: DFN-CERT-2015-0583
dfn-cert: DFN-CERT-2015-0579
dfn-cert: DFN-CERT-2015-0212
```

Critical (CVSS: 9.8)
NVT: PHP < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14 Multiple Vulnerabilities (Jun/Aug 2014) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.30
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.3.29, 5.4.30, 5.5.14 or later.

Affected Software/OS

PHP versions 5.3.x prior to 5.3.29, 5.4.x prior to 5.4.30 and 5.5.x prior to 5.5.14.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2014-3981: Insecure temporary file use in the configure script
- CVE-2014-4721: phpinfo() Type Confusion Information Leak Vulnerability
- CVE-2014-0207: cdf_read_short_sector insufficient boundary check
- CVE-2014-3478: mconvert incorrect handling of truncated pascal string size
- CVE-2014-3479: cdf_check_stream_offset insufficient boundary check
- CVE-2014-3480: cdf_count_chain insufficient boundary check
- CVE-2014-3487: cdf_read_property_info insufficient boundary check
- CVE-2014-4049: Fix potential segfault in dns_get_record()
- CVE-2014-3515: unserialize() SPL ArrayObject / SPLObjectStorage Type Confusion

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2014-9912: Buffer overflow in locale_get_display_name and uloc_getDisplayName (libicu 4.8.1)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14 Multiple Vulnerabilities (Jun/Aug . ↪..`
OID:1.3.6.1.4.1.25623.1.0.809736
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2014-0207
cve: CVE-2014-3478
cve: CVE-2014-3479
cve: CVE-2014-3480
cve: CVE-2014-3487
cve: CVE-2014-3515
cve: CVE-2014-3981
cve: CVE-2014-4049
cve: CVE-2014-4721
cve: CVE-2014-9912
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/67837
url: http://www.securityfocus.com/bid/68423
url: http://www.securityfocus.com/bid/68239
url: http://www.securityfocus.com/bid/68237
url: http://www.securityfocus.com/bid/68243
url: http://www.securityfocus.com/bid/68120
url: http://www.securityfocus.com/bid/68241
url: http://www.securityfocus.com/bid/68238
url: https://bugs.php.net/bug.php?id=67390
url: https://bugs.php.net/bug.php?id=67498
url: https://bugs.php.net/bug.php?id=67326
url: https://bugs.php.net/bug.php?id=67410
url: https://bugs.php.net/bug.php?id=67411
url: https://bugs.php.net/bug.php?id=67412
url: https://bugs.php.net/bug.php?id=67413
url: https://bugs.php.net/bug.php?id=67432
url: https://bugs.php.net/bug.php?id=67492
url: https://bugs.php.net/bug.php?id=67397
url: http://seclists.org/fulldisclosure/2014/Jun/21
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.sektioneins.de/en/blog/14-07-04-phpinfo-infoleak.html
url: http://secunia.com/advisories/59575
cert-bund: CB-K17/0269
cert-bund: CB-K17/0053
cert-bund: CB-K16/0944
cert-bund: CB-K15/1704
cert-bund: CB-K15/1405
cert-bund: CB-K15/0774
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/1267
cert-bund: CB-K14/1214
cert-bund: CB-K14/1174
cert-bund: CB-K14/1167
cert-bund: CB-K14/1130
cert-bund: CB-K14/1110
cert-bund: CB-K14/0973
cert-bund: CB-K14/0972
cert-bund: CB-K14/0938
cert-bund: CB-K14/0866
cert-bund: CB-K14/0849
cert-bund: CB-K14/0842
cert-bund: CB-K14/0834
cert-bund: CB-K14/0830
cert-bund: CB-K14/0829
cert-bund: CB-K14/0818
cert-bund: CB-K14/0805
cert-bund: CB-K14/0776
cert-bund: CB-K14/0750
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0058
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2015-1487
dfn-cert: DFN-CERT-2015-0815
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1333
dfn-cert: DFN-CERT-2014-1280
dfn-cert: DFN-CERT-2014-1219
dfn-cert: DFN-CERT-2014-1181
dfn-cert: DFN-CERT-2014-1166
dfn-cert: DFN-CERT-2014-1014
dfn-cert: DFN-CERT-2014-1013
dfn-cert: DFN-CERT-2014-0982
dfn-cert: DFN-CERT-2014-0908
dfn-cert: DFN-CERT-2014-0887
dfn-cert: DFN-CERT-2014-0880
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2014-0870
dfn-cert: DFN-CERT-2014-0868
dfn-cert: DFN-CERT-2014-0867
dfn-cert: DFN-CERT-2014-0857
dfn-cert: DFN-CERT-2014-0839
dfn-cert: DFN-CERT-2014-0816
dfn-cert: DFN-CERT-2014-0782
```

Critical (CVSS: 9.8)
NVT: PHP 5.x < 5.6.34, 7.x < 7.0.28, 7.1.x < 7.1.15, 7.2.x < 7.2.3 Stack Buffer Overflow Vulnerability (Mar 2018) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a stack buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.34
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow an attacker to execute arbitrary code in the context of the affected application. Failed exploit attempts will result in denial-of-service conditions.

Solution:
Solution type: VendorFix
Update to version 5.6.34, 7.0.28, 7.1.15, 7.2.3 or later.

Affected Software/OS

PHP versions 5.x prior to 5.6.34, 7.x prior to 7.0.28, 7.1.x prior to 7.1.15 and 7.2.x prior to 7.2.3 on Linux.

Vulnerability Insight

The flaw exists because php fails to adequately bounds-check user-supplied data before copying it into an insufficiently sized buffer.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: PHP 5.x < 5.6.34, 7.x < 7.0.28, 7.1.x < 7.1.15, 7.2.x < 7.2.3 Stack Buffer Over.
↪..
OID:1.3.6.1.4.1.25623.1.0.812821
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2018-7584
url: http://php.net/ChangeLog-7.php
url: http://www.securityfocus.com/bid/103204
url: https://bugs.php.net/bug.php?id=75981
cert-bund: CB-K18/0698
cert-bund: CB-K18/0498
cert-bund: CB-K18/0383
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-1232
dfn-cert: DFN-CERT-2018-1059
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2018-0537
dfn-cert: DFN-CERT-2018-0399

Critical (CVSS: 9.8)
NVT: PHP 'CVE-2019-13224' Use-After-Free Vulnerability - Linux

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a use-after-free vulnerability in a used third-pary library.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.4.5
Fixed version: 7.1.32
Installation

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Impact
This flaw allows attackers to potentially cause information disclosure, denial of service, or possibly code execution by providing a crafted regular expression.

Solution:
Solution type: VendorFix
Update to version 7.1.32, 7.3.9 or later.

Affected Software/OS
PHP version before 7.1.32 and 7.3.x before 7.3.9.

Vulnerability Insight
The flaw exists due to a use-after-free in onig_new_deluxe() in regext.c of the third-party library Oniguruma 6.9.2 which is used by PHP.
The attacker provides a pair of a regex pattern and a string, with a multi-byte encoding that gets handled by onig_new_deluxe().

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP 'CVE-2019-13224' Use-After-Free Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.108633
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2019-13224
url: http://bugs.php.net/78380
url: https://www.php.net/ChangeLog-7.php#7.3.9
url: https://www.php.net/ChangeLog-7.php#7.1.32
cert-bund: WID-SEC-2024-1086
cert-bund: WID-SEC-2024-0218
cert-bund: CB-K20/1030
dfn-cert: DFN-CERT-2024-0233
dfn-cert: DFN-CERT-2022-2107
dfn-cert: DFN-CERT-2020-2412
dfn-cert: DFN-CERT-2020-2105
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2019-1804
dfn-cert: DFN-CERT-2019-1471

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2019-1424

Critical (CVSS: 9.8)
NVT: Drupal Third-party Libraries Vulnerability (SA-CORE-2019-007) - Linux

Summary
Drupal is prone to a vulnerability in the 3rd party library Phar Stream Wrapper.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.67
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.67, 8.6.16, 8.7.1 or later.

Affected Software/OS
Drupal 7.x, 8.6.x or earlier and 8.7.0.

Vulnerability Insight
The vulnerability lies in third-party dependencies included in or required by Drupal core. As described in TYPO3-PSA-2019-007 (By-passing protection of Phar Stream Wrapper Interceptor).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Drupal Third-party Libraries Vulnerability (SA-CORE-2019-007) - Linux
OID:1.3.6.1.4.1.25623.1.0.142385
Version used: 2024-02-19T05:05:57Z

References
cve: CVE-2019-11831
url: https://www.drupal.org/sa-core-2019-007
url: https://typo3.org/security/advisory/typo3-psa-2019-007/
cert-bund: CB-K19/0386
dfn-cert: DFN-CERT-2019-1033
dfn-cert: DFN-CERT-2019-0927

Critical (CVSS: 9.8)
NVT: Drupal Multiple Vulnerabilities (SA-CORE-2019-001, SA-CORE-2019-002) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Drupal is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.62
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.62, 8.5.9, 8.6.6 or later.

Affected Software/OS
Drupal 7.x, 8.5.x and 8.6.x.

Vulnerability Insight
Drupal is prone to multiple vulnerabilities:
- Drupal core uses the third-party PEAR Archive_Tar library. This library has released a security update which impacts some Drupal configurations. (CVE-2018-1000888)
- A remote code execution vulnerability exists in PHP's built-in phar stream wrapper when performing file operations on an untrusted phar:// URI.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal Multiple Vulnerabilities (SA-CORE-2019-001, SA-CORE-2019-002) - Linux`
OID:1.3.6.1.4.1.25623.1.0.141891
Version used: `2024-02-19T05:05:57Z`

References

```
cve: CVE-2018-1000888
cve: CVE-2019-6339
cve: CVE-2019-6338
url: https://www.drupal.org/sa-core-2019-001
url: https://www.drupal.org/sa-core-2019-002
dfn-cert: DFN-CERT-2019-0393
dfn-cert: DFN-CERT-2019-0123
dfn-cert: DFN-CERT-2019-0096
```

Critical (CVSS: 9.8)
NVT: Drupal Core Multiple Vulnerabilities (SA-CORE-2017-003) - Linux

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Drupal is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.56
Installation
path / port:       /drupal
```

Impact

Successful exploitation will allow remote attackers to execute arbitrary code, get or register a user account on the site with permissions to upload files into a private file system and modify the file resource.

Solution:

Solution type: VendorFix

Upgrade to Drupal core version 7.56 or 8.3.4 or later.

Affected Software/OS

Drupal core version 7.x versions prior to 7.56 and 8.x versions prior to 8.3.4.

Vulnerability Insight

Multiple flaws are due to:

- PECL YAML parser does not handle PHP objects safely during certain operations within Drupal core.
- The file REST resource does not properly validate some fields when manipulating files.
- Private files that have been uploaded by an anonymous user but not permanently attached to content on the site is visible to the anonymous user, Drupal core did not provide sufficient protection.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Drupal Core Multiple Vulnerabilities (SA-CORE-2017-003) - Linux`

OID:1.3.6.1.4.1.25623.1.0.810959

Version used: `2023-07-25T05:05:58Z`

References

```
cve: CVE-2017-6920
cve: CVE-2017-6921
cve: CVE-2017-6922
url: https://www.drupal.org/SA-CORE-2017-003
url: http://www.securityfocus.com/bid/99211
url: http://www.securityfocus.com/bid/99222
url: http://www.securityfocus.com/bid/99219
cert-bund: CB-K17/1063
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/1052
dfn-cert: DFN-CERT-2017-1099
dfn-cert: DFN-CERT-2017-1087
```

Critical (CVSS: 9.8)
NVT: Drupal Core Critical RCE Vulnerability (SA-CORE-2018-004) - Linux

Summary
Drupal is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.59
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.59, 8.4.8, 8.5.3 or later.

Affected Software/OS
Drupal 7.x and 8.x are known to be affected.

Vulnerability Insight
A remote code execution vulnerability exists within multiple subsystems of Drupal 7.x and 8.x. This potentially allows attackers to exploit multiple attack vectors on a Drupal site, which could result in the site being compromised. This vulnerability is related to SA-CORE-2018-002 (CVE-2018-7600).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal Core Critical RCE Vulnerability (SA-CORE-2018-004) - Linux`
OID:1.3.6.1.4.1.25623.1.0.141028
Version used: `2025-03-18T05:38:50Z`

References

```
cve: CVE-2018-7602
url: https://www.drupal.org/sa-core-2018-004
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
dfn-cert: DFN-CERT-2019-0393
dfn-cert: DFN-CERT-2018-0792
```

Critical (CVSS: 9.8)
NVT: Drupal Core Critical RCE Vulnerability (SA-CORE-2018-002) - Linux, Version Check

Summary
Drupal is prone to a critical remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.58
Installation
path / port:       /drupal
```

Impact
Successful exploitation will allow remote attackers to execute arbitrary code and completely compromise the site.

Solution:
Solution type: VendorFix
Update to version 7.58, 8.3.9, 8.4.6, 8.5.1 or later. Please see the referenced links for available updates.

Affected Software/OS
Drupal core versions 6.x and prior, 7.x prior to 7.58, 8.2.x and prior, 8.3.x prior to 8.3.9, 8.4.x prior to 8.4.6 and 8.5.x prior to 8.5.1.

Vulnerability Insight
The flaw exists within multiple subsystems of Drupal. This potentially allows attackers to exploit multiple attack vectors on a Drupal site, which could result in the site being completely compromised.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal Core Critical RCE Vulnerability (SA-CORE-2018-002) - Linux, Version Check`
OID:1.3.6.1.4.1.25623.1.0.812584
Version used: `2025-03-18T05:38:50Z`

References

```
cve: CVE-2018-7600
url: https://www.drupal.org/psa-2018-001
url: https://www.drupal.org/sa-core-2018-002
url: https://www.drupal.org/project/drupal/releases/7.58
url: https://www.drupal.org/project/drupal/releases/8.3.9
url: https://www.drupal.org/project/drupal/releases/8.4.6
url: https://www.drupal.org/project/drupal/releases/8.5.1
url: https://research.checkpoint.com/uncovering-drupalgeddon-2/
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: CB-K18/0548
dfn-cert: DFN-CERT-2019-0393
dfn-cert: DFN-CERT-2018-0594
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.26
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to bypass authentication and perform unauthorized actions, cause a denial-of-service condition and gain access to potentially sensitive information.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.2.33 or 2.4.26 or later.

Affected Software/OS

Apache HTTP Server 2.2.x before 2.2.33 and 2.4.x before 2.4.26.

Vulnerability Insight

Multiple flaws exist as,

- The mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

- The mod_ssl may dereference a NULL pointer when third-party modules call ap_hook_process_connection() during an HTTP request to an HTTPS port.

. . . continues on next page . . .

. . . continued from previous page . . .

- An use of the ap_get_basic_auth_pw() by third-party modules outside of the authentication phase may lead to authentication requirements being bypassed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Linux`
OID:1.3.6.1.4.1.25623.1.0.811214
Version used: `2024-02-16T05:06:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2017-7679`
`cve: CVE-2017-3169`
`cve: CVE-2017-3167`
`url: http://seclists.org/oss-sec/2017/q2/509`
`url: http://www.securityfocus.com/bid/99135`
`url: http://www.securityfocus.com/bid/99134`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`url: http://httpd.apache.org/security/vulnerabilities_22.html`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: WID-SEC-2022-0673`
`cert-bund: CB-K22/0045`
`cert-bund: CB-K18/0066`
`cert-bund: CB-K17/2188`
`cert-bund: CB-K17/2013`
`cert-bund: CB-K17/1936`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1842`
`cert-bund: CB-K17/1768`
`cert-bund: CB-K17/1747`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/1382`
`cert-bund: CB-K17/1279`
`cert-bund: CB-K17/1154`
`cert-bund: CB-K17/1023`
`dfn-cert: DFN-CERT-2019-0358`
`dfn-cert: DFN-CERT-2018-0077`
`dfn-cert: DFN-CERT-2017-2290`
`dfn-cert: DFN-CERT-2017-2104`
`dfn-cert: DFN-CERT-2017-2021`
`dfn-cert: DFN-CERT-2017-1926`
`dfn-cert: DFN-CERT-2017-1925`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1828
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1443
dfn-cert: DFN-CERT-2017-1327
dfn-cert: DFN-CERT-2017-1193
dfn-cert: DFN-CERT-2017-1058
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Apr 2018) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.30
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow an attacker to replay HTTP requests across servers without detection, influence the user content, upload a malicious file, crash the Apache HTTP Server and perform denial of service attack.

Solution:

Solution type: VendorFix

Update to version 2.4.30 or later. Please see the references for more information.

Affected Software/OS

Apache HTTP Server versions from 2.4.1 to 2.4.4, 2.4.6, 2.4.7, 2.4.9, 2.4.10, 2.4.12, 2.4.16 to 2.4.18, 2.4.20, 2.4.23, 2.4.25 to 2.4.29.

Vulnerability Insight

Multiple flaws exist due to:
- Apache HTTP Server fails to correctly generate the nonce sent to prevent reply attacks.
- Misconfigured mod_session variable, HTTP_SESSION.

. . . continues on next page . . .

. . . continued from previous page . . .

- Apache HTTP Server fails to sanitize the expression specified in '<FilesMatch>'.
- An error in Apache HTTP Server 'mod_authnz_ldap' when configured with AuthLDAPCharsetConfig.
- Apache HTTP Server fails to sanitize against a specially crafted request.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Apr 2018) - Linux`
OID:1.3.6.1.4.1.25623.1.0.812844
Version used: `2024-02-09T05:06:25Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2018-1312`
`cve: CVE-2018-1283`
`cve: CVE-2017-15715`
`cve: CVE-2017-15710`
`cve: CVE-2018-1301`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`url: http://www.securityfocus.com/bid/103524`
`url: http://www.securityfocus.com/bid/103520`
`url: http://www.securityfocus.com/bid/103525`
`url: http://www.securityfocus.com/bid/103512`
`url: http://www.securityfocus.com/bid/103515`
`cert-bund: WID-SEC-2023-1594`
`cert-bund: CB-K20/1030`
`cert-bund: CB-K19/0354`
`cert-bund: CB-K18/0535`
`dfn-cert: DFN-CERT-2020-2133`
`dfn-cert: DFN-CERT-2020-0673`
`dfn-cert: DFN-CERT-2019-1550`
`dfn-cert: DFN-CERT-2019-0736`
`dfn-cert: DFN-CERT-2019-0359`
`dfn-cert: DFN-CERT-2019-0351`
`dfn-cert: DFN-CERT-2018-2316`
`dfn-cert: DFN-CERT-2018-0985`
`dfn-cert: DFN-CERT-2018-0795`
`dfn-cert: DFN-CERT-2018-0703`
`dfn-cert: DFN-CERT-2018-0570`

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.53
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.53 or later.

Affected Software/OS
Apache HTTP Server version 2.4.52 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-22719: mod_lua Use of uninitialized value of in r:parsebody
- CVE-2022-22720: HTTP request smuggling vulnerability
- CVE-2022-22721: Possible buffer overflow with very large or unlimited LimitXMLRequestBody
- CVE-2022-23943: mod_sed: Read/write beyond bounds

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.113837
Version used: `2022-03-21T03:03:41Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2022-22719
cve: CVE-2022-22720
cve: CVE-2022-22721
cve: CVE-2022-23943
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.53
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1772
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1161
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0898
cert-bund: WID-SEC-2022-0799
cert-bund: WID-SEC-2022-0755
cert-bund: WID-SEC-2022-0646
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0290
cert-bund: CB-K22/0619
cert-bund: CB-K22/0306
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0678
dfn-cert: DFN-CERT-2022-0582
```

Critical (CVSS: 9.8)
NVT: PHP < 8.0.30, 8.1.x < 8.1.22, 8.2.x < 8.2.9 Security Update - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     8.0.30
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.30, 8.1.22, 8.2.9 or later.

Affected Software/OS
PHP prior to version 8.0.30, 8.1.x prior to 8.1.22 and 8.2.x prior to 8.2.9.

Vulnerability Insight
The following flaws exist:
- CVE-2023-3823: Fixed bug GHSA-3qrf-m4j2-pcrr (Security issue with external entity loading in XML without enabling it)
- CVE-2023-3824: Fixed bug GHSA-jqcx-ccgc-xwhv (Buffer mismanagement in phar_dir_read())

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.30, 8.1.x < 8.1.22, 8.2.x < 8.2.9 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.170529
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2023-3823
cve: CVE-2023-3824
url: https://www.php.net/ChangeLog-8.php#8.1.22
url: https://www.php.net/ChangeLog-8.php#8.0.30
url: https://www.php.net/ChangeLog-8.php#8.2.9
url: https://github.com/php/php-src/security/advisories/GHSA-3qrf-m4j2-pcrr
url: https://github.com/php/php-src/security/advisories/GHSA-jqcx-ccgc-xwhv
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2679
cert-bund: WID-SEC-2023-1970
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-2681
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0993
dfn-cert: DFN-CERT-2023-2570
dfn-cert: DFN-CERT-2023-2542
dfn-cert: DFN-CERT-2023-1775
```

Critical (CVSS: 9.8)
NVT: PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     8.1.29
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.29, 8.2.20, 8.3.8 or later.

Affected Software/OS

PHP prior to version 8.1.29, version 8.2.x through 8.2.19 and 8.3.x through 8.3.7.

Vulnerability Insight

The following vulnerabilities exist:
- CVE-2024-4577: Argument injection in PHP-CGI (bypass of CVE-2012-1823)
- CVE-2024-5458: Filter bypass in filter_var FILTER_VALIDATE_URL
- CVE-2024-5585: Bypass of CVE-2024-1874

Note: As of 06/2024 the CVEs CVE-2024-4577 and CVE-2024-5585 are known to be exploitable on Windows systems only.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.152369
Version used: `2025-09-24T05:39:03Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2024-4577
cve: CVE-2024-5458
cve: CVE-2024-5585
url: https://www.php.net/ChangeLog-8.php#8.1.29
url: https://www.php.net/ChangeLog-8.php#8.2.20
url: https://www.php.net/ChangeLog-8.php#8.3.8
url: https://github.com/php/php-src/security/advisories/GHSA-3qgc-jrrr-25jv
url: https://github.com/php/php-src/security/advisories/GHSA-9fcc-425m-g385
url: https://github.com/php/php-src/security/advisories/GHSA-w8qr-v226-r27w
url: https://devco.re/blog/2024/06/06/security-alert-cve-2024-4577-php-cgi-argum
↪ent-injection-vulnerability-en/
url: https://blog.orange.tw/2024/06/cve-2024-4577-yet-another-php-rce.html
url: https://labs.watchtowr.com/no-way-php-strikes-again-cve-2024-4577/
url: https://github.com/watchtowrlabs/CVE-2024-4577
url: https://blog.talosintelligence.com/new-persistent-attacks-japan/
url: https://www.bitdefender.com/en-us/blog/businessinsights/technical-advisory-
↪update-mass-exploitation-cve-2024-4577
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1320
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-3329
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1586
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1563
dfn-cert: DFN-CERT-2024-1476

Critical (CVSS: 9.8)
NVT: PHP < 8.1.32, 8.2.x < 8.2.28 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     8.1.32
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.32, 8.2.28 or later.

Affected Software/OS
PHP versions prior to 8.1.32, and 8.2.x prior to 8.2.28.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2025-1217: Header parser of 'http' stream wrapper does not handle folded headers
- CVE-2025-1219: libxml streams use wrong 'content-type' header when requesting a redirected resource
- CVE-2025-1734: Streams HTTP wrapper does not fail for headers without colon
- CVE-2025-1736: Stream HTTP wrapper header check might omit basic auth header
- CVE-2025-1861: Stream HTTP wrapper truncate redirect location to 1024 bytes

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.32, 8.2.x < 8.2.28 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.154187
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2025-1217`
`cve: CVE-2025-1219`
`cve: CVE-2025-1734`
`cve: CVE-2025-1736`
`cve: CVE-2025-1861`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.php.net/ChangeLog-8.php#8.1.32
url: https://www.php.net/ChangeLog-8.php#8.2.28
url: https://github.com/php/php-src/security/advisories/GHSA-v8xr-gpvj-cx9g
url: https://github.com/php/php-src/security/advisories/GHSA-p3x9-6h7p-cgfc
url: https://github.com/php/php-src/security/advisories/GHSA-pcmh-g36c-qc44
url: https://github.com/php/php-src/security/advisories/GHSA-hgf5-96fm-v528
url: https://github.com/php/php-src/security/advisories/GHSA-52jp-hrpf-2jff
cert-bund: WID-SEC-2025-0566
dfn-cert: DFN-CERT-2025-1939
dfn-cert: DFN-CERT-2025-1082
dfn-cert: DFN-CERT-2025-0665
```

Critical (CVSS: 9.8)
NVT: PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     8.1.31
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.31, 8.2.26, 8.3.14 or later.

Affected Software/OS

PHP versions prior to 8.1.31, 8.2.x prior to 8.2.26 and 8.3.x prior to 8.3.14.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2024-8929: Leak partial content of the heap through heap buffer over-read
- CVE-2024-8932: OOB access in ldap_escape
- CVE-2024-11233: Single byte overread with convert.quoted-printable-decode filter
- CVE-2024-11234: Configuring a proxy in a stream context might allow for CRLF injection in URIs

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2024-11236: Integer overflow in the firebird/dblib quoter causing OOB writes
- No CVE: Heap-Use-After-Free in sapi_read_post_data Processing in CLI SAPI Interface

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.153495
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2024-8929
cve: CVE-2024-8932
cve: CVE-2024-11233
cve: CVE-2024-11234
cve: CVE-2024-11236
url: https://www.php.net/ChangeLog-8.php#8.1.31
url: https://www.php.net/ChangeLog-8.php#8.2.26
url: https://www.php.net/ChangeLog-8.php#8.3.14
url: https://github.com/php/php-src/security/advisories/GHSA-h35g-vwh6-m678
url: https://github.com/php/php-src/security/advisories/GHSA-g665-fm4p-vhff
url: https://github.com/php/php-src/security/advisories/GHSA-r977-prxv-hc43
url: https://github.com/php/php-src/security/advisories/GHSA-c5f2-jwm7-mmq2
url: https://github.com/php/php-src/security/advisories/GHSA-5hqh-c84r-qjcv
url: https://github.com/php/php-src/security/advisories/GHSA-4w77-75f9-2c8w
url: https://thephp.foundation/blog/2025/04/10/php-core-security-audit-results/
url: https://ostif.org/php-audit-complete/
url: https://blog.quarkslab.com/security-audit-of-php-src.html
url: https://www.openwall.com/lists/oss-security/2025/04/12/2
cert-bund: WID-SEC-2024-3519
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2025-1082
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2024-3200
dfn-cert: DFN-CERT-2024-3172
dfn-cert: DFN-CERT-2024-3108
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.52
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.52 or later.

Affected Software/OS
Apache HTTP Server versions through 2.4.51.

Vulnerability Insight
A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.117856
Version used: 2021-12-23T12:12:57Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2021-44790
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1767

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0727
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0619
cert-bund: CB-K21/1296
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0192
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2022-0068
dfn-cert: DFN-CERT-2021-2656
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.60
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.60 or later.

Affected Software/OS

Apache HTTP Server version 2.4.59 and prior.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The following flaws exist:
- CVE-2024-36387: Denial of Service (DoS) by Null pointer in websocket over HTTP/2
- CVE-2024-38473: Proxy encoding problem
- CVE-2024-38474: Weakness with encoded question marks in backreferences
- CVE-2024-38475: Weakness in mod_rewrite when first segment of substitution matches filesystem path
- CVE-2024-38476: May use exploitable/malicious backend application output to run local handlers via internal redirect
- CVE-2024-38477: Crash resulting in DoS in mod_proxy via a malicious request
- CVE-2024-39573: mod_rewrite proxy handler substitution

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114682
Version used: `2025-08-07T05:44:51Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2024-36387
cve: CVE-2024-38473
cve: CVE-2024-38474
cve: CVE-2024-38475
cve: CVE-2024-38476
cve: CVE-2024-38477
cve: CVE-2024-39573
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.60
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2024-3291
cert-bund: WID-SEC-2024-3199
cert-bund: WID-SEC-2024-1913
cert-bund: WID-SEC-2024-1504
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1808
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0170
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-2841
dfn-cert: DFN-CERT-2024-2787
dfn-cert: DFN-CERT-2024-2736
dfn-cert: DFN-CERT-2024-2342
dfn-cert: DFN-CERT-2024-2214
dfn-cert: DFN-CERT-2024-2201
dfn-cert: DFN-CERT-2024-2180
dfn-cert: DFN-CERT-2024-2110
dfn-cert: DFN-CERT-2024-2017
dfn-cert: DFN-CERT-2024-1963
dfn-cert: DFN-CERT-2024-1920
dfn-cert: DFN-CERT-2024-1919
dfn-cert: DFN-CERT-2024-1911
dfn-cert: DFN-CERT-2024-1907
dfn-cert: DFN-CERT-2024-1893
dfn-cert: DFN-CERT-2024-1816
dfn-cert: DFN-CERT-2024-1811
dfn-cert: DFN-CERT-2024-1784
dfn-cert: DFN-CERT-2024-1741
dfn-cert: DFN-CERT-2024-1699
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.54
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.54 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server version 2.4.53 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-26377: mod_proxy_ajp: Possible request smuggling
- CVE-2022-28614: Read beyond bounds via ap_rwrite()
- CVE-2022-28615: Read beyond bounds in ap_strcmp_match()
- CVE-2022-29404: Denial of service in mod_lua r:parsebody
- CVE-2022-30556: Information disclosure in mod_lua with websockets
- CVE-2022-31813: mod_proxy X-Forwarded-For dropped by hop-by-hop mechanism

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.148252
Version used: `2022-06-20T03:04:15Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2022-26377
cve: CVE-2022-28614
cve: CVE-2022-28615
cve: CVE-2022-29404
cve: CVE-2022-30556
cve: CVE-2022-31813
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.54
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-0134
cert-bund: WID-SEC-2023-0132
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1766
cert-bund: WID-SEC-2022-1764
cert-bund: WID-SEC-2022-0858
cert-bund: WID-SEC-2022-0192
cert-bund: CB-K22/0692
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2789
dfn-cert: DFN-CERT-2022-2652
dfn-cert: DFN-CERT-2022-2509
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2310
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1833
dfn-cert: DFN-CERT-2022-1720
dfn-cert: DFN-CERT-2022-1353
dfn-cert: DFN-CERT-2022-1296
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.49
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.49 or later.

Affected Software/OS

Apache HTTP Server version 2.4.48 and prior.

Vulnerability Insight

The following vulnerabilities exist:
- CVE-2021-34798: NULL pointer dereference in httpd core
- CVE-2021-39275: ap_escape_quotes buffer overflow
- CVE-2021-40438: mod_proxy SSRF

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.146725

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2022-08-09T10:11:17Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2021-34798
cve: CVE-2021-39275
cve: CVE-2021-40438
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0186
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2022-1298
cert-bund: WID-SEC-2022-1189
cert-bund: WID-SEC-2022-0724
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0476
cert-bund: CB-K22/0465
cert-bund: CB-K22/0463
cert-bund: CB-K21/0992
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2022-2405
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-0904
dfn-cert: DFN-CERT-2022-0878
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0672
dfn-cert: DFN-CERT-2022-0207
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2021-2629
dfn-cert: DFN-CERT-2021-2471
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2164
dfn-cert: DFN-CERT-2021-2153
dfn-cert: DFN-CERT-2021-2098
dfn-cert: DFN-CERT-2021-2090

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-2047
dfn-cert: DFN-CERT-2021-2020
dfn-cert: DFN-CERT-2021-1961
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server 2.4.0 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a HTTP request smuggling vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.56
Installation
path / port:       80/tcp
```

Impact

Request splitting/smuggling could result in bypass of access controls in the proxy server, proxying unintended URLs to existing origin servers, and cache poisoning.

Solution:

Solution type: VendorFix

Update to version 2.4.56 or later.

Affected Software/OS

Apache HTTP Server versions 2.4.0 through 2.4.55.

Vulnerability Insight

Some mod_proxy configurations allow a HTTP Request Smuggling attack.
Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.104597
Version used: 2024-02-15T05:05:40Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2023-25690
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56
cert-bund: WID-SEC-2025-1285
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-3129
cert-bund: WID-SEC-2023-2694
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1809
cert-bund: WID-SEC-2023-1807
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-0657
cert-bund: WID-SEC-2023-0583
dfn-cert: DFN-CERT-2023-1648
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-1232
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0788
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0546

Critical (CVSS: 9.8)
NVT: Apache HTTP Server 2.4.0 - 2.4.46 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.48
Installation
path / port:       80/tcp
```

Impact

- CVE-2020-35452: A specially crafted Digest nonce can cause a stack overflow in mod_auth_digest.
- CVE-2021-26690: A specially crafted Cookie header handled by mod_session can cause a NULL pointer dereference and crash, leading to a possible Denial Of Service.
- CVE-2021-26691: A specially crafted SessionHeader sent by an origin server could cause a heap overflow.

Solution:

Solution type: VendorFix

Update to version 2.4.48 or later.

Affected Software/OS

Apache HTTP Server versions 2.4.0 to 2.4.46 on Linux.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2020-35452: mod_auth_digest possible stack overflow by one null byte
- CVE-2021-26690: mod_session NULL pointer dereference
- CVE-2021-26691: mod_session response handling heap overflow

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server 2.4.0 - 2.4.46 Multiple Vulnerabilities - Linux`

OID:1.3.6.1.4.1.25623.1.0.112897

Version used: `2021-08-24T09:01:06Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.7`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2020-35452
cve: CVE-2021-26690
cve: CVE-2021-26691
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0064
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-0438
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0072
cert-bund: CB-K21/1092
cert-bund: CB-K21/1090
cert-bund: CB-K21/0646
dfn-cert: DFN-CERT-2022-1047
dfn-cert: DFN-CERT-2022-0207
dfn-cert: DFN-CERT-2022-0122
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2365
dfn-cert: DFN-CERT-2021-2300
dfn-cert: DFN-CERT-2021-2187
dfn-cert: DFN-CERT-2021-2153
dfn-cert: DFN-CERT-2021-1467
dfn-cert: DFN-CERT-2021-1412
dfn-cert: DFN-CERT-2021-1355
dfn-cert: DFN-CERT-2021-1340
dfn-cert: DFN-CERT-2021-1333
dfn-cert: DFN-CERT-2021-1321
dfn-cert: DFN-CERT-2021-1273
```

Critical (CVSS: 9.8)
NVT: PHP Multiple Vulnerabilities (Feb 2019) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.40
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.40, 7.1.16, 7.2.14, 7.3.1 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP versions before 5.6.40, 7.x before 7.1.26, 7.2.x before 7.2.14 and 7.3.x before 7.3.1.

Vulnerability Insight
The following flaws exist:
- Fixed bug #77269 (efree() on uninitialized Heap data in imagescale leads to use-after-free). (CVE-2016-10166)
- Fixed bug #77270 (imagecolormatch Out Of Bounds Write on Heap). (CVE-2019-6977)
- Fixed bug #77370 (Buffer overflow on mb regex functions - fetch_token). (CVE-2019-9023)
- Fixed bug #77371 (heap buffer overflow in mb regex functions - compile_string_node). (CVE-2019-9023)
- Fixed bug #77381 (heap buffer overflow in multibyte match_at). (CVE-2019-9023)
- Fixed bug #77382 (heap buffer overflow due to incorrect length in expand_case_fold_string). (CVE-2019-9023)
- Fixed bug #77385 (buffer overflow in fetch_token). (CVE-2019-9023)
- Fixed bug #77394 (Buffer overflow in multibyte case folding - unicode). (CVE-2019-9023)
- Fixed bug #77418 (Heap overflow in utf32be_mbc_to_code). (CVE-2019-9023)
- Fixed bug #77247 (heap buffer overflow in phar_detect_phar_fname_ext). (CVE-2019-9021)
- Fixed bug #77242 (heap out of bounds read in xmlrpc_decode()). (CVE-2019-9020)
- Fixed bug #77380 (Global out of bounds read in xmlrpc base64 code). (CVE-2019-9024)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Vulnerabilities (Feb 2019) - Linux`
OID:1.3.6.1.4.1.25623.1.0.142048
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-10166`
`cve: CVE-2019-6977`
`cve: CVE-2019-9020`
`cve: CVE-2019-9021`
`cve: CVE-2019-9023`
`cve: CVE-2019-9024`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.php.net/ChangeLog-7.php`
`url: https://bugs.php.net/bug.php?id=77269`
`url: https://bugs.php.net/bug.php?id=77270`
`url: https://bugs.php.net/bug.php?id=77370`
`url: https://bugs.php.net/bug.php?id=77371`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://bugs.php.net/bug.php?id=77381
url: https://bugs.php.net/bug.php?id=77382
url: https://bugs.php.net/bug.php?id=77385
url: https://bugs.php.net/bug.php?id=77394
url: https://bugs.php.net/bug.php?id=77418
url: https://bugs.php.net/bug.php?id=77247
url: https://bugs.php.net/bug.php?id=77242
url: https://bugs.php.net/bug.php?id=77380
cert-bund: WID-SEC-2022-2127
cert-bund: CB-K19/0166
cert-bund: CB-K17/1252
cert-bund: CB-K17/0318
cert-bund: CB-K17/0232
cert-bund: CB-K17/0182
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2398
dfn-cert: DFN-CERT-2020-1078
dfn-cert: DFN-CERT-2020-0898
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-2283
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2019-1181
dfn-cert: DFN-CERT-2019-0804
dfn-cert: DFN-CERT-2019-0698
dfn-cert: DFN-CERT-2019-0434
dfn-cert: DFN-CERT-2019-0368
dfn-cert: DFN-CERT-2019-0313
dfn-cert: DFN-CERT-2019-0241
dfn-cert: DFN-CERT-2019-0212
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2017-0234
dfn-cert: DFN-CERT-2017-0179
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.29, 7.0.x < 7.0.14 DoS Vulnerability - Linux

Product detection result

cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.29
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.29, 7.0.14 or later.

Affected Software/OS
PHP versions prior to 5.6.29 and 7.0.x prior to 7.0.14.

Vulnerability Insight
The php_wddx_push_element function in ext/wddx/wddx.c allows remote attackers to cause a denial of service (out-of-bounds read and memory corruption) or possibly have unspecified other impact via an empty boolean element in a wddxPacket XML document.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.29, 7.0.x < 7.0.14 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.117803
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-9935
url: https://www.php.net/ChangeLog-7.php#7.0.14
url: https://www.php.net/ChangeLog-5.php#5.6.29
url: https://bugs.php.net/bug.php?id=73631
cert-bund: CB-K17/0527
cert-bund: CB-K17/0327
cert-bund: CB-K17/0269
cert-bund: CB-K17/0053
cert-bund: CB-K17/0015
cert-bund: CB-K16/2015
cert-bund: CB-K16/1982
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0334
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0058
dfn-cert: DFN-CERT-2017-0016
dfn-cert: DFN-CERT-2016-2130
dfn-cert: DFN-CERT-2016-2084
```

Critical (CVSS: 9.8)
NVT: PHP < 7.4.33, 8.0.x < 8.0.25, 8.1.x < 8.1.12 Security Update - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.4.33
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.4.33, 8.0.25, 8.1.12 or later.

Affected Software/OS
PHP prior to version 7.4.33, version 8.0.x through 8.0.24 and 8.1.x through 8.1.11.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-31630: OOB read due to insufficient input validation in imageloadfont()
- CVE-2022-37454: Buffer overflow in hash_update() on long parameter

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.4.33, 8.0.x < 8.0.25, 8.1.x < 8.1.12 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.148830
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2022-31630
cve: CVE-2022-37454
url: https://www.php.net/ChangeLog-7.php#7.4.33
url: https://www.php.net/ChangeLog-8.php#8.0.25
url: https://www.php.net/ChangeLog-8.php#8.1.12
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0138
cert-bund: WID-SEC-2022-1934
cert-bund: WID-SEC-2022-1816
dfn-cert: DFN-CERT-2026-0215
dfn-cert: DFN-CERT-2023-0552
dfn-cert: DFN-CERT-2023-0422
dfn-cert: DFN-CERT-2023-0028
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2793
dfn-cert: DFN-CERT-2022-2715
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2535
dfn-cert: DFN-CERT-2022-2523
dfn-cert: DFN-CERT-2022-2420
dfn-cert: DFN-CERT-2022-2380
```

Critical (CVSS: 9.8)
NVT: PHP < 7.4.28, 8.0.x < 8.0.16, 8.1.x < 8.1.3 Security Update (Feb 2022) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP released new versions which include a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.4.28
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.4.28, 8.0.16, 8.1.3 or later.

Affected Software/OS
PHP prior to version 7.4.28, 8.0.x through 8.0.15 and 8.1.x through 8.1.2.

Vulnerability Insight
Fix #81708: UAF due to php_filter_float() failing for ints.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.4.28, 8.0.x < 8.0.16, 8.1.x < 8.1.3 Security Update (Feb 2022) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147657
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2021-21708
url: https://www.php.net/ChangeLog-7.php#7.4.28
url: https://www.php.net/ChangeLog-8.php#8.0.16
url: https://www.php.net/ChangeLog-8.php#8.1.3
url: https://bugs.php.net/bug.php?id=81708
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-0280
cert-bund: CB-K22/0201
dfn-cert: DFN-CERT-2024-1062
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2500
dfn-cert: DFN-CERT-2022-2499
dfn-cert: DFN-CERT-2022-1605
dfn-cert: DFN-CERT-2022-0557
dfn-cert: DFN-CERT-2022-0407
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2022-0365

Critical (CVSS: 9.8)
NVT: PHP < 7.1.33, 7.2.x < 7.2.24, 7.3.x < 7.3.11 RCE Vulnerability - Version Check

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a remote code execution (RCE) vulnerability in certain nginx + php-fpm configurations.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.1.33
Installation
path / port:       80/tcp
```

Impact
Successful exploitation would allow an unauthenticated remote attacker to execute arbitrary code on the target machine.

Solution:
Solution type: VendorFix
Update to version 7.1.33, 7.2.24, 7.3.11 or later.
As an alternative a workaround to update the nginx configuration to mitigate this vulnerability is described at the PHP.net bugtracker linked in the references.

Affected Software/OS
PHP prior to version 7.1.33, 7.2.x prior to 7.2.24 and 7.3.x prior to 7.3.11.

Vulnerability Insight
The file sapi/fpm/fpm/fpm_main.c contains pointer arithmetic that assumes that env_path_info has a prefix equal to the path to the php script. However, the code does not check this assumption is satisfied. The absence of the check can lead to an invalid pointer in the 'path_info' variable.
Such conditions can be achieved in a pretty standard Nginx configuration. The regexp in 'fastcgi_split_path_info' directive can be broken using the newline character (in encoded form, %0a). Broken regexp leads to empty PATH_INFO, which triggers the bug.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: PHP < 7.1.33, 7.2.x < 7.2.24, 7.3.x < 7.3.11 RCE Vulnerability - Version Check
OID:1.3.6.1.4.1.25623.1.0.108692
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2019-11043
url: https://bugs.php.net/bug.php?id=78599
url: https://www.php.net/ChangeLog-7.php#7.3.11
url: https://www.php.net/ChangeLog-7.php#7.2.24
url: https://www.php.net/ChangeLog-7.php#7.1.33
url: https://github.com/neex/phuip-fpizdam
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2022-0418
cert-bund: CB-K20/0081
cert-bund: CB-K19/0943
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-0415
dfn-cert: DFN-CERT-2020-0193
dfn-cert: DFN-CERT-2019-2283
dfn-cert: DFN-CERT-2019-2206

Critical (CVSS: 9.8)
NVT: PHP < 7.0.12 RCE / DoS Vulnerability - Linux

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a remote code execution (RCE) or denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.4.5
Fixed version: 7.0.12
Installation

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 7.0.12 or later.

Affected Software/OS
PHP versions prior to 7.0.12.

Vulnerability Insight
The SplObjectStorage unserialize implementation in ext/spl/spl_observer.c does not verify that a key is an object, which allows remote attackers to execute arbitrary code or cause a denial of service (uninitialized memory access) via crafted serialized data.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 7.0.12 RCE / DoS Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.117800
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-7480
url: https://www.php.net/ChangeLog-7.php#7.0.12
url: https://bugs.php.net/bug.php?id=73257
url: http://blog.checkpoint.com/2016/12/27/check-point-discovers-three-zero-day-
↪vulnerabilities-web-programming-language-php-7
cert-bund: CB-K17/0318
dfn-cert: DFN-CERT-2017-0325

Critical (CVSS: 9.8)
NVT: PHP < 5.6.31, 7.0.x < 7.0.21, 7.1.x < 7.1.7 Multiple Vulnerabilities (Jul 2017) - Linux

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.31
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to leak information from the interpreter, crash PHP interpreter and also disclose sensitive information.

Solution:

Solution type: VendorFix

Update to version 5.6.31, 7.0.21, 7.1.7 or later.

Affected Software/OS

PHP prior to version 5.6.31, 7.0.x prior to 7.0.21 and 7.1.x prior to 7.1.7.

Vulnerability Insight

The following vulnerabilities exist:
- An ext/date/lib/parse_date.c out-of-bounds read affecting the php_parse_date function.
- The openssl extension PEM sealing code did not check the return value of the OpenSSL sealing function.
- lack of bounds checks in the date extension's timelib_meridian parsing code.
- A stack-based buffer overflow in the zend_ini_do_op() function in the 'Zend/zend_ini_parser.c' script.
- The GIF decoding function gdImageCreateFromGifCtx in gd_gif_in.c in the GD Graphics Library (aka libgd) does not zero colorMap arrays before use.
- Heap buffer overread (READ: 1) finish_nested_data from unserialize
- oniguruma upstream fix

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.31, 7.0.x < 7.0.21, 7.1.x < 7.1.7 Multiple Vulnerabilities (Jul 2017).`
↪..

OID:1.3.6.1.4.1.25623.1.0.811482

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

cve: CVE-2017-7890
cve: CVE-2017-9224
cve: CVE-2017-9225
cve: CVE-2017-9226
cve: CVE-2017-9227
cve: CVE-2017-9228
cve: CVE-2017-9229
cve: CVE-2017-11144
cve: CVE-2017-11145
cve: CVE-2017-11628
cve: CVE-2017-12933
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/99492
url: http://www.securityfocus.com/bid/99550
url: http://www.securityfocus.com/bid/99605
url: http://www.securityfocus.com/bid/99612
url: http://www.securityfocus.com/bid/99489
url: http://www.php.net/ChangeLog-7.php
cert-bund: WID-SEC-2023-2719
cert-bund: WID-SEC-2023-2718
cert-bund: CB-K18/0270
cert-bund: CB-K18/0048
cert-bund: CB-K17/2123
cert-bund: CB-K17/1575
cert-bund: CB-K17/1573
cert-bund: CB-K17/1562
cert-bund: CB-K17/1468
cert-bund: CB-K17/1461
cert-bund: CB-K17/1373
cert-bund: CB-K17/1358
cert-bund: CB-K17/1132
cert-bund: CB-K17/1011
cert-bund: CB-K17/0908
dfn-cert: DFN-CERT-2020-1221
dfn-cert: DFN-CERT-2020-0484
dfn-cert: DFN-CERT-2020-0479
dfn-cert: DFN-CERT-2019-1052
dfn-cert: DFN-CERT-2018-2116
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0290
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-2219
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1644
dfn-cert: DFN-CERT-2017-1629

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1530
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1432
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1161
dfn-cert: DFN-CERT-2017-1046
dfn-cert: DFN-CERT-2017-0932
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.30, 7.x < 7.0.15, 7.1.x < 7.1.1 Multiple Vulnerabilities (Jan 2017) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.30
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.30, 7.0.15, 7.1.1 or later.

Affected Software/OS

PHP prior to version 5.6.30, 7.x prior to 7.0.15 and 7.1.x prior to 7.1.1.

Vulnerability Insight

The following flaws exist:

- CVE-2016-10161: Heap out of bounds read on unserialize in finish_nested_data()
- CVE-2016-10158: FPE when parsing a tag format
- CVE-2016-10168: Signed Integer Overflow gd_io.c
- CVE-2016-10167: DOS vulnerability in gdImageCreateFromGd2Ctx()
- CVE-2017-11147: Seg fault when loading hostile phar
- CVE-2016-10160: Memory corruption when loading hostile phar
- CVE-2016-10159: Crash while loading hostile phar archive

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: PHP < 5.6.30, 7.x < 7.0.15, 7.1.x < 7.1.1 Multiple Vulnerabilities (Jan 2017) -.
↪..
OID:1.3.6.1.4.1.25623.1.0.108052
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-10158
cve: CVE-2016-10159
cve: CVE-2016-10160
cve: CVE-2016-10161
cve: CVE-2016-10167
cve: CVE-2016-10168
cve: CVE-2017-11147
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
url: http://bugs.php.net/73825
url: http://bugs.php.net/73737
url: http://bugs.php.net/73869
url: http://bugs.php.net/73868
url: http://bugs.php.net/73773
url: http://bugs.php.net/73768
url: http://bugs.php.net/73764
cert-bund: WID-SEC-2023-2718
cert-bund: CB-K17/1957
cert-bund: CB-K17/1575
cert-bund: CB-K17/1461
cert-bund: CB-K17/1358
cert-bund: CB-K17/1252
cert-bund: CB-K17/0527
cert-bund: CB-K17/0327
cert-bund: CB-K17/0318
cert-bund: CB-K17/0269
cert-bund: CB-K17/0264
cert-bund: CB-K17/0232
cert-bund: CB-K17/0182
cert-bund: CB-K17/0141
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2017-2044
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1529

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0334
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0270
dfn-cert: DFN-CERT-2017-0234
dfn-cert: DFN-CERT-2017-0179
dfn-cert: DFN-CERT-2017-0144
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.28, 7.x < 7.0.13 Multiple Vulnerabilities (Nov 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.28
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.28, 7.0.13 or later.

Affected Software/OS

PHP prior to version 5.6.28 and 7.x prior to 7.0.13.

Vulnerability Insight

The following flaws exist:

- CVE-2016-8670: Stack Buffer Overflow in GD dynamicGetbuf
- CVE-2016-9933, CVE-2016-9934: Multiple denial of service (DoS) vulnerabilities
- CVE-2016-10397: Security bypass vulnerability

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: PHP < 5.6.28, 7.x < 7.0.13 Multiple Vulnerabilities (Nov 2016) - Linux
OID:1.3.6.1.4.1.25623.1.0.811489
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-8670
cve: CVE-2016-9933
cve: CVE-2016-9934
cve: CVE-2016-10397
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
url: http://bugs.php.net/73280
url: http://bugs.php.net/72696
url: http://bugs.php.net/73331
url: http://bugs.php.net/73192
cert-bund: CB-K17/1575
cert-bund: CB-K17/1461
cert-bund: CB-K17/1358
cert-bund: CB-K17/1252
cert-bund: CB-K17/0269
cert-bund: CB-K17/0124
cert-bund: CB-K17/0053
cert-bund: CB-K17/0015
cert-bund: CB-K16/2015
cert-bund: CB-K16/2011
cert-bund: CB-K16/1943
cert-bund: CB-K16/1790
cert-bund: CB-K16/1606
dfn-cert: DFN-CERT-2019-2707
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0131
dfn-cert: DFN-CERT-2017-0058
dfn-cert: DFN-CERT-2017-0016
dfn-cert: DFN-CERT-2016-2130
dfn-cert: DFN-CERT-2016-2123
dfn-cert: DFN-CERT-2016-2053

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1887
dfn-cert: DFN-CERT-2016-1704
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.7 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.7
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.6.7 or later.

Affected Software/OS

PHP prior to version 5.6.7 on Linux.

Vulnerability Insight

The flaw is due to 'type confusion' issues in 'ext/soap/php_encoding.c', 'ext/soap/php_http.c', and 'ext/soap/soap.c' scripts.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.7 DoS Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.808673

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-4601
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75246
cert-bund: CB-K16/0944
cert-bund: CB-K15/1158
cert-bund: CB-K15/1031
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0936
cert-bund: CB-K15/0854
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1217
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0983
dfn-cert: DFN-CERT-2015-0900
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.27, 7.x < 7.0.12 Multiple DoS Vulnerabilities (Oct 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.27
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allows a remote attacker to cause a DoS, or possibly have unspecified other impact.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 5.6.27, 7.0.12 or later.

Affected Software/OS
PHP prior to version 5.6.27 and 7.0.x through 7.0.11.

Vulnerability Insight
The following flaws exist:
- Integer Overflow in gdImageWebpCtx of gd_webp.c
- Use After Free in PHP7 unserialize()

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.27, 7.x < 7.0.12 Multiple DoS Vulnerabilities (Oct 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809338
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-7568`
`cve: CVE-2016-9137`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/93184`
`url: http://www.securityfocus.com/bid/93577`
`url: http://www.php.net/ChangeLog-7.php`
`url: http://seclists.org/oss-sec/2016/q3/639`
`url: https://bugs.php.net/bug.php?id=73003`
`url: https://bugs.php.net/bug.php?id=73147`
`cert-bund: CB-K17/0327`
`cert-bund: CB-K17/0269`
`cert-bund: CB-K16/1941`
`cert-bund: CB-K16/1868`
`cert-bund: CB-K16/1854`
`cert-bund: CB-K16/1811`
`cert-bund: CB-K16/1645`
`cert-bund: CB-K16/1606`
`cert-bund: CB-K16/1603`
`dfn-cert: DFN-CERT-2017-0334`
`dfn-cert: DFN-CERT-2017-0274`
`dfn-cert: DFN-CERT-2016-2047`
`dfn-cert: DFN-CERT-2016-1974`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1961
dfn-cert: DFN-CERT-2016-1918
dfn-cert: DFN-CERT-2016-1745
dfn-cert: DFN-CERT-2016-1704
dfn-cert: DFN-CERT-2016-1700
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.26, 7.x < 7.0.11 Multiple Vulnerabilities (Sep 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.26
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service, or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.6.26, 7.0.11 or later.

Affected Software/OS

PHP prior to version 5.6.26 and 7.x prior to 7.0.11 on Linux.

Vulnerability Insight

The following flaws exist:

- Use-after-free vulnerability in the 'wddx_stack_destroy' function in 'ext/wddx/wddx.c' script.

- Improper verification of a BIT field has the UNSIGNED_FLAG flag in 'ext/mysqlnd/mysqlnd_wireprotocol.c' script.

- The ZIP signature-verification feature does not ensure that the uncompressed_filesize field is large enough.

- The script 'ext/spl/spl_array.c' proceeds with SplArray unserialization without validating a return value and data type.

. . . continues on next page . . .

. . . continued from previous page . . .

- The script 'ext/intl/msgformat/msgformat_format.c' does not properly restrict the locale length provided to the Locale class in the ICU library.
- An error in the php_wddx_push_element function in ext/wddx/wddx.c.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.26, 7.x < 7.0.11 Multiple Vulnerabilities (Sep 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809317
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-7412`
`cve: CVE-2016-7413`
`cve: CVE-2016-7414`
`cve: CVE-2016-7416`
`cve: CVE-2016-7417`
`cve: CVE-2016-7418`
`url: http://www.php.net/ChangeLog-7.php`
`url: http://www.securityfocus.com/bid/93005`
`url: http://www.securityfocus.com/bid/93006`
`url: http://www.securityfocus.com/bid/93004`
`url: http://www.securityfocus.com/bid/93022`
`url: http://www.securityfocus.com/bid/93008`
`url: http://www.securityfocus.com/bid/93007`
`url: http://www.securityfocus.com/bid/93011`
`url: http://www.php.net/ChangeLog-5.php`
`cert-bund: CB-K16/1958`
`cert-bund: CB-K16/1549`
`cert-bund: CB-K16/1543`
`cert-bund: CB-K16/1532`
`cert-bund: CB-K16/1426`
`dfn-cert: DFN-CERT-2018-0835`
`dfn-cert: DFN-CERT-2016-2063`
`dfn-cert: DFN-CERT-2016-1641`
`dfn-cert: DFN-CERT-2016-1639`
`dfn-cert: DFN-CERT-2016-1631`
`dfn-cert: DFN-CERT-2016-1495`

Critical (CVSS: 9.6)
NVT: PHP < 5.5.22, 5.6.x < 5.6.6 XXE Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an XML external entity (XXE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.22
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to conduct XML External Entity (XXE) and XML Entity Expansion (XEE) attacks.

Solution:
Solution type: VendorFix
Update to PHP version 5.5.22, 5.6.6 or later.

Affected Software/OS
PHP prior to version 5.5.22 and 5.6.x prior to 5.6.6 on Linux.

Vulnerability Insight
The flaw is due to script 'ext/libxml/libxml.c' does not isolate each thread from 'libxml_disable_entity_loader' when PHP-FPM is used.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.22, 5.6.x < 5.6.6 XXE Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.808615
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2015-8866
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/87470
cert-bund: CB-K18/0028
cert-bund: CB-K16/1776
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0705
cert-bund: CB-K16/0614
dfn-cert: DFN-CERT-2018-0010
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0764
dfn-cert: DFN-CERT-2016-0659
```

Critical (CVSS: 9.1)
NVT: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 DoS Vulnerability (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.31
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow attackers to obtain sensitive information from process memory or cause a denial of service (out-of-bounds read and buffer overflow) via a long string.

Solution:

Solution type: VendorFix

Update to version 5.5.31, 5.6.17, 7.0.2 or later.

Affected Software/OS

PHP prior to version 5.5.31, 5.6.x prior to 5.6.17 and 7.x prior to 7.0.2 on Linux.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The flaw is due to the 'sapi/fpm/fpm/fpm_log.c' script misinterprets the semantics of the snprintf return value.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 DoS Vulnerability (Aug 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809139
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-5114`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/81808`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/1179`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0911`
`dfn-cert: DFN-CERT-2016-1882`
`dfn-cert: DFN-CERT-2016-1253`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0972`
`dfn-cert: DFN-CERT-2016-0944`

Critical (CVSS: 9.1)
NVT: PHP < 7.2.27, 7.3.x < 7.3.14, 7.4.x < 7.4.2 Multiple Vulnerabilities (Jan 2020) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.4.5
Fixed version:     7.2.27
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.27, 7.3.14, 7.4.2 or later.

Affected Software/OS
PHP versions before 7.2.27, 7.3.x and 7.4.x.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- OOB read in php_strip_tags_ex (CVE-2020-7059)
- Global buffer-overflow in 'mbfl_filt_conv_big5_wchar' (CVE-2020-7060)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.27, 7.3.x < 7.3.14, 7.4.x < 7.4.2 Multiple Vulnerabilities (Jan 2020).`
↪..
OID:1.3.6.1.4.1.25623.1.0.143392
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7059
cve: CVE-2020-7060
url: https://www.php.net/ChangeLog-7.php#7.2.27
url: https://www.php.net/ChangeLog-7.php#7.3.14
url: https://www.php.net/ChangeLog-7.php#7.4.2
cert-bund: WID-SEC-2022-2121
cert-bund: CB-K20/1199
cert-bund: CB-K20/0067
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-0485
dfn-cert: DFN-CERT-2020-0422
dfn-cert: DFN-CERT-2020-0415
dfn-cert: DFN-CERT-2020-0382
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-0342
dfn-cert: DFN-CERT-2020-0339
dfn-cert: DFN-CERT-2020-0337
dfn-cert: DFN-CERT-2020-0139
```

Critical (CVSS: 9.1)
NVT: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 Out of Bounds Read Memory Corruption Vulnerability (Mar 2016) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an out-of-bounds read memory corruption vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.31
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to obtain sensitive information or cause a denial-of-service condition.

Solution:
Solution type: VendorFix
Update to version 5.5.31, 5.6.17, 7.0.2 or later.

Affected Software/OS
PHP prior to version 5.5.31, 5.6.x prior to 5.6.17 and 7.x prior to 7.0.2 on Linux.

Vulnerability Insight
A memory corruption vulnerability occurs via a large 'bgd_color' argument to the 'imagerotate' function in 'ext/gd/libgd/gd_interpolation.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 Out of Bounds Read Memory Corruption . ↪..`
OID:1.3.6.1.4.1.25623.1.0.807504

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-1903
url: https://bugs.php.net/bug.php?id=70976
url: http://www.securityfocus.com/bid/79916
url: http://www.openwall.com/lists/oss-security/2016/01/14/8
cert-bund: CB-K16/1776
cert-bund: CB-K16/0614
cert-bund: CB-K16/0161
cert-bund: CB-K16/0136
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0176
dfn-cert: DFN-CERT-2016-0154

Critical (CVSS: 9.1)
NVT: Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.4.7
Fixed version: 2.4.27
Installation
path / port: 80/tcp

Impact
Successful exploitation will allow remote attackers to cause the target service to crash. A remote user can obtain potentially sensitive information as well on the target system.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to Apache HTTP Server 2.2.34 or 2.4.27 or later.

Affected Software/OS
Apache HTTP Server 2.2.x before 2.2.34 and 2.4.x before 2.4.27.

Vulnerability Insight
The flaw exists due to error in Apache 'mod_auth_digest' which does not properly initialize memory used to process 'Digest' type HTTP Authorization headers.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.811237
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2017-9788`
`url: http://www.securitytracker.com/id/1038906`
`url: http://www.securityfocus.com/bid/99569`
`url: http://httpd.apache.org/security/vulnerabilities_22.html`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: CB-K18/0066`
`cert-bund: CB-K17/2013`
`cert-bund: CB-K17/1980`
`cert-bund: CB-K17/1936`
`cert-bund: CB-K17/1871`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1842`
`cert-bund: CB-K17/1768`
`cert-bund: CB-K17/1747`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/1558`
`cert-bund: CB-K17/1382`
`cert-bund: CB-K17/1197`
`cert-bund: CB-K17/1177`
`cert-bund: CB-K17/1023`
`dfn-cert: DFN-CERT-2019-0358`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2104
dfn-cert: DFN-CERT-2017-2070
dfn-cert: DFN-CERT-2017-2021
dfn-cert: DFN-CERT-2017-1954
dfn-cert: DFN-CERT-2017-1926
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1828
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1626
dfn-cert: DFN-CERT-2017-1443
dfn-cert: DFN-CERT-2017-1240
dfn-cert: DFN-CERT-2017-1217
dfn-cert: DFN-CERT-2017-1058
```

Critical (CVSS: 9.0)
NVT: Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.55
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.55 or later.

Affected Software/OS

Apache HTTP Server version 2.4.54 and prior.

Vulnerability Insight

The following vulnerabilities exist:

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2006-20001: mod_dav out of bounds read, or write of zero byte
- CVE-2022-36760: Possible request smuggling in mod_proxy_ajp
- CVE-2022-37436: mod_proxy allows a backend to trigger HTTP response splitting

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.149152
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2006-20001`
`cve: CVE-2022-36760`
`cve: CVE-2022-37436`
`url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.55`
`cert-bund: WID-SEC-2024-3195`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2024-0794`
`cert-bund: WID-SEC-2023-2674`
`cert-bund: WID-SEC-2023-1424`
`cert-bund: WID-SEC-2023-1022`
`cert-bund: WID-SEC-2023-0561`
`cert-bund: WID-SEC-2023-0110`
`dfn-cert: DFN-CERT-2023-2545`
`dfn-cert: DFN-CERT-2023-1895`
`dfn-cert: DFN-CERT-2023-1297`
`dfn-cert: DFN-CERT-2023-0658`
`dfn-cert: DFN-CERT-2023-0548`
`dfn-cert: DFN-CERT-2023-0497`
`dfn-cert: DFN-CERT-2023-0118`

[return to 172.30.1.3]

2.1.3 Critical 445/tcp

Critical (CVSS: 10.0)
NVT: Samba End of Life (EOL) Detection

Product detection result
`cpe:/a:samba:samba:4.3.11`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
The Samba version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "Samba" version on the remote host has reached the end of life.
CPE:                cpe:/a:samba:samba:4.3.11
Installed version:  4.3.11
Location/URL:       445/tcp
EOL version:        4.3
EOL date:           2017-03-07
```

Impact
An EOL version of Samba is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update the Samba version on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: Samba End of Life (EOL) Detection
OID:1.3.6.1.4.1.25623.1.0.140159
Version used: 2025-04-15T05:54:49Z

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
url: https://wiki.samba.org/index.php/Samba_Release_Planning

Critical (CVSS: 10.0)
NVT: Samba Command Injection Vulnerability (CVE-2025-10230)

Product detection result
cpe:/a:samba:samba:4.3.11

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a command injection vulnerability via WINS server hook script.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.21.9
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.21.9, 4.22.5, 4.23.2 or later.

Affected Software/OS
Samba version 4.x prior to 4.21.9, 4.22.x prior to 4.22.5 and 4.23.x prior to 4.23.2.

Vulnerability Insight
If a Samba server has WINS support enabled (it is off by default), and it has a 'wins hook' parameter specified, the program specified by that parameter will be run whenever a WINS name is changed.
The WINS server used by the Samba Active Directory Domain Controller did not validate the names passed to the wins hook program, and it passed them by inserting them into a string run by a shell.
WINS is an obsolete and trusting protocol, and clients can request any name that fits within the 15 character NetBIOS limit. This includes some shell metacharacters, making it possible to run arbitrary commands on the host.
The WINS server used by Samba when it is not a domain controller is unaffected.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Samba Command Injection Vulnerability (CVE-2025-10230)
OID:1.3.6.1.4.1.25623.1.0.155661
Version used: 2025-11-10T05:40:50Z

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2025-10230
url: https://www.samba.org/samba/security/CVE-2025-10230.html
url: https://www.samba.org/samba/history/samba-4.21.9.html
url: https://www.samba.org/samba/history/samba-4.22.5.html
url: https://www.samba.org/samba/history/samba-4.23.2.html
url: https://lists.samba.org/archive/samba-announce/2025/000704.html
url: https://github.com/dptsec/CVE-2025-10230
cert-bund: WID-SEC-2025-2322
dfn-cert: DFN-CERT-2026-0218
dfn-cert: DFN-CERT-2025-2874
```

Critical (CVSS: 9.8)
NVT: Samba RCE Vulnerability (SambaCry)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.4.14 or apply patch
Installation
path / port:       445/tcp
```

Impact

Successfully exploiting this issue will allow remote attackers to execute arbitrary code as root on an affected system.

Solution:

Solution type: VendorFix

Upgrade to Samba 4.6.4 or 4.5.10 or 4.4.14 or later.

Affected Software/OS

All Samba Server versions 3.5.0 onwards,
Samba Server versions 4.4.x before 4.4.14,
Samba Server versions 4.5.x before 4.5.10, and
Samba Server versions 4.6.x before 4.6.4

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The flaw exists due to an input validation error, which allows a malicious client to upload a shared library to a writable share.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba RCE Vulnerability (SambaCry)`
OID:1.3.6.1.4.1.25623.1.0.811055
Version used: `2025-09-17T05:39:26Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2017-7494
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://www.samba.org/samba/security/CVE-2017-7494.html
url: http://www.securityfocus.com/bid/98636
url: http://hackaday.com/2017/05/25/linux-sambacry/
url: http://thehackernews.com/2017/05/samba-rce-exploit.html
url: https://github.com/omri9741/cve-2017-7494
cert-bund: CB-K17/1719
cert-bund: CB-K17/0879
dfn-cert: DFN-CERT-2017-1801
dfn-cert: DFN-CERT-2017-0906
```

Critical (CVSS: 9.8)
NVT: Samba Elevation of Privilege Vulnerability (CVE-2022-45141)

Product detection result
```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary
Samba is prone to an elevation of privilege vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.3.11
Fixed version:     4.15.13 / 4.16.0
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 445/tcp

Solution:
Solution type: VendorFix
Update to version 4.15.13, 4.16.0 or later.

Affected Software/OS
Samba versions prior to 4.15.13.

Vulnerability Insight
Kerberos, the trusted third party authentication system at the heart of Active Directory, issues a ticket using a key known to the target server but nobody else, returned to the client in a TGS-REP.
This key needs to be of a type understood only by the KDC and target server.
However, due to a coding error subsequently addressed in all recent Heimdal versions and so fixed with Samba 4.16 (which imports Heimdal 8.0pre), the (attacking) client would be given the opportunity to select the encryption type, and so obtain a ticket encrypted with rc4-hmac, that it could attack offline.
This is possible unless rc4-hmac is totally removed from the server's account, by removing the unicodePwd attribute, but this will break other aspects of the server's operation in the domain (NETLOGON in particular).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Samba Elevation of Privilege Vulnerability (CVE-2022-45141)
OID:1.3.6.1.4.1.25623.1.0.104475
Version used: 2023-10-19T05:05:21Z

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2022-45141
url: https://www.samba.org/samba/security/CVE-2022-45141.html
cert-bund: WID-SEC-2022-2365
dfn-cert: DFN-CERT-2025-1637
dfn-cert: DFN-CERT-2022-2870

Critical (CVSS: 9.8)
NVT: Samba Server 'CVE-2017-14746' Use-after-free Vulnerability

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary
Samba is prone to a use-after-free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.5.15
Installation
path / port:       445/tcp
```

Impact
A malicious SMB1 request can be used to control the contents of heap memory via a deallocated heap pointer. It is possible this may be used to compromise the SMB server.

Solution:
Solution type: VendorFix
Update to Samba 4.5.15, 4.6.11, 4.7.3 or later. Workaround:
Prevent SMB1 access to the server by setting the parameter:
server min protocol = SMB2
to the [global] section of your smb.conf and restart smbd. This prevents a SMB1 access to the server. Note this could cause older clients to be unable to connect to the server.

Affected Software/OS
Samba versions 4.0.0 to 4.5.14, 4.6.x prior to 4.6.11, 4.7.x prior to 4.7.3 with enabled SMBv1 support.

Vulnerability Insight
The flaw exists due to a client which may use an SMB1 request to manipulate the contents of heap space.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Server 'CVE-2017-14746' Use-after-free Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.108294
Version used: `2025-09-17T05:39:26Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2017-14746
url: https://www.samba.org/samba/security/CVE-2017-14746.html
url: http://www.securityfocus.com/bid/101907
cert-bund: CB-K18/0478
cert-bund: CB-K17/2077
cert-bund: CB-K17/2003
dfn-cert: DFN-CERT-2018-1603
dfn-cert: DFN-CERT-2018-0985
dfn-cert: DFN-CERT-2018-0513
dfn-cert: DFN-CERT-2017-2172
dfn-cert: DFN-CERT-2017-2095

[return to 172.30.1.3]

2.1.4 Critical general/tcp

Critical (CVSS: 9.8)
NVT: ProFTPD <= 1.3.6 Arbitrary File Copy Vulnerability

Product detection result
cpe:/a:proftpd:proftpd:1.3.5
Detected by ProFTPD Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.155379)

Summary
ProFTPD is prone to an arbitrary file copy vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 1.3.5
Fixed version: None

Solution:
Solution type: Workaround
As a workaround disable mod_copy in the ProFTPD configuration file.

Affected Software/OS
ProFTPD version 1.3.6 and prior.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

An arbitrary file copy vulnerability in mod_copy in ProFTPD allows for remote code execution (RCE) and information disclosure without authentication, a related issue to CVE-2015-3306.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `ProFTPD <= 1.3.6 Arbitrary File Copy Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.142662
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:proftpd:proftpd:1.3.5`
Method: `ProFTPD Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.155379)

References
```
cve: CVE-2019-12815
url: https://tbspace.de/cve201912815proftpd.html
url: http://bugs.proftpd.org/show_bug.cgi?id=4372
url: https://www.bleepingcomputer.com/news/security/proftpd-vulnerability-lets-u
↪sers-copy-files-without-permission/
cert-bund: CB-K19/0642
dfn-cert: DFN-CERT-2020-0072
dfn-cert: DFN-CERT-2019-1655
dfn-cert: DFN-CERT-2019-1515
```

[return to 172.30.1.3]

2.1.5 Critical 21/tcp

Critical (CVSS: 10.0)
NVT: ProFTPD 'mod_copy' Unauthenticated Copying Of Files Via SITE CPFR/CPTO Vulnerability (Apr 2015) - Active Check

Summary
ProFTPD is prone to an unauthenticated copying of files vulnerability.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
`The target was found to be vulnerable`

Impact
Under some circumstances this could result in remote code execution.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Ask the vendor for an update.

Vulnerability Detection Method
Tries to copy /etc/passwd to /tmp/passwd.copy with SITE CPFR/CPTO command.
Details: `ProFTPD 'mod_copy' Unauthenticated Copying Of Files Via SITE CPFR/CPTO Vulnerab.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.105254
Version used: `2025-09-24T05:39:03Z`

References
`cve: CVE-2015-3306`
`url: http://bugs.proftpd.org/show_bug.cgi?id=4169`
`cert-bund: CB-K15/0791`
`cert-bund: CB-K15/0553`
`dfn-cert: DFN-CERT-2015-0839`
`dfn-cert: DFN-CERT-2015-0576`

[return to 172.30.1.3]

2.1.6 High 22/tcp

High (CVSS: 8.5)
NVT: OpenSSH Multiple Vulnerabilities

Product detection result
`cpe:/a:openbsd:openssh:6.6.1p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenSSH is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 6.6.1p1
Fixed version:     7.0
Installation
path / port:       22/tcp
```

Impact
Successful exploitation will allow an attacker to gain privileges, to conduct impersonation attacks, to conduct brute-force attacks or cause a denial of service.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Upgrade to OpenSSH 7.0 or later.

Affected Software/OS
OpenSSH versions before 7.0.

Vulnerability Insight
Multiple flaws are due to:
- Use-after-free vulnerability in the 'mm_answer_pam_free_ctx' function in monitor.c in sshd.
- Vulnerability in 'kbdint_next_device' function in auth2-chall.c in sshd.
- Vulnerability in the handler for the MONITOR_REQ_PAM_FREE_CTX request.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.806052
Version used: `2023-07-25T05:05:58Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`cve: CVE-2015-6564`
`cve: CVE-2015-6563`
`cve: CVE-2015-5600`
`url: http://seclists.org/fulldisclosure/2015/Aug/54`
`url: http://openwall.com/lists/oss-security/2015/07/23/4`
`cert-bund: CB-K18/0066`
`cert-bund: CB-K17/0054`
`cert-bund: CB-K16/1733`
`cert-bund: CB-K16/1315`
`cert-bund: CB-K16/1107`
`cert-bund: CB-K16/1102`
`cert-bund: CB-K16/0694`
`cert-bund: CB-K16/0448`
`cert-bund: CB-K15/1696`
`cert-bund: CB-K15/1591`
`cert-bund: CB-K15/1561`
`cert-bund: CB-K15/1550`
`cert-bund: CB-K15/1510`
`cert-bund: CB-K15/1369`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/1334
cert-bund: CB-K15/1247
cert-bund: CB-K15/1212
cert-bund: CB-K15/1194
cert-bund: CB-K15/1188
cert-bund: CB-K15/1105
cert-bund: CB-K15/1103
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-0059
dfn-cert: DFN-CERT-2016-1841
dfn-cert: DFN-CERT-2016-1401
dfn-cert: DFN-CERT-2016-1174
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0754
dfn-cert: DFN-CERT-2016-0486
dfn-cert: DFN-CERT-2015-1794
dfn-cert: DFN-CERT-2015-1679
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1632
dfn-cert: DFN-CERT-2015-1591
dfn-cert: DFN-CERT-2015-1443
dfn-cert: DFN-CERT-2015-1406
dfn-cert: DFN-CERT-2015-1263
dfn-cert: DFN-CERT-2015-1259
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1239
dfn-cert: DFN-CERT-2015-1161
dfn-cert: DFN-CERT-2015-1159
```

High (CVSS: 8.1)
NVT: OpenSSH Client Information Leak

Product detection result

```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

The OpenSSH client code between 5.4 and 7.1p1 contains experimental support for resuming SSH-connections (roaming). The matching server code has never been shipped, but the client code was enabled by default and could be tricked by a malicious server into leaking client memory to the server, including private client user keys. The authentication of the server host key prevents exploitation by a man-in-the-middle, so this information leak is restricted to connections to malicious or compromised servers.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     7.1p2
Installation
path / port:       22/tcp
```

Solution:
Solution type: VendorFix
Update to 7.1p2 or newer.

Affected Software/OS
OpenSSH >= 5.4 < 7.1p2

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH Client Information Leak`
OID:1.3.6.1.4.1.25623.1.0.105512
Version used: `2023-07-25T05:05:58Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References

```
cve: CVE-2016-0777
cve: CVE-2016-0778
url: http://www.openssh.com/txt/release-7.1p2
cert-bund: WID-SEC-2024-1055
cert-bund: CB-K17/0054
cert-bund: CB-K16/0565
cert-bund: CB-K16/0446
cert-bund: CB-K16/0275
cert-bund: CB-K16/0069
cert-bund: CB-K16/0068
dfn-cert: DFN-CERT-2017-0059
dfn-cert: DFN-CERT-2016-0864
dfn-cert: DFN-CERT-2016-0609
dfn-cert: DFN-CERT-2016-0484
dfn-cert: DFN-CERT-2016-0301
dfn-cert: DFN-CERT-2016-0077
dfn-cert: DFN-CERT-2016-0076
```

High (CVSS: 7.8)
NVT: OpenSSH <= 7.2p2 Privilege Escalation Vulnerability (May 2016)

Product detection result
`cpe:/a:openbsd:openssh:6.6.1p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenSSH is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     7.2p2-3
Installation
path / port:       22/tcp
```

Impact
Successfully exploiting this issue will allow local users to gain privileges.

Solution:
Solution type: VendorFix
Update to version 7.2p2-3 or later.

Affected Software/OS
OpenSSH versions through 7.2p2.

Vulnerability Insight
The flaw exists due to an error in 'do_setup_env function' in the 'session.c' script in sshd which trigger a crafted environment for the /bin/login program when the UseLogin feature is enabled and PAM is configured to read .pam_environment files in user home directories.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH <= 7.2p2 Privilege Escalation Vulnerability (May 2016)`
OID:1.3.6.1.4.1.25623.1.0.807574
Version used: `2024-12-13T05:05:32Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2015-8325
url: https://people.canonical.com/~ubuntu-security/cve/2015/CVE-2015-8325.html
url: https://anongit.mindrot.org/openssh.git/commit/?id=85bdcd7c92fe7ff133bbc4e1
↪0a65c91810f88755
cert-bund: WID-SEC-2024-1053
cert-bund: CB-K17/1725
cert-bund: CB-K17/0055
cert-bund: CB-K17/0054
cert-bund: CB-K16/1837
cert-bund: CB-K16/1487
cert-bund: CB-K16/1485
cert-bund: CB-K16/1221
cert-bund: CB-K16/0684
cert-bund: CB-K16/0577
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2017-1807
dfn-cert: DFN-CERT-2017-0060
dfn-cert: DFN-CERT-2017-0059
dfn-cert: DFN-CERT-2016-1943
dfn-cert: DFN-CERT-2016-1576
dfn-cert: DFN-CERT-2016-1574
dfn-cert: DFN-CERT-2016-1243
dfn-cert: DFN-CERT-2016-0864
dfn-cert: DFN-CERT-2016-0733
dfn-cert: DFN-CERT-2016-0628
```

High (CVSS: 7.8)
NVT: OpenSSH < 7.4 Multiple Vulnerabilities (Jan 2017) - Linux

Product detection result

```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenSSH is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     7.4
Installation
path / port:       22/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successfully exploiting this issue allows local users to obtain sensitive private-key information, to gain privileges, conduct a senial-of-service condition and allows remote attackers to execute arbitrary local PKCS#11 modules.

Solution:
Solution type: VendorFix
Update to version 7.4 or later.

Affected Software/OS
OpenSSH versions before 7.4 on Linux.

Vulnerability Insight
Multiple flaws exist due to:
- An 'authfile.c' script does not properly consider the effects of realloc on buffer contents.
- The shared memory manager (associated with pre-authentication compression) does not ensure that a bounds check is enforced by all compilers.
- The sshd in OpenSSH creates forwarded Unix-domain sockets as root, when privilege separation is not used.
- An untrusted search path vulnerability in ssh-agent.c in ssh-agent.
- NULL pointer dereference error due to an out-of-sequence NEWKEYS message.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH < 7.4 Multiple Vulnerabilities (Jan 2017) - Linux`
OID:1.3.6.1.4.1.25623.1.0.8103256
Version used: `2024-12-13T05:05:32Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`cve: CVE-2016-10009`
`cve: CVE-2016-10010`
`cve: CVE-2016-10011`
`cve: CVE-2016-10012`
`cve: CVE-2016-10708`
`url: https://www.openssh.com/txt/release-7.4`
`url: http://www.securityfocus.com/bid/94968`
`url: http://www.securityfocus.com/bid/94972`
`url: http://www.securityfocus.com/bid/94977`
`url: http://www.securityfocus.com/bid/94975`
`url: http://www.openwall.com/lists/oss-security/2016/12/19/2`
`url: http://blog.swiecki.net/2018/01/fuzzing-tcp-servers.html`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://anongit.mindrot.org/openssh.git/commit/?id=28652bca29046f62c7045e93
↪3e6b931de1d16737
cert-bund: WID-SEC-2023-1996
cert-bund: CB-K18/0919
cert-bund: CB-K18/0591
cert-bund: CB-K18/0137
cert-bund: CB-K18/0041
cert-bund: CB-K17/2219
cert-bund: CB-K17/2112
cert-bund: CB-K17/1292
cert-bund: CB-K17/1061
cert-bund: CB-K17/0527
cert-bund: CB-K17/0377
cert-bund: CB-K17/0127
cert-bund: CB-K17/0041
cert-bund: CB-K16/1991
dfn-cert: DFN-CERT-2021-0776
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2018-2259
dfn-cert: DFN-CERT-2018-2191
dfn-cert: DFN-CERT-2018-2068
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2018-1568
dfn-cert: DFN-CERT-2018-1432
dfn-cert: DFN-CERT-2018-1112
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-1068
dfn-cert: DFN-CERT-2018-0150
dfn-cert: DFN-CERT-2018-0046
dfn-cert: DFN-CERT-2017-2320
dfn-cert: DFN-CERT-2017-2208
dfn-cert: DFN-CERT-2017-1340
dfn-cert: DFN-CERT-2017-1096
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0386
dfn-cert: DFN-CERT-2017-0130
dfn-cert: DFN-CERT-2017-0042
dfn-cert: DFN-CERT-2016-2099
```

High (CVSS: 7.5)
NVT: Diffie-Hellman Ephemeral Key Exchange DoS Vulnerability (SSH, D(HE)ater)

Product detection result

```
cpe:/a:ietf:secure_shell_protocol
Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↪)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
The remote SSH server is supporting Diffie-Hellman ephemeral (DHE) Key Exchange (KEX) algorithms and thus could be prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The remote SSH server supports the following DHE KEX algorithm(s):
diffie-hellman-group1-sha1
diffie-hellman-group14-sha1
diffie-hellman-group-exchange-sha1
diffie-hellman-group-exchange-sha256
```

Impact
This vulnerability allows remote attackers (from the client side) to send arbitrary numbers that are actually not public keys, and trigger expensive server-side DHE modular-exponentiation calculations, also known as a D(HE)ater attack.
There could be an increase in CPU usage in the affected component. For OpenSSH, users may observe issues such as a slowdown in SSH connections.

Solution:
Solution type: Mitigation
- DHE key exchange should be disabled if no other mitigation mechanism can be used and either elliptic-curve variant of Diffie-Hellman (ECDHE) or RSA key exchange is supported by the clients. The fact that RSA key exchange is not forward secret should be considered.
- Limit the maximum number of concurrent connections in e.g. the configuration of the remote server. For OpenSSH this limit can be configured via the 'MaxStartups' option, for other products please refer to the manual of the product in question on configuration possibilities.

Vulnerability Insight
- CVE-2002-20001: The Diffie-Hellman Key Agreement Protocol allows remote attackers (from the client side) to send arbitrary numbers that are actually not public keys, and trigger expensive server-side DHE modular-exponentiation calculations, aka a D(HE)ater attack. The client needs very little CPU resources and network bandwidth. The attack may be more disruptive in cases where a client can require a server to select its largest supported key size. The basic attack scenario is that the client must claim that it can only communicate with DHE, and the server must be configured to allow DHE.

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2022-40735: The Diffie-Hellman Key Agreement Protocol allows use of long exponents that arguably make certain calculations unnecessarily expensive, because the 1996 van Oorschot and Wiener paper found that '(appropriately) short exponents' can be used when there are adequate subgroup constraints, and these short exponents can lead to less expensive calculations than for long exponents. This issue is different from CVE-2002-20001 because it is based on an observation about exponent size, rather than an observation about numbers that are not public keys. The specific situations in which calculation expense would constitute a server-side vulnerability depend on the protocol (e.g., TLS, SSH, or IKE) and the DHE implementation details. In general, there might be an availability concern because of server-side resource consumption from DHE modular-exponentiation calculations. Finally, it is possible for an attacker to exploit this vulnerability and CVE-2002-20001 together.
- CVE-2024-41996: Validating the order of the public keys in the Diffie-Hellman Key Agreement Protocol, when an approved safe prime is used, allows remote attackers (from the client side) to trigger unnecessarily expensive server-side DHE modular-exponentiation calculations. The client may cause asymmetric resource consumption. The basic attack scenario is that the client must claim that it can only communicate with DHE, and the server must be configured to allow DHE and validate the order of the public key.

Vulnerability Detection Method
Checks the supported KEX algorithms of the remote SSH server.
Details: `Diffie-Hellman Ephemeral Key Exchange DoS Vulnerability (SSH, D(HE)ater)`
OID:1.3.6.1.4.1.25623.1.0.117839
Version used: `2024-10-03T05:05:33Z`

Product Detection Result
Product: `cpe:/a:ietf:secure_shell_protocol`
Method: `SSH Protocol Algorithms Supported`
OID: 1.3.6.1.4.1.25623.1.0.105565)

References
`cve: CVE-2002-20001`
`cve: CVE-2022-40735`
`cve: CVE-2024-41996`
`url: https://dheatattack.gitlab.io/`
`url: https://dheatattack.gitlab.io/details/`
`url: https://www.researchgate.net/profile/Anton-Stiglic-2/publication/2401745_Se`
`↪curity_Issues_in_the_Diffie-Hellman_Key_Agreement_Protocol`
`url: https://github.com/Balasys/dheater`
`url: https://github.com/c0r0n3r/dheater`
`cert-bund: WID-SEC-2024-3056`
`cert-bund: WID-SEC-2023-1886`
`cert-bund: WID-SEC-2023-1352`
`cert-bund: WID-SEC-2022-2251`
`cert-bund: WID-SEC-2022-2000`
`cert-bund: CB-K22/0224`
`cert-bund: CB-K21/1276`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-2847
dfn-cert: DFN-CERT-2024-2578
dfn-cert: DFN-CERT-2024-1671
dfn-cert: DFN-CERT-2023-1697
dfn-cert: DFN-CERT-2023-1332
dfn-cert: DFN-CERT-2022-2147
dfn-cert: DFN-CERT-2022-0437
dfn-cert: DFN-CERT-2021-2622
```

High (CVSS: 7.5)
NVT: OpenSSH < 7.3 DoS and User Enumeration Vulnerabilities - Linux

Product detection result

```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenSSH is prone to denial of service (DoS) and user enumeration vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     7.3
Installation
path / port:       22/tcp
```

Impact

Successfully exploiting this issue allows remote attackers to cause a denial of service (crypt CPU consumption) and to enumerate users by leveraging the timing difference between responses when a large password is provided.

Solution:

Solution type: VendorFix

Update to version 7.3 or later.

Affected Software/OS

OpenSSH versions before 7.3 on Linux.

Vulnerability Insight

Multiple flaws exist due to:

- The auth_password function in 'auth-passwd.c' script does not limit password lengths for password authentication.

. . . continues on next page . . .

. . . continued from previous page . . .

- The sshd in OpenSSH, when SHA256 or SHA512 are used for user password hashing uses BLOWFISH hashing on a static password when the username does not exist and it takes much longer to calculate SHA256/SHA512 hash than BLOWFISH hash.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH < 7.3 DoS and User Enumeration Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.809154
Version used: `2024-12-13T05:05:32Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`cve: CVE-2016-6515`
`cve: CVE-2016-6210`
`url: http://www.openssh.com/txt/release-7.3`
`url: http://www.securityfocus.com/bid/92212`
`url: http://seclists.org/fulldisclosure/2016/Jul/51`
`url: https://security-tracker.debian.org/tracker/CVE-2016-6210`
`url: http://openwall.com/lists/oss-security/2016/08/01/2`
`cert-bund: WID-SEC-2023-0450`
`cert-bund: WID-SEC-2023-0449`
`cert-bund: CB-K18/0041`
`cert-bund: CB-K17/2219`
`cert-bund: CB-K17/2112`
`cert-bund: CB-K17/1753`
`cert-bund: CB-K17/1349`
`cert-bund: CB-K17/1292`
`cert-bund: CB-K17/0055`
`cert-bund: CB-K16/1837`
`cert-bund: CB-K16/1629`
`cert-bund: CB-K16/1487`
`cert-bund: CB-K16/1485`
`cert-bund: CB-K16/1252`
`cert-bund: CB-K16/1221`
`cert-bund: CB-K16/1082`
`dfn-cert: DFN-CERT-2023-1920`
`dfn-cert: DFN-CERT-2019-1408`
`dfn-cert: DFN-CERT-2018-1828`
`dfn-cert: DFN-CERT-2018-1070`
`dfn-cert: DFN-CERT-2018-0046`
`dfn-cert: DFN-CERT-2017-2320`
`dfn-cert: DFN-CERT-2017-2208`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1831
dfn-cert: DFN-CERT-2017-1407
dfn-cert: DFN-CERT-2017-1340
dfn-cert: DFN-CERT-2017-0060
dfn-cert: DFN-CERT-2016-1943
dfn-cert: DFN-CERT-2016-1729
dfn-cert: DFN-CERT-2016-1576
dfn-cert: DFN-CERT-2016-1574
dfn-cert: DFN-CERT-2016-1331
dfn-cert: DFN-CERT-2016-1243
dfn-cert: DFN-CERT-2016-1149
```

High (CVSS: 7.4)
NVT: OpenBSD OpenSSH <= 8.6 Command Injection Vulnerability

Product detection result

```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenBSD OpenSSH is prone to a command injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     None
Installation
path / port:       22/tcp
```

Impact

Successful exploitation would allow an attacker to execute arbitrary code on the target machine.

Solution:

Solution type: WillNotFix

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS

OpenBSD OpenSSH through version 8.6 (initially reported for 8.3p1).

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

scp of OpenSSH allows command injection in spc.c via backtick characters in the destination argument.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH <= 8.6 Command Injection Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.113736
Version used: `2025-07-29T05:44:59Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2020-15778
url: https://github.com/cpandya2909/CVE-2020-15778/
cert-bund: WID-SEC-2024-1082
cert-bund: WID-SEC-2023-1599
cert-bund: WID-SEC-2022-2413
cert-bund: WID-SEC-2022-1308
cert-bund: CB-K21/1268
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2020-1691
```

High (CVSS: 7.0)
NVT: OpenSSH 6.2 <= 8.7 Privilege Escalation Vulnerability

Product detection result
```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary
OpenSSH is prone to a privilege scalation vulnerability in certain configurations.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 6.6.1p1
Fixed version:     8.8
Installation
path / port:       22/tcp
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 8.8 or later.

Affected Software/OS
OpenSSH versions 6.2 through 8.7.

Vulnerability Insight
sshd failed to correctly initialise supplemental groups when executing an AuthorizedKeysCommand or AuthorizedPrincipalsCommand, where a AuthorizedKeysCommandUser or AuthorizedPrincipalsCommandUser directive has been set to run the command as a different user. Instead these commands would inherit the groups that sshd was started with.
Depending on system configuration, inherited groups may allow AuthorizedKeysCommand/AuthorizedPrincipalsCommand helper programs to gain unintended privilege.
Neither AuthorizedKeysCommand nor AuthorizedPrincipalsCommand are enabled by default in sshd_config.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH 6.2 <= 8.7 Privilege Escalation Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.117696
Version used: `2021-10-11T08:01:31Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`cve: CVE-2021-41617`
`url: https://www.openssh.com/txt/release-8.8`
`cert-bund: WID-SEC-2024-1082`
`cert-bund: WID-SEC-2023-1969`
`cert-bund: WID-SEC-2023-0426`
`cert-bund: WID-SEC-2022-1308`
`cert-bund: WID-SEC-2022-0676`
`cert-bund: WID-SEC-2022-0534`
`cert-bund: CB-K22/0310`
`cert-bund: CB-K22/0011`
`cert-bund: CB-K21/1268`
`cert-bund: CB-K21/1017`
`dfn-cert: DFN-CERT-2024-1260`
`dfn-cert: DFN-CERT-2024-0022`
`dfn-cert: DFN-CERT-2023-3218`
`dfn-cert: DFN-CERT-2023-3210`
`dfn-cert: DFN-CERT-2022-1571`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0579
dfn-cert: DFN-CERT-2021-2586
dfn-cert: DFN-CERT-2021-2017
dfn-cert: DFN-CERT-2021-2015
```

[return to 172.30.1.3]

2.1.7 High 80/tcp

High (CVSS: 8.8)
NVT: PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     8.1.30
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.30, 8.2.24, 8.3.12 or later.

Affected Software/OS

PHP versions prior to 8.1.30, 8.2.x prior to 8.2.24 and 8.3.x prior to 8.3.12.

Vulnerability Insight

The following vulnerabilities exist:
- CVE-2024-8925, CVE-2024-8928: Erroneous parsing of multipart form data
- CVE-2024-8926: Bypass of CVE-2024-4577, Parameter Injection Vulnerability
- CVE-2024-8927: cgi.force_redirect configuration is bypassable due to the environment variable collision
- CVE-2024-9026: Logs from children may be altered

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Linux
OID:1.3.6.1.4.1.25623.1.0.114787
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2024-8925
cve: CVE-2024-8926
cve: CVE-2024-8927
cve: CVE-2024-8928
cve: CVE-2024-9026
url: https://www.php.net/ChangeLog-8.php#8.1.30
url: https://www.php.net/ChangeLog-8.php#8.2.24
url: https://www.php.net/ChangeLog-8.php#8.3.12
url: https://github.com/php/php-src/security/advisories/GHSA-9pqp-7h25-4f32
url: https://github.com/php/php-src/security/advisories/GHSA-p99j-rfp4-xqvq
url: https://github.com/php/php-src/security/advisories/GHSA-94p6-54jq-9mwp
url: https://github.com/php/php-src/security/advisories/GHSA-865w-9rf3-2wh5
url: https://bugzilla.redhat.com/show_bug.cgi?id=2317439
url: https://thephp.foundation/blog/2025/04/10/php-core-security-audit-results/
url: https://ostif.org/php-audit-complete/
url: https://blog.quarkslab.com/security-audit-of-php-src.html
url: https://www.openwall.com/lists/oss-security/2025/04/12/2
cert-bund: WID-SEC-2025-0137
cert-bund: WID-SEC-2024-3116
cert-bund: WID-SEC-2024-2230
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2025-0168
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-3329
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-2591
dfn-cert: DFN-CERT-2024-2550

High (CVSS: 8.8)
NVT: PHP < 5.6.36, 7.x < 7.0.30, 7.1.x < 7.1.17, 7.2.x < 7.2.5 Multiple Vulnerabilities (May 2018) - Linux

Product detection result
cpe:/a:php:php:5.4.5

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.36
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow an attacker to conduct XSS attacks, crash PHP, conduct denial of service condition and execute arbitrary code in the context of the affected application.

Solution:
Solution type: VendorFix
Update to version 5.6.36, 7.0.30, 7.1.17, 7.2.5 or later.

Affected Software/OS
PHP prior to version 5.6.36, 7.0.x prior to 7.0.30, 7.1.x prior to 7.1.17 and 7.2.x prior to 7.2.5 on Linux.

Vulnerability Insight
The following flaws exist:
- CVE-2018-10549: Out of bounds read error in 'exif_read_data' function while processing crafted JPG data.
- CVE-2018-10546: An error in stream filter 'convert.iconv' which leads to infinite loop on invalid sequence.
- CVE-2018-10548: An error in the LDAP module of PHP which allows a malicious LDAP server or man-in-the-middle attacker to crash PHP.
- CVE-2018-10547: An error in the 'phar_do_404()' function in 'ext/phar/phar_object.c' script which returns parts of the request unfiltered, leading to another XSS vector. This is due to incomplete fix for CVE-2018-5712.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.6.36, 7.x < 7.0.30, 7.1.x < 7.1.17, 7.2.x < 7.2.5 Multiple Vulnerabilit.
↪..
OID:1.3.6.1.4.1.25623.1.0.813160
Version used: 2025-09-24T05:39:03Z

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2018-10546
cve: CVE-2018-10547
cve: CVE-2018-10548
cve: CVE-2018-10549
url: http://www.php.net/ChangeLog-5.php#5.6.36
url: http://www.php.net/ChangeLog-7.php#7.0.30
url: http://www.php.net/ChangeLog-7.php#7.1.17
url: http://www.php.net/ChangeLog-7.php#7.2.5
cert-bund: CB-K18/0633
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-1232
dfn-cert: DFN-CERT-2018-0920
dfn-cert: DFN-CERT-2018-0877
```

High (CVSS: 8.8)
NVT: phpMyAdmin <= 5.1.1 CSV Injection Vulnerability - Linux

Summary
phpMyAdmin is prone to a CSV injection vulnerability via Export Section.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.8
Fixed version:     None
Installation
path / port:       /phpmyadmin
```

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
phpMyAdmin version 5.1.1 and prior.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

NOTE: the vendor disputes this because 'the CSV file is accurately generated based on the database contents.'
Nevertheless the vendor could implement measures while doing the CSV export which could lower or mitigate the risk originating from this flaw.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin <= 5.1.1 CSV Injection Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.144898
Version used: `2023-10-17T05:05:34Z`

References
`cve: CVE-2020-22278`
`url: https://cert.ikiu.ac.ir/public-files/news/document/CVE-99/CVE-2020-22278.pd`
`↪f`

High (CVSS: 8.8)
NVT: phpMyAdmin < 4.9.4, 5.x < 5.0.1 SQL Injection Vulnerability (PMASA-2020-1) - Linux

Summary
phpMyAdmin is prone to an SQL injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.5.8
Fixed version:     4.9.4
Installation
path / port:       /phpmyadmin
```

Impact
A malicious user could inject custom SQL in place of their own username when creating queries to this page. An attacker must have a valid MySQL account to access the server.

Solution:
Solution type: VendorFix
Update to version 4.9.4, 5.0.1 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.4 and 5.x prior to 5.0.1.

Vulnerability Insight
An SQL injection flaw has been discovered in the user accounts page.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.4, 5.x < 5.0.1 SQL Injection Vulnerability (PMASA-2020-1) - Li.`
↪..
OID:1.3.6.1.4.1.25623.1.0.143346
Version used: `2024-02-13T05:06:26Z`

References

```
cve: CVE-2020-5504
url: https://www.phpmyadmin.net/security/PMASA-2020-1/
cert-bund: WID-SEC-2025-2723
cert-bund: CB-K20/0214
cert-bund: CB-K20/0010
dfn-cert: DFN-CERT-2020-0488
dfn-cert: DFN-CERT-2020-0089
dfn-cert: DFN-CERT-2020-0026
```

High (CVSS: 8.8)
NVT: PHP < 7.4.30, 8.0.x < 8.0.20, 8.1.x < 8.1.7 Security Update (Jun 2022) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP released new versions which include a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.4.30
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.4.30, 8.0.20, 8.1.7 or later.

Affected Software/OS

PHP prior to version 7.4.30, 8.0.x through 8.0.19 and 8.1.x through 8.1.6.

Vulnerability Insight

The following vulnerabilities exist:
- CVE-2022-31625: Uninitialized array in pg_query_params()

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2022-31626: mysqlnd/pdo password buffer overflow

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.4.30, 8.0.x < 8.0.20, 8.1.x < 8.1.7 Security Update (Jun 2022) - Linux`
OID:1.3.6.1.4.1.25623.1.0.148249
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2022-31625
cve: CVE-2022-31626
url: https://www.php.net/ChangeLog-7.php#7.4.30
url: https://www.php.net/ChangeLog-8.php#8.0.20
url: https://www.php.net/ChangeLog-8.php#8.1.7
url: https://bugs.php.net/bug.php?id=81720
url: https://bugs.php.net/bug.php?id=81719
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-0255
cert-bund: CB-K22/0700
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2500
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-1881
dfn-cert: DFN-CERT-2022-1552
dfn-cert: DFN-CERT-2022-1516
dfn-cert: DFN-CERT-2022-1493
dfn-cert: DFN-CERT-2022-1473
dfn-cert: DFN-CERT-2022-1288
```

High (CVSS: 8.8)
NVT: Drupal 7.x, 8.x, 9.x RCE Vulnerability (SA-CORE-2020-012) - Linux

Summary
Drupal is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.74
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.74, 8.8.11, 8.9.9, 9.0.8 or later.
Additionally, it's recommended that you audit all previously uploaded files to check for malicious extensions. Look specifically for files that include more than one extension, like filename.php.txt or filename.html.gif, without an underscore (_) in the extension. Pay specific attention to the following file extensions, which should be considered dangerous even when followed by one or more additional extensions:
- phar
- php
- pl
- py
- cgi
- asp
- js
- html
- htm
- phtml
This list is not exhaustive, so evaluate security concerns for other unmunged extensions on a case-by-case basis.

Affected Software/OS
Drupal 7.x, 8.8.x and prior, 8.9.x and 9.0.x.

Vulnerability Insight
Drupal core does not properly sanitize certain filenames on uploaded files, which can lead to files being interpreted as the incorrect extension and served as the wrong MIME type or executed as PHP for certain hosting configurations.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 7.x, 8.x, 9.x RCE Vulnerability (SA-CORE-2020-012) - Linux`
OID:1.3.6.1.4.1.25623.1.0.117054
Version used: `2024-02-19T05:05:57Z`

References
`cve: CVE-2020-13671`
`cisa: Known Exploited Vulnerability (KEV) catalog`
`url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.drupal.org/sa-core-2020-012
cert-bund: WID-SEC-2024-1938
cert-bund: CB-K20/1142
dfn-cert: DFN-CERT-2024-2228
dfn-cert: DFN-CERT-2020-2663
dfn-cert: DFN-CERT-2020-2547
dfn-cert: DFN-CERT-2020-2546
```

High (CVSS: 8.8)
NVT: PHP < 5.6.18, 7.x < 7.0.3 DoS Vulnerability (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.18
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.6.18, 7.0.3 or later.

Affected Software/OS

PHP prior to version 5.6.18 and 7.x prior to 7.0.3 on Linux.

Vulnerability Insight

The flaw is due an improper handling of zero-size '././@LongLink' files by 'phar_make_dirstream' function in ext/phar/dirstream.c script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.18, 7.x < 7.0.3 DoS Vulnerability (Jul 2016) - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.808609
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-4343
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/89179
url: http://www.openwall.com/lists/oss-security/2016/04/28/2
cert-bund: CB-K16/1776
cert-bund: CB-K16/0796
cert-bund: CB-K16/0779
cert-bund: CB-K16/0760
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-0847
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0814

High (CVSS: 8.8)
NVT: Drupal 7.x, 8.x, 9.x CSRF Vulnerability (SA-CORE-2020-004) - Linux

Summary
Drupal is prone to a cross-site request forgery (CSRF) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 7.5
Fixed version: 7.72
Installation
path / port: /drupal

Solution:
Solution type: VendorFix
Update to version 7.72, 8.8.8, 8.9.1, 9.0.1 or later.

Affected Software/OS
Drupal 7.x, 8.8.x and earlier, 8.9.x and 9.0.x.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The Drupal core Form API does not properly handle certain form input from cross-site requests, which can lead to other vulnerabilities.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 7.x, 8.x, 9.x CSRF Vulnerability (SA-CORE-2020-004) - Linux`
OID:1.3.6.1.4.1.25623.1.0.144146
Version used: `2024-06-28T15:38:46Z`

References
`cve: CVE-2020-13663`
`url: https://www.drupal.org/sa-core-2020-004`
`cert-bund: CB-K20/0598`
`dfn-cert: DFN-CERT-2020-1293`

High (CVSS: 8.8)
NVT: Drupal 'User' Module Privilege Escalation Vulnerability - Linux

Summary
Drupal is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 7.5
Fixed version:     7.44
Installation
path / port:       /drupal
```

Impact
Successful exploitation will allow remote attackers to gain access to administrative privileges.

Solution:
Solution type: VendorFix
Upgrade to version 7.44 or newer.

Affected Software/OS
Drupal core 7.x versions prior to 7.44

Vulnerability Insight
The Flaw exists due to error within the 'User' module, where a specific code can trigger a rebuild of the user profile form and a registered user can be granted all user roles on the site.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Drupal 'User' Module Privilege Escalation Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.807885
Version used: 2024-02-15T05:05:40Z

References
cve: CVE-2016-6211
url: https://www.drupal.org/SA-CORE-2016-002
url: http://www.securityfocus.com/bid/91230
cert-bund: CB-K16/0919
dfn-cert: DFN-CERT-2016-0977

High (CVSS: 8.6)
NVT: PHP < 5.5.36, 5.6.x < 5.6.22, 7.x < 7.0.7 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.4.5
Fixed version: 5.5.36
Installation
path / port: 80/tcp

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.5.36, 5.6.22, 7.0.7 or later.

Affected Software/OS
PHP prior to version 5.5.36, 5.6.x prior to 5.6.22 and 7.x prior to 7.0.7 on Linux.

Vulnerability Insight
The following flaws exist:
- The 'get_icu_value_internal' function in 'ext/intl/locale/locale_methods.c' script does not ensure the presence of a '\0' character.

. . . continues on next page . . .

. . . continued from previous page . . .

- The 'gd_interpolation.c' script in the GD Graphics Library mishandled by the imagescale function.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.36, 5.6.x < 5.6.22, 7.x < 7.0.7 Multiple Vulnerabilities (Aug 2016) -.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.808794
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2013-7456`
`cve: CVE-2016-5093`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/90946`
`url: http://www.securityfocus.com/bid/90859`
`url: http://www.php.net/ChangeLog-7.php`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/1179`
`cert-bund: CB-K16/1045`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0937`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0911`
`cert-bund: CB-K16/0909`
`cert-bund: CB-K16/0801`
`cert-bund: CB-K16/0796`
`dfn-cert: DFN-CERT-2016-1882`
`dfn-cert: DFN-CERT-2016-1253`
`dfn-cert: DFN-CERT-2016-1110`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0996`
`dfn-cert: DFN-CERT-2016-0972`
`dfn-cert: DFN-CERT-2016-0960`
`dfn-cert: DFN-CERT-2016-0944`
`dfn-cert: DFN-CERT-2016-0857`
`dfn-cert: DFN-CERT-2016-0847`

High (CVSS: 8.6)
NVT: PHP < 5.5.36, 5.6.x < 5.6.22 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.36
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.5.36, 5.6.22 or later.

Affected Software/OS
PHP prior to version 5.5.36 and 5.6.x prior to 5.6.22 on Linux.

Vulnerability Insight
The following flaws exist:
- Integer overflow in the fread function in 'ext/standard/file.c' script.
- Integer overflow in the php_html_entities function in 'ext/standard/html.c' script.
- An Integer overflow in the php_escape_html_entities_ex function in 'ext/standard/html.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.36, 5.6.x < 5.6.22 Multiple Vulnerabilities (Aug 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808792
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-5094
cve: CVE-2016-5095
cve: CVE-2016-5096
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/90861
url: http://www.securityfocus.com/bid/90857
url: http://www.securityfocus.com/bid/92144
cert-bund: CB-K16/1982
cert-bund: CB-K16/1776
cert-bund: CB-K16/1179
cert-bund: CB-K16/0944
cert-bund: CB-K16/0937
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
cert-bund: CB-K16/0909
cert-bund: CB-K16/0796
dfn-cert: DFN-CERT-2016-2084
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0996
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0960
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0847
```

High (CVSS: 8.5)
NVT: Drupal 7.x and 8.x Multiple Vulnerabilities (SA-CORE-2019-012) - Linux

Summary

Drupal is prone to multiple vulnerabilities in the third-party library Archive_Tar.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.69
Installation
path / port:       /drupal
```

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 7.69, 8.7.11, 8.8.1 or later.

Affected Software/OS
Drupal 7.x, 8.7.x and earlier and 8.8.x.

Vulnerability Insight
Multiple vulnerabilities are possible if Drupal is configured to allow .tar, .tar.gz, .bz2 or .tlz file uploads and processes them.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 7.x and 8.x Multiple Vulnerabilities (SA-CORE-2019-012) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143282
Version used: `2024-02-19T05:05:57Z`

References
`url: https://www.drupal.org/sa-core-2019-012`

High (CVSS: 8.2)
NVT: Apache HTTP Server 2.4.7 - 2.4.51 Multiple Vulnerabilities - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.7
Fixed version:     2.4.52
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.52 or later.

Affected Software/OS
Apache HTTP Server version 2.4.7 through 2.4.51.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
A crafted URI sent to httpd configured as a forward proxy (ProxyRequests on) can cause a crash (NULL pointer dereference) or, for configurations mixing forward and reverse proxy declarations, can allow for requests to be directed to a declared Unix Domain Socket endpoint (Server Side Request Forgery).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.7 - 2.4.51 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.117854
Version used: `2021-12-23T12:12:57Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2021-44224
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0727
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K22/0619
cert-bund: CB-K21/1296
dfn-cert: DFN-CERT-2022-2405
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1047
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0068
dfn-cert: DFN-CERT-2021-2656
```

High (CVSS: 8.2)
NVT: PHP < 8.2.30, 8.3.x < 8.3.29, 8.4.x < 8.4.16 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     8.2.30
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.2.30, 8.3.29, 8.4.16 or later.

Affected Software/OS
PHP versions prior to 8.2.30, 8.3.x prior to 8.3.29 and 8.4.x prior to 8.4.16.

Vulnerability Insight
The following flaws exist:
- CVE-2025-14177: Information leak of memory in getimagesize
- CVE-2025-14178: Heap buffer overflow in array_merge()
- CVE-2025-14180: PDO quoting result null deref
- No CVE: Null byte termination in dns_get_record()

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.2.30, 8.3.x < 8.3.29, 8.4.x < 8.4.16 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.156071
Version used: `2026-01-12T05:50:06Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2025-14177
cve: CVE-2025-14178
cve: CVE-2025-14180
url: https://www.php.net/ChangeLog-8.php#8.2.30
url: https://www.php.net/ChangeLog-8.php#8.3.29
url: https://www.php.net/ChangeLog-8.php#8.4.16
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://github.com/php/php-src/security/advisories/GHSA-3237-qqm7-mfv7
url: https://github.com/php/php-src/security/advisories/GHSA-h96m-rvf9-jgm2
url: https://github.com/php/php-src/security/advisories/GHSA-8xr5-qppj-gvwj
url: https://github.com/php/php-src/security/advisories/GHSA-www2-q4fc-65wf
dfn-cert: DFN-CERT-2026-0262
dfn-cert: DFN-CERT-2025-3544
```

High (CVSS: 8.1)
NVT: Drupal 6.x < 6.38, 7.x < 7.43 Multiple Vulnerabilities (SA-CORE-2016-001) - Linux

Summary
Drupal is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.43
Installation
path / port:       /drupal
```

Impact
Successful exploitation will allow remote attackers to cause brute force attacks, to download and execute JSON-encoded content and also to gain elevated privileges.

Solution:
Solution type: VendorFix
Update to version 6.38, 7.43 or later.

Affected Software/OS
Drupal 6.x before 6.38 and 7.x before 7.43 on Linux.

Vulnerability Insight
The following flaws exist:
- An improper validation of JSON-encoded content in system module.
- The XML-RPC system allows a large number of calls to the same method.
- An error in 'user_save' function in User module.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 6.x < 6.38, 7.x < 7.43 Multiple Vulnerabilities (SA-CORE-2016-001) - Lin.`
↪..
OID:1.3.6.1.4.1.25623.1.0.808045
Version used: `2023-11-03T05:05:46Z`

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2016-3168
cve: CVE-2016-3163
cve: CVE-2016-3169
url: https://www.drupal.org/SA-CORE-2016-001

High (CVSS: 8.1)
NVT: Drupal Core Multiple Vulnerabilities (SA-CORE-2018-001) - Linux

Summary
Drupal is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 7.5
Fixed version: 7.57
Installation
path / port: /drupal

Impact
Successful exploitation will allow remote attackers to trick users into unwillingly navigating to an external site, update certain data that they do not have the permissions for, execute arbitrary script and gain extra privileges.

Solution:
Solution type: VendorFix
Update to version 8.4.5 or 7.57 or later.

Affected Software/OS
Drupal core version 8.x versions prior to 8.4.5 and 7.x versions prior to 7.57.

Vulnerability Insight
Multiple flaws are due to:
- An improper access restriction for sensitive contents via 'Comment reply form'.
- 'Drupal.checkPlain' JavaScript function does not correctly handle all methods of injecting malicious HTML.
- Private file access check fails under certain conditions in which one module is trying to grant access to the file and another is trying to deny it.
- A jQuery cross site scripting vulnerability is present when making Ajax requests to untrusted domains.
- Language fallback can be incorrect on multilingual sites with node access restrictions.
- An error in 'Settings Tray module'.
- An external link injection vulnerability when the language switcher block is used.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal Core Multiple Vulnerabilities (SA-CORE-2018-001) - Linux`
OID:1.3.6.1.4.1.25623.1.0.812776
Version used: `2021-12-01T11:10:56Z`

References
```
cve: CVE-2017-6926
cve: CVE-2017-6927
cve: CVE-2017-6928
cve: CVE-2017-6929
cve: CVE-2017-6930
cve: CVE-2017-6931
cve: CVE-2017-6932
url: https://www.drupal.org/sa-core-2018-001
cert-bund: CB-K18/0339
dfn-cert: DFN-CERT-2019-0393
dfn-cert: DFN-CERT-2018-0363
```

High (CVSS: 8.1)
NVT: PHP < 8.0.28, 8.1.x < 8.1.16, 8.2.x < 8.2.3 Security Update - Linux

Product detection result
```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     8.0.28
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.28, 8.1.16, 8.2.3 or later.

Affected Software/OS
PHP versions prior to 8.0.28, 8.1.x prior to 8.1.16 and 8.2.x prior to 8.2.3.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The following flaws exist:
- CVE-2023-0567: Fixed bug #81744 (Password_verify() always return true with some hash)
- CVE-2023-0568: Fixed bug #81746 (1-byte array overrun in common path resolve code)
- CVE-2023-0662: Fixed bug GHSA-54hq-v5wp-fqgv (DOS vulnerability when parsing multipart request body)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.28, 8.1.x < 8.1.16, 8.2.x < 8.2.3 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.104541
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2023-0567
cve: CVE-2023-0568
cve: CVE-2023-0662
url: https://www.php.net/ChangeLog-8.php#8.2.3
url: https://www.php.net/ChangeLog-8.php#8.1.16
url: https://www.php.net/ChangeLog-8.php#8.0.28
url: https://www.php.net/archive/2023.php#2023-02-14-2
url: https://www.php.net/archive/2023.php#2023-02-14-3
url: https://www.php.net/archive/2023.php#2023-02-14-1
url: http://bugs.php.net/81744
url: http://bugs.php.net/81746
url: https://github.com/php/php-src/security/advisories/GHSA-54hq-v5wp-fqgv
url: https://github.com/php/php-src/security/advisories/GHSA-7fj2-8x79-rjf4
cert-bund: WID-SEC-2023-2671
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1022
cert-bund: WID-SEC-2023-0383
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-2681
dfn-cert: DFN-CERT-2023-2570
dfn-cert: DFN-CERT-2023-2538
dfn-cert: DFN-CERT-2023-0994
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0462
dfn-cert: DFN-CERT-2023-0435
dfn-cert: DFN-CERT-2023-0336
```

High (CVSS: 8.1)
NVT: Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a man-in-the-middle attack vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.24
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to redirect an application's outbound HTTP traffic to an arbitrary proxy server via a crafted proxy header in an HTTP request.

Solution:
Solution type: VendorFix
Update to version 2.4.24, or 2.2.32, or later.

Affected Software/OS
Apache HTTP Server through 2.4.23.
NOTE: Apache HTTP Server 2.2.32 is not vulnerable.

Vulnerability Insight
The flaw is due to 'CGI Servlet' does not protect applications from the presence of untrusted client data in the 'HTTP_PROXY' environment variable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808632
Version used: `2024-02-08T14:36:53Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2016-5387
url: https://www.apache.org/security/asf-httpoxy-response.txt
url: http://www.securityfocus.com/bid/91816
cert-bund: WID-SEC-2025-2522
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K17/2013
cert-bund: CB-K17/1854
cert-bund: CB-K17/1842
cert-bund: CB-K17/1622
cert-bund: CB-K17/0527
cert-bund: CB-K17/0055
cert-bund: CB-K16/1995
cert-bund: CB-K16/1620
cert-bund: CB-K16/1289
cert-bund: CB-K16/1103
cert-bund: CB-K16/1088
cert-bund: CB-K16/1087
dfn-cert: DFN-CERT-2017-2104
dfn-cert: DFN-CERT-2017-1926
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0060
dfn-cert: DFN-CERT-2016-2108
dfn-cert: DFN-CERT-2016-1717
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1175
dfn-cert: DFN-CERT-2016-1162
dfn-cert: DFN-CERT-2016-1153
```

High (CVSS: 8.1)
NVT: Drupal 7.x < 7.43, 8.x < 8.0.4 Multiple Vulnerabilities (SA-CORE-2016-001) - Linux

Summary

Drupal is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.43
Installation
path / port:       /drupal
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successful exploitation will allow remote attackers to cause information disclosure, bypass access restrictions and read, delete, or substitute a link to a file.

Solution:
Solution type: VendorFix
Update to version 7.43, 8.0.4 or later.

Affected Software/OS
Drupal 7.x before 7.43 and 8.x before 8.0.4 on Linux.

Vulnerability Insight
The following flaws exist:
- An email address can be matched to an account.
- An improper validation of File module.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 7.x < 7.43, 8.x < 8.0.4 Multiple Vulnerabilities (SA-CORE-2016-001) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.808047
Version used: `2023-10-06T16:09:51Z`

References
`cve: CVE-2016-3170`
`cve: CVE-2016-3162`
`url: https://www.drupal.org/SA-CORE-2016-001`

High (CVSS: 8.1)
NVT: PHP < 5.6.24, 7.x <= 7.0.8 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     5.6.24
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Impact
Successfully exploiting these issues may allow remote, unauthenticated to conduct MITM attacks on internal server subrequests or direct the server to initiate connections to arbitrary hosts or to cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 5.6.24, 7.0.9 or later.

Affected Software/OS
PHP versions 5.x through 5.6.23 and 7.0.x through 7.0.8 on Linux.

Vulnerability Insight
The following flaws exist:
- The web servers running in a CGI or CGI-like context may assign client request proxy header values to internal HTTP_PROXY environment variables.
- 'HTTP_PROXY' is improperly trusted by some PHP libraries and applications
- An unspecified flaw in the gdImageCropThreshold function in 'gd_crop.c' in the GD Graphics Library.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.6.24, 7.x <= 7.0.8 Multiple Vulnerabilities (Jul 2016) - Linux
OID:1.3.6.1.4.1.25623.1.0.808628
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-5385
cve: CVE-2016-6128
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/91821
url: http://www.securityfocus.com/bid/91509
url: http://www.php.net/ChangeLog-7.php
url: http://www.kb.cert.org/vuls/id/797896
url: https://bugs.php.net/bug.php?id=72573
url: https://bugs.php.net/bug.php?id=72494
cert-bund: WID-SEC-2025-2522
cert-bund: CB-K17/1252

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/1941
cert-bund: CB-K16/1854
cert-bund: CB-K16/1776
cert-bund: CB-K16/1549
cert-bund: CB-K16/1499
cert-bund: CB-K16/1407
cert-bund: CB-K16/1283
cert-bund: CB-K16/1248
cert-bund: CB-K16/1179
cert-bund: CB-K16/1115
cert-bund: CB-K16/1110
cert-bund: CB-K16/1106
cert-bund: CB-K16/1092
cert-bund: CB-K16/1077
cert-bund: CB-K16/1045
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2016-2047
dfn-cert: DFN-CERT-2016-1961
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1498
dfn-cert: DFN-CERT-2016-1367
dfn-cert: DFN-CERT-2016-1326
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1179
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1157
dfn-cert: DFN-CERT-2016-1144
dfn-cert: DFN-CERT-2016-1110
```

High (CVSS: 8.0)
NVT: phpMyAdmin < 4.9.5, 5.x < 5.0.2 Multiple SQL Injection Vulnerabilities (PMASA-2020-2, PMASA-2020-3, PMASA-2020-4) - Linux

Summary
phpMyAdmin is prone to multiple SQL injection vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.8
Fixed version:     4.9.5
Installation
path / port:       /phpmyadmin
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successful exploitation would allow an attacker to:
- create a specially-crafted username and then trick the victim in to performing specific actions with that user account (such as editing its privileges)
- generate specially-crafted database or table names
- insert specially-crafted data in to certain database tables, which when retrieved (for instance, through the Browse tab) can trigger an XSS attack

Solution:
Solution type: VendorFix
Update to version 4.9.5, 5.0.2 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.5 and 5.x prior to 5.0.2.

Vulnerability Insight
The following SQL injection vulnerabilities exist:
- An SQL injection vulnerability was found in how phpMyAdmin retrieves the current username
- An SQL injection vulnerability has been discovered where certain parameters are not properly escaped when generating certain queries for search actions within phpMyAdmin
- An SQL injection vulnerability was discovered where malicious code could be used to trigger an XSS attack through retrieving and displaying results.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.5, 5.x < 5.0.2 Multiple SQL Injection Vulnerabilities (PMASA-2.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.112715
Version used: `2024-02-13T05:06:26Z`

References
`cve: CVE-2020-10802`
`cve: CVE-2020-10803`
`cve: CVE-2020-10804`
`url: https://www.phpmyadmin.net/security/PMASA-2020-2/`
`url: https://www.phpmyadmin.net/security/PMASA-2020-3/`
`url: https://www.phpmyadmin.net/security/PMASA-2020-4/`
`cert-bund: CB-K20/0251`
`dfn-cert: DFN-CERT-2020-2366`
`dfn-cert: DFN-CERT-2020-0998`
`dfn-cert: DFN-CERT-2020-0592`

High (CVSS: 7.9)
NVT: Drupal PHP Object Injection Vulnerability (SA-CORE-2024-008) - Linux

Summary
Drupal is prone to a PHP object injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 7.5
Fixed version:     7.102
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.102, 10.2.11, 10.3.9 or later.

Affected Software/OS
Drupal version 7.x through 7.101, 8.x through 10.2.10 and 10.3.x through 10.3.8.

Vulnerability Insight
Drupal core contains a potential PHP Object Injection vulnerability that (if combined with another exploit) could lead to remote code execution. It is not directly exploitable. This issue is mitigated by the fact that in order for it to be exploitable, a separate vulnerability must be present to allow an attacker to pass unsafe input to unserialize(). There are no such known exploits in Drupal core. To help protect against this potential vulnerability, some additional checks have been added to Drupal core's database code. If you use a third-party database driver, check the release notes for additional configuration steps that may be required in certain cases.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal PHP Object Injection Vulnerability (SA-CORE-2024-008) - Linux`
OID:1.3.6.1.4.1.25623.1.0.153507
Version used: `2024-12-11T05:05:30Z`

References
```
cve: CVE-2024-55638
url: https://www.drupal.org/sa-core-2024-008
cert-bund: WID-SEC-2024-3520
dfn-cert: DFN-CERT-2024-3127
```

High (CVSS: 7.8)
NVT: PHP < 8.0.27, 8.1.x < 8.1.14, 8.2.x < 8.2.1 Security Update - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to an integer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     8.0.27
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.27, 8.1.14, 8.2.1 or later.

Affected Software/OS
PHP prior to version 8.0.27, version 8.1.x through 8.1.13 and 8.2.0.

Vulnerability Insight
Due to an uncaught integer overflow, PDO::quote() of PDO_SQLite may return a not properly quoted string.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.27, 8.1.x < 8.1.14, 8.2.x < 8.2.1 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.149069
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2022-31631
url: https://www.php.net/ChangeLog-8.php#8.0.27
url: https://www.php.net/ChangeLog-8.php#8.1.14
url: https://www.php.net/ChangeLog-8.php#8.2.1
cert-bund: WID-SEC-2023-0035
dfn-cert: DFN-CERT-2023-0435
dfn-cert: DFN-CERT-2023-0422
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-0071
dfn-cert: DFN-CERT-2023-0034
```

High (CVSS: 7.8)
NVT: Drupal 7.x, 8.x, 9.x RCE Vulnerability (SA-CORE-2020-013) - Linux

Summary
Drupal is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.75
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.75, 8.8.12, 8.9.10, 9.0.9 or later. To mitigate this issue, prevent untrusted users from uploading .tar, .tar.gz, .bz2, or .tlz files.

Affected Software/OS
Drupal 7.x, 8.8.x and prior, 8.9.x and 9.0.x.

Vulnerability Insight
The Drupal project uses the PEAR Archive_Tar library. The PEAR Archive_Tar library has released a security update that impacts Drupal. Multiple vulnerabilities are possible if Drupal is configured to allow .tar, .tar.gz, .bz2, or .tlz file uploads and processes them.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 7.x, 8.x, 9.x RCE Vulnerability (SA-CORE-2020-013) - Linux`
OID:1.3.6.1.4.1.25623.1.0.144924
Version used: `2024-02-19T05:05:57Z`

References

```
cve: CVE-2020-28948
cve: CVE-2020-28949
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://www.drupal.org/sa-core-2020-013
cert-bund: WID-SEC-2022-1463
cert-bund: WID-SEC-2022-1443
cert-bund: CB-K20/1173
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-2228
dfn-cert: DFN-CERT-2022-2052
dfn-cert: DFN-CERT-2021-0810
dfn-cert: DFN-CERT-2021-0717
dfn-cert: DFN-CERT-2020-2663
dfn-cert: DFN-CERT-2020-2572
```

High (CVSS: 7.5)
NVT: PHP 5.x < 5.6.39, 7.x < 7.0.33, 7.1.x < 7.1.26, 7.2.x < 7.2.14 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.39
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow attackers to cause a denial of service of the affected application.

Solution:

Solution type: VendorFix

Update to version 5.6.39, 7.0.33, 7.1.26, 7.2.14, 7.3.0 or later.

Affected Software/OS

PHP versions 5.x prior to 5.6.39, 7.0.x prior to 7.0.33, 7.1.x prior to 7.1.26 and 7.2.x prior to 7.2.14.

Vulnerability Insight

A NULL pointer dereference and application crash via an empty string occurs in the message argument to the imap_mail function of ext/imap/php_imap.c.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 5.x < 5.6.39, 7.x < 7.0.33, 7.1.x < 7.1.26, 7.2.x < 7.2.14 DoS Vulnerabilit.`
`↪..`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.108505
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2018-19935
url: https://bugs.php.net/bug.php?id=77020
url: http://www.securityfocus.com/bid/106143
cert-bund: WID-SEC-2022-2128
cert-bund: CB-K18/1154
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2019-1181
dfn-cert: DFN-CERT-2019-0313
dfn-cert: DFN-CERT-2019-0044
dfn-cert: DFN-CERT-2018-2476

High (CVSS: 7.5)
NVT: PHP 5.4.x < 5.4.37, 5.5.x < 5.5.21, 5.6.x < 5.6.5 Multiple Vulnerabilities (Feb 2015)

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.4.5
Fixed version: 5.4.37
Installation
path / port: 80/tcp

Impact
Successful exploitation will allow remote attackers to cause a denial of service or possibly execute arbitrary code via different crafted dimensions.

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to PHP version 5.4.37, 5.5.21, 5.6.5 or later.

Affected Software/OS
PHP versions 5.4.x before 5.4.37, 5.5.x before 5.5.21, and 5.6.x before 5.6.5.

Vulnerability Insight
The following flaws exist:
- CVE-2014-9652: Improper handle of a certain string-length field during a copy of a truncated version of a Pascal string in the mconvert function from softmagic.c file
- CVE-2014-9653: Uninitialized memory access in the readelf.c file
- CVE-2015-0231: Use after free vulnerability in the 'process_nested_data' function in ext/standard/var_unserializer.re
- CVE-2015-0232: Uninitialized pointer free in the 'exif_process_unicode' function in ext/exif/exif.c script when parsing JPEG EXIF entries

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.37, 5.5.x < 5.5.21, 5.6.x < 5.6.5 Multiple Vulnerabilities (Feb.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.805446
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2014-9652
cve: CVE-2014-9653
cve: CVE-2015-0231
cve: CVE-2015-0232
url: https://bugs.php.net/bug.php?id=68799
url: http://www.securityfocus.com/bid/72505
url: http://www.securityfocus.com/bid/72516
url: http://www.securityfocus.com/bid/72541
url: http://www.securityfocus.com/bid/72539
url: https://bugs.php.net/bug.php?id=68710
cert-bund: CB-K18/0057
cert-bund: CB-K16/1315
cert-bund: CB-K16/0944
cert-bund: CB-K16/0692
cert-bund: CB-K15/1704
cert-bund: CB-K15/1437
cert-bund: CB-K15/0966
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0774
cert-bund: CB-K15/0757
cert-bund: CB-K15/0372
cert-bund: CB-K15/0362
cert-bund: CB-K15/0361
cert-bund: CB-K15/0293
cert-bund: CB-K15/0278
cert-bund: CB-K15/0215
cert-bund: CB-K15/0207
cert-bund: CB-K15/0202
cert-bund: CB-K15/0095
dfn-cert: DFN-CERT-2018-1161
dfn-cert: DFN-CERT-2018-0064
dfn-cert: DFN-CERT-2016-1401
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0752
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0815
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0383
dfn-cert: DFN-CERT-2015-0372
dfn-cert: DFN-CERT-2015-0371
dfn-cert: DFN-CERT-2015-0301
dfn-cert: DFN-CERT-2015-0286
dfn-cert: DFN-CERT-2015-0223
dfn-cert: DFN-CERT-2015-0212
dfn-cert: DFN-CERT-2015-0201
dfn-cert: DFN-CERT-2015-0093
```

High (CVSS: 7.5)
NVT: PHP 5.4.x < 5.4.40, 5.5.x < 5.5.22, 5.6.x < 5.6.6 RCE Vulnerability (Jul 2015) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a remote code execution (RCE) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.40
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to execute arbitrary code on the target system.

Solution:

Solution type: VendorFix

Update to version 5.4.40, 5.5.22, 5.6.6 or later.

Affected Software/OS

PHP versions 5.4.x prior to 5.4.40, 5.5.x prior to 5.5.22 and 5.6.x prior to 5.6.6.

Vulnerability Insight

The flaw is due to Use-after-free vulnerability in the 'phar_rename_archive' function in 'phar_object.c' script

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 5.4.x < 5.4.40, 5.5.x < 5.5.22, 5.6.x < 5.6.6 RCE Vulnerability (Jul 2015) . ↪..`

OID:1.3.6.1.4.1.25623.1.0.805686

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-2301
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/73037
url: https://bugzilla.redhat.com/show_bug.cgi?id=1194747
url: http://lists.opensuse.org/opensuse-updates/2015-04/msg00002.html
cert-bund: WID-SEC-2023-0069
cert-bund: CB-K16/0944
cert-bund: CB-K15/1437
cert-bund: CB-K15/0966
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0482
cert-bund: CB-K15/0377
cert-bund: CB-K15/0358
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0387
dfn-cert: DFN-CERT-2015-0370
```

High (CVSS: 7.5)
NVT: PHP 5.4.x < 5.4.36, 5.5.x < 5.5.20, 5.6.x < 5.6.4 Use After Free Vulnerability (Jan 2015)

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to an use after free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.36
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to execute arbitrary code via a crafted unserialize call.

Solution:

Solution type: VendorFix

Update to version 5.4.36, 5.5.20, 5.6.4 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP versions 5.4.x before 5.4.36, 5.5.x before 5.5.20 and 5.6.x before 5.6.4.

Vulnerability Insight
An use after free vulnerability exists in the process_nested_data function in ext/standard/var_unserializer.re in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.36, 5.5.x < 5.5.20, 5.6.x < 5.6.4 Use After Free Vulnerability . ↪..`
OID:1.3.6.1.4.1.25623.1.0.805411
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-8142`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/71791`
`url: http://secunia.com/advisories/60920`
`url: https://bugs.php.net/bug.php?id=68594`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K15/0854`
`cert-bund: CB-K15/0806`
`cert-bund: CB-K15/0757`
`cert-bund: CB-K15/0215`
`cert-bund: CB-K15/0207`
`cert-bund: CB-K14/1614`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2015-0900`
`dfn-cert: DFN-CERT-2015-0842`
`dfn-cert: DFN-CERT-2015-0794`
`dfn-cert: DFN-CERT-2015-0223`
`dfn-cert: DFN-CERT-2015-0212`
`dfn-cert: DFN-CERT-2014-1708`

High (CVSS: 7.5)
NVT: PHP 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Mar 2016) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.44
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to execute arbitrary code and to create or overwrite arbitrary files on the system and this may lead to launch further attacks.

Solution:
Solution type: VendorFix
Update to version 5.4.44, 5.5.28, 5.6.12 or later.

Affected Software/OS
PHP prior to version 5.4.44, 5.5.x prior to 5.5.28 and 5.6.x prior to 5.6.12 on Linux.

Vulnerability Insight
The following flaws exist:
- Multiple use-after-free vulnerabilities in SPL unserialize implementation.
- Insufficient validation of user supplied input by 'phar/phar_object.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Mar 2016) .`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.807503
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2015-6831
cve: CVE-2015-6832
cve: CVE-2015-6833
url: https://bugs.php.net/bug.php?id=70068
url: http://www.securityfocus.com/bid/76737
url: http://www.securityfocus.com/bid/76739
url: http://www.securityfocus.com/bid/76735
url: http://www.openwall.com/lists/oss-security/2015/08/19/3
cert-bund: CB-K16/0944
cert-bund: CB-K16/0422
cert-bund: CB-K15/1571
cert-bund: CB-K15/1439
cert-bund: CB-K15/1415
cert-bund: CB-K15/1261
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1658
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1493
dfn-cert: DFN-CERT-2015-1335
```

High (CVSS: 7.5)
NVT: PHP < 5.5.21, 5.6.x < 5.6.5 Multiple DoS Vulnerabilities (Jan 2015)

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.21
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to PHP version 5.5.21, 5.6.5 or later.

Affected Software/OS
PHP version 5.5.20 and prior and 5.6.x through 5.6.4

Vulnerability Insight
The following flaws exist:
- CVE-2014-9425: Double free error in the 'zend_ts_hash_graceful_destroy' function in 'zend_ts_hash.c script in the Zend Engine.
- CVE-2014-9709: Improper handling of GIF images in the gdImageCreateFromGif function used in the GetCode_ from 'gd_gif_in.c' script in GD Graphics Library (LibGD).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.21, 5.6.x < 5.6.5 Multiple DoS Vulnerabilities (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805412
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2014-9425
cve: CVE-2014-9709
url: http://securitytracker.com/id/1031479
url: http://www.securityfocus.com/bid/71800
url: http://www.securityfocus.com/bid/73306
url: https://bugs.php.net/bug.php?id=68676
cert-bund: WID-SEC-2023-0069
cert-bund: CB-K17/1176
cert-bund: CB-K16/0944
cert-bund: CB-K15/1437
cert-bund: CB-K15/0966
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0482
cert-bund: CB-K15/0454
cert-bund: CB-K15/0420
dfn-cert: DFN-CERT-2023-0071
dfn-cert: DFN-CERT-2017-1209
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0876
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0473
dfn-cert: DFN-CERT-2015-0442
```

High (CVSS: 7.5)
NVT: PHP < 5.5.24, 5.6.x < 5.6.8 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.24
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.5.24, 5.6.8 or later.

Affected Software/OS

PHP versions 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

An use-after-free vulnerability occurs in the '_zend_shared_memdup' function in 'zend_shared_alloc.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.24, 5.6.x < 5.6.8 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.805687
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2015-1351
url: http://bugzilla.redhat.com/show_bug.cgi?id=1185900
url: http://www.securityfocus.com/bid/71929
url: http://openwall.com/lists/oss-security/2015/01/24/9
cert-bund: CB-K15/1437
cert-bund: CB-K15/0757
cert-bund: CB-K15/0552
cert-bund: CB-K15/0459
cert-bund: CB-K15/0207
dfn-cert: DFN-CERT-2019-1354
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0579
dfn-cert: DFN-CERT-2015-0487
dfn-cert: DFN-CERT-2015-0212
```

High (CVSS: 7.5)
NVT: phpMyAdmin < 4.9.10, 5.x < 5.1.3 Information Disclosure Vulnerability - Linux

Summary
phpMyAdmin is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.5.8
Fixed version:     4.9.10
Installation
path / port:       /phpmyadmin
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 4.9.10, 5.1.3 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.10 and version 5.x through 5.1.2.

Vulnerability Insight
The issue could allow users to cause an error that would reveal the path on disk where phpMyAdmin is running from. This requires the server to be running with display_errors on, which is not the recommended setting for a production environment.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.10, 5.x < 5.1.3 Information Disclosure Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.147786
Version used: `2023-10-17T05:05:34Z`

References
```
cve: CVE-2022-0813
url: https://www.phpmyadmin.net/news/2022/2/11/phpmyadmin-4910-and-513-are-relea
↪sed/
url: https://www.incibe-cert.es/en/early-warning/security-advisories/phpmyadmin-
↪exposure-sensitive-information
cert-bund: WID-SEC-2023-3005
cert-bund: CB-K22/0304
dfn-cert: DFN-CERT-2023-0379
dfn-cert: DFN-CERT-2022-0570
```

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities (Jan 2015)

Product detection result
```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     5.4.34
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to cause a denial of service or possibly execute arbitrary code via different crafted dimensions.

Solution:
Solution type: VendorFix
Update to version 5.4.34, 5.5.18, 5.6.2 or later.

Affected Software/OS
PHP versions 5.4.x before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2

Vulnerability Insight
The following flaws exist:
- CVE-2014-3668: Buffer overflow in the date_from_ISO8601 function in the mkgmtime implementation in libxmlrpc/xmlrpc.c in the XMLRPC extension in PHP.
- CVE-2014-3669: Integer overflow in the object_custom function in ext/standard/var _unserializer.c.
- CVE-2014-3670: The exif_ifd_make_value function in exif.c in the EXIF extension in PHP operates on floating-point arrays incorrectly.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Vulnerabilities (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805409
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2014-3668
cve: CVE-2014-3669
cve: CVE-2014-3670
url: https://bugs.php.net/bug.php?id=68044
url: http://www.securityfocus.com/bid/70611
url: http://www.securityfocus.com/bid/70665
url: http://www.securityfocus.com/bid/70666
cert-bund: CB-K16/0944
cert-bund: CB-K15/0493
cert-bund: CB-K14/1413
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K14/1359
cert-bund: CB-K14/1349
cert-bund: CB-K14/1308
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2014-1494
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1424
dfn-cert: DFN-CERT-2014-1371
```

High (CVSS: 7.5)
NVT: PHP < 5.6.12 Multiple DoS Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.12
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (application crash or memory consuption).

Solution:

Solution type: VendorFix

Update to version 5.6.12 or later.

Affected Software/OS

PHP prior to version 5.6.12 on Linux.

Vulnerability Insight

The following flaws exist:

- Improper handling of driver behavior for SQL_WVARCHAR columns in the 'odbc_bindcols function' in 'ext/odbc/php_odbc.c' script.

- The 'gdImageScaleTwoPass' function in gd_interpolation.c script in the GD Graphics Library uses inconsistent allocate and free approaches.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.12 Multiple DoS Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.808611
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-8874`
`cve: CVE-2015-8877`
`cve: CVE-2015-8879`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/90866`
`url: http://www.securityfocus.com/bid/90842`
`url: http://www.securityfocus.com/bid/90714`
`cert-bund: CB-K17/1252`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/0975`
`cert-bund: CB-K16/0965`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0937`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0911`
`cert-bund: CB-K16/0868`
`cert-bund: CB-K16/0805`
`cert-bund: CB-K16/0801`
`dfn-cert: DFN-CERT-2017-1295`
`dfn-cert: DFN-CERT-2016-1882`
`dfn-cert: DFN-CERT-2016-1033`
`dfn-cert: DFN-CERT-2016-1022`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0996`
`dfn-cert: DFN-CERT-2016-0972`
`dfn-cert: DFN-CERT-2016-0944`
`dfn-cert: DFN-CERT-2016-0924`
`dfn-cert: DFN-CERT-2016-0876`
`dfn-cert: DFN-CERT-2016-0871`
`dfn-cert: DFN-CERT-2016-0857`
`dfn-cert: DFN-CERT-2016-0855`

High (CVSS: 7.5)
NVT: PHP Multiple Heap Buffer Overflow and Information Disclosure Vulnerabilities (Aug 2018) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple heap buffer overflow and information disclosure vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.37
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow attackers to cause heap overflow, denial of service and disclose sensitive information.

Solution:
Solution type: VendorFix
Update to version 5.6.37, 7.0.31, 7.1.20 or 7.2.8 or later.

Affected Software/OS
PHP prior to version 5.6.37, 7.x prior to 7.0.31, 7.1.x prior to 7.1.20 and 7.2.x prior to 7.2.8.

Vulnerability Insight
The following flaws exist:
- CVE-2018-14851: exif_process_IFD_in_MAKERNOTE function in exif.c file suffers from improper validation against crafted JPEG files.
- CVE-2018-14883: exif_thumbnail_extract function in exif.c file suffers from improper validation of length of 'ImageInfo->Thumbnail.offset + ImageInfo->Thumbnail.size'
- CVE-2018-15132: linkinfo function on windows doesn't implement openbasedir check.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Heap Buffer Overflow and Information Disclosure Vulnerabilities (A.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.813901
Version used: `2025-09-24T05:39:03Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2018-14851
cve: CVE-2018-14883
cve: CVE-2018-15132
url: https://access.redhat.com/security/cve/cve-2018-14851
url: https://bugs.php.net/bug.php?id=76557
url: https://bugs.php.net/bug.php?id=76423
url: https://bugs.php.net/bug.php?id=76459
cert-bund: WID-SEC-2022-2130
cert-bund: CB-K18/0838
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-2116
dfn-cert: DFN-CERT-2018-1882
dfn-cert: DFN-CERT-2018-1835
dfn-cert: DFN-CERT-2018-1834
dfn-cert: DFN-CERT-2018-1777
dfn-cert: DFN-CERT-2018-1655
```

High (CVSS: 7.5)
NVT: PHP < 5.6.31 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.31
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers inject XML for deserialization to crash the PHP interpreter.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.6.31 or later.

Affected Software/OS
PHP prior to version 5.6.31.

Vulnerability Insight
The flaw exists due to an invalid free error for an empty boolean element in ext/wddx/wddx.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.31 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.811490
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2017-11143`
`url: http://www.php.net/ChangeLog-5.php`
`cert-bund: CB-K18/0048`
`cert-bund: CB-K17/1461`
`cert-bund: CB-K17/1358`
`cert-bund: CB-K17/1132`
`dfn-cert: DFN-CERT-2018-0835`
`dfn-cert: DFN-CERT-2018-0733`
`dfn-cert: DFN-CERT-2018-0055`
`dfn-cert: DFN-CERT-2017-1529`
`dfn-cert: DFN-CERT-2017-1420`
`dfn-cert: DFN-CERT-2017-1161`

High (CVSS: 7.5)
NVT: PHP < 5.6.31, 7.x < 7.0.17, 7.1.x < 7.1.3 DoS Vulnerability (Jul 2017) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.31
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow an attacker to cause a CPU consumption denial of service attack.

Solution:
Solution type: VendorFix
Update to version 5.6.31, 7.0.17, 7.1.3 or later.

Affected Software/OS
PHP prior to version 5.6.31, 7.x prior to 7.0.17 and 7.1.x prior to 7.1.3.

Vulnerability Insight
The flaw exists due to improper handling of long form variables in main/php_variables.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.31, 7.x < 7.0.17, 7.1.x < 7.1.3 DoS Vulnerability (Jul 2017) - Linux`
OID:1.3.6.1.4.1.25623.1.0.811487
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2017-11142
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K18/0048
cert-bund: CB-K17/1461
cert-bund: CB-K17/1132
dfn-cert: DFN-CERT-2018-0055
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1161
```

High (CVSS: 7.5)
NVT: PHP < 7.3.27, 7.4.x < 7.4.15, 8.0.x < 8.0.2 NULL Deference Vulnerability (Feb 2021) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a NULL dereference vulnerability in the SoapClient.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.3.27
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.3.27, 7.4.15, 8.0.2 or later.

Affected Software/OS

PHP versions prior to 7.3.27, 7.4.x prior to 7.4.15 and 8.0.x prior to 8.0.2.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 7.3.27, 7.4.x < 7.4.15, 8.0.x < 8.0.2 NULL Deference Vulnerability (Feb 2.`
↪..

OID:1.3.6.1.4.1.25623.1.0.145323

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2021-21702
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.php.net/ChangeLog-7.php#7.3.27
url: https://www.php.net/ChangeLog-7.php#7.4.15
url: https://www.php.net/ChangeLog-8.php#8.0.2
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-2113
cert-bund: CB-K21/0124
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-0904
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1509
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-0556
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2021-0246
```

High (CVSS: 7.5)
NVT: Apache HTTP Server 'Whitespace Defects' Multiple Vulnerabilities

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to conduct request smuggling, response splitting and cache pollution attacks.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.2.32 or 2.4.25 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server 2.2.x before 2.2.32 and 2.3.x through 2.4.24 prior to 2.4.25.

Vulnerability Insight
Multiple flaws exist because the application accepted a broad pattern of unusual whitespace patterns from the user-agent, including bare CR, FF, VTAB in parsing the request line and request header lines, as well as HTAB in parsing the request line. Any bare CR present in request lines was treated as whitespace and remained in the request field member 'the_request', while a bare CR in the request header field name would be honored as whitespace, and a bare CR in the request header field value was retained the input headers array. Implied additional whitespace was accepted in the request line and prior to the ':' delimiter of any request header lines.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'Whitespace Defects' Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.812033
Version used: `2022-09-09T10:12:35Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2016-8743
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: http://www.securityfocus.com/bid/95077
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K19/0354
cert-bund: CB-K18/0066
cert-bund: CB-K17/1854
cert-bund: CB-K17/1622
cert-bund: CB-K17/1279
cert-bund: CB-K17/1163
cert-bund: CB-K17/0955
cert-bund: CB-K17/0794
cert-bund: CB-K17/0704
cert-bund: CB-K17/0659
cert-bund: CB-K17/0527
cert-bund: CB-K17/0477
cert-bund: CB-K17/0185
cert-bund: CB-K16/1995
dfn-cert: DFN-CERT-2018-1764
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1327
dfn-cert: DFN-CERT-2017-1204
dfn-cert: DFN-CERT-2017-0988
dfn-cert: DFN-CERT-2017-0814
dfn-cert: DFN-CERT-2017-0723
dfn-cert: DFN-CERT-2017-0673
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0489
dfn-cert: DFN-CERT-2017-0189
dfn-cert: DFN-CERT-2016-2108
```

High (CVSS: 7.5)
NVT: Apache HTTP Server 'mod_auth_digest' DoS Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause a denial-of-service condition.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.4.25 or later.

Affected Software/OS

Apache HTTP Server versions 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6, 2.4.4, 2.4.3, 2.4.2 and 2.4.1.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The flaw exists due to insufficient handling of malicious input to 'mod_auth_digest'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_auth_digest' DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.812067
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2016-2161`
`url: https://httpd.apache.org/security/vulnerabilities_24.html#CVE-2016-2161`
`url: http://www.securityfocus.com/bid/95076`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: CB-K19/0354`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/0955`
`cert-bund: CB-K17/0794`
`cert-bund: CB-K17/0704`
`cert-bund: CB-K17/0527`
`cert-bund: CB-K17/0477`
`cert-bund: CB-K16/1995`
`dfn-cert: DFN-CERT-2017-1925`
`dfn-cert: DFN-CERT-2017-1692`
`dfn-cert: DFN-CERT-2017-0988`
`dfn-cert: DFN-CERT-2017-0814`
`dfn-cert: DFN-CERT-2017-0723`
`dfn-cert: DFN-CERT-2017-0532`
`dfn-cert: DFN-CERT-2017-0489`
`dfn-cert: DFN-CERT-2016-2108`

High (CVSS: 7.5)
NVT: PHP < 7.2.30, 7.3 < 7.3.17, 7.4 < 7.4.5 DoS Vulnerability (Apr 2020) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.2.30
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.30, 7.3.17, 7.4.5 or later.

Affected Software/OS
PHP versions prior 7.2.30, 7.3 prior 7.3.17 and 7.4 prior to 7.4.5.

Vulnerability Insight
If 'CHARSET_EBCDIC' is defined (usually, on systems with EBCDIC encoding support), an out-of-bounds read can occur using a malformed url-encoded string.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.30, 7.3 < 7.3.17, 7.4 < 7.4.5 DoS Vulnerability (Apr 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143722
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2020-7067
url: https://www.php.net/ChangeLog-7.php#7.2.30
url: https://www.php.net/ChangeLog-7.php#7.3.17
url: https://www.php.net/ChangeLog-7.php#7.4.5
cert-bund: CB-K20/1199
cert-bund: CB-K20/0336
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-0851
dfn-cert: DFN-CERT-2020-0751
```

High (CVSS: 7.5)
NVT: PHP < 7.2.28 Multiple Vulnerabilities (Feb 2020) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     7.2.28
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.28 or later.

Affected Software/OS
PHP versions before 7.2.28.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- Null Pointer Dereference in PHP Session Upload Progress (CVE-2020-7062)
- Files added to tar with Phar::buildFromIterator have all-access permissions (CVE-2020-7063)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.28 Multiple Vulnerabilities (Feb 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143541
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2020-7062`
`cve: CVE-2020-7063`
`url: https://www.php.net/ChangeLog-7.php#7.2.28`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-2119
cert-bund: CB-K20/0147
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-0787
dfn-cert: DFN-CERT-2020-0518
dfn-cert: DFN-CERT-2020-0485
dfn-cert: DFN-CERT-2020-0341
```

High (CVSS: 7.5)
NVT: PHP < 5.6.5 Multiple Vulnerabilities (Jan 2015)

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.5
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.6.5 or later.

Affected Software/OS

PHP versions prior to 5.6.5.

Vulnerability Insight

A free operation on a stack-based character array is performed by the apprentice_load function in libmagic/apprentice.c in the Fileinfo component.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.5 Multiple Vulnerabilities (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805413
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-9426`
`url: https://bugs.php.net/bug.php?id=68665`
`url: http://securitytracker.com/id/1031480`

High (CVSS: 7.5)
NVT: PHP Out of Bounds Read Vulnerability (Jan 2015)

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an out of bounds read vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     5.4.37
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to obtain sensitive information and trigger unexpected code execution.

Solution:
Solution type: VendorFix
Update to version 5.4.37 or 5.5.21 or 5.6.5 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

PHP versions through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4.

Vulnerability Insight
An out of bounds read error exists in sapi/cgi/cgi_main.c in the CGI component in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Out of Bounds Read Vulnerability (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805414
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2014-9427
url: https://bugs.php.net/bug.php?id=68618
url: http://www.securityfocus.com/bid/71833
cert-bund: CB-K15/1437
cert-bund: CB-K15/0757
cert-bund: CB-K15/0215
cert-bund: CB-K15/0207
cert-bund: CB-K15/0095
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0223
dfn-cert: DFN-CERT-2015-0212
dfn-cert: DFN-CERT-2015-0093
```

High (CVSS: 7.5)
NVT: PHP < 5.6.0 DoS Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.4.5
Fixed version:     5.6.0
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 5.6.0 or later.

Affected Software/OS
PHP prior to version 5.6.0 on Linux.

Vulnerability Insight
The flaw is due an improper validation of input to zero root_storage value in a CDF file.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.0 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.808669
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-0236`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/90957`

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.38 mod_session_cookie Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

In Apache HTTP Server mod_session checks the session expiry time before decoding the session. This causes session expiry time to be ignored for mod_session_cookie sessions since the expiry time is loaded when the session is decoded.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.38
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.38 or later.

Affected Software/OS
Apache HTTP Server version 2.4.37 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.38 mod_session_cookie Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.141964
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2018-17199
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K19/0316
cert-bund: CB-K19/0071
dfn-cert: DFN-CERT-2021-1069
dfn-cert: DFN-CERT-2020-0673
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-0857
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0198
dfn-cert: DFN-CERT-2019-0184
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.39 mod_auth_digest Access Control Bypass Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.117232)`

Summary
In Apache HTTP Server, a race condition in mod_auth_digest when running in a threaded server could allow a user with valid credentials to authenticate using another username, bypassing configured access control restrictions.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.7
Fixed version:     2.4.39
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.39 or later.

Affected Software/OS
Apache HTTP Server version 2.4.38 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.39 mod_auth_digest Access Control Bypass Vulnerability.`
OID:1.3.6.1.4.1.25623.1.0.142220
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2019-0217`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2023-2047`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K19/0623
cert-bund: CB-K19/0267
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-0736
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0680
dfn-cert: DFN-CERT-2019-0676
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an out-of-bounds read vulnerability in mod_macro.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.58
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.58 or later.

Affected Software/OS

Apache HTTP Server version 2.4.57 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.100272

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.7`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2023-31122
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.58
url: https://www.openwall.com/lists/oss-security/2023/10/19/4
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0899
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2024-0107
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2712
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2024-0732
dfn-cert: DFN-CERT-2023-2640
dfn-cert: DFN-CERT-2023-2583
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.59
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.59 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server version 2.4.58 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2023-38709: HTTP response splitting
- CVE-2024-24795: HTTP response splitting in multiple modules
- CVE-2024-27316: HTTP/2 DoS by memory exhaustion on endless continuation frames

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.152039
Version used: `2024-06-07T05:05:42Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2023-38709
cve: CVE-2024-24795
cve: CVE-2024-27316
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.59
url: https://kb.cert.org/vuls/id/421644
url: https://nowotarski.info/http2-continuation-flood/
url: https://nowotarski.info/http2-continuation-flood-technical-details/
cert-bund: WID-SEC-2025-1529
cert-bund: WID-SEC-2024-1725
cert-bund: WID-SEC-2024-1643
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1504
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0801
cert-bund: WID-SEC-2024-0789
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-2658
dfn-cert: DFN-CERT-2025-2657
dfn-cert: DFN-CERT-2024-2900
dfn-cert: DFN-CERT-2024-2534
dfn-cert: DFN-CERT-2024-2076
dfn-cert: DFN-CERT-2024-1958
dfn-cert: DFN-CERT-2024-1853
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1749
dfn-cert: DFN-CERT-2024-1697
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1335
dfn-cert: DFN-CERT-2024-1238
dfn-cert: DFN-CERT-2024-1031
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-0964
dfn-cert: DFN-CERT-2024-0901
dfn-cert: DFN-CERT-2024-0890
```

High (CVSS: 7.5)
NVT: PHP < 8.1.33, 8.2.x < 8.2.29, 8.3.x < 8.3.23, 8.4.x < 8.4.10 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     8.1.33
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.33, 8.2.29, 8.3.23, 8.4.10 or later.

Affected Software/OS

PHP versions prior to 8.1.33, 8.2.x prior to 8.2.29, 8.3.x prior to 8.3.23 and 8.4.x prior to 8.4.10.

Vulnerability Insight

The following vulnerabilities exist:
- CVE-2025-1220: Null byte termination in hostnames
- CVE-2025-1735: pgsql extension does not check for errors during escaping
- CVE-2025-6491: NULL pointer dereference in PHP SOAP extension via large XML namespace prefix

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.33, 8.2.x < 8.2.29, 8.3.x < 8.3.23, 8.4.x < 8.4.10 Multiple Vulnerabi.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.154869
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2025-1220
cve: CVE-2025-1735
cve: CVE-2025-6491
url: https://www.php.net/ChangeLog-8.php#8.1.33
url: https://www.php.net/ChangeLog-8.php#8.2.29
url: https://www.php.net/ChangeLog-8.php#8.3.23
url: https://www.php.net/ChangeLog-8.php#8.4.10
url: https://github.com/php/php-src/security/advisories/GHSA-3cr5-j632-f35r
url: https://github.com/php/php-src/security/advisories/GHSA-hrwm-9436-5mv3
url: https://github.com/php/php-src/security/advisories/GHSA-453j-q27h-5p8x
cert-bund: WID-SEC-2025-1460
dfn-cert: DFN-CERT-2025-1785
```

High (CVSS: 7.5)
NVT: Apache HTTP Server Denial of Service Vulnerability-02 (Apr 2018) - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.7
Fixed version:     2.4.30
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successful exploitation will allow an attacker to crash the Apache HTTP Server resulting in denial of service condition.

Solution:
Solution type: VendorFix
Update to version 2.4.30 or later. Please see the references for more information.

Affected Software/OS
Apache HTTP Server versions 2.4.6, 2.4.7, 2.4.9, 2.4.10, 2.4.12, 2.4.16 through 2.4.18, 2.4.20, 2.4.23, and 2.4.25 through 2.4.29.

Vulnerability Insight
The flaw exists as the Apache HTTP Server fails to sanitize against a specially crafted HTTP request header.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Denial of Service Vulnerability-02 (Apr 2018) - Linux`
OID:1.3.6.1.4.1.25623.1.0.812849
Version used: `2024-02-09T05:06:25Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2018-1303`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`url: http://www.securityfocus.com/bid/103522`
`cert-bund: CB-K20/1030`
`cert-bund: CB-K18/0535`
`dfn-cert: DFN-CERT-2020-2133`
`dfn-cert: DFN-CERT-2019-0359`
`dfn-cert: DFN-CERT-2019-0351`
`dfn-cert: DFN-CERT-2018-2316`
`dfn-cert: DFN-CERT-2018-0985`
`dfn-cert: DFN-CERT-2018-0570`

High (CVSS: 7.5)
NVT: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Privilege Escalation Vulnerability - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.32
Installation
path / port:       80/tcp
```

Impact
Successfully exploitation will allow an attacker to update the 'metadata' and affect on confidentiality, integrity, and availability.

Solution:
Solution type: VendorFix
Update to version 5.5.32, 5.6.18, 7.0.3 or later.

Affected Software/OS
PHP prior to version 5.5.32, 5.6.x prior to 5.6.18 and 7.x prior to 7.0.3 on Linux.

Vulnerability Insight
An error occurs in the function stream_get_meta_data of the component File Upload. The manipulation as part of a Return Value leads to a privilege escalation vulnerability (Metadata).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Privilege Escalation Vulnerability - . ↪..
OID:1.3.6.1.4.1.25623.1.0.812512
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-10712

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://bugs.php.net/bug.php?id=71323
url: https://git.php.net/?p=php-src.git;a=commit;h=6297a117d77fa3a0df2e21ca926a9
↪2c231819cd5
cert-bund: CB-K18/0498
cert-bund: CB-K18/0350
dfn-cert: DFN-CERT-2019-1052
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2018-0537
dfn-cert: DFN-CERT-2018-0380
```

High (CVSS: 7.5)
NVT: Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version Check

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.28
Installation
path / port:       80/tcp
```

Impact

The successful exploitation allows the attacker to read chunks of the host's memory.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.4.28. For Apache HTTP Server running version 2.2.34 apply the patch linked in the references.

As a workaround the usage of .htaccess should be disabled completely via the 'AllowOverride None' directive within the webservers configuration. Furthermore all <Limit> statements within the webserver configuration needs to be verified for invalid HTTP methods.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server 2.2.x versions up to 2.2.34 and 2.4.x below 2.4.28.

Vulnerability Insight

Optionsbleed is a use after free error in the Apache HTTP Server that causes a corrupted Allow header to be constructed in response to HTTP OPTIONS requests. This can leak pieces of arbitrary memory from the server process that may contain secrets. The memory pieces change after multiple requests, so for a vulnerable host an arbitrary number of memory chunks can be leaked.

The bug appears if a webmaster tries to use the 'Limit' directive with an invalid HTTP method.

Example .htaccess:

<Limit abcxyz> </Limit>

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version C.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.108252

Version used: `2025-01-21T05:37:33Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.7`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2017-9798
url: http://openwall.com/lists/oss-security/2017/09/18/2
url: https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-le
↪ak-Apaches-server-memory.html
url: http://www.securityfocus.com/bid/100872
url: https://archive.apache.org/dist/httpd/patches/apply_to_2.2.34/
url: https://www.apache.org/dist/httpd/CHANGES_2.4.28
cert-bund: WID-SEC-2023-1594
cert-bund: CB-K18/1012
cert-bund: CB-K18/0800
cert-bund: CB-K18/0606
cert-bund: CB-K18/0098
cert-bund: CB-K18/0066
cert-bund: CB-K17/2188
cert-bund: CB-K17/2117
cert-bund: CB-K17/2021
cert-bund: CB-K17/1980
cert-bund: CB-K17/1936
cert-bund: CB-K17/1871
cert-bund: CB-K17/1773
cert-bund: CB-K17/1768
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/1587
dfn-cert: DFN-CERT-2019-0359
dfn-cert: DFN-CERT-2018-2113
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-0725
dfn-cert: DFN-CERT-2018-0100
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2290
dfn-cert: DFN-CERT-2017-2211
dfn-cert: DFN-CERT-2017-2108
dfn-cert: DFN-CERT-2017-2070
dfn-cert: DFN-CERT-2017-2021
dfn-cert: DFN-CERT-2017-1954
dfn-cert: DFN-CERT-2017-1854
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1659
```

High (CVSS: 7.5)
NVT: Apache HTTP Server mod_session_crypto Vulnerability (Dec 2016) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a vulnerability in mod_session_crypto.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.25 or later.

Affected Software/OS

Apache HTTP Server version 2.4.1 through 2.4.23.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

mod_sessioncrypto is encrypting its data/cookie using the configured ciphers with possibly either CBC or ECB modes of operation (AES256-CBC by default), hence no selectable or builtin authenticated encryption. This makes it vulnerable to padding oracle attacks, particularly with CBC. An authentication tag (SipHash MAC) is now added to prevent such attacks.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server mod_session_crypto Vulnerability (Dec 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147045
Version used: `2021-11-01T14:03:43Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2016-0736`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: CB-K19/0354`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/0955`
`cert-bund: CB-K17/0794`
`cert-bund: CB-K17/0704`
`cert-bund: CB-K17/0527`
`cert-bund: CB-K16/1995`
`dfn-cert: DFN-CERT-2017-1925`
`dfn-cert: DFN-CERT-2017-1692`
`dfn-cert: DFN-CERT-2017-0988`
`dfn-cert: DFN-CERT-2017-0814`
`dfn-cert: DFN-CERT-2017-0723`
`dfn-cert: DFN-CERT-2017-0532`
`dfn-cert: DFN-CERT-2016-2108`

High (CVSS: 7.5)
NVT: Drupal 7.0 < 7.91, 8.0 < 9.3.19, 9.4.0 < 9.4.3 Information Disclosure (SA-CORE-2022-012) - Linux

Summary
Drupal is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.91
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.91, 9.3.19, 9.4.3 or later.

Affected Software/OS
Drupal versions starting from 7.x prior to 7.91, 8.0.0 prior to 9.3.19 and 9.4.0 prior to 9.4.3.

Vulnerability Insight
The Image module does not correctly check access to image files not stored in the standard public directory when generating derivative images using the image styles system. Access to a non-public file is checked only if it is stored in the private file system. However some contributed modules provide additional file systems, or schemes which may lead to this vulnerability.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 7.0 < 7.91, 8.0 < 9.3.19, 9.4.0 < 9.4.3 Information Disclosure (SA-CORE-.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.126168
Version used: `2023-10-18T05:05:17Z`

References
`cve: CVE-2022-25275`
`url: https://www.drupal.org/sa-core-2022-012`
`cert-bund: WID-SEC-2022-0789`
`dfn-cert: DFN-CERT-2022-2281`

High (CVSS: 7.5)
NVT: Drupal 7.x < 7.39 Multiple Vulnerabilities (SA-CORE-2015-003) - Linux

Summary
Drupal is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.39
Installation
path / port:       /drupal
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successful exploitation will allow remote attackers to inject or manipulate SQL queries in the back-end database, allowing for the manipulation or disclosure of arbitrary data, and execute arbitrary HTML and script code in a user's browser session in the context of an affected site.

Solution:
Solution type: VendorFix
Update to version 7.39 or later.

Affected Software/OS
Drupal 7.x before 7.39 on Linux.

Vulnerability Insight
The following flaws exist:
- An error in the Ajax handler involving a whitelisted HTML element, possibly related to the 'a' tag.
- An error in the SQL comment filtering system in the Database API.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 7.x < 7.39 Multiple Vulnerabilities (SA-CORE-2015-003) - Linux`
OID:1.3.6.1.4.1.25623.1.0.805967
Version used: `2023-10-06T16:09:51Z`

References
`cve: CVE-2015-6665`
`cve: CVE-2015-6659`
`url: https://www.drupal.org/SA-CORE-2015-003`
`cert-bund: CB-K15/1246`
`dfn-cert: DFN-CERT-2015-1315`

High (CVSS: 7.5)
NVT: Test HTTP dangerous methods

Summary
Misconfigured web servers allows remote clients to perform dangerous HTTP methods such as PUT and DELETE.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
```
We could upload the following files via the PUT method at this web server:
http://metasploitable3.trabalho_vulnnet/uploads/puttest285809602.html
We could delete the following files via the DELETE method at this web server:
```

. . . continues on next page . . .

. . . continued from previous page . . .

http://metasploitable3.trabalho_vulnnet/uploads/puttest285809602.html

Impact
- Enabled PUT method: This might allow an attacker to upload and run arbitrary code on this web server.
- Enabled DELETE method: This might allow an attacker to delete additional files on this web server.

Solution:
Solution type: Mitigation
Use access restrictions to these dangerous HTTP methods or disable them completely.

Affected Software/OS
Web servers with enabled PUT and/or DELETE methods.

Vulnerability Detection Method
Checks if dangerous HTTP methods such as PUT and DELETE are enabled and can be misused to upload or delete files.
Details: `Test HTTP dangerous methods`
OID:1.3.6.1.4.1.25623.1.0.10498
Version used: `2023-08-01T13:29:10Z`

References
`url: http://www.securityfocus.com/bid/12141`
`owasp: OWASP-CM-001`

High (CVSS: 7.5)
NVT: PHP < 5.4.41, 5.5.x < 5.5.25, 5.6.x < 5.6.9 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     5.4.41
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service, bypass intended extension restrictions and access and execute files or directories with unexpected names via crafted dimensions and remote FTP servers to execute arbitrary code.

Solution:
Solution type: VendorFix
Update to version 5.4.41, 5.5.25, 5.6.9 or later.

Affected Software/OS
PHP prior to version 5.4.41, 5.5.x prior to 5.5.25 and 5.6.x prior to 5.6.9.

Vulnerability Insight
The following flaws exist:
- Algorithmic complexity vulnerability in the 'multipart_buffer_headers' function in main/rfc1867.c script in PHP.
- 'pcntl_exec' implementation in PHP truncates a pathname upon encountering a \x00 character.
- Integer overflow in the 'ftp_genlist' function in ext/ftp/ftp.c script in PHP.
- The 'phar_parse_tarfile' function in ext/phar/tar.c script in PHP does not verify that the first character of a filename is different from the \0 character.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.41, 5.5.x < 5.5.25, 5.6.x < 5.6.9 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.805660
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-4021`
`cve: CVE-2015-4022`
`cve: CVE-2015-4024`
`cve: CVE-2015-4025`
`cve: CVE-2015-4026`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/75056`
`url: http://www.securityfocus.com/bid/74904`
`url: http://www.securityfocus.com/bid/74903`
`url: http://www.securityfocus.com/bid/74902`
`url: http://www.securityfocus.com/bid/74700`
`url: https://bugs.php.net/bug.php?id=69085`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: CB-K17/2123
cert-bund: CB-K16/0944
cert-bund: CB-K15/1188
cert-bund: CB-K15/1082
cert-bund: CB-K15/1031
cert-bund: CB-K15/0973
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0923
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
cert-bund: CB-K15/0769
cert-bund: CB-K15/0763
cert-bund: CB-K15/0759
cert-bund: CB-K15/0703
dfn-cert: DFN-CERT-2017-2219
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1139
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1021
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0973
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0803
dfn-cert: DFN-CERT-2015-0797
dfn-cert: DFN-CERT-2015-0732
```

High (CVSS: 7.5)
NVT: Drupal 7.x, 8.x, 9.x Archive_Tar library Vulnerability (SA-CORE-2021-001) - Linux

Summary
Drupal is prone to a vulnerability in the Archive_Tar library.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.78
Installation
path / port:       /drupal
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 7.78, 8.9.13, 9.0.11, 9.1.3 or later. Disable uploads of .tar, .tar.gz, .bz2, or .tlz files to mitigate the vulnerability.

Affected Software/OS
Drupal 7.x, 8.9.x and prior, 9.0.x and 9.1.x.

Vulnerability Insight
The Drupal project uses the pear Archive_Tar library, which has released a security update that impacts Drupal.
Exploits may be possible if Drupal is configured to allow .tar, .tar.gz, .bz2, or .tlz file uploads and processes them.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 7.x, 8.x, 9.x Archive_Tar library Vulnerability (SA-CORE-2021-001) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145251
Version used: `2022-09-14T10:57:19Z`

References
```
cve: CVE-2020-36193
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://www.drupal.org/sa-core-2021-001
cert-bund: WID-SEC-2022-1463
cert-bund: WID-SEC-2022-1444
cert-bund: CB-K21/0081
dfn-cert: DFN-CERT-2022-2052
dfn-cert: DFN-CERT-2021-0717
dfn-cert: DFN-CERT-2021-0130
```

High (CVSS: 7.5)
NVT: PHP < 5.4.39, 5.5.x < 5.5.23, 5.6.x < 5.6.7 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.39
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to obtain sensitive information by providing crafted serialized data with an int data type and to execute arbitrary code by providing crafted serialized data with an unexpected data type.

Solution:

Solution type: VendorFix

Update to version 5.4.39, 5.5.23, 5.6.7 or later.

Affected Software/OS

PHP prior to version 5.4.39, 5.5.x prior to 5.5.23 and 5.6.x prior to 5.6.7.

Vulnerability Insight

The following flaws exist:

- 'do_soap_call' function in ext/soap/soap.c script in PHP does not verify that the uri property is a string.
- 'SoapClient::__call' method in ext/soap/soap.c script in PHP does not verify that __default_headers is an array.
- use-after-free error related to the 'unserialize' function when using DateInterval input.
- a flaw in the 'move_uploaded_file' function that is triggered when handling NULL bytes.
- an integer overflow condition in the '_zip_cdir_new' function in 'zip_dirent.c' script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.39, 5.5.x < 5.5.23, 5.6.x < 5.6.7 Multiple Vulnerabilities - Linux`

OID:1.3.6.1.4.1.25623.1.0.805651

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-2331
cve: CVE-2015-2348
cve: CVE-2015-2787
cve: CVE-2015-4147
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2015-4148
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/73357
url: http://www.securityfocus.com/bid/73431
url: http://www.securityfocus.com/bid/73434
url: https://bugs.php.net/bug.php?id=69085
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: WID-SEC-2023-1281
cert-bund: WID-SEC-2023-0069
cert-bund: CB-K16/0944
cert-bund: CB-K15/1437
cert-bund: CB-K15/1188
cert-bund: CB-K15/1031
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0854
cert-bund: CB-K15/0809
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0561
cert-bund: CB-K15/0482
cert-bund: CB-K15/0377
cert-bund: CB-K15/0375
cert-bund: CB-K15/0372
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0854
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0583
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0387
dfn-cert: DFN-CERT-2015-0383
dfn-cert: DFN-CERT-2015-0382
```

High (CVSS: 7.5)
NVT: PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 Multiple RCE Vulnerabilities (Jul 2015) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.38
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to execute arbitrary code via some crafted dimensions.

Solution:
Solution type: VendorFix
Update to version 5.4.38, 5.5.22, 5.6.6 or later.

Affected Software/OS
PHP prior to version 5.4.38, 5.5.x prior to 5.5.22 and 5.6.x prior to 5.6.6.

Vulnerability Insight
The following flaws exist:
- Multiple use-after-free vulnerabilities in 'ext/date/php_date.c' script.
- Heap-based buffer overflow in the 'enchant_broker_request_dict' function in 'ext/enchant/enchant.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 Multiple RCE Vulnerabilities (Jul 2.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.805685
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

cve: CVE-2014-9705
cve: CVE-2015-0273
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/73031
url: http://www.securityfocus.com/bid/72701
url: https://bugzilla.redhat.com/show_bug.cgi?id=1194730
url: http://lists.opensuse.org/opensuse-updates/2015-04/msg00002.html
cert-bund: WID-SEC-2023-0069
cert-bund: CB-K16/0944
cert-bund: CB-K15/1561
cert-bund: CB-K15/1437
cert-bund: CB-K15/0966
cert-bund: CB-K15/0901
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0482
cert-bund: CB-K15/0362
cert-bund: CB-K15/0358
cert-bund: CB-K15/0278
cert-bund: CB-K15/0222
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0956
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0371
dfn-cert: DFN-CERT-2015-0370
dfn-cert: DFN-CERT-2015-0286
dfn-cert: DFN-CERT-2015-0228

High (CVSS: 7.5)
NVT: PHP < 5.6.32, 7.x < 7.0.24, 7.1.x < 7.1.11 Heap Based Buffer Overflow Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a heap buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.6.32
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow attacker to execute arbitrary code with elevated privileges within the context of a privileged process.

Solution:
Solution type: VendorFix
Update to version 5.6.32, 7.0.25, 7.1.11 or later.

Affected Software/OS
PHP prior to version 5.6.32, 7.x prior to 7.0.25 and 7.1.x prior to 7.1.11.

Vulnerability Insight
The flaw exists due to an error in the date extension's 'timelib_meridian' handling of 'front of' and 'back of' directives.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.32, 7.x < 7.0.24, 7.1.x < 7.1.11 Heap Based Buffer Overflow Vulnerabi.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.812073
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2017-16642
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/101745
url: http://php.net/ChangeLog-7.php
url: https://bugs.php.net/bug.php?id=75055
cert-bund: CB-K18/0270
cert-bund: CB-K18/0048
cert-bund: CB-K17/2123
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0290
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-2219
```

High (CVSS: 7.5)
NVT: PHP < 5.3.28, 5.4.x < 5.4.23, 5.5.x < 5.5.7 RCE Vulnerability (Dec 2013)

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.23
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to execute arbitrary code or cause a denial of service (memory corruption).

Solution:

Solution type: VendorFix

Update to version 5.3.28, 5.4.23, 5.5.7 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

PHP versions before 5.3.28, 5.4.x before 5.4.23, and 5.5.x before 5.5.7.

Vulnerability Insight
A boundary error exists within the 'asn1_time_to_time_t' function in 'ext/openssl/openssl.c' when parsing X.509 certificates.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.3.28, 5.4.x < 5.4.23, 5.5.x < 5.5.7 RCE Vulnerability (Dec 2013)`
OID:1.3.6.1.4.1.25623.1.0.804174
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2013-6420
url: http://secunia.com/advisories/56055
url: http://packetstormsecurity.com/files/124436/PHP-openssl_x509_parse-Memory-C
↪orruption.html
cert-bund: WID-SEC-2023-1283
cert-bund: CB-K17/1176
cert-bund: CB-K14/0834
cert-bund: CB-K14/0231
cert-bund: CB-K13/1092
cert-bund: CB-K13/1040
cert-bund: CB-K13/1037
cert-bund: CB-K13/1036
dfn-cert: DFN-CERT-2017-1209
dfn-cert: DFN-CERT-2014-0870
dfn-cert: DFN-CERT-2013-2127
dfn-cert: DFN-CERT-2013-2066
dfn-cert: DFN-CERT-2013-2065
dfn-cert: DFN-CERT-2013-2064
```

High (CVSS: 7.5)
NVT: Drupal Improper Input Validation Vulnerability (SA-CORE-2022-003) - Linux

Summary
Drupal is prone to an improper input validation vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.88
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.88, 9.2.13, 9.3.6 or later.

Affected Software/OS
Drupal version 7.x, 8.x and 9.x.

Vulnerability Insight
Drupal core's form API has a vulnerability where certain contributed or custom modules' forms may be vulnerable to improper input validation. This could allow an attacker to inject disallowed values or overwrite data. Affected forms are uncommon, but in certain cases an attacker could alter critical or sensitive data.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal Improper Input Validation Vulnerability (SA-CORE-2022-003) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147643
Version used: `2022-03-18T10:19:53Z`

References

```
cve: CVE-2022-25271
url: https://www.drupal.org/sa-core-2022-003
cert-bund: WID-SEC-2022-1733
cert-bund: CB-K22/0200
dfn-cert: DFN-CERT-2022-2281
dfn-cert: DFN-CERT-2022-0381
```

High (CVSS: 7.5)
NVT: Drupal Multiple Vulnerabilities (Dec 2016) - Linux

Summary
Drupal is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.52
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: /drupal

Impact
Successful exploitation will allow remote attackers to cause a denial of service condition, obtain sensitive information, conduct cache poisoning attacks and conduct open redirect attacks.

Solution:
Solution type: VendorFix
Upgrade to version 7.52 or 8.2.3 or newer.

Affected Software/OS
Drupal core 7.x versions prior to 7.52 and 8.x versions prior to 8.2.3 on Linux

Vulnerability Insight
Multiple flaws are due to:
- An inconsistent naming of access query tags for taxonomy terms.
- The user password reset form does not specify a proper cache context.
- The confirmation forms allow external URLs to be injected.
- An error in transliterate mechanism.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Drupal Multiple Vulnerabilities (Dec 2016) - Linux
OID:1.3.6.1.4.1.25623.1.0.810224
Version used: 2024-02-09T05:06:25Z

References
cve: CVE-2016-9449
cve: CVE-2016-9450
cve: CVE-2016-9451
cve: CVE-2016-9452
url: https://www.drupal.org/SA-CORE-2016-005
url: http://www.securityfocus.com/bid/94367

High (CVSS: 7.5)
NVT: PHP 'CVE-2017-7189' Improper Input Validation Vulnerability - Linux

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is improperly validating input from untrusted input.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     None
Installation
path / port:       80/tcp
```

Solution:
Solution type: WillNotFix
No solution was made available by the vendor. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Note: PHP versions 7.0.18 and 7.1.4 introduced a fix which was reverted again in version 7.0.19 / 7.1.5 respectively and the fix wasn't introduced again as of today (08-2020).

Affected Software/OS
All PHP versions since 4.3.0 up to the latest 7.x versions.
Note: PHP versions 7.0.18 and 7.1.4 introduced a fix which was reverted again in version 7.0.19 / 7.1.5 respectively.

Vulnerability Insight
main/streams/xp_socket.c in PHP misparses fsockopen calls, such as by interpreting fsockopen('127.0.0.1:80', 443) as if the address/port were 127.0.0.1:80:443, which is later truncated to 127.0.0.1:80. This behavior has a security risk if the explicitly provided port number (i.e., 443 in this example) is hardcoded into an application as a security policy, but the hostname argument (i.e., 127.0.0.1:80 in this example) is obtained from untrusted input.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 'CVE-2017-7189' Improper Input Validation Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.108874
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2017-7189
url: https://bugs.php.net/bug.php?id=74192
url: https://bugs.php.net/bug.php?id=74429
url: https://github.com/php/php-src/commit/bab0b99f376dac9170ac81382a5ed526938d5
↪95a
```

High (CVSS: 7.4)
NVT: Drupal Multiple Vulnerabilities (Mar 2016) - Linux

Summary
Drupal is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 7.5
Fixed version:     7.43
Installation
path / port:       /drupal
```

Impact
Successful exploitation will allow remote attackers to conduct open redirect attack.

Solution:
Solution type: VendorFix
Upgrade to version 6.38 or 7.43 or 8.0.4 later.

Affected Software/OS
Drupal 6.x before 6.38, 7.x before 7.43 and 8.X before 8.0.4 on Linux.

Vulnerability Insight
The flaw exists due to the current path being populated with an external URL.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal Multiple Vulnerabilities (Mar 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.807481
Version used: `2024-02-08T14:36:53Z`

References
```
cve: CVE-2016-3164
url: https://www.drupal.org/SA-CORE-2016-001
```

High (CVSS: 7.3)
NVT: PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 RCE Vulnerability (Mar 2016) - Linux

Product detection result
```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

PHP is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.45
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to execute arbitrary code in the context of the user running the affected application. Failed exploit attempts will likely cause a denial-of-service condition.

Solution:

Solution type: VendorFix

Update to version 5.4.45, 5.5.29, 5.6.13 or later.

Affected Software/OS

PHP prior to version 5.4.45, 5.5.x prior to 5.5.29 and 5.6.x prior to 5.6.13 on Linux.

Vulnerability Insight

The flaw is due to 'SoapClient __call' method in 'ext/soap/soap.c' script does not properly manage headers.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 RCE Vulnerability (Mar 2016) - Lin.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.807505

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-6836
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/76644
url: https://bugs.php.net/bug.php?id=70388
cert-bund: WID-SEC-2025-1425
cert-bund: CB-K16/0944
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0422
cert-bund: CB-K15/1571
cert-bund: CB-K15/1561
cert-bund: CB-K15/1478
cert-bund: CB-K15/1439
cert-bund: CB-K15/1415
cert-bund: CB-K15/1337
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1658
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1556
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1493
dfn-cert: DFN-CERT-2015-1407
```

High (CVSS: 7.2)
NVT: PHP 5.4.x < 5.4.27, 5.5.x < 5.5.12 Privilege Escalation Vulnerability

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.28
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to gain access to the socket and gain elevated privileges.

Solution:

Solution type: VendorFix

Update to version 5.4.28, 5.5.12 or later.

Affected Software/OS

PHP versions 5.4.x before 5.4.28 and 5.5.x before 5.5.12.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
An error in 'sapi/fpm/fpm/fpm_unix.c' within FastCGI Process Manager allows setting insecure permissions for a unix socket.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.27, 5.5.x < 5.5.12 Privilege Escalation Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.804290
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2014-0185
url: http://seclists.org/oss-sec/2014/q2/192
url: http://www.securityfocus.com/bid/67118
url: http://www.php.net/archive/2014.php#id2014-05-01-1
url: http://www.openwall.com/lists/oss-security/2014/04/29/5
cert-bund: WID-SEC-2023-1282
cert-bund: CB-K14/1174
cert-bund: CB-K14/0776
cert-bund: CB-K14/0738
cert-bund: CB-K14/0660
cert-bund: CB-K14/0524
dfn-cert: DFN-CERT-2014-0816
dfn-cert: DFN-CERT-2014-0769
dfn-cert: DFN-CERT-2014-0685
dfn-cert: DFN-CERT-2014-0541
```

High (CVSS: 7.1)
NVT: Drupal 7.x < 7.82, 8.0.x < 8.9.17, 9.x < 9.1.11, 9.2.x < 9.2.2 Archive_Tar library Vulnerability (SA-CORE-2021-004) - Linux

Summary
Drupal is prone to a vulnerability in the third-party library Archive_Tar.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 7.5
Fixed version:     7.82
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.82, 8.9.17, 9.1.11, 9.2.2 or later.

Affected Software/OS
Drupal version 7.x through 7.81, 8.0.x through 8.9.16, 9.x through 9.1.10 and 9.2.x through 9.2.1.

Vulnerability Insight
The Drupal project uses the pear Archive_Tar library, which has released a security update that impacts Drupal.
The vulnerability is mitigated by the fact that Drupal core's use of the Archive_Tar library is not vulnerable, as it does not permit symlinks.
Exploitation may be possible if contrib or custom code uses the library to extract tar archives (for example .tar, .tar.gz, .bz2, or .tlz) which come from a potentially untrusted source.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 7.x < 7.82, 8.0.x < 8.9.17, 9.x < 9.1.11, 9.2.x < 9.2.2 Archive_Tar libr.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.146346
Version used: `2021-12-01T11:10:56Z`

References
```
cve: CVE-2021-32610
url: https://www.drupal.org/sa-core-2021-004
cert-bund: WID-SEC-2022-1357
cert-bund: CB-K21/0793
dfn-cert: DFN-CERT-2022-2499
dfn-cert: DFN-CERT-2021-2231
dfn-cert: DFN-CERT-2021-1581
```

High (CVSS: 7.1)
NVT: PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12, 7.x < 7.0.4 DoS and Information Disclosure Vulnerability - Linux

Product detection result
```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to a denial of service (DoS) and an information disclosure vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.44
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to obtain sensitive information from process memory or cause a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.4.44, 5.5.28, 5.6.12, 7.0.4 or later.

Affected Software/OS

PHP prior to version 5.4.44, 5.5.x prior to 5.5.28, 5.6.x prior to 5.6.12 and 7.x prior to 7.0.4.

Vulnerability Insight

The flaw is due an error in the 'make_http_soap_request' function of the 'ext/soap/php_http.c' script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12, 7.x < 7.0.4 DoS and Information D. ↪..`

OID:1.3.6.1.4.1.25623.1.0.808666

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-3185
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
dfn-cert: DFN-CERT-2016-1004
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
```

High (CVSS: 7.0)
NVT: PHP 5.3.7 - 7.3.31, 7.4.x < 7.4.25, 8.0.x < 8.0.12 Security Update (Oct 2021) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP released new versions which includes a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.3.32 (not released yet)
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.32 (not released yet), 7.4.25, 8.0.12 or later.

Affected Software/OS
PHP versions 5.3.7 through 7.3.31, 7.4.x through 7.4.24 and 8.0.x through 8.0.11.
Note: While the referenced CVE is only listing PHP 7.3.x, 7.4.x and 8.0.x as affected the security research team is stating in the linked blog post that all versions down to 5.3.7 are affected.

Vulnerability Insight
Fixed bug #81026 (PHP-FPM oob R/W in root process leading to privilege escalation).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.3.7 - 7.3.31, 7.4.x < 7.4.25, 8.0.x < 8.0.12 Security Update (Oct 2021) -.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.117752
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2021-21703
url: https://www.php.net/ChangeLog-7.php#7.3.32
url: https://www.php.net/ChangeLog-7.php#7.4.25
url: https://www.php.net/ChangeLog-8.php#8.0.12
url: http://bugs.php.net/81026
url: https://www.ambionics.io/blog/php-fpm-local-root
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-0624
cert-bund: WID-SEC-2022-0586
cert-bund: CB-K21/1106
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2337
dfn-cert: DFN-CERT-2022-1493
dfn-cert: DFN-CERT-2022-1046
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2021-2586
dfn-cert: DFN-CERT-2021-2474
dfn-cert: DFN-CERT-2021-2200
```

[return to 172.30.1.3]

2.1.8 High 445/tcp

High (CVSS: 8.8)
NVT: Samba 4.x Multiple Vulnerabilities (CVE-2018-1050, CVE-2018-1057)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.5.16
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 445/tcp

Impact
Successful exploitation would result in effects ranging from Denial of Service to Privilege Escalation, eventually allowing an attacker to gain full control over the target system.

Solution:
Solution type: VendorFix
Update to version 4.5.16, 4.6.14 or 4.7.6 respectively.

Affected Software/OS
Samba 4.x.x before 4.5.16, 4.6.x before 4.6.14 and 4.7.x before 4.7.6.

Vulnerability Insight
There exist two vulnerabilities:
- CVE-2018-1050: Samba is vulnerable to a denial of service attack when the RPC spoolss service is configured to be run as an external daemon. Missing input sanitization checks on some of the input parameters to spoolss RPC calls could cause the print spooler service to crash.
- CVE-2018-1057: On a Samba AD DC the LDAP server in Samba incorrectly validates permissions to modify passwords over LDAP allowing authenticated users to change any other users' passwords, including administrative users and privileged service accounts (eg Domain Controllers).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Samba 4.x Multiple Vulnerabilities (CVE-2018-1050, CVE-2018-1057)
OID:1.3.6.1.4.1.25623.1.0.113133
Version used: 2021-06-22T11:00:29Z

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2018-1050
cve: CVE-2018-1057
url: https://www.samba.org/samba/security/CVE-2018-1050.html
url: https://www.samba.org/samba/security/CVE-2018-1057.html
cert-bund: CB-K18/0894
cert-bund: CB-K18/0514
cert-bund: CB-K18/0443
dfn-cert: DFN-CERT-2019-0726
dfn-cert: DFN-CERT-2019-0069
dfn-cert: DFN-CERT-2018-2212

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2018-1786
dfn-cert: DFN-CERT-2018-1644
dfn-cert: DFN-CERT-2018-1603
dfn-cert: DFN-CERT-2018-0985
dfn-cert: DFN-CERT-2018-0550
dfn-cert: DFN-CERT-2018-0482
```

High (CVSS: 8.8)
NVT: Samba Privilege Escalation Vulnerability (CVE-2022-32744)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.14.14 / 4.15.9 / 4.16.4
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.14.14, 4.15.9, 4.16.4 or later.

Affected Software/OS

Samba versions starting from 4.3 and prior to 4.14.14, 4.15.x prior to 4.15.9 and 4.16.x prior to 4.16.4.

Vulnerability Insight

Tickets received by the kpasswd service were decrypted without specifying that only that service's own keys should be tried. By setting the ticket's server name to a principal associated with their own account, or by exploiting a fallback where known keys would be tried until a suitable one was found, an attacker could have the server accept tickets encrypted with any key, including their own.
A user could thus change the password of the Administrator account and gain total control over the domain. Full loss of confidentiality and integrity would be possible, as well as of availability by denying users access to their accounts.
In addition, the kpasswd service would accept tickets encrypted by the krbtgt key of an RODC, in spite of the fact that RODCs should not have been able to authorise password changes.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Privilege Escalation Vulnerability (CVE-2022-32744)`
OID:1.3.6.1.4.1.25623.1.0.104257
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2022-32744
url: https://www.samba.org/samba/security/CVE-2022-32744.html
cert-bund: WID-SEC-2022-0842
dfn-cert: DFN-CERT-2024-2191
dfn-cert: DFN-CERT-2023-0199
dfn-cert: DFN-CERT-2023-0089
dfn-cert: DFN-CERT-2022-2804
dfn-cert: DFN-CERT-2022-1686
dfn-cert: DFN-CERT-2022-1662
```

High (CVSS: 8.8)
NVT: Samba 'libsmbclient' Heap Buffer Overflow Vulnerability (Aug 2018)

Product detection result
```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary
Samba is prone to a heap based buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.3.11
Fixed version:     4.6.16 or apply patch
Installation
path / port:       445/tcp
```

Impact
Successful exploitation will allow an attacker to conduct a denial of service attack.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 4.6.16, 4.7.9 or 4.8.4 or later. Please see the references for more information.

Affected Software/OS
Samba versions 3.2.0 through 4.8.3.

Vulnerability Insight
The flaw exists due to insufficient input validation on client directory listing in libsmbclient.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 'libsmbclient' Heap Buffer Overflow Vulnerability (Aug 2018)`
OID:1.3.6.1.4.1.25623.1.0.813782
Version used: `2021-09-29T12:07:39Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2018-10858`
`url: https://www.samba.org/samba/security/CVE-2018-10858.html`
`url: https://www.samba.org/samba/history/samba-4.6.16.html`
`url: https://www.samba.org/samba/history/samba-4.7.9.html`
`url: https://www.samba.org/samba/history/samba-4.8.4.html`
`cert-bund: CB-K18/0894`
`cert-bund: CB-K18/0866`
`dfn-cert: DFN-CERT-2019-0420`
`dfn-cert: DFN-CERT-2018-2249`
`dfn-cert: DFN-CERT-2018-2212`
`dfn-cert: DFN-CERT-2018-1806`
`dfn-cert: DFN-CERT-2018-1786`
`dfn-cert: DFN-CERT-2018-1644`
`dfn-cert: DFN-CERT-2018-1608`
`dfn-cert: DFN-CERT-2018-1603`
`dfn-cert: DFN-CERT-2018-1598`
`dfn-cert: DFN-CERT-2018-1597`
`dfn-cert: DFN-CERT-2018-1594`

High (CVSS: 8.8)
NVT: Samba Buffer Overflow Vulnerability (CVE-2022-42898)

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.15.12 / 4.16.7 / 4.17.3
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.15.12, 4.16.7, 4.17.3 or later.

Affected Software/OS
Samba versions prior to 4.15.12, 4.16.x prior to 4.16.7 and 4.17.x prior to 4.17.3 on 32-bit systems.

Vulnerability Insight
Samba's Kerberos libraries and AD DC failed to guard against integer overflows when parsing a PAC on a 32-bit system, which allowed an attacker with a forged PAC to corrupt the heap.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Samba Buffer Overflow Vulnerability (CVE-2022-42898)
OID:1.3.6.1.4.1.25623.1.0.104423
Version used: 2023-10-19T05:05:21Z

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2022-42898
url: https://www.samba.org/samba/security/CVE-2022-42898.html
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2690
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1812

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2023-1542
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2022-2372
cert-bund: WID-SEC-2022-2057
dfn-cert: DFN-CERT-2025-1637
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-1592
dfn-cert: DFN-CERT-2023-1230
dfn-cert: DFN-CERT-2023-1162
dfn-cert: DFN-CERT-2023-0199
dfn-cert: DFN-CERT-2023-0089
dfn-cert: DFN-CERT-2022-2804
dfn-cert: DFN-CERT-2022-2657
dfn-cert: DFN-CERT-2022-2612
dfn-cert: DFN-CERT-2022-2603
dfn-cert: DFN-CERT-2022-2579
```

High (CVSS: 8.8)
NVT: Samba Impersonation Vulnerability (CVE-2022-0336)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to an impersonation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.13.17
Installation
path / port:       445/tcp
```

Impact

An attacker who has the ability to write to an account can exploit this to perform a denial of service (DoS) attack by adding an SPN that matches an existing service. Additionally, an attacker who can intercept traffic can impersonate existing services, resulting in a loss of confidentiality and integrity.

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 4.13.17, 4.14.12, 4.15.5 or later.

Affected Software/OS
Samba version 4.0.0 through 4.13.16, 4.14.x through 4.14.11 and 4.15.x through 4.15.4.

Vulnerability Insight
The Samba AD DC includes checks when adding service principals names (SPNs) to an account to ensure that SPNs do not alias with those already in the database. Some of these checks are able to be bypassed if an account modification re-adds an SPN that was previously present on that account, such as one added when a computer is joined to a domain.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Impersonation Vulnerability (CVE-2022-0336)`
OID:1.3.6.1.4.1.25623.1.0.147556
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2022-0336`
`url: https://www.samba.org/samba/security/CVE-2022-0336.html`
`cert-bund: WID-SEC-2022-1335`
`cert-bund: WID-SEC-2022-1228`
`cert-bund: WID-SEC-2022-0466`
`cert-bund: WID-SEC-2022-0432`
`cert-bund: WID-SEC-2022-0302`
`cert-bund: CB-K22/0128`
`dfn-cert: DFN-CERT-2022-0865`
`dfn-cert: DFN-CERT-2022-0557`
`dfn-cert: DFN-CERT-2022-0348`
`dfn-cert: DFN-CERT-2022-0264`
`dfn-cert: DFN-CERT-2022-0242`
`dfn-cert: DFN-CERT-2022-0239`
`dfn-cert: DFN-CERT-2022-0228`

High (CVSS: 8.8)
NVT: Samba Multiple Vulnerabilities (Jul 2022)

Product detection result
`cpe:/a:samba:samba:4.3.11`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 4.3.11
Fixed version: 4.14.14 / 4.15.9 / 4.16.4
Installation
path / port: 445/tcp

Solution:
Solution type: VendorFix
Update to version 4.14.14, 4.15.9, 4.16.4 or later.

Affected Software/OS
Samba versions prior to 4.14.14, 4.15.x prior to 4.15.9 and 4.16.x prior to 4.16.4.

Vulnerability Insight
The following flaws exist:
- CVE-2022-2031: Samba AD users can bypass certain restrictions associated with changing passwords
- CVE-2022-32742: Server memory information leak via SMB1
- CVE-2022-32746: Samba AD users can induce a use-after-free in the server process with an LDAP add or modify request

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Samba Multiple Vulnerabilities (Jul 2022)
OID:1.3.6.1.4.1.25623.1.0.104259
Version used: 2023-10-19T05:05:21Z

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2022-2031
cve: CVE-2022-32742
cve: CVE-2022-32746
url: https://www.samba.org/samba/security/CVE-2022-2031.html

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.samba.org/samba/security/CVE-2022-32742.html
url: https://www.samba.org/samba/security/CVE-2022-32746.html
cert-bund: WID-SEC-2022-0842
dfn-cert: DFN-CERT-2024-1065
dfn-cert: DFN-CERT-2023-0713
dfn-cert: DFN-CERT-2023-0199
dfn-cert: DFN-CERT-2023-0153
dfn-cert: DFN-CERT-2023-0089
dfn-cert: DFN-CERT-2022-2804
dfn-cert: DFN-CERT-2022-2514
dfn-cert: DFN-CERT-2022-1686
dfn-cert: DFN-CERT-2022-1674
dfn-cert: DFN-CERT-2022-1662
```

High (CVSS: 8.8)
NVT: Samba RCE Vulnerability (CVE-2021-44142)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.13.17
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.13.17, 4.14.12, 4.15.5 or later.

Affected Software/OS

Samba versions prior to 4.13.17, version 4.14.x through 4.14.11 and 4.15.x through 4.15.4.

Vulnerability Insight

Samba is vulnerable to an out-of-bounds heap read write vulnerability that allows remote attackers to execute arbitrary code as root on affected Samba installations that use the VFS module vfs_fruit.

. . . continues on next page . . .

. . . continued from previous page . . .

The specific flaw exists within the parsing of EA metadata when opening files in smbd. Access as a user that has write access to a file's extended attributes is required to exploit this vulnerability. Note that this could be a guest or unauthenticated user if such users are allowed write access to file extended attributes.
The problem in vfs_fruit exists in the default configuration of the fruit VFS module using fruit:metadata=netatalk or fruit:resource=file. If both options are set to different settings than the default values, the system is not affected by the security issue.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba RCE Vulnerability (CVE-2021-44142)`
OID:1.3.6.1.4.1.25623.1.0.147554
Version used: `2022-02-25T03:03:32Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2021-44142
url: https://www.samba.org/samba/security/CVE-2021-44142.html
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-0466
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K22/0128
dfn-cert: DFN-CERT-2022-0557
dfn-cert: DFN-CERT-2022-0348
dfn-cert: DFN-CERT-2022-0332
dfn-cert: DFN-CERT-2022-0264
dfn-cert: DFN-CERT-2022-0242
dfn-cert: DFN-CERT-2022-0239
dfn-cert: DFN-CERT-2022-0232
dfn-cert: DFN-CERT-2022-0228
```

High (CVSS: 8.8)
NVT: Samba >= 4.0.0, <= 4.5.2 Multiple Privilege Escalation Vulnerabilities

Product detection result
```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Samba is prone to multiple privilege escalation vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.3.13
Installation
path / port:       445/tcp
```

Impact
Successful exploitation would allow an authenticated attacker to gain additional access rights.

Solution:
Solution type: VendorFix
Update to version 4.3.13, 4.4.8 or 4.5.3 respectively.

Affected Software/OS
Samba versions 4.0.0 through 4.3.12, 4.4.0 through 4.4.7 and 4.5.0 through 4.5.2.

Vulnerability Insight
- CVE-2016-2126: Samba is prone to privilege elevation due to incorrect handling of the PAC (Privilege Attribute Certificate) checksum. A remote, authenticated, attacker can cause the winbindd process to creash using a legitimate Kerberos ticket. A local service with access to the winbindd privileged pipe can cause winbindd to cache elevated access permissions.
- CVE-2016-2123: The Samba routine ndr_pull_dnsp_name contains an integer wrap problem, leading to an attacker-controlled memory overwrite. ndr_pull_dnsp_name parses data from the Samba Active Directory ldb database. Any user who can write to the dnsRecord attribute over LDAP can trigger this memory corruption.
By default, all authenticated LDAP users can write to the dnsRecord attribute on new DNS objects. This makes the defect a remote privilege escalation.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba >= 4.0.0, <= 4.5.2 Multiple Privilege Escalation Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.113287
Version used: `2022-08-31T10:10:28Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2016-2126
cve: CVE-2016-2123
url: https://www.samba.org/samba/security/CVE-2016-2126.html
url: http://www.securityfocus.com/bid/94994
url: https://www.samba.org/samba/security/CVE-2016-2123.html
cert-bund: CB-K17/0868
cert-bund: CB-K17/0490
cert-bund: CB-K16/1988
dfn-cert: DFN-CERT-2017-0895
dfn-cert: DFN-CERT-2017-0498
dfn-cert: DFN-CERT-2016-2095
```

High (CVSS: 8.8)
NVT: Samba 4.0.0 < 4.13.14, 4.14.0 < 4.14.10, 4.15.0 < 4.15.2 Multiple Vulnerabilities

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.13.14
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.13.14, 4.14.10, 4.15.2 or later.

Affected Software/OS

Samba version 4.x through 4.13.13, 4.14.x through 4.14.9 and 4.15.x through 4.15.1.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2020-25718: Samba AD DC does not correctly sandbox Kerberos tickets issued by an RODC
- CVE-2020-25719: Samba AD DC does not always rely on the SID and PAC in Kerberos tickets
- CVE-2020-25721: Kerberos acceptors need easy access to stable AD identifiers (eg objectSid)

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2020-25722: Samba AD DC does not do suffienct access and conformance checking of data stored
- CVE-2021-3738: Use after free in Samba AD DC RPC server

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 4.0.0 < 4.13.14, 4.14.0 < 4.14.10, 4.15.0 < 4.15.2 Multiple Vulnerabiliti.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.147123
Version used: `2023-10-20T16:09:12Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2020-25722
cve: CVE-2021-3738
cve: CVE-2020-25718
cve: CVE-2020-25719
cve: CVE-2020-25721
url: https://www.samba.org/samba/security/CVE-2020-25718.html
url: https://www.samba.org/samba/security/CVE-2020-25719.html
url: https://www.samba.org/samba/security/CVE-2020-25721.html
url: https://www.samba.org/samba/security/CVE-2020-25722.html
url: https://www.samba.org/samba/security/CVE-2021-3738.html
cert-bund: WID-SEC-2022-2279
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K21/1173
dfn-cert: DFN-CERT-2022-0332
dfn-cert: DFN-CERT-2021-2625
dfn-cert: DFN-CERT-2021-2566
dfn-cert: DFN-CERT-2021-2539
dfn-cert: DFN-CERT-2021-2330
```

High (CVSS: 8.1)
NVT: Samba Multiple Vulnerabilities (Dec 2022)

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.15.13 / 4.16.8 / 4.17.4
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.15.13, 4.16.8, 4.17.4 or later.

Affected Software/OS
Samba versions prior to 4.15.13, 4.16.x prior to 4.16.8 and 4.17.x prior to 4.17.4.

Vulnerability Insight
The following flaws exist:
- CVE-2022-37966: rc4-hmac Kerberos session keys issued to modern servers
- CVE-2022-37967: Kerberos constrained delegation ticket forgery possible against Samba AD DC
- CVE-2022-38023: RC4/HMAC-MD5 NetLogon Secure Channel is weak and should be avoided

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Multiple Vulnerabilities (Dec 2022)`
OID:1.3.6.1.4.1.25623.1.0.104476
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2022-37966
cve: CVE-2022-37967
cve: CVE-2022-38023
url: https://www.samba.org/samba/security/CVE-2022-37966.html
url: https://www.samba.org/samba/security/CVE-2022-37967.html
url: https://www.samba.org/samba/security/CVE-2022-38023.html
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-1737
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-2365
cert-bund: WID-SEC-2022-1983
dfn-cert: DFN-CERT-2023-1592
dfn-cert: DFN-CERT-2023-1311
dfn-cert: DFN-CERT-2023-1162
dfn-cert: DFN-CERT-2023-0286
dfn-cert: DFN-CERT-2023-0201
dfn-cert: DFN-CERT-2023-0199
dfn-cert: DFN-CERT-2023-0176
dfn-cert: DFN-CERT-2023-0153
dfn-cert: DFN-CERT-2023-0089
dfn-cert: DFN-CERT-2022-2870
dfn-cert: DFN-CERT-2022-2429
```

High (CVSS: 8.1)
NVT: Samba Man in the Middle Security Bypass Vulnerability (Heimdal)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a MITM authentication validation bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.4.15
Installation
path / port:       445/tcp
```

Impact

Successfully exploiting this issue will allow a MITM attacker to impersonate a trusted server and thus gain elevated access to the domain by returning malicious replication or authorization data.

Solution:

Solution type: VendorFix

Upgrade to Samba 4.6.6 or 4.5.12 or 4.4.15 or later or apply the patch from below.

Affected Software/OS

All versions of Samba from 4.0.0 before 4.6.6 or 4.5.12 or 4.4.15.

Note: All versions of Samba from 4.0.0 onwards using embedded Heimdal Kerberos. Samba binaries built against MIT Kerberos are not vulnerable.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The flaw is due to error in function '_krb5_extract_ticket' where the KDC-REP service name must be obtained from encrypted version stored in 'enc_part' instead of the unencrypted version stored in 'ticket'. Use of the unencrypted version provides an opportunity for successful server impersonation and other attacks.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Man in the Middle Security Bypass Vulnerability (Heimdal)`
OID:1.3.6.1.4.1.25623.1.0.811522
Version used: `2025-09-17T05:39:26Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2017-11103
url: https://www.samba.org/samba/security/CVE-2017-11103.html
url: http://www.securityfocus.com/bid/99551
url: https://www.samba.org/samba/security
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K17/2224
cert-bund: CB-K17/1854
cert-bund: CB-K17/1622
cert-bund: CB-K17/1585
cert-bund: CB-K17/1429
cert-bund: CB-K17/1398
cert-bund: CB-K17/1167
dfn-cert: DFN-CERT-2017-2325
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1655
dfn-cert: DFN-CERT-2017-1494
dfn-cert: DFN-CERT-2017-1462
dfn-cert: DFN-CERT-2017-1206
```

High (CVSS: 8.1)
NVT: Samba 3.0.0 < 4.13.14, 4.14.0 < 4.14.10, 4.15.0 < 4.15.2 Multiple Vulnerabilities

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.3.11
Fixed version:     4.13.14
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.13.14, 4.14.10, 4.15.2 or later.

Affected Software/OS
Samba version 3.x and 4.x through 4.13.13, 4.14.x through 4.14.9 and 4.15.x through 4.15.1.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2016-2124: SMB1 client connections can be downgraded to plaintext authentication
- CVE-2020-25717: A user in an AD Domain could become root on domain members

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 3.0.0 < 4.13.14, 4.14.0 < 4.14.10, 4.15.0 < 4.15.2 Multiple Vulnerabiliti.`
↪..
OID:1.3.6.1.4.1.25623.1.0.147124
Version used: `2022-02-28T03:03:56Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2016-2124
cve: CVE-2020-25717
url: https://www.samba.org/samba/security/CVE-2016-2124.html
url: https://www.samba.org/samba/security/CVE-2020-25717.html
cert-bund: WID-SEC-2022-2279
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0530
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K21/1173
dfn-cert: DFN-CERT-2023-2166
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1469
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0348
dfn-cert: DFN-CERT-2022-0332
dfn-cert: DFN-CERT-2022-0293
dfn-cert: DFN-CERT-2021-2566
dfn-cert: DFN-CERT-2021-2539
dfn-cert: DFN-CERT-2021-2488
dfn-cert: DFN-CERT-2021-2424
dfn-cert: DFN-CERT-2021-2412
dfn-cert: DFN-CERT-2021-2330
```

High (CVSS: 7.5)
NVT: Samba Badlock Critical Vulnerability

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to badlock vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.2.11 or 4.3.8 or 4.4.2, or later
Installation
path / port:       445/tcp
```

Impact

Successful exploitation of this vulnerability leads to Man-in-the-middle (MITM) attacks, to causes denial of service, to spoof and to obtain sensitive session information.

Solution:

Solution type: VendorFix

Upgrade to samba version 4.2.11, or 4.3.8, or 4.4.2, or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Samba versions 3.0.x through 4.4.1.
NOTE: Samba versions 4.2.11, 4.3.8 are not affected

Vulnerability Insight
Multiple flaws exist due to:
- multiple errors in DCE-RPC code
- a spoofing Vulnerability in NETLOGON
- the LDAP implementation did not enforce integrity protection for LDAP connections
- the SSL/TLS certificates are not validated in certain connections
- not enforcing Server Message Block (SMB) signing for clients using the SMB1 protocol
- an integrity protection for IPC traffic is not enabled by default
- the MS-SAMR and MS-LSAD protocol implementations mishandle DCERPC connections
- an error in the implementation of NTLMSSP authentication

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Badlock Critical Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.807646
Version used: `2023-07-20T05:05:17Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2016-2118`
`cve: CVE-2015-5370`
`cve: CVE-2016-2110`
`cve: CVE-2016-2111`
`cve: CVE-2016-2112`
`cve: CVE-2016-2113`
`cve: CVE-2016-2114`
`cve: CVE-2016-2115`
`cve: CVE-2016-0128`
`url: http://badlock.org/`
`url: http://thehackernews.com/2016/03/windows-samba-vulnerability.html`
`cert-bund: CB-K19/1015`
`cert-bund: CB-K16/0870`
`cert-bund: CB-K16/0596`
`cert-bund: CB-K16/0589`
`cert-bund: CB-K16/0572`
`cert-bund: CB-K16/0550`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0546
dfn-cert: DFN-CERT-2019-2479
dfn-cert: DFN-CERT-2016-0930
dfn-cert: DFN-CERT-2016-0905
dfn-cert: DFN-CERT-2016-0648
dfn-cert: DFN-CERT-2016-0639
dfn-cert: DFN-CERT-2016-0620
dfn-cert: DFN-CERT-2016-0591
dfn-cert: DFN-CERT-2016-0589
```

High (CVSS: 7.5)
NVT: Samba AD DC Principal Modification Vulnerability (CVE-2018-16860)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a user impersonation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.8.12
Installation
path / port:       445/tcp
```

Impact

This allows a man-in-the-middle attacker who can intercept the request to the KDC to modify the packet by replacing the user name (principal) in the request with any desired user name (principal) that exists in the KDC and replace the checksum protecting that name with a CRC32 checksum (which requires no prior knowledge to compute).
This would allow a S4U2Self ticket requested on behalf of user name (principal) user@EXAMPLE.COM to any service to be changed to a S4U2Self ticket with a user name (principal) of Administrator@EXAMPLE.COM. This ticket would then contain the PAC of the modified user name (principal).

Solution:
Solution type: VendorFix
Update to version 4.8.12, 4.9.8, 4.10.3 or later.

Affected Software/OS

All Samba versions since Samba 4.0.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
S4U2Self is an extension to Kerberos used in Active Directory to allow a service to request a kerberos ticket to itself from the Kerberos Key Distribution Center (KDC) for a non-Kerberos authenticated user (principal in Kerboros parlance). This is useful to allow internal code paths to be standardized around Kerberos.
S4U2Proxy (constrained-delegation) is an extension of this mechanism allowing this impersonation to a second service over the network. It allows a privileged server that obtained a S4U2Self ticket to itself to then assert the identity of that principal to a second service and present itself as that principal to get services from the second service.
There is a flaw in Samba's AD DC in the Heimdal KDC. When the Heimdal KDC checks the checksum that is placed on the S4U2Self packet by the server to protect the requested principal against modification, it does not confirm that the checksum algorithm that protects the user name (principal) in the request is keyed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba AD DC Principal Modification Vulnerability (CVE-2018-16860)`
OID:1.3.6.1.4.1.25623.1.0.108575
Version used: `2025-09-17T05:39:26Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2018-16860`
`url: https://www.samba.org/samba/security/CVE-2018-16860.html`
`cert-bund: WID-SEC-2022-1713`
`cert-bund: WID-SEC-2022-1712`
`cert-bund: CB-K19/0649`
`cert-bund: CB-K19/0644`
`cert-bund: CB-K19/0396`
`dfn-cert: DFN-CERT-2022-2269`
`dfn-cert: DFN-CERT-2019-1512`
`dfn-cert: DFN-CERT-2019-1511`
`dfn-cert: DFN-CERT-2019-1124`
`dfn-cert: DFN-CERT-2019-0955`

High (CVSS: 7.5)
NVT: Samba Multiple Vulnerabilities (Jul 2023)

Product detection result
`cpe:/a:samba:samba:4.3.11`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.16.11 / 4.17.10 / 4.18.5
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.16.11, 4.17.10, 4.18.5 or later.

Affected Software/OS
All versions of Samba up to 4.16.10, 4.17.9 and 4.18.4.

Vulnerability Insight
The following flaws exist:
- CVE-2022-2127: Out-Of-Bounds read in winbind AUTH_CRAP
- CVE-2023-34966: Samba Spotlight mdssvc RPC Request Infinite Loop Denial-of-Service Vulnerability
- CVE-2023-34967: Samba Spotlight mdssvc RPC Request Type Confusion Denial-of-Service Vulnerability
- CVE-2023-34968: Spotlight server-side Share Path Disclosure

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Samba Multiple Vulnerabilities (Jul 2023)
OID:1.3.6.1.4.1.25623.1.0.104872
Version used: 2023-10-13T05:06:10Z

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2022-2127
cve: CVE-2023-34966
cve: CVE-2023-34967

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2023-34968
url: https://www.samba.org/samba/security/CVE-2022-2127.html
url: https://www.samba.org/samba/security/CVE-2023-34966.html
url: https://www.samba.org/samba/security/CVE-2023-34967.html
url: https://www.samba.org/samba/security/CVE-2023-34968.html
cert-bund: WID-SEC-2023-2910
cert-bund: WID-SEC-2023-1842
dfn-cert: DFN-CERT-2025-1637
dfn-cert: DFN-CERT-2024-1661
dfn-cert: DFN-CERT-2024-1065
dfn-cert: DFN-CERT-2024-0839
dfn-cert: DFN-CERT-2024-0519
dfn-cert: DFN-CERT-2024-0231
dfn-cert: DFN-CERT-2023-2818
dfn-cert: DFN-CERT-2023-1744
dfn-cert: DFN-CERT-2023-1741
dfn-cert: DFN-CERT-2023-1666
```

High (CVSS: 7.5)
NVT: Samba 4.x Multiple DoS Vulnerabilities (Mar 2021)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to multiple Denial of Service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.12.12
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.12.12, 4.13.5, 4.14.0 or later.

Affected Software/OS

Samba version 4.0 and later.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The following flaws exist:
- CVE-2020-27840: Heap corruption via crafted DN strings. An anonymous attacker can crash the Samba AD DC LDAP server by sending easily crafted DNs as part of a bind request. More serious heap corruption is likely also possible.
- CVE-2021-20277: Out of bounds read in AD DC LDAP server. User-controlled LDAP filter strings against the AD DC LDAP server may crash the LDAP server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 4.x Multiple DoS Vulnerabilities (Mar 2021)`
OID:1.3.6.1.4.1.25623.1.0.117278
Version used: `2021-08-25T12:01:03Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2020-27840
cve: CVE-2021-20277
url: https://www.samba.org/samba/security/CVE-2020-27840.html
url: https://www.samba.org/samba/security/CVE-2021-20277.html
cert-bund: CB-K21/0311
dfn-cert: DFN-CERT-2022-0242
dfn-cert: DFN-CERT-2021-1504
dfn-cert: DFN-CERT-2021-0906
dfn-cert: DFN-CERT-2021-0807
dfn-cert: DFN-CERT-2021-0689
dfn-cert: DFN-CERT-2021-0674
dfn-cert: DFN-CERT-2021-0617
```

High (CVSS: 7.5)
NVT: Samba DoS Vulnerability (CVE-2020-10704)

Product detection result
```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary
Samba is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.10.15
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.10.15, 4.11.8, 4.12.2 or later.

Affected Software/OS
All versions of Samba since Samba 4.0.0.

Vulnerability Insight
A LDAP Denial of Service (stack overflow) was found in Samba AD DC. A deeply nested filter in an un-authenticated LDAP search can exhaust the LDAP server's stack memory causing a SIGSEGV.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba DoS Vulnerability (CVE-2020-10704)`
OID:1.3.6.1.4.1.25623.1.0.108813
Version used: `2021-08-11T08:56:08Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2020-10704
url: https://www.samba.org/samba/security/CVE-2020-10704.html
cert-bund: CB-K20/0626
cert-bund: CB-K20/0377
dfn-cert: DFN-CERT-2020-2567
dfn-cert: DFN-CERT-2020-2026
dfn-cert: DFN-CERT-2020-1578
dfn-cert: DFN-CERT-2020-0867
```

High (CVSS: 7.5)
NVT: Samba DoS Vulnerability (CVE-2020-10745)

Product detection result
`cpe:/a:samba:samba:4.3.11`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.10.17
Installation
path / port:       445/tcp
```

Impact
Compression of replies to NetBIOS over TCP/IP name resolution and DNS packets (which can be supplied as UDP requests) can be abused to consume excessive amounts of CPU on the Samba AD DC (only).

Solution:
Solution type: VendorFix
Update to version 4.10.17, 4.11.11, 4.12.4 or later.

Affected Software/OS
Samba version 4.0.0 and later.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Samba DoS Vulnerability (CVE-2020-10745)
OID:1.3.6.1.4.1.25623.1.0.144244
Version used: 2021-08-11T08:56:08Z

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2020-10745
url: https://www.samba.org/samba/security/CVE-2020-10745.html
cert-bund: CB-K20/0857
cert-bund: CB-K20/0657
dfn-cert: DFN-CERT-2020-2567
dfn-cert: DFN-CERT-2020-2026
dfn-cert: DFN-CERT-2020-1620
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-1578
dfn-cert: DFN-CERT-2020-1417
```

High (CVSS: 7.5)
NVT: Samba Multiple DoS Vulnerabilities (CVE-2020-10745, CVE-2020-14303)

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to two denial-of-service vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.10.17
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.10.17, 4.11.11, 4.12.4 or later.

Affected Software/OS
All Samba versions since 4.0.0.

Vulnerability Insight
- Compression of replies to NetBIOS over TCP/IP name resolution and DNS packets (which can be supplied as UDP requests) can be abused to consume excessive amounts of CPU on the Samba AD DC (only). (CVE-2020-10745)
- The AD DC NBT server in Samba 4.0 will enter a CPU spin and not process further requests once it receives an empty (zero-length) UDP packet to port 137. (CVE-2020-14303)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Multiple DoS Vulnerabilities (CVE-2020-10745, CVE-2020-14303)`
OID:1.3.6.1.4.1.25623.1.0.108814
Version used: `2021-08-11T08:56:08Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2020-10745
cve: CVE-2020-14303
url: https://www.samba.org/samba/security/CVE-2020-10745.html
url: https://www.samba.org/samba/security/CVE-2020-14303.html
cert-bund: CB-K20/0857
cert-bund: CB-K20/0657
dfn-cert: DFN-CERT-2020-2567
dfn-cert: DFN-CERT-2020-2026
dfn-cert: DFN-CERT-2020-1758
dfn-cert: DFN-CERT-2020-1620
dfn-cert: DFN-CERT-2020-1578
dfn-cert: DFN-CERT-2020-1417
```

High (CVSS: 7.5)
NVT: Samba Multiple Vulnerabilities (Sep 2022)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.17.0
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.17.0 or later.

Affected Software/OS

Samba versions starting from 4.1 and prior to 4.17.0.

Vulnerability Insight

The following flaws exist:

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2022-1615: In Samba, GnuTLS gnutls_rnd() can fail and give predictable random values.
- CVE-2022-32743: Samba does not validate the Validated-DNS-Host-Name right for the dNSHostName attribute which could permit unprivileged users to write it.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Multiple Vulnerabilities (Sep 2022)`
OID:1.3.6.1.4.1.25623.1.0.104323
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2022-1615
cve: CVE-2022-32743
url: https://bugzilla.samba.org/show_bug.cgi?id=15103
url: https://gitlab.com/samba-team/samba/-/merge_requests/2644
url: https://bugzilla.samba.org/show_bug.cgi?id=14833
cert-bund: WID-SEC-2022-1229
cert-bund: WID-SEC-2022-1179
dfn-cert: DFN-CERT-2024-0231
dfn-cert: DFN-CERT-2023-2792
dfn-cert: DFN-CERT-2022-2000
```

High (CVSS: 7.5)
NVT: Samba Missing ACL Vulnerability (CVE-2020-25720)

Product detection result
```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary
Samba is prone to a missing access control list (ACL) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.3.11
Fixed version:     4.17.7
Installation
path / port:       445/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 4.17.7 or later.

Affected Software/OS
Samba version starting from 4.1 and prior to 4.17.7.

Vulnerability Insight
A vulnerability was found in Samba where a delegated administrator with permission to create objects in Active Directory can write to all attributes of the newly created object, including security-sensitive attributes, even after the object's creation. This issue occurs because the administrator owns the object due to the lack of an Access Control List (ACL) at the time of creation and later being recognized as the 'creator owner.' The retained significant rights of the delegated administrator may not be well understood, potentially leading to unintended privilege escalation or security risks.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Missing ACL Vulnerability (CVE-2020-25720)`
OID:1.3.6.1.4.1.25623.1.0.114865
Version used: `2024-11-26T07:35:52Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2020-25720`
`url: https://www.samba.org/samba/history/samba-4.17.7.html`
`url: https://bugzilla.samba.org/show_bug.cgi?id=14810`
`url: https://gitlab.com/samba-team/samba/-/merge_requests/2514`
`dfn-cert: DFN-CERT-2024-0519`

High (CVSS: 7.5)
NVT: Samba Server 'CVE-2017-15275' Heap Memory Information Leak

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Samba is prone to a heap memory information leak.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.5.15
Installation
path / port:       445/tcp
```

Impact

There is no known vulnerability associated with this error, but uncleared heap memory may contain previously used data that may help an attacker compromise the server via other methods. Uncleared heap memory may potentially contain password hashes or other high-value data.

Solution:

Solution type: VendorFix

Update to Samba 4.5.15, 4.6.11, 4.7.3 or later.

Affected Software/OS

Samba versions 3.6.0 to 4.5.14, 4.6.x prior to 4.6.11, 4.7.x prior to 4.7.3.

Vulnerability Insight

The flaw exists due to the server which may return the contents of heap allocated memory to the client.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Samba Server 'CVE-2017-15275' Heap Memory Information Leak`

OID:1.3.6.1.4.1.25623.1.0.108295

Version used: `2025-09-17T05:39:26Z`

Product Detection Result

Product: `cpe:/a:samba:samba:4.3.11`

Method: `SMB NativeLanMan`

OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2017-15275
url: https://www.samba.org/samba/security/CVE-2017-15275.html
url: http://www.securityfocus.com/bid/101908
cert-bund: CB-K18/0478
cert-bund: CB-K18/0019
cert-bund: CB-K17/2077
cert-bund: CB-K17/2003
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2018-1603
dfn-cert: DFN-CERT-2018-0985
dfn-cert: DFN-CERT-2018-0513
dfn-cert: DFN-CERT-2018-0036
dfn-cert: DFN-CERT-2017-2172
dfn-cert: DFN-CERT-2017-2095
```

High (CVSS: 7.4)
NVT: Samba Server 'SMB 1/2/3' MitM Vulnerability (CVE-2017-12150)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a MitM vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.4.16, or 4.5.14, or 4.6.8
Installation
path / port:       445/tcp
```

Impact

Successful exploitation will allow a remote attacker to read and/or alter the content of the connection.

Solution:

Solution type: VendorFix

Upgrade to Samba 4.6.8, 4.5.14 or 4.4.16

Affected Software/OS

Samba versions 3.0.25 to 4.6.7

Vulnerability Insight

The flaw exists due to there are several code paths where the code doesn't enforce SMB signing.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Samba Server 'SMB 1/2/3' MitM Vulnerability (CVE-2017-12150)`

OID:1.3.6.1.4.1.25623.1.0.811907

Version used: `2025-09-17T05:39:26Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2017-12150
url: https://www.samba.org/samba/security/CVE-2017-12150.html
url: http://www.securityfocus.com/bid/100918
cert-bund: CB-K18/0478
cert-bund: CB-K17/2077
cert-bund: CB-K17/1876
cert-bund: CB-K17/1603
dfn-cert: DFN-CERT-2018-0513
dfn-cert: DFN-CERT-2017-2172
dfn-cert: DFN-CERT-2017-1953
dfn-cert: DFN-CERT-2017-1671

High (CVSS: 7.4)
NVT: Samba Server 'SMB3' MitM Vulnerability (CVE-2017-12151)

Product detection result
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a MitM vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 4.3.11
Fixed version: 4.4.16, or 4.5.14, or 4.6.8
Installation
path / port: 445/tcp

Impact
Successful exploitation will allow a remote attacker to read and/or alter the content of the connection.

Solution:
Solution type: VendorFix
Upgrade to Samba 4.6.8, 4.5.14 or 4.4.16

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Samba versions 4.1.0 to 4.6.7

Vulnerability Insight
A connection actually made use of the SMB3 encryption, any redirected connection would lose the requirement for encryption and also the requirement for signing.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Server 'SMB3' MitM Vulnerability (CVE-2017-12151)`
OID:1.3.6.1.4.1.25623.1.0.811906
Version used: `2025-09-17T05:39:26Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2017-12151`
`url: https://www.samba.org/samba/security/CVE-2017-12151.html`
`url: http://www.securityfocus.com/bid/100917`
`cert-bund: CB-K18/0478`
`cert-bund: CB-K17/2077`
`cert-bund: CB-K17/1876`
`cert-bund: CB-K17/1603`
`dfn-cert: DFN-CERT-2018-0513`
`dfn-cert: DFN-CERT-2017-2172`
`dfn-cert: DFN-CERT-2017-1953`
`dfn-cert: DFN-CERT-2017-1671`

High (CVSS: 7.1)
NVT: Samba Server 'SMB1' Memory Information Leak Vulnerability (CVE-2017-12163)

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to a memory information leak vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.4.16
Installation
path / port:       445/tcp
```

Impact

Successful exploitation will allow a client with write access to a share can cause server memory contents to be written into a file or printer.

Solution:

Solution type: VendorFix

Upgrade to Samba 4.6.8, 4.5.14 and 4.4.16 or later.

Affected Software/OS

Samba versions before 4.4.16, 4.5.0 before 4.5.14, and 4.6.0 before 4.6.8.

Vulnerability Insight

A server memory information leak bug over SMB1 if a client can write data to a share. Some SMB1 write requests were not correctly range checked to ensure the client had sent enough data to fulfill the write.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Samba Server 'SMB1' Memory Information Leak Vulnerability (CVE-2017-12163)`

OID:1.3.6.1.4.1.25623.1.0.811905

Version used: `2025-09-17T05:39:26Z`

Product Detection Result

Product: `cpe:/a:samba:samba:4.3.11`

Method: `SMB NativeLanMan`

OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2017-12163
url: https://www.samba.org/samba/security/CVE-2017-12163.html
url: http://www.securityfocus.com/bid/100925
cert-bund: CB-K18/0478
cert-bund: CB-K17/2077
cert-bund: CB-K17/1876
cert-bund: CB-K17/1603
dfn-cert: DFN-CERT-2018-0513
dfn-cert: DFN-CERT-2017-2172
dfn-cert: DFN-CERT-2017-1953
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2017-1671

[return to 172.30.1.3]

2.1.9 High general/tcp

High (CVSS: 8.8)
NVT: ProFTPD < 1.3.7 Multiple Vulnerabilities

Product detection result
cpe:/a:proftpd:proftpd:1.3.5
Detected by ProFTPD Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.155379)

Summary
ProFTPD is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 1.3.5
Fixed version: 1.3.7

Impact
Successful exploitation would allow an attacker to read sensitive information or execute arbitrary code on the target machine.

Solution:
Solution type: VendorFix
Update to version 1.3.7 or later.

Affected Software/OS
ProFTPD version 1.3.6 and prior.

Vulnerability Insight
The following flaws exist:
- There is an out-of-bounds (OOB) read vulnerability in mod_cap via the cap_text.c cap_to_text function.
- It is possible to corrupt the memory pool by interrupting the data transfer channel. This triggers a use-after-free in alloc_pool in pool.c.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: ProFTPD < 1.3.7 Multiple Vulnerabilities

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.113645
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:proftpd:proftpd:1.3.5
Method: ProFTPD Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.155379)

References
cve: CVE-2020-9272
cve: CVE-2020-9273
url: https://github.com/proftpd/proftpd/issues/902
url: https://github.com/proftpd/proftpd/issues/903
cert-bund: CB-K20/0857
cert-bund: CB-K20/0163
dfn-cert: DFN-CERT-2020-1078
dfn-cert: DFN-CERT-2020-0361

High (CVSS: 7.8)
NVT: ProFTPD <= 1.3.9 Buffer Overflow Vulnerability

Product detection result
cpe:/a:proftpd:proftpd:1.3.5
Detected by ProFTPD Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.155379)

Summary
ProFTPD is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 1.3.5
Fixed version: None

Solution:
Solution type: NoneAvailable
No known solution is available as of 23rd September, 2025. Information regarding this issue will be updated once solution details are available.

Affected Software/OS
ProFTPD version 1.3.9 and prior.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Buffer overflow vulnerability allows a remote attacker to execute arbitrary code and can cause a denial of service (DoS) on the FTP service by sending a maliciously crafted message to the ProFTPD service port.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `ProFTPD <= 1.3.9 Buffer Overflow Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.155385
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:proftpd:proftpd:1.3.5`
Method: `ProFTPD Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.155379)

References
```
cve: CVE-2024-57392
url: https://github.com/Br1m4zz/protocol_vul_repoduce.git
cert-bund: WID-SEC-2025-0295
dfn-cert: DFN-CERT-2025-1316
dfn-cert: DFN-CERT-2025-0772
dfn-cert: DFN-CERT-2025-0564
dfn-cert: DFN-CERT-2025-0372
```

High (CVSS: 7.8)
NVT: ProFTPD < 1.3.8c Access Control Vulnerability

Product detection result
```
cpe:/a:proftpd:proftpd:1.3.5
Detected by ProFTPD Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.155379)
```

Summary
ProFTPD is prone to an access control vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 1.3.5
Fixed version:     1.3.8c
```

Solution:
Solution type: VendorFix
Update to version 1.3.8c or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
ProFTPD prior to version 1.3.8c.

Vulnerability Insight
Supplemental group inheritance grants unintended access to GID 0 because of the lack of supplemental groups from mod_sql.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `ProFTPD < 1.3.8c Access Control Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.155384
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:proftpd:proftpd:1.3.5`
Method: `ProFTPD Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.155379)

References
```
cve: CVE-2024-48651
url: https://github.com/proftpd/proftpd/issues/1830
url: https://github.com/proftpd/proftpd/blob/1.3.8/NEWS
cert-bund: WID-SEC-2024-3564
dfn-cert: DFN-CERT-2025-0772
dfn-cert: DFN-CERT-2025-0509
dfn-cert: DFN-CERT-2024-3291
dfn-cert: DFN-CERT-2024-3171
```

High (CVSS: 7.5)
NVT: ProFTPD < 1.3.6b, 1.3.7rc < 1.3.7rc2 DoS Vulnerability

Product detection result
```
cpe:/a:proftpd:proftpd:1.3.5
Detected by ProFTPD Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.155379)
```

Summary
ProFTPD is prone to a unauthenticated denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 1.3.5
Fixed version:     1.3.6b
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 1.3.6b, 1.3.7rc2 or later.

Affected Software/OS
ProFTPD prior to version 1.3.6b and 1.3.7rc prior to 1.3.7rc2.

Vulnerability Insight
ProFTPD allows remote unauthenticated denial-of-service due to incorrect handling of overly long commands because main.c in a child process enters an infinite loop.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `ProFTPD < 1.3.6b, 1.3.7rc < 1.3.7rc2 DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.107734
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:proftpd:proftpd:1.3.5`
Method: `ProFTPD Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.155379)

References
`cve: CVE-2019-18217`
`url: https://github.com/proftpd/proftpd/issues/846`
`url: https://github.com/proftpd/proftpd/blob/1.3.6/RELEASE_NOTES`
`url: https://github.com/proftpd/proftpd/blob/master/RELEASE_NOTES`
`cert-bund: CB-K20/0857`
`cert-bund: CB-K19/0961`
`dfn-cert: DFN-CERT-2020-0072`
`dfn-cert: DFN-CERT-2019-2189`

High (CVSS: 7.5)
NVT: ProFTPD < 1.3.6 Multiple Vulnerabilities

Product detection result
`cpe:/a:proftpd:proftpd:1.3.5`
`Detected by ProFTPD Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.155379)`

Summary
ProFTPD is prone to multiple vulnerabilities in the handling of CRLs in mod_tls.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.3.5
Fixed version:     1.3.6
```

Solution:
Solution type: VendorFix
Update to version 1.3.6 or later.

Affected Software/OS
ProFTPD prior to version 1.3.6.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `ProFTPD < 1.3.6 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.143205
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:proftpd:proftpd:1.3.5`
Method: `ProFTPD Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.155379)

References

```
cve: CVE-2019-19271
cve: CVE-2019-19272
url: https://github.com/proftpd/proftpd/issues/860
url: https://github.com/proftpd/proftpd/issues/858
cert-bund: CB-K20/0857
dfn-cert: DFN-CERT-2019-2538
```

High (CVSS: 7.5)
NVT: ProFTPD < 1.3.6c CRL Vulnerability

Product detection result

```
cpe:/a:proftpd:proftpd:1.3.5
Detected by ProFTPD Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.155379)
```

Summary
ProFTPD is prone to a vulnerability in the handling of CRLs intls_verify_crl.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result
Installed version: 1.3.5
Fixed version: 1.3.6c

Solution:
Solution type: VendorFix
Update to version 1.3.6c or later.

Affected Software/OS
ProFTPD prior to version 1.3.6c.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: ProFTPD < 1.3.6c CRL Vulnerability
OID:1.3.6.1.4.1.25623.1.0.143206
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:proftpd:proftpd:1.3.5
Method: ProFTPD Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.155379)

References
cve: CVE-2019-19269
cve: CVE-2019-19270
url: https://github.com/proftpd/proftpd/issues/859
url: https://github.com/proftpd/proftpd/issues/861
cert-bund: CB-K20/0857
cert-bund: CB-K20/0324
cert-bund: CB-K20/0109
dfn-cert: DFN-CERT-2020-0550
dfn-cert: DFN-CERT-2020-0072
dfn-cert: DFN-CERT-2019-2538
dfn-cert: DFN-CERT-2019-2533

[return to 172.30.1.3]

2.1.10 High 21/tcp

High (CVSS: 7.5)
NVT: FTP Brute Force Logins With Default Credentials Reporting

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

It was possible to login into the remote FTP server using weak/known credentials.

Quality of Detection (QoD): 95%

Vulnerability Detection Result

```
It was possible to login with the following credentials <User>:<Password>
msfadmin:msfadmin
```

Impact

This issue may be exploited by a remote attacker to e.g. gain access to sensitive information or modify system configuration.

Solution:

Solution type: Mitigation

Change the password as soon as possible.

Vulnerability Insight

The following devices are / software is known to be affected:
- CVE-2001-1594: Codonics printer FTP service as used in GE Healthcare eNTEGRA P&R
- CVE-2013-7404: GE Healthcare Discovery NM 750b
- CVE-2014-9198: Schneider Electric ETG3000 FactoryCast HMI gateways
- CVE-2015-7261: QNAP iArtist Lite distributed with QNAP Signage Station
- CVE-2016-8731: Foscam C1 devices
- CVE-2017-8218: vsftpd on TP-Link C2 and C20i devices
- CVE-2018-9068: IMM2 for IBM and Lenovo System x
- CVE-2018-17771: Ingenico Telium 2 PoS terminals
- CVE-2018-19063, CVE-2018-19064: Foscam C2 and Opticam i5 devices
- CVE-2018-25147: Microhard Systems IPn4G
- CVE-2020-36915: Adtec Digital SignEdje Digital Signage Player

Note: As the VT 'FTP Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108717) might run into a timeout the actual reporting of this vulnerability takes place in this VT instead.

Vulnerability Detection Method

Reports weak/known credentials detected by the VT 'FTP Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108717).

Details: `FTP Brute Force Logins With Default Credentials Reporting`
OID:1.3.6.1.4.1.25623.1.0.108718
Version used: `2026-01-16T15:42:49Z`

References

```
cve: CVE-1999-0501
cve: CVE-1999-0502
cve: CVE-1999-0507
cve: CVE-1999-0508
cve: CVE-2001-1594
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2013-7404
cve: CVE-2014-9198
cve: CVE-2015-7261
cve: CVE-2016-8731
cve: CVE-2017-8218
cve: CVE-2018-9068
cve: CVE-2018-17771
cve: CVE-2018-19063
cve: CVE-2018-19064
cve: CVE-2018-25147
cve: CVE-2020-36915
```

[return to 172.30.1.3]

2.1.11 Medium 22/tcp

Medium (CVSS: 6.8)
NVT: OpenBSD OpenSSH <= 7.9 Multiple Vulnerabilities

Product detection result

```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenBSD OpenSSH is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     8.0
Installation
path / port:       22/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.0 or later.

Affected Software/OS

OpenBSD OpenSSH versions 7.9 and prior.

Vulnerability Insight

The following flaws exist:

- CVE-2018-20685: bypass of intended access restrictions in the scp client

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2019-6109, CVE-2019-6110: manipulation of the output in the scp client by a malicious server
- CVE-2019-6111: overwrite of arbitrary files in the scp client by a malicious server

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH <= 7.9 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.117786
Version used: `2023-10-20T16:09:12Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2018-20685
cve: CVE-2019-6109
cve: CVE-2019-6110
cve: CVE-2019-6111
url: https://sintonen.fi/advisories/scp-client-multiple-vulnerabilities.txt
url: http://www.openwall.com/lists/oss-security/2019/04/18/1
cert-bund: WID-SEC-2024-1082
cert-bund: WID-SEC-2024-0872
cert-bund: WID-SEC-2023-1995
cert-bund: WID-SEC-2023-0561
cert-bund: CB-K19/0627
cert-bund: CB-K19/0312
cert-bund: CB-K19/0058
cert-bund: CB-K19/0037
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2019-2157
dfn-cert: DFN-CERT-2019-1470
dfn-cert: DFN-CERT-2019-0970
dfn-cert: DFN-CERT-2019-0776
dfn-cert: DFN-CERT-2019-0563
dfn-cert: DFN-CERT-2019-0415
dfn-cert: DFN-CERT-2019-0357
dfn-cert: DFN-CERT-2019-0275
dfn-cert: DFN-CERT-2019-0136
dfn-cert: DFN-CERT-2019-0094
```

Medium (CVSS: 6.5)
NVT: OpenBSD OpenSSH < 9.6 Multiple Vulnerabilities (Terrapin Attack)

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
`cpe:/a:openbsd:openssh:6.6.1p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenBSD OpenSSH is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     9.6
Installation
path / port:       22/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.6 or later.
Note: Client and Server implementations need to run a fixed version to mitigate the Terrapin flaw.

Affected Software/OS
OpenBSD OpenSSH prior to version 9.6.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2023-48795: The SSH transport protocol with certain OpenSSH extensions allows remote attackers to bypass integrity checks such that some packets are omitted (from the extension negotiation message), and a client and server may consequently end up with a connection for which some security features have been downgraded or disabled, aka a 'Terrapin attack'.
- CVE-2023-51384: In ssh-agent certain destination constraints can be incompletely applied. When destination constraints are specified during addition of PKCS#11-hosted private keys, these constraints are only applied to the first key, even if a PKCS#11 token returns multiple keys.
- CVE-2023-51385: OS command injection might occur if a user name or host name has shell metacharacters, and this name is referenced by an expansion token in certain situations. For example, an untrusted Git repository can have a submodule with shell metacharacters in a user name or host name.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH < 9.6 Multiple Vulnerabilities (Terrapin Attack)`
OID:1.3.6.1.4.1.25623.1.0.118572
Version used: `2025-10-08T05:38:55Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:openbsd:openssh:6.6.1p1
Method: OpenSSH Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
cve: CVE-2023-48795
cve: CVE-2023-51384
cve: CVE-2023-51385
url: https://www.openssh.com/txt/release-9.6
url: https://terrapin-attack.com
url: https://vin01.github.io/piptagole/ssh/security/openssh/libssh/remote-code-e
↪xecution/2023/12/20/openssh-proxycommand-libssh-rce.html
url: https://github.com/vin01/poc-proxycommand-vulnerable
cert-bund: WID-SEC-2025-0810
cert-bund: WID-SEC-2025-0168
cert-bund: WID-SEC-2025-0144
cert-bund: WID-SEC-2025-0139
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-3320
cert-bund: WID-SEC-2024-3198
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-3140
cert-bund: WID-SEC-2024-1913
cert-bund: WID-SEC-2024-1781
cert-bund: WID-SEC-2024-1701
cert-bund: WID-SEC-2024-1656
cert-bund: WID-SEC-2024-1655
cert-bund: WID-SEC-2024-1643
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1639
cert-bund: WID-SEC-2024-1637
cert-bund: WID-SEC-2024-1630
cert-bund: WID-SEC-2024-1474
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1228
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-1082
cert-bund: WID-SEC-2024-0899
cert-bund: WID-SEC-2024-0892
cert-bund: WID-SEC-2024-0889
cert-bund: WID-SEC-2024-0885
cert-bund: WID-SEC-2024-0874
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0578
cert-bund: WID-SEC-2024-0564

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-0523
cert-bund: WID-SEC-2023-3182
cert-bund: WID-SEC-2023-3174
dfn-cert: DFN-CERT-2026-0097
dfn-cert: DFN-CERT-2025-3629
dfn-cert: DFN-CERT-2025-3272
dfn-cert: DFN-CERT-2025-2058
dfn-cert: DFN-CERT-2025-2037
dfn-cert: DFN-CERT-2025-1447
dfn-cert: DFN-CERT-2025-1177
dfn-cert: DFN-CERT-2025-1025
dfn-cert: DFN-CERT-2025-0660
dfn-cert: DFN-CERT-2025-0502
dfn-cert: DFN-CERT-2025-0294
dfn-cert: DFN-CERT-2025-0173
dfn-cert: DFN-CERT-2025-0165
dfn-cert: DFN-CERT-2025-0024
dfn-cert: DFN-CERT-2024-3171
dfn-cert: DFN-CERT-2024-2818
dfn-cert: DFN-CERT-2024-2759
dfn-cert: DFN-CERT-2024-2741
dfn-cert: DFN-CERT-2024-2682
dfn-cert: DFN-CERT-2024-2602
dfn-cert: DFN-CERT-2024-2573
dfn-cert: DFN-CERT-2024-2392
dfn-cert: DFN-CERT-2024-2210
dfn-cert: DFN-CERT-2024-2209
dfn-cert: DFN-CERT-2024-2194
dfn-cert: DFN-CERT-2024-2169
dfn-cert: DFN-CERT-2024-2048
dfn-cert: DFN-CERT-2024-2030
dfn-cert: DFN-CERT-2024-2028
dfn-cert: DFN-CERT-2024-1930
dfn-cert: DFN-CERT-2024-1895
dfn-cert: DFN-CERT-2024-1869
dfn-cert: DFN-CERT-2024-1868
dfn-cert: DFN-CERT-2024-1865
dfn-cert: DFN-CERT-2024-1862
dfn-cert: DFN-CERT-2024-1854
dfn-cert: DFN-CERT-2024-1846
dfn-cert: DFN-CERT-2024-1817
dfn-cert: DFN-CERT-2024-1794
dfn-cert: DFN-CERT-2024-1715
dfn-cert: DFN-CERT-2024-1698
dfn-cert: DFN-CERT-2024-1688
dfn-cert: DFN-CERT-2024-1655
dfn-cert: DFN-CERT-2024-1600
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1443
dfn-cert: DFN-CERT-2024-1442
dfn-cert: DFN-CERT-2024-1413
dfn-cert: DFN-CERT-2024-1382
dfn-cert: DFN-CERT-2024-1380
dfn-cert: DFN-CERT-2024-1373
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2024-1259
dfn-cert: DFN-CERT-2024-1108
dfn-cert: DFN-CERT-2024-1061
dfn-cert: DFN-CERT-2024-1029
dfn-cert: DFN-CERT-2024-1003
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2024-0896
dfn-cert: DFN-CERT-2024-0779
dfn-cert: DFN-CERT-2024-0762
dfn-cert: DFN-CERT-2024-0744
dfn-cert: DFN-CERT-2024-0698
dfn-cert: DFN-CERT-2024-0633
dfn-cert: DFN-CERT-2024-0619
dfn-cert: DFN-CERT-2024-0618
dfn-cert: DFN-CERT-2024-0616
dfn-cert: DFN-CERT-2024-0597
dfn-cert: DFN-CERT-2024-0545
dfn-cert: DFN-CERT-2024-0526
dfn-cert: DFN-CERT-2024-0491
dfn-cert: DFN-CERT-2024-0480
dfn-cert: DFN-CERT-2024-0451
dfn-cert: DFN-CERT-2024-0440
dfn-cert: DFN-CERT-2024-0420
dfn-cert: DFN-CERT-2024-0388
dfn-cert: DFN-CERT-2024-0343
dfn-cert: DFN-CERT-2024-0306
dfn-cert: DFN-CERT-2024-0299
dfn-cert: DFN-CERT-2024-0285
dfn-cert: DFN-CERT-2024-0267
dfn-cert: DFN-CERT-2024-0251
dfn-cert: DFN-CERT-2024-0215
dfn-cert: DFN-CERT-2024-0211
dfn-cert: DFN-CERT-2024-0164
dfn-cert: DFN-CERT-2024-0154
dfn-cert: DFN-CERT-2024-0101
dfn-cert: DFN-CERT-2024-0092
dfn-cert: DFN-CERT-2024-0088
dfn-cert: DFN-CERT-2024-0067
dfn-cert: DFN-CERT-2024-0063
dfn-cert: DFN-CERT-2024-0062
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0024
dfn-cert: DFN-CERT-2024-0022
dfn-cert: DFN-CERT-2024-0013
dfn-cert: DFN-CERT-2023-3219
dfn-cert: DFN-CERT-2023-3218
dfn-cert: DFN-CERT-2023-3210
dfn-cert: DFN-CERT-2023-3201
dfn-cert: DFN-CERT-2023-3200
dfn-cert: DFN-CERT-2023-3195
dfn-cert: DFN-CERT-2023-3193
dfn-cert: DFN-CERT-2023-3191
dfn-cert: DFN-CERT-2023-3185
dfn-cert: DFN-CERT-2023-3184
dfn-cert: DFN-CERT-2023-3183
dfn-cert: DFN-CERT-2023-3182
dfn-cert: DFN-CERT-2023-3175
```

Medium (CVSS: 6.4)
NVT: OpenSSH <= 7.2p1 Xauth Command Injection Vulnerability

Product detection result

```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenSSH is prone to an xauth command injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     7.2p2
Installation
path / port:       22/tcp
```

Impact

By injecting xauth commands one gains limited* read/write arbitrary files, information leakage or xauth-connect capabilities.

Solution:

Solution type: VendorFix

Update to version 7.2p2 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

OpenSSH versions before 7.2p2.

Vulnerability Insight
An authenticated user may inject arbitrary xauth commands by sending an x11 channel request that includes a newline character in the x11 cookie. The newline acts as a command separator to the xauth binary. This attack requires the server to have 'X11Forwarding yes' enabled. Disabling it, mitigates this vector.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH <= 7.2p1 Xauth Command Injection Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.105581
Version used: `2024-12-13T05:05:32Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2016-3115
url: http://www.openssh.com/txt/release-7.2p2
cert-bund: CB-K17/0054
cert-bund: CB-K16/1485
cert-bund: CB-K16/1107
cert-bund: CB-K16/0684
cert-bund: CB-K16/0449
cert-bund: CB-K16/0448
cert-bund: CB-K16/0397
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2017-0059
dfn-cert: DFN-CERT-2016-1574
dfn-cert: DFN-CERT-2016-1174
dfn-cert: DFN-CERT-2016-0733
dfn-cert: DFN-CERT-2016-0488
dfn-cert: DFN-CERT-2016-0486
dfn-cert: DFN-CERT-2016-0437
```

Medium (CVSS: 5.9)
NVT: OpenBSD OpenSSH Information Disclosure Vulnerability (CVE-2020-14145)

Product detection result
```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
OpenBSD OpenSSH is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     8.5
Installation
path / port:       22/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.5 or later.

Affected Software/OS
OpenBSD OpenSSH versions 5.7 through 8.4.

Vulnerability Insight
The client side in OpenSSH has an Observable Discrepancy leading to an information leak in the algorithm negotiation. This allows man-in-the-middle attackers to target initial connection attempts (where no host key for the server has been cached by the client).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH Information Disclosure Vulnerability (CVE-2020-14145)`
OID:1.3.6.1.4.1.25623.1.0.117785
Version used: `2021-11-22T14:03:31Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References

```
cve: CVE-2020-14145
url: http://www.openwall.com/lists/oss-security/2020/12/02/1
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1082
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1599
cert-bund: WID-SEC-2023-0068
cert-bund: CB-K20/0995
dfn-cert: DFN-CERT-2024-1260
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-2691
```

Medium (CVSS: 5.9)
NVT: Prefix Truncation Attacks in SSH Specification (Terrapin Attack)

Product detection result

```
cpe:/a:ietf:secure_shell_protocol
Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↪)
```

Summary

The remote SSH server is supporting an specific encryption algorithm or MAC. Parts of their SSH specification are vulnerable to a novel prefix truncation attack (a.k.a. Terrapin attack).

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The remote SSH server supports the following possible affected client-to-server
↪MAC algorithm(s):
hmac-md5-96-etm@openssh.com
hmac-md5-etm@openssh.com
hmac-ripemd160-etm@openssh.com
hmac-sha1-96-etm@openssh.com
hmac-sha1-etm@openssh.com
hmac-sha2-256-etm@openssh.com
hmac-sha2-512-etm@openssh.com
umac-128-etm@openssh.com
umac-64-etm@openssh.com
together with the following possible affected client-to-server encryption algori
↪thm(s):
3des-cbc
aes128-cbc
aes192-cbc
aes256-cbc
blowfish-cbc
cast128-cbc
rijndael-cbc@lysator.liu.se
The remote SSH server supports the following possible affected server-to-client
↪MAC algorithm(s):
hmac-md5-96-etm@openssh.com
hmac-md5-etm@openssh.com
hmac-ripemd160-etm@openssh.com
hmac-sha1-96-etm@openssh.com
hmac-sha1-etm@openssh.com
hmac-sha2-256-etm@openssh.com
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
hmac-sha2-512-etm@openssh.com
umac-128-etm@openssh.com
umac-64-etm@openssh.com
together with the following possible affected server-to-client encryption algori
↪thm(s):
3des-cbc
aes128-cbc
aes192-cbc
aes256-cbc
blowfish-cbc
cast128-cbc
rijndael-cbc@lysator.liu.se
The remote SSH server supports the following possible affected client-to-server
↪encryption algorithm(s):
chacha20-poly1305@openssh.com
The remote SSH server supports the following possible affected server-to-client
↪encryption algorithm(s):
chacha20-poly1305@openssh.com
```

Solution:
Solution type: VendorFix
- Update OpenSSH to version 9.6 or later
- Update Apache MINA SSHD to version 2.12.0 or later
- For other products please contact the vendor for possible fixes / updates
Mitigation:
- To mitigate this protocol vulnerability, OpenSSH suggested a so-called 'strict kex' which alters the SSH handshake to ensure a Man-in-the-Middle attacker cannot introduce unauthenticated messages as well as convey sequence number manipulation across handshakes. Support for strict key exchange has been added to a variety of SSH implementations, including OpenSSH itself, PuTTY, libssh, and more.
Warning: To take effect, both the client and server must support this countermeasure.
As a stop-gap measure, peers may also (temporarily) disable the affected algorithms and use unaffected alternatives like AES-GCM instead until patches are available.

Affected Software/OS
Systems supporting the following encryption algorithm and/or MACs:
- ChaCha20-Poly1305 (chacha20-poly1305@openssh.com) encryption algorithm
- CBC encryption algorithm and Encrypt-then-MAC (*-etm@openssh.com) MAC

Vulnerability Insight
Parts of the SSH specification are vulnerable to a novel prefix truncation attack (a.k.a. Terrapin attack), which allows a man-in-the-middle attacker to strip an arbitrary number of messages right after the initial key exchange, breaking SSH extension negotiation (RFC8308) in the process and thus downgrading connection security.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks the supported algorithms and MACs of the remote SSH server.
Note: This VT has a low QoD because mitigation is possible / available via software updates.
Details: `Prefix Truncation Attacks in SSH Specification (Terrapin Attack)`
OID:1.3.6.1.4.1.25623.1.0.114238
Version used: `2025-04-23T05:39:47Z`

Product Detection Result
Product: `cpe:/a:ietf:secure_shell_protocol`
Method: `SSH Protocol Algorithms Supported`
OID: 1.3.6.1.4.1.25623.1.0.105565)

References
`cve: CVE-2023-48795`
`cve: CVE-2024-41909`
`url: https://terrapin-attack.com`
`url: https://www.openssh.com/txt/release-9.6`
`url: https://lists.apache.org/thread/vwf1ot8wx1njyy8n19j5j2tcnjnozt3b`
`url: https://github.com/apache/mina-sshd/issues/445`
`url: https://github.com/apache/mina-sshd/pull/449`
`cert-bund: WID-SEC-2025-2359`
`cert-bund: WID-SEC-2025-0810`
`cert-bund: WID-SEC-2025-0168`
`cert-bund: WID-SEC-2025-0144`
`cert-bund: WID-SEC-2025-0139`
`cert-bund: WID-SEC-2024-3377`
`cert-bund: WID-SEC-2024-3320`
`cert-bund: WID-SEC-2024-3221`
`cert-bund: WID-SEC-2024-3198`
`cert-bund: WID-SEC-2024-3195`
`cert-bund: WID-SEC-2024-1913`
`cert-bund: WID-SEC-2024-1781`
`cert-bund: WID-SEC-2024-1701`
`cert-bund: WID-SEC-2024-1656`
`cert-bund: WID-SEC-2024-1655`
`cert-bund: WID-SEC-2024-1643`
`cert-bund: WID-SEC-2024-1642`
`cert-bund: WID-SEC-2024-1639`
`cert-bund: WID-SEC-2024-1637`
`cert-bund: WID-SEC-2024-1630`
`cert-bund: WID-SEC-2024-1474`
`cert-bund: WID-SEC-2024-1248`
`cert-bund: WID-SEC-2024-1228`
`cert-bund: WID-SEC-2024-1186`
`cert-bund: WID-SEC-2024-1082`
`cert-bund: WID-SEC-2024-0899`
`cert-bund: WID-SEC-2024-0892`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-0889
cert-bund: WID-SEC-2024-0885
cert-bund: WID-SEC-2024-0874
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0578
cert-bund: WID-SEC-2024-0564
cert-bund: WID-SEC-2024-0523
cert-bund: WID-SEC-2023-3174
dfn-cert: DFN-CERT-2026-0097
dfn-cert: DFN-CERT-2025-3629
dfn-cert: DFN-CERT-2025-3272
dfn-cert: DFN-CERT-2025-2941
dfn-cert: DFN-CERT-2025-2058
dfn-cert: DFN-CERT-2025-2037
dfn-cert: DFN-CERT-2025-1447
dfn-cert: DFN-CERT-2025-1177
dfn-cert: DFN-CERT-2025-1025
dfn-cert: DFN-CERT-2025-0660
dfn-cert: DFN-CERT-2025-0502
dfn-cert: DFN-CERT-2025-0294
dfn-cert: DFN-CERT-2025-0173
dfn-cert: DFN-CERT-2025-0165
dfn-cert: DFN-CERT-2025-0024
dfn-cert: DFN-CERT-2024-3171
dfn-cert: DFN-CERT-2024-2818
dfn-cert: DFN-CERT-2024-2759
dfn-cert: DFN-CERT-2024-2741
dfn-cert: DFN-CERT-2024-2602
dfn-cert: DFN-CERT-2024-2573
dfn-cert: DFN-CERT-2024-2392
dfn-cert: DFN-CERT-2024-2210
dfn-cert: DFN-CERT-2024-2209
dfn-cert: DFN-CERT-2024-2194
dfn-cert: DFN-CERT-2024-2169
dfn-cert: DFN-CERT-2024-2048
dfn-cert: DFN-CERT-2024-2030
dfn-cert: DFN-CERT-2024-2028
dfn-cert: DFN-CERT-2024-1930
dfn-cert: DFN-CERT-2024-1895
dfn-cert: DFN-CERT-2024-1869
dfn-cert: DFN-CERT-2024-1868
dfn-cert: DFN-CERT-2024-1865
dfn-cert: DFN-CERT-2024-1862
dfn-cert: DFN-CERT-2024-1854
dfn-cert: DFN-CERT-2024-1846
dfn-cert: DFN-CERT-2024-1817
dfn-cert: DFN-CERT-2024-1715
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1698
dfn-cert: DFN-CERT-2024-1688
dfn-cert: DFN-CERT-2024-1655
dfn-cert: DFN-CERT-2024-1600
dfn-cert: DFN-CERT-2024-1443
dfn-cert: DFN-CERT-2024-1442
dfn-cert: DFN-CERT-2024-1413
dfn-cert: DFN-CERT-2024-1382
dfn-cert: DFN-CERT-2024-1380
dfn-cert: DFN-CERT-2024-1373
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2024-1259
dfn-cert: DFN-CERT-2024-1108
dfn-cert: DFN-CERT-2024-1061
dfn-cert: DFN-CERT-2024-1029
dfn-cert: DFN-CERT-2024-1003
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2024-0896
dfn-cert: DFN-CERT-2024-0779
dfn-cert: DFN-CERT-2024-0762
dfn-cert: DFN-CERT-2024-0744
dfn-cert: DFN-CERT-2024-0698
dfn-cert: DFN-CERT-2024-0633
dfn-cert: DFN-CERT-2024-0619
dfn-cert: DFN-CERT-2024-0618
dfn-cert: DFN-CERT-2024-0616
dfn-cert: DFN-CERT-2024-0597
dfn-cert: DFN-CERT-2024-0545
dfn-cert: DFN-CERT-2024-0526
dfn-cert: DFN-CERT-2024-0491
dfn-cert: DFN-CERT-2024-0451
dfn-cert: DFN-CERT-2024-0440
dfn-cert: DFN-CERT-2024-0420
dfn-cert: DFN-CERT-2024-0388
dfn-cert: DFN-CERT-2024-0343
dfn-cert: DFN-CERT-2024-0306
dfn-cert: DFN-CERT-2024-0299
dfn-cert: DFN-CERT-2024-0285
dfn-cert: DFN-CERT-2024-0267
dfn-cert: DFN-CERT-2024-0251
dfn-cert: DFN-CERT-2024-0215
dfn-cert: DFN-CERT-2024-0211
dfn-cert: DFN-CERT-2024-0164
dfn-cert: DFN-CERT-2024-0154
dfn-cert: DFN-CERT-2024-0101
dfn-cert: DFN-CERT-2024-0092
dfn-cert: DFN-CERT-2024-0088
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0067
dfn-cert: DFN-CERT-2024-0063
dfn-cert: DFN-CERT-2024-0062
dfn-cert: DFN-CERT-2024-0024
dfn-cert: DFN-CERT-2024-0013
dfn-cert: DFN-CERT-2023-3219
dfn-cert: DFN-CERT-2023-3218
dfn-cert: DFN-CERT-2023-3210
dfn-cert: DFN-CERT-2023-3201
dfn-cert: DFN-CERT-2023-3200
dfn-cert: DFN-CERT-2023-3195
dfn-cert: DFN-CERT-2023-3193
dfn-cert: DFN-CERT-2023-3191
dfn-cert: DFN-CERT-2023-3185
dfn-cert: DFN-CERT-2023-3184
dfn-cert: DFN-CERT-2023-3183
dfn-cert: DFN-CERT-2023-3182
dfn-cert: DFN-CERT-2023-3175
```

Medium (CVSS: 5.3)
NVT: OpenSSH 'auth2-gss.c' User Enumeration Vulnerability - Linux

Product detection result

```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenSSH is prone to a user enumeration vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     None
Installation
path / port:       22/tcp
```

Impact

Successfully exploitation will allow a remote attacker to harvest valid user accounts, which may aid in brute-force attacks.

Solution:

Solution type: WillNotFix

. . . continues on next page . . .

. . . continued from previous page . . .

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
OpenSSH version 5.9 through 7.8.

Vulnerability Insight
The flaw exists in the 'auth-gss2.c' source code file of the affected software and is due to insufficient validation of an authentication request packet when the Guide Star Server II (GSS2) component is used on an affected system.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH 'auth2-gss.c' User Enumeration Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.813888
Version used: `2021-05-28T07:06:21Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`cve: CVE-2018-15919`
`url: https://bugzilla.novell.com/show_bug.cgi?id=1106163`
`url: https://seclists.org/oss-sec/2018/q3/180`
`cert-bund: WID-SEC-2024-1082`
`cert-bund: CB-K18/0885`
`dfn-cert: DFN-CERT-2024-1260`
`dfn-cert: DFN-CERT-2018-2293`
`dfn-cert: DFN-CERT-2018-2191`

Medium (CVSS: 5.3)
NVT: OpenSSH < 7.6 'sftp-server' Security Bypass Vulnerability - Linux

Product detection result
`cpe:/a:openbsd:openssh:6.6.1p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenSSH is prone to a security bypass vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     7.6
Installation
path / port:       22/tcp
```

Impact

Successfully exploiting this issue allows local users to bypass certain security restrictions and perform unauthorized actions. This may lead to further attacks.

Solution:

Solution type: VendorFix

Update to version 7.6 or later.

Affected Software/OS

OpenSSH versions prior to 7.6 on Linux.

Vulnerability Insight

The flaw exists in the 'process_open' function in sftp-server.c script which does not properly prevent write operations in readonly mode.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `OpenSSH < 7.6 'sftp-server' Security Bypass Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.812051

Version used: `2024-12-13T05:05:32Z`

Product Detection Result

Product: `cpe:/a:openbsd:openssh:6.6.1p1`

Method: `OpenSSH Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.108577)

References

```
cve: CVE-2017-15906
url: https://www.openssh.com/txt/release-7.6
url: http://www.securityfocus.com/bid/101552
url: https://github.com/openbsd/src/commit/a6981567e8e
cert-bund: WID-SEC-2024-1082
cert-bund: CB-K20/0041
cert-bund: CB-K18/0137
cert-bund: CB-K17/2126
cert-bund: CB-K17/2014
cert-bund: CB-K17/2002
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2019-0362
dfn-cert: DFN-CERT-2018-2554
dfn-cert: DFN-CERT-2018-2191
dfn-cert: DFN-CERT-2018-2068
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2018-1568
dfn-cert: DFN-CERT-2018-0150
dfn-cert: DFN-CERT-2017-2217
dfn-cert: DFN-CERT-2017-2100
dfn-cert: DFN-CERT-2017-2093
```

Medium (CVSS: 5.3)
NVT: OpenSSH < 7.8 User Enumeration Vulnerability - Linux

Product detection result

```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenSSH is prone to a user enumeration vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     7.8
Installation
path / port:       22/tcp
```

Impact

Successfully exploitation will allow remote attacker to test whether a certain user exists or not (username enumeration) on a target OpenSSH server.

Solution:

Solution type: VendorFix

Update to version 7.8 or later.

Affected Software/OS

OpenSSH versions 7.7 and prior.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The flaw is due to not delaying bailout for an invalid authenticating user until after the packet containing the request has been fully parsed, related to auth2-gss.c, auth2-hostbased.c, and auth2-pubkey.c

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH < 7.8 User Enumeration Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.813864
Version used: `2024-12-13T05:05:32Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2018-15473
url: https://0day.city/cve-2018-15473.html
url: https://github.com/openbsd/src/commit/779974d35b4859c07bc3cb8a12c74b43b0a7d
↪1e0
cert-bund: WID-SEC-2024-1082
cert-bund: CB-K20/0041
cert-bund: CB-K18/1031
cert-bund: CB-K18/0873
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2021-2178
dfn-cert: DFN-CERT-2020-2189
dfn-cert: DFN-CERT-2020-0228
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-0857
dfn-cert: DFN-CERT-2019-0362
dfn-cert: DFN-CERT-2018-2293
dfn-cert: DFN-CERT-2018-2259
dfn-cert: DFN-CERT-2018-2191
dfn-cert: DFN-CERT-2018-1806
dfn-cert: DFN-CERT-2018-1696
```

Medium (CVSS: 5.3)
NVT: OpenSSH Information Disclosure Vulnerability (CVE-2016-20012)

Product detection result
```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
OpenBSD OpenSSH is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 50%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     None
Installation
path / port:       22/tcp
```

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
All currently OpenSSH versions are known to be affected.

Vulnerability Insight
OpenSSH allows remote attackers, who have a suspicion that a certain combination of username and public key is known to an SSH server, to test whether this suspicion is correct. This occurs because a challenge is sent only when that combination could be valid for a login session.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH Information Disclosure Vulnerability (CVE-2016-20012)`
OID:1.3.6.1.4.1.25623.1.0.117777
Version used: `2022-11-24T10:18:54Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References

```
cve: CVE-2016-20012
url: https://github.com/openssh/openssh-portable/pull/270
url: https://rushter.com/blog/public-ssh-keys/
url: https://utcc.utoronto.ca/~cks/space/blog/tech/SSHKeysAreInfoLeak
cert-bund: WID-SEC-2024-1082
cert-bund: WID-SEC-2024-0229
cert-bund: CB-K21/0979
dfn-cert: DFN-CERT-2024-1260
```

Medium (CVSS: 5.3)
NVT: Weak Host Key Algorithm(s) (SSH)

Product detection result
cpe:/a:ietf:secure_shell_protocol
Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↪)

Summary
The remote SSH server is configured to allow / support weak host key algorithm(s).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote SSH server supports the following weak host key algorithm(s):
host key algorithm | Description
-------------------------------------------------------------------------------
↪---------
ssh-dss            | Digital Signature Algorithm (DSA) / Digital Signature Stand
↪ard (DSS)
```

Solution:
Solution type: Mitigation
Disable the reported weak host key algorithm(s).

Vulnerability Detection Method
Checks the supported host key algorithms of the remote SSH server.
Currently weak host key algorithms are defined as the following:
- ssh-dss: Digital Signature Algorithm (DSA) / Digital Signature Standard (DSS)
Details: Weak Host Key Algorithm(s) (SSH)
OID:1.3.6.1.4.1.25623.1.0.117687
Version used: 2024-06-14T05:05:48Z

Product Detection Result
Product: cpe:/a:ietf:secure_shell_protocol
Method: SSH Protocol Algorithms Supported
OID: 1.3.6.1.4.1.25623.1.0.105565)

References
url: https://www.rfc-editor.org/rfc/rfc8332
url: https://www.rfc-editor.org/rfc/rfc8709
url: https://www.rfc-editor.org/rfc/rfc4253#section-6.6

Medium (CVSS: 5.3)
NVT: Weak Key Exchange (KEX) Algorithm(s) Supported (SSH)

Product detection result

```
cpe:/a:ietf:secure_shell_protocol
Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↪)
```

Summary

The remote SSH server is configured to allow / support weak key exchange (KEX) algorithm(s).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote SSH server supports the following weak KEX algorithm(s):
KEX algorithm                      | Reason
-------------------------------------------------------------------------------
↪-----------
diffie-hellman-group-exchange-sha1 | Using SHA-1
diffie-hellman-group1-sha1         | Using Oakley Group 2 (a 1024-bit MODP group
↪) and SHA-1
```

Impact

An attacker can quickly break individual connections.

Solution:

Solution type: Mitigation

Disable the reported weak KEX algorithm(s)
- 1024-bit MODP group / prime KEX algorithms:
Alternatively use elliptic-curve Diffie-Hellmann in general, e.g. Curve 25519.

Vulnerability Insight

- 1024-bit MODP group / prime KEX algorithms:
Millions of HTTPS, SSH, and VPN servers all use the same prime numbers for Diffie-Hellman key exchange. Practitioners believed this was safe as long as new key exchange messages were generated for every connection. However, the first step in the number field sieve-the most efficient algorithm for breaking a Diffie-Hellman connection-is dependent only on this prime.
A nation-state can break a 1024-bit prime.

Vulnerability Detection Method

Checks the supported KEX algorithms of the remote SSH server.
Currently weak KEX algorithms are defined as the following:
- non-elliptic-curve Diffie-Hellmann (DH) KEX algorithms with 1024-bit MODP group / prime
- ephemerally generated key exchange groups uses SHA-1
- using RSA 1024-bit modulus key
Details: `Weak Key Exchange (KEX) Algorithm(s) Supported (SSH)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.150713
Version used: 2024-06-14T05:05:48Z

Product Detection Result
Product: cpe:/a:ietf:secure_shell_protocol
Method: SSH Protocol Algorithms Supported
OID: 1.3.6.1.4.1.25623.1.0.105565)

References
url: https://weakdh.org/sysadmin.html
url: https://www.rfc-editor.org/rfc/rfc9142
url: https://www.rfc-editor.org/rfc/rfc9142#name-summary-guidance-for-implem
url: https://www.rfc-editor.org/rfc/rfc6194
url: https://www.rfc-editor.org/rfc/rfc4253#section-6.5

Medium (CVSS: 5.3)
NVT: OpenSSH < 7.1p2 DoS Vulnerability (Jan 2016)

Product detection result
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)

Summary
OpenSSH is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 6.6.1p1
Fixed version: 7.1p2
Installation
path / port: 22/tcp

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service (out-of-bounds read and application crash).

Solution:
Solution type: VendorFix
Update to version 7.1p2 or later.

Affected Software/OS
OpenSSH versions before 7.1p2.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The flaw exists due to an error in the 'ssh_packet_read_poll2' function within the 'packet.c' file.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH < 7.1p2 DoS Vulnerability (Jan 2016)`
OID:1.3.6.1.4.1.25623.1.0.806671
Version used: `2024-12-13T05:05:32Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2016-1907
url: http://www.openssh.com/txt/release-7.1p2
url: https://anongit.mindrot.org/openssh.git/commit/?id=2fecfd486bdba9f51b3a7892
↪77bb0733ca36e1c0
cert-bund: WID-SEC-2024-1055
cert-bund: CB-K17/0055
cert-bund: CB-K16/0684
cert-bund: CB-K16/0068
dfn-cert: DFN-CERT-2017-0060
dfn-cert: DFN-CERT-2016-0733
dfn-cert: DFN-CERT-2016-0077
```

Medium (CVSS: 5.0)
NVT: OpenBSD OpenSSH < 9.2 Unspecified Vulnerability

Product detection result
```
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary
OpenBSD OpenSSH is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 6.6.1p1
Fixed version:     9.2
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        22/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.2 or later.

Affected Software/OS
OpenBSD OpenSSH prior to version 9.2.

Vulnerability Insight
If the CanonicalizeHostname and CanonicalizePermittedCNAMEs options were enabled, and the system/libc resolver did not check that names in DNS responses were valid, then use of these options could allow an attacker with control of DNS to include invalid characters (possibly including wildcards) in names added to known_hosts files when they were updated. These names would still have to match the CanonicalizePermittedCNAMEs allow-list, so practical exploitation appears unlikely.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH < 9.2 Unspecified Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.104512
Version used: `2025-01-21T05:37:33Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`url: https://www.openssh.com/releasenotes.html#9.2`
`url: https://www.openwall.com/lists/oss-security/2023/02/02/3`

Medium (CVSS: 5.0)
NVT: OpenBSD OpenSSH < 9.3 Unspecified Vulnerability

Product detection result
`cpe:/a:openbsd:openssh:6.6.1p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenBSD OpenSSH is prone to an unspecified vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     9.3
Installation
path / port:       22/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.3 or later.

Affected Software/OS
OpenBSD OpenSSH prior to version 9.3.

Vulnerability Insight
ssh(1): Portable OpenSSH provides an implementation of the getrrsetbyname(3) function if the standard library does not provide it, for use by the VerifyHostKeyDNS feature. A specifically crafted DNS response could cause this function to perform an out-of-bounds read of adjacent stack data, but this condition does not appear to be exploitable beyond denial-of-service to the ssh(1) client.
The getrrsetbyname(3) replacement is only included if the system's standard library lacks this function and portable OpenSSH was not compiled with the ldns library (–with-ldns). getrrsetbyname(3) is only invoked if using VerifyHostKeyDNS to fetch SSHFP records.This problem was found by the Coverity static analyzer.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH < 9.3 Unspecified Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.104635
Version used: `2025-01-21T05:37:33Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`url: https://www.openssh.com/releasenotes.html#9.3`
`url: https://www.openwall.com/lists/oss-security/2023/03/15/8`

Medium (CVSS: 4.3)
NVT: OpenSSH Security Bypass Vulnerability

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:openbsd:openssh:6.6.1p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)

Summary
OpenSSH is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 6.6.1p1
Fixed version: 6.9
Installation
path / port: 22/tcp

Impact
Successful exploitation will allow remote attackers to bypass intended access restrictions.

Solution:
Solution type: VendorFix
Upgrade to OpenSSH version 6.9 or later.

Affected Software/OS
OpenSSH versions before 6.9.

Vulnerability Insight
The flaw is due to the refusal deadline was not checked within the x11_open_helper function.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: OpenSSH Security Bypass Vulnerability
OID:1.3.6.1.4.1.25623.1.0.806049
Version used: 2023-07-25T05:05:58Z

Product Detection Result
Product: cpe:/a:openbsd:openssh:6.6.1p1
Method: OpenSSH Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
cve: CVE-2015-5352
url: http://openwall.com/lists/oss-security/2015/07/01/10
cert-bund: CB-K17/0054
cert-bund: CB-K16/1733

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/1315
cert-bund: CB-K16/0694
cert-bund: CB-K15/1591
cert-bund: CB-K15/1334
cert-bund: CB-K15/1194
cert-bund: CB-K15/0934
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2017-0059
dfn-cert: DFN-CERT-2016-1841
dfn-cert: DFN-CERT-2016-1401
dfn-cert: DFN-CERT-2016-0864
dfn-cert: DFN-CERT-2016-0754
dfn-cert: DFN-CERT-2015-1679
dfn-cert: DFN-CERT-2015-1406
dfn-cert: DFN-CERT-2015-1263
dfn-cert: DFN-CERT-2015-0987
```

Medium (CVSS: 4.3)
NVT: Weak Encryption Algorithm(s) Supported (SSH)

Product detection result

```
cpe:/a:ietf:secure_shell_protocol
Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↪)
```

Summary

The remote SSH server is configured to allow / support weak encryption algorithm(s).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote SSH server supports the following weak client-to-server encryption al
↪gorithm(s):
3des-cbc
aes128-cbc
aes192-cbc
aes256-cbc
arcfour
arcfour128
arcfour256
blowfish-cbc
cast128-cbc
rijndael-cbc@lysator.liu.se
The remote SSH server supports the following weak server-to-client encryption al
↪gorithm(s):
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
3des-cbc
aes128-cbc
aes192-cbc
aes256-cbc
arcfour
arcfour128
arcfour256
blowfish-cbc
cast128-cbc
rijndael-cbc@lysator.liu.se
```

Solution:
Solution type: Mitigation
Disable the reported weak encryption algorithm(s).

Vulnerability Insight
- The 'arcfour' cipher is the Arcfour stream cipher with 128-bit keys. The Arcfour cipher is believed to be compatible with the RC4 cipher [SCHNEIER]. Arcfour (and RC4) has problems with weak keys, and should not be used anymore.
- The 'none' algorithm specifies that no encryption is to be done. Note that this method provides no confidentiality protection, and it is NOT RECOMMENDED to use it.
- A vulnerability exists in SSH messages that employ CBC mode that may allow an attacker to recover plaintext from a block of ciphertext.

Vulnerability Detection Method
Checks the supported encryption algorithms (client-to-server and server-to-client) of the remote SSH server.
Currently weak encryption algorithms are defined as the following:
- Arcfour (RC4) cipher based algorithms
- 'none' algorithm
- CBC mode cipher based algorithms
Details: `Weak Encryption Algorithm(s) Supported (SSH)`
OID:1.3.6.1.4.1.25623.1.0.105611
Version used: `2024-06-14T05:05:48Z`

Product Detection Result
Product: `cpe:/a:ietf:secure_shell_protocol`
Method: `SSH Protocol Algorithms Supported`
OID: 1.3.6.1.4.1.25623.1.0.105565)

References
`url: https://www.rfc-editor.org/rfc/rfc8758`
`url: https://www.kb.cert.org/vuls/id/958563`
`url: https://www.rfc-editor.org/rfc/rfc4253#section-6.3`

Medium (CVSS: 4.0)
NVT: OpenBSD OpenSSH < 9.1 Multiple Vulnerabilities

Product detection result
`cpe:/a:openbsd:openssh:6.6.1p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenBSD OpenSSH is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     9.1
Installation
path / port:       22/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.1 or later.

Affected Software/OS
OpenBSD OpenSSH prior to version 9.1.

Vulnerability Insight
The following vulnerabilities exist:
- A one-byte overflow in SSH- banner processing in ssh-keyscan.
- A double free() in error path of file hashing step in signing/verify code in ssh-keygen.
- A double-free in error path in ssh-keysign.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH < 9.1 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.127244
Version used: `2025-01-21T05:37:33Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`url: https://www.openssh.com/releasenotes.html#9.1`

[return to 172.30.1.3]

2.1.12 Medium 80/tcp

Medium (CVSS: 6.8)
NVT: Drupal 6.x < 6.37, 7.x < 7.39 Multiple Vulnerabilities (SA-CORE-2015-003) - Linux

Summary
Drupal is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.39
Installation
path / port:       /drupal
```

Impact
Successful exploitation will allow remote attackers to gain access to sensitive information, execute arbitrary HTML and script code in a user's browser session in the context of an affected site and conduct CSRF attacks.

Solution:
Solution type: VendorFix
Update to version 6.37, 7.39 or later.

Affected Software/OS
Drupal 6.x before 6.37 and 7.x before 7.39 on Linux.

Vulnerability Insight
The following flaws exist:
- The Form API in the application does not properly validate the form token.
- There is no restriction to get node titles by reading the menu.
- Insufficient sanitization of user-supplied input.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 6.x < 6.37, 7.x < 7.39 Multiple Vulnerabilities (SA-CORE-2015-003) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.805965
Version used: `2023-10-06T16:09:51Z`

References
`cve: CVE-2015-6661`
`cve: CVE-2015-6660`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2015-6658
url: https://www.drupal.org/SA-CORE-2015-003
cert-bund: CB-K15/1246
dfn-cert: DFN-CERT-2015-1315
```

Medium (CVSS: 6.8)
NVT: PHP < 5.5.30, 5.6.x < 5.6.14 Multiple DoS Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.30
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (NULL pointer dereference and application crash).

Solution:

Solution type: VendorFix

Update to version 5.5.30, 5.6.14 or later.

Affected Software/OS

PHP prior to version 5.5.30 and 5.6.x prior to 5.6.14.

Vulnerability Insight

The following flaws exist:

- CVE-2015-7804: Off-by-one error in the 'phar_parse_zipfile' function within ext/phar/zip.c script.

- CVE-2015-7803: An error in the 'phar_get_entry_data' function in ext/phar/util.c script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.5.30, 5.6.x < 5.6.14 Multiple DoS Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.806649

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-7803
cve: CVE-2015-7804
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/76959
url: https://bugs.php.net/bug.php?id=70433
url: http://www.openwall.com/lists/oss-security/2015/10/05/8
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0623
cert-bund: CB-K16/0422
cert-bund: CB-K16/0161
cert-bund: CB-K16/0136
cert-bund: CB-K15/1792
cert-bund: CB-K15/1453
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2016-0176
dfn-cert: DFN-CERT-2016-0154
dfn-cert: DFN-CERT-2015-1898
dfn-cert: DFN-CERT-2015-1530

Medium (CVSS: 6.8)
NVT: Drupal Session Hijacking Vulnerability

Summary
Drupal is vulnerable to session hijacking.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 7.5
Fixed version: 7.34
Installation
path / port: /drupal

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
An attacker may gain unauthorized access to the application.

Solution:
Solution type: VendorFix
Upgrade to Drupal 6.34, 7.34 or later.

Affected Software/OS
Drupal 6.x versions prior to 6.34. Drupal 7.x versions prior to 7.34.

Vulnerability Insight
A special crafted request can give a user access to another user's session, allowing an attacker to hijack a random session.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal Session Hijacking Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.105935
Version used: `2023-07-26T05:05:09Z`

References
`cve: CVE-2014-9015`
`url: https://www.drupal.org/SA-CORE-2014-006`
`url: http://www.securityfocus.com/bid/71195`
`cert-bund: CB-K14/1450`
`cert-bund: CB-K14/1449`
`cert-bund: CB-K14/1445`
`dfn-cert: DFN-CERT-2014-1535`
`dfn-cert: DFN-CERT-2014-1534`
`dfn-cert: DFN-CERT-2014-1526`

Medium (CVSS: 6.8)
NVT: PHP 5.4.x < 5.4.32, 5.5.x < 5.5.15 Multiple Vulnerabilities (Aug 2014)

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.4.5
Fixed version:     5.4.32
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to overwrite arbitrary files, conduct denial of service attacks or potentially execute arbitrary code.

Solution:
Solution type: VendorFix
Update to version 5.4.32, 5.5.16 or later.

Affected Software/OS
PHP version 5.4.x prior to 5.4.32 and 5.5.x prior to 5.5.16.

Vulnerability Insight
The following flaws exist:
- CVE-2014-3597: Multiple overflow conditions in the 'php_parserr' function within ext/standard/dns.c script.
- CVE-2014-3587: Integer overflow in the 'cdf_read_property_info' function in cdf.c within the Fileinfo component.
- CVE-2014-5120: An error in the '_php_image_output_ctx' function within ext/gd/gd_ctx.c script as NULL bytes in paths to various image handling functions are not stripped.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.32, 5.5.x < 5.5.15 Multiple Vulnerabilities (Aug 2014)`
OID:1.3.6.1.4.1.25623.1.0.804820
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2014-3587
cve: CVE-2014-3597
cve: CVE-2014-5120
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/69322
url: http://www.securityfocus.com/bid/69325
url: http://www.securityfocus.com/bid/69375
url: http://secunia.com/advisories/59709
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://secunia.com/advisories/57349
cert-bund: CB-K16/1499
cert-bund: CB-K16/1440
cert-bund: CB-K16/1345
cert-bund: CB-K16/1315
cert-bund: CB-K16/0944
cert-bund: CB-K16/0692
cert-bund: CB-K15/1704
cert-bund: CB-K15/0774
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/1215
cert-bund: CB-K14/1214
cert-bund: CB-K14/1167
cert-bund: CB-K14/1130
cert-bund: CB-K14/1117
cert-bund: CB-K14/1054
cert-bund: CB-K14/1051
cert-bund: CB-K14/1045
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1526
dfn-cert: DFN-CERT-2016-1431
dfn-cert: DFN-CERT-2016-1401
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0752
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2015-0815
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1280
dfn-cert: DFN-CERT-2014-1279
dfn-cert: DFN-CERT-2014-1219
dfn-cert: DFN-CERT-2014-1181
dfn-cert: DFN-CERT-2014-1176
dfn-cert: DFN-CERT-2014-1103
dfn-cert: DFN-CERT-2014-1098
dfn-cert: DFN-CERT-2014-1095
dfn-cert: DFN-CERT-2014-1092
```

Medium (CVSS: 6.8)
NVT: PHP < 5.5.2 Session Fixation Vulnerability (Aug 2013)

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to a session fixation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.5.2
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
- Update to PHP version 5.5.2 or later and set 'session.use_strict_mode' in php.ini to 'On'
- make adoptive session with user land code as described in the referenced PHP strict_sessions document

Affected Software/OS
PHP versions prior to 5.5.2 if an application is using the Sessions subsystem of PHP.

Vulnerability Insight
Session fixation vulnerability in the Sessions subsystem in PHP allows remote attackers to hijack web sessions by specifying a session ID.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.2 Session Fixation Vulnerability (Aug 2013)`
OID:1.3.6.1.4.1.25623.1.0.803737
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2011-4718
url: https://wiki.php.net/rfc/strict_sessions
url: https://wiki.php.net/rfc/strict_sessions#current_solution
url: http://git.php.net/?p=php-src.git;a=commit;h=169b78eb79b0e080b67f9798708eb3
↪771c6d0b2f
url: http://git.php.net/?p=php-src.git;a=commit;h=25e8fcc88fa20dc9d4c47184471003
↪f436927cde
url: https://access.redhat.com/security/cve/cve-2011-4718
url: http://secunia.com/advisories/54562
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://cxsecurity.com/cveshow/CVE-2011-4718
cert-bund: WID-SEC-2023-1284
dfn-cert: DFN-CERT-2013-1538
```

Medium (CVSS: 6.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Sep 2014) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.12
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.2.29, 2.4.12 or later.

Affected Software/OS

Apache HTTP Server version 2.2.0 through 2.2.27 and 2.4.1 through 2.4.10.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2013-5704: HTTP trailers could be used to replace HTTP headers late during request processing, potentially undoing or otherwise confusing modules that examined or modified request headers earlier. This fix adds the 'MergeTrailers' directive to restore legacy behavior.

- CVE-2014-0118: A resource consumption flaw was found in mod_deflate. If request body decompression was configured (using the 'DEFLATE' input filter), a remote attacker could cause the server to consume significant memory and/or CPU resources. The use of request body decompression is not a common configuration.

- CVE-2014-0226: A race condition was found in mod_status. An attacker able to access a public server status page on a server using a threaded MPM could send a carefully crafted request which could lead to a heap buffer overflow. Note that it is not a default or recommended configuration to have a public accessible server status page.

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2014-0231: A flaw was found in mod_cgid. If a server using mod_cgid hosted CGI scripts which did not consume standard input, a remote attacker could cause child processes to hang indefinitely, leading to denial of service.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Sep 2014) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147048
Version used: `2021-11-01T03:59:12Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2013-5704`
`cve: CVE-2014-0118`
`cve: CVE-2014-0226`
`cve: CVE-2014-0231`
`url: https://httpd.apache.org/security/vulnerabilities_22.html`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: CB-K16/0112`
`cert-bund: CB-K15/1841`
`cert-bund: CB-K15/1517`
`cert-bund: CB-K15/1360`
`cert-bund: CB-K15/1078`
`cert-bund: CB-K15/1011`
`cert-bund: CB-K15/0960`
`cert-bund: CB-K15/0954`
`cert-bund: CB-K15/0806`
`cert-bund: CB-K15/0493`
`cert-bund: CB-K15/0469`
`cert-bund: CB-K15/0079`
`cert-bund: CB-K15/0075`
`cert-bund: CB-K14/1626`
`cert-bund: CB-K14/1592`
`cert-bund: CB-K14/1568`
`cert-bund: CB-K14/1545`
`cert-bund: CB-K14/1095`
`cert-bund: CB-K14/1050`
`cert-bund: CB-K14/1043`
`cert-bund: CB-K14/0969`
`cert-bund: CB-K14/0968`
`cert-bund: CB-K14/0924`
`cert-bund: CB-K14/0883`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-0125
dfn-cert: DFN-CERT-2015-1950
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1137
dfn-cert: DFN-CERT-2015-1069
dfn-cert: DFN-CERT-2015-1008
dfn-cert: DFN-CERT-2015-1002
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0495
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2014-1727
dfn-cert: DFN-CERT-2014-1691
dfn-cert: DFN-CERT-2014-1668
dfn-cert: DFN-CERT-2014-1633
dfn-cert: DFN-CERT-2014-1145
dfn-cert: DFN-CERT-2014-1094
dfn-cert: DFN-CERT-2014-1088
dfn-cert: DFN-CERT-2014-1019
dfn-cert: DFN-CERT-2014-1017
dfn-cert: DFN-CERT-2014-0967
dfn-cert: DFN-CERT-2014-0926
```

Medium (CVSS: 6.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (May 2015)

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.10
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successful exploitation will allow a remote attacker to bypass intended access restrictions in opportunistic circumstances by leveraging multiple Require directives.

Solution:
Solution type: VendorFix
Update to version 2.4.10 or later.

Affected Software/OS
Apache HTTP Server version before 2.4.10.

Vulnerability Insight
Multiple flaws are due to:
- Vulnerability in the WinNT MPM component within the 'winnt_accept' function in server/mpm/winnt/child.c script that is triggered when the default AcceptFilter is used.
- Vulnerability in the mod_deflate module that is triggered when handling highly compressed bodies.
- A race condition in the mod_status module that is triggered as user-supplied input is not properly validated when handling the scoreboard.
- Vulnerability in the mod_cgid module that is triggered when used to host CGI scripts that do not consume standard input.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (May 2015)`
OID:1.3.6.1.4.1.25623.1.0.805638
Version used: `2024-02-20T05:05:48Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2014-3523`
`cve: CVE-2014-0118`
`cve: CVE-2014-0226`
`cve: CVE-2014-0231`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`url: http://www.securityfocus.com/bid/73040`
`url: http://www.rapid7.com/db/vulnerabilities/apache-httpd-cve-2014-8109`
`cert-bund: CB-K16/1972`
`cert-bund: CB-K15/1517`
`cert-bund: CB-K15/0960`
`cert-bund: CB-K15/0806`
`cert-bund: CB-K15/0493`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0079
cert-bund: CB-K15/0075
cert-bund: CB-K14/1568
cert-bund: CB-K14/1095
cert-bund: CB-K14/1050
cert-bund: CB-K14/1043
cert-bund: CB-K14/0969
cert-bund: CB-K14/0968
cert-bund: CB-K14/0924
cert-bund: CB-K14/0883
dfn-cert: DFN-CERT-2016-2081
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1008
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2014-1668
dfn-cert: DFN-CERT-2014-1145
dfn-cert: DFN-CERT-2014-1094
dfn-cert: DFN-CERT-2014-1088
dfn-cert: DFN-CERT-2014-1019
dfn-cert: DFN-CERT-2014-1017
dfn-cert: DFN-CERT-2014-0967
dfn-cert: DFN-CERT-2014-0926
```

Medium (CVSS: 6.8)
NVT: PHP Multiple Vulnerabilities (Sep 2019) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.2.22
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 7.2.22, 7.3.9 or later.

Affected Software/OS
PHP versions before 7.2.22 and 7.3.x before 7.3.9.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- Buffer overflow in zendparse
- Cast to object confuses GC, causes crash
- Exif crash (bus error) due to wrong alignment and invalid cast
- Use-after-free in FPM master event handling

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Vulnerabilities (Sep 2019) - Linux`
OID:1.3.6.1.4.1.25623.1.0.108637
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`url: http://bugs.php.net/78363`
`url: http://bugs.php.net/78379`
`url: http://bugs.php.net/78333`
`url: http://bugs.php.net/77185`
`url: https://www.php.net/ChangeLog-7.php#7.3.9`
`url: https://www.php.net/ChangeLog-7.php#7.2.22`

Medium (CVSS: 6.8)
NVT: Drupal Core Multiple Security Vulnerabilities (SA-CORE-2018-006) - Linux

Summary
Drupal is prone to multiple security vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 7.5
Fixed version:     7.60
Installation
path / port:       /drupal
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 7.60, 8.5.8 or 8.6.2 respectively.

Affected Software/OS
Drupal core versions 7.x before 7.60, 8.5.x before 8.5.8 and 8.6.x before 8.6.2.

Vulnerability Insight
Drupal is prone to the following vulnerabilities:
- In some conditions, content moderation fails to check a users access to use certain transitions, leading to an access bypass.
- The path module allows users with the 'administer paths' to create pretty URLs for content. In certain circumstances the user can enter a particular path that triggers an open redirect to a malicious url.
- Drupal core and contributed modules frequently use a 'destination' query string parameter in URLs to redirect users to a new destination after completing an action on the current page. Under certain circumstances, malicious users can use this parameter to construct a URL that will trick users into being redirected to a 3rd party website, thereby exposing the users to potential social engineering attacks.
- When sending email some variables were not being sanitized for shell arguments, which could lead to remote code execution.
- The Contextual Links module doesn't sufficiently validate the requested contextual links. This vulnerability is mitigated by the fact that an attacker must have a role with the permission 'access contextual links'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal Core Multiple Security Vulnerabilities (SA-CORE-2018-006) - Linux`
OID:1.3.6.1.4.1.25623.1.0.112394
Version used: `2021-12-01T11:10:56Z`

References
`url: https://www.drupal.org/SA-CORE-2018-006`

Medium (CVSS: 6.8)
NVT: PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Improper Input Validation Vulnerability (Jun 2015) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

PHP is prone to an improper input validation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.40
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service or possibly execute arbitrary code via pipelined HTTP requests.

Solution:

Solution type: VendorFix

Update to version 5.4.40, 5.5.24, 5.6.8 or later.

Affected Software/OS

PHP prior to version 5.4.40, 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.

Vulnerability Insight

The flaw is due to vulnerability in 'php_handler' function in sapi/apache2handler/sapi_apache2.c script in PHP.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Improper Input Validation Vulnerabi.`
↪..

OID:1.3.6.1.4.1.25623.1.0.805658

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-3330
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/74204
url: https://bugs.php.net/bug.php?id=69085
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: CB-K15/1437
cert-bund: CB-K15/1188
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
cert-bund: CB-K15/0665
cert-bund: CB-K15/0648
cert-bund: CB-K15/0561
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0677
dfn-cert: DFN-CERT-2015-0583
```

Medium (CVSS: 6.8)
NVT: PHP Heap Use-After-Free Vulnerability (Sep 2019) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a heap-based use-after-free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.1.32
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.1.32 or later.

Affected Software/OS

PHP versions before 7.1.32.

Vulnerability Insight

PHP is prone to a heap use-after-free in pcrelib (cmb).

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP Heap Use-After-Free Vulnerability (Sep 2019) - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.108635
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
url: http://bugs.php.net/75457
url: https://www.php.net/ChangeLog-7.php#7.1.32

Medium (CVSS: 6.6)
NVT: Drupal Access Bypass Vulnerability (SA-CORE-2023-004) - Linux

Summary
Drupal is prone to an access bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 7.5
Fixed version: 7.95
Installation
path / port: /drupal

Solution:
Solution type: VendorFix
Update to version 7.95, 9.4.12, 9.5.5, 10.0.5 or later.

Affected Software/OS
Drupal versions prior to 7.95, starting from 8.0.0 and prior to 9.4.12, 9.5.x prior to 9.5.5 and 10.x prior to 10.0.5.

Vulnerability Insight
If an attacker was able to achieve an XSS exploit against a privileged user, they may be able to use the phpinfo page to access sensitive information that could be used to escalate the attack.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Drupal Access Bypass Vulnerability (SA-CORE-2023-004) - Linux
OID:1.3.6.1.4.1.25623.1.0.126392
Version used: 2025-01-21T05:37:33Z

. . . continues on next page . . .

. . . continued from previous page . . .

References
`url: https://www.drupal.org/sa-core-2023-004`

Medium (CVSS: 6.5)
NVT: phpMyAdmin < 4.9.1 CSRF Vulnerability - Linux

Summary
phpMyAdmin is prone to a CSRF vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.5.8
Fixed version:     4.9.1
Installation
path / port:       /phpmyadmin
```

Solution:
Solution type: VendorFix
Update to phpMyAdmin version 4.9.1 or later.

Affected Software/OS
phpMyAdmin version 4.9.0.1 and prior.

Vulnerability Insight
A CSRF issue in phpMyAdmin allows deletion of any server in the Setup page.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.1 CSRF Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.142897
Version used: `2024-02-13T05:06:26Z`

References
```
cve: CVE-2019-12922
url: https://seclists.org/fulldisclosure/2019/Sep/23
url: https://github.com/phpmyadmin/phpmyadmin/commit/7d21d4223bdbe0306593309132b
↪4263d7087d13b
cert-bund: CB-K19/0836
dfn-cert: DFN-CERT-2020-0089
dfn-cert: DFN-CERT-2019-1975
```

Medium (CVSS: 6.5)
NVT: phpMyAdmin < 4.9.0 CSRF Vulnerability (PMASA-2019-4) - Linux

Summary
phpMyAdmin is prone to a CSRF vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.8
Fixed version:     4.9.0
Installation
path / port:       /phpmyadmin
```

Solution:
Solution type: VendorFix
Update to version 4.9.0 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.0.

Vulnerability Insight
A vulnerability was found that allows an attacker to trigger a CSRF attack against a phpMyAdmin user. The attacker can trick the user, for instance through a broken <img> tag pointing at the victim's phpMyAdmin database, and the attacker can potentially deliver a payload (such as a specific INSERT or DELETE statement) through the victim.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.0 CSRF Vulnerability (PMASA-2019-4) - Linux`
OID:1.3.6.1.4.1.25623.1.0.142499
Version used: `2024-02-13T05:06:26Z`

References

```
cve: CVE-2019-12616
url: https://www.phpmyadmin.net/security/PMASA-2019-4/
cert-bund: CB-K19/0477
dfn-cert: DFN-CERT-2019-1217
dfn-cert: DFN-CERT-2019-1127
```

Medium (CVSS: 6.5)
NVT: PHP < 7.4.31, 8.0.x < 8.0.24, 8.1.x < 8.1.11 Security Update - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.4.31
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.4.31, 8.0.24, 8.1.11 or later.

Affected Software/OS
PHP versions prior to 7.4.31, 8.0.x prior to 8.0.24 and 8.1.x prior to 8.1.11.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-31628: The phar uncompressor code would recursively uncompress 'quines' gzip files, resulting in an infinite loop.
- CVE-2022-31629: The vulnerability enables network and same-site attackers to set a standard insecure cookie in the victim's browser which is treated as a '__Host-' or '__Secure-' cookie by PHP applications.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.4.31, 8.0.x < 8.0.24, 8.1.x < 8.1.11 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.104331
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2022-31628
cve: CVE-2022-31629
url: https://www.php.net/ChangeLog-7.php#7.4.31
url: https://www.php.net/ChangeLog-8.php#8.0.24
url: https://www.php.net/ChangeLog-8.php#8.1.11
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://bugs.php.net/bug.php?id=81726
url: https://bugs.php.net/bug.php?id=81727
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0137
cert-bund: WID-SEC-2022-1567
dfn-cert: DFN-CERT-2024-1192
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2023-0422
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2523
dfn-cert: DFN-CERT-2022-2337
dfn-cert: DFN-CERT-2022-2157
```

Medium (CVSS: 6.5)
NVT: PHP < 7.3.31, 7.4.x < 7.4.24, 8.0.x < 8.0.11 Security Update (Sep 2021) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP released new versions which includes a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.3.31
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.3.31, 7.4.24, 8.0.11 or later.

Affected Software/OS

PHP versions prior to 7.3.31, 7.4.x through 7.4.23 and 8.0.x through 8.0.10.

Vulnerability Insight

Fixed bug #81420 (ZipArchive::extractTo extracts outside of destination).

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.31, 7.4.x < 7.4.24, 8.0.x < 8.0.11 Security Update (Sep 2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.117694
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2021-21706
url: https://www.php.net/ChangeLog-7.php#7.3.31
url: https://www.php.net/ChangeLog-7.php#7.4.24
url: https://www.php.net/ChangeLog-8.php#8.0.11
url: http://bugs.php.net/81420
cert-bund: WID-SEC-2022-2112
cert-bund: CB-K21/1008
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2021-2474
dfn-cert: DFN-CERT-2021-1994
```

Medium (CVSS: 6.5)
NVT: Drupal Access Bypass Vulnerability (SA-CORE-2023-005) - Linux

Summary
Drupal is prone to an access bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 7.5
Fixed version:     7.96
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.96, 9.4.14, 9.5.8, 10.0.8 or later.

Affected Software/OS
Drupal version 7.x, 9.4.x, 9.5.x and 10.0.x.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The file download facility doesn't sufficiently sanitize file paths in certain situations. This may result in users gaining access to private files that they should not have access to.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal Access Bypass Vulnerability (SA-CORE-2023-005) - Linux`
OID:1.3.6.1.4.1.25623.1.0.149586
Version used: `2023-10-12T05:05:32Z`

References
`cve: CVE-2023-31250`
`url: https://www.drupal.org/sa-core-2023-005`
`cert-bund: WID-SEC-2023-1083`
`dfn-cert: DFN-CERT-2023-2304`

Medium (CVSS: 6.5)
NVT: PHP < 7.2.34, 7.3 < 7.3.23, 7.4 < 7.4.11 Multiple Vulnerabilities (Oct 2020) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     7.2.34
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.34, 7.3.23, 7.4.11 or later.

Affected Software/OS
PHP versions prior 7.2.34, 7.3 prior 7.3.23 and 7.4 prior to 7.4.11.

Vulnerability Insight
The following vulnerabilities exist:

. . . continues on next page . . .

. . . continued from previous page . . .

- Wrong ciphertext/tag in AES-CCM encryption for a 12 bytes IV (CVE-2020-7069)
- PHP parses encoded cookie names so malicious '__Host-' cookies can be sent (CVE-2020-7070)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.34, 7.3 < 7.3.23, 7.4 < 7.4.11 Multiple Vulnerabilities (Oct 2020) - . ↪..`
OID:1.3.6.1.4.1.25623.1.0.144694
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7069
cve: CVE-2020-7070
url: https://www.php.net/ChangeLog-7.php#7.2.34
url: https://www.php.net/ChangeLog-7.php#7.3.23
url: https://www.php.net/ChangeLog-7.php#7.4.11
cert-bund: WID-SEC-2022-2115
cert-bund: CB-K20/0949
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2021-0002
dfn-cert: DFN-CERT-2020-2187
dfn-cert: DFN-CERT-2020-2111
```

Medium (CVSS: 6.5)
NVT: PHP < 7.2.26 Multiple Vulnerabilities (Dec 2019) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.2.26
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.26 or later.

Affected Software/OS
PHP versions before 7.2.26.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- Buffer underflow in bc_shift_addsub (CVE-2019-11046)
- DirectoryIterator class silently truncates after a null byte (CVE-2019-11045)
- Use-after-free in exif parsing under memory sanitizer (CVE-2019-11050)
- Heap-buffer-overflow READ in exif (CVE-2019-11047)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.26 Multiple Vulnerabilities (Dec 2019) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143276
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2019-11045
cve: CVE-2019-11046
cve: CVE-2019-11047
cve: CVE-2019-11050
url: https://www.php.net/ChangeLog-7.php#7.2.26
cert-bund: WID-SEC-2022-2122
cert-bund: CB-K20/1199
cert-bund: CB-K19/1099
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-0415
dfn-cert: DFN-CERT-2020-0382
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-0339
dfn-cert: DFN-CERT-2019-2709
dfn-cert: DFN-CERT-2019-2659
```

Medium (CVSS: 6.5)
NVT: PHP 5.x < 7.1.20, 7.2.x < 7.2.8, 7.3.0alpha1 < 7.3.0alpha3 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.1.20
Installation
path / port:       80/tcp
```

Impact

Successfully exploitation will allow an attacker to consume 100% of the CPU, and consume disk space with a large volume of error logs, as demonstrated by an attack by a customer of a shared-hosting facility.

Solution:

Solution type: VendorFix

Update to version 7.1.20, 7.2.8, 7.3.0alpha3 or later.

Affected Software/OS

PHP versions 5.x, 7.0.x, 7.1.x prior to 7.1.20, 7.2.x prior to 7.2.8 and 7.3.x prior to 7.3.0alpha3 on Linux.

Vulnerability Insight

The flaw exists due to the php-fpm master process restarts a child process in an endless loop when using program execution functions with a non-blocking STDIN stream.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 5.x < 7.1.20, 7.2.x < 7.2.8, 7.3.0alpha1 < 7.3.0alpha3 DoS Vulnerability - . ↪..`

OID:1.3.6.1.4.1.25623.1.0.812520

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-9253
url: https://bugs.php.net/bug.php?id=73342
url: https://bugs.php.net/bug.php?id=70185
url: https://github.com/php/php-src/pull/3287
url: https://www.futureweb.at/security/CVE-2015-9253
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2022-0455
dfn-cert: DFN-CERT-2022-0431
dfn-cert: DFN-CERT-2020-0337
dfn-cert: DFN-CERT-2018-1882

Medium (CVSS: 6.4)
NVT: Drupal XSS Vulnerability (SA-CORE-2024-005) - Linux

Summary
Drupal is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 7.5
Fixed version: 7.102
Installation
path / port: /drupal

Solution:
Solution type: VendorFix
Update to version 7.102 or later.

Affected Software/OS
Drupal version 7.x through 7.101.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Drupal 7 core's Overlay module doesn't safely handle user input, leading to reflected cross-site scripting under certain circumstances. Only sites with the Overlay module enabled are affected by this vulnerability.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal XSS Vulnerability (SA-CORE-2024-005) - Linux`
OID:1.3.6.1.4.1.25623.1.0.153505
Version used: `2024-12-11T05:05:30Z`

References
`cve: CVE-2024-55635`
`url: https://www.drupal.org/sa-core-2024-005`
`cert-bund: WID-SEC-2024-3520`
`dfn-cert: DFN-CERT-2024-3127`

Medium (CVSS: 6.1)
NVT: jQuery 1.0.3 < 3.5.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability when appending HTML containing option elements.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 1.6.2
Fixed version:     3.5.0
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery/
↪jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 3.5.0 or later.

Affected Software/OS
jQuery versions starting from 1.0.3 and prior to version 3.5.0.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Passing HTML containing <option> elements from untrusted sources - even after sanitizing them - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.0.3 < 3.5.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143813
Version used: `2025-01-31T15:39:24Z`

References
`cve: CVE-2020-11023`
`cisa: Known Exploited Vulnerability (KEV) catalog`
`url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog`
`url: https://github.com/jquery/jquery/security/advisories/GHSA-jpcq-cgw6-v4j6`
`url: https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/`
`url: https://masatokinugawa.l0.cm/2020/05/jquery3.5.0-xss.html`
`url: https://security.snyk.io/vuln/SNYK-JS-JQUERY-565129`
`cert-bund: WID-SEC-2025-1459`
`cert-bund: WID-SEC-2024-3191`
`cert-bund: WID-SEC-2024-1872`
`cert-bund: WID-SEC-2023-0239`
`cert-bund: WID-SEC-2023-0063`
`cert-bund: WID-SEC-2022-1347`
`cert-bund: WID-SEC-2022-1189`
`cert-bund: WID-SEC-2022-0757`
`cert-bund: WID-SEC-2022-0732`
`cert-bund: CB-K21/1085`
`cert-bund: CB-K21/1067`
`cert-bund: CB-K21/0418`
`cert-bund: CB-K20/1049`
`cert-bund: CB-K20/1027`
`cert-bund: CB-K20/1025`
`cert-bund: CB-K20/1024`
`cert-bund: CB-K20/1021`
`cert-bund: CB-K20/1008`
`cert-bund: CB-K20/0870`
`cert-bund: CB-K20/0800`
`cert-bund: CB-K20/0705`
`cert-bund: CB-K20/0521`
`dfn-cert: DFN-CERT-2025-2802`
`dfn-cert: DFN-CERT-2025-1803`
`dfn-cert: DFN-CERT-2025-0559`
`dfn-cert: DFN-CERT-2025-0497`
`dfn-cert: DFN-CERT-2025-0373`
`dfn-cert: DFN-CERT-2025-0348`
`dfn-cert: DFN-CERT-2024-2743`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-1988
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2348
dfn-cert: DFN-CERT-2021-1687
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2021-0820
dfn-cert: DFN-CERT-2021-0633
dfn-cert: DFN-CERT-2021-0563
dfn-cert: DFN-CERT-2021-0545
dfn-cert: DFN-CERT-2020-2776
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2287
dfn-cert: DFN-CERT-2020-2227
dfn-cert: DFN-CERT-2020-2209
dfn-cert: DFN-CERT-2020-2074
dfn-cert: DFN-CERT-2020-1743
dfn-cert: DFN-CERT-2020-1712
dfn-cert: DFN-CERT-2020-1509
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-1433
dfn-cert: DFN-CERT-2020-1163
dfn-cert: DFN-CERT-2020-1099
```

Medium (CVSS: 6.1)
NVT: Apache HTTP Server 2.4.0 - 2.4.40 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     2.4.41
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.41 or later.

Affected Software/OS
Apache HTTP Server version 2.4.0 to 2.4.40.

Vulnerability Insight
Apache HTTP server is prone to multiple vulnerabilities:
- A limited cross-site scripting issue affecting the mod_proxy error page. An attacker could cause the link on the error page to be malformed and instead point to a page of their choice. This would be exploitable where a server was set up with proxying enabled but was misconfigured in such a way that the Proxy Error page was displayed. (CVE-2019-10092)
- Redirects configured with mod_rewrite that were intended to be self referential might be fooled by encoded newlines and redirect instead to an unexpected URL within the request URL. (CVE-2019-10098)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.40 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114143
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2019-10092
cve: CVE-2019-10098
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: CB-K20/1030
cert-bund: CB-K20/0708
cert-bund: CB-K20/0043
cert-bund: CB-K19/0909
cert-bund: CB-K19/0728
dfn-cert: DFN-CERT-2021-1333
dfn-cert: DFN-CERT-2021-0540
dfn-cert: DFN-CERT-2020-2422
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-2133
dfn-cert: DFN-CERT-2020-1124
dfn-cert: DFN-CERT-2020-0716
dfn-cert: DFN-CERT-2020-0090
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-1961
dfn-cert: DFN-CERT-2019-1810
dfn-cert: DFN-CERT-2019-1797
dfn-cert: DFN-CERT-2019-1751
```

Medium (CVSS: 6.1)
NVT: Apache HTTP Server 2.4.0 < 2.4.42 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.42
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.42 or later.

Affected Software/OS

Apache HTTP Server version 2.4.0 to 2.4.41.

Vulnerability Insight

Apache HTTP Server is prone to multiple vulnerabilities:
- mod_rewrite CWE-601 open redirect (CVE-2020-1927)
- mod_proxy_ftp use of uninitialized value (CVE-2020-1934)

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Apache HTTP Server 2.4.0 < 2.4.42 Multiple Vulnerabilities - Linux
OID:1.3.6.1.4.1.25623.1.0.143671
Version used: 2024-02-15T05:05:40Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2020-1927
cve: CVE-2020-1934
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-0757
cert-bund: CB-K20/1030
cert-bund: CB-K20/0708
cert-bund: CB-K20/0691
cert-bund: CB-K20/0280
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-1467
dfn-cert: DFN-CERT-2020-2422
dfn-cert: DFN-CERT-2020-2133
dfn-cert: DFN-CERT-2020-1854
dfn-cert: DFN-CERT-2020-1793
dfn-cert: DFN-CERT-2020-1538
dfn-cert: DFN-CERT-2020-1335
dfn-cert: DFN-CERT-2020-1289
dfn-cert: DFN-CERT-2020-1124
dfn-cert: DFN-CERT-2020-0850
dfn-cert: DFN-CERT-2020-0835
dfn-cert: DFN-CERT-2020-0688

Medium (CVSS: 6.1)
NVT: Apache HTTP Server CRLF Injection Vulnerability (Dec 2016) - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server is prone to a CRLF injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.2.32, 2.4.25 or later.

Affected Software/OS
Apache HTTP Server version 2.2.0 through 2.2.31 and 2.4.1 through 2.4.23.

Vulnerability Insight
Possible CRLF injection allowing HTTP response splitting attacks for sites which use mod_userdir. This issue was mitigated to prohibit CR or LF injection into the 'Location' or other outbound header key or value.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server CRLF Injection Vulnerability (Dec 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147044
Version used: `2021-11-01T14:03:43Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2016-4975
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K19/0354
dfn-cert: DFN-CERT-2019-0358
dfn-cert: DFN-CERT-2018-1764
```

Medium (CVSS: 6.1)
NVT: Drupal 7.x < 7.86 Multiple XSS Vulnerabilities (SA-CORE-2022-002) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Drupal is prone to multiple cross-site scripting (XSS) vulnerabilities in jQuery UI.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.86
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.86 or later.

Affected Software/OS
Drupal version 7.x through 7.85.

Vulnerability Insight
jQuery UI is a third-party library used by Drupal. This library was previously thought to be end-of-life.
Late in 2021, jQuery UI announced that they would be continuing development, and released a jQuery UI 1.13.0 version.
It is possible that this vulnerability is exploitable with some Drupal modules. As a precaution, this Drupal security release applies the fix for the above cross-site description issue, without making any of the other changes to the jQuery version that is included in Drupal.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 7.x < 7.86 Multiple XSS Vulnerabilities (SA-CORE-2022-002) - Linux` OID:1.3.6.1.4.1.25623.1.0.147490
Version used: `2023-01-31T10:08:41Z`

References

```
cve: CVE-2010-5312
cve: CVE-2016-7103
cve: CVE-2021-41182
cve: CVE-2021-41183
url: https://www.drupal.org/sa-core-2022-002
cert-bund: WID-SEC-2024-0117
cert-bund: WID-SEC-2023-2309
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-2102
cert-bund: WID-SEC-2023-1022
cert-bund: WID-SEC-2022-2368
cert-bund: WID-SEC-2022-1779
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1729
cert-bund: WID-SEC-2022-1721
cert-bund: WID-SEC-2022-0736
cert-bund: CB-K20/0309
cert-bund: CB-K19/0911
cert-bund: CB-K19/0615
cert-bund: CB-K16/1894
cert-bund: CB-K16/1616
cert-bund: CB-K15/0295
cert-bund: CB-K14/1478
dfn-cert: DFN-CERT-2023-2402
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1933
dfn-cert: DFN-CERT-2022-2772
dfn-cert: DFN-CERT-2022-2281
dfn-cert: DFN-CERT-2022-1614
dfn-cert: DFN-CERT-2022-1206
dfn-cert: DFN-CERT-2022-1142
dfn-cert: DFN-CERT-2022-0555
dfn-cert: DFN-CERT-2022-0150
dfn-cert: DFN-CERT-2022-0139
dfn-cert: DFN-CERT-2021-2402
dfn-cert: DFN-CERT-2021-1503
dfn-cert: DFN-CERT-2020-0780
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2016-2025
dfn-cert: DFN-CERT-2016-1718
dfn-cert: DFN-CERT-2015-0309
dfn-cert: DFN-CERT-2014-1563
```

Medium (CVSS: 6.1)
NVT: Drupal 7.x Open Redirect Vulnerability (SA-CORE-2020-003) - Linux

Summary
Drupal is prone to an open redirect vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.70
Installation
path / port:       /drupal
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 7.70 or later.

Affected Software/OS
Drupal 7.x.

Vulnerability Insight
Drupal 7 has an Open Redirect vulnerability. For example, a user could be tricked into visiting a specially crafted link which would redirect them to an arbitrary external URL.
The vulnerability is caused by insufficient validation of the destination query parameter in the drupal_goto() function.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 7.x Open Redirect Vulnerability (SA-CORE-2020-003) - Linux`
OID:1.3.6.1.4.1.25623.1.0.144003
Version used: `2024-02-19T05:05:57Z`

References
`cve: CVE-2020-13662`
`url: https://www.drupal.org/sa-core-2020-003`
`cert-bund: CB-K20/0492`
`dfn-cert: DFN-CERT-2020-1099`

Medium (CVSS: 6.1)
NVT: Drupal 7.x, 8.x jQuery XSS Vulnerabilities (SA-CORE-2020-002) - Linux

Summary
Drupal is prone to multiple cross-site scripting vulnerabilities in jQuery.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 7.5
Fixed version:     7.70
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.70, 8.7.14, 8.8.6 or later.

Affected Software/OS
Drupal 7.x, 8.7.x and earlier and 8.8.x.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The jQuery project released version 3.5.0, and as part of that, disclosed two security vulnerabilities that affect all prior versions. These vulnerabilities may be exploitable on some Drupal sites.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 7.x, 8.x jQuery XSS Vulnerabilities (SA-CORE-2020-002) - Linux`
OID:1.3.6.1.4.1.25623.1.0.144144
Version used: `2025-01-31T15:39:24Z`

References
`cve: CVE-2020-11022`
`cve: CVE-2020-11023`
`cisa: Known Exploited Vulnerability (KEV) catalog`
`url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog`
`url: https://www.drupal.org/sa-core-2020-002`
`cert-bund: WID-SEC-2025-1459`
`cert-bund: WID-SEC-2025-1087`
`cert-bund: WID-SEC-2024-3217`
`cert-bund: WID-SEC-2024-3191`
`cert-bund: WID-SEC-2024-1872`
`cert-bund: WID-SEC-2023-0239`
`cert-bund: WID-SEC-2023-0063`
`cert-bund: WID-SEC-2022-1767`
`cert-bund: WID-SEC-2022-1347`
`cert-bund: WID-SEC-2022-1189`
`cert-bund: WID-SEC-2022-0757`
`cert-bund: WID-SEC-2022-0740`
`cert-bund: WID-SEC-2022-0732`
`cert-bund: WID-SEC-2022-0624`
`cert-bund: CB-K22/0463`
`cert-bund: CB-K21/1085`
`cert-bund: CB-K21/1067`
`cert-bund: CB-K21/0418`
`cert-bund: CB-K21/0071`
`cert-bund: CB-K21/0070`
`cert-bund: CB-K21/0069`
`cert-bund: CB-K21/0067`
`cert-bund: CB-K21/0061`
`cert-bund: CB-K21/0059`
`cert-bund: CB-K20/1049`
`cert-bund: CB-K20/1030`
`cert-bund: CB-K20/1027`
`cert-bund: CB-K20/1025`
`cert-bund: CB-K20/1024`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K20/1023
cert-bund: CB-K20/1021
cert-bund: CB-K20/1008
cert-bund: CB-K20/0870
cert-bund: CB-K20/0800
cert-bund: CB-K20/0705
cert-bund: CB-K20/0521
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2025-0559
dfn-cert: DFN-CERT-2025-0497
dfn-cert: DFN-CERT-2025-0373
dfn-cert: DFN-CERT-2025-0348
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2024-2743
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-1988
dfn-cert: DFN-CERT-2022-1670
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2348
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-1687
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2021-0828
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0820
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0633
dfn-cert: DFN-CERT-2021-0563
dfn-cert: DFN-CERT-2021-0545
dfn-cert: DFN-CERT-2021-0140
dfn-cert: DFN-CERT-2021-0138
dfn-cert: DFN-CERT-2021-0135
dfn-cert: DFN-CERT-2021-0132
dfn-cert: DFN-CERT-2020-2776
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2305
dfn-cert: DFN-CERT-2020-2287
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2227
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-2209
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-2074
dfn-cert: DFN-CERT-2020-2015
dfn-cert: DFN-CERT-2020-2001
dfn-cert: DFN-CERT-2020-1838
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1743
dfn-cert: DFN-CERT-2020-1712
dfn-cert: DFN-CERT-2020-1509
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-1433
dfn-cert: DFN-CERT-2020-1163
dfn-cert: DFN-CERT-2020-1161
dfn-cert: DFN-CERT-2020-1138
dfn-cert: DFN-CERT-2020-1099
```

Medium (CVSS: 6.1)
NVT: Drupal 7.x, 8.x, 9.x XSS Vulnerability (SA-CORE-2020-007) - Linux

Summary
Drupal is prone to a cross-site scripting vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.73
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.73, 8.8.10, 8.9.6, 9.0.6 or later.

Affected Software/OS
Drupal 7.x, 8.8.x and prior, 8.9.x and 9.0.x.

Vulnerability Insight
The Drupal AJAX API does not disable JSONP by default, which can lead to cross-site scripting.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal 7.x, 8.x, 9.x XSS Vulnerability (SA-CORE-2020-007) - Linux`
OID:1.3.6.1.4.1.25623.1.0.144585

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2024-02-19T05:05:57Z

References
cve: CVE-2020-13666
url: https://www.drupal.org/sa-core-2020-007
cert-bund: CB-K20/0906
dfn-cert: DFN-CERT-2020-2663
dfn-cert: DFN-CERT-2020-2547
dfn-cert: DFN-CERT-2020-2023

Medium (CVSS: 6.1)
NVT: Drupal 7.x, 8.x, 9.x XSS Vulnerability (SA-CORE-2021-002) - Linux

Summary
Drupal is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 7.5
Fixed version: 7.80
Installation
path / port: /drupal

Solution:
Solution type: VendorFix
Update to version 7.80, 8.9.14, 9.0.12, 9.1.7 or later.

Affected Software/OS
Drupal 7.x, 8.x, 9.0.x and 9.1.x.

Vulnerability Insight
Drupal core's sanitization API fails to properly filter XSS under certain circumstances.
Note: Not all sites and users are affected, but configuration changes to prevent the exploit might be impractical and will vary between sites.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Drupal 7.x, 8.x, 9.x XSS Vulnerability (SA-CORE-2021-002) - Linux
OID:1.3.6.1.4.1.25623.1.0.145810
Version used: 2022-02-21T03:06:03Z

References
cve: CVE-2020-13672
url: https://www.drupal.org/sa-core-2021-002

Medium (CVSS: 6.1)
NVT: Drupal < 8.9.16, 9.0.x < 9.0.14, 9.1.x < 9.1.9 XSS Vulnerability (SA-CORE-2021-003) - Linux

Summary
Drupal is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     8.9.16
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 8.9.16, 9.0.14, 9.1.9 or later.

Affected Software/OS
Drupal before 8.9.16, 9.0.x before 9.0.14, and 9.1.x before 9.1.9.

Vulnerability Insight
Drupal core uses the third-party CKEditor library. This library has an error in parsing HTML that could lead to an XSS attack.
This issue is mitigated by the fact that it only affects sites with CKEditor enabled.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal < 8.9.16, 9.0.x < 9.0.14, 9.1.x < 9.1.9 XSS Vulnerability (SA-CORE-2021-.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.112890
Version used: `2021-12-02T03:03:37Z`

References

```
cve: CVE-2021-33829
url: https://www.drupal.org/sa-core-2021-003
cert-bund: WID-SEC-2024-0234
dfn-cert: DFN-CERT-2024-0263
dfn-cert: DFN-CERT-2022-0667
dfn-cert: DFN-CERT-2021-2323
dfn-cert: DFN-CERT-2021-1979
```

Medium (CVSS: 6.1)
NVT: Drupal Core Multiple Vulnerabilities (SA-CORE-2015-001) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Drupal is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.35
Installation
path / port:       /drupal
```

Impact
Successful exploitation will allow remote attackers to gain access to another user's account without knowing the account's password and also trick users into being redirected to a 3rd party website, thereby exposing the users to potential social engineering attacks.

Solution:
Solution type: VendorFix
Upgrade to Drupal core version 6.35 or 7.35 or later.

Affected Software/OS
Drupal core 6.x versions prior to 6.35 and 7.x versions prior to 7.35 on Linux.

Vulnerability Insight
Multiple flaws are due to:
- An improper validation for 'destination' query string parameter in URLs to redirect users to a new destination after completing an action on the current page.
- An improper implementation of several URL-related API functions.
- An improper handling of Password reset URLs.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal Core Multiple Vulnerabilities (SA-CORE-2015-001) - Linux`
OID:1.3.6.1.4.1.25623.1.0.811831
Version used: `2023-07-14T16:09:27Z`

References

```
cve: CVE-2015-2750
cve: CVE-2015-2749
cve: CVE-2015-2559
url: https://www.drupal.org/SA-CORE-2015-001
url: http://www.securityfocus.com/bid/73219
url: http://www.securityfocus.com/bid/73403
url: http://www.securityfocus.com/bid/73219
cert-bund: CB-K15/0373
dfn-cert: DFN-CERT-2015-0385
```

Medium (CVSS: 6.1)
NVT: Drupal jQuery XSS Vulnerability (SA-CORE-2019-006) - Linux

Summary
Drupal is prone to a cross-site scripting vulnerability in jQuery.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.66
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.66, 8.5.15, 8.6.15 or later.

Affected Software/OS
Drupal 7, 8.5.x or earlier and 8.6.x.

Vulnerability Insight
jQuery 3.4.0 includes a fix for some unintended behavior when using jQuery.extend(true, }}, ...). If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype. This fix is included in jQuery 3.4.0, but patch diffs exist to patch previous jQuery versions.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal jQuery XSS Vulnerability (SA-CORE-2019-006) - Linux`
OID:1.3.6.1.4.1.25623.1.0.142300
Version used: `2024-02-19T05:05:57Z`

References

```
cve: CVE-2019-11358
url: https://www.drupal.org/sa-core-2019-006
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2022-1948
cert-bund: WID-SEC-2022-1947
cert-bund: WID-SEC-2022-0732
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K21/1083
cert-bund: CB-K20/1049
cert-bund: CB-K20/1030
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K20/0800
cert-bund: CB-K20/0710
cert-bund: CB-K20/0324
cert-bund: CB-K20/0314
cert-bund: CB-K20/0309
cert-bund: CB-K20/0106
cert-bund: CB-K20/0041
cert-bund: CB-K20/0037
cert-bund: CB-K20/0034
cert-bund: CB-K19/0921
cert-bund: CB-K19/0920
cert-bund: CB-K19/0916
cert-bund: CB-K19/0911
cert-bund: CB-K19/0909
cert-bund: CB-K19/0619
cert-bund: CB-K19/0504
cert-bund: CB-K19/0329
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2024-1997
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-2467
dfn-cert: DFN-CERT-2021-1536
dfn-cert: DFN-CERT-2021-1503
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1574
dfn-cert: DFN-CERT-2020-1537
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0769
dfn-cert: DFN-CERT-2020-0721
dfn-cert: DFN-CERT-2020-0276
dfn-cert: DFN-CERT-2020-0102
dfn-cert: DFN-CERT-2020-0100
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-2156
dfn-cert: DFN-CERT-2019-2126
dfn-cert: DFN-CERT-2019-1861
dfn-cert: DFN-CERT-2019-1663
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1460
dfn-cert: DFN-CERT-2019-1182
dfn-cert: DFN-CERT-2019-1153
dfn-cert: DFN-CERT-2019-1118
dfn-cert: DFN-CERT-2019-1033
dfn-cert: DFN-CERT-2019-0914
dfn-cert: DFN-CERT-2019-0899
dfn-cert: DFN-CERT-2019-0805
```

Medium (CVSS: 6.1)
NVT: PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 XSS Vulnerability (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.38
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allows remote attackers to conduct cross-site scripting (XSS) attacks against Internet Explorer by leveraging '%0A%20' or '%0D%0A%20' mishandling in the header function.

Solution:

Solution type: VendorFix

Update to version 5.4.38, 5.5.22, 5.6.6 or later.

Affected Software/OS

PHP prior to version 5.4.38, 5.5.x prior to 5.5.22 and 5.6.x prior to 5.6.6 on Linux.

Vulnerability Insight

The flaw is due to the 'sapi_header_op' function in 'main/SAPI.c' script supports deprecated line folding without considering browser compatibility.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 XSS Vulnerability (Aug 2016) - Linux
OID:1.3.6.1.4.1.25623.1.0.809137
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-8935
url: https://bugs.php.net/bug.php?id=68978
url: http://www.securityfocus.com/bid/92356
cert-bund: CB-K16/1614
cert-bund: CB-K16/1257
cert-bund: CB-K16/1230
cert-bund: CB-K16/1179
cert-bund: CB-K16/1106
cert-bund: CB-K16/1030
dfn-cert: DFN-CERT-2016-1719
dfn-cert: DFN-CERT-2016-1335
dfn-cert: DFN-CERT-2016-1295
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1097

Medium (CVSS: 6.1)
NVT: PHP < 5.6.33, 7.x < 7.0.27, 7.1.x < 7.1.13, 7.2.x < 7.2.1 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.4.5
Fixed version: 5.6.33
Installation
path / port: 80/tcp

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successfully exploiting these issues allows attacker to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site. This may allow the attacker to steal cookie-based authentication credentials and to launch other attacks and will also lead to a denial of service and exhausting the server resources.

Solution:
Solution type: VendorFix
Update to version 5.6.33, 7.0.27, 7.1.13, 7.2.1 or later.

Affected Software/OS
PHP prior to version 5.6.33, 7.0.x prior to 7.0.27, 7.1.x prior to 7.1.13 and 7.2.x prior to 7.2.1.

Vulnerability Insight
The following flaws exist:
- CVE-2018-5712: Input validation error on the PHAR 404 error page via the URI of a request for a .phar file.
- CVE-2018-5711: Integer signedness error in gd_gif_in.c in the GD Graphics Library (aka libgd).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.33, 7.x < 7.0.27, 7.1.x < 7.1.13, 7.2.x < 7.2.1 Multiple Vulnerabilit.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.812735
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2018-5711`
`cve: CVE-2018-5712`
`url: http://php.net/ChangeLog-5.php`
`url: http://php.net/ChangeLog-7.php`
`url: https://bugs.php.net/bug.php?id=74782`
`url: https://bugs.php.net/bug.php?id=75571`
`cert-bund: WID-SEC-2024-0991`
`cert-bund: WID-SEC-2024-0990`
`cert-bund: CB-K20/0307`
`cert-bund: CB-K18/0498`
`cert-bund: CB-K18/0270`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K18/0188
cert-bund: CB-K18/0174
dfn-cert: DFN-CERT-2020-0774
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2019-0362
dfn-cert: DFN-CERT-2019-0212
dfn-cert: DFN-CERT-2019-0204
dfn-cert: DFN-CERT-2018-1739
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2018-0537
dfn-cert: DFN-CERT-2018-0290
dfn-cert: DFN-CERT-2018-0205
dfn-cert: DFN-CERT-2018-0191
```

Medium (CVSS: 6.1)
NVT: jQuery 1.2 < 3.5.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability in jQuery.htmlPrefilter and related methods.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     3.5.0
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery/
↪jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 3.5.0 or later.

Affected Software/OS
jQuery versions starting from 1.2 and prior to version 3.5.0.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.2 < 3.5.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143812
Version used: `2023-07-14T05:06:08Z`

References
`cve: CVE-2020-11022`
`url: https://github.com/jquery/jquery/security/advisories/GHSA-gxr4-xjj5-5px2`
`url: https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/`
`url: https://masatokinugawa.l0.cm/2020/05/jquery3.5.0-xss.html`
`url: https://security.snyk.io/vuln/SNYK-JS-JQUERY-567880`
`cert-bund: WID-SEC-2025-1087`
`cert-bund: WID-SEC-2024-3217`
`cert-bund: WID-SEC-2024-1872`
`cert-bund: WID-SEC-2023-0239`
`cert-bund: WID-SEC-2023-0063`
`cert-bund: WID-SEC-2022-1767`
`cert-bund: WID-SEC-2022-1347`
`cert-bund: WID-SEC-2022-0740`
`cert-bund: WID-SEC-2022-0732`
`cert-bund: WID-SEC-2022-0624`
`cert-bund: CB-K22/0463`
`cert-bund: CB-K21/1085`
`cert-bund: CB-K21/0071`
`cert-bund: CB-K21/0070`
`cert-bund: CB-K21/0069`
`cert-bund: CB-K21/0067`
`cert-bund: CB-K21/0061`
`cert-bund: CB-K21/0059`
`cert-bund: CB-K20/1049`
`cert-bund: CB-K20/1030`
`cert-bund: CB-K20/1027`
`cert-bund: CB-K20/1025`
`cert-bund: CB-K20/1023`
`cert-bund: CB-K20/1008`
`cert-bund: CB-K20/0870`
`cert-bund: CB-K20/0800`
`cert-bund: CB-K20/0705`
`cert-bund: CB-K20/0521`
`dfn-cert: DFN-CERT-2025-1803`
`dfn-cert: DFN-CERT-2025-0559`
`dfn-cert: DFN-CERT-2025-0041`
`dfn-cert: DFN-CERT-2023-2027`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-1988
dfn-cert: DFN-CERT-2022-1670
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2021-0828
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0633
dfn-cert: DFN-CERT-2021-0545
dfn-cert: DFN-CERT-2021-0140
dfn-cert: DFN-CERT-2021-0138
dfn-cert: DFN-CERT-2021-0135
dfn-cert: DFN-CERT-2021-0132
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2305
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2227
dfn-cert: DFN-CERT-2020-2209
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-2074
dfn-cert: DFN-CERT-2020-2015
dfn-cert: DFN-CERT-2020-2001
dfn-cert: DFN-CERT-2020-1838
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1712
dfn-cert: DFN-CERT-2020-1509
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-1433
dfn-cert: DFN-CERT-2020-1163
dfn-cert: DFN-CERT-2020-1161
dfn-cert: DFN-CERT-2020-1138
dfn-cert: DFN-CERT-2020-1099
```

Medium (CVSS: 6.1)
NVT: jQuery < 1.9.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability via the load method.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     1.9.0
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery/
↪jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 1.9.0 or later.

Affected Software/OS
jQuery versions prior to 1.9.0.

Vulnerability Insight
jQuery allows cross-site scripting attacks via the load method. The load method fails to recognize and remove '<script>' HTML tags that contain a whitespace character, i.e: '</script >', which results in the enclosed script logic to be executed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 1.9.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143968
Version used: `2023-07-14T05:06:08Z`

References

```
cve: CVE-2020-7656
url: https://snyk.io/vuln/SNYK-JS-JQUERY-569619
cert-bund: WID-SEC-2023-0558
cert-bund: WID-SEC-2022-0736
dfn-cert: DFN-CERT-2022-1614
dfn-cert: DFN-CERT-2021-2348
dfn-cert: DFN-CERT-2021-1503
dfn-cert: DFN-CERT-2020-2259
dfn-cert: DFN-CERT-2020-2209
```

Medium (CVSS: 6.1)
NVT: jQuery < 1.9.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     1.9.0
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery/
↪jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 1.9.0 or later.

Affected Software/OS
jQuery prior to version 1.9.0.

Vulnerability Insight
The jQuery(strInput) function does not differentiate selectors from HTML in a reliable fashion. In vulnerable versions, jQuery determined whether the input was HTML by looking for the '<' character anywhere in the string, giving attackers more flexibility when attempting to construct a malicious payload. In fixed versions, jQuery only deems the input to be HTML if it explicitly starts with the '<' character, limiting exploitability only to attackers who can control the beginning of a string, which is far less common.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 1.9.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141636
Version used: `2023-07-14T05:06:08Z`

References

```
cve: CVE-2012-6708
url: https://bugs.jquery.com/ticket/11290
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K18/1131
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2020-0590
```

Medium (CVSS: 6.1)
NVT: jQuery 1.2 < 3.5.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability in jQuery.htmlPrefilter and related methods.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     3.5.0
Installation
path / port:       /phpmyadmin/setup/../js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/../j
↪s/jquery/jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/
```

Solution:
Solution type: VendorFix
Update to version 3.5.0 or later.

Affected Software/OS
jQuery versions starting from 1.2 and prior to version 3.5.0.

Vulnerability Insight
Passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.2 < 3.5.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143812
Version used: `2023-07-14T05:06:08Z`

References

```
cve: CVE-2020-11022
url: https://github.com/jquery/jquery/security/advisories/GHSA-gxr4-xjj5-5px2
url: https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
url: https://masatokinugawa.l0.cm/2020/05/jquery3.5.0-xss.html
url: https://security.snyk.io/vuln/SNYK-JS-JQUERY-567880
cert-bund: WID-SEC-2025-1087
cert-bund: WID-SEC-2024-3217
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2023-0063
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1347
cert-bund: WID-SEC-2022-0740
cert-bund: WID-SEC-2022-0732
cert-bund: WID-SEC-2022-0624
cert-bund: CB-K22/0463
cert-bund: CB-K21/1085
cert-bund: CB-K21/0071
cert-bund: CB-K21/0070
cert-bund: CB-K21/0069
cert-bund: CB-K21/0067
cert-bund: CB-K21/0061
cert-bund: CB-K21/0059
cert-bund: CB-K20/1049
cert-bund: CB-K20/1030
cert-bund: CB-K20/1027
cert-bund: CB-K20/1025
cert-bund: CB-K20/1023
cert-bund: CB-K20/1008
cert-bund: CB-K20/0870
cert-bund: CB-K20/0800
cert-bund: CB-K20/0705
cert-bund: CB-K20/0521
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2025-0559
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-1988
dfn-cert: DFN-CERT-2022-1670
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2021-0828
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0633
dfn-cert: DFN-CERT-2021-0545
dfn-cert: DFN-CERT-2021-0140
dfn-cert: DFN-CERT-2021-0138
dfn-cert: DFN-CERT-2021-0135
dfn-cert: DFN-CERT-2021-0132
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-2305
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2227
dfn-cert: DFN-CERT-2020-2209
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-2074
dfn-cert: DFN-CERT-2020-2015
dfn-cert: DFN-CERT-2020-2001
dfn-cert: DFN-CERT-2020-1838
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1712
dfn-cert: DFN-CERT-2020-1509
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-1433
dfn-cert: DFN-CERT-2020-1163
dfn-cert: DFN-CERT-2020-1161
dfn-cert: DFN-CERT-2020-1138
dfn-cert: DFN-CERT-2020-1099
```

Medium (CVSS: 6.1)
NVT: jQuery 1.0.3 < 3.5.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability when appending HTML containing option elements.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     3.5.0
Installation
path / port:       /phpmyadmin/setup/../js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/../j
↪s/jquery/jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/
```

Solution:
Solution type: VendorFix
Update to version 3.5.0 or later.

Affected Software/OS
jQuery versions starting from 1.0.3 and prior to version 3.5.0.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Passing HTML containing <option> elements from untrusted sources - even after sanitizing them - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.0.3 < 3.5.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143813
Version used: `2025-01-31T15:39:24Z`

References
```
cve: CVE-2020-11023
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://github.com/jquery/jquery/security/advisories/GHSA-jpcq-cgw6-v4j6
url: https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
url: https://masatokinugawa.l0.cm/2020/05/jquery3.5.0-xss.html
url: https://security.snyk.io/vuln/SNYK-JS-JQUERY-565129
cert-bund: WID-SEC-2025-1459
cert-bund: WID-SEC-2024-3191
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1347
cert-bund: WID-SEC-2022-1189
cert-bund: WID-SEC-2022-0757
cert-bund: WID-SEC-2022-0732
cert-bund: CB-K21/1085
cert-bund: CB-K21/1067
cert-bund: CB-K21/0418
cert-bund: CB-K20/1049
cert-bund: CB-K20/1027
cert-bund: CB-K20/1025
cert-bund: CB-K20/1024
cert-bund: CB-K20/1021
cert-bund: CB-K20/1008
cert-bund: CB-K20/0870
cert-bund: CB-K20/0800
cert-bund: CB-K20/0705
cert-bund: CB-K20/0521
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2025-0559
dfn-cert: DFN-CERT-2025-0497
dfn-cert: DFN-CERT-2025-0373
dfn-cert: DFN-CERT-2025-0348
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-2743
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-1988
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2348
dfn-cert: DFN-CERT-2021-1687
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2021-0820
dfn-cert: DFN-CERT-2021-0633
dfn-cert: DFN-CERT-2021-0563
dfn-cert: DFN-CERT-2021-0545
dfn-cert: DFN-CERT-2020-2776
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2287
dfn-cert: DFN-CERT-2020-2227
dfn-cert: DFN-CERT-2020-2209
dfn-cert: DFN-CERT-2020-2074
dfn-cert: DFN-CERT-2020-1743
dfn-cert: DFN-CERT-2020-1712
dfn-cert: DFN-CERT-2020-1509
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-1433
dfn-cert: DFN-CERT-2020-1163
dfn-cert: DFN-CERT-2020-1099
```

Medium (CVSS: 6.1)
NVT: jQuery 1.4.2 <= 1.11.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability via vectors related to use of the text method inside after.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     1.11.1
Installation
path / port:       /phpmyadmin/setup/../js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/../j
↪s/jquery/jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/
```

Solution:
Solution type: VendorFix
Update to version 1.11.1 or later.

Affected Software/OS
jQuery version 1.4.2 through 1.11.0.

Vulnerability Insight
Please see the references for more information on the vulnerabilities.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.4.2 <= 1.11.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.150660
Version used: `2023-07-14T05:06:08Z`

References
`cve: CVE-2014-6071`
`url: https://seclists.org/fulldisclosure/2014/Sep/10`

Medium (CVSS: 6.1)
NVT: jQuery 1.4.2 <= 1.11.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability via vectors related to use of the text method inside after.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     1.11.1
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery/
↪jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 1.11.1 or later.

Affected Software/OS
jQuery version 1.4.2 through 1.11.0.

Vulnerability Insight
Please see the references for more information on the vulnerabilities.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.4.2 <= 1.11.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.150660
Version used: `2023-07-14T05:06:08Z`

References
`cve: CVE-2014-6071`
`url: https://seclists.org/fulldisclosure/2014/Sep/10`

Medium (CVSS: 6.1)
NVT: jQuery < 1.9.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability via the load method.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     1.9.0
Installation
path / port:       /phpmyadmin/setup/../js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/../j
↪s/jquery/jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/
```

Solution:
Solution type: VendorFix
Update to version 1.9.0 or later.

Affected Software/OS
jQuery versions prior to 1.9.0.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

jQuery allows cross-site scripting attacks via the load method. The load method fails to recognize and remove '<script>' HTML tags that contain a whitespace character, i.e: '</script >', which results in the enclosed script logic to be executed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 1.9.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143968
Version used: `2023-07-14T05:06:08Z`

References
```
cve: CVE-2020-7656
url: https://snyk.io/vuln/SNYK-JS-JQUERY-569619
cert-bund: WID-SEC-2023-0558
cert-bund: WID-SEC-2022-0736
dfn-cert: DFN-CERT-2022-1614
dfn-cert: DFN-CERT-2021-2348
dfn-cert: DFN-CERT-2021-1503
dfn-cert: DFN-CERT-2020-2259
dfn-cert: DFN-CERT-2020-2209
```

Medium (CVSS: 6.1)
NVT: jQuery < 1.9.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Installed version: 1.6.2
Fixed version:     1.9.0
Installation
path / port:       /phpmyadmin/setup/../js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/../j
↪s/jquery/jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/
```

Solution:
Solution type: VendorFix
Update to version 1.9.0 or later.

Affected Software/OS
jQuery prior to version 1.9.0.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The jQuery(strInput) function does not differentiate selectors from HTML in a reliable fashion. In vulnerable versions, jQuery determined whether the input was HTML by looking for the '<' character anywhere in the string, giving attackers more flexibility when attempting to construct a malicious payload. In fixed versions, jQuery only deems the input to be HTML if it explicitly starts with the '<' character, limiting exploitability only to attackers who can control the beginning of a string, which is far less common.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 1.9.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141636
Version used: `2023-07-14T05:06:08Z`

References
```
cve: CVE-2012-6708
url: https://bugs.jquery.com/ticket/11290
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K18/1131
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2020-0590
```

Medium (CVSS: 6.1)
NVT: jQuery < 3.0.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 1.6.2
Fixed version:     3.0.0
Installation
path / port:       /phpmyadmin/setup/../js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/../j
↪s/jquery/jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/
```

Solution:
Solution type: VendorFix
Update to version 3.0.0 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
jQuery prior to version 3.0.0.

Vulnerability Insight
When a cross-domain Ajax request is performed without the dataType option, causing text/javascript responses to be executed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 3.0.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141635
Version used: `2023-07-14T05:06:08Z`

References
`cve: CVE-2015-9251`
`url: https://github.com/jquery/jquery/issues/2432`
`cert-bund: WID-SEC-2025-1660`
`cert-bund: WID-SEC-2025-1212`
`cert-bund: WID-SEC-2024-1872`
`cert-bund: WID-SEC-2024-1682`
`cert-bund: WID-SEC-2023-0239`
`cert-bund: WID-SEC-2022-0673`
`cert-bund: CB-K22/0045`
`cert-bund: CB-K20/1030`
`cert-bund: CB-K20/0309`
`cert-bund: CB-K20/0041`
`cert-bund: CB-K19/0911`
`cert-bund: CB-K19/0909`
`cert-bund: CB-K19/0615`
`cert-bund: CB-K19/0321`
`cert-bund: CB-K19/0313`
`cert-bund: CB-K19/0054`
`cert-bund: CB-K19/0052`
`cert-bund: CB-K19/0049`
`cert-bund: CB-K19/0048`
`cert-bund: CB-K19/0046`
`cert-bund: CB-K18/1006`
`dfn-cert: DFN-CERT-2023-1197`
`dfn-cert: DFN-CERT-2023-0245`
`dfn-cert: DFN-CERT-2020-2423`
`dfn-cert: DFN-CERT-2020-2130`
`dfn-cert: DFN-CERT-2020-0630`
`dfn-cert: DFN-CERT-2020-0590`
`dfn-cert: DFN-CERT-2020-0318`
`dfn-cert: DFN-CERT-2019-2158`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-0777
dfn-cert: DFN-CERT-2019-0772
dfn-cert: DFN-CERT-2019-0119
dfn-cert: DFN-CERT-2019-0111
dfn-cert: DFN-CERT-2018-2103
dfn-cert: DFN-CERT-2018-1163
```

Medium (CVSS: 6.1)
NVT: jQuery < 3.0.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     3.0.0
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery/
↪jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 3.0.0 or later.

Affected Software/OS
jQuery prior to version 3.0.0.

Vulnerability Insight
When a cross-domain Ajax request is performed without the dataType option, causing text/javascript responses to be executed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 3.0.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141635
Version used: `2023-07-14T05:06:08Z`

References
`cve: CVE-2015-9251`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://github.com/jquery/jquery/issues/2432
cert-bund: WID-SEC-2025-1660
cert-bund: WID-SEC-2025-1212
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2024-1682
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K20/1030
cert-bund: CB-K20/0309
cert-bund: CB-K20/0041
cert-bund: CB-K19/0911
cert-bund: CB-K19/0909
cert-bund: CB-K19/0615
cert-bund: CB-K19/0321
cert-bund: CB-K19/0313
cert-bund: CB-K19/0054
cert-bund: CB-K19/0052
cert-bund: CB-K19/0049
cert-bund: CB-K19/0048
cert-bund: CB-K19/0046
cert-bund: CB-K18/1006
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-0630
dfn-cert: DFN-CERT-2020-0590
dfn-cert: DFN-CERT-2020-0318
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-0777
dfn-cert: DFN-CERT-2019-0772
dfn-cert: DFN-CERT-2019-0119
dfn-cert: DFN-CERT-2019-0111
dfn-cert: DFN-CERT-2018-2103
dfn-cert: DFN-CERT-2018-1163
```

Medium (CVSS: 6.1)
NVT: jQuery < 3.4.0 Object Extensions Vulnerability

Summary
jQuery is prone to multiple vulnerabilities regarding property injection in Object.prototype.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     3.4.0
Installation
path / port:       /phpmyadmin/setup/../js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/../j
↪s/jquery/jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/
```

Solution:
Solution type: VendorFix
Update to version 3.4.0 or later. Patch diffs are available for older versions.

Affected Software/OS
jQuery prior to version 3.4.0.

Vulnerability Insight
The following flaws exist:
- CVE-2019-5428: A prototype pollution vulnerability exists that allows an attacker to inject properties on Object.prototype.
- CVE-2019-11358: jQuery mishandles jQuery.extend(true, }}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 3.4.0 Object Extensions Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.142314
Version used: `2023-07-14T05:06:08Z`

References

```
cve: CVE-2019-5428
cve: CVE-2019-11358
url: https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/
url: https://github.com/DanielRuf/snyk-js-jquery-174006?files=1
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2022-1948
cert-bund: WID-SEC-2022-1947
cert-bund: WID-SEC-2022-0732
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K21/1083
cert-bund: CB-K20/1049
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K20/1030
cert-bund: CB-K20/0800
cert-bund: CB-K20/0710
cert-bund: CB-K20/0324
cert-bund: CB-K20/0314
cert-bund: CB-K20/0309
cert-bund: CB-K20/0106
cert-bund: CB-K20/0041
cert-bund: CB-K20/0037
cert-bund: CB-K20/0034
cert-bund: CB-K19/0921
cert-bund: CB-K19/0920
cert-bund: CB-K19/0916
cert-bund: CB-K19/0911
cert-bund: CB-K19/0909
cert-bund: CB-K19/0619
cert-bund: CB-K19/0504
cert-bund: CB-K19/0329
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2024-1997
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-2467
dfn-cert: DFN-CERT-2021-1536
dfn-cert: DFN-CERT-2021-1503
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1574
dfn-cert: DFN-CERT-2020-1537
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0769
dfn-cert: DFN-CERT-2020-0721
dfn-cert: DFN-CERT-2020-0276
dfn-cert: DFN-CERT-2020-0102
dfn-cert: DFN-CERT-2020-0100
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-2156
dfn-cert: DFN-CERT-2019-2126
dfn-cert: DFN-CERT-2019-1861
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1663
dfn-cert: DFN-CERT-2019-1460
dfn-cert: DFN-CERT-2019-1182
dfn-cert: DFN-CERT-2019-1153
dfn-cert: DFN-CERT-2019-1118
dfn-cert: DFN-CERT-2019-1033
dfn-cert: DFN-CERT-2019-0914
dfn-cert: DFN-CERT-2019-0899
dfn-cert: DFN-CERT-2019-0805
```

Medium (CVSS: 6.1)
NVT: jQuery < 3.4.0 Object Extensions Vulnerability

Summary
jQuery is prone to multiple vulnerabilities regarding property injection in Object.prototype.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     3.4.0
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery/
↪jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 3.4.0 or later. Patch diffs are available for older versions.

Affected Software/OS
jQuery prior to version 3.4.0.

Vulnerability Insight
The following flaws exist:
- CVE-2019-5428: A prototype pollution vulnerability exists that allows an attacker to inject properties on Object.prototype.
- CVE-2019-11358: jQuery mishandles jQuery.extend(true, }}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: jQuery < 3.4.0 Object Extensions Vulnerability
OID:1.3.6.1.4.1.25623.1.0.142314
Version used: 2023-07-14T05:06:08Z

References

cve: CVE-2019-5428
cve: CVE-2019-11358
url: https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/
url: https://github.com/DanielRuf/snyk-js-jquery-174006?files=1
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2022-1948
cert-bund: WID-SEC-2022-1947
cert-bund: WID-SEC-2022-0732
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K21/1083
cert-bund: CB-K20/1049
cert-bund: CB-K20/1030
cert-bund: CB-K20/0800
cert-bund: CB-K20/0710
cert-bund: CB-K20/0324
cert-bund: CB-K20/0314
cert-bund: CB-K20/0309
cert-bund: CB-K20/0106
cert-bund: CB-K20/0041
cert-bund: CB-K20/0037
cert-bund: CB-K20/0034
cert-bund: CB-K19/0921
cert-bund: CB-K19/0920
cert-bund: CB-K19/0916
cert-bund: CB-K19/0911
cert-bund: CB-K19/0909
cert-bund: CB-K19/0619
cert-bund: CB-K19/0504
cert-bund: CB-K19/0329
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2024-1997
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-2467
dfn-cert: DFN-CERT-2021-1536
dfn-cert: DFN-CERT-2021-1503
dfn-cert: DFN-CERT-2021-0826

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1574
dfn-cert: DFN-CERT-2020-1537
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0769
dfn-cert: DFN-CERT-2020-0721
dfn-cert: DFN-CERT-2020-0276
dfn-cert: DFN-CERT-2020-0102
dfn-cert: DFN-CERT-2020-0100
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-2156
dfn-cert: DFN-CERT-2019-2126
dfn-cert: DFN-CERT-2019-1861
dfn-cert: DFN-CERT-2019-1663
dfn-cert: DFN-CERT-2019-1460
dfn-cert: DFN-CERT-2019-1182
dfn-cert: DFN-CERT-2019-1153
dfn-cert: DFN-CERT-2019-1118
dfn-cert: DFN-CERT-2019-1033
dfn-cert: DFN-CERT-2019-0914
dfn-cert: DFN-CERT-2019-0899
dfn-cert: DFN-CERT-2019-0805
```

Medium (CVSS: 6.1)
NVT: phpMyAdmin <= 4.8.2 XSS Vulnerability (PMASA-2018-5) - Linux

Summary
phpMyAdmin is prone to an authenticated cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.5.8
Fixed version:     4.8.3
```

Solution:
Solution type: VendorFix
Update to version 4.8.3.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
phpMyAdmin through version 4.8.2.

Vulnerability Insight
An authenticated attacker could trick a user into importing a specially crafted file, resulting in the attacker gaining control over the user's account.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin <= 4.8.2 XSS Vulnerability (PMASA-2018-5) - Linux`
OID:1.3.6.1.4.1.25623.1.0.113255
Version used: `2025-12-11T05:46:19Z`

References
`cve: CVE-2018-15605`
`url: https://www.phpmyadmin.net/security/PMASA-2018-5/`
`cert-bund: CB-K18/0877`
`dfn-cert: DFN-CERT-2018-1704`

Medium (CVSS: 6.1)
NVT: phpMyAdmin Cross-Site Scripting Vulnerability (PMASA-2018-3) - Linux

Summary
phpMyAdmin is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.5.8
Fixed version:     4.8.2
Installation
path / port:       /phpmyadmin
```

Impact
Successful exploitation will allow an attacker to inject arbitrary web script or HTML via crafted database name.

Solution:
Solution type: VendorFix
Upgrade to version 4.8.2 or newer. Please see the references for more information.

Affected Software/OS
phpMyAdmin versions prior to 4.8.2 on Linux

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The flaw exists due to insufficient validation of input passed to 'js/designer/move.js' script in phpMyAdmin.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin Cross-Site Scripting Vulnerability (PMASA-2018-3) - Linux`
OID:1.3.6.1.4.1.25623.1.0.813451
Version used: `2025-09-12T05:38:45Z`

References
`cve: CVE-2018-12581`
`url: https://www.phpmyadmin.net/security/PMASA-2018-3`
`url: http://www.securityfocus.com/bid/104530`
`cert-bund: CB-K18/0744`
`dfn-cert: DFN-CERT-2018-1207`

Medium (CVSS: 5.9)
NVT: PHP < 5.5.28, 5.6.x < 5.6.12 DoS Vulnerability (Jul 2016) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     5.5.28
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service (race condition and heap memory corruption) by leveraging an application that performs many temporary-file accesses.

Solution:
Solution type: VendorFix
Update to version 5.5.28, 5.6.12 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

PHP prior to version 5.5.28 and 5.6.x prior to 5.6.12 on Linux.

Vulnerability Insight
The flaw is due to script 'main/php_open_temporary_file.c' does not ensure thread safety.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.28, 5.6.x < 5.6.12 DoS Vulnerability (Jul 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808613
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-8878`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/90837`

Medium (CVSS: 5.9)
NVT: PHP < 7.3.29 Multiple Vulnerabilities (Jul 2021) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     7.3.29
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.29 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP versions prior to 7.3.29.

Vulnerability Insight
The following flaws exist:
- CVE-2021-21705: SSRF bypass in FILTER_VALIDATE_URL.
- CVE-2021-21704: Stack buffer overflow in firebird_info_cb.
- CVE-2021-21704: SIGSEGV in firebird_handle_doer.
- CVE-2021-21704: SIGSEGV in firebird_stmt_execute.
- CVE-2021-21704: Crash while parsing blob data in firebird_fetch_blob.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.29 Multiple Vulnerabilities (Jul 2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.117524
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2021-21704
cve: CVE-2021-21705
url: https://www.php.net/ChangeLog-7.php#7.3.29
url: http://bugs.php.net/81122
url: http://bugs.php.net/76448
url: http://bugs.php.net/76449
url: http://bugs.php.net/76450
url: http://bugs.php.net/76452
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-1577
cert-bund: WID-SEC-2022-0624
cert-bund: CB-K21/0705
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-1046
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-1676
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1627
dfn-cert: DFN-CERT-2021-1509
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-1419
```

Medium (CVSS: 5.8)
NVT: Apache HTTP Server 2.4.7 - 2.4.65 Authentication Bypass Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to an authentication bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.7
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

Affected Software/OS
Apache HTTP Server version 2.4.7 through 2.4.65.

Vulnerability Insight
mod_userdir+suexec bypass via AllowOverride FileInfo vulnerability in Apache HTTP Server. Users with access to use the RequestHeader directive in htaccess can cause some CGI scripts to run under an unexpected userid.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.7 - 2.4.65 Authentication Bypass Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125567
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2025-66200`
`url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.openwall.com/lists/oss-security/2025/12/04/8
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

Medium (CVSS: 5.8)
NVT: PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Security Update (GHSA-h746-cjrr-wfmr) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a vulnerability in password_verify.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     8.1.28
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.28, 8.2.18, 8.3.6 or later.

Affected Software/OS

PHP prior to version 8.1.28, version 8.2.x through 8.2.17 and 8.3.x through 8.3.5.

Vulnerability Insight

If a password stored with password_hash starts with a null byte (\x00), testing a blank string as the password via password_verify will incorrectly return true.

If a user were able to create a password with a leading null byte (unlikely, but syntactically valid), an attacker could trivially compromise the victim's account by attempting to sign in with a blank string.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Security Update (GHSA-h746-cjrr-wfm.`
`↪..`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.152118
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2024-3096
url: https://github.com/php/php-src/security/advisories/GHSA-h746-cjrr-wfmr
url: https://www.php.net/ChangeLog-8.php#8.1.28
url: https://www.php.net/ChangeLog-8.php#8.2.18
url: https://www.php.net/ChangeLog-8.php#8.3.6
cert-bund: WID-SEC-2024-0867
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-3329
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1192
dfn-cert: DFN-CERT-2024-1132
dfn-cert: DFN-CERT-2024-1115
dfn-cert: DFN-CERT-2024-0993
dfn-cert: DFN-CERT-2024-0962

Medium (CVSS: 5.5)
NVT: PHP < 8.0.22, 8.1.x < 8.1.9 Security Update - Linux

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.4.5
Fixed version: 8.0.22/8.1.9/8.2.0
Installation
path / port: 80/tcp

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 8.0.22, 8.1.9, 8.2.0 or later.

Affected Software/OS
PHP versions prior to 8.0.22 and 8.1.x prior to 8.1.9.

Vulnerability Insight
Fixed potential overflow for the builtin server via the PHP_CLI_SERVER_WORKERS environment variable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.22, 8.1.x < 8.1.9 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.104644
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2022-4900
url: https://www.php.net/ChangeLog-8.php#8.2.0
url: https://www.php.net/ChangeLog-8.php#8.1.9
url: https://www.php.net/ChangeLog-8.php#8.0.22
url: https://github.com/php/php-src/issues/8989
url: https://github.com/php/php-src/pull/9000
url: https://github.com/php/php-src/commit/789a37f14405e2d1a05a76c9fb4ed2d49d458
↪0d5
url: https://bugzilla.redhat.com/show_bug.cgi?id=2179880
cert-bund: WID-SEC-2023-0695
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1132
dfn-cert: DFN-CERT-2023-0681
```

Medium (CVSS: 5.4)
NVT: Drupal < 8.9.20, 9.x < 9.1.14, 9.2.x < 9.2.9 Multiple XSS Vulnerabilities (SA-CORE-2021-011) - Linux

Summary
Drupal is prone to multiple cross-site scripting (XSS) vulnerabilities in CKEditor.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     8.9.20
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 8.9.20, 9.1.14, 9.2.9 or later.

Affected Software/OS
Drupal prior to version 8.9.20, version 9.x through 9.1.13 and 9.2.x through 9.2.8.

Vulnerability Insight
Vulnerabilities are possible if Drupal is configured to allow use of the CKEditor library for WYSIWYG editing. An attacker that can create or edit content (even without access to CKEditor themselves) may be able to exploit one or more XSS vulnerabilities to target users with access to the WYSIWYG CKEditor, including site admins with privileged access.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal < 8.9.20, 9.x < 9.1.14, 9.2.x < 9.2.9 Multiple XSS Vulnerabilities (SA-C.`
↪..
OID:1.3.6.1.4.1.25623.1.0.147173
Version used: `2021-12-01T11:10:56Z`

References

```
cve: CVE-2021-41164
cve: CVE-2021-41165
url: https://www.drupal.org/sa-core-2021-011
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2023-2675
cert-bund: WID-SEC-2022-1731
cert-bund: CB-K22/0478
cert-bund: CB-K22/0466
cert-bund: CB-K21/1215
dfn-cert: DFN-CERT-2022-2280
dfn-cert: DFN-CERT-2022-0879
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0868
dfn-cert: DFN-CERT-2022-0555
dfn-cert: DFN-CERT-2021-2447
```

Medium (CVSS: 5.4)
NVT: PHP < 7.2.29 Multiple Vulnerabilities (Mar 2020) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     7.2.29
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.29 or later.

Affected Software/OS
PHP versions before 7.2.29.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- Use-of-uninitialized-value in exif (CVE-2020-7064)
- get_headers() silently truncates after a null byte (CVE-2020-7066)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.29 Multiple Vulnerabilities (Mar 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143615
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7064
cve: CVE-2020-7066
url: https://www.php.net/ChangeLog-7.php#7.2.29
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-2118
cert-bund: CB-K21/0068
cert-bund: CB-K20/1199
cert-bund: CB-K20/0239
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-1202
dfn-cert: DFN-CERT-2020-0965
dfn-cert: DFN-CERT-2020-0851
dfn-cert: DFN-CERT-2020-0787
dfn-cert: DFN-CERT-2020-0554
```

Medium (CVSS: 5.4)
NVT: Drupal XSS Vulnerability (SA-CORE-2019-004) - Linux

Summary
Under certain circumstances the File module/subsystem allows a malicious user to upload a file that can trigger a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 7.5
Fixed version:     7.65
Installation
path / port:       /drupal
```

Solution:
Solution type: VendorFix
Update to version 7.65, 8.5.14, 8.6.13 or later.

Affected Software/OS
Drupal 7, 8.5.x and 8.6.x.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal XSS Vulnerability (SA-CORE-2019-004) - Linux`
OID:1.3.6.1.4.1.25623.1.0.142159
Version used: `2024-02-19T05:05:57Z`

References

```
cve: CVE-2019-6341
url: https://www.drupal.org/sa-core-2019-004
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2019-0568

Medium (CVSS: 5.3)
NVT: PHP < 7.3.26, 7.4.x < 7.4.14, 8.0.x < 8.0.1 Filter Vulnerability (Jan 2021) - Linux

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a vulnerability where FILTER_VALIDATE_URL accepts URLs with invalid userinfo.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.4.5
Fixed version: 7.3.26
Installation path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 7.3.26, 7.4.14, 8.0.1 or later.

Affected Software/OS
PHP versions prior to 7.3.26, 7.4.x prior to 7.4.14 and 8.0.x prior to 8.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 7.3.26, 7.4.x < 7.4.14, 8.0.x < 8.0.1 Filter Vulnerability (Jan 2021) - L.
↪..
OID:1.3.6.1.4.1.25623.1.0.145114
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2020-7071
url: https://www.php.net/ChangeLog-7.php#7.3.26

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.php.net/ChangeLog-7.php#7.4.14
url: https://www.php.net/ChangeLog-8.php#8.0.1
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-2114
cert-bund: CB-K21/0009
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1586
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1509
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2021-0013
```

Medium (CVSS: 5.3)
NVT: Apache HTTP Server 2.4.1 < 2.4.24 IP Spoofing Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an IP address spoofing vulnerability when proxying using mod_remoteip and mod_rewrite.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.24
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.24 or later.

Affected Software/OS

Apache HTTP Server version 2.4.1 to 2.4.23.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.1 < 2.4.24 IP Spoofing Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.144376
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2020-11985
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-3319
cert-bund: CB-K20/0798
dfn-cert: DFN-CERT-2020-1905
dfn-cert: DFN-CERT-2020-1854
```

Medium (CVSS: 5.3)
NVT: Apache HTTP Server 2.4.6 - 2.4.46 Tunneling Misconfiguration Vulnerability - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to a tunneling misconfiguration vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.7
Fixed version:     2.4.48
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.48 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server versions 2.4.6 to 2.4.46 on Linux.

Vulnerability Insight
mod_proxy_wstunnel configured on an URL that is not necessarily upgraded by the origin server was tunneling the whole connection regardless, thus allowing for subsequent requests on the same connection to pass through with no HTTP validation, authentication or authorization possibly configured.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.6 - 2.4.46 Tunneling Misconfiguration Vulnerability - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.112898
Version used: `2021-08-24T09:01:06Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2019-17567`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2022-0438`
`cert-bund: CB-K21/0646`
`dfn-cert: DFN-CERT-2024-1411`
`dfn-cert: DFN-CERT-2021-2394`
`dfn-cert: DFN-CERT-2021-1273`

Medium (CVSS: 5.3)
NVT: PHP < 7.3.33, 7.4.x < 7.4.26, 8.0.x < 8.0.13 Security Update (Nov 2021) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP released new versions which include a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 5.4.5`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     7.3.33
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.33, 7.4.26, 8.0.13 or later.

Affected Software/OS
PHP prior to version 7.3.33 and version 7.4.x through 7.4.25 and 8.0.x through 8.0.12.

Vulnerability Insight
Fixed bug #79971 (special character is breaking the path in xml function).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.33, 7.4.x < 7.4.26, 8.0.x < 8.0.13 Security Update (Nov 2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147187
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2021-21707
url: https://www.php.net/ChangeLog-7.php#7.3.33
url: https://www.php.net/ChangeLog-7.php#7.4.26
url: https://www.php.net/ChangeLog-8.php#8.0.13
url: http://bugs.php.net/79971
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-0587
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K21/1213
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2499
dfn-cert: DFN-CERT-2022-1516
dfn-cert: DFN-CERT-2022-1493
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0557
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2022-0455
dfn-cert: DFN-CERT-2022-0431
dfn-cert: DFN-CERT-2022-0407
dfn-cert: DFN-CERT-2022-0110
dfn-cert: DFN-CERT-2021-2474
dfn-cert: DFN-CERT-2021-2436
```

Medium (CVSS: 5.3)
NVT: Apache HTTP Server < 2.4.39 URL Normalization Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

When the path component of a request URL contains multiple consecutive slashes ('/'), directives such as LocationMatch and RewriteRule must account for duplicates in regular expressions while other aspects of the servers processing will implicitly collapse them.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.39
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.39 or later.

Affected Software/OS

Apache HTTP Server version 2.4.38 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.39 URL Normalization Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.142228

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2019-0220
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2023-2047
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-0757
cert-bund: CB-K20/0708
cert-bund: CB-K19/0623
cert-bund: CB-K19/0267
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2020-0184
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-1519
dfn-cert: DFN-CERT-2019-0815
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0680
dfn-cert: DFN-CERT-2019-0676
```

Medium (CVSS: 5.3)
NVT: PHP < 7.2.31, 7.3 < 7.3.18, 7.4 < 7.4.6 Multiple DoS Vulnerabilities (May 2020) - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to two Denial-of-Service vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.2.31
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 7.2.31, 7.3.18, 7.4.6 or later.

Affected Software/OS
PHP versions prior 7.2.31, 7.3 prior 7.3.18 and 7.4 prior to 7.4.6.

Vulnerability Insight
The following flaws exist:
- Long filenames cause OOM and temp files to not be cleaned
- Long variables in multipart/form-data cause OOM and temp files are not cleaned
leading to a Denial-of-Service condition (CVE-2019-11048).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.31, 7.3 < 7.3.18, 7.4 < 7.4.6 Multiple DoS Vulnerabilities (May 2020).`
↪..
OID:1.3.6.1.4.1.25623.1.0.143913
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2019-11048
url: https://www.php.net/ChangeLog-7.php#7.2.31
url: https://www.php.net/ChangeLog-7.php#7.3.18
url: https://www.php.net/ChangeLog-7.php#7.4.6
url: https://bugs.php.net/bug.php?id=78875
url: https://bugs.php.net/bug.php?id=78876
cert-bund: WID-SEC-2022-2117
cert-bund: CB-K20/1199
cert-bund: CB-K20/0467
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-2006
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-1376
dfn-cert: DFN-CERT-2020-1202
dfn-cert: DFN-CERT-2020-1019
```

Medium (CVSS: 5.1)
NVT: PHP 5.3.x < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14, 5.6.0alpha1 < 5.6.0 Heap Based Buffer Overflow Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a heap-based buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.30
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allows remote attackers to cause a denial of service (crash) and possibly execute arbitrary code on the affected system.

Solution:
Solution type: VendorFix
Update to version 5.3.29, 5.4.30, 5.5.14, 5.6.0 or later.

Affected Software/OS
PHP versions 5.3.x prior to 5.3.29, 5.4.x prior to 5.4.30, 5.5.x prior to 5.5.14 and 5.6.x prior to 5.6.0 on Linux.

Vulnerability Insight
The flaw is due to buffer overflow error in the 'php_parserr' function in ext/standard/dns.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.3.x < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14, 5.6.0alpha1 < 5.6.0 Heap Ba.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.809743
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-4049
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/68007
url: http://www.openwall.com/lists/oss-security/2014/06/13/4
cert-bund: CB-K16/0944
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/1174
cert-bund: CB-K14/1167
cert-bund: CB-K14/1110
cert-bund: CB-K14/0973
cert-bund: CB-K14/0972
cert-bund: CB-K14/0834
cert-bund: CB-K14/0830
cert-bund: CB-K14/0829
cert-bund: CB-K14/0805
cert-bund: CB-K14/0776
cert-bund: CB-K14/0750
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1219
dfn-cert: DFN-CERT-2014-1166
dfn-cert: DFN-CERT-2014-1014
dfn-cert: DFN-CERT-2014-1013
dfn-cert: DFN-CERT-2014-0870
dfn-cert: DFN-CERT-2014-0868
dfn-cert: DFN-CERT-2014-0867
dfn-cert: DFN-CERT-2014-0839
dfn-cert: DFN-CERT-2014-0816
dfn-cert: DFN-CERT-2014-0782
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server Multiple Vulnerabilities (Mar 2014) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.9
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.2.27, 2.4.9 or later.

Affected Software/OS
Apache HTTP Server version 2.2.0 through 2.2.26 and 2.4.1 through 2.4.7.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2013-6438: XML parsing code in mod_dav incorrectly calculates the end of the string when removing leading spaces and places a NUL character outside the buffer, causing random crashes. This XML parsing code is only used with DAV provider modules that support DeltaV, of which the only publicly released provider is mod_dav_svn.
- CVE-2014-0098: A flaw was found in mod_log_config. A remote attacker could send a specific truncated cookie causing a crash. This crash would only be a denial of service if using a threaded MPM.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Mar 2014) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147047
Version used: `2021-11-01T03:59:12Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2013-6438
cve: CVE-2014-0098
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K15/1518
cert-bund: CB-K15/0960
cert-bund: CB-K15/0493
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0079
cert-bund: CB-K14/1568
cert-bund: CB-K14/1313
cert-bund: CB-K14/1110
cert-bund: CB-K14/1095
cert-bund: CB-K14/1043
cert-bund: CB-K14/0969
cert-bund: CB-K14/0876
cert-bund: CB-K14/0319
dfn-cert: DFN-CERT-2015-1604
dfn-cert: DFN-CERT-2015-1008
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2014-1668
dfn-cert: DFN-CERT-2014-1166
dfn-cert: DFN-CERT-2014-1145
dfn-cert: DFN-CERT-2014-1088
dfn-cert: DFN-CERT-2014-1019
dfn-cert: DFN-CERT-2014-0917
dfn-cert: DFN-CERT-2014-0331
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server Multiple Vulnerabilities (Aug 2015) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.14
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to bypass intended access restrictions in opportunistic circumstances and to cause cache poisoning or credential hijacking if an intermediary proxy is in use.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 2.4.14 or later.

Affected Software/OS
Apache HTTP Server version 2.4.x before 2.4.14.

Vulnerability Insight
Multiple flaws are due to:
- an error in 'ap_some_auth_required' function in 'server/request.c' script which does not consider that a Require directive may be associated with an authorization setting rather than an authentication setting.
- an error in chunked transfer coding implementation.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Aug 2015) - Linux`
OID:1.3.6.1.4.1.25623.1.0.806018
Version used: `2024-02-16T05:06:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2015-3185`
`cve: CVE-2015-3183`
`url: http://www.apache.org/dist/httpd/CHANGES_2.4`
`url: http://www.securityfocus.com/bid/75965`
`url: http://www.securityfocus.com/bid/75963`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: CB-K17/1558`
`cert-bund: CB-K16/1972`
`cert-bund: CB-K16/1593`
`cert-bund: CB-K16/1102`
`cert-bund: CB-K16/0564`
`cert-bund: CB-K16/0112`
`cert-bund: CB-K16/0090`
`cert-bund: CB-K16/0030`
`cert-bund: CB-K15/1841`
`cert-bund: CB-K15/1578`
`cert-bund: CB-K15/1517`
`cert-bund: CB-K15/1464`
`cert-bund: CB-K15/1360`
`cert-bund: CB-K15/1358`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/1281
cert-bund: CB-K15/1188
cert-bund: CB-K15/1146
cert-bund: CB-K15/1089
cert-bund: CB-K15/1051
dfn-cert: DFN-CERT-2017-1626
dfn-cert: DFN-CERT-2016-2081
dfn-cert: DFN-CERT-2016-1692
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0125
dfn-cert: DFN-CERT-2016-0101
dfn-cert: DFN-CERT-2016-0035
dfn-cert: DFN-CERT-2015-1950
dfn-cert: DFN-CERT-2015-1665
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1542
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1431
dfn-cert: DFN-CERT-2015-1350
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1198
dfn-cert: DFN-CERT-2015-1146
dfn-cert: DFN-CERT-2015-1087
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server DoS Vulnerability (Sep 2014) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.12
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 2.4.12 or later.

Affected Software/OS
Apache HTTP Server version 2.4.1 through 2.4.10.

Vulnerability Insight
A NULL pointer deference was found in mod_cache. A malicious HTTP server could cause a crash in a caching forward proxy configuration. This crash would only be a denial of service if using a threaded MPM.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server DoS Vulnerability (Sep 2014) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147046
Version used: `2021-11-01T03:59:12Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2014-3581`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: CB-K15/1841`
`cert-bund: CB-K15/1360`
`cert-bund: CB-K15/1188`
`cert-bund: CB-K15/0469`
`cert-bund: CB-K14/1592`
`cert-bund: CB-K14/1545`
`dfn-cert: DFN-CERT-2015-1950`
`dfn-cert: DFN-CERT-2015-1435`
`dfn-cert: DFN-CERT-2015-1252`
`dfn-cert: DFN-CERT-2015-0495`
`dfn-cert: DFN-CERT-2014-1691`
`dfn-cert: DFN-CERT-2014-1633`

Medium (CVSS: 5.0)
NVT: Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.64
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.64 or later.

Affected Software/OS
Apache HTTP Server version 2.4.63 and prior.

Vulnerability Insight
The following flaws exist:
- CVE-2024-42516: HTTP response splitting
- CVE-2024-43204: SSRF with mod_headers setting Content-Type header
- CVE-2024-47252: mod_ssl error log variable escaping
- CVE-2025-49812: mod_ssl TLS upgrade attack

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.154909
Version used: `2025-07-11T15:43:14Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2024-42516
cve: CVE-2024-43204
cve: CVE-2024-47252
cve: CVE-2025-49812
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.64
cert-bund: WID-SEC-2026-0162
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1529
dfn-cert: DFN-CERT-2026-0205
dfn-cert: DFN-CERT-2025-2421
dfn-cert: DFN-CERT-2025-2403
dfn-cert: DFN-CERT-2025-2402
dfn-cert: DFN-CERT-2025-2373
dfn-cert: DFN-CERT-2025-2231
dfn-cert: DFN-CERT-2025-2182
dfn-cert: DFN-CERT-2025-1917
dfn-cert: DFN-CERT-2025-1860
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server 'mod_lua' Denial of Service Vulnerability -01 (May 2015)

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.13
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow a remote attacker to cause a denial of service via some crafted dimension.

Solution:

Solution type: VendorFix

Update to version 2.4.13 or later.

Affected Software/OS

Apache HTTP Server versions through 2.4.12.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Flaw is due to vulnerability in lua_websocket_read function in lua_request.c in the mod_lua module.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_lua' Denial of Service Vulnerability -01 (May 2015)`
OID:1.3.6.1.4.1.25623.1.0.805616
Version used: `2024-02-20T05:05:48Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2015-0228
url: https://bugs.mageia.org/show_bug.cgi?id=15428
url: http://www.securityfocus.com/bid/73041
url: http://svn.apache.org/repos/asf/httpd/httpd/branches/2.4.x/CHANGES
cert-bund: CB-K15/1360
cert-bund: CB-K15/1188
cert-bund: CB-K15/1051
cert-bund: CB-K15/0273
cert-bund: CB-K14/1592
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1087
dfn-cert: DFN-CERT-2015-0285
dfn-cert: DFN-CERT-2014-1691
```

Medium (CVSS: 5.0)
NVT: PHP < 7.3.28, 7.4.x < 7.4.18 IMAP Header Injection Vulnerability (Apr 2021) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an IMAP header injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 5.4.5`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      7.3.28
Installation
path / port:        80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.28, 7.4.18 or later.

Affected Software/OS
PHP versions prior to 7.3.28 and 7.4.x through 7.4.17.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.28, 7.4.x < 7.4.18 IMAP Header Injection Vulnerability (Apr 2021) - L.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145869
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`url: https://www.php.net/ChangeLog-7.php#7.3.28`
`url: https://www.php.net/ChangeLog-7.php#7.4.18`

Medium (CVSS: 5.0)
NVT: PHP < 7.3.30, 7.4.x < 7.4.23, 8.0.x < 8.0.10 Security Update (Aug 2021) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP released new versions which include security fixes.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     7.3.30
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 7.3.30, 7.4.23, 8.0.10 or later.

Affected Software/OS
PHP versions prior to 7.3.30, 7.4.x through 7.4.22 and 8.0.x through 8.0.9.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 7.3.30, 7.4.x < 7.4.23, 8.0.x < 8.0.10 Security Update (Aug 2021) - Linux
OID:1.3.6.1.4.1.25623.1.0.146584
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
url: https://www.php.net/ChangeLog-7.php#7.3.30
url: https://www.php.net/ChangeLog-7.php#7.4.23
url: https://www.php.net/ChangeLog-8.php#8.0.10

Medium (CVSS: 5.0)
NVT: Unprotected Web App / Device Installers (HTTP)

Summary
The script attempts to identify installation/setup pages of various web apps/devices that are publicly accessible and not protected by e.g. account restrictions or having their setup finished.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The following web app/device installers are unprotected/have not finished their
↪setup and are publicly accessible (URL:Description):
http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/index.php - CubeCart /
↪phpMyAdmin installer

Impact
It is possible to install or reconfigure the software. In doing so, the attacker could overwrite existing configurations. It could be possible for the attacker to gain access to the base system

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: Mitigation
Setup and/or installation pages for Web Apps should not be publicly accessible via a web server. Restrict access to it, remove it completely or finish the setup of the application / device.

Vulnerability Detection Method
Enumerate the remote web server and check if unprotected web apps/devices are accessible for installation.
Details: `Unprotected Web App / Device Installers (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.107307
Version used: `2025-12-18T05:46:55Z`

Medium (CVSS: 5.0)
NVT: Sensitive File Disclosure (HTTP)

Summary
The script attempts to identify files containing sensitive data at the remote web server.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The following files containing sensitive information were identified:
Description:   Microsoft IIS / ASP.NET Core Module web.config file accessible. T
↪his could contain sensitive information about the structure of the application
↪ / web server and shouldn't be accessible.
Match:         <configuration>
  <system.webServer>
Used regex:    ^\s*<(configuration|system\.web(Server)?)>
Extra match 1:   </system.webServer>
</configuration>
Used regex:    ^\s*</(configuration|system\.web(Server)?)>
URL:           http://metasploitable3.trabalho_vulnnet/drupal/web.config
```

Impact
Based on the information provided in these files an attacker might be able to gather additional info and/or sensitive data like usernames and passwords.

Solution:
Solution type: Mitigation
The sensitive files shouldn't be accessible via a web server. Restrict access to it or remove it completely.

Vulnerability Insight
Currently the script is checking for files like e.g.:

. . . continues on next page . . .

. . . continued from previous page . . .

- Software (Blog, CMS) configuration or log files
- Web / application server configuration / password files (e.g. .htaccess, .htpasswd, web.config, web.xml, ...)
- Cloud (e.g. AWS) configuration files
- Files containing API keys for services / providers
- Database backup files (e.g. .sql, ...)
- Editor / history files (e.g. .lesshst, .dbshell, ...)
- SSH or SSL/TLS Private Keys
- Generic environment files (e.g. .env including the ones from Codeigniter, ...)
- CVE-2017-16894: Laravel framework specific environment/.env files

Vulnerability Detection Method
Enumerate the remote web server and check if sensitive files are accessible.
Details: `Sensitive File Disclosure (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.107305
Version used: `2025-10-29T05:40:29Z`

References
`cve: CVE-2017-16894`

Medium (CVSS: 5.0)
NVT: Drupal 7.0 Information Disclosure Vulnerability - Active Check

Summary
Drupal is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 95%

Vulnerability Detection Result
`Vulnerable URL: http://metasploitable3.trabalho_vulnnet/drupal/modules/simpletest/tests/upgrade/drupal-6.upload.database.php`

Impact
Successful exploitation will allow attacker to obtain sensitive information that could aid in further attacks.

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
Drupal version 7.0 is known to be affected.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The flaw is due to insufficient error checking, allows remote attackers to obtain sensitive information via a direct request to a .php file, which reveals the installation path in an error message.

Vulnerability Detection Method
Details: `Drupal 7.0 Information Disclosure Vulnerability - Active Check`
OID:1.3.6.1.4.1.25623.1.0.902574
Version used: `2021-12-01T11:10:56Z`

References
`cve: CVE-2011-3730`
`url: http://code.google.com/p/inspathx/source/browse/trunk/paths_vuln/!_README`
`url: http://code.google.com/p/inspathx/source/browse/trunk/paths_vuln/drupal-7.0`

Medium (CVSS: 5.0)
NVT: PHP 'open_basedir' Security Bypass Vulnerability

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     None
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to read arbitrary files.

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
PHP versions 5.x through 5.0.5, 5.1.x through 5.1.6, 5.2.x through 5.2.17, 5.3.x through 5.3.27, 5.4.x through 5.4.23 and 5.5.x through 5.5.6.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
A vulnerability in libxml RSHUTDOWN function allows remote attackers to bypass open_basedir protection mechanism through stream_close method call.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 'open_basedir' Security Bypass Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.804241
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2012-1171`
`url: https://bugzilla.redhat.com/show_bug.cgi?id=802591`

Medium (CVSS: 5.0)
NVT: Enabled Directory Listing/Indexing Detection (HTTP)

Summary
The script attempts to identify directories with an enabled directory listing/indexing on a remote web server.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
The following directories with an enabled directory listing/indexing were identi
↪fied:
http://metasploitable3.trabalho_vulnnet/
http://metasploitable3.trabalho_vulnnet/drupal/misc
http://metasploitable3.trabalho_vulnnet/drupal/misc/farbtastic
http://metasploitable3.trabalho_vulnnet/drupal/misc/ui
http://metasploitable3.trabalho_vulnnet/uploads
Please review the content manually.
```

Impact
Based on the information shown an attacker might be able to gather additional info about the structure of this application.

Solution:
Solution type: Mitigation

. . . continues on next page . . .

. . . continued from previous page . . .

If not needed disable the directory listing/indexing within the web servers config.

Affected Software/OS
Web servers with an enabled directory listing/indexing.

Vulnerability Detection Method
Checks previously detected directories on a remote web server if a directory listing/indexing is enabled.
Note: This check has a low QoD (Quality of Detection) value as it is not possible to automatically determine if the directory listing/indexing has been enabled on purpose (which is also a valid use case for some software products).
Details: `Enabled Directory Listing/Indexing Detection (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.111074
Version used: `2025-03-14T15:40:32Z`

References
```
cve: CVE-1999-0569
cve: CVE-2023-37599
cve: CVE-2024-1076
url: https://wiki.owasp.org/index.php/OWASP_Periodic_Table_of_Vulnerabilities_-_
↪Directory_Indexing
```

Medium (CVSS: 5.0)
NVT: PHP 5.4.x < 5.4.35, 5.5.x < 5.5.19, 5.6.x < 5.6.3 DoS Vulnerability (Nov 2014)

Product detection result
```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     5.4.35
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow a local attacker to conduct a denial of service attack.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to PHP version 5.4.35, 5.5.19, 5.6.3 or later.

Affected Software/OS
PHP versions 5.4.x before 5.4.35, 5.5.x before 5.5.19 and 5.6.x before 5.6.3

Vulnerability Insight
An out of bounds read error exists in the 'donote' function in readelf.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.35, 5.5.x < 5.5.19, 5.6.x < 5.6.3 DoS Vulnerability (Nov 2014)`
OID:1.3.6.1.4.1.25623.1.0.804884
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-3710`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/70807`
`url: https://bugs.php.net/bug.php?id=68283`
`url: http://xforce.iss.net/xforce/xfdb/98385`
`cert-bund: CB-K18/0057`
`cert-bund: CB-K16/1315`
`cert-bund: CB-K16/0692`
`cert-bund: CB-K15/1704`
`cert-bund: CB-K15/0493`
`cert-bund: CB-K14/1528`
`cert-bund: CB-K14/1359`
`cert-bund: CB-K14/1349`
`cert-bund: CB-K14/1330`
`dfn-cert: DFN-CERT-2018-0064`
`dfn-cert: DFN-CERT-2016-1401`
`dfn-cert: DFN-CERT-2016-0752`
`dfn-cert: DFN-CERT-2015-1799`
`dfn-cert: DFN-CERT-2014-1639`
`dfn-cert: DFN-CERT-2014-1434`
`dfn-cert: DFN-CERT-2014-1424`
`dfn-cert: DFN-CERT-2014-1406`

Medium (CVSS: 5.0)
NVT: Drupal Password Hashing Denial of Service Vulnerability

Summary
A vulnerability in the password hashing API of Drupal 7 can lead to a DoS.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 7.5
Fixed version:     7.34
Installation
path / port:       /drupal
```

Impact
An unauthenticated attacker can cause a denial of service.

Solution:
Solution type: VendorFix
Upgrade to Drupal 7.34 or later.

Affected Software/OS
Drupal 7 before 7.34.

Vulnerability Insight
Drupal 7 includes a password hashing API to ensure that user supplied passwords are not stored in plain text. An attacker can send specially crafted requests resulting in CPU and memory exhaustion.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Drupal Password Hashing Denial of Service Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.105934
Version used: `2023-07-27T05:05:08Z`

References
```
cve: CVE-2014-9016
url: https://www.drupal.org/SA-CORE-2014-006
url: http://www.securityfocus.com/bid/71202
url: http://www.behindthefirewalls.com/2014/12/cve-2014-9016-and-cve-2014-9034-P
↪oC.html
cert-bund: CB-K14/1450
cert-bund: CB-K14/1445
dfn-cert: DFN-CERT-2014-1535
dfn-cert: DFN-CERT-2014-1526
```

Medium (CVSS: 5.0)
NVT: PHP 5.x < 5.4.29, 5.5.x < 5.5.13 Multiple DoS Vulnerabilities (Jun 2014)

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.29
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to conduct denial of service attacks.

Solution:
Solution type: VendorFix
Update to version 5.4.29, 5.5.13 or later.

Affected Software/OS
PHP version 5.x before 5.4.29 and 5.5.x before 5.5.13.

Vulnerability Insight
The following flaws exist:
- CVE-2014-0237: Infinite loop within the 'unpack_summary_info' function in src/cdf.c script.
- CVE-2014-0238: An error within the 'cdf_read_property_info' function in src/cdf.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 5.4.29, 5.5.x < 5.5.13 Multiple DoS Vulnerabilities (Jun 2014)`
OID:1.3.6.1.4.1.25623.1.0.804639
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2014-0237
cve: CVE-2014-0238
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/67759
url: http://www.securityfocus.com/bid/67765
url: http://secunia.com/advisories/58804
url: https://www.hkcert.org/my_url/en/alert/14060401
cert-bund: CB-K15/1704
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/1267
cert-bund: CB-K14/1174
cert-bund: CB-K14/1130
cert-bund: CB-K14/0973
cert-bund: CB-K14/0972
cert-bund: CB-K14/0830
cert-bund: CB-K14/0818
cert-bund: CB-K14/0776
cert-bund: CB-K14/0738
cert-bund: CB-K14/0660
cert-bund: CB-K14/0659
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1333
dfn-cert: DFN-CERT-2014-1181
dfn-cert: DFN-CERT-2014-1014
dfn-cert: DFN-CERT-2014-1013
dfn-cert: DFN-CERT-2014-0868
dfn-cert: DFN-CERT-2014-0857
dfn-cert: DFN-CERT-2014-0816
dfn-cert: DFN-CERT-2014-0769
dfn-cert: DFN-CERT-2014-0685
dfn-cert: DFN-CERT-2014-0684
```

Medium (CVSS: 5.0)
NVT: PHP < 5.3.29, 5.4.x < 5.4.24, 5.5.x < 5.5.8 RCE Vulnerability

Product detection result

cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.24
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to allow a remote attacker to cause a heap-based buffer overflow, resulting in a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.3.29, 5.4.24, 5.5.8 or later.

Affected Software/OS

PHP versions prior to 5.3.29, 5.4.x prior to 5.4.24, 5.5.x prior to 5.5.8.

Vulnerability Insight

An error exists in the 'scan function' in 'ext/date/lib/parse_iso_intervals.c' which does not validate user-supplied input when handling 'DateInterval' objects.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.3.29, 5.4.x < 5.4.24, 5.5.x < 5.5.8 RCE Vulnerability`

OID:1.3.6.1.4.1.25623.1.0.804160

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2013-6712
url: http://git.php.net/?p=php-src.git;a=commit;h=12fe4e90be7bfa2a763197079f68f5
↪568a14e071
url: https://bugs.php.net/bug.php?id=66060
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/0972
cert-bund: CB-K13/1092
cert-bund: CB-K13/1040
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1014
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2013-2127
dfn-cert: DFN-CERT-2013-2066
```

Medium (CVSS: 4.8)
NVT: Cleartext Transmission of Sensitive Information via HTTP

Summary
The host / application transmits sensitive information (username, passwords) in cleartext via HTTP.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following input fields were identified (URL:input name):
http://metasploitable3.trabalho_vulnnet/phpmyadmin/:pma_password
http://metasploitable3.trabalho_vulnnet/phpmyadmin/?D=A:pma_password
http://metasploitable3.trabalho_vulnnet/phpmyadmin/changelog.php:pma_password
http://metasploitable3.trabalho_vulnnet/phpmyadmin/index.php:pma_password
http://metasploitable3.trabalho_vulnnet/phpmyadmin/license.php:pma_password
http://metasploitable3.trabalho_vulnnet/phpmyadmin/url.php:pma_password
```

Impact
An attacker could use this situation to compromise or eavesdrop on the HTTP communication between the client and the server using a man-in-the-middle attack to get access to sensitive data like usernames or passwords.

Solution:
Solution type: Workaround
Enforce the transmission of sensitive data via an encrypted SSL/TLS connection. Additionally make sure the host / application is redirecting all users to the secured SSL/TLS connection before allowing to input sensitive data into the mentioned functions.

Affected Software/OS
Hosts / applications which doesn't enforce the transmission of sensitive data via an encrypted SSL/TLS connection.

Vulnerability Detection Method
Evaluate previous collected information and check if the host / application is not enforcing the transmission of sensitive data via an encrypted SSL/TLS connection.
The script is currently checking the following:
- HTTP Basic Authentication (Basic Auth)
- HTTP Forms (e.g. Login) with input field of type 'password'
Details: `Cleartext Transmission of Sensitive Information via HTTP`
OID:1.3.6.1.4.1.25623.1.0.108440
Version used: `2023-09-07T05:05:21Z`

. . . continues on next page . . .

. . . continued from previous page . . .

References
`url: https://www.owasp.org/index.php/Top_10_2013-A2-Broken_Authentication_and_Se`
`↪ssion_Management`
`url: https://www.owasp.org/index.php/Top_10_2013-A6-Sensitive_Data_Exposure`
`url: https://cwe.mitre.org/data/definitions/319.html`

Medium (CVSS: 4.7)
NVT: PHP < 5.6.35, 7.x < 7.0.29, 7.1.x < 7.1.16, 7.2.x < 7.2.4 Security Bypass Vulnerability (May 2018) - Linux

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     5.6.35
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow an attacker to bypass security restrictions and access sensitive configuration data for other accounts directly in the PHP worker process's memory.

Solution:
Solution type: VendorFix
Update to version 5.6.35, 7.0.29, 7.1.16, 7.2.4 or later.

Affected Software/OS
PHP prior to version 5.6.35, 7.x prior to 7.0.29, 7.1.x prior to 7.1.16 and 7.2.x prior to 7.2.4 on Linux.

Vulnerability Insight
The flaw exists as the dumpable FPM child processes allow bypassing opcache access controls.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.35, 7.x < 7.0.29, 7.1.x < 7.1.16, 7.2.x < 7.2.4 Security Bypass Vulne.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪..
OID:1.3.6.1.4.1.25623.1.0.813162
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2018-10545
url: http://www.php.net/ChangeLog-5.php#5.6.35
url: http://www.php.net/ChangeLog-7.php#7.0.29
url: http://www.php.net/ChangeLog-7.php#7.1.16
url: http://www.php.net/ChangeLog-7.php#7.2.4
cert-bund: CB-K18/0633
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-1232
dfn-cert: DFN-CERT-2018-0920
dfn-cert: DFN-CERT-2018-0877

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 'mod_cache' Denial of Service Vulnerability -01 (May 2015)

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.4.7
Fixed version: 2.4.10
Installation
path / port: 80/tcp

Impact
Successful exploitation will allow a remote attacker to cause a denial of service via a crafted HTTP Connection header when a reverse proxy is enabled.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 2.4.10 or later.

Affected Software/OS
Apache HTTP Server version 2.4.6 through 2.4.9.

Vulnerability Insight
Flaw is due to vulnerability in mod_proxy module in the Apache HTTP Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_cache' Denial of Service Vulnerability -01 (May 2015)`
OID:1.3.6.1.4.1.25623.1.0.805635
Version used: `2024-02-20T05:05:48Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2014-0117
url: http://zerodayinitiative.com/advisories/ZDI-14-239/
url: http://www.securityfocus.com/bid/68740
url: http://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K15/0493
cert-bund: CB-K14/1043
cert-bund: CB-K14/0883
dfn-cert: DFN-CERT-2014-1088
dfn-cert: DFN-CERT-2014-0926
```

Medium (CVSS: 4.3)
NVT: PHP < 5.3.22, 5.4.x < 5.4.12 SOAP Parser Multiple Information Disclosure Vulnerabilities

Product detection result
`cpe:/a:php:php:5.4.5`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple information disclosure vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     5.4.12
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to obtain sensitive information.

Solution:

Solution type: VendorFix

Update to version 5.3.22, 5.4.12 or later.

Affected Software/OS

PHP prior to version 5.3.22 and 5.4.x prior to 5.4.12.

Vulnerability Insight

Errors exist in the way the SOAP parser processes certain SOAP objects (due to allowed expansion of XML external entities during SOAP WSDL files parsing).

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.3.22, 5.4.x < 5.4.12 SOAP Parser Multiple Information Disclosure Vulner.`
↪..

OID:1.3.6.1.4.1.25623.1.0.803764

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.4.5`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2013-1824
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/62373
url: http://git.php.net/?p=php-src.git;a=commit;h=afe98b7829d50806559acac9b530ac
↪b8283c3bf4
cert-bund: CB-K14/1480
dfn-cert: DFN-CERT-2014-1566
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a Server Side Includes (SSI) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.7
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

Affected Software/OS
Apache HTTP Server prior to version 2.4.66.

Vulnerability Insight
Apache HTTP Server with SSI enabled and mod_cgid (but not mod_cgi) passes the shell-escaped query string to #exec cmd='...' directives.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125564
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2025-58098`
`url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66`
`url: https://www.openwall.com/lists/oss-security/2025/12/04/5`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2026-0153
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0027
dfn-cert: DFN-CERT-2026-0012
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

Medium (CVSS: 4.3)
NVT: jQuery < 1.6.3 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     1.6.3
Installation
path / port:       /phpmyadmin/setup/../js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/../j
↪s/jquery/jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/
```

Solution:
Solution type: VendorFix
Update to version 1.6.3 or later.

Affected Software/OS
jQuery prior to version 1.6.3.

Vulnerability Insight
Cross-site scripting (XSS) vulnerability in jQuery before 1.6.3, when using location.hash to select elements, allows remote attackers to inject arbitrary web script or HTML via a crafted tag.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 1.6.3 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141637
Version used: `2023-07-14T05:06:08Z`

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2011-4969
url: https://blog.jquery.com/2011/09/01/jquery-1-6-3-released/
cert-bund: CB-K17/0195
dfn-cert: DFN-CERT-2017-0199
dfn-cert: DFN-CERT-2016-0890
```

Medium (CVSS: 4.3)
NVT: jQuery < 1.6.3 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 1.6.2
Fixed version:     1.6.3
Installation
path / port:       /phpmyadmin/js/jquery/jquery-1.6.2.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery/
↪jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/
```

Solution:
Solution type: VendorFix
Update to version 1.6.3 or later.

Affected Software/OS
jQuery prior to version 1.6.3.

Vulnerability Insight
Cross-site scripting (XSS) vulnerability in jQuery before 1.6.3, when using location.hash to select elements, allows remote attackers to inject arbitrary web script or HTML via a crafted tag.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 1.6.3 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141637
Version used: `2023-07-14T05:06:08Z`

References

```
cve: CVE-2011-4969
url: https://blog.jquery.com/2011/09/01/jquery-1-6-3-released/
cert-bund: CB-K17/0195
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-0199
dfn-cert: DFN-CERT-2016-0890
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 'mod_lua' Denial of Service Vulnerability (May 2015)

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.12
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow a remote attacker to bypass intended access restrictions in opportunistic circumstances by leveraging multiple Require directives.

Solution:

Solution type: VendorFix

Update to version 2.4.12 or later.

Affected Software/OS

Apache HTTP Server version 2.3.x through 2.4.10.

Vulnerability Insight

Flaw is due to a vulnerability in LuaAuthzProvider that is triggered if a user-supplied LUA script is supplied more than once with different arguments.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server 'mod_lua' Denial of Service Vulnerability (May 2015)`
OID:1.3.6.1.4.1.25623.1.0.805637

Version used: `2024-02-20T05:05:48Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2014-8109
url: http://httpd.apache.org/security/vulnerabilities_24.html
url: http://www.securityfocus.com/bid/73040
url: http://www.rapid7.com/db/vulnerabilities/apache-httpd-cve-2014-8109
cert-bund: CB-K15/1360
cert-bund: CB-K15/1188
cert-bund: CB-K15/0736
cert-bund: CB-K14/1626
cert-bund: CB-K14/1592
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-0771
dfn-cert: DFN-CERT-2014-1727
dfn-cert: DFN-CERT-2014-1691
```

Medium (CVSS: 4.3)
NVT: PHP < 8.0.29, 8.1.x < 8.1.20, 8.2.x < 8.2.7 Security Update - Linux

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a missing error check and insufficient random bytes in HTTP Digest authentication for SOAP vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     8.0.29
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.29, 8.1.10, 8.2.7 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP prior to version 8.0.29, 8.1.x prior to 8.1.20 and 8.2.x prior to 8.2.7.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.29, 8.1.x < 8.1.20, 8.2.x < 8.2.7 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.149760
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2023-3247
url: https://www.php.net/ChangeLog-8.php#8.0.29
url: https://www.php.net/ChangeLog-8.php#8.1.20
url: https://www.php.net/ChangeLog-8.php#8.2.7
url: https://github.com/php/php-src/security/advisories/GHSA-76gg-c692-v2mw
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2680
cert-bund: WID-SEC-2023-1506
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2023-2570
dfn-cert: DFN-CERT-2023-2542
dfn-cert: DFN-CERT-2023-1328
```

Medium (CVSS: 4.3)
NVT: PHP < 5.4.32, 5.5.x < 5.5.16 DoS Vulnerability

Product detection result
```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.4.5
Fixed version:     5.4.32
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Impact
Successful exploitation will allow remote attackers to conduct denial of service attacks.

Solution:
Solution type: VendorFix
Update to version 5.4.32, 5.5.16 or later.

Affected Software/OS
PHP versions prior to 5.4.32 and 5.5.x prior to 5.5.16.

Vulnerability Insight
A NULL pointer dereference error exists in the 'gdImageCreateFromXpm' function within LibGD.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.4.32, 5.5.x < 5.5.16 DoS Vulnerability
OID:1.3.6.1.4.1.25623.1.0.804292
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2014-2497
url: https://bugs.php.net/bug.php?id=66901
url: http://www.securityfocus.com/bid/66233
cert-bund: CB-K15/0493
cert-bund: CB-K15/0454
cert-bund: CB-K14/1359
cert-bund: CB-K14/1215
cert-bund: CB-K14/1214
cert-bund: CB-K14/1052
cert-bund: CB-K14/1051
cert-bund: CB-K14/0904
cert-bund: CB-K14/0834
cert-bund: CB-K14/0830
cert-bund: CB-K14/0829
cert-bund: CB-K14/0738
dfn-cert: DFN-CERT-2016-0876
dfn-cert: DFN-CERT-2015-0473

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1280
dfn-cert: DFN-CERT-2014-1279
dfn-cert: DFN-CERT-2014-1098
dfn-cert: DFN-CERT-2014-1095
dfn-cert: DFN-CERT-2014-0936
dfn-cert: DFN-CERT-2014-0870
dfn-cert: DFN-CERT-2014-0868
dfn-cert: DFN-CERT-2014-0867
dfn-cert: DFN-CERT-2014-0769
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 2.4.x < 2.4.66 Improper Neutralization Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an improper neutralization vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.66 or later.

Affected Software/OS

Apache HTTP Server version 2.4.x prior to 2.4.66.

Vulnerability Insight

Improper neutralization of escape, meta, or control sequences vulnerability in Apache HTTP Server through environment variables set via the Apache configuration unexpectedly superseding variables calculated by the server for CGI programs.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Apache HTTP Server 2.4.x < 2.4.66 Improper Neutralization Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.125566
Version used: 2025-12-05T05:44:55Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2025-65082
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/7
cert-bund: WID-SEC-2026-0155
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0214
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405

[return to 172.30.1.3]

2.1.13 Medium 445/tcp

Medium (CVSS: 6.8)
NVT: Samba 3.6.0 < 4.12.15, 4.13.0 < 4.13.8, 4.14.0 < 4.14.4 File Access Vulnerability

Product detection result
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a unauthorized file access vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 4.3.11
Fixed version: 4.12.15
Installation
path / port: 445/tcp

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 4.12.15, 4.13.8, 4.14.4 or later.

Affected Software/OS
Samba version 3.6.0 and later.

Vulnerability Insight
The Samba smbd file server must map Windows group identities (SIDs) into unix group ids (gids). The code that performs this had a flaw that could allow it to read data beyond the end of the array in the case where a negative cache entry had been added to the mapping cache. This could cause the calling code to return those values into the process token that stores the group membership for a user.
Most commonly this flaw causes the calling code to crash, but it was found that an unprivileged user may be able to delete a file within a network share that they should have been disallowed access to.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 3.6.0 < 4.12.15, 4.13.0 < 4.13.8, 4.14.0 < 4.14.4 File Access Vulnerabili.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145916
Version used: `2021-08-25T12:01:03Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2021-20254`
`url: https://www.samba.org/samba/security/CVE-2021-20254.html`
`cert-bund: WID-SEC-2023-2980`
`cert-bund: WID-SEC-2023-0063`
`cert-bund: WID-SEC-2022-0530`
`cert-bund: CB-K21/0451`
`dfn-cert: DFN-CERT-2022-1469`
`dfn-cert: DFN-CERT-2022-0332`
`dfn-cert: DFN-CERT-2022-0074`
`dfn-cert: DFN-CERT-2021-2438`
`dfn-cert: DFN-CERT-2021-2072`
`dfn-cert: DFN-CERT-2021-1167`
`dfn-cert: DFN-CERT-2021-0929`
`dfn-cert: DFN-CERT-2021-0906`
`dfn-cert: DFN-CERT-2021-0902`

Medium (CVSS: 6.8)
NVT: Samba Symlink Race Vulnerability (CVE-2021-20316)

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to a symlinc race vulnerability which can allow metadata read and modify outside of the exported share.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.15.0
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.15.0 or later.

Affected Software/OS
Samba prior to version 4.15.0.

Vulnerability Insight
A malicious client can use a symlink race to access or modify file or directory metadata information outside of the exported share. The user must have permissions to read or write the metadata on the accessed file or directory.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Symlink Race Vulnerability (CVE-2021-20316)`
OID:1.3.6.1.4.1.25623.1.0.147401
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2021-20316`
`url: https://www.samba.org/samba/history/samba-4.15.0.html`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.samba.org/samba/security/CVE-2021-20316.html
cert-bund: WID-SEC-2022-0465
cert-bund: CB-K22/0027
dfn-cert: DFN-CERT-2022-1032
dfn-cert: DFN-CERT-2022-0264
dfn-cert: DFN-CERT-2022-0242
```

Medium (CVSS: 6.6)
NVT: Samba Security Feature Bypass Vulnerability (CVE-2020-17049)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a security feature bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.13.13
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.13.13, 4.14.9, 4.15.1 or later.

Affected Software/OS

Samba versions prior to 4.13.13, 4.14.x prior to 4.14.9 and version 4.15.0.

Vulnerability Insight

BUG 14642: Provide a fix for MS CVE-2020-17049 in Samba [SECURITY] 'Bronze bit' S4U2Proxy Constrained Delegation bypass in Samba with embedded Heimdal.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Samba Security Feature Bypass Vulnerability (CVE-2020-17049)`

OID:1.3.6.1.4.1.25623.1.0.117760

Version used: `2024-01-03T05:05:19Z`

Product Detection Result

Product: `cpe:/a:samba:samba:4.3.11`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2020-17049
url: https://www.samba.org/samba/history/samba-4.13.13.html
url: https://www.samba.org/samba/history/samba-4.14.9.html
url: https://www.samba.org/samba/history/samba-4.15.1.html
url: https://bugzilla.samba.org/show_bug.cgi?id=14642
url: https://blog.netspi.com/cve-2020-17049-kerberos-bronze-bit-overview
url: https://blog.netspi.com/cve-2020-17049-kerberos-bronze-bit-theory
url: https://github.com/SecureAuthCorp/impacket/pull/1013
cert-bund: WID-SEC-2023-1542
cert-bund: WID-SEC-2022-2280
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K21/1126
cert-bund: CB-K20/1109
dfn-cert: DFN-CERT-2024-0078
dfn-cert: DFN-CERT-2023-1053
dfn-cert: DFN-CERT-2022-1686
dfn-cert: DFN-CERT-2022-0332
dfn-cert: DFN-CERT-2020-2464
```

Medium (CVSS: 6.5)
NVT: Samba 4.0.0 < 4.17.12, 4.18.0 < 4.18.8, 4.19.0 Multiple Vulnerabilities

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.17.12 / 4.18.8 / 4.19.1
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 4.17.12, 4.18.8, 4.19.1 or later.

Affected Software/OS
All versions of Samba since 4.0.0.

Vulnerability Insight
The following flaws exist:
- CVE-2023-4154: Samba AD DC password exposure to privileged users and RODCs
- CVE-2023-42669: 'rpcecho' development server allows Denial of Service via sleep() call on AD DC

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 4.0.0 < 4.17.12, 4.18.0 < 4.18.8, 4.19.0 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.104958
Version used: `2023-11-16T05:05:14Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2023-4154`
`cve: CVE-2023-42669`
`url: https://lists.samba.org/archive/samba-announce/2023/000651.html`
`url: https://www.samba.org/samba/security/CVE-2023-4154.html`
`url: https://www.samba.org/samba/security/CVE-2023-42669.html`
`cert-bund: WID-SEC-2024-0523`
`cert-bund: WID-SEC-2023-2620`
`dfn-cert: DFN-CERT-2023-2700`
`dfn-cert: DFN-CERT-2023-2494`
`dfn-cert: DFN-CERT-2023-2447`
`dfn-cert: DFN-CERT-2023-2443`

Medium (CVSS: 6.5)
NVT: Samba 'AD LDAP' Information Disclosure Vulnerability (Aug 2018)

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Samba is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.6.16 or apply patch
Installation
path / port:       445/tcp
```

Impact

Successful exploitation will allow an attacker to gain access to confidential attribute values.

Solution:

Solution type: VendorFix

Update to version 4.8.4 or 4.7.9 or 4.6.16 or later. Please see the references for more information.

Affected Software/OS

All versions of Samba from 4.0.0 onwards.

Vulnerability Insight

The flaw exists due to a missing access control checks.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Samba 'AD LDAP' Information Disclosure Vulnerability (Aug 2018)`

OID:1.3.6.1.4.1.25623.1.0.813784

Version used: `2021-09-29T12:07:39Z`

Product Detection Result

Product: `cpe:/a:samba:samba:4.3.11`

Method: `SMB NativeLanMan`

OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2018-10919
url: https://www.samba.org/samba/security/CVE-2018-10919.html
url: https://www.samba.org/samba/history/samba-4.8.4.html
url: https://www.samba.org/samba/history/samba-4.7.9.html
url: https://www.samba.org/samba/history/samba-4.6.16.html
cert-bund: CB-K18/0866
dfn-cert: DFN-CERT-2019-0420
dfn-cert: DFN-CERT-2018-2098
dfn-cert: DFN-CERT-2018-1806
dfn-cert: DFN-CERT-2018-1608
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2018-1598
dfn-cert: DFN-CERT-2018-1594
```

Medium (CVSS: 6.5)
NVT: Samba Unspecified Vulnerability (CVE-2021-3670)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.14.13
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.14.13, 4.15.6 or later.

Affected Software/OS

Samba version 4.1.0 through 4.14.12 and 4.15.x through 4.15.5.

Vulnerability Insight

LDAP search filters can be very complex, search filters are not limited to indexed attributes and they can also include complex extended match rules like LDAP_MATCHING_RULE_IN_CHAIN.

The LDAP Policy setting 'lDAPAdminLimits: MaxQueryDuration=120' (by default) should have provided a generous upper bound, however the policy was previously not considered in setting the timeout.

Additionally, no interruption points were set in the filter handling to check if the operation was over-time.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Samba Unspecified Vulnerability (CVE-2021-3670)`

OID:1.3.6.1.4.1.25623.1.0.113941

Version used: `2024-06-26T05:05:39Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2021-3670
url: https://bugzilla.samba.org/show_bug.cgi?id=14694
url: https://bugzilla.redhat.com/show_bug.cgi?id=2077533
cert-bund: WID-SEC-2022-0588
cert-bund: CB-K22/0490
dfn-cert: DFN-CERT-2022-1025

Medium (CVSS: 6.5)
NVT: Samba 4.x Multiple DoS Vulnerabilities (CVE-2018-14629, CVE-2018-16851)

Product detection result
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 4.3.11
Fixed version: 4.7.12
Installation
path / port: 445/tcp

Solution:
Solution type: VendorFix
Update to version 4.7.12, 4.8.7, 4.9.3 or later.

Affected Software/OS
Samba version 4.x.x.

Vulnerability Insight
Samba is prone to multiple vulnerabilities:
- CVE-2018-14629: CNAME loops can cause DNS server crashes, and CNAMEs can be added by unprivileged users.

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2018-16851: A user able to read more than 256MB of LDAP entries can crash the Samba AD DC's LDAP server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 4.x Multiple DoS Vulnerabilities (CVE-2018-14629, CVE-2018-16851)`
OID:1.3.6.1.4.1.25623.1.0.141732
Version used: `2023-11-03T16:10:08Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2018-14629
cve: CVE-2018-16851
url: https://www.samba.org/samba/security/CVE-2018-14629.html
url: https://www.samba.org/samba/security/CVE-2018-16851.html
cert-bund: CB-K18/1123
dfn-cert: DFN-CERT-2018-2558
dfn-cert: DFN-CERT-2018-2539
dfn-cert: DFN-CERT-2018-2430
dfn-cert: DFN-CERT-2018-2429
```

Medium (CVSS: 6.5)
NVT: Samba Security Vulnerability (CVE-2019-10218)

Product detection result
```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary
Malicious servers can cause Samba client code to return filenames containing path separators to calling code.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.3.11
Fixed version:     4.9.15
Installation
path / port:       445/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 4.9.15, 4.10.10, 4.11.2 or later.

Affected Software/OS
Samba versions prior to 4.9.15, 4.10.x through 4.10.9 and 4.11.x through 4.11.1.
Note: This flaw affects the client code (libsmbclient) of the remote Samba server installation.

Vulnerability Insight
Samba client code (libsmbclient) returns server-supplied filenames to calling code without checking for pathname separators (such as '/' or '../') in the server returned names.
A malicious server can craft a pathname containing separators and return this to client code, causing the client to use this access local pathnames for reading or writing instead of SMB network pathnames.
This access is done using the local privileges of the client.
This attack can be achieved using any of SMB1/2/3 as it is not reliant on any specific SMB protocol version.
Specifically, samba client tools like smbget and smbclient's mget use the server supplied 'final' name component as a local name when obtaining multiple files. While the design of these tools is that server can always choose the file names, this vulnerability is that it allows a remote server to create local files outside the current working directory.
Users of the libsmbclient library external to Samba may also be vulnerable if they use server returned filenames without adequate checking and pass them to functions that do local filesystem access.
Note that the Gnome GVFS client library is not believed to be vulnerable, as it always passes server-returned pathnames back to the SMB share they were returned from. Such malformed pathnames are then rejected by the server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Security Vulnerability (CVE-2019-10218)`
OID:1.3.6.1.4.1.25623.1.0.117772
Version used: `2021-12-03T14:28:28Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2019-10218`
`url: https://www.samba.org/samba/security/CVE-2019-10218.html`
`cert-bund: WID-SEC-2023-2366`
`cert-bund: CB-K19/0945`
`dfn-cert: DFN-CERT-2023-2166`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-1167
dfn-cert: DFN-CERT-2020-2026
dfn-cert: DFN-CERT-2020-1078
dfn-cert: DFN-CERT-2020-0891
dfn-cert: DFN-CERT-2020-0657
dfn-cert: DFN-CERT-2020-0600
dfn-cert: DFN-CERT-2020-0375
dfn-cert: DFN-CERT-2019-2244
dfn-cert: DFN-CERT-2019-2240
```

Medium (CVSS: 6.5)
NVT: Samba File Truncation Vulnerability (CVE-2023-3347)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a file truncation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.17.12 / 4.18.8 / 4.19.1
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.17.12, 4.18.8, 4.19.1 or later.

Affected Software/OS

Samba versions prior to 4.17.12, 4.18.x prior to 4.18.8 and 4.19.0 only.

Vulnerability Insight

SMB client can truncate files to 0 bytes by opening files with OVERWRITE disposition when using the acl_xattr Samba VFS module with the smb.conf setting 'acl_xattr:ignore system acls = yes'.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Samba File Truncation Vulnerability (CVE-2023-3347)`

OID:1.3.6.1.4.1.25623.1.0.104957

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2023-11-16T05:05:14Z

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2023-4091
url: https://lists.samba.org/archive/samba-announce/2023/000651.html
url: https://www.samba.org/samba/security/CVE-2023-4091.html
cert-bund: WID-SEC-2023-2620
dfn-cert: DFN-CERT-2024-1065
dfn-cert: DFN-CERT-2024-0839
dfn-cert: DFN-CERT-2023-2700
dfn-cert: DFN-CERT-2023-2494
dfn-cert: DFN-CERT-2023-2462
dfn-cert: DFN-CERT-2023-2447
dfn-cert: DFN-CERT-2023-2443

Medium (CVSS: 6.5)
NVT: Samba DoS Vulnerability (CVE-2019-3824)

Product detection result
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 4.3.11
Fixed version: 4.10.0
Installation
path / port: 445/tcp

Solution:
Solution type: VendorFix
Update to version 4.10.0 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Samba versions 4.1.x through 4.9.x.

Vulnerability Insight
A flaw was found in the way an LDAP search expression could crash the shared LDAP server process of a samba AD DC. An authenticated user, having read permissions on the LDAP server, could use this flaw to cause denial of service.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba DoS Vulnerability (CVE-2019-3824)`
OID:1.3.6.1.4.1.25623.1.0.147117
Version used: `2021-11-08T14:03:29Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2019-3824`
`url: https://bugzilla.samba.org/show_bug.cgi?id=13773`
`cert-bund: CB-K19/0204`
`dfn-cert: DFN-CERT-2019-0410`

Medium (CVSS: 6.5)
NVT: Samba < 4.14.8 DoS Vulnerability

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.3.11
Fixed version:     4.14.8
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 4.14.8 or later.

Affected Software/OS
Samba prior to version 4.14.8.

Vulnerability Insight
An unuthenticated user can crash the AD DC KDC by omitting the server name in a TGS-REQ.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba < 4.14.8 DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.146864
Version used: `2021-10-21T08:03:33Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2021-3671
url: https://www.samba.org/samba/history/samba-4.14.8.html
cert-bund: WID-SEC-2022-2372
cert-bund: WID-SEC-2022-1714
cert-bund: CB-K21/1034
dfn-cert: DFN-CERT-2022-2612
dfn-cert: DFN-CERT-2022-2269
dfn-cert: DFN-CERT-2021-2539
```

Medium (CVSS: 6.5)
NVT: Samba DoS Vulnerability (CVE-2018-16841)

Product detection result
```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary
Samba is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.3.11
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      4.7.12
Installation
path / port:        445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.7.12, 4.8.7, 4.9.3 or later.

Affected Software/OS
Samba 4.3.0 and later.

Vulnerability Insight
A user with a valid certificate or smart card can crash the Samba AD DC's KDC.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba DoS Vulnerability (CVE-2018-16841)`
OID:1.3.6.1.4.1.25623.1.0.141734
Version used: `2022-08-31T10:10:28Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2018-16841`
`url: https://www.samba.org/samba/security/CVE-2018-16841.html`
`cert-bund: CB-K18/1123`
`dfn-cert: DFN-CERT-2018-2539`
`dfn-cert: DFN-CERT-2018-2430`
`dfn-cert: DFN-CERT-2018-2429`

Medium (CVSS: 6.5)
NVT: Samba Multiple Vulnerabilities (Mar 2023)

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.16.10 / 4.17.7 / 4.18.1
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.16.10, 4.17.7, 4.18.1 or later.

Affected Software/OS
All versions of Samba since 4.0.

Vulnerability Insight
The following flaws exist:
- CVE-2023-0614: Access controlled AD LDAP attributes can be discovered
- CVE-2023-0922: Samba AD DC admin tool samba-tool sends passwords in cleartext

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Multiple Vulnerabilities (Mar 2023)`
OID:1.3.6.1.4.1.25623.1.0.104663
Version used: `2023-10-13T05:06:10Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2023-0614
cve: CVE-2023-0922
url: https://www.samba.org/samba/security/CVE-2023-0614.html
url: https://www.samba.org/samba/security/CVE-2023-0922.html
cert-bund: WID-SEC-2023-0796
dfn-cert: DFN-CERT-2023-0858
dfn-cert: DFN-CERT-2023-0857
dfn-cert: DFN-CERT-2023-0713
dfn-cert: DFN-CERT-2023-0710
dfn-cert: DFN-CERT-2023-0707
```

Medium (CVSS: 6.5)
NVT: Samba DoS Vulnerability (CVE-2020-14383)

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.11.15
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.11.15, 4.12.9, 4.13.1 or later.

Affected Software/OS
All versions of Samba since version 4.0.0.

Vulnerability Insight
An authenticated non-admin user can crash the DNS server by adding invalid records.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba DoS Vulnerability (CVE-2020-14383)`
OID:1.3.6.1.4.1.25623.1.0.144977
Version used: `2021-08-11T08:56:08Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2020-14383
url: https://www.samba.org/samba/security/CVE-2020-14383.html
cert-bund: WID-SEC-2023-0174
cert-bund: CB-K20/1051
dfn-cert: DFN-CERT-2024-1065
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-0929
dfn-cert: DFN-CERT-2020-2567
dfn-cert: DFN-CERT-2020-2346
```

Medium (CVSS: 6.5)
NVT: Samba Multiple Vulnerabilities (CVE-2019-14902, CVE-2019-14907)

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.9.18
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.9.18, 4.10.12, 4.11.5 or later.

Affected Software/OS
Samba version 4.0 and later.

Vulnerability Insight
Samba is prone to multiple vulnerabilities:
- Removal of the right to create or modify a subtree would not automatically be taken away on all domain controllers (CVE-2019-14902)
- Crash after failed character conversion at log level 3 or above (CVE-2019-14907)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Multiple Vulnerabilities (CVE-2019-14902, CVE-2019-14907)`
OID:1.3.6.1.4.1.25623.1.0.143374
Version used: `2023-10-20T16:09:12Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2019-14902
cve: CVE-2019-14907
url: https://www.samba.org/samba/security/CVE-2019-14902.html
url: https://www.samba.org/samba/security/CVE-2019-14907.html
cert-bund: WID-SEC-2023-2365
cert-bund: CB-K20/1030
cert-bund: CB-K20/0064
dfn-cert: DFN-CERT-2023-2166
dfn-cert: DFN-CERT-2021-1167
dfn-cert: DFN-CERT-2020-2026
dfn-cert: DFN-CERT-2020-1078
dfn-cert: DFN-CERT-2020-0891
dfn-cert: DFN-CERT-2020-0600
dfn-cert: DFN-CERT-2020-0167
dfn-cert: DFN-CERT-2020-0141
dfn-cert: DFN-CERT-2020-0138
```

Medium (CVSS: 6.5)
NVT: Samba >= 3.0.25, <= 4.5.2 Privilege Delegation Vulnerability

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a privilege delegation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.3.13
Installation
path / port:       445/tcp
```

Impact

Successful exploitation would allow an authenticated attacker to gain additional access rights.

Solution:

Solution type: VendorFix

Update to version 4.3.13, 4.4.8 or 4.5.3 respectively.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Samba versions 3.0.25 through 4.3.12, 4.4.0 through 4.4.7 and 4.5.0 through 4.5.2.

Vulnerability Insight
Samba always requests forwardable tickets when using Kerberos authentication.
A service to which Samba authenticated using Kerberos could subsequently use the ticket to impersonate Samba to other services or domain users.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba >= 3.0.25, <= 4.5.2 Privilege Delegation Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.113288
Version used: `2022-08-31T10:10:28Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2016-2125`
`url: https://www.samba.org/samba/security/CVE-2016-2125.html`
`cert-bund: CB-K17/0868`
`cert-bund: CB-K17/0490`
`cert-bund: CB-K16/1988`
`dfn-cert: DFN-CERT-2017-0895`
`dfn-cert: DFN-CERT-2017-0498`
`dfn-cert: DFN-CERT-2016-2095`

Medium (CVSS: 6.5)
NVT: Samba 4.0 Buffer Overflow Vulnerability (CVE-2022-3437)

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 4.3.11
Fixed version:     4.15.11
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.15.11, 4.16.6, 4.17.2 or later.

Affected Software/OS
Samba versions starting from 4.0 and prior to 4.15.11, 4.16.x prior to 4.16.6 and 4.17.x prior to 4.17.2.

Vulnerability Insight
There is a limited write heap buffer overflow in the GSSAPI unwrap_des() and unwrap_des3() routines of Heimdal (included in Samba).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 4.0 Buffer Overflow Vulnerability (CVE-2022-3437)`
OID:1.3.6.1.4.1.25623.1.0.126187
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2022-3437
url: https://www.samba.org/samba/history/samba-4.17.2.html
url: https://www.samba.org/samba/history/samba-4.16.6.html
url: https://www.samba.org/samba/history/samba-4.15.11.html
url: https://www.samba.org/samba/security/CVE-2022-3437.html
cert-bund: WID-SEC-2022-2372
cert-bund: WID-SEC-2022-1847
dfn-cert: DFN-CERT-2025-1637
dfn-cert: DFN-CERT-2024-1065
dfn-cert: DFN-CERT-2024-0839
dfn-cert: DFN-CERT-2023-0199
dfn-cert: DFN-CERT-2023-0089
dfn-cert: DFN-CERT-2022-2804
dfn-cert: DFN-CERT-2022-2612
dfn-cert: DFN-CERT-2022-2603
dfn-cert: DFN-CERT-2022-2374
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2022-2364

Medium (CVSS: 6.5)
NVT: Samba 'fd_open_atomic infinite loop' DoS Vulnerability (CVE-2017-9461)

Product detection result
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 4.3.11
Fixed version: 4.4.10
Installation
path / port: 445/tcp

Impact
Successfully exploiting this issue will allow remote attackers to conduct a denial-of-service condition(infinite loop with high CPU usage and memory consumption).

Solution:
Solution type: VendorFix
Upgrade to Samba 4.4.10 or 4.5.6 or later.

Affected Software/OS
Samba versions before 4.4.10 and 4.5.x before 4.5.6

Vulnerability Insight
The flaw exists due to error in smbd which enters infinite loop when trying to open an invalid symlink with O_CREAT.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Samba 'fd_open_atomic infinite loop' DoS Vulnerability (CVE-2017-9461)
OID:1.3.6.1.4.1.25623.1.0.811083
Version used: 2025-09-17T05:39:26Z

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2017-9461
url: https://bugzilla.samba.org/show_bug.cgi?id=12572
url: https://git.samba.org/?p=samba.git;a=commit;h=10c3e3923022485c720f322ca4f0a
↪ca5d7501310
cert-bund: CB-K17/1281
cert-bund: CB-K17/1129
dfn-cert: DFN-CERT-2019-0726
dfn-cert: DFN-CERT-2017-1329
dfn-cert: DFN-CERT-2017-1168
```

Medium (CVSS: 5.9)
NVT: Samba 4.1 < 4.17.1 Improper Authentication (CVE-2021-20251)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to an improper authentication vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.17.1
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.17.1 or later.

Affected Software/OS

Samba version 4.1 through 4.17.1.

Vulnerability Insight

By making bad password count handling atomic, we ensure only one failed authorisation attempt can get through at a time, and refuse excess login attempts made to the same server.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `Samba 4.1 < 4.17.1 Improper Authentication (CVE-2021-20251)`
OID:1.3.6.1.4.1.25623.1.0.126184
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2021-20251`
`url: https://www.samba.org/samba/history/samba-4.17.1.html`
`url: https://bugzilla.samba.org/show_bug.cgi?id=14611`
`cert-bund: WID-SEC-2022-1799`
`dfn-cert: DFN-CERT-2023-0201`
`dfn-cert: DFN-CERT-2023-0199`
`dfn-cert: DFN-CERT-2023-0176`
`dfn-cert: DFN-CERT-2023-0153`

Medium (CVSS: 5.5)
NVT: Samba ZeroLogon Vulnerability (CVE-2020-1472)

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to an unauthenticated domain takeover vulnerability via netlogon (ZeroLogon).

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.3.11
Fixed version:     4.10.18
Installation
path / port:       445/tcp
```

Impact
An unauthenticated attacker on the network can gain administrator access by exploiting a netlogon protocol flaw.

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 4.10.18, 4.11.13, 4.12.7 or later.

Affected Software/OS
Samba version 4.0 and later.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba ZeroLogon Vulnerability (CVE-2020-1472)`
OID:1.3.6.1.4.1.25623.1.0.144680
Version used: `2024-01-05T16:09:35Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2020-1472
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://www.samba.org/samba/security/CVE-2020-1472.html
url: https://www.kb.cert.org/vuls/id/490028
cert-bund: CB-K21/0411
cert-bund: CB-K20/0816
dfn-cert: DFN-CERT-2021-2072
dfn-cert: DFN-CERT-2021-1504
dfn-cert: DFN-CERT-2021-0827
dfn-cert: DFN-CERT-2021-0444
dfn-cert: DFN-CERT-2020-2749
dfn-cert: DFN-CERT-2020-2567
dfn-cert: DFN-CERT-2020-2024
dfn-cert: DFN-CERT-2020-1768
```

Medium (CVSS: 5.5)
NVT: Samba 3.6.0 <= 4.13.1 DoS Vulnerability (CVE-2020-14323)

Product detection result
```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary
Samba is prone to a denial of service vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.11.15
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.11.15, 4.12.9, 4.13.1 or later.

Affected Software/OS
All versions of Samba since version 3.6.0.

Vulnerability Insight
With a specially crafted winbind request sent over the non-privileged winbind pipe winbind can be made to dereference a NULL pointer.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 3.6.0 <= 4.13.1 DoS Vulnerability (CVE-2020-14323)`
OID:1.3.6.1.4.1.25623.1.0.150737
Version used: `2021-09-29T03:57:12Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2020-14323
url: https://www.samba.org/samba/security/CVE-2020-14323.html
cert-bund: WID-SEC-2023-0174
cert-bund: CB-K22/0130
cert-bund: CB-K20/1051
dfn-cert: DFN-CERT-2024-1065
dfn-cert: DFN-CERT-2023-0153
dfn-cert: DFN-CERT-2022-0224
dfn-cert: DFN-CERT-2021-2072
dfn-cert: DFN-CERT-2021-1504
dfn-cert: DFN-CERT-2021-0929
dfn-cert: DFN-CERT-2021-0444
dfn-cert: DFN-CERT-2020-2749
dfn-cert: DFN-CERT-2020-2567
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2020-2346

Medium (CVSS: 5.4)
NVT: Samba Path/Symlink Traversal Vulnerability (CVE-2019-3880)

Product detection result
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a path/symlink traversal vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.8.11
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.8.11, 4.9.6, 4.10.2 or later.

Affected Software/OS
Samba 3.2.0 and later.

Vulnerability Insight
A flaw was found in the way samba implemented an RPC endpoint emulating the Windows registry service API. An unprivileged attacker could use this flaw to create a new registry hive file anywhere they have unix permissions which could lead to creation of a new file in the Samba share.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Samba Path/Symlink Traversal Vulnerability (CVE-2019-3880)
OID:1.3.6.1.4.1.25623.1.0.142391
Version used: 2025-09-16T05:38:45Z

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2019-3880
url: https://www.samba.org/samba/security/CVE-2019-3880.html
cert-bund: CB-K19/0277
dfn-cert: DFN-CERT-2019-0924
dfn-cert: DFN-CERT-2019-0836
dfn-cert: DFN-CERT-2019-0726
dfn-cert: DFN-CERT-2019-0700

Medium (CVSS: 5.4)
NVT: Samba Multiple Vulnerabilities (CVE-2019-14861, CVE-2019-14870)

Product detection result
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 4.3.11
Fixed version: 4.9.17
Installation
path / port: 445/tcp

Solution:
Solution type: VendorFix
Update to version 4.9.17, 4.10.11, 4.11.3 or later.

Affected Software/OS
Samba versions 4.x.

Vulnerability Insight
Samba is prone to multiple vulnerabilities:
- Samba AD DC zone-named record Denial of Service in DNS management server (CVE-2019-14861)
- DelegationNotAllowed not being enforced in protocol transition on Samba AD DC (CVE-2019-14870)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Samba Multiple Vulnerabilities (CVE-2019-14861, CVE-2019-14870)
OID:1.3.6.1.4.1.25623.1.0.143243
Version used: 2021-09-06T11:01:35Z

Product Detection Result
Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2019-14861
cve: CVE-2019-14870
url: https://www.samba.org/samba/security/CVE-2019-14861.html
url: https://www.samba.org/samba/security/CVE-2019-14870.html
cert-bund: WID-SEC-2022-2051
cert-bund: CB-K19/1048
dfn-cert: DFN-CERT-2022-2612
dfn-cert: DFN-CERT-2022-2603
dfn-cert: DFN-CERT-2021-1167
dfn-cert: DFN-CERT-2020-2026
dfn-cert: DFN-CERT-2019-2593

Medium (CVSS: 4.9)
NVT: Samba DoS Vulnerability (CVE-2019-14847)

Product detection result
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 4.3.11
Fixed version: 4.9.15
Installation
path / port: 445/tcp

Solution:
Solution type: VendorFix
Update to version 4.9.15, 4.10.10 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Samba 4.0.0 until Samba 4.10.9.
Samba 4.11 is not affected as the issue was fixed as a result of Coverity static analysis, before the potential for denial of service became apparent.

Vulnerability Insight
Since Samba 4.0.0 Samba has implemented, in the AD DC, the 'dirsync' LDAP control specified in MS-ADTS '3.1.1.3.4.1.3 LDAP_SERVER_DIRSYNC_OID'.
However, when combined with the ranged results feature specified in MS-ADTS '3.1.1.3.1.3.3 Range Retrieval of Attribute Values' a NULL pointer is can be de-referenced.
This is a Denial of Service only, no further escalation of privilege is associated with this issue.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba DoS Vulnerability (CVE-2019-14847)`
OID:1.3.6.1.4.1.25623.1.0.108694
Version used: `2025-09-16T05:38:45Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2019-14847
url: https://www.samba.org/samba/security/CVE-2019-14847.html
cert-bund: WID-SEC-2023-2366
cert-bund: CB-K19/0945
dfn-cert: DFN-CERT-2023-2166
dfn-cert: DFN-CERT-2021-1167
dfn-cert: DFN-CERT-2020-2026
dfn-cert: DFN-CERT-2020-0375
dfn-cert: DFN-CERT-2019-2240
```

Medium (CVSS: 4.3)
NVT: Samba Information Leak Vulnerability (CVE-2018-14628)

Product detection result
```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary
Samba is prone to an information leak vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.18.9
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.18.9, 4.19.3 or later.

Affected Software/OS
Samba versions from 4.0.0 onwards.

Vulnerability Insight
Samba is vulnerable to an information leak (compared with the established behaviour of Microsoft's Active Directory) when Samba is an Active Directory Domain Controller.
Missing access control checks on the LDAP_SERVER_SHOW_DELETED_OID control in the DSDB database layer cause the LDAP server to disclose, to authenticated but not privileged users, the names and preserved attributes of deleted objects. (Microsoft AD simply does not return these objects on a search).
No information that was hidden before the deletion is visible, but in Microsoft Active Directory the whole object is also not visible without administrative rights, whereas Samba allows read of limited set of attributes that are preserved after delete.
There is no further vulnerability associated with this error, merely an information disclosure.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Information Leak Vulnerability (CVE-2018-14628)`
OID:1.3.6.1.4.1.25623.1.0.104503
Version used: `2023-11-30T05:06:26Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2018-14628
url: https://www.samba.org/samba/history/samba-4.19.3.html
url: https://www.samba.org/samba/history/samba-4.18.9.html
url: https://www.samba.org/samba/security/CVE-2018-14628.html
url: https://bugzilla.samba.org/show_bug.cgi?id=13595
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://bugzilla.redhat.com/show_bug.cgi?id=1625445
cert-bund: WID-SEC-2023-3012
dfn-cert: DFN-CERT-2023-2993
```

Medium (CVSS: 4.3)
NVT: Samba Memory Disclosure Vulnerability (CVE-2025-9640)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to an uninitialized memory disclosure vulnerability via vfs_streams_xattr.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.21.9
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.21.9, 4.22.5, 4.23.2 or later.

Affected Software/OS

Samba version 3.2 prior to 4.21.9, 4.22.x prior to 4.22.5 and 4.23.x prior to 4.23.2.

Vulnerability Insight

An authenticated user can read an unlimited number of samples of discarded heap memory, due to a failure to initialise memory in streams_xattr_pwrite() in the vfs_streams_xattr file server module.

This is achieved by issuing write requests that creates holes in the file.

Samba erases known secrets before freeing the associated memory, which somewhat mitigates the data leak.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Samba Memory Disclosure Vulnerability (CVE-2025-9640)`

OID:1.3.6.1.4.1.25623.1.0.155662

Version used: `2025-10-17T05:39:07Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:samba:samba:4.3.11
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2025-9640
url: https://www.samba.org/samba/security/CVE-2025-9640.html
url: https://www.samba.org/samba/history/samba-4.21.9.html
url: https://www.samba.org/samba/history/samba-4.22.5.html
url: https://www.samba.org/samba/history/samba-4.23.2.html
url: https://lists.samba.org/archive/samba-announce/2025/000704.html
cert-bund: WID-SEC-2025-2322
dfn-cert: DFN-CERT-2025-3326
dfn-cert: DFN-CERT-2025-2874
```

Medium (CVSS: 4.3)
NVT: Samba Information Disclosure Vulnerability (CVE-2020-14318)

Product detection result

```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.11.15
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.11.15, 4.12.9, 4.13.1 or later.

Affected Software/OS

All versions of Samba since version 3.6.0.

Vulnerability Insight

Systems where Windows ACL permissions are more restrictive than native filesystem permissions can be made to leak file name information to unprivileged accounts.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Information Disclosure Vulnerability (CVE-2020-14318)`
OID:1.3.6.1.4.1.25623.1.0.144983
Version used: `2021-08-11T08:56:08Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2020-14318
url: https://www.samba.org/samba/security/CVE-2020-14318.html
cert-bund: WID-SEC-2023-0174
cert-bund: CB-K20/1051
dfn-cert: DFN-CERT-2024-1065
dfn-cert: DFN-CERT-2021-2072
dfn-cert: DFN-CERT-2021-1504
dfn-cert: DFN-CERT-2021-0929
dfn-cert: DFN-CERT-2021-0444
dfn-cert: DFN-CERT-2020-2749
dfn-cert: DFN-CERT-2020-2567
dfn-cert: DFN-CERT-2020-2346
```

Medium (CVSS: 4.3)
NVT: Samba Information Disclosure Vulnerability (CVE-2021-44141)

Product detection result
```
cpe:/a:samba:samba:4.3.11
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary
Samba is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.3.11
Fixed version:     4.15.5
Installation
path / port:       445/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 4.15.5 or later.

Affected Software/OS
Samba versions prior to 4.15.5.

Vulnerability Insight
Samba is vulnerable to a malicious client using a server symlink to determine if a file or directory exists in an area of the server file system not exported under the share definition. SMB1 with unix extensions has to be enabled in order for this attack to succeed.
Clients that have write access to the exported part of the file system under a share via SMB1 unix extensions or via NFS can create symlinks that point to arbitrary files or directories on the server filesystem.
Clients can then use SMB1 unix extension information queries to determine if the target of the symlink exists or not by examining error codes returned from the smbd server. There is no ability to access these files or directories, only to determine if they exist or not.
If SMB1 is turned off and only SMB2 is used, or unix extensions are not enabled then there is no way to discover if a symlink points to a valid target or not via SMB2. For this reason, even if symlinks are created via NFS, if the Samba server does not allow SMB1 with unix extensions there is no way to exploit this bug.
Finding out what files or directories exist on a file server can help attackers guess system user names or the exact operating system release and applications running on the server hosting Samba which may help mount further attacks.
SMB1 has been disabled on Samba since version 4.11.0 and onwards.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Information Disclosure Vulnerability (CVE-2021-44141)`
OID:1.3.6.1.4.1.25623.1.0.147555
Version used: `2022-02-25T03:03:32Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2021-44141`
`url: https://www.samba.org/samba/security/CVE-2021-44141.html`
`cert-bund: WID-SEC-2022-0466`
`cert-bund: CB-K22/0128`
`dfn-cert: DFN-CERT-2022-1032`
`dfn-cert: DFN-CERT-2022-0264`
`dfn-cert: DFN-CERT-2022-0242`

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2022-0228

[return to 172.30.1.3]

2.1.14 Medium general/tcp

Medium (CVSS: 5.9)
NVT: ProFTPD < 1.3.8b OpenSSH Terrapin Attack

Product detection result
cpe:/a:proftpd:proftpd:1.3.5
Detected by ProFTPD Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.155379)

Summary
ProFTPD is prone to the SSH 'Terrapin' vulnerability when using the chacha20-poly1305@openssh.com cipher.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 1.3.5
Fixed version: 1.3.8b

Impact
A remote attacker could exploit this vulnerability to launch a machine-in-the-middle attack and strip an arbitrary number of messages after the initial key exchange, breaking SSH extension negotiation and downgrading the client connection security.

Solution:
Solution type: VendorFix
Update to version 1.3.8b or later.

Affected Software/OS
ProFTPD prior to version 1.3.8b.

Vulnerability Insight
OpenSSH is vulnerable to a machine-in-the-middle attack, caused by a flaw in the extension negotiation process in the SSH transport protocol when used with certain OpenSSH extensions.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: ProFTPD < 1.3.8b OpenSSH Terrapin Attack
OID:1.3.6.1.4.1.25623.1.0.155383

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:proftpd:proftpd:1.3.5
Method: ProFTPD Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.155379)

References
cve: CVE-2023-48795
url: https://github.com/proftpd/proftpd/issues/1760
url: https://terrapin-attack.com
url: https://www.openssl.org/news/secadv/20231024.txt
cert-bund: WID-SEC-2025-0810
cert-bund: WID-SEC-2025-0168
cert-bund: WID-SEC-2025-0144
cert-bund: WID-SEC-2025-0139
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-3320
cert-bund: WID-SEC-2024-3198
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1913
cert-bund: WID-SEC-2024-1781
cert-bund: WID-SEC-2024-1701
cert-bund: WID-SEC-2024-1656
cert-bund: WID-SEC-2024-1655
cert-bund: WID-SEC-2024-1643
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1639
cert-bund: WID-SEC-2024-1637
cert-bund: WID-SEC-2024-1630
cert-bund: WID-SEC-2024-1474
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1228
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-1082
cert-bund: WID-SEC-2024-0899
cert-bund: WID-SEC-2024-0892
cert-bund: WID-SEC-2024-0889
cert-bund: WID-SEC-2024-0885
cert-bund: WID-SEC-2024-0874
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0578
cert-bund: WID-SEC-2024-0564
cert-bund: WID-SEC-2024-0523
cert-bund: WID-SEC-2023-3174
dfn-cert: DFN-CERT-2026-0097

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-3629
dfn-cert: DFN-CERT-2025-3272
dfn-cert: DFN-CERT-2025-2058
dfn-cert: DFN-CERT-2025-2037
dfn-cert: DFN-CERT-2025-1447
dfn-cert: DFN-CERT-2025-1177
dfn-cert: DFN-CERT-2025-1025
dfn-cert: DFN-CERT-2025-0660
dfn-cert: DFN-CERT-2025-0502
dfn-cert: DFN-CERT-2025-0294
dfn-cert: DFN-CERT-2025-0173
dfn-cert: DFN-CERT-2025-0165
dfn-cert: DFN-CERT-2025-0024
dfn-cert: DFN-CERT-2024-3171
dfn-cert: DFN-CERT-2024-2818
dfn-cert: DFN-CERT-2024-2759
dfn-cert: DFN-CERT-2024-2741
dfn-cert: DFN-CERT-2024-2602
dfn-cert: DFN-CERT-2024-2573
dfn-cert: DFN-CERT-2024-2392
dfn-cert: DFN-CERT-2024-2210
dfn-cert: DFN-CERT-2024-2209
dfn-cert: DFN-CERT-2024-2194
dfn-cert: DFN-CERT-2024-2169
dfn-cert: DFN-CERT-2024-2048
dfn-cert: DFN-CERT-2024-2030
dfn-cert: DFN-CERT-2024-2028
dfn-cert: DFN-CERT-2024-1930
dfn-cert: DFN-CERT-2024-1895
dfn-cert: DFN-CERT-2024-1869
dfn-cert: DFN-CERT-2024-1868
dfn-cert: DFN-CERT-2024-1865
dfn-cert: DFN-CERT-2024-1862
dfn-cert: DFN-CERT-2024-1854
dfn-cert: DFN-CERT-2024-1846
dfn-cert: DFN-CERT-2024-1817
dfn-cert: DFN-CERT-2024-1715
dfn-cert: DFN-CERT-2024-1698
dfn-cert: DFN-CERT-2024-1688
dfn-cert: DFN-CERT-2024-1655
dfn-cert: DFN-CERT-2024-1600
dfn-cert: DFN-CERT-2024-1443
dfn-cert: DFN-CERT-2024-1442
dfn-cert: DFN-CERT-2024-1413
dfn-cert: DFN-CERT-2024-1382
dfn-cert: DFN-CERT-2024-1380
dfn-cert: DFN-CERT-2024-1373
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2024-1259
dfn-cert: DFN-CERT-2024-1108
dfn-cert: DFN-CERT-2024-1061
dfn-cert: DFN-CERT-2024-1029
dfn-cert: DFN-CERT-2024-1003
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2024-0896
dfn-cert: DFN-CERT-2024-0779
dfn-cert: DFN-CERT-2024-0762
dfn-cert: DFN-CERT-2024-0744
dfn-cert: DFN-CERT-2024-0698
dfn-cert: DFN-CERT-2024-0633
dfn-cert: DFN-CERT-2024-0619
dfn-cert: DFN-CERT-2024-0618
dfn-cert: DFN-CERT-2024-0616
dfn-cert: DFN-CERT-2024-0597
dfn-cert: DFN-CERT-2024-0545
dfn-cert: DFN-CERT-2024-0526
dfn-cert: DFN-CERT-2024-0491
dfn-cert: DFN-CERT-2024-0451
dfn-cert: DFN-CERT-2024-0440
dfn-cert: DFN-CERT-2024-0420
dfn-cert: DFN-CERT-2024-0388
dfn-cert: DFN-CERT-2024-0343
dfn-cert: DFN-CERT-2024-0306
dfn-cert: DFN-CERT-2024-0299
dfn-cert: DFN-CERT-2024-0285
dfn-cert: DFN-CERT-2024-0267
dfn-cert: DFN-CERT-2024-0251
dfn-cert: DFN-CERT-2024-0215
dfn-cert: DFN-CERT-2024-0211
dfn-cert: DFN-CERT-2024-0164
dfn-cert: DFN-CERT-2024-0154
dfn-cert: DFN-CERT-2024-0101
dfn-cert: DFN-CERT-2024-0092
dfn-cert: DFN-CERT-2024-0088
dfn-cert: DFN-CERT-2024-0067
dfn-cert: DFN-CERT-2024-0063
dfn-cert: DFN-CERT-2024-0062
dfn-cert: DFN-CERT-2024-0024
dfn-cert: DFN-CERT-2024-0013
dfn-cert: DFN-CERT-2023-3219
dfn-cert: DFN-CERT-2023-3218
dfn-cert: DFN-CERT-2023-3210
dfn-cert: DFN-CERT-2023-3201
dfn-cert: DFN-CERT-2023-3200
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-3195
dfn-cert: DFN-CERT-2023-3193
dfn-cert: DFN-CERT-2023-3191
dfn-cert: DFN-CERT-2023-3185
dfn-cert: DFN-CERT-2023-3184
dfn-cert: DFN-CERT-2023-3183
dfn-cert: DFN-CERT-2023-3182
dfn-cert: DFN-CERT-2023-3175
```

Medium (CVSS: 5.5)
NVT: ProFTPD < 1.3.5e, 1.3.6 < 1.3.6rc5 Local Security Bypass Vulnerability

Product detection result

```
cpe:/a:proftpd:proftpd:1.3.5
Detected by ProFTPD Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.155379)
```

Summary

ProFTPD server is prone to local security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.3.5
Fixed version:     1.3.5e / 1.3.6rc5
```

Impact

Successful exploitation will allow attackers to bypass certain security restrictions and perform unauthorized actions.

Solution:

Solution type: VendorFix

Update to version 1.3.5e, 1.3.6rc5 or later.

Affected Software/OS

ProFTPD prior to version 1.3.5e and 1.3.6 prior to 1.3.6rc5.

Vulnerability Insight

The ProFTPD controls whether the home directory of a user could contain a symbolic link through the AllowChrootSymlinks configuration option, but checks only the last path component when enforcing AllowChrootSymlinks.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `ProFTPD < 1.3.5e, 1.3.6 < 1.3.6rc5 Local Security Bypass Vulnerability`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.810731
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:proftpd:proftpd:1.3.5
Method: ProFTPD Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.155379)

References

```
cve: CVE-2017-7418
url: http://bugs.proftpd.org/show_bug.cgi?id=4295
url: http://www.securityfocus.com/bid/97409
url: https://github.com/proftpd/proftpd/commit/ecff21e0d0e84f35c299ef91d7fda088e
↪516d4ed
url: https://github.com/proftpd/proftpd/commit/f59593e6ff730b832dbe8754916cb5c82
↪1db579f
url: https://github.com/proftpd/proftpd/pull/444/commits/349addc3be4fcdad9bd4ec0
↪1ad1ccd916c898ed8
cert-bund: CB-K20/0857
cert-bund: CB-K17/0602
dfn-cert: DFN-CERT-2020-0072
dfn-cert: DFN-CERT-2019-1655
dfn-cert: DFN-CERT-2018-1416
dfn-cert: DFN-CERT-2017-0621
```

[return to 172.30.1.3]

2.1.15 Medium 21/tcp

Medium (CVSS: 4.8)
NVT: FTP Unencrypted Cleartext Login

Summary
The remote host is running a FTP service that allows cleartext logins over unencrypted connections.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The remote FTP service accepts logins without a previous sent 'AUTH TLS' command
↪. Response(s):
Non-anonymous sessions: 331 Password required for openvasvt
Anonymous sessions:     331 Anonymous login ok, send your complete email address
↪ as your password
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
An attacker can uncover login names and passwords by sniffing traffic to the FTP service.

Solution:
Solution type: Mitigation
Enable FTPS or enforce the connection via the 'AUTH TLS' command. Please see the manual of the FTP service for more information.

Vulnerability Detection Method
Tries to login to a non FTPS enabled FTP service without sending a 'AUTH TLS' command first and checks if the service is accepting the login without enforcing the use of the 'AUTH TLS' command.
Details: `FTP Unencrypted Cleartext Login`
OID:1.3.6.1.4.1.25623.1.0.108528
Version used: `2023-12-20T05:05:58Z`

[return to 172.30.1.3]

2.1.16 Low 22/tcp

Low (CVSS: 2.6)
NVT: Weak MAC Algorithm(s) Supported (SSH)

Product detection result
```
cpe:/a:ietf:secure_shell_protocol
Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↪)
```

Summary
The remote SSH server is configured to allow / support weak MAC algorithm(s).

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote SSH server supports the following weak client-to-server MAC algorithm
↪(s):
hmac-md5
hmac-md5-96
hmac-md5-96-etm@openssh.com
hmac-md5-etm@openssh.com
hmac-sha1-96
hmac-sha1-96-etm@openssh.com
umac-64-etm@openssh.com
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
umac-64@openssh.com
The remote SSH server supports the following weak server-to-client MAC algorithm
↪(s):
hmac-md5
hmac-md5-96
hmac-md5-96-etm@openssh.com
hmac-md5-etm@openssh.com
hmac-sha1-96
hmac-sha1-96-etm@openssh.com
umac-64-etm@openssh.com
umac-64@openssh.com
```

Solution:
Solution type: Mitigation
Disable the reported weak MAC algorithm(s).

Vulnerability Detection Method
Checks the supported MAC algorithms (client-to-server and server-to-client) of the remote SSH server.
Currently weak MAC algorithms are defined as the following:
- MD5 based algorithms
- 96-bit based algorithms
- 64-bit based algorithms
- 'none' algorithm
Details: `Weak MAC Algorithm(s) Supported (SSH)`
OID:1.3.6.1.4.1.25623.1.0.105610
Version used: `2024-06-14T05:05:48Z`

Product Detection Result
Product: `cpe:/a:ietf:secure_shell_protocol`
Method: `SSH Protocol Algorithms Supported`
OID: 1.3.6.1.4.1.25623.1.0.105565)

References
`url: https://www.rfc-editor.org/rfc/rfc6668`
`url: https://www.rfc-editor.org/rfc/rfc4253#section-6.4`

Low (CVSS: 2.4)
NVT: OpenBSD OpenSSH < 10.1 Multiple Vulnerabilities

Product detection result
`cpe:/a:openbsd:openssh:6.6.1p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
OpenBSD OpenSSH is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 6.6.1p1
Fixed version:     10.1
Installation
path / port:       22/tcp
```

Solution:
Solution type: VendorFix
Update to version 10.1 or later.

Affected Software/OS
OpenBSD OpenSSH versions prior to 10.1.

Vulnerability Insight
The following flaws exist:
- CVE-2025-61984: 'ssh' allows control characters in usernames that originate from certain possibly untrusted sources, potentially leading to code execution when a ProxyCommand is used. The untrusted sources are the command line and %-sequence expansion of a configuration file. (A configuration file that provides a complete literal username is not categorized as an untrusted source.)
- CVE-2025-61985: 'ssh' allows the '\0' character in an ssh:// URI, potentially leading to code execution when a ProxyCommand is used.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH < 10.1 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.119134
Version used: `2025-10-08T05:38:55Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:6.6.1p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`cve: CVE-2025-61984`
`cve: CVE-2025-61985`
`url: https://www.openssh.com/txt/release-10.1`
`url: https://www.openssh.com/security.html`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.openwall.com/lists/oss-security/2025/10/06/1
url: https://dgl.cx/2025/10/bash-a-newline-ssh-proxycommand-cve-2025-61984#_
cert-bund: WID-SEC-2025-2212
dfn-cert: DFN-CERT-2026-0218
dfn-cert: DFN-CERT-2025-3384
dfn-cert: DFN-CERT-2025-2768
```

[return to 172.30.1.3]

2.1.17 Low 80/tcp

Low (CVSS: 3.6)
NVT: PHP <= 5.6.0 'PEAR' Symlink Attack Vulnerability

Product detection result

```
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a symlink attack vulnerability in the included PEAR installer.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.4.5
Fixed version:     See references
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to a later PHP version including an PEAR installer in version 1.9.2 or later.

Affected Software/OS

PHP through version 5.6.0.

Vulnerability Insight

The PEAR_REST class in REST.php in PEAR allows local users to write to arbitrary files via a symlink attack on a (1) rest.cachefile or (2) rest.cacheid file in /tmp/pear/cache/, related to the retrieveCacheFirst and useLocalCache functions.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: PHP <= 5.6.0 'PEAR' Symlink Attack Vulnerability
OID:1.3.6.1.4.1.25623.1.0.117252
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.4.5
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2014-5459
url: https://pear.php.net/bugs/bug.php?id=18056
url: https://pear.php.net/bugs/bug.php?id=18055
url: http://www.openwall.com/lists/oss-security/2014/08/27/3
cert-bund: CB-K16/0944
cert-bund: CB-K14/1167
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2014-1219

Low (CVSS: 3.6)
NVT: PHP < 7.2.33, 7.3 < 7.3.21, 7.4 < 7.4.9 DoS Vulnerability (Aug 2020) - Linux

Product detection result
cpe:/a:php:php:5.4.5
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a denial of service vulnerability in the phar_parse_zipfile function.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.4.5
Fixed version: 7.2.33
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 7.2.33, 7.3.21, 7.4.9 or later.

Affected Software/OS
PHP versions prior 7.2.33, 7.3 prior 7.3.21 and 7.4 prior to 7.4.9.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The phar_parse_zipfile function had use-after-free vulnerability because of mishandling of the actual_alias variable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.33, 7.3 < 7.3.21, 7.4 < 7.4.9 DoS Vulnerability (Aug 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.144365
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.4.5`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7068
url: https://www.php.net/ChangeLog-7.php#7.2.33
url: https://www.php.net/ChangeLog-7.php#7.3.21
url: https://www.php.net/ChangeLog-7.php#7.4.9
cert-bund: WID-SEC-2022-2116
cert-bund: CB-K20/0788
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2020-1910
dfn-cert: DFN-CERT-2020-1732
```

[return to 172.30.1.3]

2.1.18 Low 445/tcp

Low (CVSS: 2.5)
NVT: Samba Share Escape Vulnerability (CVE-2021-43566)

Product detection result
`cpe:/a:samba:samba:4.3.11`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Samba is prone to a share escape vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.3.11
Fixed version:     4.13.16
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.13.16 or later.

Affected Software/OS
Samba versions prior to 4.13.16.

Vulnerability Insight
Samba is vulnerable to a malicious client using an SMB1 or NFS symlink race to allow a directory to be created in an area of the server file system not exported under the share definition. Note that SMB1 has to be enabled, or the share also available via NFS in order for this attack to succeed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Share Escape Vulnerability (CVE-2021-43566)`
OID:1.3.6.1.4.1.25623.1.0.117876
Version used: `2022-01-24T03:04:40Z`

Product Detection Result
Product: `cpe:/a:samba:samba:4.3.11`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2021-43566
url: https://www.samba.org/samba/history/samba-4.13.16.html
url: https://www.samba.org/samba/security/CVE-2021-43566.html
cert-bund: WID-SEC-2023-2979
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K22/0016
dfn-cert: DFN-CERT-2022-0865
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0264
dfn-cert: DFN-CERT-2022-0242
dfn-cert: DFN-CERT-2022-0239
dfn-cert: DFN-CERT-2022-0035
```

[return to 172.30.1.3]

2.1.19 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-1999-0524
url: https://datatracker.ietf.org/doc/html/rfc792
url: https://datatracker.ietf.org/doc/html/rfc2780
cert-bund: CB-K15/1514
cert-bund: CB-K14/0632
dfn-cert: DFN-CERT-2014-0658

[return to 172.30.1.3]

2.1.20 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 3166959399
Packet 2: 3166960536
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
`url: https://datatracker.ietf.org/doc/html/rfc1323`
`url: https://datatracker.ietf.org/doc/html/rfc7323`
`url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d`
`↪ownload/details.aspx?id=9152`
`url: https://www.fortiguard.com/psirt/FG-IR-16-090`

[return to 172.30.1.3]

2.1.21 Log 22/tcp

Log (CVSS: 0.0)
NVT: SSH Protocol Versions Supported

Summary
Identification of SSH protocol versions supported by the remote SSH Server. Also reads the corresponding fingerprints from the service.

Quality of Detection (QoD): 95%

Vulnerability Detection Result
```
The remote SSH Server supports the following SSH Protocol Versions:
1.99
2.0
SSHv2 Fingerprint(s):
ecdsa-sha2-nistp256: c0:49:cc:18:7b:27:a4:07:0d:2a:0d:bb:42:4c:36:17
ssh-ed25519: a0:76:f3:76:f8:f0:70:4d:09:ca:e1:10:fd:a9:cc:0a
ssh-rsa: c9:ac:70:ef:f8:de:8b:a3:a3:44:ab:3d:32:0a:5c:6a
```

Solution:

Log Method
The following versions are tried: 1.33, 1.5, 1.99 and 2.0.
Details: `SSH Protocol Versions Supported`
OID:1.3.6.1.4.1.25623.1.0.100259
Version used: `2024-06-17T08:31:37Z`

Log (CVSS: 0.0)
NVT: SSH Server type and version

Summary
This detects the SSH Server's type and version by connecting to the server and processing the buffer received.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Remote SSH server banner: SSH-2.0-OpenSSH_6.6.1p1 Ubuntu-2ubuntu2.13
Remote SSH supported authentication: password,publickey
Remote SSH text/login banner: (not available)
This is probably (a):
- OpenSSH
Concluded from remote connection attempt with credentials:
Login:    OpenVASVT
Password: OpenVASVT
```

Solution:

Vulnerability Insight
This information gives potential attackers additional information about the system they are attacking. Versions and Types should be omitted where possible.

Log Method
Details: `SSH Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10267
Version used: `2025-11-13T05:40:19Z`

Log (CVSS: 0.0)
NVT: SSH Protocol Algorithms Supported

Summary
This script detects which algorithms are supported by the remote SSH service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following options are supported by the remote SSH service:
kex_algorithms:
curve25519-sha256@libssh.org,ecdh-sha2-nistp256,ecdh-sha2-nistp384,ecdh-sha2-nis
↪tp521,diffie-hellman-group-exchange-sha256,diffie-hellman-group-exchange-sha1,
↪diffie-hellman-group14-sha1,diffie-hellman-group1-sha1
server_host_key_algorithms:
ssh-rsa,ssh-dss,ecdsa-sha2-nistp256,ssh-ed25519
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
encryption_algorithms_client_to_server:
aes128-ctr,aes192-ctr,aes256-ctr,arcfour256,arcfour128,aes128-gcm@openssh.com,ae
↪s256-gcm@openssh.com,chacha20-poly1305@openssh.com,aes128-cbc,3des-cbc,blowfis
↪h-cbc,cast128-cbc,aes192-cbc,aes256-cbc,arcfour,rijndael-cbc@lysator.liu.se
encryption_algorithms_server_to_client:
aes128-ctr,aes192-ctr,aes256-ctr,arcfour256,arcfour128,aes128-gcm@openssh.com,ae
↪s256-gcm@openssh.com,chacha20-poly1305@openssh.com,aes128-cbc,3des-cbc,blowfis
↪h-cbc,cast128-cbc,aes192-cbc,aes256-cbc,arcfour,rijndael-cbc@lysator.liu.se
mac_algorithms_client_to_server:
hmac-md5-etm@openssh.com,hmac-sha1-etm@openssh.com,umac-64-etm@openssh.com,umac-
↪128-etm@openssh.com,hmac-sha2-256-etm@openssh.com,hmac-sha2-512-etm@openssh.co
↪m,hmac-ripemd160-etm@openssh.com,hmac-sha1-96-etm@openssh.com,hmac-md5-96-etm@
↪openssh.com,hmac-md5,hmac-sha1,umac-64@openssh.com,umac-128@openssh.com,hmac-s
↪ha2-256,hmac-sha2-512,hmac-ripemd160,hmac-ripemd160@openssh.com,hmac-sha1-96,h
↪mac-md5-96
mac_algorithms_server_to_client:
hmac-md5-etm@openssh.com,hmac-sha1-etm@openssh.com,umac-64-etm@openssh.com,umac-
↪128-etm@openssh.com,hmac-sha2-256-etm@openssh.com,hmac-sha2-512-etm@openssh.co
↪m,hmac-ripemd160-etm@openssh.com,hmac-sha1-96-etm@openssh.com,hmac-md5-96-etm@
↪openssh.com,hmac-md5,hmac-sha1,umac-64@openssh.com,umac-128@openssh.com,hmac-s
↪ha2-256,hmac-sha2-512,hmac-ripemd160,hmac-ripemd160@openssh.com,hmac-sha1-96,h
↪mac-md5-96
compression_algorithms_client_to_server:
none,zlib@openssh.com
compression_algorithms_server_to_client:
none,zlib@openssh.com
```

Solution:

Log Method

Details: SSH Protocol Algorithms Supported
OID:1.3.6.1.4.1.25623.1.0.105565
Version used: 2026-01-21T05:50:46Z

Log (CVSS: 0.0)
NVT: PQC Key Exchange (KEX) Algorithm(s) Missing (SSH)

Product detection result

```
cpe:/a:ietf:secure_shell_protocol
Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↪)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

The remote SSH server is configured to NOT allow / support at least ONE Post-Quantum Cryptography (PQC) key exchange (KEX) algorithm(s).

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`The remote SSH server is NOT supporting at least ONE PQC KEX algorithm.`

Impact
The connection may be vulnerable to 'store now, decrypt later' attacks.

Solution:
Solution type: Mitigation
Update the remote SSH server to a version supporting PQC KEX algorithms (e.g. OpenSSH 8.9 or later) and enable relevant PQC KEX algorithms accordingly.
Please see the references/manual of the remote SSH server and/or contact the vendor of it for more support.

Log Method
Checks the (previously collected) supported KEX algorithms of the remote SSH server.
Currently the following PQC KEX algorithms are defined / getting used for this check:
- sntrup761x25519-sha512@openssh.com
- sntrup761x25519-sha512
- mlkem768x25519-sha256
- sntrup4591761x25519-sha512@tinyssh.org
- ecdh-nistp256-kyber-512r3-sha256-d00@openquantumsafe.org
- ecdh-nistp384-kyber-768r3-sha384-d00@openquantumsafe.org
- ecdh-nistp521-kyber-1024r3-sha512-d00@openquantumsafe.org
- x25519-kyber-512r3-sha256-d00@amazon.com
- mlkem1024nistp384-sha384
- mlkem768nistp256-sha256
- curve25519-frodokem1344-sha512@ssh.com
- ecdh-nistp521-kyber1024-sha512@ssh.com

Details: `PQC Key Exchange (KEX) Algorithm(s) Missing (SSH)`
OID:1.3.6.1.4.1.25623.1.0.119214
Version used: `2025-10-31T05:40:56Z`

Product Detection Result
Product: `cpe:/a:ietf:secure_shell_protocol`
Method: `SSH Protocol Algorithms Supported`
OID: 1.3.6.1.4.1.25623.1.0.105565)

References
`url: https://openssh.com/pq.html`
`url: https://quantumcomputingreport.com/openssh-10-0-introduces-default-post-qua`

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪ntum-key-exchange-algorithm/
url: https://www.nist.gov/news-events/news/2024/08/nist-releases-first-3-finaliz
↪ed-post-quantum-encryption-standards
url: https://csrc.nist.gov/News/2024/postquantum-cryptography-fips-approved
url: https://www.forescout.com/blog/post-quantum-cryptography-the-real-risks-of-
↪not-adopting-it/
```

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`An ssh server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

[return to 172.30.1.3]

2.1.22 Log 137/udp

Log (CVSS: 0.0)
NVT: Using NetBIOS to retrieve information from a SMB host

Summary
This script is using NetBIOS (port UDP:137) to retrieve information from a SMB host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
The following 7 NetBIOS names have been gathered :
 474726F9409A    = Computer name
 474726F9409A    = This is the computer name registered for workstation services
↪ by a WINS client.
 474726F9409A    = This is the current logged in user registered for this workst
↪ation.
 WORKGROUP       = Workgroup / Domain name
 WORKGROUP       = Workgroup / Domain name (part of the Browser elections)
This SMB server seems to be a SAMBA server (this is not a security risk, this is
↪ for your information). This can be told because this server claims to have a
↪null MAC address.
If you do not want to allow everyone to find the NetBIOS name of your computer,
↪you should filter incoming traffic to this port.
```

Solution:

Log Method
Details: Using NetBIOS to retrieve information from a SMB host
OID:1.3.6.1.4.1.25623.1.0.10150
Version used: 2023-08-01T13:29:10Z

[return to 172.30.1.3]

2.1.23 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
172.30.1.3|cpe:/a:apache:http_server:2.4.7
172.30.1.3|cpe:/a:drupal:drupal:7.5
172.30.1.3|cpe:/a:ietf:secure_shell_protocol:2.0
172.30.1.3|cpe:/a:jquery:jquery
172.30.1.3|cpe:/a:jquery:jquery:1.6.2
172.30.1.3|cpe:/a:openbsd:openssh:6.6.1p1
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
172.30.1.3|cpe:/a:php:php:5.4.5
172.30.1.3|cpe:/a:phpmyadmin:phpmyadmin:3.5.8
172.30.1.3|cpe:/a:proftpd:proftpd:1.3.5
172.30.1.3|cpe:/a:samba:samba:4.3.11
172.30.1.3|cpe:/o:canonical:ubuntu_linux:14.04
```

Solution:

Log Method
Details: CPE Inventory
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: 2022-07-27T10:11:28Z

References
url: https://nvd.nist.gov/products/cpe

[return to 172.30.1.3]

2.1.24 Log 80/tcp

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Missing Headers                   | More Information
--------------------------------------------------------------------------------
↪--------------------------------------------------------------------------------
↪-----------------------------------------------
Content-Security-Policy           | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy        | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                   | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Feature-Policy                    | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Referrer-Policy                   | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options            | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options                   | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                  | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

Log Method

Details: `HTTP Security Headers Detection`
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: `2025-03-21T15:40:43Z`

References

```
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-secure-headers/#div-headers
url: https://securityheaders.com/
```

Log (CVSS: 0.0)
NVT: Drupal Detection (HTTP)

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

HTTP based detection of Drupal.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Drupal
Version:       7.5
Location:      /drupal
CPE:           cpe:/a:drupal:drupal:7.5
Concluded from version/product identification result:
Drupal 7.5, 2011-07-27
Concluded from version/product identification location:
http://metasploitable3.trabalho_vulnnet/drupal/CHANGELOG.txt
```

Solution:

Log Method

Details: `Drupal Detection (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.100169
Version used: `2025-02-04T05:37:53Z`

References

`url: https://new.drupal.org/`

Log (CVSS: 0.0)
NVT: phpMyAdmin Detection (HTTP)

Summary

HTTP based detection of phpMyAdmin.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected phpMyAdmin
Version:       3.5.8
Location:      /phpmyadmin
CPE:           cpe:/a:phpmyadmin:phpmyadmin:3.5.8
Concluded from version/product identification result:
Version 3.5.8
Concluded from version/product identification location:
  http://metasploitable3.trabalho_vulnnet/phpmyadmin/index.php
  http://metasploitable3.trabalho_vulnnet/phpmyadmin/README
Extra information:
- Possible unprotected setup dir identified at http://metasploitable3.trabalho_v
↪ulnnet/phpmyadmin/setup/
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:

Log Method
Details: `phpMyAdmin Detection (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.900129
Version used: `2024-02-19T14:37:31Z`

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote HTTP Server banner is:
Server: Apache/2.4.7 (Ubuntu)
```

Solution:

Log Method
Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner                  | Enumeration technique
--------------------------------------------------------------------------------
↪----------------
Server: Apache/2.4.7 (Ubuntu) | Invalid HTTP 00.5 GET request (non-existent HTTP
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪ version) to '/'
```

Solution:

Log Method
Details: HTTP Server Banner Enumeration
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Hostname/IP "metasploitable3.trabalho_vulnnet" was used to access the remote
↪ host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
A possible recursion was detected during web application scanning:
The service is using a relative URL in one or more HTML references where e.g. /f
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪ile1.html contains <a href="subdir/file2.html"> and a subsequent request for s
↪ubdir/file2.html is linking to subdir/file2.html. This would resolves to subdi
↪r/subdir/file2.html causing a recursion. To work around this counter-measures
↪have been enabled but the service should be fixed as well to not use such prob
↪lematic links. Below an excerpt of URLs is shown to help identify those issues
↪.
Syntax : URL (HTML link)
http://metasploitable3.trabalho_vulnnet/phpmyadmin/changelog.php (themes/dot.gif
↪)
http://metasploitable3.trabalho_vulnnet/phpmyadmin/index.php (themes/dot.gif)
http://metasploitable3.trabalho_vulnnet/phpmyadmin/license.php (themes/dot.gif)
http://metasploitable3.trabalho_vulnnet/phpmyadmin/url.php (themes/dot.gif)
The following directories were used for web application scanning:
http://metasploitable3.trabalho_vulnnet/
http://metasploitable3.trabalho_vulnnet/cgi-bin
http://metasploitable3.trabalho_vulnnet/chat
http://metasploitable3.trabalho_vulnnet/drupal
http://metasploitable3.trabalho_vulnnet/drupal/misc
http://metasploitable3.trabalho_vulnnet/drupal/misc/farbtastic
http://metasploitable3.trabalho_vulnnet/drupal/misc/ui
http://metasploitable3.trabalho_vulnnet/phpmyadmin
http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup
http://metasploitable3.trabalho_vulnnet/uploads
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following directories were excluded from web application scanning because th
↪e "Regex pattern to exclude directories from CGI scanning" setting of the VT "
↪Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was
↪: "/(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graph
↪ic|grafik|picture|bilder|thumbnail|media/|skins?/)"
http://metasploitable3.trabalho_vulnnet/drupal/misc/ui/images
http://metasploitable3.trabalho_vulnnet/icons
http://metasploitable3.trabalho_vulnnet/phpmyadmin/js
http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery
http://metasploitable3.trabalho_vulnnet/phpmyadmin/themes
http://metasploitable3.trabalho_vulnnet/phpmyadmin/themes/original/img
http://metasploitable3.trabalho_vulnnet/phpmyadmin/themes/original/img/pmd
http://metasploitable3.trabalho_vulnnet/phpmyadmin/themes/pmahomme/img
http://metasploitable3.trabalho_vulnnet/phpmyadmin/themes/pmahomme/jquery
Directory index found at:
http://metasploitable3.trabalho_vulnnet/
http://metasploitable3.trabalho_vulnnet/drupal/misc/
http://metasploitable3.trabalho_vulnnet/drupal/misc/farbtastic/
http://metasploitable3.trabalho_vulnnet/drupal/misc/ui/
http://metasploitable3.trabalho_vulnnet/drupal/misc/ui/images/
http://metasploitable3.trabalho_vulnnet/uploads/
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
PHP script discloses physical path at:
http://metasploitable3.trabalho_vulnnet/payroll_app.php (/var/www/html/payroll_a
↪pp.php)
The following CGIs were discovered:
Syntax : cginame (arguments [default value])
http://metasploitable3.trabalho_vulnnet/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D;O [A
↪] )
http://metasploitable3.trabalho_vulnnet/chat/index.php (name [] enter [Enter] )
http://metasploitable3.trabalho_vulnnet/drupal/misc/ (C=S;O [A] C=N;O [D] C=M;O
↪[A] C=D;O [A] )
http://metasploitable3.trabalho_vulnnet/drupal/misc/farbtastic/ (C=S;O [A] C=N;O
↪ [D] C=M;O [A] C=D;O [A] )
http://metasploitable3.trabalho_vulnnet/drupal/misc/ui/ (C=S;O [A] C=N;O [D] C=M
↪;O [A] C=D;O [A] )
http://metasploitable3.trabalho_vulnnet/drupal/misc/ui/images/ (C=S;O [A] C=N;O
↪[D] C=M;O [A] C=D;O [A] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/index.php (token [***replaced
↪***] pma_username [] table [] collation_connection [utf8_general_ci] lang [] s
↪erver [1] db [] pma_password [] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/get_image.js.php (theme [p
↪mahomme] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/messages.php (token [***re
↪placed***] collation_connection [utf8_general_ci] lang [en] db [] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/phpmyadmin.css.php (token [**
↪*replaced***] collation_connection [utf8_general_ci] js_frame [right] lang [en
↪] nocache [4334846010] server [1] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/ (D [A] token [***repla
↪ced***] version_check [1] formset [Features] collation_connection [utf8_genera
↪l_ci] lang [] page [form] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/config.php (token [***r
↪eplaced***] tab_hash [] ServerDefault [] submit_clear [Clear] submit_download
↪[Download] collation_connection [utf8_general_ci] submit_load [Load] submit_de
↪lete [Delete] submit_save [Save] lang [en] eol [] submit_display [Display] Def
↪aultLang [] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/index.php (token [***re
↪placed***] submit [New server] tab_hash [] collation_connection [utf8_general_
↪ci] mode [add] lang [en] page [servers] check_page_refresh [] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/url.php (token [***replaced**
↪*] url [http%3A%2F%2Fwww.phpmyadmin.net%2F] collation_connection [utf8_general
↪_ci] lang [en] )
http://metasploitable3.trabalho_vulnnet/uploads/ (C=S;O [A] C=N;O [D] C=M;O [A]
↪C=D;O [A] )
The following cgi scripts were excluded from web application scanning because of
↪ the "Regex pattern to exclude cgi scripts" setting of the VT "Web mirroring"
↪(OID: 1.3.6.1.4.1.25623.1.0.10662) for this scan was: "\.(js|css)$"
Syntax : cginame (arguments [default value])
http://metasploitable3.trabalho_vulnnet/drupal/misc/drupal.js (O [] )
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
http://metasploitable3.trabalho_vulnnet/drupal/misc/jquery.js (v [1.4.4] )
http://metasploitable3.trabalho_vulnnet/drupal/misc/jquery.once.js (v [1.2] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/cross_framing_protection.j
↪s (ts [1365422810] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/functions.js (ts [13654228
↪10] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery/jquery-1.6.2.js (ts
↪ [1365422810] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery/jquery-ui-1.8.16.cu
↪stom.js (ts [1365422810] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery/jquery.qtip-1.0.0-r
↪c3.js (ts [1365422810] )
http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/update-location.js (ts [13
↪65422810] )
```

Solution:

Log Method
Details: `Web Application Scanning Consolidation / Info Reporting`
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: `2026-01-13T05:47:36Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: 'favicon.ico' Based Fingerprinting (HTTP)

Summary
HTTP based fingerprinting of web applications based on an exposed 'favicon.ico' file.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following apps/services were identified:
"Drupal CMS (5.10) " fingerprinted by the file: "http://metasploitable3.trabalho
↪_vulnnet/drupal/misc/favicon.ico"
"phpmyadmin (2.11.8.1 - 4.2.x)" fingerprinted by the file: "http://metasploitabl
↪e3.trabalho_vulnnet/phpmyadmin/favicon.ico"
```

Solution:

Log Method
Details: `'favicon.ico' Based Fingerprinting (HTTP)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.20108
Version used: 2023-08-01T13:29:10Z

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
A web server is running on this port

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: Services
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration

Summary
Enumerates which HTTP methods are allowed.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The following list contains the URLs and corresponding supported HTTP methods.
URL                                       | HTTP Methods
--------------------------------------------------------------------------------
↪-------------------
http://metasploitable3.trabalho_vulnnet/ | GET,HEAD,POST,OPTIONS (obtained via H
↪TTP OPTIONS method)
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
- Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE
- Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTIVITY, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL

Log Method
Sends multiple HTTP requests and checks the responses.
Disclaimer:
- This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods
- This script doesn't guarantee completeness or full reliability
For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host.
Details: `Allowed HTTP Methods Enumeration`
OID:1.3.6.1.4.1.25623.1.0.153974
Version used: `2025-02-28T05:38:49Z`

[return to 172.30.1.3]

2.1.25 Log 139/tcp

Log (CVSS: 0.0)
NVT: SMB/CIFS Server Detection

Summary
This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A SMB server is running on this port`

Solution:

Log Method
Details: `SMB/CIFS Server Detection`
OID:1.3.6.1.4.1.25623.1.0.11011
Version used: `2023-08-01T13:29:10Z`

[return to 172.30.1.3]

2.1.26 Log 445/tcp

Log (CVSS: 0.0)
NVT: SMB log in

Summary
This script attempts to logon into the remote host using login/password credentials.

Quality of Detection (QoD): 97%

Vulnerability Detection Result
`It was possible to log into the remote host using the SMB protocol.`

Solution:

Log Method
Details: `SMB log in`
OID:1.3.6.1.4.1.25623.1.0.10394
Version used: `2025-09-25T05:39:09Z`

Log (CVSS: 0.0)
NVT: SMB NativeLanMan

Summary
It is possible to extract OS, domain and SMB server information from the Session Setup AndX Response packet which is generated during NTLM authentication.

Quality of Detection (QoD): 95%

Vulnerability Detection Result
```
Detected SMB workgroup: WORKGROUP
Detected SMB server: Samba 4.3.11-Ubuntu
Detected OS: Ubuntu 14.04 or Ubuntu 16.04
```

Solution:

Log Method
Details: `SMB NativeLanMan`
OID:1.3.6.1.4.1.25623.1.0.102011
Version used: `2024-06-25T05:05:27Z`

Log (CVSS: 0.0)
NVT: SMBv1 Enabled - Active Check

Summary
The host has enabled SMBv1 for the SMB Server.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`SMBv1 is enabled for the SMB Server`

Solution:

Log Method
Checks if SMBv1 is enabled for the SMB Server based on the information provided by the following VT:
- SMB Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.807830).
Details: `SMBv1 Enabled - Active Check`
OID:1.3.6.1.4.1.25623.1.0.140151
Version used: `2024-01-09T05:06:46Z`

References
`url: https://www.us-cert.gov/ncas/current-activity/2017/01/16/SMB-Security-Best-`
`↪Practices`
`url: https://support.microsoft.com/en-us/kb/2696547`
`url: https://support.microsoft.com/en-us/kb/204279`

Log (CVSS: 0.0)
NVT: SMB Login Successful For Authenticated Checks

Summary
It was possible to login using the provided SMB credentials. Hence authenticated checks are enabled.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Solution:

Log Method
Details: `SMB Login Successful For Authenticated Checks`
OID:1.3.6.1.4.1.25623.1.0.108539
Version used: `2023-07-28T16:09:07Z`

Log (CVSS: 0.0)
NVT: SMB Remote Version Detection

Summary
Detection of Server Message Block(SMB).
This script sends SMB Negotiation request and try to get the version from the response.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`SMBv1, SMBv2 and SMBv3 are enabled on remote target`

Solution:

Log Method
Details: `SMB Remote Version Detection`
OID:1.3.6.1.4.1.25623.1.0.807830
Version used: `2023-07-26T05:05:09Z`

Log (CVSS: 0.0)
NVT: SMB NativeLanMan

Summary
It is possible to extract OS, domain and SMB server information from the Session Setup AndX Response packet which is generated during NTLM authentication.

Quality of Detection (QoD): 95%

Vulnerability Detection Result
```
Detected Samba
Version:       4.3.11
Location:      445/tcp
CPE:           cpe:/a:samba:samba:4.3.11
Concluded from version/product identification result:
Samba 4.3.11-Ubuntu
Extra information:
Detected SMB workgroup: WORKGROUP
Detected SMB server: Samba 4.3.11-Ubuntu
```

Solution:

Log Method
Details: `SMB NativeLanMan`
OID:1.3.6.1.4.1.25623.1.0.102011
Version used: `2024-06-25T05:05:27Z`

Log (CVSS: 0.0)
NVT: Microsoft Windows SMB Accessible Shares

Summary
The script detects the Windows SMB Accessible Shares and sets the result into KB.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The following shares were found
IPC$
```

Solution:

Log Method
Details: `Microsoft Windows SMB Accessible Shares`
OID:1.3.6.1.4.1.25623.1.0.902425
Version used: `2025-04-16T05:39:43Z`

Log (CVSS: 0.0)
NVT: SMB/CIFS Server Detection

Summary
This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
A CIFS server is running on this port
```

Solution:

Log Method
Details: `SMB/CIFS Server Detection`
OID:1.3.6.1.4.1.25623.1.0.11011
Version used: `2023-08-01T13:29:10Z`

[return to 172.30.1.3]

2.1.27 Log general/tcp

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
```
It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.
```

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: `IP Forwarding Enabled - Active Check`
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: `2021-12-03T08:27:06Z`

References
`cve: CVE-1999-0511`

Log (CVSS: 0.0)
NVT: ProFTPD Detection Consolidation

Summary
Consolidation of ProFTPD detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Detected ProFTPD
Version:       1.3.5
Location:      /
CPE:           cpe:/a:proftpd:proftpd:1.3.5
Detection methods:
FTP on port 21/tcp
  FTP Banner: 220 ProFTPD 1.3.5 Server (ProFTPD Default Installation) [172.30.1.
↪3]
```

Solution:

Log Method
Details: `ProFTPD Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.155379
Version used: 2025-09-24T05:39:03Z

References
url: http://www.proftpd.org/

Log (CVSS: 0.0)
NVT: OpenSSH Detection Consolidation

Summary
Consolidation of OpenSSH detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected OpenSSH Server
Version:       6.6.1p1
Location:      22/tcp
CPE:           cpe:/a:openbsd:openssh:6.6.1p1
Concluded from version/product identification result:
SSH-2.0-OpenSSH_6.6.1p1 Ubuntu-2ubuntu2.13
```

Solution:

Log Method
Details: OpenSSH Detection Consolidation
OID:1.3.6.1.4.1.25623.1.0.108577
Version used: 2024-12-13T05:05:32Z

References
url: https://www.openssh.com/

Log (CVSS: 0.0)
NVT: Apache HTTP Server Detection Consolidation

Summary
Consolidation of Apache HTTP Server detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Apache HTTP Server
Version:       2.4.7
Location:      80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
CPE:           cpe:/a:apache:http_server:2.4.7
Concluded from version/product identification result:
Server: Apache/2.4.7 (Ubuntu)
```

Solution:

Log Method
Details: Apache HTTP Server Detection Consolidation
OID:1.3.6.1.4.1.25623.1.0.117232
Version used: 2024-03-08T15:37:10Z

References
url: https://httpd.apache.org

Log (CVSS: 0.0)
NVT: Unknown OS and Service Banner Reporting

Summary
This VT consolidates and reports the information collected by the following VTs:
- Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154)
- Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286)
- Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525)
- OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937)
If you know any of the information reported here, please send the full output to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Unknown banners have been collected which might help to identify the OS running
↪on this host. If these banners containing information about the host OS please
↪ report the following information to https://forum.greenbone.net/c/vulnerabili
↪ty-tests/7:
Banner: 220 ProFTPD 1.3.5 Server (ProFTPD Default Installation) [172.30.1.3]
Identified from: FTP banner on port 21/tcp
```

Solution:

Log Method
Details: Unknown OS and Service Banner Reporting
OID:1.3.6.1.4.1.25623.1.0.108441
Version used: 2023-06-22T10:34:15Z

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://forum.greenbone.net/c/vulnerability-tests/7
```

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Hostname determination for IP 172.30.1.3:
Hostname|Source
metasploitable3.trabalho_vulnnet|Reverse-DNS
```

Solution:

Log Method
Details: Hostname Determination Reporting
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: 2022-07-27T10:11:28Z

Log (CVSS: 0.0)
NVT: jQuery Detection Consolidation

Summary
Consolidation of jQuery detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected jQuery
Version:       1.6.2
Location:      /phpmyadmin/js/jquery/jquery-1.6.2.js
CPE:           cpe:/a:jquery:jquery:1.6.2
Concluded from version/product identification result:
src="./js/jquery/jquery-1.6.2.js
Concluded from version/product identification location:
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/js/jquery/
↪jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/
Detected jQuery
Version:       1.6.2
Location:      /phpmyadmin/setup/../js/jquery/jquery-1.6.2.js
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
CPE:           cpe:/a:jquery:jquery:1.6.2
Concluded from version/product identification result:
src="../js/jquery/jquery-1.6.2.js
Concluded from version/product identification location:
- Identified file: http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/../j
↪s/jquery/jquery-1.6.2.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/phpmyadmin/setup/
Detected jQuery
Version:       unknown
Location:      Externally hosted
CPE:           cpe:/a:jquery:jquery
Concluded from version/product identification result:
src="http://metasploitable3.trabalho_vulnnet/drupal/misc/jquery.js
Concluded from version/product identification location:
- Identified file: src="http://metasploitable3.trabalho_vulnnet/drupal/misc/jque
↪ry.js
- Referenced at:   http://metasploitable3.trabalho_vulnnet/drupal/
Extra information:
The jQuery library is hosted on a different server. Because of this it is not po
↪ssible to gather the version by a direct file access. Please manually inspect
↪the version which gets included on this web page.
```

Solution:

Log Method
Details: jQuery Detection Consolidation
OID:1.3.6.1.4.1.25623.1.0.150658
Version used: 2023-07-14T05:06:08Z

References
url: https://jquery.com/

Log (CVSS: 0.0)
NVT: PHP Detection Consolidation

Summary
Consolidation of PHP detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected PHP
Version:       5.4.5
Location:      80/tcp
CPE:           cpe:/a:php:php:5.4.5
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Concluded from version/product identification result:
X-Powered-By: PHP/5.4.5
Concluded from version/product identification location:
http://metasploitable3.trabalho_vulnnet/chat/
```

Solution:

Log Method
Details: `PHP Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.171722
Version used: `2025-09-24T05:39:03Z`

References
`url: https://www.php.net/`

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Network route from scanner (172.30.0.2) to target (172.30.1.3):
172.30.0.2
172.30.1.3
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `2022-10-17T11:13:19Z`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Ubuntu 14.04
Version:      14.04
CPE:          cpe:/o:canonical:ubuntu_linux:14.04
Found by VT:  1.3.6.1.4.1.25623.1.0.105586 (Operating System (OS) Detection (SSH
↪ Banner))
Concluded from SSH banner on port 22/tcp: SSH-2.0-OpenSSH_6.6.1p1 Ubuntu-2ubuntu
↪2.13
Setting key "Host/runs_unixoide" based on this information
Other OS detections (in order of reliability):
OS:           Ubuntu 14.04 or 16.04
CPE:          cpe:/o:canonical:ubuntu_linux:16.04
Found by VT:  1.3.6.1.4.1.25623.1.0.102011 (SMB NativeLanMan)
Concluded from SMB/Samba banner on port 445/tcp:
OS String:  Windows 6.1
SMB String: Samba 4.3.11-Ubuntu
Note: The service is running on a Linux/Unix based OS but reporting itself with
↪an Windows related OS string.
OS:           Ubuntu
CPE:          cpe:/o:canonical:ubuntu_linux
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from HTTP Server banner on port 80/tcp: Server: Apache/2.4.7 (Ubuntu)
OS:           Linux/Unix
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.10150 (Using NetBIOS to retrieve information
↪ from a SMB host)
Concluded from NetBIOS information on port 137/udp: null MAC address of a Samba
↪server
```

Solution:

Log Method

. . . continues on next page . . .

. . . continued from previous page . . .

Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-01-21T05:50:46Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 172.30.1.3]

2.1.28 Log 21/tcp

Log (CVSS: 0.0)
NVT: FTP Banner Detection

Summary
This script detects and reports a FTP Server Banner.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Remote FTP server banner:
220 ProFTPD 1.3.5 Server (ProFTPD Default Installation) [172.30.1.3]
This is probably (a):
- ProFTPD
Server operating system information collected via "SYST" command:
215 UNIX Type: L8
```

Solution:

Log Method
Details: FTP Banner Detection
OID:1.3.6.1.4.1.25623.1.0.10092
Version used: 2025-04-16T05:39:43Z

Log (CVSS: 0.0)
NVT: SSL/TLS: FTP Missing Support For AUTH TLS

Summary
The remote FTP server does not support the 'AUTH TLS' command.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

The remote FTP server does not support the 'AUTH TLS' command.

Solution:

Log Method
Details: SSL/TLS: FTP Missing Support For AUTH TLS
OID:1.3.6.1.4.1.25623.1.0.108553
Version used: 2021-03-19T08:13:38Z

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
An FTP server is running on this port.
Here is its banner :
220 ProFTPD 1.3.5 Server (ProFTPD Default Installation) [172.30.1.3]

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: Services
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T05:38:53Z

[return to 172.30.1.3]