Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was " hgdfdghgdgd". The scan started at Mon Jan 26 01:47:47 2026 UTC and ended at Mon Jan 26 14:04:13 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 172.31.1.27 2

2.1.1 Critical 3306/tcp 2

2.1.2 High 3306/tcp 5

2.1.3 Medium 3306/tcp 51

2.1.4 Low general/tcp 86

2.1.5 Low general/icmp 87

2.1.6 Log 3306/tcp 88

2.1.7 Log general/tcp 90

2.1.8 Log general/CPE-T 92

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.31.1.27 mariadb10.trabalho_vulnnet	2	37	27	2	8	0
Total: 1	2	37	27	2	8	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Debug" are not shown.

This report contains all 76 results selected by the filtering described above. Before filtering there were 5586 results.

2 Results per Host

2.1 172.31.1.27

Host scan start	Mon Jan 26 06:59:26 2026 UTC
Host scan end	Mon Jan 26 08:40:38 2026 UTC

Service (Port)	Threat Level
3306/tcp	Critical
3306/tcp	High
3306/tcp	Medium
general/tcp	Low
general/icmp	Low
3306/tcp	Log
general/tcp	Log
general/CPE-T	Log

2.1.1 Critical 3306/tcp

Critical (CVSS: 10.0)
NVT: MariaDB End of Life (EOL) Detection - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪25623.1.0.100152)

Summary
The MariaDB version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "MariaDB" version on the remote host has reached the end of life.
CPE:               cpe:/a:mariadb:mariadb:10.0.38
Installed version: 10.0.38
EOL version:       10.0
EOL date:          2019-03-31
```

Impact
An EOL version of MariaDB is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update the MariaDB version on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `MariaDB End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.108186
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`url: https://mariadb.org/about/maintenance-policy/`

Critical (CVSS: 9.8)
NVT: MySQL / MariaDB Default Credentials (MySQL Protocol)

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
It was possible to login into the remote MySQL using default credentials.

Quality of Detection (QoD): 95%

Vulnerability Detection Result
It was possible to login as user "root" with password "root".

Solution:
Solution type: Mitigation
- Change the password as soon as possible
- Contact the vendor for other possible fixes / updates

Affected Software/OS
The following products are know to use such weak credentials:
- CVE-2001-0645: Symantec/AXENT NetProwler 3.5.x
- CVE-2002-1809: Windows binary release of MySQL 3.23.2 through 3.23.52
- CVE-2004-1532: AppServ 2.5.x and earlier
- CVE-2004-2357: Proofpoint Protection Server
- CVE-2006-1451: MySQL Manager in Apple Mac OS X 10.3.9 and 10.4.6
- CVE-2007-2554: Associated Press (AP) Newspower 4.0.1 and earlier
- CVE-2007-6081: AdventNet EventLog Analyzer build 4030
- CVE-2009-0919: XAMPP
- CVE-2014-3419: Infoblox NetMRI before 6.8.5
- CVE-2015-4669: Xsuite 2.x
- CVE-2016-6531, CVE-2018-15719: Open Dental before version 18.4
- CVE-2024-22901: Vinchin Backup & Recovery 7.2 and prior

Other products might be affected as well.

Vulnerability Detection Method
Details: MySQL / MariaDB Default Credentials (MySQL Protocol)
OID:1.3.6.1.4.1.25623.1.0.103551
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2001-0645

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2002-1809
cve: CVE-2004-1532
cve: CVE-2004-2357
cve: CVE-2006-1451
cve: CVE-2007-2554
cve: CVE-2007-6081
cve: CVE-2009-0919
cve: CVE-2014-3419
cve: CVE-2015-4669
cve: CVE-2016-6531
cve: CVE-2018-15719
cve: CVE-2024-22901
```

[return to 172.31.1.27]

2.1.2 High 3306/tcp

High (CVSS: 8.8)
NVT: MariaDB Access Bypass Vulnerability - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to an access bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.1.30
```

Impact

A user with an SQL access to the server could possibly use this flaw to perform database modification on certain cluster nodes without having privileges to perform such changes.

Solution:

Solution type: VendorFix

Update to MariaDB 10.1.30, 10.2.10 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

MariaDB before 10.1.30 and 10.2.x before 10.2.10.

Vulnerability Insight
sql/event_data_objects.cc in MariaDB allows remote authenticated users with SQL access to bypass intended access restrictions and replicate data definition language (DDL) statements to cluster nodes by leveraging incorrect ordering of DDL replication and ACL checking.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB Access Bypass Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.112198
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2017-15365`
`url: https://bugzilla.redhat.com/show_bug.cgi?id=1524234`
`url: https://mariadb.com/kb/en/library/mariadb-10130-release-notes/`
`url: https://mariadb.com/kb/en/library/mariadb-10210-release-notes/`
`cert-bund: CB-K18/0061`
`dfn-cert: DFN-CERT-2019-1152`
`dfn-cert: DFN-CERT-2019-1047`
`dfn-cert: DFN-CERT-2018-1276`
`dfn-cert: DFN-CERT-2018-0067`

High (CVSS: 7.8)
NVT: MariaDB Multiple Vulnerabilities (Feb 2022) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 10.0.38`

. . . continues on next page . . .

. . . continued from previous page . . .

Fixed version: 10.2.42

Solution:
Solution type: VendorFix
Update to version 10.2.42, 10.3.33, 10.4.23, 10.5.14, 10.6.6, 10.7.2, 10.8.1 or later.

Affected Software/OS
MariaDB versions prior to 10.2.42, 10.3.x prior to 10.3.33, 10.4.x prior to 10.4.23, 10.5.x prior to 10.5.14, 10.6.x prior to 10.6.6, 10.7.x prior to 10.7.2 and 10.8.0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: MariaDB Multiple Vulnerabilities (Feb 2022) - Linux
OID:1.3.6.1.4.1.25623.1.0.147624
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-24048
cve: CVE-2022-24050
cve: CVE-2022-24051
cve: CVE-2022-24052
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0844
cert-bund: CB-K22/0171
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-0500
dfn-cert: DFN-CERT-2022-0460
dfn-cert: DFN-CERT-2022-0327

High (CVSS: 7.5)
NVT: MariaDB Use-After-Free Vulnerability (MDEV-26281) - Linux

Product detection result
cpe:/a:mariadb:mariadb:10.0.38

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
MariaDB is prone to a use-after-free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 10.0.38
Fixed version: 10.2.44

Solution:
Solution type: VendorFix
Update to version 10.2.44, 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.2.44, 10.3.x prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: MariaDB Use-After-Free Vulnerability (MDEV-26281) - Linux
OID:1.3.6.1.4.1.25623.1.0.104565
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-27377
url: https://jira.mariadb.org/browse/MDEV-26281
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0166
cert-bund: CB-K22/0418
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-28089) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.3.35
```

Solution:
Solution type: VendorFix
Update to version 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight
DoS due segmentation fault via component sql/item_func.cc:148.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-28089) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104616
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2022-27449
url: https://jira.mariadb.org/browse/MDEV-28089
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0168
cert-bund: CB-K22/0461
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-28094) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.4.25
```

Solution:

Solution type: VendorFix

Update to version 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS

MariaDB versions prior 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight

Segmentation fault via the component sql/field_conv.cc.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-28094) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104622
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2022-27451`
`url: https://jira.mariadb.org/browse/MDEV-28094`
`url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb`
`cert-bund: WID-SEC-2022-0168`
`cert-bund: CB-K22/0461`
`dfn-cert: DFN-CERT-2022-2668`
`dfn-cert: DFN-CERT-2022-1777`
`dfn-cert: DFN-CERT-2022-1717`
`dfn-cert: DFN-CERT-2022-1688`
`dfn-cert: DFN-CERT-2022-1667`
`dfn-cert: DFN-CERT-2022-1205`

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-28095) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.3.35
```

Solution:
Solution type: VendorFix
Update to version 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
MariaDB versions prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight
There is an assertion failure in MariaDB Server via 'node->pcur->rel_pos == BTR_PCUR_ON' at /row/row0mysql.cc.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-28095) - Linux`
OID:1.3.6.1.4.1.25623.1.0.126003
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-27448
url: https://jira.mariadb.org/browse/MDEV-28095
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0168
cert-bund: CB-K22/0461
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB Use-After-Free Vulnerability (MDEV-28093) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

MariaDB is prone to a use-after-free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.3.35
```

Solution:
Solution type: VendorFix
Update to version 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight
Use-after-free in the component VDec::VDec at /sql/sql_type.cc.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB Use-After-Free Vulnerability (MDEV-28093) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104620
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2022-27456
url: https://jira.mariadb.org/browse/MDEV-28093
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0168
cert-bund: CB-K22/0461
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB Use-After-Free Vulnerability (MDEV-28098) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to a use-after-free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.4.25
```

Solution:
Solution type: VendorFix
Update to version 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight
Use-after-free in the component my_mb_wc_latin1 at /strings/ctype-latin1.c.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB Use-After-Free Vulnerability (MDEV-28098) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104626
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-27457
url: https://jira.mariadb.org/browse/MDEV-28098
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0168
cert-bund: CB-K22/0461
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB Use-After-Free Vulnerability (MDEV-28097) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to a use-after-free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.4.25
```

Solution:
Solution type: VendorFix
Update to version 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight
Use-after-free in the component my_wildcmp_8bit_impl at /strings/ctype-simple.c.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB Use-After-Free Vulnerability (MDEV-28097) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104624
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2022-27455
url: https://jira.mariadb.org/browse/MDEV-28097
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0168
cert-bund: CB-K22/0461
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-28080) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.4.25
```

Solution:
Solution type: VendorFix
Update to version 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS

MariaDB versions prior 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight

Segmentation fault via the component sql/item_subselect.cc.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-28080) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104610
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-27444
url: https://jira.mariadb.org/browse/MDEV-28080
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0168
cert-bund: CB-K22/0461
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-28081) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.2.44
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 10.2.44, 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.2.44, 10.3.x prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight
DoS due segmentation fault via component sql/sql_window.cc.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-28081) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104612
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-27445
url: https://jira.mariadb.org/browse/MDEV-28081
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0168
cert-bund: CB-K22/0461
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-28082) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.4.25
```

Solution:
Solution type: VendorFix
Update to version 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight
Segmentation fault via the component sql/item_cmpfunc.h.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-28082) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104614
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-27446
url: https://jira.mariadb.org/browse/MDEV-28082
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0168
cert-bund: CB-K22/0461
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-28090) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.3.35
```

Solution:
Solution type: VendorFix
Update to version 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight
DoS due segmentation fault via component sql/item_cmpfunc.cc.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-28090) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104618
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-27452
url: https://jira.mariadb.org/browse/MDEV-28090
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0168
cert-bund: CB-K22/0461
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB Multiple DoS Vulnerabilities (MDEV-24176, MDEV-26407, MDEV-26437) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.3.35
```

Solution:

Solution type: VendorFix

Update to version 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS

MariaDB versions prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight

The following vulnerabilities exist:
- CVE-2022-32085: Server crashes in Item_func_in::cleanup/Item::cleanup_processor (MDEV-26407, MDEV-24176)
- CVE-2022-32087: Server crashes in Item_args::walk_args (MDEV-26437, MDEV-24176)

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `MariaDB Multiple DoS Vulnerabilities (MDEV-24176, MDEV-26407, MDEV-26437) - Lin.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪..
OID:1.3.6.1.4.1.25623.1.0.148357
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-32085
cve: CVE-2022-32087
url: https://jira.mariadb.org/browse/MDEV-24176
url: https://jira.mariadb.org/browse/MDEV-26407
url: https://jira.mariadb.org/browse/MDEV-26437
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0584
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2132
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1980
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1688

High (CVSS: 7.5)
NVT: MariaDB Multiple Use-After-Free Vulnerabilities (MDEV-28099) - Linux

Product detection result
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
MariaDB is prone to multiple use-after-free vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 10.0.38
Fixed version: 10.3.35

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-27447: Use-after-free in the component Binary_string::free_buffer() at /sql/sql_string.h
- CVE-2022-27458: Use-after-free in the component Binary_string::free_buffer() at /sql/sql_string.h

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB Multiple Use-After-Free Vulnerabilities (MDEV-28099) - Linux`
OID:1.3.6.1.4.1.25623.1.0.126001
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-27447
cve: CVE-2022-27458
url: https://jira.mariadb.org/browse/MDEV-28099
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0168
cert-bund: CB-K22/0461
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB Multiple Vulnerabilities (Feb 2022) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
MariaDB is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 10.0.38
Fixed version: 10.2.42

Solution:
Solution type: VendorFix
Update to version 10.2.42, 10.3.33, 10.4.23, 10.5.14, 10.6.6, 10.7.2 or later.

Affected Software/OS
MariaDB versions prior to 10.2.42, 10.3.x prior to 10.3.33, 10.4.x prior to 10.4.23, 10.5.x prior to 10.5.14, 10.6.x prior to 10.6.6 and 10.7.x prior to 10.7.2.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-0778: Denial of service (DoS) in OpenSSL
- CVE-2022-21595: Denial of service (DoS) in MySQL

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: MariaDB Multiple Vulnerabilities (Feb 2022) - Linux
OID:1.3.6.1.4.1.25623.1.0.149345
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-0778
cve: CVE-2022-21595
url: https://mariadb.com/kb/en/mariadb-10-2-42-release-notes/
url: https://mariadb.com/kb/en/mariadb-10-3-33-release-notes/
url: https://mariadb.com/kb/en/mariadb-10-4-23-release-notes/
url: https://mariadb.com/kb/en/mariadb-10-5-14-release-notes/

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://mariadb.com/kb/en/mariadb-10-6-6-release-notes/
url: https://mariadb.com/kb/en/mariadb-10-7-2-release-notes/
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-2086
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2022-1776
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1081
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0836
cert-bund: WID-SEC-2022-0833
cert-bund: WID-SEC-2022-0826
cert-bund: WID-SEC-2022-0767
cert-bund: WID-SEC-2022-0677
cert-bund: WID-SEC-2022-0551
cert-bund: WID-SEC-2022-0530
cert-bund: WID-SEC-2022-0515
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0270
cert-bund: WID-SEC-2022-0261
cert-bund: WID-SEC-2022-0200
cert-bund: WID-SEC-2022-0190
cert-bund: WID-SEC-2022-0169
cert-bund: WID-SEC-2022-0065
cert-bund: CB-K22/0619
cert-bund: CB-K22/0470
cert-bund: CB-K22/0468
cert-bund: CB-K22/0321
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-0504
dfn-cert: DFN-CERT-2023-0081
dfn-cert: DFN-CERT-2022-2306
dfn-cert: DFN-CERT-2022-2268
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1469
dfn-cert: DFN-CERT-2022-1294
dfn-cert: DFN-CERT-2022-1264
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-0955
dfn-cert: DFN-CERT-2022-0902
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0873
dfn-cert: DFN-CERT-2022-0866
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0779
dfn-cert: DFN-CERT-2022-0759
dfn-cert: DFN-CERT-2022-0627
dfn-cert: DFN-CERT-2022-0625
dfn-cert: DFN-CERT-2022-0610
dfn-cert: DFN-CERT-2022-0603
```

High (CVSS: 7.5)
NVT: MariaDB Use-After-Free Vulnerability (MDEV-26354) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a use-after-free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.3.35
```

Solution:

Solution type: VendorFix

Update to version 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS

MariaDB versions prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `MariaDB Use-After-Free Vulnerability (MDEV-26354) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104571
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2022-27376
url: https://jira.mariadb.org/browse/MDEV-26354
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0166
cert-bund: CB-K22/0418
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-25638) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.2.44
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 10.2.44, 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.2.44, 10.3.x prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight
MariaDB allows attackers to trigger a convert_const_to_int use-after-free when the BIGINT data type is used.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-25638) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147581
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2021-46669
url: https://jira.mariadb.org/browse/MDEV-25638
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0147
cert-bund: CB-K22/0126
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB Buffer Overflow Vulnerability (MDEV-26422) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
MariaDB is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 10.0.38
Fixed version: 10.2.44

Solution:
Solution type: VendorFix
Update to version 10.2.44, 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.2.44, 10.3.x prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: MariaDB Buffer Overflow Vulnerability (MDEV-26422) - Linux
OID:1.3.6.1.4.1.25623.1.0.104579
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-27387
url: https://jira.mariadb.org/browse/MDEV-26422
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0166
cert-bund: CB-K22/0418
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB Use-After-Free Vulnerability (MDEV-26323) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a use-after-free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.2.44
```

Solution:

Solution type: VendorFix

Update to version 10.2.44, 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS

MariaDB versions prior to 10.2.44, 10.3.x prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `MariaDB Use-After-Free Vulnerability (MDEV-26323) - Linux`

OID:1.3.6.1.4.1.25623.1.0.104567

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mariadb:mariadb:10.0.38`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2022-27383
url: https://jira.mariadb.org/browse/MDEV-26323
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0166
cert-bund: CB-K22/0418
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26047 - 2) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.2.44
```

Solution:

Solution type: VendorFix

Update to version 10.2.44, 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS

MariaDB versions prior to 10.2.44, 10.3.x prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight

MariaDB contains a segmentation fault via the component Item_subselect::init_expr_cache_tracker.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26047 - 2) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104561
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-32083
url: https://jira.mariadb.org/browse/MDEV-26047
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0584
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2132
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1980
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1688
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26047) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.2.44
```

Solution:
Solution type: VendorFix
Update to version 10.2.44, 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
MariaDB versions prior to 10.2.44, 10.3.x prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26047) - Linux`
OID:1.3.6.1.4.1.25623.1.0.148355
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-27384
url: https://jira.mariadb.org/browse/MDEV-26047
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0170
cert-bund: CB-K22/0484
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26061) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.2.44
```

Solution:
Solution type: VendorFix
Update to version 10.2.44, 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.2.44, 10.3.x prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26061) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147987
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2022-27381
url: https://jira.mariadb.org/browse/MDEV-26061
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0359
cert-bund: CB-K22/0440
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26280) - Linux

Product detection result
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 10.0.38
Fixed version: 10.2.44

Solution:
Solution type: VendorFix
Update to version 10.2.44, 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.2.44, 10.3.x prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: MariaDB DoS Vulnerability (MDEV-26280) - Linux
OID:1.3.6.1.4.1.25623.1.0.104563
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-27380
url: https://jira.mariadb.org/browse/MDEV-26280
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0166
cert-bund: CB-K22/0418
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (CVE-2023-5157) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.4.26
```

Solution:

Solution type: VendorFix

Update to version 10.4.26, 10.5.17, 10.6.9, 10.7.5, 10.8.4 or later.

Affected Software/OS

MariaDB versions prior to 10.4.26, 10.5.x prior to 10.5.17, 10.6.x prior to 10.6.9, 10.7.x prior to 10.7.5 and 10.8.x prior to 10.8.4.

Vulnerability Insight

An OpenVAS port scan on ports 3306 and 4567 allows a malicious remote client to cause a denial of service.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `MariaDB DoS Vulnerability (CVE-2023-5157) - Linux`

OID:1.3.6.1.4.1.25623.1.0.114196

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-5157
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
url: https://bugzilla.redhat.com/show_bug.cgi?id=2240246
cert-bund: WID-SEC-2023-2444
dfn-cert: DFN-CERT-2023-2850
dfn-cert: DFN-CERT-2023-2503

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26353) - Linux

Product detection result
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 10.0.38
Fixed version: 10.3.35

Solution:
Solution type: VendorFix
Update to version 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: MariaDB DoS Vulnerability (MDEV-26353) - Linux
OID:1.3.6.1.4.1.25623.1.0.104569
Version used: 2025-09-09T05:38:49Z

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-27379
url: https://jira.mariadb.org/browse/MDEV-26353
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0359
cert-bund: CB-K22/0440
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1205

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26402) - Linux

Product detection result
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 10.0.38
Fixed version: 10.4.25

Solution:
Solution type: VendorFix
Update to version 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

MariaDB versions prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26402) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104573
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-27382
url: https://jira.mariadb.org/browse/MDEV-26402
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0359
cert-bund: CB-K22/0440
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26406) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.2.44
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 10.2.44, 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.2.44, 10.3.x prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26406) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104575
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-27386
url: https://jira.mariadb.org/browse/MDEV-26406
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0170
cert-bund: CB-K22/0484
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26410, MDEV-22001) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.4.26
```

Solution:
Solution type: VendorFix
Update to version 10.4.26, 10.5.17, 10.6.9, 10.7.5, 10.8.4, 10.9.2 or later.

Affected Software/OS
MariaDB versions prior to 10.4.26, 10.5.x prior to 10.5.17, 10.6.x prior to 10.6.9, 10.7.x prior to 10.7.5, 10.8.x prior to 10.8.4 and 10.9.x prior to 10.9.2.

Vulnerability Insight
MariaDB contains a segmentation fault via the component st_select_lex_unit::exclude_level.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26410, MDEV-22001) - Linux`
OID:1.3.6.1.4.1.25623.1.0.148365
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-32089
url: https://jira.mariadb.org/browse/MDEV-26410
url: https://jira.mariadb.org/browse/MDEV-22001
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0641
dfn-cert: DFN-CERT-2023-2503
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2132
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1980
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26412) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.4.25
```

Solution:
Solution type: VendorFix
Update to version 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight
MariaDB contains a segmentation fault via the component Item_field::fix_outer_field.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26412) - Linux`
OID:1.3.6.1.4.1.25623.1.0.148371
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-32086
url: https://jira.mariadb.org/browse/MDEV-26412
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0584
dfn-cert: DFN-CERT-2022-2668
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2132
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1980
dfn-cert: DFN-CERT-2022-1688
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26415) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.3.32
```

Solution:

Solution type: VendorFix

Update to version 10.3.32, 10.4.22, 10.5.13, 10.6.5 or later.

Affected Software/OS

MariaDB versions prior to 10.3.32, 10.4.x prior to 10.4.22, 10.5.x prior to 10.5.13 and 10.6.x prior to 10.6.5.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `MariaDB DoS Vulnerability (MDEV-26415) - Linux`

OID:1.3.6.1.4.1.25623.1.0.104577

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mariadb:mariadb:10.0.38`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2022-27385
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://jira.mariadb.org/browse/MDEV-26415
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0170
cert-bund: CB-K22/0484
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26419) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.2.44
```

Solution:

Solution type: VendorFix

Update to version 10.2.44, 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS

MariaDB versions prior to 10.2.44, 10.3.x prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Insight

MariaDB contains a segmentation fault via the component Exec_time_tracker::get_loops/Filesort_tracker::report_use/filesort.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `MariaDB DoS Vulnerability (MDEV-26419) - Linux`

OID:1.3.6.1.4.1.25623.1.0.148363

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mariadb:mariadb:10.0.38`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2022-32088
url: https://jira.mariadb.org/browse/MDEV-26419
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0641
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2132
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1980
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1688
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26420) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.4.26
```

Solution:
Solution type: VendorFix
Update to version 10.4.26, 10.5.17, 10.6.9, 10.7.5, 10.8.4, 10.9.2 or later.

Affected Software/OS

MariaDB versions prior to 10.4.26, 10.5.x prior to 10.5.17, 10.6.x prior to 10.6.9, 10.7.x prior to 10.7.5, 10.8.x prior to 10.8.4 and 10.9.x prior to 10.9.2.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

MariaDB contains a use-after-poison in prepare_inplace_add_virtual at /storage/innobase/handler/handler0alter.cc.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26420) - Linux`
OID:1.3.6.1.4.1.25623.1.0.148369
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-32081
url: https://jira.mariadb.org/browse/MDEV-26420
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0641
dfn-cert: DFN-CERT-2023-2503
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2132
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1980
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26423) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.2.44
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 10.2.44, 10.3.35, 10.4.25, 10.5.16, 10.6.8, 10.7.4 or later.

Affected Software/OS
MariaDB versions prior to 10.2.44, 10.3.x prior to 10.3.35, 10.4.x prior to 10.4.25, 10.5.x prior to 10.5.16, 10.6.x prior to 10.6.8 and 10.7.x prior to 10.7.4.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26423) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104581
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-27378
url: https://jira.mariadb.org/browse/MDEV-26423
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0359
cert-bund: CB-K22/0440
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1205
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26427) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.3.36
```

Solution:
Solution type: VendorFix
Update to version 10.3.36, 10.4.26, 10.5.17, 10.6.9, 10.7.5, 10.8.4, 10.9.2 or later.

Affected Software/OS
MariaDB versions prior to 10.3.36, 10.4.x prior to 10.4.26, 10.5.x prior to 10.5.17, 10.6.x prior to 10.6.9, 10.7.x prior to 10.7.5, 10.8.x prior to 10.8.4 and 10.9.x prior to 10.9.2.

Vulnerability Insight
MariaDB contains a segmentation fault via the component sub_select.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26427) - Linux`
OID:1.3.6.1.4.1.25623.1.0.148361
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2022-32084
url: https://jira.mariadb.org/browse/MDEV-26427
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0641
dfn-cert: DFN-CERT-2023-2503
dfn-cert: DFN-CERT-2023-2216
dfn-cert: DFN-CERT-2023-1625
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2132
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1980
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26431, MDEV-23809) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.3.36
```

Solution:
Solution type: VendorFix
Update to version 10.3.36, 10.4.26, 10.5.17, 10.6.9, 10.7.5, 10.8.4, 10.9.2 or later.

Affected Software/OS
MariaDB versions prior to 10.3.36, 10.4.x prior to 10.4.26, 10.5.x prior to 10.5.17, 10.6.x prior to 10.6.9, 10.7.x prior to 10.7.5, 10.8.x prior to 10.8.4 and 10.9.x prior to 10.9.2.

Vulnerability Insight
MariaDB contains a use-after-poison in __interceptor_memset at /libsanitizer/sanitizer_common/sanitizer_common_interceptors.inc.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26431, MDEV-23809) - Linux`
OID:1.3.6.1.4.1.25623.1.0.148367
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-32091
url: https://jira.mariadb.org/browse/MDEV-26431
url: https://jira.mariadb.org/browse/MDEV-23809
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-0641
dfn-cert: DFN-CERT-2023-2503
dfn-cert: DFN-CERT-2023-2216
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2132
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1980
```

High (CVSS: 7.5)
NVT: MariaDB DoS Vulnerability (MDEV-26433) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.5.17
```

Solution:

Solution type: VendorFix

Update to version 10.5.17, 10.6.9, 10.7.5, 10.8.4, 10.9.2 or later.

Affected Software/OS

MariaDB versions prior to 10.5.17, 10.6.x prior to 10.6.9, 10.7.x prior to 10.7.5, 10.8.x prior to 10.8.4 and 10.9.x prior to 10.9.2.

Vulnerability Insight

MariaDB contains an assertion failure at table->get_ref_count() == 0 in dict0dict.cc.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `MariaDB DoS Vulnerability (MDEV-26433) - Linux`

OID:1.3.6.1.4.1.25623.1.0.148359

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2022-32082
url: https://jira.mariadb.org/browse/MDEV-26433
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0641
dfn-cert: DFN-CERT-2023-2503
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2132
dfn-cert: DFN-CERT-2022-1980
```

[return to 172.31.1.27]

2.1.3 Medium 3306/tcp

Medium (CVSS: 6.8)
NVT: MariaDB Multiple Vulnerabilities (MDEV-36268, MDEV-36613)

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.5.29
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 10.5.29, 10.6.22, 10.11.12, 11.4.6 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

MariaDB versions prior to 10.5.29, 10.6.x prior to 10.6.22, 10.7.x prior to 10.11.12 and 11.0.x prior to 11.4.6.

Vulnerability Insight
The following flaws exist:
- CVE-2025-30693: This vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server as well as unauthorized update, insert or delete access to some of MySQL Server accessible data.
- CVE-2025-30722: This vulnerability allows low privileged attacker with network access via multiple protocols to compromise MySQL Client. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Client accessible data as well as unauthorized update, insert or delete access to some of MySQL Client accessible data.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB Multiple Vulnerabilities (MDEV-36268, MDEV-36613)`
OID:1.3.6.1.4.1.25623.1.0.125393
Version used: `2025-11-28T15:41:52Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2025-30693
cve: CVE-2025-30722
url: https://jira.mariadb.org/browse/MDEV-36268
url: https://jira.mariadb.org/browse/MDEV-36613
url: https://mariadb.com/docs/server/security/securing-mariadb/security#full-lis
↪t-of-cves-fixed-in-mariadb
url: https://www.oracle.com/security-alerts/cpuapr2025.html
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-0813
dfn-cert: DFN-CERT-2026-0037
dfn-cert: DFN-CERT-2025-3583
dfn-cert: DFN-CERT-2025-2602
dfn-cert: DFN-CERT-2025-2523
dfn-cert: DFN-CERT-2025-1470
dfn-cert: DFN-CERT-2025-1424
dfn-cert: DFN-CERT-2025-1304
dfn-cert: DFN-CERT-2025-0973
```

Medium (CVSS: 6.5)
NVT: MariaDB DoS Vulnerability (MDEV-29644) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.3.39
```

Solution:
Solution type: VendorFix
Update to version 10.3.39, 10.4.29, 10.5.20, 10.6.13, 10.8.8, 10.9.6, 10.10.4, 10.11.3 or later.

Affected Software/OS
MariaDB versions prior to 10.3.39, 10.4.x prior to 10.4.29, 10.5.x prior to 10.5.20, 10.6.x prior to 10.6.13, starting from 10.7.0 and prior to 10.8.8, 10.9.x prior to 10.9.6, 10.10.x prior to 10.10.4 and 10.11.x prior to 10.11.3.

Vulnerability Insight
It is possible for function spider_db_mbase::print_warnings to dereference a null pointer.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-29644) - Linux`
OID:1.3.6.1.4.1.25623.1.0.149185
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2022-47015`
`url: https://github.com/MariaDB/server/commit/be0a46b3d52b58956fd0d47d040b9f4514`
`↪406954`
`url: https://jira.mariadb.org/browse/MDEV-29644`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2023-0167
dfn-cert: DFN-CERT-2024-0220
dfn-cert: DFN-CERT-2023-2503
dfn-cert: DFN-CERT-2023-2216
dfn-cert: DFN-CERT-2023-1276
```

Medium (CVSS: 6.2)
NVT: MariaDB Directory Traversal RCE Vulnerability (Nov 2025)

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a directory traversal remote code execution (RCE) vulnerability in the mariadb-dump Utility.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.6.24
Installation
path / port:       3306/tcp
```

Impact

This vulnerability allows remote attackers to execute arbitrary code on affected installations of MariaDB. Interaction with the mariadb-dump utility is required to exploit this vulnerability but attack vectors may vary depending on the implementation.

Solution:

Solution type: VendorFix

Update to version 10.6.24, 10.11.15, 11.4.9, 11.8.4 or later.

Affected Software/OS

MariaDB versions prior to 10.6.24, 10.7.x prior to 10.11.15, 11.x prior to 11.4.9 and 11.5.x prior to 11.8.4.

Vulnerability Insight

The specific flaw exists within the handling of view names. The issue results from the lack of proper validation of a user-supplied path prior to using it in file operations. An attacker can leverage this vulnerability to execute code in the context of the current user.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB Directory Traversal RCE Vulnerability (Nov 2025)`
OID:1.3.6.1.4.1.25623.1.0.119238
Version used: `2025-11-28T15:41:52Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2025-13699
url: https://www.zerodayinitiative.com/advisories/ZDI-25-1025/
url: https://jira.mariadb.org/browse/MDEV-37483
cert-bund: WID-SEC-2025-2694
dfn-cert: DFN-CERT-2026-0037
dfn-cert: DFN-CERT-2025-3583
dfn-cert: DFN-CERT-2025-3573
```

Medium (CVSS: 6.1)
NVT: MariaDB DoS Vulnerability (MDEV-32086)

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.5.29
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 10.5.29, 10.6.22, 10.11.12, 11.4.6 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
MariaDB versions prior to 10.5.29, 10.6.x prior to 10.6.22, 10.7.x prior to 10.11.12 and 11.x prior to 11.4.6.

Vulnerability Insight
MariaDB Server crashes in Item_direct_view_ref::derived_field_transformer_for_where.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-32086)`
OID:1.3.6.1.4.1.25623.1.0.125172
Version used: `2025-11-28T15:41:52Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-52970
url: https://jira.mariadb.org/browse/MDEV-32086
url: https://mariadb.com/docs/release-notes/community-server/mariadb-11-4-series
↪/mariadb-11-4-6-release-notes#security
url: https://mariadb.com/docs/release-notes/community-server/mariadb-10-11-serie
↪s/mariadb-10.11.12-release-notes#security
url: https://mariadb.com/docs/release-notes/community-server/mariadb-10-6-series
↪/mariadb-10-6-22-release-notes#security
url: https://mariadb.com/docs/release-notes/community-server/old-releases/mariad
↪b-10-5-series/mariadb-10-5-29-release-notes#security
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2025-0507
dfn-cert: DFN-CERT-2026-0037
dfn-cert: DFN-CERT-2025-3583
dfn-cert: DFN-CERT-2025-2602
dfn-cert: DFN-CERT-2025-1424
dfn-cert: DFN-CERT-2025-1304
dfn-cert: DFN-CERT-2025-1166
dfn-cert: DFN-CERT-2025-0876
```

Medium (CVSS: 6.1)
NVT: MariaDB DoS Vulnerability (MDEV-32083)

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.5.29
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 10.5.29, 10.6.22, 10.11.12, 11.4.6 or later.

Affected Software/OS
MariaDB versions prior to 10.5.29, 10.6.x prior to 10.6.22, 10.7.x prior to 10.11.12 and 11.x prior to 11.4.6.

Vulnerability Insight
MariaDB Server can sometimes crash with an empty backtrace log. This may be related to make_aggr_tables_info and optimize_stage2.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-32083)`
OID:1.3.6.1.4.1.25623.1.0.125171
Version used: `2025-11-28T15:41:52Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2023-52969
url: https://jira.mariadb.org/browse/MDEV-32083
url: https://mariadb.com/docs/release-notes/community-server/mariadb-11-4-series
↪/mariadb-11-4-6-release-notes#security
url: https://mariadb.com/docs/release-notes/community-server/mariadb-10-11-serie
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪s/mariadb-10.11.12-release-notes#security
url: https://mariadb.com/docs/release-notes/community-server/mariadb-10-6-series
↪/mariadb-10-6-22-release-notes#security
url: https://mariadb.com/docs/release-notes/community-server/old-releases/mariad
↪b-10-5-series/mariadb-10-5-29-release-notes#security
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2025-0507
dfn-cert: DFN-CERT-2026-0037
dfn-cert: DFN-CERT-2025-3583
dfn-cert: DFN-CERT-2025-2602
dfn-cert: DFN-CERT-2025-1424
dfn-cert: DFN-CERT-2025-1304
dfn-cert: DFN-CERT-2025-1166
dfn-cert: DFN-CERT-2025-0876
```

Medium (CVSS: 6.1)
NVT: MariaDB DoS Vulnerability (MDEV-32082)

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.4.33
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 10.4.33, 10.5.24, 10.6.17, 10.11.7, 11.0.5, 11.1.4, 11.2.3, 11.3.2, 11.4.1 or later.

Affected Software/OS

MariaDB versions prior to 10.4.33, 10.5.x prior to 10.5.24, 10.6.x prior to 10.6.17, 10.7.x prior to 10.11.7, 11.0.x prior to 11.0.5, 11.1.x prior to 11.1.4, 11.2.x prior to 11.2.3, 11.3.x prior to 11.3.2 and 11.4.x prior to 11.4.1.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

MariaDB Server calls fix_fields_if_needed under mysql_derived_prepare when derived is not yet prepared, leading to a find_field_in_table crash.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-32082)`
OID:1.3.6.1.4.1.25623.1.0.125170
Version used: `2025-11-28T15:41:52Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-52968
url: https://jira.mariadb.org/browse/MDEV-32082
url: https://mariadb.com/kb/en/mariadb-10-4-33-release-notes/
url: https://mariadb.com/kb/en/mariadb-10-5-24-release-notes/
url: https://mariadb.com/kb/en/mariadb-10-6-17-release-notes/
url: https://mariadb.com/kb/en/mariadb-10-11-7-release-notes/
url: https://mariadb.com/kb/en/mariadb-11-0-5-release-notes/
url: https://mariadb.com/kb/en/mariadb-11-1-4-release-notes/
url: https://mariadb.com/kb/en/mariadb-11-2-3-release-notes/
url: https://mariadb.com/kb/en/mariadb-11-3-2-release-notes/
url: https://mariadb.com/kb/en/mariadb-11-4-1-release-notes/
cert-bund: WID-SEC-2025-0507
```

Medium (CVSS: 5.5)
NVT: MariaDB Multiple DoS Vulnerabilities (MDEV-26561) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MariaDB is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.2.42
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 10.2.42, 10.3.33, 10.4.23, 10.5.14, 10.6.6, 10.7.2 or later.

Affected Software/OS
MariaDB versions prior to 10.2.42, 10.3.x prior to 10.3.33, 10.4.x prior to 10.4.23, 10.5.x prior to 10.5.14, 10.6.x prior to 10.6.6 and 10.7.x prior to 10.7.2.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-31622: in extra/mariabackup/ds_compress.cc, while executing the method create_worker_threads, the held lock is not released correctly, which allows local users to trigger a denial of service due to the deadlock,
- CVE-2022-31623: In extra/mariabackup/ds_compress.cc, while executing the method create_worker_threads, the held lock thd->ctrl_mutex is not released correctly, which allows local users to trigger a denial of service due to the deadlock.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB Multiple DoS Vulnerabilities (MDEV-26561) - Linux`
OID:1.3.6.1.4.1.25623.1.0.127028
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-31622
cve: CVE-2022-31623
url: https://jira.mariadb.org/browse/MDEV-26561
url: https://github.com/MariaDB/server/commit/e1eb39a446c30b8459c39fd7f2ee1c55a3
↪6e97d2
url: https://github.com/MariaDB/server/commit/7c30bc38a588b22b01f11130cfe99e7f36
↪accf94
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0017
cert-bund: CB-K22/0665
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1597
```

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-25629) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.2.39
```

Solution:
Solution type: VendorFix
Update to version 10.2.39, 10.3.30, 10.4.20, 10.5.11 or later.

Affected Software/OS
MariaDB versions prior to 10.2.39, 10.3.x prior to 10.3.30, 10.4.x prior to 10.4.20 and 10.5.x prior to 10.5.11.

Vulnerability Insight
get_sort_by_table in MariaDB allows an application crash via certain subquery uses of ORDER BY.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-25629) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147539
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2021-46657
url: https://jira.mariadb.org/browse/MDEV-25629
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0843
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K22/0121
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0500
```

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-25630) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.2.40
```

Solution:

Solution type: VendorFix

Update to version 10.2.40, 10.3.31, 10.4.21, 10.5.12, 10.6.3 or later.

Affected Software/OS

MariaDB versions prior to 10.2.40, 10.3.x prior to 10.3.31, 10.4.x prior to 10.4.21, 10.5.x prior to 10.5.12 and 10.6.x prior to 10.6.3.

Vulnerability Insight

save_window_function_values in MariaDB allows an application crash because of incorrect handling of with_window_func=true for a subquery.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `MariaDB DoS Vulnerability (MDEV-25630) - Linux`

OID:1.3.6.1.4.1.25623.1.0.147543

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-46658
url: https://jira.mariadb.org/browse/MDEV-25630
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0843
cert-bund: CB-K22/0121
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0500
```

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-25631) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.2.42
```

Solution:

Solution type: VendorFix

Update to version 10.2.42, 10.3.33, 10.4.23, 10.5.14, 10.6.6, 10.7.2, 10.8.1 or later.

Affected Software/OS

MariaDB versions prior to 10.2.42, 10.3.x prior to 10.3.33, 10.4.x prior to 10.4.23, 10.5.x prior to 10.5.14, 10.6.x prior to 10.6.6, 10.7.x prior to 10.7.2 and 10.8.0.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

MariaDB allows an application crash because it does not recognize that SELECT_LEX::nest_level is local to each VIEW.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-25631) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147541
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2021-46659`
`url: https://jira.mariadb.org/browse/MDEV-25631`
`url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb`
`cert-bund: WID-SEC-2022-0843`
`cert-bund: CB-K22/0121`
`dfn-cert: DFN-CERT-2022-1928`
`dfn-cert: DFN-CERT-2022-1777`
`dfn-cert: DFN-CERT-2022-1717`
`dfn-cert: DFN-CERT-2022-1688`
`dfn-cert: DFN-CERT-2022-1667`
`dfn-cert: DFN-CERT-2022-1597`
`dfn-cert: DFN-CERT-2022-0500`
`dfn-cert: DFN-CERT-2022-0460`
`dfn-cert: DFN-CERT-2022-0327`

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-25635) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 10.0.38
Fixed version:     10.2.39
```

Solution:
Solution type: VendorFix
Update to version 10.2.39, 10.3.30, 10.4.20, 10.5.11 or later.

Affected Software/OS
MariaDB versions prior to 10.2.39, 10.3.x prior to 10.3.30, 10.4.x prior to 10.4.20 and 10.5.x prior to 10.5.11.

Vulnerability Insight
MariaDB allows an application crash because of mishandling of a pushdown from a HAVING clause to a WHERE clause.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-25635) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147575
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2021-46666
url: https://jira.mariadb.org/browse/MDEV-25635
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0147
cert-bund: CB-K22/0126
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
```

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-25636) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.2.43
```

Solution:
Solution type: VendorFix
Update to version 10.2.43, 10.3.34, 10.4.24, 10.5.15, 10.6.7, 10.7.3 or later.

Affected Software/OS
MariaDB versions prior to 10.2.43, 10.3.x prior to 10.3.34, 10.4.x prior to 10.4.24, 10.5.x prior to 10.5.15, 10.6.x prior to 10.6.7 and 10.7.x prior to 10.7.3.

Vulnerability Insight
MariaDB allows a sql_parse.cc application crash because of incorrect used_tables expectations.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-25636) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147573
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2021-46665
url: https://jira.mariadb.org/browse/MDEV-25636
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0147
cert-bund: CB-K22/0126
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0500
dfn-cert: DFN-CERT-2022-0460
```

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-25637, MDEV-22464) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.3.32
```

Solution:

Solution type: VendorFix

Update to version 10.3.32, 10.4.22, 10.5.13, 10.6.5 or later.

Affected Software/OS

MariaDB versions prior 10.3.32, 10.4.x prior to 10.4.22, 10.5.x prior to 10.5.13 and 10.6.x prior to 10.6.5.

Vulnerability Insight

MariaDB allows a set_var.cc application crash via certain uses of an UPDATE statement in conjunction with a nested subquery.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `MariaDB DoS Vulnerability (MDEV-25637, MDEV-22464) - Linux`

OID:1.3.6.1.4.1.25623.1.0.147567

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mariadb:mariadb:10.0.38`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2021-46662
url: https://jira.mariadb.org/browse/MDEV-25637
url: https://jira.mariadb.org/browse/MDEV-22464
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0147
cert-bund: CB-K22/0126
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
```

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-25761) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.2.43
```

Solution:

Solution type: VendorFix

Update to version 10.2.43, 10.3.34, 10.4.24, 10.5.15, 10.6.7, 10.7.3 or later.

Affected Software/OS

MariaDB versions prior to 10.2.43, 10.3.x prior to 10.3.34, 10.4.x prior to 10.4.24, 10.5.x prior to 10.5.15, 10.6.x prior to 10.6.7 and 10.7.x prior to 10.7.3.

Vulnerability Insight

MariaDB allows an application crash in sub_select_postjoin_aggr for a NULL value of aggr.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `MariaDB DoS Vulnerability (MDEV-25761) - Linux`

OID:1.3.6.1.4.1.25623.1.0.147571

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-46664
url: https://jira.mariadb.org/browse/MDEV-25761
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0147
cert-bund: CB-K22/0126
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-0500
dfn-cert: DFN-CERT-2022-0460

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-25766) - Linux

Product detection result
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 10.0.38
Fixed version: 10.2.43

Solution:
Solution type: VendorFix
Update to version 10.2.43, 10.3.34, 10.4.24, 10.5.15, 10.6.7, 10.7.3 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
MariaDB versions prior to 10.2.43, 10.3.x prior to 10.3.34, 10.4.x prior to 10.4.24, 10.5.x prior to 10.5.15, 10.6.x prior to 10.6.7 and 10.7.x prior to 10.7.3.

Vulnerability Insight
Unused CTE leads to a crash in find_field_in_tables/find_order_in_list.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-25766) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147565
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2021-46661
url: https://jira.mariadb.org/browse/MDEV-25766
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0147
cert-bund: CB-K22/0126
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-0500
dfn-cert: DFN-CERT-2022-0460
```

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-25787) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.2.43
```

Solution:
Solution type: VendorFix
Update to version 10.2.43, 10.3.34, 10.4.24, 10.5.15, 10.6.7, 10.7.3 or later.

Affected Software/OS
MariaDB versions prior to 10.2.43, 10.3.x prior to 10.3.34, 10.4.x prior to 10.4.24, 10.5.x prior to 10.5.15, 10.6.x prior to 10.6.7 and 10.7.x prior to 10.7.3.

Vulnerability Insight
MariaDB allows an application crash via certain long SELECT DISTINCT statements that improperly interact with storage-engine resource limitations for temporary data structures.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-25787) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147579
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-46668
url: https://jira.mariadb.org/browse/MDEV-25787
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0147
cert-bund: CB-K22/0126
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-0500
dfn-cert: DFN-CERT-2022-0460
```

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-26350) - Linux

Product detection result
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 10.0.38
Fixed version: 10.2.41

Solution:
Solution type: VendorFix
Update to version 10.2.41, 10.3.32, 10.4.22, 10.5.13, 10.6.5 or later.

Affected Software/OS
MariaDB versions prior to 10.2.41, 10.3.x prior to 10.3.32, 10.4.x prior to 10.4.22, 10.5.x prior to 10.5.13 and 10.6.x prior to 10.6.5.

Vulnerability Insight
MariaDB has a sql_lex.cc integer overflow, leading to an application crash.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: MariaDB DoS Vulnerability (MDEV-26350) - Linux
OID:1.3.6.1.4.1.25623.1.0.147577
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-46667
url: https://jira.mariadb.org/browse/MDEV-26350
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0147
cert-bund: CB-K22/0126

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
```

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-26351) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.2.43
```

Solution:

Solution type: VendorFix

Update to version 10.2.43, 10.3.34, 10.4.24, 10.5.15, 10.6.7, 10.7.3 or later.

Affected Software/OS

MariaDB versions prior to 10.2.43, 10.3.x prior to 10.3.34, 10.4.x prior to 10.4.24, 10.5.x prior to 10.5.15, 10.6.x prior to 10.6.7 and 10.7.x prior to 10.7.3.

Vulnerability Insight

MariaDB allows a ha_maria::extra application crash via certain SELECT statements.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `MariaDB DoS Vulnerability (MDEV-26351) - Linux`

OID:1.3.6.1.4.1.25623.1.0.147569

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mariadb:mariadb:10.0.38`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2021-46663
url: https://jira.mariadb.org/browse/MDEV-26351
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0147
cert-bund: CB-K22/0126
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1777
dfn-cert: DFN-CERT-2022-1717
dfn-cert: DFN-CERT-2022-1688
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-0500
dfn-cert: DFN-CERT-2022-0460
```

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-26556) - Linux

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.2.41
```

Solution:

Solution type: VendorFix

Update to version 10.2.41, 10.3.32, 10.4.22, 10.5.13, 10.6.5 or later.

Affected Software/OS

MariaDB versions prior to 10.2.41, 10.3.x prior to 10.3.32, 10.4.x prior to 10.4.22, 10.5.x prior to 10.5.13 and 10.6.x prior to 10.6.5.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

While executing the plugin/server_audit/server_audit.c method log_statement_ex, the held lock lock_bigbuffer is not released correctly, which allows local users to trigger a denial of service due to the deadlock.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26556) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104552
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-31624
url: https://jira.mariadb.org/browse/MDEV-26556
url: https://github.com/MariaDB/server/commit/d627d00b13ab2f2c0954ea7b77202470cb
↪102944
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0017
cert-bund: CB-K22/0665
dfn-cert: DFN-CERT-2022-1597
```

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-26574) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.2.41
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 10.2.41, 10.3.32, 10.4.22, 10.5.13, 10.6.5 or later.

Affected Software/OS
MariaDB versions prior to 10.2.41, 10.3.x prior to 10.3.32, 10.4.x prior to 10.4.22, 10.5.x prior to 10.5.13 and 10.6.x prior to 10.6.5.

Vulnerability Insight
In extra/mariabackup/ds_xbstream.cc, while executing the method xbstream_open, the held lock is not released correctly, which allows local users to trigger a denial of service due to the deadlock.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26574) - Linux`
OID:1.3.6.1.4.1.25623.1.0.104554
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2022-31621`
`url: https://jira.mariadb.org/browse/MDEV-26574`
`url: https://github.com/MariaDB/server/commit/b1351c15946349f9daa7e5297fb2ac6f31`
`↪39e4a8`
`url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb`
`cert-bund: WID-SEC-2022-0017`
`cert-bund: CB-K22/0665`
`dfn-cert: DFN-CERT-2022-1597`

Medium (CVSS: 5.5)
NVT: MariaDB DoS Vulnerability (MDEV-28719) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.3.36
```

Solution:
Solution type: VendorFix
Update to version 10.3.36, 10.4.26, 10.5.17, 10.6.9, 10.7.5, 10.8.4, 10.9.2 or later.

Affected Software/OS
MariaDB versions prior to 10.3.36, 10.4.x prior to 10.4.26, 10.5.x prior to 10.5.17, 10.6.x prior to 10.6.9, 10.7.x prior to 10.7.5, 10.8.x prior to 10.8.4 and 10.9.x prior to 10.9.2.

Vulnerability Insight
compress_write in extra/mariabackup/ds_compress.cc does not release data_mutex upon a stream write failure, which allows local users to trigger a deadlock.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-28719) - Linux`
OID:1.3.6.1.4.1.25623.1.0.148641
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2022-38791
url: https://jira.mariadb.org/browse/MDEV-28719
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-1258
dfn-cert: DFN-CERT-2023-2503
dfn-cert: DFN-CERT-2023-2216
dfn-cert: DFN-CERT-2023-0504
dfn-cert: DFN-CERT-2022-2132
```

Medium (CVSS: 5.5)
NVT: MariaDB Multiple Vulnerabilities (Jul/Nov 2021) - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
MariaDB is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 10.0.38
Fixed version: 10.2.41

Impact
Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MariaDB Server as well as unauthorized update, insert or delete access to some of MariaDB Server accessible data.

Solution:
Solution type: VendorFix
Update to version 10.2.41, 10.3.32, 10.4.22, 10.5.13, 10.6.3 or later.

Affected Software/OS
MariaDB versions 10.2.x and prior, 10.3.x, 10.4.x, 10.5.x and 10.6.x.

Vulnerability Insight
Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MariaDB Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: MariaDB Multiple Vulnerabilities (Jul/Nov 2021) - Linux
OID:1.3.6.1.4.1.25623.1.0.117813
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-35604
url: https://mariadb.com/kb/en/mariadb-10241-release-notes/
url: https://mariadb.com/kb/en/mariadb-10332-release-notes/
url: https://mariadb.com/kb/en/mariadb-10422-release-notes/

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://mariadb.com/kb/en/mariadb-10513-release-notes/
url: https://mariadb.com/kb/en/mariadb-1063-release-notes/
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0094
cert-bund: CB-K21/1161
cert-bund: CB-K21/1087
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2021-2502
dfn-cert: DFN-CERT-2021-2188
```

Medium (CVSS: 4.9)
NVT: MariaDB DoS Vulnerability (MDEV-33727)

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.5.25
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability can allow unauthorized users to update, insert, or delete certain data accessible by MySQL Server, gain unauthorized read access to a subset of data, and potentially cause a partial DoS.

Solution:

Solution type: VendorFix

Update to version 10.5.25, 10.6.18, 10.11.8, 11.0.6, 11.1.5, 11.2.4, 11.4.2 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
MariaDB versions prior to 10.5.25, 10.6.x prior to 10.6.18, 10.7.x prior to 10.11.8, 11.0.x prior to 11.0.6, 11.1.x prior to 11.1.5, 11.2.x prior to 11.2.4 and 11.3.x prior to 11.4.2.

Vulnerability Insight
A difficult-to-exploit vulnerability allows an unauthenticated attacker who has logon access to the host running MySQL Server to compromise the MySQL Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-33727)`
OID:1.3.6.1.4.1.25623.1.0.125391
Version used: `2025-11-28T15:41:52Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2024-21096
url: https://jira.mariadb.org/browse/MDEV-33727
url: https://mariadb.com/docs/server/security/securing-mariadb/security#full-lis
↪t-of-cves-fixed-in-mariadb
url: https://www.oracle.com/security-alerts/cpujan2025.html
cert-bund: WID-SEC-2024-0894
dfn-cert: DFN-CERT-2024-1517
dfn-cert: DFN-CERT-2024-1341
dfn-cert: DFN-CERT-2024-1002
```

Medium (CVSS: 4.9)
NVT: MariaDB DoS Vulnerability (CVE-2023-22084) - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result
Installed version: 10.0.38
Fixed version: 10.4.32

Impact
Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DoS).

Solution:
Solution type: VendorFix
Update to version 10.4.32, 10.5.23, 10.6.16, 10.10.7, 10.11.6, 11.0.4, 11.1.3, 11.2.2 or later.

Affected Software/OS
MariaDB versions prior to 10.4.32, 10.5.x prior to 10.5.23, 10.6.x prior to 10.6.16, starting from 10.7.0 and prior to 10.10.7, 10.11.x prior to 10.11.6, 11.0.x prior to 11.0.4, 11.1.x prior to 11.1.3 amd 11.2.x prior to 11.2.2.

Vulnerability Insight
Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise the MariaDB Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: MariaDB DoS Vulnerability (CVE-2023-22084) - Linux
OID:1.3.6.1.4.1.25623.1.0.114198
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mariadb:mariadb:10.0.38
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-22084
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2023-2690
dfn-cert: DFN-CERT-2024-1517
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2024-0220
dfn-cert: DFN-CERT-2024-0108
dfn-cert: DFN-CERT-2023-2819
dfn-cert: DFN-CERT-2023-2681
dfn-cert: DFN-CERT-2023-2536

Medium (CVSS: 4.9)
NVT: MariaDB < 10.2.44, 10.3.x < 10.3.35, 10.4.x < 10.4.25, 10.5.x < 10.5.7 DoS Vulnerability - Linux

Product detection result
`cpe:/a:mariadb:mariadb:10.0.38`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.2.44
```

Solution:
Solution type: VendorFix
Update to version 10.2.44, 10.3.35, 10.4.25, 10.5.7 or later.

Affected Software/OS
MariaDB versions prior to 10.2.44, 10.3.x prior to 10.3.35, 10.4.x prior to 10.4.25 and 10.5.x prior to 10.5.7.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB < 10.2.44, 10.3.x < 10.3.35, 10.4.x < 10.4.25, 10.5.x < 10.5.7 DoS Vuln.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.104583
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-21427
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1081
cert-bund: WID-SEC-2022-0169
cert-bund: CB-K22/0468
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1205
dfn-cert: DFN-CERT-2022-0866
```

Medium (CVSS: 4.9)
NVT: MariaDB DoS Vulnerability (MDEV-29182)

Product detection result

```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 10.0.38
Fixed version:     10.5.28
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 10.5.28, 10.6.21, 10.11.11, 11.4.5, 11.7.2 or later.

Affected Software/OS

MariaDB versions prior to 10.5.28, 10.6.x prior to 10.6.21, 10.7.x prior to 10.11.11, 11.0.x prior to 11.4.5 and 11.5.x prior to 11.7.2.

Vulnerability Insight

Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (DoS).

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-29182)`
OID:1.3.6.1.4.1.25623.1.0.125392
Version used: `2025-11-28T15:41:52Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2025-21490
url: https://jira.mariadb.org/browse/MDEV-29182
url: https://mariadb.com/docs/server/security/securing-mariadb/security#full-lis
↪t-of-cves-fixed-in-mariadb
url: https://www.oracle.com/security-alerts/cpujan2025.html
cert-bund: WID-SEC-2025-0167
dfn-cert: DFN-CERT-2026-0037
dfn-cert: DFN-CERT-2025-3583
dfn-cert: DFN-CERT-2025-2602
dfn-cert: DFN-CERT-2025-0544
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2025-0174
```

Medium (CVSS: 4.9)
NVT: MariaDB < 10.2.38 Multiple Vulnerabilities - Linux

Product detection result
```
cpe:/a:mariadb:mariadb:10.0.38
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MariaDB is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 10.0.38
Fixed version:     10.2.38
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 10.2.38 or later.

Affected Software/OS
MariaDB prior to version 10.2.38.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2021-2166: Denial of service (DoS) in MySQL
- CVE-2021-2154: Denial of service (DoS) in MySQL
- CVE-2021-2180: Denial of service (DoS) in MySQL
- CVE-2022-21451: Denial of service (DoS) in MySQL

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB < 10.2.38 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.149349
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.0.38`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2021-2166
cve: CVE-2021-2154
cve: CVE-2021-2180
cve: CVE-2022-21451
url: https://mariadb.com/kb/en/mariadb-10238-release-notes/
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-1081
cert-bund: WID-SEC-2022-0169
cert-bund: CB-K22/0468
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0866
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2021-2155
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-1660
dfn-cert: DFN-CERT-2021-0984
dfn-cert: DFN-CERT-2021-0821
```

[return to 172.31.1.27]

2.1.4 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 3844684019
Packet 2: 3844685127
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: TCP Timestamps Information Disclosure
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: 2023-12-15T16:10:08Z

References
url: https://datatracker.ietf.org/doc/html/rfc1323
url: https://datatracker.ietf.org/doc/html/rfc7323
url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d
↪ownload/details.aspx?id=9152
url: https://www.fortiguard.com/psirt/FG-IR-16-090

[return to 172.31.1.27]

2.1.5 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

References
`cve: CVE-1999-0524`
`url: https://datatracker.ietf.org/doc/html/rfc792`
`url: https://datatracker.ietf.org/doc/html/rfc2780`
`cert-bund: CB-K15/1514`
`cert-bund: CB-K14/0632`
`dfn-cert: DFN-CERT-2014-0658`

[return to 172.31.1.27]

2.1.6 Log 3306/tcp

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A MySQL server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Database Open Access Information Disclosure Vulnerability

Summary
Various Database server might be prone to an information disclosure vulnerability if accessible to remote systems.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`MariaDB can be accessed by remote attackers`

Impact
Successful exploitation could allow an attacker to obtain sensitive information from the database.

Solution:
Solution type: Workaround
Restrict database access to remote systems. Please see the manual of the affected database server for more information.

Affected Software/OS
- Oracle MySQL
- MariaDB
- IBM DB2
- PostgreSQL
- IBM solidDB
- Oracle Database
- Microsoft SQL Server

Vulnerability Insight
The remote database server is not restricting direct access from remote systems.

Log Method
Checks the result of various database server detections and evaluates their results.
Details: `Database Open Access Information Disclosure Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.902799
Version used: `2025-09-09T05:38:49Z`

References
`url: https://www.pcisecuritystandards.org/security_standards/index.php?id=pci_ds`
`↪s_v1-2.pdf`

Log (CVSS: 0.0)
NVT: MariaDB / Oracle MySQL Detection (MySQL Protocol)

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

MySQL protocol-based detection of MariaDB / Oracle MySQL.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected MariaDB
Version:       10.0.38
Location:      3306/tcp
CPE:           cpe:/a:mariadb:mariadb:10.0.38
Concluded from version/product identification result:
5.5.5-10.0.38-MariaDB-1~xenial
```

Solution:

Log Method

Details: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID:1.3.6.1.4.1.25623.1.0.100152
Version used: `2025-09-09T05:38:49Z`

[return to 172.31.1.27]

2.1.7 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary

The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Hostname determination for IP 172.31.1.27:
Hostname|Source
mariadb10.trabalho_vulnnet|Reverse-DNS
```

Solution:

Log Method

Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Ubuntu 16.04
Version:      16.04
CPE:          cpe:/o:canonical:ubuntu_linux:16.04
Found by VT:  1.3.6.1.4.1.25623.1.0.108192 (Operating System (OS) Detection (MyS
↪QL/MariaDB))
Concluded from MySQL/MariaDB server banner on port 3306/tcp: 5.5.5-10.0.38-Maria
↪DB-1~xenial
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method
Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-01-21T05:50:46Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: `IP Forwarding Enabled - Active Check`
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: `2021-12-03T08:27:06Z`

References
`cve: CVE-1999-0511`

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Network route from scanner (172.30.0.2) to target (172.31.1.27):
172.30.0.2
172.31.1.27
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `2022-10-17T11:13:19Z`

[return to 172.31.1.27]

2.1.8 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`172.31.1.27|cpe:/a:mariadb:mariadb:10.0.38`
`172.31.1.27|cpe:/o:canonical:ubuntu_linux:16.04`

Solution:

Log Method
Details: `CPE Inventory`
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: `2022-07-27T10:11:28Z`

References
`url: https://nvd.nist.gov/products/cpe`

[return to 172.31.1.27]