Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was " hgdfdghgdgd". The scan started at Mon Jan 26 01:47:47 2026 UTC and ended at Mon Jan 26 14:04:13 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 172.31.1.88 2

2.1.1 Critical 80/tcp 2

2.1.2 High 80/tcp 9

2.1.3 Medium 80/tcp 13

2.1.4 Low general/tcp 38

2.1.5 Low general/icmp 39

2.1.6 Log general/tcp 40

2.1.7 Log 80/tcp 44

2.1.8 Log general/CPE-T 50

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.31.1.88 pma46.trabalho_vulnnet	7	4	16	2	13	0
Total: 1	7	4	16	2	13	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Debug" are not shown.

This report contains all 42 results selected by the filtering described above. Before filtering there were 5586 results.

2 Results per Host

2.1 172.31.1.88

Host scan start	Mon Jan 26 03:36:57 2026 UTC
Host scan end	Mon Jan 26 05:21:33 2026 UTC

Service (Port)	Threat Level
80/tcp	Critical
80/tcp	High
80/tcp	Medium
general/tcp	Low
general/icmp	Low
general/tcp	Log
80/tcp	Log
general/CPE-T	Log

2.1.1 Critical 80/tcp

Critical (CVSS: 10.0)
NVT: phpMyAdmin End of Life (EOL) Detection - Linux

Summary
The phpMyAdmin version on the remote host has reached the End of Life (EOL) and should not be used anymore.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "phpMyAdmin" version on the remote host has reached the end of life.
CPE:                cpe:/a:phpmyadmin:phpmyadmin:4.6.6
Installed version:  4.6.6
Location/URL:       /
EOL version:        4.6
EOL date:           2017-04-01
```

Impact

An EOL version of phpMyAdmin is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:

Solution type: VendorFix

Update the phpMyAdmin version on the remote host to a still supported version.

Vulnerability Detection Method

Checks if an EOL version is present on the target host.

Details: `phpMyAdmin End of Life (EOL) Detection - Linux`

OID:1.3.6.1.4.1.25623.1.0.113015

Version used: `2025-04-15T05:54:49Z`

References

```
url: https://www.phpmyadmin.net/downloads/
url: https://www.phpmyadmin.net/news/2011/7/12/phpmyadmin-211-end-of-life/
url: https://www.phpmyadmin.net/news/2017/1/23/phpmyadmin-466-441510-and-401019-
↪are-released/
```

Critical (CVSS: 9.9)

NVT: jQuery End of Life (EOL) Detection - Linux

Summary

The jQuery version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "jQuery" version on the remote host has reached the end of life.
CPE:                cpe:/a:jquery:jquery:2.1.4
Installed version:  2.1.4
Location/URL:       /js/get_scripts.js.php?scripts%5B%5D=jquery/jquery-2.1.4.min.
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪js
EOL version:       2
EOL date:          unknown
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://pma46.trabalho_vulnnet/js/get_scripts.js.php?scripts%5
↪B%5D=jquery/jquery-2.1.4.min.js
- Referenced at:   http://pma46.trabalho_vulnnet/
```

Impact
An EOL version of jQuery is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update jQuery on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `jQuery End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.117149
Version used: `2025-04-15T05:54:49Z`

References
`url: https://github.com/jquery/jquery.com/pull/163`

Critical (CVSS: 9.9)
NVT: jQuery End of Life (EOL) Detection - Linux

Summary
The jQuery version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "jQuery" version on the remote host has reached the end of life.
CPE:               cpe:/a:jquery:jquery:1.11.3
Installed version: 1.11.3
Location/URL:      /doc/html/_static/jquery.js
EOL version:       1
EOL date:          unknown
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://pma46.trabalho_vulnnet/doc/html/_static/jquery.js
- Referenced at:   http://pma46.trabalho_vulnnet/doc/html/
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
An EOL version of jQuery is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update jQuery on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `jQuery End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.117149
Version used: `2025-04-15T05:54:49Z`

References
`url: https://github.com/jquery/jquery.com/pull/163`

Critical (CVSS: 9.8)
NVT: phpMyAdmin 4.5.0 <= 4.8.4 SQL Injection Vulnerability (PMASA-2019-2) - Linux

Summary
phpMyAdmin is prone to an SQL injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.6.6
Fixed version:     4.8.5
Installation
path / port:       /
```

Solution:
Solution type: VendorFix
Update to version 4.8.5.

Affected Software/OS
phpMyAdmin versions 4.5.0 through 4.8.4.

Vulnerability Insight
A vulnerability was reported where a specially crafted username can be used to trigger an SQL injection attack through the designer feature.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: phpMyAdmin 4.5.0 <= 4.8.4 SQL Injection Vulnerability (PMASA-2019-2) - Linux
OID:1.3.6.1.4.1.25623.1.0.112502
Version used: 2024-02-13T05:06:26Z

References
cve: CVE-2019-6798
url: https://www.phpmyadmin.net/security/PMASA-2019-2/
cert-bund: CB-K19/0089
dfn-cert: DFN-CERT-2019-0177

Critical (CVSS: 9.8)
NVT: phpMyAdmin < 4.8.6 SQL Injection Vulnerability (PMASA-2019-3) - Linux

Summary
phpMyAdmin is prone to an SQL injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 4.6.6
Fixed version: 4.8.6
Installation
path / port: /

Solution:
Solution type: VendorFix
Update to version 4.8.6 or later.

Affected Software/OS
phpMyAdmin prior to version 4.8.6.

Vulnerability Insight
A vulnerability was reported where a specially crafted database name can be used to trigger an SQL injection attack through the designer feature.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: phpMyAdmin < 4.8.6 SQL Injection Vulnerability (PMASA-2019-3) - Linux
OID:1.3.6.1.4.1.25623.1.0.140207
Version used: 2024-02-13T05:06:26Z

References
cve: CVE-2019-11768
url: https://www.phpmyadmin.net/security/PMASA-2019-3/
cert-bund: CB-K19/0477

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2019-1127

Critical (CVSS: 9.8)
NVT: phpMyAdmin < 4.9.6, 5.x < 5.0.3 Multiple Vulnerabilities (PMASA-2020-5, PMASA-2020-6) - Linux

Summary
phpMyAdmin is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.6.6
Fixed version:     4.9.6
Installation
path / port:       /
```

Impact
Successful exploitation would allow an attacker to:
- If an attacker sends a crafted link to the victim with the malicious JavaScript, when the victim clicks on the link, the JavaScript will run and complete the instructions made by the attacker (CVE-2020-26934)
- An attacker could use this flaw to inject malicious SQL in to a query (CVE-2020-26935)

Solution:
Solution type: VendorFix
Update to version 4.9.6, 5.0.3 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.6 and 5.x prior to 5.0.3.

Vulnerability Insight
The following vulnerabilities exist:
- XSS relating to the transformation feature (CVE-2020-26934)
- SQL injection vulnerability in SearchController (CVE-2020-26935)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.6, 5.x < 5.0.3 Multiple Vulnerabilities (PMASA-2020-5, PMASA-2.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.144896
Version used: `2024-02-13T05:06:26Z`

References
cve: CVE-2020-26934

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2020-26935
url: https://www.phpmyadmin.net/security/PMASA-2020-5/
url: https://www.phpmyadmin.net/security/PMASA-2020-6/
cert-bund: CB-K20/0969
dfn-cert: DFN-CERT-2020-2526
dfn-cert: DFN-CERT-2020-2366
dfn-cert: DFN-CERT-2020-2322
dfn-cert: DFN-CERT-2020-2220
```

Critical (CVSS: 9.8)
NVT: phpMyAdmin < 4.9.2 Multiple Vulnerabilities (PMASA-2019-5) - Linux

Summary
phpMyAdmin is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.6.6
Fixed version:     4.9.2
Installation
path / port:       /
```

Solution:
Solution type: VendorFix
Update to version 4.9.2 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.2.

Vulnerability Insight
phpMyAdmin is prone to multiple vulnerabilities:
- SQL injection vulnerability (CVE-2019-18622)
- Certain Git information is not escaped (CVE-2019-19617)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.2 Multiple Vulnerabilities (PMASA-2019-5) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143167
Version used: `2024-02-13T05:06:26Z`

References

```
cve: CVE-2019-18622
cve: CVE-2019-19617
url: https://www.phpmyadmin.net/security/PMASA-2019-5/
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.phpmyadmin.net/news/2019/11/22/phpmyadmin-492-released/
cert-bund: CB-K20/0214
cert-bund: CB-K19/1043
cert-bund: CB-K19/1016
dfn-cert: DFN-CERT-2020-2322
dfn-cert: DFN-CERT-2020-0488
dfn-cert: DFN-CERT-2020-0089
dfn-cert: DFN-CERT-2019-2577
dfn-cert: DFN-CERT-2019-2465
```

[return to 172.31.1.88]

2.1.2 High 80/tcp

High (CVSS: 8.8)
NVT: phpMyAdmin <= 5.1.1 CSV Injection Vulnerability - Linux

Summary
phpMyAdmin is prone to a CSV injection vulnerability via Export Section.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.6.6
Fixed version:     None
Installation
path / port:       /
```

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
phpMyAdmin version 5.1.1 and prior.

Vulnerability Insight
NOTE: the vendor disputes this because 'the CSV file is accurately generated based on the database contents.'
Nevertheless the vendor could implement measures while doing the CSV export which could lower or mitigate the risk originating from this flaw.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: `phpMyAdmin <= 5.1.1 CSV Injection Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.144898
Version used: `2023-10-17T05:05:34Z`

References

```
cve: CVE-2020-22278
url: https://cert.ikiu.ac.ir/public-files/news/document/CVE-99/CVE-2020-22278.pd
↪f
```

High (CVSS: 8.8)
NVT: phpMyAdmin < 4.9.4, 5.x < 5.0.1 SQL Injection Vulnerability (PMASA-2020-1) - Linux

Summary
phpMyAdmin is prone to an SQL injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.6.6
Fixed version:     4.9.4
Installation
path / port:       /
```

Impact
A malicious user could inject custom SQL in place of their own username when creating queries to this page. An attacker must have a valid MySQL account to access the server.

Solution:
Solution type: VendorFix
Update to version 4.9.4, 5.0.1 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.4 and 5.x prior to 5.0.1.

Vulnerability Insight
An SQL injection flaw has been discovered in the user accounts page.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.4, 5.x < 5.0.1 SQL Injection Vulnerability (PMASA-2020-1) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.143346
Version used: `2024-02-13T05:06:26Z`

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2020-5504
url: https://www.phpmyadmin.net/security/PMASA-2020-1/
cert-bund: WID-SEC-2025-2723
cert-bund: CB-K20/0214
cert-bund: CB-K20/0010
dfn-cert: DFN-CERT-2020-0488
dfn-cert: DFN-CERT-2020-0089
dfn-cert: DFN-CERT-2020-0026
```

High (CVSS: 8.0)
NVT: phpMyAdmin < 4.9.5, 5.x < 5.0.2 Multiple SQL Injection Vulnerabilities (PMASA-2020-2, PMASA-2020-3, PMASA-2020-4) - Linux

Summary
phpMyAdmin is prone to multiple SQL injection vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.6.6
Fixed version:     4.9.5
Installation
path / port:       /
```

Impact
Successful exploitation would allow an attacker to:
- create a specially-crafted username and then trick the victim in to performing specific actions with that user account (such as editing its privileges)
- generate specially-crafted database or table names
- insert specially-crafted data in to certain database tables, which when retrieved (for instance, through the Browse tab) can trigger an XSS attack

Solution:
Solution type: VendorFix
Update to version 4.9.5, 5.0.2 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.5 and 5.x prior to 5.0.2.

Vulnerability Insight
The following SQL injection vulnerabilities exist:
- An SQL injection vulnerability was found in how phpMyAdmin retrieves the current username
- An SQL injection vulnerability has been discovered where certain parameters are not properly escaped when generating certain queries for search actions within phpMyAdmin

. . . continues on next page . . .

. . . continued from previous page . . .

- An SQL injection vulnerability was discovered where malicious code could be used to trigger an XSS attack through retrieving and displaying results.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.5, 5.x < 5.0.2 Multiple SQL Injection Vulnerabilities (PMASA-2.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.112715
Version used: `2024-02-13T05:06:26Z`

References
```
cve: CVE-2020-10802
cve: CVE-2020-10803
cve: CVE-2020-10804
url: https://www.phpmyadmin.net/security/PMASA-2020-2/
url: https://www.phpmyadmin.net/security/PMASA-2020-3/
url: https://www.phpmyadmin.net/security/PMASA-2020-4/
cert-bund: CB-K20/0251
dfn-cert: DFN-CERT-2020-2366
dfn-cert: DFN-CERT-2020-0998
dfn-cert: DFN-CERT-2020-0592
```

High (CVSS: 7.5)
NVT: phpMyAdmin < 4.9.10, 5.x < 5.1.3 Information Disclosure Vulnerability - Linux

Summary
phpMyAdmin is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.6.6
Fixed version:     4.9.10
Installation
path / port:       /
```

Solution:
Solution type: VendorFix
Update to version 4.9.10, 5.1.3 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.10 and version 5.x through 5.1.2.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The issue could allow users to cause an error that would reveal the path on disk where phpMyAdmin is running from. This requires the server to be running with display_errors on, which is not the recommended setting for a production environment.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.10, 5.x < 5.1.3 Information Disclosure Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.147786
Version used: `2023-10-17T05:05:34Z`

References
```
cve: CVE-2022-0813
url: https://www.phpmyadmin.net/news/2022/2/11/phpmyadmin-4910-and-513-are-relea
↪sed/
url: https://www.incibe-cert.es/en/early-warning/security-advisories/phpmyadmin-
↪exposure-sensitive-information
cert-bund: WID-SEC-2023-3005
cert-bund: CB-K22/0304
dfn-cert: DFN-CERT-2023-0379
dfn-cert: DFN-CERT-2022-0570
```

[return to 172.31.1.88]

2.1.3 Medium 80/tcp

Medium (CVSS: 6.5)
NVT: phpMyAdmin < 4.9.0 CSRF Vulnerability (PMASA-2019-4) - Linux

Summary
phpMyAdmin is prone to a CSRF vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.6.6
Fixed version:     4.9.0
Installation
path / port:       /
```

Solution:
Solution type: VendorFix
Update to version 4.9.0 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

phpMyAdmin prior to version 4.9.0.

Vulnerability Insight
A vulnerability was found that allows an attacker to trigger a CSRF attack against a phpMyAdmin user. The attacker can trick the user, for instance through a broken <img> tag pointing at the victim's phpMyAdmin database, and the attacker can potentially deliver a payload (such as a specific INSERT or DELETE statement) through the victim.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.0 CSRF Vulnerability (PMASA-2019-4) - Linux`
OID:1.3.6.1.4.1.25623.1.0.142499
Version used: `2024-02-13T05:06:26Z`

References
`cve: CVE-2019-12616`
`url: https://www.phpmyadmin.net/security/PMASA-2019-4/`
`cert-bund: CB-K19/0477`
`dfn-cert: DFN-CERT-2019-1217`
`dfn-cert: DFN-CERT-2019-1127`

Medium (CVSS: 6.5)
NVT: phpMyAdmin < 4.9.1 CSRF Vulnerability - Linux

Summary
phpMyAdmin is prone to a CSRF vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.6.6
Fixed version:     4.9.1
Installation
path / port:       /
```

Solution:
Solution type: VendorFix
Update to phpMyAdmin version 4.9.1 or later.

Affected Software/OS
phpMyAdmin version 4.9.0.1 and prior.

Vulnerability Insight
A CSRF issue in phpMyAdmin allows deletion of any server in the Setup page.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.1 CSRF Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.142897
Version used: `2024-02-13T05:06:26Z`

References
```
cve: CVE-2019-12922
url: https://seclists.org/fulldisclosure/2019/Sep/23
url: https://github.com/phpmyadmin/phpmyadmin/commit/7d21d4223bdbe0306593309132b
↪4263d7087d13b
cert-bund: CB-K19/0836
dfn-cert: DFN-CERT-2020-0089
dfn-cert: DFN-CERT-2019-1975
```

Medium (CVSS: 6.5)
NVT: phpMyAdmin 4.x < 4.8.4 Multiple Vulnerabilities (PMASA-2018-6, PMASA-2018-8) - Linux

Summary
phpMyAdmin is prone to multiple security vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.6.6
Fixed version:     4.8.4
Installation
path / port:       /
```

Solution:
Solution type: VendorFix
Update to version 4.8.4 or later.

Affected Software/OS
phpMyAdmin versions from at least 4.0 through 4.8.3.

Vulnerability Insight
- A flaw has been found where an attacker can exploit phpMyAdmin to leak the contents of a local file. The attacker must have access to the phpMyAdmin Configuration Storage tables, although these can easily be created in any database to which the attacker has access. An attacker must have valid credentials to log in to phpMyAdmin. This vulnerability does not allow an attacker to circumvent the login system (CVE-2018-19968).
- A Cross-Site Scripting vulnerability was found in the navigation tree, where an attacker can deliver a payload to a user through a specially-crafted database/table name (CVE-2018-19970).

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin 4.x < 4.8.4 Multiple Vulnerabilities (PMASA-2018-6, PMASA-2018-8) - . ↪..`
OID:1.3.6.1.4.1.25623.1.0.108513
Version used: `2024-02-13T05:06:26Z`

References
```
cve: CVE-2018-19968
cve: CVE-2018-19970
url: https://www.phpmyadmin.net/security/PMASA-2018-6/
url: https://www.phpmyadmin.net/security/PMASA-2018-8/
cert-bund: CB-K18/1160
dfn-cert: DFN-CERT-2018-2515
```

Medium (CVSS: 6.1)
NVT: jQuery 1.0.3 < 3.5.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability when appending HTML containing option elements.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.1.4
Fixed version:     3.5.0
Installation
path / port:       /js/get_scripts.js.php?scripts%5B%5D=jquery/jquery-2.1.4.min.
↪js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://pma46.trabalho_vulnnet/js/get_scripts.js.php?scripts%5
↪B%5D=jquery/jquery-2.1.4.min.js
- Referenced at:   http://pma46.trabalho_vulnnet/
```

Solution:
Solution type: VendorFix
Update to version 3.5.0 or later.

Affected Software/OS
jQuery versions starting from 1.0.3 and prior to version 3.5.0.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Passing HTML containing <option> elements from untrusted sources - even after sanitizing them - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.0.3 < 3.5.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143813
Version used: `2025-01-31T15:39:24Z`

References

```
cve: CVE-2020-11023
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://github.com/jquery/jquery/security/advisories/GHSA-jpcq-cgw6-v4j6
url: https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
url: https://masatokinugawa.l0.cm/2020/05/jquery3.5.0-xss.html
url: https://security.snyk.io/vuln/SNYK-JS-JQUERY-565129
cert-bund: WID-SEC-2025-1459
cert-bund: WID-SEC-2024-3191
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1347
cert-bund: WID-SEC-2022-1189
cert-bund: WID-SEC-2022-0757
cert-bund: WID-SEC-2022-0732
cert-bund: CB-K21/1085
cert-bund: CB-K21/1067
cert-bund: CB-K21/0418
cert-bund: CB-K20/1049
cert-bund: CB-K20/1027
cert-bund: CB-K20/1025
cert-bund: CB-K20/1024
cert-bund: CB-K20/1021
cert-bund: CB-K20/1008
cert-bund: CB-K20/0870
cert-bund: CB-K20/0800
cert-bund: CB-K20/0705
cert-bund: CB-K20/0521
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2025-0559
dfn-cert: DFN-CERT-2025-0497
dfn-cert: DFN-CERT-2025-0373
dfn-cert: DFN-CERT-2025-0348
dfn-cert: DFN-CERT-2024-2743
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-1988
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2348
dfn-cert: DFN-CERT-2021-1687
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2021-0820
dfn-cert: DFN-CERT-2021-0633
dfn-cert: DFN-CERT-2021-0563
dfn-cert: DFN-CERT-2021-0545
dfn-cert: DFN-CERT-2020-2776
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2287
dfn-cert: DFN-CERT-2020-2227
dfn-cert: DFN-CERT-2020-2209
dfn-cert: DFN-CERT-2020-2074
dfn-cert: DFN-CERT-2020-1743
dfn-cert: DFN-CERT-2020-1712
dfn-cert: DFN-CERT-2020-1509
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-1433
dfn-cert: DFN-CERT-2020-1163
dfn-cert: DFN-CERT-2020-1099
```

Medium (CVSS: 6.1)
NVT: jQuery 1.2 < 3.5.0 XSS Vulnerability

Summary

jQuery is prone to a cross-site scripting (XSS) vulnerability in jQuery.htmlPrefilter and related methods.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.1.4
Fixed version:     3.5.0
Installation
path / port:       /js/get_scripts.js.php?scripts%5B%5D=jquery/jquery-2.1.4.min.
↪js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
- Identified file: http://pma46.trabalho_vulnnet/js/get_scripts.js.php?scripts%5
↪B%5D=jquery/jquery-2.1.4.min.js
- Referenced at:   http://pma46.trabalho_vulnnet/
```

Solution:
Solution type: VendorFix
Update to version 3.5.0 or later.

Affected Software/OS
jQuery versions starting from 1.2 and prior to version 3.5.0.

Vulnerability Insight
Passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.2 < 3.5.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143812
Version used: `2023-07-14T05:06:08Z`

References

```
cve: CVE-2020-11022
url: https://github.com/jquery/jquery/security/advisories/GHSA-gxr4-xjj5-5px2
url: https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
url: https://masatokinugawa.l0.cm/2020/05/jquery3.5.0-xss.html
url: https://security.snyk.io/vuln/SNYK-JS-JQUERY-567880
cert-bund: WID-SEC-2025-1087
cert-bund: WID-SEC-2024-3217
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1347
cert-bund: WID-SEC-2022-0740
cert-bund: WID-SEC-2022-0732
cert-bund: WID-SEC-2022-0624
cert-bund: CB-K22/0463
cert-bund: CB-K21/1085
cert-bund: CB-K21/0071
cert-bund: CB-K21/0070
cert-bund: CB-K21/0069
cert-bund: CB-K21/0067
cert-bund: CB-K21/0061
cert-bund: CB-K21/0059
cert-bund: CB-K20/1049
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K20/1030
cert-bund: CB-K20/1027
cert-bund: CB-K20/1025
cert-bund: CB-K20/1023
cert-bund: CB-K20/1008
cert-bund: CB-K20/0870
cert-bund: CB-K20/0800
cert-bund: CB-K20/0705
cert-bund: CB-K20/0521
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2025-0559
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-1988
dfn-cert: DFN-CERT-2022-1670
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2021-0828
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0633
dfn-cert: DFN-CERT-2021-0545
dfn-cert: DFN-CERT-2021-0140
dfn-cert: DFN-CERT-2021-0138
dfn-cert: DFN-CERT-2021-0135
dfn-cert: DFN-CERT-2021-0132
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2305
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2227
dfn-cert: DFN-CERT-2020-2209
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-2074
dfn-cert: DFN-CERT-2020-2015
dfn-cert: DFN-CERT-2020-2001
dfn-cert: DFN-CERT-2020-1838
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1712
dfn-cert: DFN-CERT-2020-1509
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-1433
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-1163
dfn-cert: DFN-CERT-2020-1161
dfn-cert: DFN-CERT-2020-1138
dfn-cert: DFN-CERT-2020-1099
```

Medium (CVSS: 6.1)
NVT: jQuery 1.0.3 < 3.5.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability when appending HTML containing option elements.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.11.3
Fixed version:     3.5.0
Installation
path / port:       /doc/html/_static/jquery.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://pma46.trabalho_vulnnet/doc/html/_static/jquery.js
- Referenced at:   http://pma46.trabalho_vulnnet/doc/html/
```

Solution:
Solution type: VendorFix
Update to version 3.5.0 or later.

Affected Software/OS
jQuery versions starting from 1.0.3 and prior to version 3.5.0.

Vulnerability Insight
Passing HTML containing <option> elements from untrusted sources - even after sanitizing them - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.0.3 < 3.5.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143813
Version used: `2025-01-31T15:39:24Z`

References

```
cve: CVE-2020-11023
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://github.com/jquery/jquery/security/advisories/GHSA-jpcq-cgw6-v4j6
url: https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
url: https://masatokinugawa.l0.cm/2020/05/jquery3.5.0-xss.html
url: https://security.snyk.io/vuln/SNYK-JS-JQUERY-565129
cert-bund: WID-SEC-2025-1459
cert-bund: WID-SEC-2024-3191
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1347
cert-bund: WID-SEC-2022-1189
cert-bund: WID-SEC-2022-0757
cert-bund: WID-SEC-2022-0732
cert-bund: CB-K21/1085
cert-bund: CB-K21/1067
cert-bund: CB-K21/0418
cert-bund: CB-K20/1049
cert-bund: CB-K20/1027
cert-bund: CB-K20/1025
cert-bund: CB-K20/1024
cert-bund: CB-K20/1021
cert-bund: CB-K20/1008
cert-bund: CB-K20/0870
cert-bund: CB-K20/0800
cert-bund: CB-K20/0705
cert-bund: CB-K20/0521
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2025-0559
dfn-cert: DFN-CERT-2025-0497
dfn-cert: DFN-CERT-2025-0373
dfn-cert: DFN-CERT-2025-0348
dfn-cert: DFN-CERT-2024-2743
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-1988
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2348
dfn-cert: DFN-CERT-2021-1687
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2021-0820
dfn-cert: DFN-CERT-2021-0633
dfn-cert: DFN-CERT-2021-0563
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-0545
dfn-cert: DFN-CERT-2020-2776
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2287
dfn-cert: DFN-CERT-2020-2227
dfn-cert: DFN-CERT-2020-2209
dfn-cert: DFN-CERT-2020-2074
dfn-cert: DFN-CERT-2020-1743
dfn-cert: DFN-CERT-2020-1712
dfn-cert: DFN-CERT-2020-1509
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-1433
dfn-cert: DFN-CERT-2020-1163
dfn-cert: DFN-CERT-2020-1099
```

Medium (CVSS: 6.1)
NVT: jQuery 1.2 < 3.5.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability in jQuery.htmlPrefilter and related methods.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.11.3
Fixed version:     3.5.0
Installation
path / port:       /doc/html/_static/jquery.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://pma46.trabalho_vulnnet/doc/html/_static/jquery.js
- Referenced at:   http://pma46.trabalho_vulnnet/doc/html/
```

Solution:
Solution type: VendorFix
Update to version 3.5.0 or later.

Affected Software/OS
jQuery versions starting from 1.2 and prior to version 3.5.0.

Vulnerability Insight
Passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.2 < 3.5.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143812
Version used: `2023-07-14T05:06:08Z`

References

```
cve: CVE-2020-11022
url: https://github.com/jquery/jquery/security/advisories/GHSA-gxr4-xjj5-5px2
url: https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
url: https://masatokinugawa.l0.cm/2020/05/jquery3.5.0-xss.html
url: https://security.snyk.io/vuln/SNYK-JS-JQUERY-567880
cert-bund: WID-SEC-2025-1087
cert-bund: WID-SEC-2024-3217
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1347
cert-bund: WID-SEC-2022-0740
cert-bund: WID-SEC-2022-0732
cert-bund: WID-SEC-2022-0624
cert-bund: CB-K22/0463
cert-bund: CB-K21/1085
cert-bund: CB-K21/0071
cert-bund: CB-K21/0070
cert-bund: CB-K21/0069
cert-bund: CB-K21/0067
cert-bund: CB-K21/0061
cert-bund: CB-K21/0059
cert-bund: CB-K20/1049
cert-bund: CB-K20/1030
cert-bund: CB-K20/1027
cert-bund: CB-K20/1025
cert-bund: CB-K20/1023
cert-bund: CB-K20/1008
cert-bund: CB-K20/0870
cert-bund: CB-K20/0800
cert-bund: CB-K20/0705
cert-bund: CB-K20/0521
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2025-0559
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1988
dfn-cert: DFN-CERT-2022-1670
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2021-0828
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0633
dfn-cert: DFN-CERT-2021-0545
dfn-cert: DFN-CERT-2021-0140
dfn-cert: DFN-CERT-2021-0138
dfn-cert: DFN-CERT-2021-0135
dfn-cert: DFN-CERT-2021-0132
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2305
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2227
dfn-cert: DFN-CERT-2020-2209
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-2074
dfn-cert: DFN-CERT-2020-2015
dfn-cert: DFN-CERT-2020-2001
dfn-cert: DFN-CERT-2020-1838
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1712
dfn-cert: DFN-CERT-2020-1509
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-1433
dfn-cert: DFN-CERT-2020-1163
dfn-cert: DFN-CERT-2020-1161
dfn-cert: DFN-CERT-2020-1138
dfn-cert: DFN-CERT-2020-1099
```

Medium (CVSS: 6.1)
NVT: jQuery < 3.0.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 2.1.4`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     3.0.0
Installation
path / port:       /js/get_scripts.js.php?scripts%5B%5D=jquery/jquery-2.1.4.min.
↪js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://pma46.trabalho_vulnnet/js/get_scripts.js.php?scripts%5
↪B%5D=jquery/jquery-2.1.4.min.js
- Referenced at:   http://pma46.trabalho_vulnnet/
```

Solution:
Solution type: VendorFix
Update to version 3.0.0 or later.

Affected Software/OS
jQuery prior to version 3.0.0.

Vulnerability Insight
When a cross-domain Ajax request is performed without the dataType option, causing text/javascript responses to be executed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 3.0.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141635
Version used: `2023-07-14T05:06:08Z`

References

```
cve: CVE-2015-9251
url: https://github.com/jquery/jquery/issues/2432
cert-bund: WID-SEC-2025-1660
cert-bund: WID-SEC-2025-1212
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2024-1682
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K20/1030
cert-bund: CB-K20/0309
cert-bund: CB-K20/0041
cert-bund: CB-K19/0911
cert-bund: CB-K19/0909
cert-bund: CB-K19/0615
cert-bund: CB-K19/0321
cert-bund: CB-K19/0313
cert-bund: CB-K19/0054
cert-bund: CB-K19/0052
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K19/0049
cert-bund: CB-K19/0048
cert-bund: CB-K19/0046
cert-bund: CB-K18/1006
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-0630
dfn-cert: DFN-CERT-2020-0590
dfn-cert: DFN-CERT-2020-0318
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-0777
dfn-cert: DFN-CERT-2019-0772
dfn-cert: DFN-CERT-2019-0119
dfn-cert: DFN-CERT-2019-0111
dfn-cert: DFN-CERT-2018-2103
dfn-cert: DFN-CERT-2018-1163
```

Medium (CVSS: 6.1)
NVT: jQuery < 3.4.0 Object Extensions Vulnerability

Summary
jQuery is prone to multiple vulnerabilities regarding property injection in Object.prototype.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.1.4
Fixed version:     3.4.0
Installation
path / port:       /js/get_scripts.js.php?scripts%5B%5D=jquery/jquery-2.1.4.min.
↪js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://pma46.trabalho_vulnnet/js/get_scripts.js.php?scripts%5
↪B%5D=jquery/jquery-2.1.4.min.js
- Referenced at:   http://pma46.trabalho_vulnnet/
```

Solution:
Solution type: VendorFix
Update to version 3.4.0 or later. Patch diffs are available for older versions.

Affected Software/OS
jQuery prior to version 3.4.0.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The following flaws exist:
- CVE-2019-5428: A prototype pollution vulnerability exists that allows an attacker to inject properties on Object.prototype.
- CVE-2019-11358: jQuery mishandles jQuery.extend(true, }}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 3.4.0 Object Extensions Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.142314
Version used: `2023-07-14T05:06:08Z`

References
`cve: CVE-2019-5428`
`cve: CVE-2019-11358`
`url: https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/`
`url: https://github.com/DanielRuf/snyk-js-jquery-174006?files=1`
`cert-bund: WID-SEC-2024-1872`
`cert-bund: WID-SEC-2023-1737`
`cert-bund: WID-SEC-2023-0239`
`cert-bund: WID-SEC-2022-1948`
`cert-bund: WID-SEC-2022-1947`
`cert-bund: WID-SEC-2022-0732`
`cert-bund: WID-SEC-2022-0673`
`cert-bund: CB-K22/0045`
`cert-bund: CB-K21/1083`
`cert-bund: CB-K20/1049`
`cert-bund: CB-K20/1030`
`cert-bund: CB-K20/0800`
`cert-bund: CB-K20/0710`
`cert-bund: CB-K20/0324`
`cert-bund: CB-K20/0314`
`cert-bund: CB-K20/0309`
`cert-bund: CB-K20/0106`
`cert-bund: CB-K20/0041`
`cert-bund: CB-K20/0037`
`cert-bund: CB-K20/0034`
`cert-bund: CB-K19/0921`
`cert-bund: CB-K19/0920`
`cert-bund: CB-K19/0916`
`cert-bund: CB-K19/0911`
`cert-bund: CB-K19/0909`
`cert-bund: CB-K19/0619`
`cert-bund: CB-K19/0504`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K19/0329
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2024-1997
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-2467
dfn-cert: DFN-CERT-2021-1536
dfn-cert: DFN-CERT-2021-1503
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1574
dfn-cert: DFN-CERT-2020-1537
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0769
dfn-cert: DFN-CERT-2020-0721
dfn-cert: DFN-CERT-2020-0276
dfn-cert: DFN-CERT-2020-0102
dfn-cert: DFN-CERT-2020-0100
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-2156
dfn-cert: DFN-CERT-2019-2126
dfn-cert: DFN-CERT-2019-1861
dfn-cert: DFN-CERT-2019-1663
dfn-cert: DFN-CERT-2019-1460
dfn-cert: DFN-CERT-2019-1182
dfn-cert: DFN-CERT-2019-1153
dfn-cert: DFN-CERT-2019-1118
dfn-cert: DFN-CERT-2019-1033
dfn-cert: DFN-CERT-2019-0914
dfn-cert: DFN-CERT-2019-0899
dfn-cert: DFN-CERT-2019-0805
```

Medium (CVSS: 6.1)
NVT: jQuery < 3.4.0 Object Extensions Vulnerability

Summary
jQuery is prone to multiple vulnerabilities regarding property injection in Object.prototype.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.11.3
Fixed version:     3.4.0
Installation
path / port:       /doc/html/_static/jquery.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://pma46.trabalho_vulnnet/doc/html/_static/jquery.js
- Referenced at:   http://pma46.trabalho_vulnnet/doc/html/
```

Solution:
Solution type: VendorFix
Update to version 3.4.0 or later. Patch diffs are available for older versions.

Affected Software/OS
jQuery prior to version 3.4.0.

Vulnerability Insight
The following flaws exist:
- CVE-2019-5428: A prototype pollution vulnerability exists that allows an attacker to inject properties on Object.prototype.
- CVE-2019-11358: jQuery mishandles jQuery.extend(true, }}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 3.4.0 Object Extensions Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.142314
Version used: `2023-07-14T05:06:08Z`

References

```
cve: CVE-2019-5428
cve: CVE-2019-11358
url: https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/
url: https://github.com/DanielRuf/snyk-js-jquery-174006?files=1
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2022-1948
cert-bund: WID-SEC-2022-1947
cert-bund: WID-SEC-2022-0732
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K21/1083
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K20/1049
cert-bund: CB-K20/1030
cert-bund: CB-K20/0800
cert-bund: CB-K20/0710
cert-bund: CB-K20/0324
cert-bund: CB-K20/0314
cert-bund: CB-K20/0309
cert-bund: CB-K20/0106
cert-bund: CB-K20/0041
cert-bund: CB-K20/0037
cert-bund: CB-K20/0034
cert-bund: CB-K19/0921
cert-bund: CB-K19/0920
cert-bund: CB-K19/0916
cert-bund: CB-K19/0911
cert-bund: CB-K19/0909
cert-bund: CB-K19/0619
cert-bund: CB-K19/0504
cert-bund: CB-K19/0329
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2024-1997
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-2467
dfn-cert: DFN-CERT-2021-1536
dfn-cert: DFN-CERT-2021-1503
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1574
dfn-cert: DFN-CERT-2020-1537
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0769
dfn-cert: DFN-CERT-2020-0721
dfn-cert: DFN-CERT-2020-0276
dfn-cert: DFN-CERT-2020-0102
dfn-cert: DFN-CERT-2020-0100
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-2156
dfn-cert: DFN-CERT-2019-2126
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1861
dfn-cert: DFN-CERT-2019-1663
dfn-cert: DFN-CERT-2019-1460
dfn-cert: DFN-CERT-2019-1182
dfn-cert: DFN-CERT-2019-1153
dfn-cert: DFN-CERT-2019-1118
dfn-cert: DFN-CERT-2019-1033
dfn-cert: DFN-CERT-2019-0914
dfn-cert: DFN-CERT-2019-0899
dfn-cert: DFN-CERT-2019-0805
```

Medium (CVSS: 6.1)
NVT: jQuery < 3.0.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.11.3
Fixed version:     3.0.0
Installation
path / port:       /doc/html/_static/jquery.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://pma46.trabalho_vulnnet/doc/html/_static/jquery.js
- Referenced at:   http://pma46.trabalho_vulnnet/doc/html/
```

Solution:
Solution type: VendorFix
Update to version 3.0.0 or later.

Affected Software/OS
jQuery prior to version 3.0.0.

Vulnerability Insight
When a cross-domain Ajax request is performed without the dataType option, causing text/javascript responses to be executed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 3.0.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141635
Version used: `2023-07-14T05:06:08Z`

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2015-9251
url: https://github.com/jquery/jquery/issues/2432
cert-bund: WID-SEC-2025-1660
cert-bund: WID-SEC-2025-1212
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2024-1682
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K20/1030
cert-bund: CB-K20/0309
cert-bund: CB-K20/0041
cert-bund: CB-K19/0911
cert-bund: CB-K19/0909
cert-bund: CB-K19/0615
cert-bund: CB-K19/0321
cert-bund: CB-K19/0313
cert-bund: CB-K19/0054
cert-bund: CB-K19/0052
cert-bund: CB-K19/0049
cert-bund: CB-K19/0048
cert-bund: CB-K19/0046
cert-bund: CB-K18/1006
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-0630
dfn-cert: DFN-CERT-2020-0590
dfn-cert: DFN-CERT-2020-0318
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-0777
dfn-cert: DFN-CERT-2019-0772
dfn-cert: DFN-CERT-2019-0119
dfn-cert: DFN-CERT-2019-0111
dfn-cert: DFN-CERT-2018-2103
dfn-cert: DFN-CERT-2018-1163
```

Medium (CVSS: 6.1)
NVT: phpMyAdmin <= 4.8.2 XSS Vulnerability (PMASA-2018-5) - Linux

Summary

phpMyAdmin is prone to an authenticated cross-site scripting (XSS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.6.6
Fixed version:     4.8.3
```

Solution:
Solution type: VendorFix
Update to version 4.8.3.

Affected Software/OS
phpMyAdmin through version 4.8.2.

Vulnerability Insight
An authenticated attacker could trick a user into importing a specially crafted file, resulting in the attacker gaining control over the user's account.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin <= 4.8.2 XSS Vulnerability (PMASA-2018-5) - Linux`
OID:1.3.6.1.4.1.25623.1.0.113255
Version used: `2025-12-11T05:46:19Z`

References

```
cve: CVE-2018-15605
url: https://www.phpmyadmin.net/security/PMASA-2018-5/
cert-bund: CB-K18/0877
dfn-cert: DFN-CERT-2018-1704
```

Medium (CVSS: 6.1)
NVT: phpMyAdmin Cross-Site Scripting Vulnerability (PMASA-2018-3) - Linux

Summary
phpMyAdmin is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.6.6
Fixed version:     4.8.2
Installation
path / port:       /
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successful exploitation will allow an attacker to inject arbitrary web script or HTML via crafted database name.

Solution:
Solution type: VendorFix
Upgrade to version 4.8.2 or newer. Please see the references for more information.

Affected Software/OS
phpMyAdmin versions prior to 4.8.2 on Linux

Vulnerability Insight
The flaw exists due to insufficient validation of input passed to 'js/designer/move.js' script in phpMyAdmin.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin Cross-Site Scripting Vulnerability (PMASA-2018-3) - Linux`
OID:1.3.6.1.4.1.25623.1.0.813451
Version used: `2025-09-12T05:38:45Z`

References
`cve: CVE-2018-12581`
`url: https://www.phpmyadmin.net/security/PMASA-2018-3`
`url: http://www.securityfocus.com/bid/104530`
`cert-bund: CB-K18/0744`
`dfn-cert: DFN-CERT-2018-1207`

Medium (CVSS: 5.9)
NVT: phpMyAdmin 4.0 <= 4.8.4 Arbitrary File Read Vulnerability (PMASA-2019-1) - Linux

Summary
phpMyAdmin is prone to an arbitrary file read vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.6.6
Fixed version:     4.8.5
Installation
path / port:       /
```

Solution:
Solution type: VendorFix
Update to version 4.8.5.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
phpMyAdmin versions 4.0 through 4.8.4.

Vulnerability Insight
When AllowArbitraryServer configuration set to true, with the use of a rogue MySQL server, an attacker can read any file on the server that the web server's user can access.
phpMyadmin attempts to block the use of LOAD DATA INFILE, but due to a bug in PHP, this check is not honored. Additionally, when using the 'mysql' extension, mysql.allow_local_infile is enabled by default. Both of these conditions allow the attack to occur.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin 4.0 <= 4.8.4 Arbitrary File Read Vulnerability (PMASA-2019-1) - Linux`
OID:1.3.6.1.4.1.25623.1.0.112500
Version used: `2024-02-13T05:06:26Z`

References
```
cve: CVE-2019-6799
url: https://www.phpmyadmin.net/security/PMASA-2019-1/
cert-bund: CB-K19/0089
dfn-cert: DFN-CERT-2019-0419
dfn-cert: DFN-CERT-2019-0177
```

Medium (CVSS: 5.4)
NVT: phpMyAdmin 4.3.x < 4.9.11, 5.2.x < 5.2.1 XSS Vulnerability - Linux

Summary
phpMyAdmin is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.6.6
Fixed version:     4.9.11
Installation
path / port:       /
```

Solution:
Solution type: VendorFix
Update to version 4.9.11, 5.2.1 or later.

Affected Software/OS
phpMyAdmin version 4.3.x through 4.9.10 and 5.2.x prior to 5.2.1.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
An authenticated user can trigger a cross-site scripting (XSS) attack by uploading a specially-crafted .sql file through the drag-and-drop interface.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin 4.3.x < 4.9.11, 5.2.x < 5.2.1 XSS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.127330
Version used: `2023-10-17T05:05:34Z`

References
`cve: CVE-2023-25727`
`url: https://www.phpmyadmin.net/security/PMASA-2023-1/`
`cert-bund: WID-SEC-2023-0301`
`dfn-cert: DFN-CERT-2025-0902`
`dfn-cert: DFN-CERT-2023-1479`
`dfn-cert: DFN-CERT-2023-0379`
`dfn-cert: DFN-CERT-2023-0292`

Medium (CVSS: 4.8)
NVT: Cleartext Transmission of Sensitive Information via HTTP

Summary
The host / application transmits sensitive information (username, passwords) in cleartext via HTTP.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`The following input fields were identified (URL:input name):`
`http://pma46.trabalho_vulnnet/:pma_password`

Impact
An attacker could use this situation to compromise or eavesdrop on the HTTP communication between the client and the server using a man-in-the-middle attack to get access to sensitive data like usernames or passwords.

Solution:
Solution type: Workaround
Enforce the transmission of sensitive data via an encrypted SSL/TLS connection. Additionally make sure the host / application is redirecting all users to the secured SSL/TLS connection before allowing to input sensitive data into the mentioned functions.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Hosts / applications which doesn't enforce the transmission of sensitive data via an encrypted SSL/TLS connection.

Vulnerability Detection Method
Evaluate previous collected information and check if the host / application is not enforcing the transmission of sensitive data via an encrypted SSL/TLS connection.
The script is currently checking the following:
- HTTP Basic Authentication (Basic Auth)
- HTTP Forms (e.g. Login) with input field of type 'password'
Details: `Cleartext Transmission of Sensitive Information via HTTP`
OID:1.3.6.1.4.1.25623.1.0.108440
Version used: `2023-09-07T05:05:21Z`

References
`url: https://www.owasp.org/index.php/Top_10_2013-A2-Broken_Authentication_and_Se`
`↪ssion_Management`
`url: https://www.owasp.org/index.php/Top_10_2013-A6-Sensitive_Data_Exposure`
`url: https://cwe.mitre.org/data/definitions/319.html`

[return to 172.31.1.88]

2.1.4 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 2842405620
Packet 2: 2842406743
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled'
Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.

. . . continues on next page . . .

. . . continued from previous page . . .

The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
`url: https://datatracker.ietf.org/doc/html/rfc1323`
`url: https://datatracker.ietf.org/doc/html/rfc7323`
`url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d`
`↪ownload/details.aspx?id=9152`
`url: https://www.fortiguard.com/psirt/FG-IR-16-090`

[return to 172.31.1.88]

2.1.5 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

References
`cve: CVE-1999-0524`
`url: https://datatracker.ietf.org/doc/html/rfc792`
`url: https://datatracker.ietf.org/doc/html/rfc2780`
`cert-bund: CB-K15/1514`
`cert-bund: CB-K14/0632`
`dfn-cert: DFN-CERT-2014-0658`

[return to 172.31.1.88]

2.1.6 Log general/tcp

Log (CVSS: 0.0)
NVT: jQuery Detection Consolidation

Summary
Consolidation of jQuery detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Detected jQuery
Version:       1.11.3
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Location:      /doc/html/_static/jquery.js
CPE:           cpe:/a:jquery:jquery:1.11.3
Concluded from version/product identification result:
src="_static/jquery.js
jQuery JavaScript Library v1.11.3
Concluded from version/product identification location:
- Identified file: http://pma46.trabalho_vulnnet/doc/html/_static/jquery.js
- Referenced at:   http://pma46.trabalho_vulnnet/doc/html/
Detected jQuery
Version:       2.1.4
Location:      /js/get_scripts.js.php?scripts%5B%5D=jquery/jquery-2.1.4.min.js
CPE:           cpe:/a:jquery:jquery:2.1.4
Concluded from version/product identification result:
src="js/get_scripts.js.php?scripts%5B%5D=jquery/jquery-2.1.4.min.js
Concluded from version/product identification location:
- Identified file: http://pma46.trabalho_vulnnet/js/get_scripts.js.php?scripts%5
↪B%5D=jquery/jquery-2.1.4.min.js
- Referenced at:   http://pma46.trabalho_vulnnet/
```

Solution:

Log Method
Details: `jQuery Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.150658
Version used: `2023-07-14T05:06:08Z`

References
`url: https://jquery.com/`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:            Linux Kernel
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.102002 (Operating System (OS) Detection (ICM
↪P))
Concluded from ICMP based OS fingerprint
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method
Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-01-21T05:50:46Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: nginx Detection Consolidation

Summary
Consolidation of nginx detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected nginx
Version:       unknown
Location:      80/tcp
CPE:           cpe:/a:nginx:nginx
Concluded from version/product identification result:
Server: nginx
<hr><center>nginx</center>
Concluded from version/product identification location:
http://pma46.trabalho_vulnnet/vt-test-non-existent.html
```

Solution:

Log Method
Details: nginx Detection Consolidation
OID:1.3.6.1.4.1.25623.1.0.113787
Version used: 2022-02-03T09:26:44Z

References
url: https://www.nginx.com/

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Hostname determination for IP 172.31.1.88:
Hostname|Source
pma46.trabalho_vulnnet|Reverse-DNS
```

Solution:

Log Method
Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Network route from scanner (172.30.0.2) to target (172.31.1.88):
172.30.0.2
172.31.1.88
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.51662
Version used: 2022-10-17T11:13:19Z

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.
```

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: IP Forwarding Enabled - Active Check
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: 2021-12-03T08:27:06Z

References
cve: CVE-1999-0511

[return to 172.31.1.88]

2.1.7 Log 80/tcp

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration

Summary
Enumerates which HTTP methods are allowed.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The following list contains the URLs and corresponding supported HTTP methods.
URL                              | HTTP Methods
----------------------------------------------
http://pma46.trabalho_vulnnet/ | GET,HEAD,POST
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:

Vulnerability Insight
- Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE
- Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTIVITY, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL

Log Method
Sends multiple HTTP requests and checks the responses.
Disclaimer:
- This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods
- This script doesn't guarantee completeness or full reliability
For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host.
Details: `Allowed HTTP Methods Enumeration`
OID:1.3.6.1.4.1.25623.1.0.153974
Version used: `2025-02-28T05:38:49Z`

Log (CVSS: 0.0)
NVT: phpMyAdmin Detection (HTTP)

Summary
HTTP based detection of phpMyAdmin.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Detected phpMyAdmin
Version:       4.6.6
Location:      /
CPE:           cpe:/a:phpmyadmin:phpmyadmin:4.6.6
Concluded from version/product identification result:
Version 4.6.6
Concluded from version/product identification location:
  http://pma46.trabalho_vulnnet/index.php
  http://pma46.trabalho_vulnnet/README
Extra information:
- Protected by Username/Password
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Log Method
Details: `phpMyAdmin Detection (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.900129
Version used: `2024-02-19T14:37:31Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use

. . . continues on next page . . .

. . . continued from previous page . . .

- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Hostname/IP "pma46.trabalho_vulnnet" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
A possible recursion was detected during web application scanning:
The service is using a relative URL in one or more HTML references where e.g. /f
↪ile1.html contains <a href="subdir/file2.html"> and a subsequent request for s
↪ubdir/file2.html is linking to subdir/file2.html. This would resolves to subdi
↪r/subdir/file2.html causing a recursion. To work around this counter-measures
↪have been enabled but the service should be fixed as well to not use such prob
↪lematic links. Below an excerpt of URLs is shown to help identify those issues
↪.
Syntax : URL (HTML link)
http://pma46.trabalho_vulnnet/doc/html/ (_static/classic.css)
http://pma46.trabalho_vulnnet/doc/html/ (_static/doctools.js)
http://pma46.trabalho_vulnnet/doc/html/ (_static/jquery.js)
http://pma46.trabalho_vulnnet/doc/html/ (_static/pygments.css)
http://pma46.trabalho_vulnnet/doc/html/ (_static/underscore.js)
The following directories were used for web application scanning:
http://pma46.trabalho_vulnnet/
http://pma46.trabalho_vulnnet/doc
http://pma46.trabalho_vulnnet/doc/html
http://pma46.trabalho_vulnnet/doc/html/_images
http://pma46.trabalho_vulnnet/doc/html/_sources
http://pma46.trabalho_vulnnet/doc/html/_static
http://pma46.trabalho_vulnnet/sql
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following directories were excluded from web application scanning because th
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪e "Regex pattern to exclude directories from CGI scanning" setting of the VT "
↪Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was
↪: "/(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graph
↪ic|grafik|picture|bilder|thumbnail|media/|skins?/)"
http://pma46.trabalho_vulnnet/js
http://pma46.trabalho_vulnnet/js/codemirror/addon/hint
http://pma46.trabalho_vulnnet/js/codemirror/addon/lint
http://pma46.trabalho_vulnnet/js/codemirror/lib
http://pma46.trabalho_vulnnet/themes
http://pma46.trabalho_vulnnet/themes/pmahomme/css
http://pma46.trabalho_vulnnet/themes/pmahomme/img
http://pma46.trabalho_vulnnet/themes/pmahomme/jquery
The following CGIs were discovered:
Syntax : cginame (arguments [default value])
http://pma46.trabalho_vulnnet/doc/html/search.html (check_keywords [yes] q [] ar
↪ea [default] )
http://pma46.trabalho_vulnnet/index.php (token [***replaced***] pma_username []
↪target [index.php] table [] collation_connection [utf8mb4_unicode_ci] lang []
↪server [1] db [] pma_password [] )
http://pma46.trabalho_vulnnet/js/get_image.js.php (theme [pmahomme] v [4.6.6] )
http://pma46.trabalho_vulnnet/js/get_scripts.js.php (v [4.6.6] scripts%5B%5D [jq
↪uery/jquery.ba-hashchange-1.3.js] )
http://pma46.trabalho_vulnnet/js/messages.php (lang [en] db [] collation_connect
↪ion [utf8mb4_unicode_ci] token [***replaced***] v [4.6.6] )
http://pma46.trabalho_vulnnet/js/whitelist.php (lang [en] db [] collation_connec
↪tion [utf8mb4_unicode_ci] token [***replaced***] v [4.6.6] )
http://pma46.trabalho_vulnnet/phpmyadmin.css.php (nocache [4459207702ltr] )
http://pma46.trabalho_vulnnet/url.php (url [https%3A%2F%2Fwww.phpmyadmin.net%2F]
↪ )
The following cgi scripts were excluded from web application scanning because of
↪ the "Regex pattern to exclude cgi scripts" setting of the VT "Web mirroring"
↪(OID: 1.3.6.1.4.1.25623.1.0.10662) for this scan was: "\.(js|css)$"
Syntax : cginame (arguments [default value])
http://pma46.trabalho_vulnnet/js/codemirror/addon/hint/show-hint.css (v [4.6.6]
↪)
http://pma46.trabalho_vulnnet/js/codemirror/addon/lint/lint.css (v [4.6.6] )
http://pma46.trabalho_vulnnet/js/codemirror/lib/codemirror.css (v [4.6.6] )
http://pma46.trabalho_vulnnet/themes/pmahomme/css/printview.css (v [4.6.6] )
```

Solution:

Log Method

Details: `Web Application Scanning Consolidation / Info Reporting`
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: `2026-01-13T05:47:36Z`

. . . continues on next page . . .

. . . continued from previous page . . .

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: 'favicon.ico' Based Fingerprinting (HTTP)

Summary
HTTP based fingerprinting of web applications based on an exposed 'favicon.ico' file.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following apps/services were identified:
"phpmyadmin (4.6.x)" fingerprinted by the file: "http://pma46.trabalho_vulnnet/f
↪avicon.ico"
```

Solution:

Log Method
Details: `'favicon.ico' Based Fingerprinting (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.20108
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner | Enumeration technique
--------------------------------------------------------------------------------
Server: nginx | Invalid HTTP 00.5 GET request (non-existent HTTP version) to '/'
```

Solution:

Log Method
Details: `HTTP Server Banner Enumeration`
OID:1.3.6.1.4.1.25623.1.0.108708

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-01-31T15:39:24Z

[return to 172.31.1.88]

2.1.8 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
172.31.1.88|cpe:/a:f5:nginx
172.31.1.88|cpe:/a:jquery:jquery:1.11.3
172.31.1.88|cpe:/a:jquery:jquery:2.1.4
172.31.1.88|cpe:/a:nginx:nginx
172.31.1.88|cpe:/a:phpmyadmin:phpmyadmin:4.6.6
172.31.1.88|cpe:/o:linux:kernel
```

Solution:

Log Method
Details: CPE Inventory
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: 2022-07-27T10:11:28Z

References
url: https://nvd.nist.gov/products/cpe

[return to 172.31.1.88]