Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was " hgdfdghgdgd". The scan started at Mon Jan 26 01:47:47 2026 UTC and ended at Mon Jan 26 14:04:13 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 172.30.9.2 2

2.1.1 Critical 80/tcp 2

2.1.2 Critical 3306/tcp 92

2.1.3 High 80/tcp 106

2.1.4 High 3306/tcp 183

2.1.5 Medium 80/tcp 222

2.1.6 Medium 3306/tcp 292

2.1.7 Low 80/tcp 353

2.1.8 Low general/tcp 355

2.1.9 Low 3306/tcp 356

2.1.10 Low general/icmp 361

2.1.11 Log 80/tcp 362

2.1.12 Log general/CPE-T 368

2.1.13 Log general/tcp 369

2.1.14 Log 3306/tcp 373

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.30.9.2 bwapp.trabalho_vulnnet	58	71	93	8	16	0
Total: 1	58	71	93	8	16	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Debug" are not shown.

This report contains all 246 results selected by the filtering described above. Before filtering there were 5586 results.

2 Results per Host

2.1 172.30.9.2

Host scan start	Mon Jan 26 08:51:45 2026 UTC
Host scan end	Mon Jan 26 10:35:28 2026 UTC

Service (Port)	Threat Level
80/tcp	Critical
3306/tcp	Critical
80/tcp	High
3306/tcp	High
80/tcp	Medium
3306/tcp	Medium
80/tcp	Low
general/tcp	Low
3306/tcp	Low
general/icmp	Low
80/tcp	Log
general/CPE-T	Log
general/tcp	Log
3306/tcp	Log

2.1.1 Critical 80/tcp

Critical (CVSS: 10.0)
NVT: PHP End of Life (EOL) Detection - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
The PHP version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "PHP" version on the remote host has reached the end of life.
CPE:                cpe:/a:php:php:5.5.9
Installed version:  5.5.9
EOL version:        5.5
EOL date:           2016-07-21
```

Impact
An EOL version of PHP is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update the PHP version on the remote host to a still supported version.

Vulnerability Insight
Each release branch of PHP is fully supported for two years from its initial stable release. During this period, bugs and security issues that have been reported are fixed and are released in regular point releases.
After this two year period of active support, each branch is then supported for an additional year for critical security issues only. Releases during this period are made on an as-needed basis: there may be multiple point releases, or none, depending on the number of reports.
Once the three years of support are completed, the branch reaches its end of life and is no longer supported.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `PHP End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.105889
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`url: https://secure.php.net/supported-versions.php`
`url: https://secure.php.net/eol.php`

Critical (CVSS: 9.8)
NVT: PHP < 5.5.33, 5.6.x < 5.6.19 Multiple Vulnerabilities (Apr 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.33
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to gain access to potentially sensitive information and conduct a denial of service (memory corruption and application crash).

Solution:
Solution type: VendorFix
Update to PHP version 5.5.33, 5.6.19 or later.

Affected Software/OS
PHP prior to version 5.5.33 and 5.6.x prior to 5.6.19 on Linux.

Vulnerability Insight
The following flaws exist:
- Use-after-free error in wddx.c script in the WDDX extension in PHP
- Error in the phar_parse_zipfile function in zip.c script in the PHAR extension in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: PHP < 5.5.33, 5.6.x < 5.6.19 Multiple Vulnerabilities (Apr 2016) - Linux
OID:1.3.6.1.4.1.25623.1.0.807807
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-3141
cve: CVE-2016-3142
url: https://bugs.php.net/bug.php?id=71587
url: https://bugs.php.net/bug.php?id=71498
url: https://secure.php.net/ChangeLog-5.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/1620
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0723
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1717
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0775
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659

Critical (CVSS: 9.8)
NVT: PHP < 8.1.32, 8.2.x < 8.2.28 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     8.1.32
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.32, 8.2.28 or later.

Affected Software/OS
PHP versions prior to 8.1.32, and 8.2.x prior to 8.2.28.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2025-1217: Header parser of 'http' stream wrapper does not handle folded headers
- CVE-2025-1219: libxml streams use wrong 'content-type' header when requesting a redirected resource
- CVE-2025-1734: Streams HTTP wrapper does not fail for headers without colon
- CVE-2025-1736: Stream HTTP wrapper header check might omit basic auth header
- CVE-2025-1861: Stream HTTP wrapper truncate redirect location to 1024 bytes

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.32, 8.2.x < 8.2.28 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.154187
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2025-1217
cve: CVE-2025-1219
cve: CVE-2025-1734
cve: CVE-2025-1736
cve: CVE-2025-1861
url: https://www.php.net/ChangeLog-8.php#8.1.32
url: https://www.php.net/ChangeLog-8.php#8.2.28
url: https://github.com/php/php-src/security/advisories/GHSA-v8xr-gpvj-cx9g
url: https://github.com/php/php-src/security/advisories/GHSA-p3x9-6h7p-cgfc
url: https://github.com/php/php-src/security/advisories/GHSA-pcmh-g36c-qc44
url: https://github.com/php/php-src/security/advisories/GHSA-hgf5-96fm-v528
url: https://github.com/php/php-src/security/advisories/GHSA-52jp-hrpf-2jff
cert-bund: WID-SEC-2025-0566
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-1939
dfn-cert: DFN-CERT-2025-1082
dfn-cert: DFN-CERT-2025-0665
```

Critical (CVSS: 9.8)
NVT: PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.1.31
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.31, 8.2.26, 8.3.14 or later.

Affected Software/OS

PHP versions prior to 8.1.31, 8.2.x prior to 8.2.26 and 8.3.x prior to 8.3.14.

Vulnerability Insight

The following vulnerabilities exist:
- CVE-2024-8929: Leak partial content of the heap through heap buffer over-read
- CVE-2024-8932: OOB access in ldap_escape
- CVE-2024-11233: Single byte overread with convert.quoted-printable-decode filter
- CVE-2024-11234: Configuring a proxy in a stream context might allow for CRLF injection in URIs
- CVE-2024-11236: Integer overflow in the firebird/dblib quoter causing OOB writes
- No CVE: Heap-Use-After-Free in sapi_read_post_data Processing in CLI SAPI Interface

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.153495
Version used: `2025-09-24T05:39:03Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2024-8929
cve: CVE-2024-8932
cve: CVE-2024-11233
cve: CVE-2024-11234
cve: CVE-2024-11236
url: https://www.php.net/ChangeLog-8.php#8.1.31
url: https://www.php.net/ChangeLog-8.php#8.2.26
url: https://www.php.net/ChangeLog-8.php#8.3.14
url: https://github.com/php/php-src/security/advisories/GHSA-h35g-vwh6-m678
url: https://github.com/php/php-src/security/advisories/GHSA-g665-fm4p-vhff
url: https://github.com/php/php-src/security/advisories/GHSA-r977-prxv-hc43
url: https://github.com/php/php-src/security/advisories/GHSA-c5f2-jwm7-mmq2
url: https://github.com/php/php-src/security/advisories/GHSA-5hqh-c84r-qjcv
url: https://github.com/php/php-src/security/advisories/GHSA-4w77-75f9-2c8w
url: https://thephp.foundation/blog/2025/04/10/php-core-security-audit-results/
url: https://ostif.org/php-audit-complete/
url: https://blog.quarkslab.com/security-audit-of-php-src.html
url: https://www.openwall.com/lists/oss-security/2025/04/12/2
cert-bund: WID-SEC-2024-3519
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2025-1082
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2024-3200
dfn-cert: DFN-CERT-2024-3172
dfn-cert: DFN-CERT-2024-3108

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.54
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.54 or later.

Affected Software/OS
Apache HTTP Server version 2.4.53 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-26377: mod_proxy_ajp: Possible request smuggling
- CVE-2022-28614: Read beyond bounds via ap_rwrite()
- CVE-2022-28615: Read beyond bounds in ap_strcmp_match()
- CVE-2022-29404: Denial of service in mod_lua r:parsebody
- CVE-2022-30556: Information disclosure in mod_lua with websockets
- CVE-2022-31813: mod_proxy X-Forwarded-For dropped by hop-by-hop mechanism

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.148252
Version used: `2022-06-20T03:04:15Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2022-26377
cve: CVE-2022-28614
cve: CVE-2022-28615
cve: CVE-2022-29404
cve: CVE-2022-30556
cve: CVE-2022-31813
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.54
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1969
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-0134
cert-bund: WID-SEC-2023-0132
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1766
cert-bund: WID-SEC-2022-1764
cert-bund: WID-SEC-2022-0858
cert-bund: WID-SEC-2022-0192
cert-bund: CB-K22/0692
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2789
dfn-cert: DFN-CERT-2022-2652
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2310
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1833
dfn-cert: DFN-CERT-2022-1720
dfn-cert: DFN-CERT-2022-1353
dfn-cert: DFN-CERT-2022-1296
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.32
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 5.5.32, 5.6.18, 7.0.3 or later.

Affected Software/OS
PHP prior to version 5.5.32, 5.6.x prior to 5.6.18 and 7.x prior to 7.0.3 on Linux.

Vulnerability Insight
The following flaws exist:
- CVE-2016-2554: Stack-based buffer overflow in ext/phar/tar.c
- CVE-2016-4342: ext/phar/phar_object.c mishandles zero-length uncompressed data

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Multiple Vulnerabilities (Jul 2016) -.`
↪..
OID:1.3.6.1.4.1.25623.1.0.808607
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-2554`
`cve: CVE-2016-4342`
`url: http://www.php.net/ChangeLog-7.php`
`url: http://www.securityfocus.com/bid/89154`
`url: http://www.securityfocus.com/bid/83353`
`url: http://www.openwall.com/lists/oss-security/2016/04/28/2`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0868`
`cert-bund: CB-K16/0779`
`cert-bund: CB-K16/0760`
`cert-bund: CB-K16/0623`
`cert-bund: CB-K16/0614`
`cert-bund: CB-K16/0405`
`dfn-cert: DFN-CERT-2016-1882`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0972`
`dfn-cert: DFN-CERT-2016-0924`
`dfn-cert: DFN-CERT-2016-0835`
`dfn-cert: DFN-CERT-2016-0814`
`dfn-cert: DFN-CERT-2016-0676`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0441
```

Critical (CVSS: 9.8)
NVT: PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.1.29
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.29, 8.2.20, 8.3.8 or later.

Affected Software/OS

PHP prior to version 8.1.29, version 8.2.x through 8.2.19 and 8.3.x through 8.3.7.

Vulnerability Insight

The following vulnerabilities exist:
- CVE-2024-4577: Argument injection in PHP-CGI (bypass of CVE-2012-1823)
- CVE-2024-5458: Filter bypass in filter_var FILTER_VALIDATE_URL
- CVE-2024-5585: Bypass of CVE-2024-1874

Note: As of 06/2024 the CVEs CVE-2024-4577 and CVE-2024-5585 are known to be exploitable on Windows systems only.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.152369
Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2024-4577
cve: CVE-2024-5458
cve: CVE-2024-5585
url: https://www.php.net/ChangeLog-8.php#8.1.29
url: https://www.php.net/ChangeLog-8.php#8.2.20
url: https://www.php.net/ChangeLog-8.php#8.3.8
url: https://github.com/php/php-src/security/advisories/GHSA-3qgc-jrrr-25jv
url: https://github.com/php/php-src/security/advisories/GHSA-9fcc-425m-g385
url: https://github.com/php/php-src/security/advisories/GHSA-w8qr-v226-r27w
url: https://devco.re/blog/2024/06/06/security-alert-cve-2024-4577-php-cgi-argum
↪ent-injection-vulnerability-en/
url: https://blog.orange.tw/2024/06/cve-2024-4577-yet-another-php-rce.html
url: https://labs.watchtowr.com/no-way-php-strikes-again-cve-2024-4577/
url: https://github.com/watchtowrlabs/CVE-2024-4577
url: https://blog.talosintelligence.com/new-persistent-attacks-japan/
url: https://www.bitdefender.com/en-us/blog/businessinsights/technical-advisory-
↪update-mass-exploitation-cve-2024-4577
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1320
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-3329
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1586
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1563
dfn-cert: DFN-CERT-2024-1476
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.49
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.49 or later.

Affected Software/OS
Apache HTTP Server version 2.4.48 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2021-34798: NULL pointer dereference in httpd core
- CVE-2021-39275: ap_escape_quotes buffer overflow
- CVE-2021-40438: mod_proxy SSRF

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.146725
Version used: `2022-08-09T10:11:17Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2021-34798
cve: CVE-2021-39275
cve: CVE-2021-40438
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0186
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2022-1298
cert-bund: WID-SEC-2022-1189
cert-bund: WID-SEC-2022-0724
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0476
cert-bund: CB-K22/0465
cert-bund: CB-K22/0463
cert-bund: CB-K21/0992
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2022-2405
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-0904
dfn-cert: DFN-CERT-2022-0878
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0672
dfn-cert: DFN-CERT-2022-0207
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2021-2629
dfn-cert: DFN-CERT-2021-2471
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2164
dfn-cert: DFN-CERT-2021-2153
dfn-cert: DFN-CERT-2021-2098
dfn-cert: DFN-CERT-2021-2090
dfn-cert: DFN-CERT-2021-2047
dfn-cert: DFN-CERT-2021-2020
dfn-cert: DFN-CERT-2021-1961
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.26
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to bypass authentication and perform unauthorized actions, cause a denial-of-service condition and gain access to potentially sensitive information.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.2.33 or 2.4.26 or later.

Affected Software/OS

Apache HTTP Server 2.2.x before 2.2.33 and 2.4.x before 2.4.26.

Vulnerability Insight

Multiple flaws exist as,

- The mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

- The mod_ssl may dereference a NULL pointer when third-party modules call ap_hook_process_connection() during an HTTP request to an HTTPS port.

- An use of the ap_get_basic_auth_pw() by third-party modules outside of the authentication phase may lead to authentication requirements being bypassed.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Linux`

OID:1.3.6.1.4.1.25623.1.0.811214

Version used: `2024-02-16T05:06:55Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.7`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2017-7679
cve: CVE-2017-3169
cve: CVE-2017-3167
url: http://seclists.org/oss-sec/2017/q2/509
url: http://www.securityfocus.com/bid/99135
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/99134
url: http://httpd.apache.org/security/vulnerabilities_24.html
url: http://httpd.apache.org/security/vulnerabilities_22.html
cert-bund: WID-SEC-2025-0370
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K18/0066
cert-bund: CB-K17/2188
cert-bund: CB-K17/2013
cert-bund: CB-K17/1936
cert-bund: CB-K17/1854
cert-bund: CB-K17/1842
cert-bund: CB-K17/1768
cert-bund: CB-K17/1747
cert-bund: CB-K17/1622
cert-bund: CB-K17/1382
cert-bund: CB-K17/1279
cert-bund: CB-K17/1154
cert-bund: CB-K17/1023
dfn-cert: DFN-CERT-2019-0358
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2290
dfn-cert: DFN-CERT-2017-2104
dfn-cert: DFN-CERT-2017-2021
dfn-cert: DFN-CERT-2017-1926
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1828
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1443
dfn-cert: DFN-CERT-2017-1327
dfn-cert: DFN-CERT-2017-1193
dfn-cert: DFN-CERT-2017-1058
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.27, 5.6.x < 5.6.11 Arbitrary Code Execution Vulnerability (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to an arbitrary code execution vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.27
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.

Solution:

Solution type: VendorFix

Update to version 5.5.27, 5.6.11 or later.

Affected Software/OS

PHP prior to version 5.5.27 and 5.6.x prior to 5.6.11 on Linux.

Vulnerability Insight

An use-after-free vulnerability occurs in the 'spl_ptr_heap_insert' function in 'ext/spl/spl_heap.c'.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.5.27, 5.6.x < 5.6.11 Arbitrary Code Execution Vulnerability (Aug 2016) .`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.808671

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-4116
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75127
cert-bund: CB-K16/1179
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
cert-bund: CB-K16/0868
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1004
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0924
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.30, 7.x < 7.0.15, 7.1.x < 7.1.1 Multiple Vulnerabilities (Jan 2017) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.30
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.30, 7.0.15, 7.1.1 or later.

Affected Software/OS

PHP prior to version 5.6.30, 7.x prior to 7.0.15 and 7.1.x prior to 7.1.1.

Vulnerability Insight

The following flaws exist:

- CVE-2016-10161: Heap out of bounds read on unserialize in finish_nested_data()
- CVE-2016-10158: FPE when parsing a tag format
- CVE-2016-10168: Signed Integer Overflow gd_io.c
- CVE-2016-10167: DOS vulnerability in gdImageCreateFromGd2Ctx()
- CVE-2017-11147: Seg fault when loading hostile phar
- CVE-2016-10160: Memory corruption when loading hostile phar
- CVE-2016-10159: Crash while loading hostile phar archive

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.30, 7.x < 7.0.15, 7.1.x < 7.1.1 Multiple Vulnerabilities (Jan 2017) -.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.108052

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-10158
cve: CVE-2016-10159
cve: CVE-2016-10160
cve: CVE-2016-10161
cve: CVE-2016-10167
cve: CVE-2016-10168
cve: CVE-2017-11147
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
url: http://bugs.php.net/73825
url: http://bugs.php.net/73737
url: http://bugs.php.net/73869
url: http://bugs.php.net/73868
url: http://bugs.php.net/73773
url: http://bugs.php.net/73768
url: http://bugs.php.net/73764
cert-bund: WID-SEC-2023-2718
cert-bund: CB-K17/1957
cert-bund: CB-K17/1575
cert-bund: CB-K17/1461
cert-bund: CB-K17/1358
cert-bund: CB-K17/1252
cert-bund: CB-K17/0527
cert-bund: CB-K17/0327
cert-bund: CB-K17/0318
cert-bund: CB-K17/0269
cert-bund: CB-K17/0264
cert-bund: CB-K17/0232
cert-bund: CB-K17/0182
cert-bund: CB-K17/0141
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2017-2044
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0334

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0270
dfn-cert: DFN-CERT-2017-0234
dfn-cert: DFN-CERT-2017-0179
dfn-cert: DFN-CERT-2017-0144
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.28, 7.x < 7.0.13 Multiple Vulnerabilities (Nov 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.28
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.28, 7.0.13 or later.

Affected Software/OS

PHP prior to version 5.6.28 and 7.x prior to 7.0.13.

Vulnerability Insight

The following flaws exist:

- CVE-2016-8670: Stack Buffer Overflow in GD dynamicGetbuf
- CVE-2016-9933, CVE-2016-9934: Multiple denial of service (DoS) vulnerabilities
- CVE-2016-10397: Security bypass vulnerability

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.28, 7.x < 7.0.13 Multiple Vulnerabilities (Nov 2016) - Linux`

OID:1.3.6.1.4.1.25623.1.0.811489

Version used: `2025-09-24T05:39:03Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-8670
cve: CVE-2016-9933
cve: CVE-2016-9934
cve: CVE-2016-10397
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
url: http://bugs.php.net/73280
url: http://bugs.php.net/72696
url: http://bugs.php.net/73331
url: http://bugs.php.net/73192
cert-bund: CB-K17/1575
cert-bund: CB-K17/1461
cert-bund: CB-K17/1358
cert-bund: CB-K17/1252
cert-bund: CB-K17/0269
cert-bund: CB-K17/0124
cert-bund: CB-K17/0053
cert-bund: CB-K17/0015
cert-bund: CB-K16/2015
cert-bund: CB-K16/2011
cert-bund: CB-K16/1943
cert-bund: CB-K16/1790
cert-bund: CB-K16/1606
dfn-cert: DFN-CERT-2019-2707
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0131
dfn-cert: DFN-CERT-2017-0058
dfn-cert: DFN-CERT-2017-0016
dfn-cert: DFN-CERT-2016-2130
dfn-cert: DFN-CERT-2016-2123
dfn-cert: DFN-CERT-2016-2053
dfn-cert: DFN-CERT-2016-1887
dfn-cert: DFN-CERT-2016-1704

Critical (CVSS: 9.8)
NVT: PHP < 5.6.27, 7.x < 7.0.12 Multiple DoS Vulnerabilities (Oct 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.27
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allows a remote attacker to cause a DoS, or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.6.27, 7.0.12 or later.

Affected Software/OS
PHP prior to version 5.6.27 and 7.0.x through 7.0.11.

Vulnerability Insight
The following flaws exist:
- Integer Overflow in gdImageWebpCtx of gd_webp.c
- Use After Free in PHP7 unserialize()

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.27, 7.x < 7.0.12 Multiple DoS Vulnerabilities (Oct 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809338
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2016-7568
cve: CVE-2016-9137
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/93184
url: http://www.securityfocus.com/bid/93577
url: http://www.php.net/ChangeLog-7.php
url: http://seclists.org/oss-sec/2016/q3/639
url: https://bugs.php.net/bug.php?id=73003
url: https://bugs.php.net/bug.php?id=73147
cert-bund: CB-K17/0327
cert-bund: CB-K17/0269
cert-bund: CB-K16/1941
cert-bund: CB-K16/1868
cert-bund: CB-K16/1854
cert-bund: CB-K16/1811
cert-bund: CB-K16/1645
cert-bund: CB-K16/1606
cert-bund: CB-K16/1603
dfn-cert: DFN-CERT-2017-0334
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2016-2047
dfn-cert: DFN-CERT-2016-1974
dfn-cert: DFN-CERT-2016-1961
dfn-cert: DFN-CERT-2016-1918
dfn-cert: DFN-CERT-2016-1745
dfn-cert: DFN-CERT-2016-1704
dfn-cert: DFN-CERT-2016-1700
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.52
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.52 or later.

Affected Software/OS
Apache HTTP Server versions through 2.4.51.

Vulnerability Insight
A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.117856
Version used: `2021-12-23T12:12:57Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2021-44790
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0727
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0619
cert-bund: CB-K21/1296
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0192
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2022-0068
dfn-cert: DFN-CERT-2021-2656
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.26, 7.x < 7.0.11 Multiple Vulnerabilities (Sep 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.26
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service, or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.6.26, 7.0.11 or later.

Affected Software/OS

PHP prior to version 5.6.26 and 7.x prior to 7.0.11 on Linux.

Vulnerability Insight

The following flaws exist:

- Use-after-free vulnerability in the 'wddx_stack_destroy' function in 'ext/wddx/wddx.c' script.
- Improper verification of a BIT field has the UNSIGNED_FLAG flag in 'ext/mysqlnd/mysqlnd_wireprotocol.c' script.
- The ZIP signature-verification feature does not ensure that the uncompressed_filesize field is large enough.
- The script 'ext/spl/spl_array.c' proceeds with SplArray unserialization without validating a return value and data type.
- The script 'ext/intl/msgformat/msgformat_format.c' does not properly restrict the locale length provided to the Locale class in the ICU library.

. . . continues on next page . . .

. . . continued from previous page . . .

- An error in the php_wddx_push_element function in ext/wddx/wddx.c.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.26, 7.x < 7.0.11 Multiple Vulnerabilities (Sep 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809317
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-7412
cve: CVE-2016-7413
cve: CVE-2016-7414
cve: CVE-2016-7416
cve: CVE-2016-7417
cve: CVE-2016-7418
url: http://www.php.net/ChangeLog-7.php
url: http://www.securityfocus.com/bid/93005
url: http://www.securityfocus.com/bid/93006
url: http://www.securityfocus.com/bid/93004
url: http://www.securityfocus.com/bid/93022
url: http://www.securityfocus.com/bid/93008
url: http://www.securityfocus.com/bid/93007
url: http://www.securityfocus.com/bid/93011
url: http://www.php.net/ChangeLog-5.php
cert-bund: CB-K16/1958
cert-bund: CB-K16/1549
cert-bund: CB-K16/1543
cert-bund: CB-K16/1532
cert-bund: CB-K16/1426
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2016-2063
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1639
dfn-cert: DFN-CERT-2016-1631
dfn-cert: DFN-CERT-2016-1495
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.26 DoS Vulnerability - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.26
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 5.6.26 or later.

Affected Software/OS
PHP prior to version 5.6.26 on Linux.

Vulnerability Insight
The flaw is due to improper handling of object-deserialization failures in 'ext/standard/var_unserializer.re' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.26 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.809321
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-7411
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/93009
cert-bund: CB-K16/1958
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/1543
cert-bund: CB-K16/1532
cert-bund: CB-K16/1426
dfn-cert: DFN-CERT-2016-2063
dfn-cert: DFN-CERT-2016-1639
dfn-cert: DFN-CERT-2016-1631
dfn-cert: DFN-CERT-2016-1495
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.42, 5.5.x < 5.5.26, 5.6.x < 5.6.10 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.26
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service, to read or write to arbitrary files, also execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow.

Solution:

Solution type: VendorFix

Update to version 5.4.42, 5.5.26, 5.6.10 or later.

Affected Software/OS

PHP prior to version 5.4.42, 5.5.x prior to 5.5.26 and 5.6.x prior to 5.6.10 on Linux.

Vulnerability Insight

The following flaws exist:

- Improper validation of token extraction for table names, in the php_pgsql_meta_data function in pgsql.c in the PostgreSQL extension.
- Integer overflow in the ftp_genlist function in ext/ftp/ftp.c
- PHP does not ensure that pathnames lack %00 sequences.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.4.42, 5.5.x < 5.5.26, 5.6.x < 5.6.10 Multiple Vulnerabilities (Aug 2016.
↪..
OID:1.3.6.1.4.1.25623.1.0.808675
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-4598
cve: CVE-2015-4643
cve: CVE-2015-4644
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75291
url: http://www.securityfocus.com/bid/75292
url: http://www.securityfocus.com/bid/75244
url: http://www.securityfocus.com/bid/75290
cert-bund: CB-K16/0944
cert-bund: CB-K15/1261
cert-bund: CB-K15/1158
cert-bund: CB-K15/1031
cert-bund: CB-K15/0973
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0936
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1335
dfn-cert: DFN-CERT-2015-1217
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1021
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0983
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900

Critical (CVSS: 9.8)
NVT: PHP < 5.6.25, 7.x < 7.0.10 Multiple Vulnerabilities (Sep 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.25
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service, to obtain sensitive information from process memory, to inject arbitrary-type session data by leveraging control of a session name.

Solution:
Solution type: VendorFix
Update to version 5.6.25, 7.0.10 or later.

Affected Software/OS
PHP prior to version 5.6.25 and 7.x prior to 7.0.10 on Linux.

Vulnerability Insight
The following flaws exist:
- Invalid wddxPacket XML document that is mishandled in a wddx_deserialize call in 'ext/wddx/wddx.c' script.
- Error in 'php_wddx_pop_element' function in 'ext/wddx/wddx.c' script.
- An error in 'php_wddx_process_data' function in 'ext/wddx/wddx.c' script.
- Improper handling of the case of a thumbnail offset that exceeds the file size in 'exif_process_IFD_in_TIFF' function in 'ext/exif/exif.c' script.
- Improper validation of gamma values in 'imagegammacorrect' function in 'ext/gd/gd.c' script.
- Improper validation of number of colors in 'imagegammacorrect' function in 'ext/gd/gd.c' script.
- The script 'ext/session/session.c' skips invalid session names in a way that triggers incorrect parsing.
- Improper handling of certain objects in 'ext/standard/var_unserializer.c' script.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: PHP < 5.6.25, 7.x < 7.0.10 Multiple Vulnerabilities (Sep 2016) - Linux
OID:1.3.6.1.4.1.25623.1.0.809319
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-7124
cve: CVE-2016-7125
cve: CVE-2016-7126
cve: CVE-2016-7127
cve: CVE-2016-7128
cve: CVE-2016-7129
cve: CVE-2016-7130
cve: CVE-2016-7131
cve: CVE-2016-7132
url: http://www.php.net/ChangeLog-7.php
url: http://www.securityfocus.com/bid/92756
url: http://www.securityfocus.com/bid/92552
url: http://www.securityfocus.com/bid/92755
url: http://www.securityfocus.com/bid/92757
url: http://www.securityfocus.com/bid/92564
url: http://www.securityfocus.com/bid/92758
url: http://www.php.net/ChangeLog-5.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/1772
cert-bund: CB-K16/1549
cert-bund: CB-K16/1543
cert-bund: CB-K16/1532
cert-bund: CB-K16/1499
cert-bund: CB-K16/1440
cert-bund: CB-K16/1280
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1878
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1639
dfn-cert: DFN-CERT-2016-1631
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1526
dfn-cert: DFN-CERT-2016-1359

Critical (CVSS: 9.8)
NVT: PHP < 7.4.33, 8.0.x < 8.0.25, 8.1.x < 8.1.12 Security Update - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.4.33
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.4.33, 8.0.25, 8.1.12 or later.

Affected Software/OS
PHP prior to version 7.4.33, version 8.0.x through 8.0.24 and 8.1.x through 8.1.11.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-31630: OOB read due to insufficient input validation in imageloadfont()
- CVE-2022-37454: Buffer overflow in hash_update() on long parameter

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.4.33, 8.0.x < 8.0.25, 8.1.x < 8.1.12 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.148830
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2022-31630`
`cve: CVE-2022-37454`
`url: https://www.php.net/ChangeLog-7.php#7.4.33`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.php.net/ChangeLog-8.php#8.0.25
url: https://www.php.net/ChangeLog-8.php#8.1.12
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0138
cert-bund: WID-SEC-2022-1934
cert-bund: WID-SEC-2022-1816
dfn-cert: DFN-CERT-2026-0215
dfn-cert: DFN-CERT-2023-0552
dfn-cert: DFN-CERT-2023-0422
dfn-cert: DFN-CERT-2023-0028
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2793
dfn-cert: DFN-CERT-2022-2715
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2535
dfn-cert: DFN-CERT-2022-2523
dfn-cert: DFN-CERT-2022-2420
dfn-cert: DFN-CERT-2022-2380
```

Critical (CVSS: 9.8)
NVT: PHP 5.x < 5.6.34, 7.x < 7.0.28, 7.1.x < 7.1.15, 7.2.x < 7.2.3 Stack Buffer Overflow Vulnerability (Mar 2018) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a stack buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.34
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow an attacker to execute arbitrary code in the context of the affected application. Failed exploit attempts will result in denial-of-service conditions.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.6.34, 7.0.28, 7.1.15, 7.2.3 or later.

Affected Software/OS
PHP versions 5.x prior to 5.6.34, 7.x prior to 7.0.28, 7.1.x prior to 7.1.15 and 7.2.x prior to 7.2.3 on Linux.

Vulnerability Insight
The flaw exists because php fails to adequately bounds-check user-supplied data before copying it into an insufficiently sized buffer.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 5.6.34, 7.x < 7.0.28, 7.1.x < 7.1.15, 7.2.x < 7.2.3 Stack Buffer Over. ↪..`
OID:1.3.6.1.4.1.25623.1.0.812821
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2018-7584`
`url: http://php.net/ChangeLog-7.php`
`url: http://www.securityfocus.com/bid/103204`
`url: https://bugs.php.net/bug.php?id=75981`
`cert-bund: CB-K18/0698`
`cert-bund: CB-K18/0498`
`cert-bund: CB-K18/0383`
`dfn-cert: DFN-CERT-2020-0680`
`dfn-cert: DFN-CERT-2019-1737`
`dfn-cert: DFN-CERT-2018-1232`
`dfn-cert: DFN-CERT-2018-1059`
`dfn-cert: DFN-CERT-2018-0733`
`dfn-cert: DFN-CERT-2018-0576`
`dfn-cert: DFN-CERT-2018-0537`
`dfn-cert: DFN-CERT-2018-0399`

Critical (CVSS: 9.8)
NVT: PHP < 7.4.28, 8.0.x < 8.0.16, 8.1.x < 8.1.3 Security Update (Feb 2022) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP released new versions which include a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.4.28
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.4.28, 8.0.16, 8.1.3 or later.

Affected Software/OS
PHP prior to version 7.4.28, 8.0.x through 8.0.15 and 8.1.x through 8.1.2.

Vulnerability Insight
Fix #81708: UAF due to php_filter_float() failing for ints.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 7.4.28, 8.0.x < 8.0.16, 8.1.x < 8.1.3 Security Update (Feb 2022) - Linux
OID:1.3.6.1.4.1.25623.1.0.147657
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2021-21708
url: https://www.php.net/ChangeLog-7.php#7.4.28
url: https://www.php.net/ChangeLog-8.php#8.0.16
url: https://www.php.net/ChangeLog-8.php#8.1.3
url: https://bugs.php.net/bug.php?id=81708
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-1767

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-0280
cert-bund: CB-K22/0201
dfn-cert: DFN-CERT-2024-1062
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2500
dfn-cert: DFN-CERT-2022-2499
dfn-cert: DFN-CERT-2022-1605
dfn-cert: DFN-CERT-2022-0557
dfn-cert: DFN-CERT-2022-0407
dfn-cert: DFN-CERT-2022-0365
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.38, 5.6.x < 5.6.24, 7.0.x < 7.0.9 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.38
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues may allow attackers to cause a denial of service obtain sensitive information from process memory, or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.5.38, 5.6.24, 7.0.9 or later.

Affected Software/OS

PHP prior to version 5.5.38, 5.6.x prior to 5.6.24 and 7.x prior to 7.0.9.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The following flaws exist:
- Integer overflow in the 'php_stream_zip_opener' function in 'ext/zip/zip_stream.c'
- Integer signedness error in the 'simplestring_addn' function in 'simplestring.c' in xmlrpc-epi
- 'ext/snmp/snmp.c' improperly interacts with the unserialize implementation and garbage collection
- The 'locale_accept_from_http' function in 'ext/intl/locale/locale_methods.c' does not properly restrict calls to the ICU 'uloc_acceptLanguageFromHTTP' function
- Error in the 'exif_process_user_comment' function of 'ext/exif/exif.c'
- Error in the 'exif_process_IFD_in_MAKERNOTE' function of 'ext/exif/exif.c'
- 'ext/session/session.c' does not properly maintain a certain hash data structure
- Integer overflow in the 'virtual_file_ex' function of 'TSRM/tsrm_virtual_cwd.c'
- Error in the 'php_url_parse_ex' function of 'ext/standard/url.c'
- Integer overflow error within _gdContributionsAlloc()
- Inadequate error handling in bzread()

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.38, 5.6.x < 5.6.24, 7.0.x < 7.0.9 Multiple Vulnerabilities (Jul 2016).`
↪..
OID:1.3.6.1.4.1.25623.1.0.808634
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-5399`
`cve: CVE-2016-6207`
`cve: CVE-2016-6288`
`cve: CVE-2016-6289`
`cve: CVE-2016-6290`
`cve: CVE-2016-6291`
`cve: CVE-2016-6292`
`cve: CVE-2016-6294`
`cve: CVE-2016-6295`
`cve: CVE-2016-6296`
`cve: CVE-2016-6297`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/92111`
`url: http://www.securityfocus.com/bid/92074`
`url: http://www.securityfocus.com/bid/92097`
`url: http://www.securityfocus.com/bid/92073`
`url: http://www.securityfocus.com/bid/92078`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/92115
url: http://www.securityfocus.com/bid/92094
url: http://www.securityfocus.com/bid/92095
url: http://www.securityfocus.com/bid/92099
url: http://php.net/ChangeLog-7.php
url: http://openwall.com/lists/oss-security/2016/07/24/2
cert-bund: CB-K17/1252
cert-bund: CB-K17/1011
cert-bund: CB-K16/1776
cert-bund: CB-K16/1722
cert-bund: CB-K16/1549
cert-bund: CB-K16/1499
cert-bund: CB-K16/1458
cert-bund: CB-K16/1452
cert-bund: CB-K16/1440
cert-bund: CB-K16/1407
cert-bund: CB-K16/1345
cert-bund: CB-K16/1283
cert-bund: CB-K16/1257
cert-bund: CB-K16/1248
cert-bund: CB-K16/1235
cert-bund: CB-K16/1233
cert-bund: CB-K16/1179
cert-bund: CB-K16/1130
cert-bund: CB-K16/1115
cert-bund: CB-K16/1110
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-1046
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1822
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1541
dfn-cert: DFN-CERT-2016-1536
dfn-cert: DFN-CERT-2016-1526
dfn-cert: DFN-CERT-2016-1498
dfn-cert: DFN-CERT-2016-1431
dfn-cert: DFN-CERT-2016-1367
dfn-cert: DFN-CERT-2016-1335
dfn-cert: DFN-CERT-2016-1326
dfn-cert: DFN-CERT-2016-1310
dfn-cert: DFN-CERT-2016-1309
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1203
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1179
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.37, 5.6.x < 5.6.23, 7.x < 7.0.8 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.37
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code.

Solution:
Solution type: VendorFix
Update to PHP version 5.5.37, 5.6.23, 7.0.8 or later.

Affected Software/OS
PHP prior to version 5.5.37, 5.6.x prior to 5.6.23 and 7.x prior to 7.0.8 on Linux.

Vulnerability Insight
The following flaws exist:
- The 'php_zip.c' script in the zip extension improperly interacts with the unserialize implementation and garbage collection.
- The php_wddx_process_data function in 'wddx.c' script in the WDDX extension mishandled data in a wddx_deserialize call.
- The multiple integer overflows in 'mcrypt.c' script in the mcrypt extension.
- The double free vulnerability in the '_php_mb_regex_ereg_replace_exec' function in 'php_mbregex.c' script in the mbstring extension.
- An integer overflow in the '_gd2GetHeader' function in 'gd_gd2.c' script in the GD Graphics Library.
- An integer overflow in the 'gdImageCreate' function in 'gd.c' script in the GD Graphics Library.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.37, 5.6.x < 5.6.23, 7.x < 7.0.8 Multiple Vulnerabilities (Aug 2016) -.`
`↪..`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.808788
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-5766
cve: CVE-2016-5767
cve: CVE-2016-5768
cve: CVE-2016-5769
cve: CVE-2016-5772
cve: CVE-2016-5773
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/91397
url: http://www.securityfocus.com/bid/91398
url: http://www.securityfocus.com/bid/91399
url: http://www.securityfocus.com/bid/91396
url: http://www.securityfocus.com/bid/91395
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K17/1575
cert-bund: CB-K17/1461
cert-bund: CB-K17/1252
cert-bund: CB-K16/1868
cert-bund: CB-K16/1776
cert-bund: CB-K16/1722
cert-bund: CB-K16/1629
cert-bund: CB-K16/1600
cert-bund: CB-K16/1452
cert-bund: CB-K16/1257
cert-bund: CB-K16/1230
cert-bund: CB-K16/1179
cert-bund: CB-K16/1115
cert-bund: CB-K16/1106
cert-bund: CB-K16/1077
cert-bund: CB-K16/1070
cert-bund: CB-K16/1045
cert-bund: CB-K16/1030
cert-bund: CB-K16/0975
cert-bund: CB-K16/0966
cert-bund: CB-K16/0965
dfn-cert: DFN-CERT-2021-0715
dfn-cert: DFN-CERT-2020-2741
dfn-cert: DFN-CERT-2018-0576

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2016-1974
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1822
dfn-cert: DFN-CERT-2016-1729
dfn-cert: DFN-CERT-2016-1697
dfn-cert: DFN-CERT-2016-1541
dfn-cert: DFN-CERT-2016-1335
dfn-cert: DFN-CERT-2016-1295
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1144
dfn-cert: DFN-CERT-2016-1139
dfn-cert: DFN-CERT-2016-1110
dfn-cert: DFN-CERT-2016-1097
dfn-cert: DFN-CERT-2016-1033
dfn-cert: DFN-CERT-2016-1022
dfn-cert: DFN-CERT-2016-1021
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.37, 5.6.x < 5.6.23 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.37
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (use-after-free and application crash) or possibly execute arbitrary code or possibly have unspecified other impact via a large integer argument.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.5.37, 5.6.23 or later.

Affected Software/OS
PHP prior to version 5.5.37 and 5.6.x prior to 5.6.23 on Linux.

Vulnerability Insight
The following flaws exist:
- The 'spl_array.c' in the SPL extension improperly interacts with the unserialize implementation and garbage collection.
- Integer overflow in the 'SplFileObject::fread' function in 'spl_directory.c' in the SPL extension.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.37, 5.6.x < 5.6.23 Multiple Vulnerabilities (Aug 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808790
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-5770`
`cve: CVE-2016-5771`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/91401`
`url: http://www.securityfocus.com/bid/91403`
`cert-bund: CB-K16/2012`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/1452`
`cert-bund: CB-K16/1179`
`cert-bund: CB-K16/1106`
`cert-bund: CB-K16/1070`
`cert-bund: CB-K16/1030`
`cert-bund: CB-K16/0965`
`dfn-cert: DFN-CERT-2018-0576`
`dfn-cert: DFN-CERT-2016-2125`
`dfn-cert: DFN-CERT-2016-1882`
`dfn-cert: DFN-CERT-2016-1541`
`dfn-cert: DFN-CERT-2016-1253`
`dfn-cert: DFN-CERT-2016-1178`
`dfn-cert: DFN-CERT-2016-1139`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1097
dfn-cert: DFN-CERT-2016-1022
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.60
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.60 or later.

Affected Software/OS

Apache HTTP Server version 2.4.59 and prior.

Vulnerability Insight

The following flaws exist:

- CVE-2024-36387: Denial of Service (DoS) by Null pointer in websocket over HTTP/2
- CVE-2024-38473: Proxy encoding problem
- CVE-2024-38474: Weakness with encoded question marks in backreferences
- CVE-2024-38475: Weakness in mod_rewrite when first segment of substitution matches filesystem path
- CVE-2024-38476: May use exploitable/malicious backend application output to run local handlers via internal redirect
- CVE-2024-38477: Crash resulting in DoS in mod_proxy via a malicious request
- CVE-2024-39573: mod_rewrite proxy handler substitution

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.114682
Version used: 2025-08-07T05:44:51Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2024-36387
cve: CVE-2024-38473
cve: CVE-2024-38474
cve: CVE-2024-38475
cve: CVE-2024-38476
cve: CVE-2024-38477
cve: CVE-2024-39573
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.60
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2024-3291
cert-bund: WID-SEC-2024-3199
cert-bund: WID-SEC-2024-1913
cert-bund: WID-SEC-2024-1504
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1808
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2024-2841
dfn-cert: DFN-CERT-2024-2787
dfn-cert: DFN-CERT-2024-2736
dfn-cert: DFN-CERT-2024-2342
dfn-cert: DFN-CERT-2024-2214
dfn-cert: DFN-CERT-2024-2201
dfn-cert: DFN-CERT-2024-2180
dfn-cert: DFN-CERT-2024-2110
dfn-cert: DFN-CERT-2024-2017
dfn-cert: DFN-CERT-2024-1963
dfn-cert: DFN-CERT-2024-1920
dfn-cert: DFN-CERT-2024-1919
dfn-cert: DFN-CERT-2024-1911
dfn-cert: DFN-CERT-2024-1907

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1893
dfn-cert: DFN-CERT-2024-1816
dfn-cert: DFN-CERT-2024-1811
dfn-cert: DFN-CERT-2024-1784
dfn-cert: DFN-CERT-2024-1741
dfn-cert: DFN-CERT-2024-1699
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.43, 5.5.x < 5.5.27, 5.6.x < 5.6.11 Multiple Vulnerabilities (Mar 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.27
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to execute arbitrary code in the context of the PHP process. Failed exploit attempts will likely crash the webserver.

Solution:

Solution type: VendorFix

Update to version 5.4.43, 5.5.27, 5.6.11 or later.

Affected Software/OS

PHP prior to version 5.4.43, 5.5.x prior to 5.5.27 and 5.6.x prior to 5.6.11 on Linux.

Vulnerability Insight

The following flaws exist:

- Inadequate boundary checks on user-supplied input by 'phar_fix_filepath' function in 'ext/phar/phar.c' script.

- Improper validation of file pointer in the 'phar_convert_to_other' function in 'ext/phar/phar_object.c' script.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: PHP < 5.4.43, 5.5.x < 5.5.27, 5.6.x < 5.6.11 Multiple Vulnerabilities (Mar 2016.
↪..
OID:1.3.6.1.4.1.25623.1.0.807507
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-5589
cve: CVE-2015-5590
cve: CVE-2015-8838
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75970
url: http://www.securityfocus.com/bid/88763
url: http://www.securityfocus.com/bid/75974
url: https://bugs.php.net/bug.php?id=69923
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
cert-bund: CB-K16/0422
cert-bund: CB-K15/1439
cert-bund: CB-K15/1261
cert-bund: CB-K15/1147
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1335
dfn-cert: DFN-CERT-2015-1203

Critical (CVSS: 9.8)
NVT: PHP < 5.5.35, 5.6.x < 5.6.21, 7.x < 7.0.6 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.35
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.5.35, 5.6.21, 7.0.6 or later.

Affected Software/OS
PHP prior to version 5.5.35, 5.6.x prior to 5.6.21 and 7.x prior to 7.0.6 on Linux.

Vulnerability Insight
The following flaws exist:
- Improper validation of TIFF start data in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script.
- Improper validation of IFD sizes in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script.
- Improper construction of spprintf arguments, in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script.
- Error in 'grapheme_strpos function' in 'ext/intl/grapheme/grapheme_string.c'.
- Error in 'xml_parse_into_struct' function in 'ext/xml/xml.c' script.
- The 'bcpowmod' function in 'ext/bcmath/bcmath.c' improperly modifies certain data structures.
- Improper validation of input passed to 'bcpowmod' function in 'ext/bcmath/bcmath.c' script.
- Error in 'grapheme_strpos' function in ext/intl/grapheme/grapheme_string.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.35, 5.6.x < 5.6.21, 7.x < 7.0.6 Multiple Vulnerabilities (Jul 2016) -. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808603
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-4537
cve: CVE-2016-4538
cve: CVE-2016-4539
cve: CVE-2016-4540
cve: CVE-2016-4541
cve: CVE-2016-4542
cve: CVE-2016-4543
cve: CVE-2016-4544
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/89844
url: http://www.securityfocus.com/bid/90172
url: http://www.securityfocus.com/bid/90173
url: http://www.securityfocus.com/bid/90174
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0909
cert-bund: CB-K16/0868
cert-bund: CB-K16/0779
cert-bund: CB-K16/0774
cert-bund: CB-K16/0760
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0960
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0827
dfn-cert: DFN-CERT-2016-0814
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.28
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service (NULL pointer dereference and application crash) or trigger unintended method execution to defeat cryptographic protection mechanisms.

Solution:

Solution type: VendorFix

Update to version 5.4.44, 5.5.28, 5.6.12 or later.

Affected Software/OS

PHP prior to version 5.4.44, 5.5.x prior to 5.5.28 and 5.6.x prior to 5.6.12 on Linux.

Vulnerability Insight

Multiple flaws exist due to:

- An improper validation of certain Exception objects in 'Zend/zend_exceptions.c' script.

- The 'openssl_random_pseudo_bytes' function in 'ext/openssl/openssl.c' incorrectly relies on the deprecated 'RAND_pseudo_bytes' function.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Jul 2016. ↪..`

OID:1.3.6.1.4.1.25623.1.0.808604

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-8835
cve: CVE-2015-8867
cve: CVE-2015-8873
cve: CVE-2015-8876
url: http://www.php.net/ChangeLog-5.php
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/87481
url: http://www.securityfocus.com/bid/90867
url: http://www.securityfocus.com/bid/84426
url: http://www.securityfocus.com/bid/90712
cert-bund: CB-K17/0318
cert-bund: CB-K16/1776
cert-bund: CB-K16/1190
cert-bund: CB-K16/1179
cert-bund: CB-K16/0944
cert-bund: CB-K16/0937
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
cert-bund: CB-K16/0868
cert-bund: CB-K16/0705
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1265
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0996
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0764
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.34, 5.6.x < 5.6.20, 7.x < 7.0.5 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.34
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code.

Solution:
Solution type: VendorFix
Update to version 5.5.34, 5.6.20, 7.0.5 or later.

Affected Software/OS
PHP prior to version 5.5.34, 5.6.x prior to 5.6.20 and 7.0.x prior to 7.0.5 on Linux.

Vulnerability Insight
The following flaws exist:
- Multiple integer overflows in the mbfl_strcut function in 'ext/mbstring/libmbfl/mbfl/mbfilter.c' script.
- Format string vulnerability in the php_snmp_error function in 'ext/snmp/snmp.c' script.
- An improper handling of '\0' characters by the 'phar_analyze_path' function in 'ext/phar/phar.c' script.
- An integer overflow in the 'php_raw_url_encode' function in 'ext/standard/url.c' script.
- An improper handling of continuation-level jumps in 'file_check_mem' function in 'funcs.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.5.34, 5.6.x < 5.6.20, 7.x < 7.0.5 Multiple Vulnerabilities (Jul 2016) -. ↪..
OID:1.3.6.1.4.1.25623.1.0.808199
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-8865
cve: CVE-2016-4070
cve: CVE-2016-4071
cve: CVE-2016-4072
cve: CVE-2016-4073
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/85800
url: http://www.securityfocus.com/bid/85801

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/85802
url: http://www.securityfocus.com/bid/85991
url: http://www.securityfocus.com/bid/85993
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/1319
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0884
cert-bund: CB-K16/0872
cert-bund: CB-K16/0779
cert-bund: CB-K16/0723
cert-bund: CB-K16/0705
cert-bund: CB-K16/0614
cert-bund: CB-K16/0494
dfn-cert: DFN-CERT-2018-1161
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1402
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0940
dfn-cert: DFN-CERT-2016-0929
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0775
dfn-cert: DFN-CERT-2016-0764
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0536
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.29
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successfully exploiting these issues allow remote attackers to read arbitrary empty directories, also to cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 5.4.45, 5.5.29, 5.6.13 or later.

Affected Software/OS
PHP prior to version 5.4.45, 5.5.x prior to 5.5.29 and 5.6.x prior to 5.6.13 on Linux.

Vulnerability Insight
The following flaws exist:
- Error in the 'ZipArchive::extractTo' function in 'ext/zip/php_zip.c' script.
- The xsl_ext_function_php function in ext/xsl/xsltprocessor.c when libxml2 is used, does not consider the possibility of a NULL valuePop return value before proceeding with a free operation after the principal argument loop.
- Improper handling of multiple php_var_unserialize calls
- Multiple use-after-free vulnerabilities

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 Multiple Vulnerabilities (Jul 2016. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808617
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-9767`
`cve: CVE-2015-6834`
`cve: CVE-2015-6835`
`cve: CVE-2015-6837`
`cve: CVE-2015-6838`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/76652`
`url: http://www.securityfocus.com/bid/76649`
`url: http://www.securityfocus.com/bid/76733`
`url: http://www.securityfocus.com/bid/76734`
`url: http://www.securityfocus.com/bid/76738`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.openwall.com/lists/oss-security/2016/03/16/20
cert-bund: WID-SEC-2025-1425
cert-bund: CB-K16/1776
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
cert-bund: CB-K16/0422
cert-bund: CB-K15/1571
cert-bund: CB-K15/1561
cert-bund: CB-K15/1478
cert-bund: CB-K15/1439
cert-bund: CB-K15/1415
cert-bund: CB-K15/1337
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1658
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1556
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1493
dfn-cert: DFN-CERT-2015-1407
```

Critical (CVSS: 9.8)
NVT: PHP < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14 Multiple Vulnerabilities (Jun/Aug 2014) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.14
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.3.29, 5.4.30, 5.5.14 or later.

Affected Software/OS
PHP versions 5.3.x prior to 5.3.29, 5.4.x prior to 5.4.30 and 5.5.x prior to 5.5.14.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2014-3981: Insecure temporary file use in the configure script
- CVE-2014-4721: phpinfo() Type Confusion Information Leak Vulnerability
- CVE-2014-0207: cdf_read_short_sector insufficient boundary check
- CVE-2014-3478: mconvert incorrect handling of truncated pascal string size
- CVE-2014-3479: cdf_check_stream_offset insufficient boundary check
- CVE-2014-3480: cdf_count_chain insufficient boundary check
- CVE-2014-3487: cdf_read_property_info insufficient boundary check
- CVE-2014-4049: Fix potential segfault in dns_get_record()
- CVE-2014-3515: unserialize() SPL ArrayObject / SPLObjectStorage Type Confusion
- CVE-2014-9912: Buffer overflow in locale_get_display_name and uloc_getDisplayName (libicu 4.8.1)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14 Multiple Vulnerabilities (Jun/Aug . ↪..`
OID:1.3.6.1.4.1.25623.1.0.809736
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-0207`
`cve: CVE-2014-3478`
`cve: CVE-2014-3479`
`cve: CVE-2014-3480`
`cve: CVE-2014-3487`
`cve: CVE-2014-3515`
`cve: CVE-2014-3981`
`cve: CVE-2014-4049`
`cve: CVE-2014-4721`
`cve: CVE-2014-9912`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/67837
url: http://www.securityfocus.com/bid/68423
url: http://www.securityfocus.com/bid/68239
url: http://www.securityfocus.com/bid/68237
url: http://www.securityfocus.com/bid/68243
url: http://www.securityfocus.com/bid/68120
url: http://www.securityfocus.com/bid/68241
url: http://www.securityfocus.com/bid/68238
url: https://bugs.php.net/bug.php?id=67390
url: https://bugs.php.net/bug.php?id=67498
url: https://bugs.php.net/bug.php?id=67326
url: https://bugs.php.net/bug.php?id=67410
url: https://bugs.php.net/bug.php?id=67411
url: https://bugs.php.net/bug.php?id=67412
url: https://bugs.php.net/bug.php?id=67413
url: https://bugs.php.net/bug.php?id=67432
url: https://bugs.php.net/bug.php?id=67492
url: https://bugs.php.net/bug.php?id=67397
url: http://seclists.org/fulldisclosure/2014/Jun/21
url: https://www.sektioneins.de/en/blog/14-07-04-phpinfo-infoleak.html
url: http://secunia.com/advisories/59575
cert-bund: CB-K17/0269
cert-bund: CB-K17/0053
cert-bund: CB-K16/0944
cert-bund: CB-K15/1704
cert-bund: CB-K15/1405
cert-bund: CB-K15/0774
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/1267
cert-bund: CB-K14/1214
cert-bund: CB-K14/1174
cert-bund: CB-K14/1167
cert-bund: CB-K14/1130
cert-bund: CB-K14/1110
cert-bund: CB-K14/0973
cert-bund: CB-K14/0972
cert-bund: CB-K14/0938
cert-bund: CB-K14/0866
cert-bund: CB-K14/0849
cert-bund: CB-K14/0842
cert-bund: CB-K14/0834
cert-bund: CB-K14/0830
cert-bund: CB-K14/0829
cert-bund: CB-K14/0818
cert-bund: CB-K14/0805
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K14/0776
cert-bund: CB-K14/0750
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0058
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2015-1487
dfn-cert: DFN-CERT-2015-0815
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1333
dfn-cert: DFN-CERT-2014-1280
dfn-cert: DFN-CERT-2014-1219
dfn-cert: DFN-CERT-2014-1181
dfn-cert: DFN-CERT-2014-1166
dfn-cert: DFN-CERT-2014-1014
dfn-cert: DFN-CERT-2014-1013
dfn-cert: DFN-CERT-2014-0982
dfn-cert: DFN-CERT-2014-0908
dfn-cert: DFN-CERT-2014-0887
dfn-cert: DFN-CERT-2014-0880
dfn-cert: DFN-CERT-2014-0870
dfn-cert: DFN-CERT-2014-0868
dfn-cert: DFN-CERT-2014-0867
dfn-cert: DFN-CERT-2014-0857
dfn-cert: DFN-CERT-2014-0839
dfn-cert: DFN-CERT-2014-0816
dfn-cert: DFN-CERT-2014-0782
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.29, 7.0.x < 7.0.14 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.29
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.6.29, 7.0.14 or later.

Affected Software/OS
PHP versions prior to 5.6.29 and 7.0.x prior to 7.0.14.

Vulnerability Insight
The php_wddx_push_element function in ext/wddx/wddx.c allows remote attackers to cause a denial of service (out-of-bounds read and memory corruption) or possibly have unspecified other impact via an empty boolean element in a wddxPacket XML document.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.29, 7.0.x < 7.0.14 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.117803
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-9935
url: https://www.php.net/ChangeLog-7.php#7.0.14
url: https://www.php.net/ChangeLog-5.php#5.6.29
url: https://bugs.php.net/bug.php?id=73631
cert-bund: CB-K17/0527
cert-bund: CB-K17/0327
cert-bund: CB-K17/0269
cert-bund: CB-K17/0053
cert-bund: CB-K17/0015
cert-bund: CB-K16/2015
cert-bund: CB-K16/1982
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0334
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0058
dfn-cert: DFN-CERT-2017-0016
dfn-cert: DFN-CERT-2016-2130
dfn-cert: DFN-CERT-2016-2084
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.7 DoS Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.7
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 5.6.7 or later.

Affected Software/OS
PHP prior to version 5.6.7 on Linux.

Vulnerability Insight
The flaw is due to 'type confusion' issues in 'ext/soap/php_encoding.c', 'ext/soap/php_http.c', and 'ext/soap/soap.c' scripts.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.7 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.808673
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-4601`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75246
cert-bund: CB-K16/0944
cert-bund: CB-K15/1158
cert-bund: CB-K15/1031
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0936
cert-bund: CB-K15/0854
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1217
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0983
dfn-cert: DFN-CERT-2015-0900
```

Critical (CVSS: 9.8)
NVT: PHP <= 5.6.27 / 7.0.x <= 7.0.12 DoS Vulnerability

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     None
Installation
path / port:       80/tcp
```

Solution:

Solution type: WillNotFix

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS

PHP versions through 5.6.27 and 7.0.x through 7.0.12.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
PHP mishandles property modification during __wakeup processing, which allows remote attackers to cause a denial of service or possibly have unspecified other impact via crafted serialized data, as demonstrated by Exception::__toString with DateInterval::__wakeup.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP <= 5.6.27 / 7.0.x <= 7.0.12 DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.117802
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-9138
url: https://bugs.php.net/bug.php?id=73147
cert-bund: CB-K17/0318
cert-bund: CB-K16/1943
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2016-2053
```

Critical (CVSS: 9.8)
NVT: PHP <= 7.1.5 Multiple DoS Vulnerabilities

Product detection result
```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     None
Installation
path / port:       80/tcp
```

Solution:
Solution type: WillNotFix

. . . continues on next page . . .

. . . continued from previous page . . .

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
PHP versions through 7.1.5.

Vulnerability Insight
The following flaws exist:
- CVE-2017-8923: The zend_string_extend function in Zend/zend_string.h does not prevent changes to string objects that result in a negative length, which allows remote attackers to cause a denial of service (application crash) or possibly have unspecified other impact by leveraging a script's use of .= with a long string.
- CVE-2017-9119: The i_zval_ptr_dtor function in Zend/zend_variables.h allows attackers to cause a denial of service (memory consumption and application crash) or possibly have unspecified other impact by triggering crafted operations on array data structures.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP <= 7.1.5 Multiple DoS Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.117799
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2017-8923
cve: CVE-2017-9119
url: https://bugs.php.net/bug.php?id=73122
url: https://bugs.php.net/bug.php?id=74310
url: https://bugs.php.net/bug.php?id=74577
url: https://bugs.php.net/bug.php?id=74593
url: http://www.securityfocus.com/bid/98518
url: http://www.securityfocus.com/bid/98596
cert-bund: WID-SEC-2024-3760
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2022-0455
dfn-cert: DFN-CERT-2022-0431
dfn-cert: DFN-CERT-2022-0410
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server 2.4.0 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a HTTP request smuggling vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.56
Installation
path / port:       80/tcp
```

Impact
Request splitting/smuggling could result in bypass of access controls in the proxy server, proxying unintended URLs to existing origin servers, and cache poisoning.

Solution:
Solution type: VendorFix
Update to version 2.4.56 or later.

Affected Software/OS
Apache HTTP Server versions 2.4.0 through 2.4.55.

Vulnerability Insight
Some mod_proxy configurations allow a HTTP Request Smuggling attack.
Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.104597
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2023-25690
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56
cert-bund: WID-SEC-2025-1285
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-3129
cert-bund: WID-SEC-2023-2694
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1809
cert-bund: WID-SEC-2023-1807
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-0657
cert-bund: WID-SEC-2023-0583
dfn-cert: DFN-CERT-2023-1648
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-1232
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0788
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0546
```

Critical (CVSS: 9.8)
NVT: PHP < 8.0.30, 8.1.x < 8.1.22, 8.2.x < 8.2.9 Security Update - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.0.30
Installation
path / port:       80/tcp
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 8.0.30, 8.1.22, 8.2.9 or later.

Affected Software/OS
PHP prior to version 8.0.30, 8.1.x prior to 8.1.22 and 8.2.x prior to 8.2.9.

Vulnerability Insight
The following flaws exist:
- CVE-2023-3823: Fixed bug GHSA-3qrf-m4j2-pcrr (Security issue with external entity loading in XML without enabling it)
- CVE-2023-3824: Fixed bug GHSA-jqcx-ccgc-xwhv (Buffer mismanagement in phar_dir_read())

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.30, 8.1.x < 8.1.22, 8.2.x < 8.2.9 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.170529
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2023-3823
cve: CVE-2023-3824
url: https://www.php.net/ChangeLog-8.php#8.1.22
url: https://www.php.net/ChangeLog-8.php#8.0.30
url: https://www.php.net/ChangeLog-8.php#8.2.9
url: https://github.com/php/php-src/security/advisories/GHSA-3qrf-m4j2-pcrr
url: https://github.com/php/php-src/security/advisories/GHSA-jqcx-ccgc-xwhv
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2679
cert-bund: WID-SEC-2023-1970
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-2681
dfn-cert: DFN-CERT-2024-0993
dfn-cert: DFN-CERT-2023-2570
dfn-cert: DFN-CERT-2023-2542
dfn-cert: DFN-CERT-2023-1775
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Apr 2018) - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.30
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow an attacker to replay HTTP requests across servers without detection, influence the user content, upload a malicious file, crash the Apache HTTP Server and perform denial of service attack.

Solution:
Solution type: VendorFix
Update to version 2.4.30 or later. Please see the references for more information.

Affected Software/OS
Apache HTTP Server versions from 2.4.1 to 2.4.4, 2.4.6, 2.4.7, 2.4.9, 2.4.10, 2.4.12, 2.4.16 to 2.4.18, 2.4.20, 2.4.23, 2.4.25 to 2.4.29.

Vulnerability Insight
Multiple flaws exist due to:
- Apache HTTP Server fails to correctly generate the nonce sent to prevent reply attacks.
- Misconfigured mod_session variable, HTTP_SESSION.
- Apache HTTP Server fails to sanitize the expression specified in '<FilesMatch>'.
- An error in Apache HTTP Server 'mod_authnz_ldap' when configured with AuthLDAPCharsetConfig.
- Apache HTTP Server fails to sanitize against a specially crafted request.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Apr 2018) - Linux`
OID:1.3.6.1.4.1.25623.1.0.812844
Version used: `2024-02-09T05:06:25Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2018-1312
cve: CVE-2018-1283
cve: CVE-2017-15715
cve: CVE-2017-15710
cve: CVE-2018-1301
url: https://httpd.apache.org/security/vulnerabilities_24.html
url: http://www.securityfocus.com/bid/103524
url: http://www.securityfocus.com/bid/103520
url: http://www.securityfocus.com/bid/103525
url: http://www.securityfocus.com/bid/103512
url: http://www.securityfocus.com/bid/103515
cert-bund: WID-SEC-2023-1594
cert-bund: CB-K20/1030
cert-bund: CB-K19/0354
cert-bund: CB-K18/0535
dfn-cert: DFN-CERT-2020-2133
dfn-cert: DFN-CERT-2020-0673
dfn-cert: DFN-CERT-2019-1550
dfn-cert: DFN-CERT-2019-0736
dfn-cert: DFN-CERT-2019-0359
dfn-cert: DFN-CERT-2019-0351
dfn-cert: DFN-CERT-2018-2316
dfn-cert: DFN-CERT-2018-0985
dfn-cert: DFN-CERT-2018-0795
dfn-cert: DFN-CERT-2018-0703
dfn-cert: DFN-CERT-2018-0570

Critical (CVSS: 9.8)
NVT: Apache HTTP Server 2.4.0 - 2.4.46 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.48
Installation
path / port:       80/tcp
```

Impact

- CVE-2020-35452: A specially crafted Digest nonce can cause a stack overflow in mod_auth_digest.
- CVE-2021-26690: A specially crafted Cookie header handled by mod_session can cause a NULL pointer dereference and crash, leading to a possible Denial Of Service.
- CVE-2021-26691: A specially crafted SessionHeader sent by an origin server could cause a heap overflow.

Solution:
Solution type: VendorFix
Update to version 2.4.48 or later.

Affected Software/OS
Apache HTTP Server versions 2.4.0 to 2.4.46 on Linux.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2020-35452: mod_auth_digest possible stack overflow by one null byte
- CVE-2021-26690: mod_session NULL pointer dereference
- CVE-2021-26691: mod_session response handling heap overflow

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.46 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.112897
Version used: `2021-08-24T09:01:06Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2020-35452
cve: CVE-2021-26690
cve: CVE-2021-26691
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2022-0438
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0072
cert-bund: CB-K21/1092
cert-bund: CB-K21/1090
cert-bund: CB-K21/0646
dfn-cert: DFN-CERT-2022-1047
dfn-cert: DFN-CERT-2022-0207
dfn-cert: DFN-CERT-2022-0122
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2365
dfn-cert: DFN-CERT-2021-2300
dfn-cert: DFN-CERT-2021-2187
dfn-cert: DFN-CERT-2021-2153
dfn-cert: DFN-CERT-2021-1467
dfn-cert: DFN-CERT-2021-1412
dfn-cert: DFN-CERT-2021-1355
dfn-cert: DFN-CERT-2021-1340
dfn-cert: DFN-CERT-2021-1333
dfn-cert: DFN-CERT-2021-1321
dfn-cert: DFN-CERT-2021-1273
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.24
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successfully exploiting these issues allow remote attackers to cause a denial of service, to obtain sensitive information from process memory and to execute arbitrary code via crafted dimensions.

Solution:
Solution type: VendorFix
Update to version 5.4.40, 5.5.24, 5.6.8 or later.

Affected Software/OS
PHP prior to version 5.4.40, 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.

Vulnerability Insight
The following flaws exist:
- Multiple stack-based buffer overflows in the 'phar_set_inode' function in phar_internal.h script in PHP.
- Vulnerabilities in 'phar_parse_metadata' and 'phar_parse_pharfile' functions in ext/phar/phar.c script in PHP.
- A NULL pointer dereference flaw in the 'build_tablename' function in 'ext/pgsql/pgsql.c' script that is triggered when handling NULL return values for 'token'

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.805657
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-1352`
`cve: CVE-2015-2783`
`cve: CVE-2015-3307`
`cve: CVE-2015-3329`
`cve: CVE-2015-3411`
`cve: CVE-2015-3412`
`cve: CVE-2015-4599`
`cve: CVE-2015-4600`
`cve: CVE-2015-4602`
`cve: CVE-2015-4603`
`cve: CVE-2015-4604`
`cve: CVE-2015-4605`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/74240`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/74239
url: http://www.securityfocus.com/bid/74703
url: http://www.securityfocus.com/bid/75251
url: http://www.securityfocus.com/bid/75252
url: http://www.securityfocus.com/bid/74413
url: http://www.securityfocus.com/bid/75249
url: http://www.securityfocus.com/bid/75241
url: http://www.securityfocus.com/bid/75233
url: http://www.securityfocus.com/bid/75255
url: http://www.securityfocus.com/bid/75250
url: https://bugs.php.net/bug.php?id=69085
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: CB-K16/0944
cert-bund: CB-K15/1437
cert-bund: CB-K15/1188
cert-bund: CB-K15/1158
cert-bund: CB-K15/1129
cert-bund: CB-K15/1031
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0936
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0763
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0648
cert-bund: CB-K15/0561
cert-bund: CB-K15/0552
cert-bund: CB-K15/0207
dfn-cert: DFN-CERT-2023-0071
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1217
dfn-cert: DFN-CERT-2015-1188
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0983
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0803
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0677
dfn-cert: DFN-CERT-2015-0583
dfn-cert: DFN-CERT-2015-0579
dfn-cert: DFN-CERT-2015-0212
```

Critical (CVSS: 9.8)
NVT: PHP Multiple Vulnerabilities (Feb 2019) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.40
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.40, 7.1.16, 7.2.14, 7.3.1 or later.

Affected Software/OS

PHP versions before 5.6.40, 7.x before 7.1.26, 7.2.x before 7.2.14 and 7.3.x before 7.3.1.

Vulnerability Insight

The following flaws exist:

- Fixed bug #77269 (efree() on uninitialized Heap data in imagescale leads to use-after-free). (CVE-2016-10166)
- Fixed bug #77270 (imagecolormatch Out Of Bounds Write on Heap). (CVE-2019-6977)
- Fixed bug #77370 (Buffer overflow on mb regex functions - fetch_token). (CVE-2019-9023)
- Fixed bug #77371 (heap buffer overflow in mb regex functions - compile_string_node). (CVE-2019-9023)
- Fixed bug #77381 (heap buffer overflow in multibyte match_at). (CVE-2019-9023)
- Fixed bug #77382 (heap buffer overflow due to incorrect length in expand_case_fold_string). (CVE-2019-9023)
- Fixed bug #77385 (buffer overflow in fetch_token). (CVE-2019-9023)

. . . continues on next page . . .

. . . continued from previous page . . .

- Fixed bug #77394 (Buffer overflow in multibyte case folding - unicode). (CVE-2019-9023)
- Fixed bug #77418 (Heap overflow in utf32be_mbc_to_code). (CVE-2019-9023)
- Fixed bug #77247 (heap buffer overflow in phar_detect_phar_fname_ext). (CVE-2019-9021)
- Fixed bug #77242 (heap out of bounds read in xmlrpc_decode()). (CVE-2019-9020)
- Fixed bug #77380 (Global out of bounds read in xmlrpc base64 code). (CVE-2019-9024)

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP Multiple Vulnerabilities (Feb 2019) - Linux`

OID:1.3.6.1.4.1.25623.1.0.142048

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-10166
cve: CVE-2019-6977
cve: CVE-2019-9020
cve: CVE-2019-9021
cve: CVE-2019-9023
cve: CVE-2019-9024
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
url: https://bugs.php.net/bug.php?id=77269
url: https://bugs.php.net/bug.php?id=77270
url: https://bugs.php.net/bug.php?id=77370
url: https://bugs.php.net/bug.php?id=77371
url: https://bugs.php.net/bug.php?id=77381
url: https://bugs.php.net/bug.php?id=77382
url: https://bugs.php.net/bug.php?id=77385
url: https://bugs.php.net/bug.php?id=77394
url: https://bugs.php.net/bug.php?id=77418
url: https://bugs.php.net/bug.php?id=77247
url: https://bugs.php.net/bug.php?id=77242
url: https://bugs.php.net/bug.php?id=77380
cert-bund: WID-SEC-2022-2127
cert-bund: CB-K19/0166
cert-bund: CB-K17/1252
cert-bund: CB-K17/0318
cert-bund: CB-K17/0232
cert-bund: CB-K17/0182
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2398
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-1078
dfn-cert: DFN-CERT-2020-0898
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-2283
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2019-1181
dfn-cert: DFN-CERT-2019-0804
dfn-cert: DFN-CERT-2019-0698
dfn-cert: DFN-CERT-2019-0434
dfn-cert: DFN-CERT-2019-0368
dfn-cert: DFN-CERT-2019-0313
dfn-cert: DFN-CERT-2019-0241
dfn-cert: DFN-CERT-2019-0212
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2017-0234
dfn-cert: DFN-CERT-2017-0179
```

Critical (CVSS: 9.8)
NVT: PHP < 7.1.33, 7.2.x < 7.2.24, 7.3.x < 7.3.11 RCE Vulnerability - Version Check

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a remote code execution (RCE) vulnerability in certain nginx + php-fpm configurations.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.1.33
Installation
path / port:       80/tcp
```

Impact

Successful exploitation would allow an unauthenticated remote attacker to execute arbitrary code on the target machine.

Solution:

Solution type: VendorFix

Update to version 7.1.33, 7.2.24, 7.3.11 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

As an alternative a workaround to update the nginx configuration to mitigate this vulnerability is described at the PHP.net bugtracker linked in the references.

Affected Software/OS
PHP prior to version 7.1.33, 7.2.x prior to 7.2.24 and 7.3.x prior to 7.3.11.

Vulnerability Insight
The file sapi/fpm/fpm/fpm_main.c contains pointer arithmetic that assumes that env_path_info has a prefix equal to the path to the php script. However, the code does not check this assumption is satisfied. The absence of the check can lead to an invalid pointer in the 'path_info' variable.
Such conditions can be achieved in a pretty standard Nginx configuration. The regexp in 'fastcgi_split_path_info' directive can be broken using the newline character (in encoded form, %0a). Broken regexp leads to empty PATH_INFO, which triggers the bug.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.1.33, 7.2.x < 7.2.24, 7.3.x < 7.3.11 RCE Vulnerability - Version Check`
OID:1.3.6.1.4.1.25623.1.0.108692
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2019-11043
url: https://bugs.php.net/bug.php?id=78599
url: https://www.php.net/ChangeLog-7.php#7.3.11
url: https://www.php.net/ChangeLog-7.php#7.2.24
url: https://www.php.net/ChangeLog-7.php#7.1.33
url: https://github.com/neex/phuip-fpizdam
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2022-0418
cert-bund: CB-K20/0081
cert-bund: CB-K19/0943
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-0415
dfn-cert: DFN-CERT-2020-0193
dfn-cert: DFN-CERT-2019-2283
dfn-cert: DFN-CERT-2019-2206
```

Critical (CVSS: 9.8)
NVT: PHP 'CVE-2019-13224' Use-After-Free Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a use-after-free vulnerability in a used third-pary library.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.1.32
Installation
path / port:       80/tcp
```

Impact
This flaw allows attackers to potentially cause information disclosure, denial of service, or possibly code execution by providing a crafted regular expression.

Solution:
Solution type: VendorFix
Update to version 7.1.32, 7.3.9 or later.

Affected Software/OS
PHP version before 7.1.32 and 7.3.x before 7.3.9.

Vulnerability Insight
The flaw exists due to a use-after-free in onig_new_deluxe() in regext.c of the third-party library Oniguruma 6.9.2 which is used by PHP.
The attacker provides a pair of a regex pattern and a string, with a multi-byte encoding that gets handled by onig_new_deluxe().

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 'CVE-2019-13224' Use-After-Free Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.108633
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2019-13224
url: http://bugs.php.net/78380
url: https://www.php.net/ChangeLog-7.php#7.3.9
url: https://www.php.net/ChangeLog-7.php#7.1.32
cert-bund: WID-SEC-2024-1086
cert-bund: WID-SEC-2024-0218
cert-bund: CB-K20/1030
dfn-cert: DFN-CERT-2024-0233
dfn-cert: DFN-CERT-2022-2107
dfn-cert: DFN-CERT-2020-2412
dfn-cert: DFN-CERT-2020-2105
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2019-1804
dfn-cert: DFN-CERT-2019-1471
dfn-cert: DFN-CERT-2019-1424
```

Critical (CVSS: 9.8)
NVT: PHP < 7.0.12 RCE / DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a remote code execution (RCE) or denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.0.12
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.0.12 or later.

Affected Software/OS

PHP versions prior to 7.0.12.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The SplObjectStorage unserialize implementation in ext/spl/spl_observer.c does not verify that a key is an object, which allows remote attackers to execute arbitrary code or cause a denial of service (uninitialized memory access) via crafted serialized data.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.0.12 RCE / DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.117800
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-7480
url: https://www.php.net/ChangeLog-7.php#7.0.12
url: https://bugs.php.net/bug.php?id=73257
url: http://blog.checkpoint.com/2016/12/27/check-point-discovers-three-zero-day-
↪vulnerabilities-web-programming-language-php-7
cert-bund: CB-K17/0318
dfn-cert: DFN-CERT-2017-0325
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.7
Fixed version:     2.4.53
Installation
path / port:       80/tcp
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 2.4.53 or later.

Affected Software/OS
Apache HTTP Server version 2.4.52 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-22719: mod_lua Use of uninitialized value of in r:parsebody
- CVE-2022-22720: HTTP request smuggling vulnerability
- CVE-2022-22721: Possible buffer overflow with very large or unlimited LimitXMLRequestBody
- CVE-2022-23943: mod_sed: Read/write beyond bounds

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.113837
Version used: `2022-03-21T03:03:41Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2022-22719
cve: CVE-2022-22720
cve: CVE-2022-22721
cve: CVE-2022-23943
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.53
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1772
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1161
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0898
cert-bund: WID-SEC-2022-0799
cert-bund: WID-SEC-2022-0755
cert-bund: WID-SEC-2022-0646
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0290
cert-bund: CB-K22/0619
cert-bund: CB-K22/0306
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0678
dfn-cert: DFN-CERT-2022-0582
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.31, 7.0.x < 7.0.21, 7.1.x < 7.1.7 Multiple Vulnerabilities (Jul 2017) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.31
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to leak information from the interpreter, crash PHP interpreter and also disclose sensitive information.

Solution:

Solution type: VendorFix

Update to version 5.6.31, 7.0.21, 7.1.7 or later.

Affected Software/OS

PHP prior to version 5.6.31, 7.0.x prior to 7.0.21 and 7.1.x prior to 7.1.7.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The following vulnerabilities exist:
- An ext/date/lib/parse_date.c out-of-bounds read affecting the php_parse_date function.
- The openssl extension PEM sealing code did not check the return value of the OpenSSL sealing function.
- lack of bounds checks in the date extension's timelib_meridian parsing code.
- A stack-based buffer overflow in the zend_ini_do_op() function in the 'Zend/zend_ini_parser.c' script.
- The GIF decoding function gdImageCreateFromGifCtx in gd_gif_in.c in the GD Graphics Library (aka libgd) does not zero colorMap arrays before use.
- Heap buffer overread (READ: 1) finish_nested_data from unserialize
- oniguruma upstream fix

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.31, 7.0.x < 7.0.21, 7.1.x < 7.1.7 Multiple Vulnerabilities (Jul 2017).`
↪..
OID:1.3.6.1.4.1.25623.1.0.811482
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2017-7890`
`cve: CVE-2017-9224`
`cve: CVE-2017-9225`
`cve: CVE-2017-9226`
`cve: CVE-2017-9227`
`cve: CVE-2017-9228`
`cve: CVE-2017-9229`
`cve: CVE-2017-11144`
`cve: CVE-2017-11145`
`cve: CVE-2017-11628`
`cve: CVE-2017-12933`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/99492`
`url: http://www.securityfocus.com/bid/99550`
`url: http://www.securityfocus.com/bid/99605`
`url: http://www.securityfocus.com/bid/99612`
`url: http://www.securityfocus.com/bid/99489`
`url: http://www.php.net/ChangeLog-7.php`
`cert-bund: WID-SEC-2023-2719`
`cert-bund: WID-SEC-2023-2718`
`cert-bund: CB-K18/0270`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K18/0048
cert-bund: CB-K17/2123
cert-bund: CB-K17/1575
cert-bund: CB-K17/1573
cert-bund: CB-K17/1562
cert-bund: CB-K17/1468
cert-bund: CB-K17/1461
cert-bund: CB-K17/1373
cert-bund: CB-K17/1358
cert-bund: CB-K17/1132
cert-bund: CB-K17/1011
cert-bund: CB-K17/0908
dfn-cert: DFN-CERT-2020-1221
dfn-cert: DFN-CERT-2020-0484
dfn-cert: DFN-CERT-2020-0479
dfn-cert: DFN-CERT-2019-1052
dfn-cert: DFN-CERT-2018-2116
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0290
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-2219
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1644
dfn-cert: DFN-CERT-2017-1629
dfn-cert: DFN-CERT-2017-1530
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1432
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1161
dfn-cert: DFN-CERT-2017-1046
dfn-cert: DFN-CERT-2017-0932
```

Critical (CVSS: 9.6)
NVT: PHP < 5.5.22, 5.6.x < 5.6.6 XXE Vulnerability - Linux

Product detection result

cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to an XML external entity (XXE) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.22
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to conduct XML External Entity (XXE) and XML Entity Expansion (XEE) attacks.

Solution:

Solution type: VendorFix

Update to PHP version 5.5.22, 5.6.6 or later.

Affected Software/OS

PHP prior to version 5.5.22 and 5.6.x prior to 5.6.6 on Linux.

Vulnerability Insight

The flaw is due to script 'ext/libxml/libxml.c' does not isolate each thread from 'libxml_disable_entity_loader' when PHP-FPM is used.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.5.22, 5.6.x < 5.6.6 XXE Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.808615

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-8866
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/87470
cert-bund: CB-K18/0028
cert-bund: CB-K16/1776
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0705
cert-bund: CB-K16/0614
dfn-cert: DFN-CERT-2018-0010
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0764
dfn-cert: DFN-CERT-2016-0659
```

Critical (CVSS: 9.1)
NVT: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 DoS Vulnerability (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.31
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow attackers to obtain sensitive information from process memory or cause a denial of service (out-of-bounds read and buffer overflow) via a long string.

Solution:

Solution type: VendorFix

Update to version 5.5.31, 5.6.17, 7.0.2 or later.

Affected Software/OS

PHP prior to version 5.5.31, 5.6.x prior to 5.6.17 and 7.x prior to 7.0.2 on Linux.

Vulnerability Insight

The flaw is due to the 'sapi/fpm/fpm/fpm_log.c' script misinterprets the semantics of the snprintf return value.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 DoS Vulnerability (Aug 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809139
Version used: `2025-09-24T05:39:03Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-5114
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/81808
cert-bund: CB-K16/1776
cert-bund: CB-K16/1179
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944
```

Critical (CVSS: 9.1)
NVT: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 Out of Bounds Read Memory Corruption Vulnerability (Mar 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to an out-of-bounds read memory corruption vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.31
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to obtain sensitive information or cause a denial-of-service condition.

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 5.5.31, 5.6.17, 7.0.2 or later.

Affected Software/OS
PHP prior to version 5.5.31, 5.6.x prior to 5.6.17 and 7.x prior to 7.0.2 on Linux.

Vulnerability Insight
A memory corruption vulnerability occurs via a large 'bgd_color' argument to the 'imagerotate' function in 'ext/gd/libgd/gd_interpolation.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 Out of Bounds Read Memory Corruption . ↪..`
OID:1.3.6.1.4.1.25623.1.0.807504
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-1903
url: https://bugs.php.net/bug.php?id=70976
url: http://www.securityfocus.com/bid/79916
url: http://www.openwall.com/lists/oss-security/2016/01/14/8
cert-bund: CB-K16/1776
cert-bund: CB-K16/0614
cert-bund: CB-K16/0161
cert-bund: CB-K16/0136
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0176
dfn-cert: DFN-CERT-2016-0154
```

Critical (CVSS: 9.1)
NVT: PHP < 7.2.27, 7.3.x < 7.3.14, 7.4.x < 7.4.2 Multiple Vulnerabilities (Jan 2020) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.2.27
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.27, 7.3.14, 7.4.2 or later.

Affected Software/OS
PHP versions before 7.2.27, 7.3.x and 7.4.x.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- OOB read in php_strip_tags_ex (CVE-2020-7059)
- Global buffer-overflow in 'mbfl_filt_conv_big5_wchar' (CVE-2020-7060)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.27, 7.3.x < 7.3.14, 7.4.x < 7.4.2 Multiple Vulnerabilities (Jan 2020).`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.143392
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2020-7059
cve: CVE-2020-7060
url: https://www.php.net/ChangeLog-7.php#7.2.27
url: https://www.php.net/ChangeLog-7.php#7.3.14
url: https://www.php.net/ChangeLog-7.php#7.4.2
cert-bund: WID-SEC-2022-2121
cert-bund: CB-K20/1199
cert-bund: CB-K20/0067
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-0485
dfn-cert: DFN-CERT-2020-0422
dfn-cert: DFN-CERT-2020-0415
dfn-cert: DFN-CERT-2020-0382
dfn-cert: DFN-CERT-2020-0342
dfn-cert: DFN-CERT-2020-0339
dfn-cert: DFN-CERT-2020-0337
dfn-cert: DFN-CERT-2020-0139
```

Critical (CVSS: 9.1)
NVT: Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.27
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause the target service to crash. A remote user can obtain potentially sensitive information as well on the target system.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.2.34 or 2.4.27 or later.

Affected Software/OS

Apache HTTP Server 2.2.x before 2.2.34 and 2.4.x before 2.4.27.

Vulnerability Insight

The flaw exists due to error in Apache 'mod_auth_digest' which does not properly initialize memory used to process 'Digest' type HTTP Authorization headers.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.811237
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2017-9788`
`url: http://www.securitytracker.com/id/1038906`
`url: http://www.securityfocus.com/bid/99569`
`url: http://httpd.apache.org/security/vulnerabilities_22.html`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: CB-K18/0066`
`cert-bund: CB-K17/2013`
`cert-bund: CB-K17/1980`
`cert-bund: CB-K17/1936`
`cert-bund: CB-K17/1871`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1842`
`cert-bund: CB-K17/1768`
`cert-bund: CB-K17/1747`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/1558`
`cert-bund: CB-K17/1382`
`cert-bund: CB-K17/1197`
`cert-bund: CB-K17/1177`
`cert-bund: CB-K17/1023`
`dfn-cert: DFN-CERT-2019-0358`
`dfn-cert: DFN-CERT-2018-0077`
`dfn-cert: DFN-CERT-2017-2104`
`dfn-cert: DFN-CERT-2017-2070`
`dfn-cert: DFN-CERT-2017-2021`
`dfn-cert: DFN-CERT-2017-1954`
`dfn-cert: DFN-CERT-2017-1926`
`dfn-cert: DFN-CERT-2017-1925`
`dfn-cert: DFN-CERT-2017-1843`
`dfn-cert: DFN-CERT-2017-1828`
`dfn-cert: DFN-CERT-2017-1692`
`dfn-cert: DFN-CERT-2017-1626`
`dfn-cert: DFN-CERT-2017-1443`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1240
dfn-cert: DFN-CERT-2017-1217
dfn-cert: DFN-CERT-2017-1058
```

Critical (CVSS: 9.0)
NVT: Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.55
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.55 or later.

Affected Software/OS

Apache HTTP Server version 2.4.54 and prior.

Vulnerability Insight

The following vulnerabilities exist:
- CVE-2006-20001: mod_dav out of bounds read, or write of zero byte
- CVE-2022-36760: Possible request smuggling in mod_proxy_ajp
- CVE-2022-37436: mod_proxy allows a backend to trigger HTTP response splitting

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux`

OID:1.3.6.1.4.1.25623.1.0.149152

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.7`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2006-20001
cve: CVE-2022-36760
cve: CVE-2022-37436
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.55
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1022
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0110
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-1895
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0548
dfn-cert: DFN-CERT-2023-0497
dfn-cert: DFN-CERT-2023-0118
```

[return to 172.30.9.2]

2.1.2 Critical 3306/tcp

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpujan2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a vulnerability in libcurl.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.41
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.41, 8.0.32 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.40 and prior and 8.0 through 8.0.31.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpujan2023) - Lin.`
↪..
OID:1.3.6.1.4.1.25623.1.0.149169
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-32221
cve: CVE-2022-35260
cve: CVE-2022-42915
cve: CVE-2022-42916
url: https://www.oracle.com/security-alerts/cpujan2023.html#AppendixMSQL
advisory-id: cpujan2023
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1728
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1026
cert-bund: WID-SEC-2023-0296
cert-bund: WID-SEC-2023-0189
cert-bund: WID-SEC-2023-0137
cert-bund: WID-SEC-2023-0126
cert-bund: WID-SEC-2022-2372
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1862
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2023-1636
dfn-cert: DFN-CERT-2023-1230
dfn-cert: DFN-CERT-2023-0898
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0372
dfn-cert: DFN-CERT-2023-0278
dfn-cert: DFN-CERT-2023-0216
dfn-cert: DFN-CERT-2023-0214
dfn-cert: DFN-CERT-2023-0157
dfn-cert: DFN-CERT-2023-0156
dfn-cert: DFN-CERT-2023-0105
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2401
dfn-cert: DFN-CERT-2022-2400
dfn-cert: DFN-CERT-2022-2393
dfn-cert: DFN-CERT-2022-2391
```

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.31 Security Update (cpuapr2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a vulnerability in InnoDB (zlib).

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.42, 8.0.32 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.31.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.31 Security Update (cpuapr2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.149535
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2022-37434`
`url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL`
`advisory-id: cpuapr2023`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2024-1653`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2024-0794`
`cert-bund: WID-SEC-2024-0122`
`cert-bund: WID-SEC-2024-0120`
`cert-bund: WID-SEC-2024-0064`
`cert-bund: WID-SEC-2023-2031`
`cert-bund: WID-SEC-2023-1812`
`cert-bund: WID-SEC-2023-1791`
`cert-bund: WID-SEC-2023-1790`
`cert-bund: WID-SEC-2023-1783`
`cert-bund: WID-SEC-2023-1728`
`cert-bund: WID-SEC-2023-1542`
`cert-bund: WID-SEC-2023-1350`
`cert-bund: WID-SEC-2023-1033`
`cert-bund: WID-SEC-2023-1031`
`cert-bund: WID-SEC-2023-1021`
`cert-bund: WID-SEC-2023-1016`
`cert-bund: WID-SEC-2023-0140`
`cert-bund: WID-SEC-2023-0137`
`cert-bund: WID-SEC-2023-0132`
`cert-bund: WID-SEC-2023-0126`
`cert-bund: WID-SEC-2023-0125`
`cert-bund: WID-SEC-2022-1888`
`cert-bund: WID-SEC-2022-1438`
`cert-bund: WID-SEC-2022-0929`
`dfn-cert: DFN-CERT-2024-0998`
`dfn-cert: DFN-CERT-2024-0790`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0125
dfn-cert: DFN-CERT-2023-3028
dfn-cert: DFN-CERT-2023-2816
dfn-cert: DFN-CERT-2023-2799
dfn-cert: DFN-CERT-2023-1643
dfn-cert: DFN-CERT-2023-0885
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2023-0553
dfn-cert: DFN-CERT-2023-0122
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2023-0105
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2421
dfn-cert: DFN-CERT-2022-2415
dfn-cert: DFN-CERT-2022-2366
dfn-cert: DFN-CERT-2022-2365
dfn-cert: DFN-CERT-2022-2364
dfn-cert: DFN-CERT-2022-2363
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-1841
dfn-cert: DFN-CERT-2022-1710
```

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.34, 8.1.0 Security Update (cpuoct2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.44
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.44, 8.0.35, 8.1.1 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server version 5.7.43 and prior, 8.x through 8.0.34 and 8.1.0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.34, 8.1.0 Security Update (cpuoct2023.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.151217
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-38545
cve: CVE-2023-22084
cve: CVE-2023-38546
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL
advisory-id: cpuoct2023
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-1086
cert-bund: WID-SEC-2024-0893
cert-bund: WID-SEC-2024-0290
cert-bund: WID-SEC-2024-0178
cert-bund: WID-SEC-2024-0175
cert-bund: WID-SEC-2024-0123
cert-bund: WID-SEC-2024-0119
cert-bund: WID-SEC-2024-0110
cert-bund: WID-SEC-2023-2788
cert-bund: WID-SEC-2023-2690
cert-bund: WID-SEC-2023-2570
dfn-cert: DFN-CERT-2024-2795
dfn-cert: DFN-CERT-2024-2543
dfn-cert: DFN-CERT-2024-1601
dfn-cert: DFN-CERT-2024-1517
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-1090
dfn-cert: DFN-CERT-2024-1025
dfn-cert: DFN-CERT-2024-0963
dfn-cert: DFN-CERT-2024-0869
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2024-0376
dfn-cert: DFN-CERT-2024-0220
dfn-cert: DFN-CERT-2024-0185
dfn-cert: DFN-CERT-2024-0184
dfn-cert: DFN-CERT-2024-0181
dfn-cert: DFN-CERT-2024-0133
dfn-cert: DFN-CERT-2024-0132
dfn-cert: DFN-CERT-2024-0127
dfn-cert: DFN-CERT-2024-0108
dfn-cert: DFN-CERT-2023-3124
dfn-cert: DFN-CERT-2023-3071
dfn-cert: DFN-CERT-2023-3064
dfn-cert: DFN-CERT-2023-2988
dfn-cert: DFN-CERT-2023-2941
dfn-cert: DFN-CERT-2023-2819
dfn-cert: DFN-CERT-2023-2763
dfn-cert: DFN-CERT-2023-2681
dfn-cert: DFN-CERT-2023-2680
dfn-cert: DFN-CERT-2023-2643
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-2475
dfn-cert: DFN-CERT-2023-2458
```

Critical (CVSS: 9.8)
NVT: Oracle Mysql Security Update (cpuoct2018 - 02) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     See reference
Installation
path / port:       3306/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successful exploitation will allow remote attackers to have an impact on confidentiality, integrity and availability.

Solution:
Solution type: VendorFix
The vendor has released updates. Please see the references for more information.

Affected Software/OS
Oracle MySQL version 5.5.x through 5.5.61, 5.6.x through 5.6.41, 5.7.x through 5.7.23 and 8.0.x through 8.0.12.

Vulnerability Insight
Multiple flaws exist due to:
- An unspecified error within 'InnoDB (zlib)' component of MySQL Server.
- An unspecified error within 'Server: Parser' component of MySQL Server.
- An unspecified error within 'Client programs' component of MySQL Server.
- An unspecified error within 'Server: Storage Engines' component of MySQL Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle Mysql Security Update (cpuoct2018 - 02) - Linux`
OID:1.3.6.1.4.1.25623.1.0.814259
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2018-3133`
`cve: CVE-2018-3174`
`cve: CVE-2018-3282`
`cve: CVE-2016-9843`
`cve: CVE-2016-9840`
`cve: CVE-2016-9841`
`cve: CVE-2016-9842`
`url: https://www.oracle.com/security-alerts/cpuoct2018.html#AppendixMSQL`
`advisory-id: cpuoct2018`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2025-1365`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: WID-SEC-2024-1232`
`cert-bund: WID-SEC-2023-1594`
`cert-bund: WID-SEC-2022-0673`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K22/0045
cert-bund: CB-K20/0714
cert-bund: CB-K18/1005
cert-bund: CB-K18/0799
cert-bund: CB-K18/0030
cert-bund: CB-K17/2199
cert-bund: CB-K17/2168
cert-bund: CB-K17/1745
cert-bund: CB-K17/1709
cert-bund: CB-K17/1622
cert-bund: CB-K17/1585
cert-bund: CB-K17/1062
cert-bund: CB-K17/0877
cert-bund: CB-K17/0784
cert-bund: CB-K16/1996
dfn-cert: DFN-CERT-2026-0129
dfn-cert: DFN-CERT-2025-1437
dfn-cert: DFN-CERT-2025-1423
dfn-cert: DFN-CERT-2024-0998
dfn-cert: DFN-CERT-2020-1536
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1588
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0592
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2019-0463
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2018-2435
dfn-cert: DFN-CERT-2018-2273
dfn-cert: DFN-CERT-2018-2110
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2018-0659
dfn-cert: DFN-CERT-2018-0645
dfn-cert: DFN-CERT-2018-0039
dfn-cert: DFN-CERT-2017-2300
dfn-cert: DFN-CERT-2017-2268
dfn-cert: DFN-CERT-2017-1825
dfn-cert: DFN-CERT-2017-1785
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1655
dfn-cert: DFN-CERT-2017-1097
dfn-cert: DFN-CERT-2017-0904
dfn-cert: DFN-CERT-2017-0806
dfn-cert: DFN-CERT-2016-2109
```

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.35 / 8.0 <= 8.0.26 Security Update (cpuoct2021) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	5.5.47
Fixed version:	5.7.36
Installation path / port:	3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.36, 8.0.27 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.35 and prior and 8.0 through 8.0.26.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.35 / 8.0 <= 8.0.26 Security Update (cpuoct2021) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.117740
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-3711
cve: CVE-2021-22926
cve: CVE-2021-35604
cve: CVE-2021-35624
cve: CVE-2021-22922
cve: CVE-2021-22923

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-22924
cve: CVE-2021-22925
cve: CVE-2021-22945
cve: CVE-2021-22946
cve: CVE-2021-22947
cve: CVE-2021-3712
url: https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixMSQL
advisory-id: cpuoct2021
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-2366
cert-bund: WID-SEC-2025-1459
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0556
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1821
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1030
cert-bund: WID-SEC-2023-0530
cert-bund: WID-SEC-2022-2354
cert-bund: WID-SEC-2022-2000
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1894
cert-bund: WID-SEC-2022-1515
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1308
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1225
cert-bund: WID-SEC-2022-1056
cert-bund: WID-SEC-2022-0875
cert-bund: WID-SEC-2022-0874
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0673
cert-bund: WID-SEC-2022-0602
cert-bund: WID-SEC-2022-0530
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0400
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0101
cert-bund: WID-SEC-2022-0094
cert-bund: CB-K22/0473
cert-bund: CB-K22/0469
cert-bund: CB-K22/0316
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K22/0224
cert-bund: CB-K22/0077
cert-bund: CB-K22/0072
cert-bund: CB-K22/0062
cert-bund: CB-K22/0045
cert-bund: CB-K22/0030
cert-bund: CB-K22/0011
cert-bund: CB-K21/1268
cert-bund: CB-K21/1179
cert-bund: CB-K21/1161
cert-bund: CB-K21/1087
cert-bund: CB-K21/0994
cert-bund: CB-K21/0991
cert-bund: CB-K21/0969
cert-bund: CB-K21/0907
cert-bund: CB-K21/0897
cert-bund: CB-K21/0797
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-0573
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-0469
dfn-cert: DFN-CERT-2022-2825
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2350
dfn-cert: DFN-CERT-2022-2086
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1469
dfn-cert: DFN-CERT-2022-1386
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-1143
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0922
dfn-cert: DFN-CERT-2022-0867
dfn-cert: DFN-CERT-2022-0835
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0586
dfn-cert: DFN-CERT-2022-0437
dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0122
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0120
dfn-cert: DFN-CERT-2022-0118
dfn-cert: DFN-CERT-2022-0112
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0052
dfn-cert: DFN-CERT-2022-0031
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2502
dfn-cert: DFN-CERT-2021-2481
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2434
dfn-cert: DFN-CERT-2021-2403
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2369
dfn-cert: DFN-CERT-2021-2329
dfn-cert: DFN-CERT-2021-2223
dfn-cert: DFN-CERT-2021-2216
dfn-cert: DFN-CERT-2021-2214
dfn-cert: DFN-CERT-2021-2189
dfn-cert: DFN-CERT-2021-2188
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2167
dfn-cert: DFN-CERT-2021-1996
dfn-cert: DFN-CERT-2021-1931
dfn-cert: DFN-CERT-2021-1917
dfn-cert: DFN-CERT-2021-1915
dfn-cert: DFN-CERT-2021-1871
dfn-cert: DFN-CERT-2021-1803
dfn-cert: DFN-CERT-2021-1799
dfn-cert: DFN-CERT-2021-1743
dfn-cert: DFN-CERT-2021-1593
dfn-cert: DFN-CERT-2021-1580
dfn-cert: DFN-CERT-2021-1568
```

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.5.52 / 5.6 <= 5.6.33 / 5.7 <= 5.7.15 Security Update (cpuoct2016) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability will allow a remote user to access restricted data.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.52 and prior, 5.6 through 5.6.33 and 5.7 through 5.7.15.

Vulnerability Insight

Multiple flaws exist due to multiple unspecified errors in the 'Server: Security: Encryption' and 'Server: Logging' components.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.5.52 / 5.6 <= 5.6.33 / 5.7 <= 5.7.15 Security Update (. ↪..`

OID:1.3.6.1.4.1.25623.1.0.809387

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.47-`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2016-5584
cve: CVE-2016-6662
cve: CVE-2016-7440
url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL
advisory-id: cpuoct2016
url: http://legalhackers.com/advisories/MySQL-Exploit-Remote-Root-Code-Execution
↪-Privesc-CVE-2016-6662.txt
url: https://www.exploit-db.com/exploits/40360/
cert-bund: CB-K17/0139
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/0055
cert-bund: CB-K16/1846
cert-bund: CB-K16/1755
cert-bund: CB-K16/1742
cert-bund: CB-K16/1714
cert-bund: CB-K16/1655
cert-bund: CB-K16/1624
cert-bund: CB-K16/1448
cert-bund: CB-K16/1392
dfn-cert: DFN-CERT-2020-1473
dfn-cert: DFN-CERT-2017-0138
dfn-cert: DFN-CERT-2017-0060
dfn-cert: DFN-CERT-2016-1950
dfn-cert: DFN-CERT-2016-1859
dfn-cert: DFN-CERT-2016-1849
dfn-cert: DFN-CERT-2016-1790
dfn-cert: DFN-CERT-2016-1753
dfn-cert: DFN-CERT-2016-1714
dfn-cert: DFN-CERT-2016-1540
dfn-cert: DFN-CERT-2016-1479
```

[return to 172.30.9.2]

2.1.3 High 80/tcp

High (CVSS: 8.8)
NVT: PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.1.30
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 8.1.30, 8.2.24, 8.3.12 or later.

Affected Software/OS
PHP versions prior to 8.1.30, 8.2.x prior to 8.2.24 and 8.3.x prior to 8.3.12.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2024-8925, CVE-2024-8928: Erroneous parsing of multipart form data
- CVE-2024-8926: Bypass of CVE-2024-4577, Parameter Injection Vulnerability
- CVE-2024-8927: cgi.force_redirect configuration is bypassable due to the environment variable collision
- CVE-2024-9026: Logs from children may be altered

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114787
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2024-8925
cve: CVE-2024-8926
cve: CVE-2024-8927
cve: CVE-2024-8928
cve: CVE-2024-9026
url: https://www.php.net/ChangeLog-8.php#8.1.30
url: https://www.php.net/ChangeLog-8.php#8.2.24
url: https://www.php.net/ChangeLog-8.php#8.3.12
url: https://github.com/php/php-src/security/advisories/GHSA-9pqp-7h25-4f32
url: https://github.com/php/php-src/security/advisories/GHSA-p99j-rfp4-xqvq
url: https://github.com/php/php-src/security/advisories/GHSA-94p6-54jq-9mwp
url: https://github.com/php/php-src/security/advisories/GHSA-865w-9rf3-2wh5
url: https://bugzilla.redhat.com/show_bug.cgi?id=2317439
url: https://thephp.foundation/blog/2025/04/10/php-core-security-audit-results/
url: https://ostif.org/php-audit-complete/
url: https://blog.quarkslab.com/security-audit-of-php-src.html
url: https://www.openwall.com/lists/oss-security/2025/04/12/2
cert-bund: WID-SEC-2025-0137
cert-bund: WID-SEC-2024-3116
cert-bund: WID-SEC-2024-2230
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2025-0168
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-3329
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-2591
dfn-cert: DFN-CERT-2024-2550
```

High (CVSS: 8.8)
NVT: PHP < 5.6.18, 7.x < 7.0.3 DoS Vulnerability (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.18
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.6.18, 7.0.3 or later.

Affected Software/OS

PHP prior to version 5.6.18 and 7.x prior to 7.0.3 on Linux.

Vulnerability Insight

The flaw is due an improper handling of zero-size '././@LongLink' files by 'phar_make_dirstream' function in ext/phar/dirstream.c script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.18, 7.x < 7.0.3 DoS Vulnerability (Jul 2016) - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.808609
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-4343
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/89179
url: http://www.openwall.com/lists/oss-security/2016/04/28/2
cert-bund: CB-K16/1776
cert-bund: CB-K16/0796
cert-bund: CB-K16/0779
cert-bund: CB-K16/0760
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-0847
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0814

High (CVSS: 8.8)
NVT: PHP < 7.4.30, 8.0.x < 8.0.20, 8.1.x < 8.1.7 Security Update (Jun 2022) - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP released new versions which include a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 7.4.30
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 7.4.30, 8.0.20, 8.1.7 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP prior to version 7.4.30, 8.0.x through 8.0.19 and 8.1.x through 8.1.6.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-31625: Uninitialized array in pg_query_params()
- CVE-2022-31626: mysqlnd/pdo password buffer overflow

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.4.30, 8.0.x < 8.0.20, 8.1.x < 8.1.7 Security Update (Jun 2022) - Linux`
OID:1.3.6.1.4.1.25623.1.0.148249
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2022-31625
cve: CVE-2022-31626
url: https://www.php.net/ChangeLog-7.php#7.4.30
url: https://www.php.net/ChangeLog-8.php#8.0.20
url: https://www.php.net/ChangeLog-8.php#8.1.7
url: https://bugs.php.net/bug.php?id=81720
url: https://bugs.php.net/bug.php?id=81719
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-0255
cert-bund: CB-K22/0700
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2500
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-1881
dfn-cert: DFN-CERT-2022-1552
dfn-cert: DFN-CERT-2022-1516
dfn-cert: DFN-CERT-2022-1493
dfn-cert: DFN-CERT-2022-1473
dfn-cert: DFN-CERT-2022-1288
```

High (CVSS: 8.8)
NVT: PHP < 5.6.36, 7.x < 7.0.30, 7.1.x < 7.1.17, 7.2.x < 7.2.5 Multiple Vulnerabilities (May 2018) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.36
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow an attacker to conduct XSS attacks, crash PHP, conduct denial of service condition and execute arbitrary code in the context of the affected application.

Solution:
Solution type: VendorFix
Update to version 5.6.36, 7.0.30, 7.1.17, 7.2.5 or later.

Affected Software/OS
PHP prior to version 5.6.36, 7.0.x prior to 7.0.30, 7.1.x prior to 7.1.17 and 7.2.x prior to 7.2.5 on Linux.

Vulnerability Insight
The following flaws exist:
- CVE-2018-10549: Out of bounds read error in 'exif_read_data' function while processing crafted JPG data.
- CVE-2018-10546: An error in stream filter 'convert.iconv' which leads to infinite loop on invalid sequence.
- CVE-2018-10548: An error in the LDAP module of PHP which allows a malicious LDAP server or man-in-the-middle attacker to crash PHP.
- CVE-2018-10547: An error in the 'phar_do_404()' function in 'ext/phar/phar_object.c' script which returns parts of the request unfiltered, leading to another XSS vector. This is due to incomplete fix for CVE-2018-5712.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.36, 7.x < 7.0.30, 7.1.x < 7.1.17, 7.2.x < 7.2.5 Multiple Vulnerabilit.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪. .
OID:1.3.6.1.4.1.25623.1.0.813160
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2018-10546
cve: CVE-2018-10547
cve: CVE-2018-10548
cve: CVE-2018-10549
url: http://www.php.net/ChangeLog-5.php#5.6.36
url: http://www.php.net/ChangeLog-7.php#7.0.30
url: http://www.php.net/ChangeLog-7.php#7.1.17
url: http://www.php.net/ChangeLog-7.php#7.2.5
cert-bund: CB-K18/0633
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-1232
dfn-cert: DFN-CERT-2018-0920
dfn-cert: DFN-CERT-2018-0877

High (CVSS: 8.6)
NVT: PHP < 5.5.36, 5.6.x < 5.6.22 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 5.5.36
Installation
path / port: 80/tcp

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successfully exploiting these issues allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.5.36, 5.6.22 or later.

Affected Software/OS
PHP prior to version 5.5.36 and 5.6.x prior to 5.6.22 on Linux.

Vulnerability Insight
The following flaws exist:
- Integer overflow in the fread function in 'ext/standard/file.c' script.
- Integer overflow in the php_html_entities function in 'ext/standard/html.c' script.
- An Integer overflow in the php_escape_html_entities_ex function in 'ext/standard/html.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.36, 5.6.x < 5.6.22 Multiple Vulnerabilities (Aug 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808792
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-5094`
`cve: CVE-2016-5095`
`cve: CVE-2016-5096`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/90861`
`url: http://www.securityfocus.com/bid/90857`
`url: http://www.securityfocus.com/bid/92144`
`cert-bund: CB-K16/1982`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/1179`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0937`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0911`
`cert-bund: CB-K16/0909`
`cert-bund: CB-K16/0796`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-2084
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0996
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0960
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0847
```

High (CVSS: 8.6)
NVT: PHP < 5.5.36, 5.6.x < 5.6.22, 7.x < 7.0.7 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.36
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.5.36, 5.6.22, 7.0.7 or later.

Affected Software/OS

PHP prior to version 5.5.36, 5.6.x prior to 5.6.22 and 7.x prior to 7.0.7 on Linux.

Vulnerability Insight

The following flaws exist:

- The 'get_icu_value_internal' function in 'ext/intl/locale/locale_methods.c' script does not ensure the presence of a '\0' character.

. . . continues on next page . . .

. . . continued from previous page . . .

- The 'gd_interpolation.c' script in the GD Graphics Library mishandled by the imagescale function.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.36, 5.6.x < 5.6.22, 7.x < 7.0.7 Multiple Vulnerabilities (Aug 2016) -.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.808794
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2013-7456`
`cve: CVE-2016-5093`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/90946`
`url: http://www.securityfocus.com/bid/90859`
`url: http://www.php.net/ChangeLog-7.php`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/1179`
`cert-bund: CB-K16/1045`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0937`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0911`
`cert-bund: CB-K16/0909`
`cert-bund: CB-K16/0801`
`cert-bund: CB-K16/0796`
`dfn-cert: DFN-CERT-2016-1882`
`dfn-cert: DFN-CERT-2016-1253`
`dfn-cert: DFN-CERT-2016-1110`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0996`
`dfn-cert: DFN-CERT-2016-0972`
`dfn-cert: DFN-CERT-2016-0960`
`dfn-cert: DFN-CERT-2016-0944`
`dfn-cert: DFN-CERT-2016-0857`
`dfn-cert: DFN-CERT-2016-0847`

High (CVSS: 8.2)
NVT: PHP < 8.2.30, 8.3.x < 8.3.29, 8.4.x < 8.4.16 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.2.30
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.2.30, 8.3.29, 8.4.16 or later.

Affected Software/OS
PHP versions prior to 8.2.30, 8.3.x prior to 8.3.29 and 8.4.x prior to 8.4.16.

Vulnerability Insight
The following flaws exist:
- CVE-2025-14177: Information leak of memory in getimagesize
- CVE-2025-14178: Heap buffer overflow in array_merge()
- CVE-2025-14180: PDO quoting result null deref
- No CVE: Null byte termination in dns_get_record()

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.2.30, 8.3.x < 8.3.29, 8.4.x < 8.4.16 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.156071
Version used: `2026-01-12T05:50:06Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2025-14177`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2025-14178
cve: CVE-2025-14180
url: https://www.php.net/ChangeLog-8.php#8.2.30
url: https://www.php.net/ChangeLog-8.php#8.3.29
url: https://www.php.net/ChangeLog-8.php#8.4.16
url: https://github.com/php/php-src/security/advisories/GHSA-3237-qqm7-mfv7
url: https://github.com/php/php-src/security/advisories/GHSA-h96m-rvf9-jgm2
url: https://github.com/php/php-src/security/advisories/GHSA-8xr5-qppj-gvwj
url: https://github.com/php/php-src/security/advisories/GHSA-www2-q4fc-65wf
dfn-cert: DFN-CERT-2026-0262
dfn-cert: DFN-CERT-2025-3544
```

High (CVSS: 8.2)
NVT: Apache HTTP Server 2.4.7 - 2.4.51 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.52
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.52 or later.

Affected Software/OS

Apache HTTP Server version 2.4.7 through 2.4.51.

Vulnerability Insight

A crafted URI sent to httpd configured as a forward proxy (ProxyRequests on) can cause a crash (NULL pointer dereference) or, for configurations mixing forward and reverse proxy declarations, can allow for requests to be directed to a declared Unix Domain Socket endpoint (Server Side Request Forgery).

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.7 - 2.4.51 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.117854
Version used: `2021-12-23T12:12:57Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2021-44224
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0727
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K22/0619
cert-bund: CB-K21/1296
dfn-cert: DFN-CERT-2022-2405
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1047
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0068
dfn-cert: DFN-CERT-2021-2656
```

High (CVSS: 8.1)
NVT: Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to a man-in-the-middle attack vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.24
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to redirect an application's outbound HTTP traffic to an arbitrary proxy server via a crafted proxy header in an HTTP request.

Solution:

Solution type: VendorFix

Update to version 2.4.24, or 2.2.32, or later.

Affected Software/OS

Apache HTTP Server through 2.4.23.

NOTE: Apache HTTP Server 2.2.32 is not vulnerable.

Vulnerability Insight

The flaw is due to 'CGI Servlet' does not protect applications from the presence of untrusted client data in the 'HTTP_PROXY' environment variable.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Linux`

OID:1.3.6.1.4.1.25623.1.0.808632

Version used: `2024-02-08T14:36:53Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.7`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2016-5387
url: https://www.apache.org/security/asf-httpoxy-response.txt
url: http://www.securityfocus.com/bid/91816
cert-bund: WID-SEC-2025-2522
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K17/2013
cert-bund: CB-K17/1854
cert-bund: CB-K17/1842
cert-bund: CB-K17/1622
cert-bund: CB-K17/0527
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/0055
cert-bund: CB-K16/1995
cert-bund: CB-K16/1620
cert-bund: CB-K16/1289
cert-bund: CB-K16/1103
cert-bund: CB-K16/1088
cert-bund: CB-K16/1087
dfn-cert: DFN-CERT-2017-2104
dfn-cert: DFN-CERT-2017-1926
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0060
dfn-cert: DFN-CERT-2016-2108
dfn-cert: DFN-CERT-2016-1717
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1175
dfn-cert: DFN-CERT-2016-1162
dfn-cert: DFN-CERT-2016-1153
```

High (CVSS: 8.1)
NVT: PHP < 8.0.28, 8.1.x < 8.1.16, 8.2.x < 8.2.3 Security Update - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.0.28
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.0.28, 8.1.16, 8.2.3 or later.

Affected Software/OS

PHP versions prior to 8.0.28, 8.1.x prior to 8.1.16 and 8.2.x prior to 8.2.3.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The following flaws exist:
- CVE-2023-0567: Fixed bug #81744 (Password_verify() always return true with some hash)
- CVE-2023-0568: Fixed bug #81746 (1-byte array overrun in common path resolve code)
- CVE-2023-0662: Fixed bug GHSA-54hq-v5wp-fqgv (DOS vulnerability when parsing multipart request body)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.28, 8.1.x < 8.1.16, 8.2.x < 8.2.3 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.104541
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2023-0567
cve: CVE-2023-0568
cve: CVE-2023-0662
url: https://www.php.net/ChangeLog-8.php#8.2.3
url: https://www.php.net/ChangeLog-8.php#8.1.16
url: https://www.php.net/ChangeLog-8.php#8.0.28
url: https://www.php.net/archive/2023.php#2023-02-14-2
url: https://www.php.net/archive/2023.php#2023-02-14-3
url: https://www.php.net/archive/2023.php#2023-02-14-1
url: http://bugs.php.net/81744
url: http://bugs.php.net/81746
url: https://github.com/php/php-src/security/advisories/GHSA-54hq-v5wp-fqgv
url: https://github.com/php/php-src/security/advisories/GHSA-7fj2-8x79-rjf4
cert-bund: WID-SEC-2023-2671
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1022
cert-bund: WID-SEC-2023-0383
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-2681
dfn-cert: DFN-CERT-2023-2570
dfn-cert: DFN-CERT-2023-2538
dfn-cert: DFN-CERT-2023-0994
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0462
dfn-cert: DFN-CERT-2023-0435
dfn-cert: DFN-CERT-2023-0336
```

High (CVSS: 8.1)
NVT: PHP < 5.6.24, 7.x <= 7.0.8 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.24
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues may allow remote, unauthenticated to conduct MITM attacks on internal server subrequests or direct the server to initiate connections to arbitrary hosts or to cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 5.6.24, 7.0.9 or later.

Affected Software/OS
PHP versions 5.x through 5.6.23 and 7.0.x through 7.0.8 on Linux.

Vulnerability Insight
The following flaws exist:
- The web servers running in a CGI or CGI-like context may assign client request proxy header values to internal HTTP_PROXY environment variables.
- 'HTTP_PROXY' is improperly trusted by some PHP libraries and applications
- An unspecified flaw in the gdImageCropThreshold function in 'gd_crop.c' in the GD Graphics Library.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.24, 7.x <= 7.0.8 Multiple Vulnerabilities (Jul 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808628
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

cve: CVE-2016-5385
cve: CVE-2016-6128
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/91821
url: http://www.securityfocus.com/bid/91509
url: http://www.php.net/ChangeLog-7.php
url: http://www.kb.cert.org/vuls/id/797896
url: https://bugs.php.net/bug.php?id=72573
url: https://bugs.php.net/bug.php?id=72494
cert-bund: WID-SEC-2025-2522
cert-bund: CB-K17/1252
cert-bund: CB-K16/1941
cert-bund: CB-K16/1854
cert-bund: CB-K16/1776
cert-bund: CB-K16/1549
cert-bund: CB-K16/1499
cert-bund: CB-K16/1407
cert-bund: CB-K16/1283
cert-bund: CB-K16/1248
cert-bund: CB-K16/1179
cert-bund: CB-K16/1115
cert-bund: CB-K16/1110
cert-bund: CB-K16/1106
cert-bund: CB-K16/1092
cert-bund: CB-K16/1077
cert-bund: CB-K16/1045
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2016-2047
dfn-cert: DFN-CERT-2016-1961
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1498
dfn-cert: DFN-CERT-2016-1367
dfn-cert: DFN-CERT-2016-1326
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1179
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1157
dfn-cert: DFN-CERT-2016-1144
dfn-cert: DFN-CERT-2016-1110

High (CVSS: 7.8)
NVT: PHP < 8.0.27, 8.1.x < 8.1.14, 8.2.x < 8.2.1 Security Update - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an integer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     8.0.27
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.27, 8.1.14, 8.2.1 or later.

Affected Software/OS
PHP prior to version 8.0.27, version 8.1.x through 8.1.13 and 8.2.0.

Vulnerability Insight
Due to an uncaught integer overflow, PDO::quote() of PDO_SQLite may return a not properly quoted string.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.27, 8.1.x < 8.1.14, 8.2.x < 8.2.1 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.149069
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2022-31631
url: https://www.php.net/ChangeLog-8.php#8.0.27
url: https://www.php.net/ChangeLog-8.php#8.1.14
url: https://www.php.net/ChangeLog-8.php#8.2.1
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-0035
dfn-cert: DFN-CERT-2023-0435
dfn-cert: DFN-CERT-2023-0422
dfn-cert: DFN-CERT-2023-0071
dfn-cert: DFN-CERT-2023-0034
```

High (CVSS: 7.5)
NVT: PHP < 5.4.41, 5.5.x < 5.5.25, 5.6.x < 5.6.9 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.25
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service, bypass intended extension restrictions and access and execute files or directories with unexpected names via crafted dimensions and remote FTP servers to execute arbitrary code.

Solution:

Solution type: VendorFix

Update to version 5.4.41, 5.5.25, 5.6.9 or later.

Affected Software/OS

PHP prior to version 5.4.41, 5.5.x prior to 5.5.25 and 5.6.x prior to 5.6.9.

Vulnerability Insight

The following flaws exist:

- Algorithmic complexity vulnerability in the 'multipart_buffer_headers' function in main/rfc1867.c script in PHP.
- 'pcntl_exec' implementation in PHP truncates a pathname upon encountering a \x00 character.
- Integer overflow in the 'ftp_genlist' function in ext/ftp/ftp.c script in PHP.
- The 'phar_parse_tarfile' function in ext/phar/tar.c script in PHP does not verify that the first character of a filename is different from the \0 character.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.41, 5.5.x < 5.5.25, 5.6.x < 5.6.9 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.805660
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-4021`
`cve: CVE-2015-4022`
`cve: CVE-2015-4024`
`cve: CVE-2015-4025`
`cve: CVE-2015-4026`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/75056`
`url: http://www.securityfocus.com/bid/74904`
`url: http://www.securityfocus.com/bid/74903`
`url: http://www.securityfocus.com/bid/74902`
`url: http://www.securityfocus.com/bid/74700`
`url: https://bugs.php.net/bug.php?id=69085`
`url: http://openwall.com/lists/oss-security/2015/06/01/4`
`cert-bund: CB-K17/2123`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K15/1188`
`cert-bund: CB-K15/1082`
`cert-bund: CB-K15/1031`
`cert-bund: CB-K15/0973`
`cert-bund: CB-K15/0966`
`cert-bund: CB-K15/0942`
`cert-bund: CB-K15/0923`
`cert-bund: CB-K15/0880`
`cert-bund: CB-K15/0854`
`cert-bund: CB-K15/0769`
`cert-bund: CB-K15/0763`
`cert-bund: CB-K15/0759`
`cert-bund: CB-K15/0703`
`dfn-cert: DFN-CERT-2017-2219`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2015-1252`
`dfn-cert: DFN-CERT-2015-1139`
`dfn-cert: DFN-CERT-2015-1083`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-1021
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0973
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0803
dfn-cert: DFN-CERT-2015-0797
dfn-cert: DFN-CERT-2015-0732
```

High (CVSS: 7.5)
NVT: PHP 'CVE-2017-7189' Improper Input Validation Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is improperly validating input from untrusted input.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     None
Installation
path / port:       80/tcp
```

Solution:

Solution type: WillNotFix

No solution was made available by the vendor. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Note: PHP versions 7.0.18 and 7.1.4 introduced a fix which was reverted again in version 7.0.19 / 7.1.5 respectively and the fix wasn't introduced again as of today (08-2020).

Affected Software/OS

All PHP versions since 4.3.0 up to the latest 7.x versions.

Note: PHP versions 7.0.18 and 7.1.4 introduced a fix which was reverted again in version 7.0.19 / 7.1.5 respectively.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

main/streams/xp_socket.c in PHP misparses fsockopen calls, such as by interpreting fsockopen('127.0.0.1:80', 443) as if the address/port were 127.0.0.1:80:443, which is later truncated to 127.0.0.1:80. This behavior has a security risk if the explicitly provided port number (i.e., 443 in this example) is hardcoded into an application as a security policy, but the hostname argument (i.e., 127.0.0.1:80 in this example) is obtained from untrusted input.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 'CVE-2017-7189' Improper Input Validation Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.108874
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2017-7189`
`url: https://bugs.php.net/bug.php?id=74192`
`url: https://bugs.php.net/bug.php?id=74429`
`url: https://github.com/php/php-src/commit/bab0b99f376dac9170ac81382a5ed526938d5`
`↪95a`

High (CVSS: 7.5)
NVT: PHP Multiple Heap Buffer Overflow and Information Disclosure Vulnerabilities (Aug 2018) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple heap buffer overflow and information disclosure vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.6.37
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successful exploitation will allow attackers to cause heap overflow, denial of service and disclose sensitive information.

Solution:
Solution type: VendorFix
Update to version 5.6.37, 7.0.31, 7.1.20 or 7.2.8 or later.

Affected Software/OS
PHP prior to version 5.6.37, 7.x prior to 7.0.31, 7.1.x prior to 7.1.20 and 7.2.x prior to 7.2.8.

Vulnerability Insight
The following flaws exist:
- CVE-2018-14851: exif_process_IFD_in_MAKERNOTE function in exif.c file suffers from improper validation against crafted JPEG files.
- CVE-2018-14883: exif_thumbnail_extract function in exif.c file suffers from improper validation of length of 'ImageInfo->Thumbnail.offset + ImageInfo->Thumbnail.size'
- CVE-2018-15132: linkinfo function on windows doesn't implement openbasedir check.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Heap Buffer Overflow and Information Disclosure Vulnerabilities (A.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.813901
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2018-14851`
`cve: CVE-2018-14883`
`cve: CVE-2018-15132`
`url: https://access.redhat.com/security/cve/cve-2018-14851`
`url: https://bugs.php.net/bug.php?id=76557`
`url: https://bugs.php.net/bug.php?id=76423`
`url: https://bugs.php.net/bug.php?id=76459`
`cert-bund: WID-SEC-2022-2130`
`cert-bund: CB-K18/0838`
`dfn-cert: DFN-CERT-2022-2638`
`dfn-cert: DFN-CERT-2019-1737`
`dfn-cert: DFN-CERT-2018-2116`
`dfn-cert: DFN-CERT-2018-1882`
`dfn-cert: DFN-CERT-2018-1835`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2018-1834
dfn-cert: DFN-CERT-2018-1777
dfn-cert: DFN-CERT-2018-1655
```

High (CVSS: 7.5)
NVT: PHP < 7.3.27, 7.4.x < 7.4.15, 8.0.x < 8.0.2 NULL Deference Vulnerability (Feb 2021) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a NULL dereference vulnerability in the SoapClient.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.3.27
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.27, 7.4.15, 8.0.2 or later.

Affected Software/OS
PHP versions prior to 7.3.27, 7.4.x prior to 7.4.15 and 8.0.x prior to 8.0.2.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.27, 7.4.x < 7.4.15, 8.0.x < 8.0.2 NULL Deference Vulnerability (Feb 2. ↪..`
OID:1.3.6.1.4.1.25623.1.0.145323
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-21702
url: https://www.php.net/ChangeLog-7.php#7.3.27
url: https://www.php.net/ChangeLog-7.php#7.4.15
url: https://www.php.net/ChangeLog-8.php#8.0.2
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-2113
cert-bund: CB-K21/0124
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-0904
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1509
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-0556
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2021-0246
```

High (CVSS: 7.5)
NVT: PHP < 7.2.30, 7.3 < 7.3.17, 7.4 < 7.4.5 DoS Vulnerability (Apr 2020) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.2.30
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.2.30, 7.3.17, 7.4.5 or later.

Affected Software/OS

PHP versions prior 7.2.30, 7.3 prior 7.3.17 and 7.4 prior to 7.4.5.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
If 'CHARSET_EBCDIC' is defined (usually, on systems with EBCDIC encoding support), an out-of-bounds read can occur using a malformed url-encoded string.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.30, 7.3 < 7.3.17, 7.4 < 7.4.5 DoS Vulnerability (Apr 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143722
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7067
url: https://www.php.net/ChangeLog-7.php#7.2.30
url: https://www.php.net/ChangeLog-7.php#7.3.17
url: https://www.php.net/ChangeLog-7.php#7.4.5
cert-bund: CB-K20/1199
cert-bund: CB-K20/0336
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-0851
dfn-cert: DFN-CERT-2020-0751
```

High (CVSS: 7.5)
NVT: PHP < 7.2.28 Multiple Vulnerabilities (Feb 2020) - Linux

Product detection result
```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     7.2.28
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 7.2.28 or later.

Affected Software/OS
PHP versions before 7.2.28.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- Null Pointer Dereference in PHP Session Upload Progress (CVE-2020-7062)
- Files added to tar with Phar::buildFromIterator have all-access permissions (CVE-2020-7063)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.28 Multiple Vulnerabilities (Feb 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143541
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7062
cve: CVE-2020-7063
url: https://www.php.net/ChangeLog-7.php#7.2.28
cert-bund: WID-SEC-2022-2119
cert-bund: CB-K20/0147
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-0787
dfn-cert: DFN-CERT-2020-0518
dfn-cert: DFN-CERT-2020-0485
dfn-cert: DFN-CERT-2020-0341
```

High (CVSS: 7.5)
NVT: PHP < 5.6.5 Multiple Vulnerabilities (Jan 2015)

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.5
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.6.5 or later.

Affected Software/OS
PHP versions prior to 5.6.5.

Vulnerability Insight
A free operation on a stack-based character array is performed by the apprentice_load function in libmagic/apprentice.c in the Fileinfo component.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.5 Multiple Vulnerabilities (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805413
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-9426
url: https://bugs.php.net/bug.php?id=68665
url: http://securitytracker.com/id/1031480
```

High (CVSS: 7.5)
NVT: PHP < 5.6.32, 7.x < 7.0.24, 7.1.x < 7.1.11 Heap Based Buffer Overflow Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a heap buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.32
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow attacker to execute arbitrary code with elevated privileges within the context of a privileged process.

Solution:
Solution type: VendorFix
Update to version 5.6.32, 7.0.25, 7.1.11 or later.

Affected Software/OS
PHP prior to version 5.6.32, 7.x prior to 7.0.25 and 7.1.x prior to 7.1.11.

Vulnerability Insight
The flaw exists due to an error in the date extension's 'timelib_meridian' handling of 'front of' and 'back of' directives.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.32, 7.x < 7.0.24, 7.1.x < 7.1.11 Heap Based Buffer Overflow Vulnerabi.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.812073
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2017-16642
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/101745
url: http://php.net/ChangeLog-7.php
url: https://bugs.php.net/bug.php?id=75055
cert-bund: CB-K18/0270
cert-bund: CB-K18/0048
cert-bund: CB-K17/2123
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0290
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-2219
```

High (CVSS: 7.5)
NVT: PHP < 5.6.0 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.0
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.6.0 or later.

Affected Software/OS

PHP prior to version 5.6.0 on Linux.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The flaw is due an improper validation of input to zero root_storage value in a CDF file.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.0 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.808669
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-0236`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/90957`

High (CVSS: 7.5)
NVT: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Privilege Escalation Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.5.32
Installation
path / port:       80/tcp
```

Impact
Successfully exploitation will allow an attacker to update the 'metadata' and affect on confidentiality, integrity, and availability.

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 5.5.32, 5.6.18, 7.0.3 or later.

Affected Software/OS
PHP prior to version 5.5.32, 5.6.x prior to 5.6.18 and 7.x prior to 7.0.3 on Linux.

Vulnerability Insight
An error occurs in the function stream_get_meta_data of the component File Upload. The manipulation as part of a Return Value leads to a privilege escalation vulnerability (Metadata).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Privilege Escalation Vulnerability - . ↪..`
OID:1.3.6.1.4.1.25623.1.0.812512
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-10712`
`url: https://bugs.php.net/bug.php?id=71323`
`url: https://git.php.net/?p=php-src.git;a=commit;h=6297a117d77fa3a0df2e21ca926a9 ↪2c231819cd5`
`cert-bund: CB-K18/0498`
`cert-bund: CB-K18/0350`
`dfn-cert: DFN-CERT-2019-1052`
`dfn-cert: DFN-CERT-2018-0576`
`dfn-cert: DFN-CERT-2018-0537`
`dfn-cert: DFN-CERT-2018-0380`

High (CVSS: 7.5)
NVT: PHP < 5.5.21, 5.6.x < 5.6.5 Multiple DoS Vulnerabilities (Jan 2015)

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.21
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to PHP version 5.5.21, 5.6.5 or later.

Affected Software/OS

PHP version 5.5.20 and prior and 5.6.x through 5.6.4

Vulnerability Insight

The following flaws exist:

- CVE-2014-9425: Double free error in the 'zend_ts_hash_graceful_destroy' function in 'zend_ts_hash.c script in the Zend Engine.

- CVE-2014-9709: Improper handling of GIF images in the gdImageCreateFromGif function used in the GetCode_ from 'gd_gif_in.c' script in GD Graphics Library (LibGD).

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.5.21, 5.6.x < 5.6.5 Multiple DoS Vulnerabilities (Jan 2015)`

OID:1.3.6.1.4.1.25623.1.0.805412

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-9425
cve: CVE-2014-9709
url: http://securitytracker.com/id/1031479
url: http://www.securityfocus.com/bid/71800
url: http://www.securityfocus.com/bid/73306
url: https://bugs.php.net/bug.php?id=68676
cert-bund: WID-SEC-2023-0069
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/1176
cert-bund: CB-K16/0944
cert-bund: CB-K15/1437
cert-bund: CB-K15/0966
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0482
cert-bund: CB-K15/0454
cert-bund: CB-K15/0420
dfn-cert: DFN-CERT-2023-0071
dfn-cert: DFN-CERT-2017-1209
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0876
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0473
dfn-cert: DFN-CERT-2015-0442
```

High (CVSS: 7.5)
NVT: PHP < 5.5.24, 5.6.x < 5.6.8 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.24
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.5.24, 5.6.8 or later.

Affected Software/OS
PHP versions 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.

Vulnerability Insight
An use-after-free vulnerability occurs in the '_zend_shared_memdup' function in 'zend_shared_alloc.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.24, 5.6.x < 5.6.8 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.805687
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-1351`
`url: http://bugzilla.redhat.com/show_bug.cgi?id=1185900`
`url: http://www.securityfocus.com/bid/71929`
`url: http://openwall.com/lists/oss-security/2015/01/24/9`
`cert-bund: CB-K15/1437`
`cert-bund: CB-K15/0757`
`cert-bund: CB-K15/0552`
`cert-bund: CB-K15/0459`
`cert-bund: CB-K15/0207`
`dfn-cert: DFN-CERT-2019-1354`
`dfn-cert: DFN-CERT-2015-1514`
`dfn-cert: DFN-CERT-2015-0794`
`dfn-cert: DFN-CERT-2015-0579`
`dfn-cert: DFN-CERT-2015-0487`
`dfn-cert: DFN-CERT-2015-0212`

High (CVSS: 7.5)
NVT: PHP < 5.6.12 Multiple DoS Vulnerabilities - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.12
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (application crash or memory consuption).

Solution:
Solution type: VendorFix
Update to version 5.6.12 or later.

Affected Software/OS
PHP prior to version 5.6.12 on Linux.

Vulnerability Insight
The following flaws exist:
- Improper handling of driver behavior for SQL_WVARCHAR columns in the 'odbc_bindcols function' in 'ext/odbc/php_odbc.c' script.
- The 'gdImageScaleTwoPass' function in gd_interpolation.c script in the GD Graphics Library uses inconsistent allocate and free approaches.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.12 Multiple DoS Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.808611
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-8874
cve: CVE-2015-8877
cve: CVE-2015-8879
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/90866
url: http://www.securityfocus.com/bid/90842
url: http://www.securityfocus.com/bid/90714
cert-bund: CB-K17/1252
cert-bund: CB-K16/1776
cert-bund: CB-K16/0975
cert-bund: CB-K16/0965
cert-bund: CB-K16/0944
cert-bund: CB-K16/0937
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
cert-bund: CB-K16/0868
cert-bund: CB-K16/0805
cert-bund: CB-K16/0801
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1033
dfn-cert: DFN-CERT-2016-1022
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0996
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0876
dfn-cert: DFN-CERT-2016-0871
dfn-cert: DFN-CERT-2016-0857
dfn-cert: DFN-CERT-2016-0855
```

High (CVSS: 7.5)
NVT: PHP < 5.6.31 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.31
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers inject XML for deserialization to crash the PHP interpreter.

Solution:

Solution type: VendorFix

Update to version 5.6.31 or later.

Affected Software/OS

PHP prior to version 5.6.31.

Vulnerability Insight

The flaw exists due to an invalid free error for an empty boolean element in ext/wddx/wddx.c script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.31 DoS Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.811490

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2017-11143
url: http://www.php.net/ChangeLog-5.php
cert-bund: CB-K18/0048
cert-bund: CB-K17/1461
cert-bund: CB-K17/1358
cert-bund: CB-K17/1132
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0055
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1161
```

High (CVSS: 7.5)
NVT: PHP < 5.6.31, 7.x < 7.0.17, 7.1.x < 7.1.3 DoS Vulnerability (Jul 2017) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.6.31
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow an attacker to cause a CPU consumption denial of service attack.

Solution:
Solution type: VendorFix
Update to version 5.6.31, 7.0.17, 7.1.3 or later.

Affected Software/OS
PHP prior to version 5.6.31, 7.x prior to 7.0.17 and 7.1.x prior to 7.1.3.

Vulnerability Insight
The flaw exists due to improper handling of long form variables in main/php_variables.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.31, 7.x < 7.0.17, 7.1.x < 7.1.3 DoS Vulnerability (Jul 2017) - Linux`
OID:1.3.6.1.4.1.25623.1.0.811487
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2017-11142
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K18/0048
cert-bund: CB-K17/1461
cert-bund: CB-K17/1132
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1161
```

High (CVSS: 7.5)
NVT: PHP Out of Bounds Read Vulnerability (Jan 2015)

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to an out of bounds read vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.21
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to obtain sensitive information and trigger unexpected code execution.

Solution:

Solution type: VendorFix

Update to version 5.4.37 or 5.5.21 or 5.6.5 or later.

Affected Software/OS

PHP versions through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
An out of bounds read error exists in sapi/cgi/cgi_main.c in the CGI component in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Out of Bounds Read Vulnerability (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805414
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2014-9427
url: https://bugs.php.net/bug.php?id=68618
url: http://www.securityfocus.com/bid/71833
cert-bund: CB-K15/1437
cert-bund: CB-K15/0757
cert-bund: CB-K15/0215
cert-bund: CB-K15/0207
cert-bund: CB-K15/0095
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0223
dfn-cert: DFN-CERT-2015-0212
dfn-cert: DFN-CERT-2015-0093
```

High (CVSS: 7.5)
NVT: PHP < 8.1.33, 8.2.x < 8.2.29, 8.3.x < 8.3.23, 8.4.x < 8.4.10 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     8.1.33
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.33, 8.2.29, 8.3.23, 8.4.10 or later.

Affected Software/OS
PHP versions prior to 8.1.33, 8.2.x prior to 8.2.29, 8.3.x prior to 8.3.23 and 8.4.x prior to 8.4.10.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2025-1220: Null byte termination in hostnames
- CVE-2025-1735: pgsql extension does not check for errors during escaping
- CVE-2025-6491: NULL pointer dereference in PHP SOAP extension via large XML namespace prefix

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.33, 8.2.x < 8.2.29, 8.3.x < 8.3.23, 8.4.x < 8.4.10 Multiple Vulnerabi.`
↪..
OID:1.3.6.1.4.1.25623.1.0.154869
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2025-1220
cve: CVE-2025-1735
cve: CVE-2025-6491
url: https://www.php.net/ChangeLog-8.php#8.1.33
url: https://www.php.net/ChangeLog-8.php#8.2.29
url: https://www.php.net/ChangeLog-8.php#8.3.23
url: https://www.php.net/ChangeLog-8.php#8.4.10
url: https://github.com/php/php-src/security/advisories/GHSA-3cr5-j632-f35r
url: https://github.com/php/php-src/security/advisories/GHSA-hrwm-9436-5mv3
url: https://github.com/php/php-src/security/advisories/GHSA-453j-q27h-5p8x
cert-bund: WID-SEC-2025-1460
dfn-cert: DFN-CERT-2025-1785
```

High (CVSS: 7.5)
NVT: Apache HTTP Server 'Whitespace Defects' Multiple Vulnerabilities

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to conduct request smuggling, response splitting and cache pollution attacks.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server 2.2.32 or 2.4.25 or later.

Affected Software/OS
Apache HTTP Server 2.2.x before 2.2.32 and 2.3.x through 2.4.24 prior to 2.4.25.

Vulnerability Insight
Multiple flaws exist because the application accepted a broad pattern of unusual whitespace patterns from the user-agent, including bare CR, FF, VTAB in parsing the request line and request header lines, as well as HTAB in parsing the request line. Any bare CR present in request lines was treated as whitespace and remained in the request field member 'the_request', while a bare CR in the request header field name would be honored as whitespace, and a bare CR in the request header field value was retained the input headers array. Implied additional whitespace was accepted in the request line and prior to the ':' delimiter of any request header lines.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'Whitespace Defects' Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.812033
Version used: `2022-09-09T10:12:35Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2016-8743
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: http://www.securityfocus.com/bid/95077
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K19/0354
cert-bund: CB-K18/0066
cert-bund: CB-K17/1854
cert-bund: CB-K17/1622
cert-bund: CB-K17/1279
cert-bund: CB-K17/1163
cert-bund: CB-K17/0955
cert-bund: CB-K17/0794
cert-bund: CB-K17/0704
cert-bund: CB-K17/0659
cert-bund: CB-K17/0527
cert-bund: CB-K17/0477
cert-bund: CB-K17/0185
cert-bund: CB-K16/1995
dfn-cert: DFN-CERT-2018-1764
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1327
dfn-cert: DFN-CERT-2017-1204
dfn-cert: DFN-CERT-2017-0988
dfn-cert: DFN-CERT-2017-0814
dfn-cert: DFN-CERT-2017-0723
dfn-cert: DFN-CERT-2017-0673
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0489
dfn-cert: DFN-CERT-2017-0189
dfn-cert: DFN-CERT-2016-2108

High (CVSS: 7.5)
NVT: Apache HTTP Server 'mod_auth_digest' DoS Vulnerability - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to cause a denial-of-service condition.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server 2.4.25 or later.

Affected Software/OS
Apache HTTP Server versions 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6, 2.4.4, 2.4.3, 2.4.2 and 2.4.1.

Vulnerability Insight
The flaw exists due to insufficient handling of malicious input to 'mod_auth_digest'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server 'mod_auth_digest' DoS Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.812067
Version used: 2024-02-15T05:05:40Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2016-2161
url: https://httpd.apache.org/security/vulnerabilities_24.html#CVE-2016-2161
url: http://www.securityfocus.com/bid/95076

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K19/0354
cert-bund: CB-K17/1854
cert-bund: CB-K17/1622
cert-bund: CB-K17/0955
cert-bund: CB-K17/0794
cert-bund: CB-K17/0704
cert-bund: CB-K17/0527
cert-bund: CB-K17/0477
cert-bund: CB-K16/1995
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-0988
dfn-cert: DFN-CERT-2017-0814
dfn-cert: DFN-CERT-2017-0723
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0489
dfn-cert: DFN-CERT-2016-2108
```

High (CVSS: 7.5)
NVT: PHP 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Mar 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.28
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to execute arbitrary code and to create or overwrite arbitrary files on the system and this may lead to launch further attacks.

Solution:

Solution type: VendorFix

Update to version 5.4.44, 5.5.28, 5.6.12 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP prior to version 5.4.44, 5.5.x prior to 5.5.28 and 5.6.x prior to 5.6.12 on Linux.

Vulnerability Insight
The following flaws exist:
- Multiple use-after-free vulnerabilities in SPL unserialize implementation.
- Insufficient validation of user supplied input by 'phar/phar_object.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Mar 2016) .`
↪..
OID:1.3.6.1.4.1.25623.1.0.807503
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2015-6831
cve: CVE-2015-6832
cve: CVE-2015-6833
url: https://bugs.php.net/bug.php?id=70068
url: http://www.securityfocus.com/bid/76737
url: http://www.securityfocus.com/bid/76739
url: http://www.securityfocus.com/bid/76735
url: http://www.openwall.com/lists/oss-security/2015/08/19/3
cert-bund: CB-K16/0944
cert-bund: CB-K16/0422
cert-bund: CB-K15/1571
cert-bund: CB-K15/1439
cert-bund: CB-K15/1415
cert-bund: CB-K15/1261
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1658
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1493
dfn-cert: DFN-CERT-2015-1335
```

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities (Jan 2015)

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.18
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to cause a denial of service or possibly execute arbitrary code via different crafted dimensions.

Solution:
Solution type: VendorFix
Update to version 5.4.34, 5.5.18, 5.6.2 or later.

Affected Software/OS
PHP versions 5.4.x before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2

Vulnerability Insight
The following flaws exist:
- CVE-2014-3668: Buffer overflow in the date_from_ISO8601 function in the mkgmtime implementation in libxmlrpc/xmlrpc.c in the XMLRPC extension in PHP.
- CVE-2014-3669: Integer overflow in the object_custom function in ext/standard/var _unserializer.c.
- CVE-2014-3670: The exif_ifd_make_value function in exif.c in the EXIF extension in PHP operates on floating-point arrays incorrectly.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Vulnerabilities (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805409
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-3668
cve: CVE-2014-3669
cve: CVE-2014-3670
url: https://bugs.php.net/bug.php?id=68044
url: http://www.securityfocus.com/bid/70611
url: http://www.securityfocus.com/bid/70665
url: http://www.securityfocus.com/bid/70666
cert-bund: CB-K16/0944
cert-bund: CB-K15/0493
cert-bund: CB-K14/1413
cert-bund: CB-K14/1359
cert-bund: CB-K14/1349
cert-bund: CB-K14/1308
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2014-1494
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1424
dfn-cert: DFN-CERT-2014-1371
```

High (CVSS: 7.5)
NVT: PHP < 5.4.39, 5.5.x < 5.5.23, 5.6.x < 5.6.7 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.23
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successfully exploiting these issues allow remote attackers to obtain sensitive information by providing crafted serialized data with an int data type and to execute arbitrary code by providing crafted serialized data with an unexpected data type.

Solution:
Solution type: VendorFix
Update to version 5.4.39, 5.5.23, 5.6.7 or later.

Affected Software/OS
PHP prior to version 5.4.39, 5.5.x prior to 5.5.23 and 5.6.x prior to 5.6.7.

Vulnerability Insight
The following flaws exist:
- 'do_soap_call' function in ext/soap/soap.c script in PHP does not verify that the uri property is a string.
- 'SoapClient::__call' method in ext/soap/soap.c script in PHP does not verify that __default_headers is an array.
- use-after-free error related to the 'unserialize' function when using DateInterval input.
- a flaw in the 'move_uploaded_file' function that is triggered when handling NULL bytes.
- an integer overflow condition in the '_zip_cdir_new' function in 'zip_dirent.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.39, 5.5.x < 5.5.23, 5.6.x < 5.6.7 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.805651
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-2331`
`cve: CVE-2015-2348`
`cve: CVE-2015-2787`
`cve: CVE-2015-4147`
`cve: CVE-2015-4148`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/73357`
`url: http://www.securityfocus.com/bid/73431`
`url: http://www.securityfocus.com/bid/73434`
`url: https://bugs.php.net/bug.php?id=69085`
`url: http://openwall.com/lists/oss-security/2015/06/01/4`
`cert-bund: WID-SEC-2023-1281`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-0069
cert-bund: CB-K16/0944
cert-bund: CB-K15/1437
cert-bund: CB-K15/1188
cert-bund: CB-K15/1031
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0854
cert-bund: CB-K15/0809
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0561
cert-bund: CB-K15/0482
cert-bund: CB-K15/0377
cert-bund: CB-K15/0375
cert-bund: CB-K15/0372
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0854
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0583
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0387
dfn-cert: DFN-CERT-2015-0383
dfn-cert: DFN-CERT-2015-0382
```

High (CVSS: 7.5)
NVT: PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 Multiple RCE Vulnerabilities (Jul 2015) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.22
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to execute arbitrary code via some crafted dimensions.

Solution:

Solution type: VendorFix

Update to version 5.4.38, 5.5.22, 5.6.6 or later.

Affected Software/OS

PHP prior to version 5.4.38, 5.5.x prior to 5.5.22 and 5.6.x prior to 5.6.6.

Vulnerability Insight

The following flaws exist:

- Multiple use-after-free vulnerabilities in 'ext/date/php_date.c' script.

- Heap-based buffer overflow in the 'enchant_broker_request_dict' function in 'ext/enchant/enchant.c' script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 Multiple RCE Vulnerabilities (Jul 2. ↪..`

OID:1.3.6.1.4.1.25623.1.0.805685

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-9705
cve: CVE-2015-0273
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/73031
url: http://www.securityfocus.com/bid/72701
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://bugzilla.redhat.com/show_bug.cgi?id=1194730
url: http://lists.opensuse.org/opensuse-updates/2015-04/msg00002.html
cert-bund: WID-SEC-2023-0069
cert-bund: CB-K16/0944
cert-bund: CB-K15/1561
cert-bund: CB-K15/1437
cert-bund: CB-K15/0966
cert-bund: CB-K15/0901
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0482
cert-bund: CB-K15/0362
cert-bund: CB-K15/0358
cert-bund: CB-K15/0278
cert-bund: CB-K15/0222
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0956
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0371
dfn-cert: DFN-CERT-2015-0370
dfn-cert: DFN-CERT-2015-0286
dfn-cert: DFN-CERT-2015-0228
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.38 mod_session_cookie Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

In Apache HTTP Server mod_session checks the session expiry time before decoding the session. This causes session expiry time to be ignored for mod_session_cookie sessions since the expiry time is loaded when the session is decoded.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.38
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.38 or later.

Affected Software/OS
Apache HTTP Server version 2.4.37 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.38 mod_session_cookie Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.141964
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2018-17199
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K19/0316
cert-bund: CB-K19/0071
dfn-cert: DFN-CERT-2021-1069
dfn-cert: DFN-CERT-2020-0673
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-0857
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0198
dfn-cert: DFN-CERT-2019-0184
```

High (CVSS: 7.5)
NVT: PHP 5.x < 5.6.39, 7.x < 7.0.33, 7.1.x < 7.1.26, 7.2.x < 7.2.14 DoS Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.6.39
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow attackers to cause a denial of service of the affected application.

Solution:
Solution type: VendorFix
Update to version 5.6.39, 7.0.33, 7.1.26, 7.2.14, 7.3.0 or later.

Affected Software/OS
PHP versions 5.x prior to 5.6.39, 7.0.x prior to 7.0.33, 7.1.x prior to 7.1.26 and 7.2.x prior to 7.2.14.

Vulnerability Insight
A NULL pointer dereference and application crash via an empty string occurs in the message argument to the imap_mail function of ext/imap/php_imap.c.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 5.6.39, 7.x < 7.0.33, 7.1.x < 7.1.26, 7.2.x < 7.2.14 DoS Vulnerabilit.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.108505
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2018-19935
url: https://bugs.php.net/bug.php?id=77020
url: http://www.securityfocus.com/bid/106143
cert-bund: WID-SEC-2022-2128
cert-bund: CB-K18/1154
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2019-1181
dfn-cert: DFN-CERT-2019-0313
dfn-cert: DFN-CERT-2019-0044
dfn-cert: DFN-CERT-2018-2476
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.39 mod_auth_digest Access Control Bypass Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

In Apache HTTP Server, a race condition in mod_auth_digest when running in a threaded server could allow a user with valid credentials to authenticate using another username, bypassing configured access control restrictions.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.39
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.39 or later.

Affected Software/OS

Apache HTTP Server version 2.4.38 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.39 mod_auth_digest Access Control Bypass Vulnerability.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪..
OID:1.3.6.1.4.1.25623.1.0.142220
Version used: 2024-02-15T05:05:40Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2019-0217
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2023-2047
cert-bund: CB-K19/0623
cert-bund: CB-K19/0267
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-0736
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0680
dfn-cert: DFN-CERT-2019-0676

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to an out-of-bounds read vulnerability in mod_macro.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.4.7
Fixed version: 2.4.58
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 2.4.58 or later.

Affected Software/OS
Apache HTTP Server version 2.4.57 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.100272
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2023-31122
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.58
url: https://www.openwall.com/lists/oss-security/2023/10/19/4
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0899
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2024-0107
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2712
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2024-0732
dfn-cert: DFN-CERT-2023-2640
dfn-cert: DFN-CERT-2023-2583
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.59
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.59 or later.

Affected Software/OS
Apache HTTP Server version 2.4.58 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2023-38709: HTTP response splitting
- CVE-2024-24795: HTTP response splitting in multiple modules
- CVE-2024-27316: HTTP/2 DoS by memory exhaustion on endless continuation frames

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.152039
Version used: `2024-06-07T05:05:42Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2023-38709
cve: CVE-2024-24795
cve: CVE-2024-27316
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.59
url: https://kb.cert.org/vuls/id/421644
url: https://nowotarski.info/http2-continuation-flood/
url: https://nowotarski.info/http2-continuation-flood-technical-details/
cert-bund: WID-SEC-2025-1529
cert-bund: WID-SEC-2024-1725
cert-bund: WID-SEC-2024-1643
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1504
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0801
cert-bund: WID-SEC-2024-0789
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-2658
dfn-cert: DFN-CERT-2025-2657
dfn-cert: DFN-CERT-2024-2900
dfn-cert: DFN-CERT-2024-2534
dfn-cert: DFN-CERT-2024-2076
dfn-cert: DFN-CERT-2024-1958
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1749
dfn-cert: DFN-CERT-2024-1697
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1335
dfn-cert: DFN-CERT-2024-1238
dfn-cert: DFN-CERT-2024-1031
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-0964
dfn-cert: DFN-CERT-2024-0901
dfn-cert: DFN-CERT-2024-0890
```

High (CVSS: 7.5)
NVT: PHP 5.4.x < 5.4.40, 5.5.x < 5.5.22, 5.6.x < 5.6.6 RCE Vulnerability (Jul 2015) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.22
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successfully exploiting this issue allow remote attackers to execute arbitrary code on the target system.

Solution:
Solution type: VendorFix
Update to version 5.4.40, 5.5.22, 5.6.6 or later.

Affected Software/OS
PHP versions 5.4.x prior to 5.4.40, 5.5.x prior to 5.5.22 and 5.6.x prior to 5.6.6.

Vulnerability Insight
The flaw is due to Use-after-free vulnerability in the 'phar_rename_archive' function in 'phar_object.c' script

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.40, 5.5.x < 5.5.22, 5.6.x < 5.6.6 RCE Vulnerability (Jul 2015) . ↪..`
OID:1.3.6.1.4.1.25623.1.0.805686
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-2301`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/73037`
`url: https://bugzilla.redhat.com/show_bug.cgi?id=1194747`
`url: http://lists.opensuse.org/opensuse-updates/2015-04/msg00002.html`
`cert-bund: WID-SEC-2023-0069`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K15/1437`
`cert-bund: CB-K15/0966`
`cert-bund: CB-K15/0854`
`cert-bund: CB-K15/0806`
`cert-bund: CB-K15/0769`
`cert-bund: CB-K15/0757`
`cert-bund: CB-K15/0665`
`cert-bund: CB-K15/0482`
`cert-bund: CB-K15/0377`
`cert-bund: CB-K15/0358`
`dfn-cert: DFN-CERT-2016-1004`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0387
dfn-cert: DFN-CERT-2015-0370
```

High (CVSS: 7.5)
NVT: Apache HTTP Server Denial of Service Vulnerability-02 (Apr 2018) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.30
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow an attacker to crash the Apache HTTP Server resulting in denial of service condition.

Solution:

Solution type: VendorFix

Update to version 2.4.30 or later. Please see the references for more information.

Affected Software/OS

Apache HTTP Server versions 2.4.6, 2.4.7, 2.4.9, 2.4.10, 2.4.12, 2.4.16 through 2.4.18, 2.4.20, 2.4.23, and 2.4.25 through 2.4.29.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The flaw exists as the Apache HTTP Server fails to sanitize against a specially crafted HTTP request header.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Denial of Service Vulnerability-02 (Apr 2018) - Linux`
OID:1.3.6.1.4.1.25623.1.0.812849
Version used: `2024-02-09T05:06:25Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2018-1303
url: https://httpd.apache.org/security/vulnerabilities_24.html
url: http://www.securityfocus.com/bid/103522
cert-bund: CB-K20/1030
cert-bund: CB-K18/0535
dfn-cert: DFN-CERT-2020-2133
dfn-cert: DFN-CERT-2019-0359
dfn-cert: DFN-CERT-2019-0351
dfn-cert: DFN-CERT-2018-2316
dfn-cert: DFN-CERT-2018-0985
dfn-cert: DFN-CERT-2018-0570
```

High (CVSS: 7.5)
NVT: PHP 5.4.x < 5.4.37, 5.5.x < 5.5.21, 5.6.x < 5.6.5 Multiple Vulnerabilities (Feb 2015)

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.5.21
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successful exploitation will allow remote attackers to cause a denial of service or possibly execute arbitrary code via different crafted dimensions.

Solution:
Solution type: VendorFix
Update to PHP version 5.4.37, 5.5.21, 5.6.5 or later.

Affected Software/OS
PHP versions 5.4.x before 5.4.37, 5.5.x before 5.5.21, and 5.6.x before 5.6.5.

Vulnerability Insight
The following flaws exist:
- CVE-2014-9652: Improper handle of a certain string-length field during a copy of a truncated version of a Pascal string in the mconvert function from softmagic.c file
- CVE-2014-9653: Uninitialized memory access in the readelf.c file
- CVE-2015-0231: Use after free vulnerability in the 'process_nested_data' function in ext/standard/var_unserializer.re
- CVE-2015-0232: Uninitialized pointer free in the 'exif_process_unicode' function in ext/exif/exif.c script when parsing JPEG EXIF entries

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.37, 5.5.x < 5.5.21, 5.6.x < 5.6.5 Multiple Vulnerabilities (Feb.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.805446
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-9652`
`cve: CVE-2014-9653`
`cve: CVE-2015-0231`
`cve: CVE-2015-0232`
`url: https://bugs.php.net/bug.php?id=68799`
`url: http://www.securityfocus.com/bid/72505`
`url: http://www.securityfocus.com/bid/72516`
`url: http://www.securityfocus.com/bid/72541`
`url: http://www.securityfocus.com/bid/72539`
`url: https://bugs.php.net/bug.php?id=68710`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K18/0057
cert-bund: CB-K16/1315
cert-bund: CB-K16/0944
cert-bund: CB-K16/0692
cert-bund: CB-K15/1704
cert-bund: CB-K15/1437
cert-bund: CB-K15/0966
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0774
cert-bund: CB-K15/0757
cert-bund: CB-K15/0372
cert-bund: CB-K15/0362
cert-bund: CB-K15/0361
cert-bund: CB-K15/0293
cert-bund: CB-K15/0278
cert-bund: CB-K15/0215
cert-bund: CB-K15/0207
cert-bund: CB-K15/0202
cert-bund: CB-K15/0095
dfn-cert: DFN-CERT-2018-1161
dfn-cert: DFN-CERT-2018-0064
dfn-cert: DFN-CERT-2016-1401
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0752
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0815
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0383
dfn-cert: DFN-CERT-2015-0372
dfn-cert: DFN-CERT-2015-0371
dfn-cert: DFN-CERT-2015-0301
dfn-cert: DFN-CERT-2015-0286
dfn-cert: DFN-CERT-2015-0223
dfn-cert: DFN-CERT-2015-0212
dfn-cert: DFN-CERT-2015-0201
dfn-cert: DFN-CERT-2015-0093
```

High (CVSS: 7.5)
NVT: PHP 5.4.x < 5.4.36, 5.5.x < 5.5.20, 5.6.x < 5.6.4 Use After Free Vulnerability (Jan 2015)

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to an use after free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.20
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to execute arbitrary code via a crafted unserialize call.

Solution:
Solution type: VendorFix
Update to version 5.4.36, 5.5.20, 5.6.4 or later.

Affected Software/OS
PHP versions 5.4.x before 5.4.36, 5.5.x before 5.5.20 and 5.6.x before 5.6.4.

Vulnerability Insight
An use after free vulnerability exists in the process_nested_data function in ext/standard/var_unserializer.re in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.36, 5.5.x < 5.5.20, 5.6.x < 5.6.4 Use After Free Vulnerability . ↪..`
OID:1.3.6.1.4.1.25623.1.0.805411
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-8142`
`url: http://php.net/ChangeLog-5.php`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/71791
url: http://secunia.com/advisories/60920
url: https://bugs.php.net/bug.php?id=68594
cert-bund: CB-K16/0944
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0757
cert-bund: CB-K15/0215
cert-bund: CB-K15/0207
cert-bund: CB-K14/1614
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0223
dfn-cert: DFN-CERT-2015-0212
dfn-cert: DFN-CERT-2014-1708
```

High (CVSS: 7.5)
NVT: Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version Check

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.28
Installation
path / port:       80/tcp
```

Impact

The successful exploitation allows the attacker to read chunks of the host's memory.

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to Apache HTTP Server 2.4.28. For Apache HTTP Server running version 2.2.34 apply the patch linked in the references.
As a workaround the usage of .htaccess should be disabled completely via the 'AllowOverride None' directive within the webservers configuration. Furthermore all <Limit> statements within the webserver configuration needs to be verified for invalid HTTP methods.

Affected Software/OS
Apache HTTP Server 2.2.x versions up to 2.2.34 and 2.4.x below 2.4.28.

Vulnerability Insight
Optionsbleed is a use after free error in the Apache HTTP Server that causes a corrupted Allow header to be constructed in response to HTTP OPTIONS requests. This can leak pieces of arbitrary memory from the server process that may contain secrets. The memory pieces change after multiple requests, so for a vulnerable host an arbitrary number of memory chunks can be leaked.
The bug appears if a webmaster tries to use the 'Limit' directive with an invalid HTTP method.
Example .htaccess:
<Limit abcxyz> </Limit>

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version C.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.108252
Version used: `2025-01-21T05:37:33Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2017-9798
url: http://openwall.com/lists/oss-security/2017/09/18/2
url: https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-le
↪ak-Apaches-server-memory.html
url: http://www.securityfocus.com/bid/100872
url: https://archive.apache.org/dist/httpd/patches/apply_to_2.2.34/
url: https://www.apache.org/dist/httpd/CHANGES_2.4.28
cert-bund: WID-SEC-2023-1594
cert-bund: CB-K18/1012
cert-bund: CB-K18/0800
cert-bund: CB-K18/0606
cert-bund: CB-K18/0098
cert-bund: CB-K18/0066
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/2188
cert-bund: CB-K17/2117
cert-bund: CB-K17/2021
cert-bund: CB-K17/1980
cert-bund: CB-K17/1936
cert-bund: CB-K17/1871
cert-bund: CB-K17/1773
cert-bund: CB-K17/1768
cert-bund: CB-K17/1587
dfn-cert: DFN-CERT-2019-0359
dfn-cert: DFN-CERT-2018-2113
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-0725
dfn-cert: DFN-CERT-2018-0100
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2290
dfn-cert: DFN-CERT-2017-2211
dfn-cert: DFN-CERT-2017-2108
dfn-cert: DFN-CERT-2017-2070
dfn-cert: DFN-CERT-2017-2021
dfn-cert: DFN-CERT-2017-1954
dfn-cert: DFN-CERT-2017-1854
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1659
```

High (CVSS: 7.5)
NVT: Apache HTTP Server mod_session_crypto Vulnerability (Dec 2016) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a vulnerability in mod_session_crypto.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 2.4.25 or later.

Affected Software/OS
Apache HTTP Server version 2.4.1 through 2.4.23.

Vulnerability Insight
mod_sessioncrypto is encrypting its data/cookie using the configured ciphers with possibly either CBC or ECB modes of operation (AES256-CBC by default), hence no selectable or builtin authenticated encryption. This makes it vulnerable to padding oracle attacks, particularly with CBC. An authentication tag (SipHash MAC) is now added to prevent such attacks.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server mod_session_crypto Vulnerability (Dec 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147045
Version used: `2021-11-01T14:03:43Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2016-0736`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: CB-K19/0354`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/0955`
`cert-bund: CB-K17/0794`
`cert-bund: CB-K17/0704`
`cert-bund: CB-K17/0527`
`cert-bund: CB-K16/1995`
`dfn-cert: DFN-CERT-2017-1925`
`dfn-cert: DFN-CERT-2017-1692`
`dfn-cert: DFN-CERT-2017-0988`
`dfn-cert: DFN-CERT-2017-0814`
`dfn-cert: DFN-CERT-2017-0723`
`dfn-cert: DFN-CERT-2017-0532`
`dfn-cert: DFN-CERT-2016-2108`

High (CVSS: 7.5)
NVT: EasyPHP Webserver <= 12.1 Multiple Vulnerabilities - Active Check

Summary
EasyPHP Webserver is prone to multiple vulnerabilities.

Quality of Detection (QoD): 99%

Vulnerability Detection Result

```
Vulnerable URL: http://bwapp.trabalho_vulnnet/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p5/apache2 </td></tr>
  <h2>PHP Variables</h2>
```

Impact
Successful exploitation will allow attackers to gain administrative access, disclose the information, inject PHP code/shell and execute a remote PHP Code.

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
EasyPHP version 12.1 and prior.

Vulnerability Insight
The bug in EasyPHP WebServer Manager, its skipping authentication for certain requests. Which allows to bypass the authentication, disclose the information or execute a remote PHP code.

Vulnerability Detection Method
Sends a crafted HTTP GET request and checks the response.
Note: It is currently expected that a result of this VT is reported if the system is generally exposing a phpinfo() output on the relevant URL / endpoint (independent from the running product). Exposing such sensitive information is generally seen as a security misconfiguration and should be avoided.
Details: `EasyPHP Webserver <= 12.1 Multiple Vulnerabilities - Active Check`
OID:1.3.6.1.4.1.25623.1.0.803189
Version used: `2025-11-11T05:40:18Z`

References
`url: https://cxsecurity.com/issue/WLB-2013040069`

High (CVSS: 7.3)
NVT: PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 RCE Vulnerability (Mar 2016) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.29
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to execute arbitrary code in the context of the user running the affected application. Failed exploit attempts will likely cause a denial-of-service condition.

Solution:
Solution type: VendorFix
Update to version 5.4.45, 5.5.29, 5.6.13 or later.

Affected Software/OS
PHP prior to version 5.4.45, 5.5.x prior to 5.5.29 and 5.6.x prior to 5.6.13 on Linux.

Vulnerability Insight
The flaw is due to 'SoapClient __call' method in 'ext/soap/soap.c' script does not properly manage headers.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 RCE Vulnerability (Mar 2016) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.807505
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2015-6836
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/76644
url: https://bugs.php.net/bug.php?id=70388
cert-bund: WID-SEC-2025-1425
cert-bund: CB-K16/0944
cert-bund: CB-K16/0422
cert-bund: CB-K15/1571
cert-bund: CB-K15/1561
cert-bund: CB-K15/1478
cert-bund: CB-K15/1439
cert-bund: CB-K15/1415
cert-bund: CB-K15/1337
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1658
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1556
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1493
dfn-cert: DFN-CERT-2015-1407
```

High (CVSS: 7.2)
NVT: PHP 5.4.x < 5.4.27, 5.5.x < 5.5.12 Privilege Escalation Vulnerability

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.12
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to gain access to the socket and gain elevated privileges.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.4.28, 5.5.12 or later.

Affected Software/OS
PHP versions 5.4.x before 5.4.28 and 5.5.x before 5.5.12.

Vulnerability Insight
An error in 'sapi/fpm/fpm/fpm_unix.c' within FastCGI Process Manager allows setting insecure permissions for a unix socket.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.27, 5.5.x < 5.5.12 Privilege Escalation Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.804290
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2014-0185
url: http://seclists.org/oss-sec/2014/q2/192
url: http://www.securityfocus.com/bid/67118
url: http://www.php.net/archive/2014.php#id2014-05-01-1
url: http://www.openwall.com/lists/oss-security/2014/04/29/5
cert-bund: WID-SEC-2023-1282
cert-bund: CB-K14/1174
cert-bund: CB-K14/0776
cert-bund: CB-K14/0738
cert-bund: CB-K14/0660
cert-bund: CB-K14/0524
dfn-cert: DFN-CERT-2014-0816
dfn-cert: DFN-CERT-2014-0769
dfn-cert: DFN-CERT-2014-0685
dfn-cert: DFN-CERT-2014-0541
```

High (CVSS: 7.1)
NVT: PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12, 7.x < 7.0.4 DoS and Information Disclosure Vulnerability - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) and an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.28
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to obtain sensitive information from process memory or cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 5.4.44, 5.5.28, 5.6.12, 7.0.4 or later.

Affected Software/OS
PHP prior to version 5.4.44, 5.5.x prior to 5.5.28, 5.6.x prior to 5.6.12 and 7.x prior to 7.0.4.

Vulnerability Insight
The flaw is due an error in the 'make_http_soap_request' function of the 'ext/soap/php_http.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12, 7.x < 7.0.4 DoS and Information D.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.808666
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-3185`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
```

High (CVSS: 7.0)
NVT: PHP 5.3.7 - 7.3.31, 7.4.x < 7.4.25, 8.0.x < 8.0.12 Security Update (Oct 2021) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP released new versions which includes a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.3.32 (not released yet)
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.3.32 (not released yet), 7.4.25, 8.0.12 or later.

Affected Software/OS

PHP versions 5.3.7 through 7.3.31, 7.4.x through 7.4.24 and 8.0.x through 8.0.11.

Note: While the referenced CVE is only listing PHP 7.3.x, 7.4.x and 8.0.x as affected the security research team is stating in the linked blog post that all versions down to 5.3.7 are affected.

Vulnerability Insight

Fixed bug #81026 (PHP-FPM oob R/W in root process leading to privilege escalation).

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 5.3.7 - 7.3.31, 7.4.x < 7.4.25, 8.0.x < 8.0.12 Security Update (Oct 2021) -.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪. .
OID:1.3.6.1.4.1.25623.1.0.117752
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2021-21703
url: https://www.php.net/ChangeLog-7.php#7.3.32
url: https://www.php.net/ChangeLog-7.php#7.4.25
url: https://www.php.net/ChangeLog-8.php#8.0.12
url: http://bugs.php.net/81026
url: https://www.ambionics.io/blog/php-fpm-local-root
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-0624
cert-bund: WID-SEC-2022-0586
cert-bund: CB-K21/1106
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2337
dfn-cert: DFN-CERT-2022-1493
dfn-cert: DFN-CERT-2022-1046
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2021-2586
dfn-cert: DFN-CERT-2021-2474
dfn-cert: DFN-CERT-2021-2200

[return to 172.30.9.2]

2.1.4 High 3306/tcp

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.5.49 / 5.6 <= 5.6.30 / 5.7 <= 5.7.12 Security Update (cpu-jul2016) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Oracle MySQL Server versions 5.5.49 and prior, 5.6 through 5.6.30 and 5.7 through 5.7.12.

Vulnerability Insight
Multiple unspecified errors exist in the 'MySQL Server' component via unknown vectors.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.49 / 5.6 <= 5.6.30 / 5.7 <= 5.7.12 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808595
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2016-3477
cve: CVE-2016-3521
cve: CVE-2016-3615
cve: CVE-2016-5440
url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMSQL
url: http://www.securityfocus.com/bid/91902
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/91932
url: http://www.securityfocus.com/bid/91960
url: http://www.securityfocus.com/bid/91953
advisory-id: cpujul2016
cert-bund: CB-K16/1755
cert-bund: CB-K16/1742
cert-bund: CB-K16/1448
cert-bund: CB-K16/1146
cert-bund: CB-K16/1122
cert-bund: CB-K16/1100
dfn-cert: DFN-CERT-2016-1859
dfn-cert: DFN-CERT-2016-1849
dfn-cert: DFN-CERT-2016-1540
dfn-cert: DFN-CERT-2016-1217
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-1169
```

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.39
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.39, 8.0.30 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.38 and prior and 8.0 through 8.0.29.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Li.`
↪..
OID:1.3.6.1.4.1.25623.1.0.148510
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2022-1292`
`cve: CVE-2022-27778`
`cve: CVE-2018-25032`
`cve: CVE-2022-21515`
`url: https://www.oracle.com/security-alerts/cpujul2022.html#AppendixMSQL`
`advisory-id: cpujul2022`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2024-1186`
`cert-bund: WID-SEC-2024-0794`
`cert-bund: WID-SEC-2023-2723`
`cert-bund: WID-SEC-2023-2229`
`cert-bund: WID-SEC-2023-1969`
`cert-bund: WID-SEC-2023-1784`
`cert-bund: WID-SEC-2023-1542`
`cert-bund: WID-SEC-2023-1432`
`cert-bund: WID-SEC-2023-1424`
`cert-bund: WID-SEC-2023-1350`
`cert-bund: WID-SEC-2023-1021`
`cert-bund: WID-SEC-2023-0141`
`cert-bund: WID-SEC-2023-0132`
`cert-bund: WID-SEC-2022-1775`
`cert-bund: WID-SEC-2022-1772`
`cert-bund: WID-SEC-2022-1767`
`cert-bund: WID-SEC-2022-1461`
`cert-bund: WID-SEC-2022-1438`
`cert-bund: WID-SEC-2022-1335`
`cert-bund: WID-SEC-2022-1245`
`cert-bund: WID-SEC-2022-1228`
`cert-bund: WID-SEC-2022-1068`
`cert-bund: WID-SEC-2022-1057`
`cert-bund: WID-SEC-2022-0833`
`cert-bund: WID-SEC-2022-0826`
`cert-bund: WID-SEC-2022-0767`
`cert-bund: WID-SEC-2022-0755`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-0736
cert-bund: WID-SEC-2022-0735
cert-bund: WID-SEC-2022-0677
cert-bund: WID-SEC-2022-0554
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0277
cert-bund: WID-SEC-2022-0071
cert-bund: WID-SEC-2022-0005
cert-bund: CB-K22/0619
cert-bund: CB-K22/0570
cert-bund: CB-K22/0536
cert-bund: CB-K22/0386
dfn-cert: DFN-CERT-2024-2686
dfn-cert: DFN-CERT-2024-2451
dfn-cert: DFN-CERT-2024-0998
dfn-cert: DFN-CERT-2024-0790
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-3028
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-2600
dfn-cert: DFN-CERT-2023-2599
dfn-cert: DFN-CERT-2023-2571
dfn-cert: DFN-CERT-2023-0553
dfn-cert: DFN-CERT-2023-0430
dfn-cert: DFN-CERT-2023-0372
dfn-cert: DFN-CERT-2023-0121
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2023-0100
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-2309
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2268
dfn-cert: DFN-CERT-2022-2254
dfn-cert: DFN-CERT-2022-2150
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2066
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1905
dfn-cert: DFN-CERT-2022-1875
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1646
dfn-cert: DFN-CERT-2022-1614
dfn-cert: DFN-CERT-2022-1609
dfn-cert: DFN-CERT-2022-1520
dfn-cert: DFN-CERT-2022-1476
dfn-cert: DFN-CERT-2022-1425
dfn-cert: DFN-CERT-2022-1310
dfn-cert: DFN-CERT-2022-1304
dfn-cert: DFN-CERT-2022-1267
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1103
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-1076
dfn-cert: DFN-CERT-2022-1054
dfn-cert: DFN-CERT-2022-1049
dfn-cert: DFN-CERT-2022-0986
dfn-cert: DFN-CERT-2022-0768
dfn-cert: DFN-CERT-2022-0716
```

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.35
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.35, 8.0.26 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server version 5.7.34 and prior and 8.0 through 8.0.25.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.146354
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2021-22901`
`cve: CVE-2019-17543`
`cve: CVE-2021-2389`
`cve: CVE-2021-2390`
`cve: CVE-2021-2356`
`cve: CVE-2021-2385`
`cve: CVE-2021-2342`
`cve: CVE-2021-2372`
`cve: CVE-2021-22897`
`cve: CVE-2021-22898`
`url: https://www.oracle.com/security-alerts/cpujul2021.html#AppendixMSQL`
`advisory-id: cpujul2021`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2025-2364`
`cert-bund: WID-SEC-2025-1905`
`cert-bund: WID-SEC-2025-1550`
`cert-bund: WID-SEC-2024-2180`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2023-2229`
`cert-bund: WID-SEC-2023-1350`
`cert-bund: WID-SEC-2023-0063`
`cert-bund: WID-SEC-2022-1963`
`cert-bund: WID-SEC-2022-0873`
`cert-bund: CB-K22/0044`
`cert-bund: CB-K21/0813`
`cert-bund: CB-K21/0770`
`dfn-cert: DFN-CERT-2025-2944`
`dfn-cert: DFN-CERT-2022-1892`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2369
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-1743
dfn-cert: DFN-CERT-2021-1677
dfn-cert: DFN-CERT-2021-1593
dfn-cert: DFN-CERT-2021-1580
dfn-cert: DFN-CERT-2021-1537
dfn-cert: DFN-CERT-2021-1329
dfn-cert: DFN-CERT-2021-1174
dfn-cert: DFN-CERT-2021-1165
dfn-cert: DFN-CERT-2021-1157
dfn-cert: DFN-CERT-2021-1151
dfn-cert: DFN-CERT-2021-1148
dfn-cert: DFN-CERT-2021-1045
dfn-cert: DFN-CERT-2019-2216
```

High (CVSS: 7.7)
NVT: Oracle Mysql Security Updates (apr2018-3678067) 04 - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successful exploitation of this vulnerability will allow remote attackers to have an impact on confidentiality, integrity and availability.

Solution:
Solution type: VendorFix
Apply the latest patch from vendor. Please see the references for more information.

Affected Software/OS
Oracle MySQL version 5.5.59 and earlier, 5.6.39 and earlier, 5.7.21 and earlier on Linux

Vulnerability Insight
Multiple flaws exist due to
- Multiple errors in the 'Client programs' component of MySQL Server.
- An error in the 'Server: Locking' component of MySQL Server.
- An error in the 'Server: Optimizer' component of MySQL Server.
- Multiple errors in the 'Server: DDL' component of MySQL Server.
- Multiple errors in the 'Server: Replication' component of MySQL Server.
- An error in the 'InnoDB' component of MySQL Server.
- An error in the 'Server : Security : Privileges' component of MySQL Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle Mysql Security Updates (apr2018-3678067) 04 - Linux`
OID:1.3.6.1.4.1.25623.1.0.813149
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2018-2761`
`cve: CVE-2018-2771`
`cve: CVE-2018-2781`
`cve: CVE-2018-2773`
`cve: CVE-2018-2817`
`cve: CVE-2018-2813`
`cve: CVE-2018-2755`
`cve: CVE-2018-2819`
`cve: CVE-2018-2818`
`url: http://www.oracle.com/technetwork/security-advisory/cpuapr2018-3678067.html`
`cert-bund: WID-SEC-2023-1594`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K18/0608
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-1265
dfn-cert: DFN-CERT-2018-0913
dfn-cert: DFN-CERT-2018-0723
```

High (CVSS: 7.7)
NVT: Oracle Mysql Security Updates (apr2017-3236618) 02 - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability will allow remote attackers to have impact on availability, confidentiality and integrity.

Solution:

Solution type: VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.5.54 and earlier, 5.6.35 and earlier, 5.7.17 and earlier on Linux

Vulnerability Insight

Multiple flaws exist due to multiple unspecified errors in the 'Server: DML', 'Server: Optimizer', 'Server: Thread Pooling', 'Client mysqldump', 'Server: Security: Privileges' components of the application.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Oracle Mysql Security Updates (apr2017-3236618) 02 - Linux
OID:1.3.6.1.4.1.25623.1.0.810883
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2017-3309
cve: CVE-2017-3308
cve: CVE-2017-3329
cve: CVE-2017-3456
cve: CVE-2017-3453
cve: CVE-2017-3600
cve: CVE-2017-3462
cve: CVE-2017-3463
cve: CVE-2017-3461
cve: CVE-2017-3464
url: http://www.oracle.com/technetwork/security-advisory/cpuapr2017-3236618.html
url: http://www.securityfocus.com/bid/97742
url: http://www.securityfocus.com/bid/97725
url: http://www.securityfocus.com/bid/97763
url: http://www.securityfocus.com/bid/97831
url: http://www.securityfocus.com/bid/97776
url: http://www.securityfocus.com/bid/97765
url: http://www.securityfocus.com/bid/97851
url: http://www.securityfocus.com/bid/97849
url: http://www.securityfocus.com/bid/97812
url: http://www.securityfocus.com/bid/97818
cert-bund: CB-K18/0224
cert-bund: CB-K17/1732
cert-bund: CB-K17/1604
cert-bund: CB-K17/1563
cert-bund: CB-K17/1401
cert-bund: CB-K17/1298
cert-bund: CB-K17/1239
cert-bund: CB-K17/0927
cert-bund: CB-K17/0657
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1806
dfn-cert: DFN-CERT-2017-1675
dfn-cert: DFN-CERT-2017-1630
dfn-cert: DFN-CERT-2017-1465

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-1282
dfn-cert: DFN-CERT-2017-0959
dfn-cert: DFN-CERT-2017-0675
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.6.48 Security Update (cpujul2020) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.6.49
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.49 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.48 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.6.48 Security Update (cpujul2020) - Linux`

OID:1.3.6.1.4.1.25623.1.0.144285

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.47-`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2020-1967
cve: CVE-2020-14539
cve: CVE-2020-14559
url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixMSQL
advisory-id: cpujul2020
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-3080
cert-bund: CB-K21/1088
cert-bund: CB-K21/0070
cert-bund: CB-K20/1023
cert-bund: CB-K20/1017
cert-bund: CB-K20/0711
cert-bund: CB-K20/0708
cert-bund: CB-K20/0357
dfn-cert: DFN-CERT-2021-2192
dfn-cert: DFN-CERT-2021-0830
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0444
dfn-cert: DFN-CERT-2021-0140
dfn-cert: DFN-CERT-2020-2295
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2006
dfn-cert: DFN-CERT-2020-1827
dfn-cert: DFN-CERT-2020-1788
dfn-cert: DFN-CERT-2020-1508
dfn-cert: DFN-CERT-2020-0956
dfn-cert: DFN-CERT-2020-0930
dfn-cert: DFN-CERT-2020-0841
dfn-cert: DFN-CERT-2020-0824
dfn-cert: DFN-CERT-2020-0822
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.5.47
Fixed version:     5.7.34
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.34, 8.0.24 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.33 and prior and 8.0 through 8.0.23.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Li.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.145795
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2021-3449
cve: CVE-2021-3450
cve: CVE-2021-23840
cve: CVE-2021-23841
cve: CVE-2021-2307
cve: CVE-2021-2304
cve: CVE-2021-2180
cve: CVE-2021-2194
cve: CVE-2021-2166
cve: CVE-2021-2179
cve: CVE-2021-2226
cve: CVE-2021-2169
cve: CVE-2021-2146
cve: CVE-2021-2174
cve: CVE-2021-2171
cve: CVE-2021-2162
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-0227
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-1894
cert-bund: WID-SEC-2022-1320
cert-bund: WID-SEC-2022-1303
cert-bund: WID-SEC-2022-1294
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0671
cert-bund: WID-SEC-2022-0669
cert-bund: WID-SEC-2022-0602
cert-bund: CB-K22/0476
cert-bund: CB-K22/0061
cert-bund: CB-K21/1097
cert-bund: CB-K21/1095
cert-bund: CB-K21/1065
cert-bund: CB-K21/0785
cert-bund: CB-K21/0770
cert-bund: CB-K21/0573
cert-bund: CB-K21/0572
cert-bund: CB-K21/0565
cert-bund: CB-K21/0421
cert-bund: CB-K21/0412
cert-bund: CB-K21/0409
cert-bund: CB-K21/0389
cert-bund: CB-K21/0317
cert-bund: CB-K21/0185
dfn-cert: DFN-CERT-2024-2451
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0121
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0024
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2223
dfn-cert: DFN-CERT-2021-2216
dfn-cert: DFN-CERT-2021-2214
dfn-cert: DFN-CERT-2021-2197
dfn-cert: DFN-CERT-2021-2196
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-2126
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-1996
dfn-cert: DFN-CERT-2021-1825
dfn-cert: DFN-CERT-2021-1803
dfn-cert: DFN-CERT-2021-1740
dfn-cert: DFN-CERT-2021-1670
dfn-cert: DFN-CERT-2021-1660
dfn-cert: DFN-CERT-2021-1549
dfn-cert: DFN-CERT-2021-1547
dfn-cert: DFN-CERT-2021-1537
dfn-cert: DFN-CERT-2021-1500
dfn-cert: DFN-CERT-2021-1418
dfn-cert: DFN-CERT-2021-1330
dfn-cert: DFN-CERT-2021-1132
dfn-cert: DFN-CERT-2021-1129
dfn-cert: DFN-CERT-2021-1128
dfn-cert: DFN-CERT-2021-1098
dfn-cert: DFN-CERT-2021-1070
dfn-cert: DFN-CERT-2021-1061
dfn-cert: DFN-CERT-2021-0984
dfn-cert: DFN-CERT-2021-0884
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0829
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0818
dfn-cert: DFN-CERT-2021-0813
dfn-cert: DFN-CERT-2021-0807
dfn-cert: DFN-CERT-2021-0806
dfn-cert: DFN-CERT-2021-0740
dfn-cert: DFN-CERT-2021-0696
dfn-cert: DFN-CERT-2021-0656
dfn-cert: DFN-CERT-2021-0630
dfn-cert: DFN-CERT-2021-0629
dfn-cert: DFN-CERT-2021-0409
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0379
dfn-cert: DFN-CERT-2021-0363
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.37
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.37, 8.0.28 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Li.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.147464
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-22946
cve: CVE-2022-21367
cve: CVE-2022-21270
cve: CVE-2022-21304
cve: CVE-2022-21344
cve: CVE-2022-21303
cve: CVE-2022-21245
cve: CVE-2021-22947
url: https://www.oracle.com/security-alerts/cpujan2022.html#AppendixMSQL
advisory-id: cpujan2022
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1350
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1056
cert-bund: WID-SEC-2022-0875
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0101
cert-bund: CB-K22/0316
cert-bund: CB-K22/0077
cert-bund: CB-K22/0062
cert-bund: CB-K22/0030
cert-bund: CB-K21/0991
cert-bund: CB-K21/0969
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2086
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1143
dfn-cert: DFN-CERT-2022-0835
dfn-cert: DFN-CERT-2022-0586
dfn-cert: DFN-CERT-2022-0118
dfn-cert: DFN-CERT-2022-0112
dfn-cert: DFN-CERT-2022-0052
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-1931
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.38
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.38, 8.0.29 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.37 and prior and 8.0 through 8.0.28.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Li.`
↪..
OID:1.3.6.1.4.1.25623.1.0.113943
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2022-0778
cve: CVE-2022-21454
cve: CVE-2022-21417
cve: CVE-2022-21427
cve: CVE-2022-21451
cve: CVE-2022-21444
cve: CVE-2022-21460
url: https://www.oracle.com/security-alerts/cpuapr2022.html#AppendixMSQL
advisory-id: cpuapr2022
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-2086
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1081
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0836
cert-bund: WID-SEC-2022-0833
cert-bund: WID-SEC-2022-0826
cert-bund: WID-SEC-2022-0767
cert-bund: WID-SEC-2022-0677
cert-bund: WID-SEC-2022-0551
cert-bund: WID-SEC-2022-0530
cert-bund: WID-SEC-2022-0515
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0270
cert-bund: WID-SEC-2022-0261
cert-bund: WID-SEC-2022-0200
cert-bund: WID-SEC-2022-0190
cert-bund: WID-SEC-2022-0169
cert-bund: WID-SEC-2022-0065
cert-bund: CB-K22/0619
cert-bund: CB-K22/0470
cert-bund: CB-K22/0468
cert-bund: CB-K22/0321
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-0081
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2268
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1469
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1294
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1205
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-0955
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0902
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0873
dfn-cert: DFN-CERT-2022-0866
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0779
dfn-cert: DFN-CERT-2022-0759
dfn-cert: DFN-CERT-2022-0627
dfn-cert: DFN-CERT-2022-0625
dfn-cert: DFN-CERT-2022-0610
dfn-cert: DFN-CERT-2022-0603
```

High (CVSS: 7.5)
NVT: Oracle MySQL Denial Of Service Vulnerability (Feb 2017) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.6.21
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability will allow attackers to cause crash of applications using that MySQL client.

Solution:

Solution type: VendorFix

Upgrade to Oracle MySQL version 5.6.21 or 5.7.5 or later.

Affected Software/OS

Oracle MySQL version before 5.6.21 and 5.7.x before 5.7.5 on Linux

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Multiple errors exist as,
- In sql-common/client.c script 'mysql_prune_stmt_list' function, the for loop adds elements to pruned_list without removing it from the existing list.
- If application gets disconnected just before it tries to prepare a new statement, 'mysql_prune_stmt_list' tries to detach all previously prepared statements.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Denial Of Service Vulnerability (Feb 2017) - Linux`
OID:1.3.6.1.4.1.25623.1.0.810604
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2017-3302
url: https://bugs.mysql.com/bug.php?id=63363
url: https://bugs.mysql.com/bug.php?id=70429
url: http://www.openwall.com/lists/oss-security/2017/02/11/11
cert-bund: CB-K18/0224
cert-bund: CB-K17/1604
cert-bund: CB-K17/1298
cert-bund: CB-K17/1239
cert-bund: CB-K17/0657
cert-bund: CB-K17/0423
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1675
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-1282
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0430
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.47
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.31 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.30.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.149533
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-21912
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1033
dfn-cert: DFN-CERT-2023-1058
dfn-cert: DFN-CERT-2023-1037
dfn-cert: DFN-CERT-2023-0885
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.47
Fixed version: 5.7.42
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.33 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Lin.
↪..
OID:1.3.6.1.4.1.25623.1.0.149537
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-0215
cve: CVE-2022-43551
cve: CVE-2023-21980
cve: CVE-2022-4304
cve: CVE-2022-4450
cve: CVE-2023-0286
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2025-1365
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-2086
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0114
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1886
cert-bund: WID-SEC-2023-1812
cert-bund: WID-SEC-2023-1793
cert-bund: WID-SEC-2023-1790
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1553
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1033
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2023-0777
cert-bund: WID-SEC-2023-0304
cert-bund: WID-SEC-2022-2375
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2024-0126
dfn-cert: DFN-CERT-2024-0016
dfn-cert: DFN-CERT-2023-2192
dfn-cert: DFN-CERT-2023-1760
dfn-cert: DFN-CERT-2023-1697
dfn-cert: DFN-CERT-2023-1656
dfn-cert: DFN-CERT-2023-1643
dfn-cert: DFN-CERT-2023-1590
dfn-cert: DFN-CERT-2023-1522
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-1256
dfn-cert: DFN-CERT-2023-1162
dfn-cert: DFN-CERT-2023-1043
dfn-cert: DFN-CERT-2023-1037
dfn-cert: DFN-CERT-2023-0898
dfn-cert: DFN-CERT-2023-0885
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2023-0774
dfn-cert: DFN-CERT-2023-0685
dfn-cert: DFN-CERT-2023-0662
dfn-cert: DFN-CERT-2023-0661
dfn-cert: DFN-CERT-2023-0639
dfn-cert: DFN-CERT-2023-0618
dfn-cert: DFN-CERT-2023-0543
dfn-cert: DFN-CERT-2023-0471
dfn-cert: DFN-CERT-2023-0430
dfn-cert: DFN-CERT-2023-0329
dfn-cert: DFN-CERT-2023-0318
dfn-cert: DFN-CERT-2023-0310
dfn-cert: DFN-CERT-2023-0299
dfn-cert: DFN-CERT-2023-0288
dfn-cert: DFN-CERT-2023-0284
dfn-cert: DFN-CERT-2023-0283
dfn-cert: DFN-CERT-2022-2902
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.43, 8.0.34 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.151213
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-2650
cve: CVE-2023-0464
cve: CVE-2023-0465
cve: CVE-2023-0466
cve: CVE-2023-1255
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL
advisory-id: cpuoct2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0120
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2024-0053
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2690
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1794
cert-bund: WID-SEC-2023-1781
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1323
cert-bund: WID-SEC-2023-1130
cert-bund: WID-SEC-2023-1053
cert-bund: WID-SEC-2023-0782
cert-bund: WID-SEC-2023-0732
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1067
dfn-cert: DFN-CERT-2024-0565
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2024-0125
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-3071
dfn-cert: DFN-CERT-2023-3070
dfn-cert: DFN-CERT-2023-2749
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-2116
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2023-1903
dfn-cert: DFN-CERT-2023-1720
dfn-cert: DFN-CERT-2023-1649
dfn-cert: DFN-CERT-2023-1642
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1428
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1332
dfn-cert: DFN-CERT-2023-1246
dfn-cert: DFN-CERT-2023-1245
dfn-cert: DFN-CERT-2023-1233
dfn-cert: DFN-CERT-2023-0999
dfn-cert: DFN-CERT-2023-0960
dfn-cert: DFN-CERT-2023-0929
dfn-cert: DFN-CERT-2023-0904
dfn-cert: DFN-CERT-2023-0782
dfn-cert: DFN-CERT-2023-0700
dfn-cert: DFN-CERT-2023-0645
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     8.0.40
Installation
path / port:       3306/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 8.0.40, 8.4.3, 9.0.2 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.2 and 9.0 through 9.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuo.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.170874
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2024-5535`
`cve: CVE-2024-6119`
`cve: CVE-2024-21230`
`cve: CVE-2024-7264`
`cve: CVE-2024-21196`
`cve: CVE-2024-21194`
`cve: CVE-2024-21199`
`cve: CVE-2024-21218`
`cve: CVE-2024-21236`
`cve: CVE-2024-21239`
`cve: CVE-2024-21198`
`cve: CVE-2024-21219`
`cve: CVE-2024-21203`
`cve: CVE-2024-21197`
`cve: CVE-2024-21201`
`cve: CVE-2024-21241`
`cve: CVE-2024-21193`
`cve: CVE-2024-21213`
`cve: CVE-2024-21231`
`cve: CVE-2024-21237`
`url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL`
`advisory-id: cpuoct2024`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2025-2838`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2025-2836
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-0823
cert-bund: WID-SEC-2025-0814
cert-bund: WID-SEC-2025-0612
cert-bund: WID-SEC-2025-0225
cert-bund: WID-SEC-2025-0166
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2025-0001
cert-bund: WID-SEC-2024-3674
cert-bund: WID-SEC-2024-3412
cert-bund: WID-SEC-2024-3201
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3192
cert-bund: WID-SEC-2024-3188
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-2040
cert-bund: WID-SEC-2024-1736
cert-bund: WID-SEC-2024-1469
dfn-cert: DFN-CERT-2026-0015
dfn-cert: DFN-CERT-2025-3495
dfn-cert: DFN-CERT-2025-3494
dfn-cert: DFN-CERT-2025-3493
dfn-cert: DFN-CERT-2025-3492
dfn-cert: DFN-CERT-2025-3491
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-1659
dfn-cert: DFN-CERT-2025-1474
dfn-cert: DFN-CERT-2025-1454
dfn-cert: DFN-CERT-2025-0975
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0474
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2025-0175
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2024-3300
dfn-cert: DFN-CERT-2024-3152
dfn-cert: DFN-CERT-2024-3013
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2783
dfn-cert: DFN-CERT-2024-2734
dfn-cert: DFN-CERT-2024-2732
dfn-cert: DFN-CERT-2024-2381
dfn-cert: DFN-CERT-2024-2322
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-2285
dfn-cert: DFN-CERT-2024-2168
dfn-cert: DFN-CERT-2024-2025
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1968
dfn-cert: DFN-CERT-2024-1967
dfn-cert: DFN-CERT-2024-1681
```

High (CVSS: 7.5)
NVT: Oracle Mysql Security Updates (apr2017-3236618) 01 - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability will allow remote attackers to cause the affected application to crash, resulting in a denial-of-service condition.

Solution:

Solution type: VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.5.54 and earlier, 5.6.20 and earlier on Linux

Vulnerability Insight

The flaw exists due to some unspecified error in the 'Server: C API' component due to failure to handle exceptional conditions.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Oracle Mysql Security Updates (apr2017-3236618) 01 - Linux
OID:1.3.6.1.4.1.25623.1.0.810881
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2017-3302
url: http://www.oracle.com/technetwork/security-advisory/cpuapr2017-3236618.html
url: http://www.securityfocus.com/bid/96162
cert-bund: CB-K18/0224
cert-bund: CB-K17/1604
cert-bund: CB-K17/1298
cert-bund: CB-K17/1239
cert-bund: CB-K17/0657
cert-bund: CB-K17/0423
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1675
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-1282
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0430

High (CVSS: 7.2)
NVT: Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a vulnerability in the parser.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.47
Fixed version: 5.7.30
Installation

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.30, 8.0.20 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.29 and prior and 8.0 through 8.0.19.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.145799
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-2144
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2021-0821

High (CVSS: 7.2)
NVT: Oracle MySQL Unspecified Vulnerability-03 (Sep 2016) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.5.47
Fixed version:     5.5.52
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation will allow an remote attacker to gain elevated privileges on the affected system, also could allow buffer overflow attacks.

Solution:
Solution type: VendorFix
Upgrade to Oracle MySQL Server 5.5.52 or later.

Affected Software/OS
Oracle MySQL Server 5.5.x to 5.5.51 on Linux

Vulnerability Insight
Multiple errors exist. Please see the references for more information.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Unspecified Vulnerability-03 (Sep 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809301
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`url: http://dev.mysql.com/doc/relnotes/mysql/5.5/en/news-5-5-52.html`

High (CVSS: 7.1)
NVT: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (cpujan2019) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.47-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Server accessible data and unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server.

Solution:

Solution type: VendorFix

Updates are available. Apply the necessary patch from the referenced link.

Affected Software/OS

Oracle MySQL Server versions 5.6.42 and prior, 5.7 through 5.7.24 and 8.0 through 8.0.13.

Vulnerability Insight

The attacks range in variety and difficulty. Most of them allow an attacker with network access via multiple protocols to compromise the MySQL Server.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.112488
Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2019-2534
cve: CVE-2019-2529
cve: CVE-2019-2482
cve: CVE-2019-2455
cve: CVE-2019-2503
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2018-0734
cve: CVE-2019-2537
cve: CVE-2019-2481
cve: CVE-2019-2507
cve: CVE-2019-2531
cve: CVE-2018-5407
url: https://www.oracle.com/security-alerts/cpujan2019.html#AppendixMSQL
advisory-id: cpujan2019
cert-bund: WID-SEC-2025-2349
cert-bund: WID-SEC-2025-1212
cert-bund: WID-SEC-2023-3083
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-1696
cert-bund: WID-SEC-2022-0673
cert-bund: WID-SEC-2022-0517
cert-bund: CB-K22/0045
cert-bund: CB-K20/0324
cert-bund: CB-K20/0136
cert-bund: CB-K19/1121
cert-bund: CB-K19/0696
cert-bund: CB-K19/0622
cert-bund: CB-K19/0615
cert-bund: CB-K19/0321
cert-bund: CB-K19/0320
cert-bund: CB-K19/0319
cert-bund: CB-K19/0318
cert-bund: CB-K19/0316
cert-bund: CB-K19/0314
cert-bund: CB-K19/0050
cert-bund: CB-K19/0044
cert-bund: CB-K18/1173
cert-bund: CB-K18/1065
cert-bund: CB-K18/1039
dfn-cert: DFN-CERT-2020-0326
dfn-cert: DFN-CERT-2019-2457
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-2305
dfn-cert: DFN-CERT-2019-2300
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-1996
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1746
dfn-cert: DFN-CERT-2019-1713
dfn-cert: DFN-CERT-2019-1617
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1600
dfn-cert: DFN-CERT-2019-1588
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1562
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-1450
dfn-cert: DFN-CERT-2019-1240
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0782
dfn-cert: DFN-CERT-2019-0781
dfn-cert: DFN-CERT-2019-0778
dfn-cert: DFN-CERT-2019-0775
dfn-cert: DFN-CERT-2019-0772
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2019-0232
dfn-cert: DFN-CERT-2019-0204
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2019-0104
dfn-cert: DFN-CERT-2019-0103
dfn-cert: DFN-CERT-2019-0102
dfn-cert: DFN-CERT-2018-2541
dfn-cert: DFN-CERT-2018-2539
dfn-cert: DFN-CERT-2018-2513
dfn-cert: DFN-CERT-2018-2456
dfn-cert: DFN-CERT-2018-2444
dfn-cert: DFN-CERT-2018-2396
dfn-cert: DFN-CERT-2018-2360
dfn-cert: DFN-CERT-2018-2338
dfn-cert: DFN-CERT-2018-2214
```

High (CVSS: 7.1)
NVT: Oracle Mysql Security Updates (jan2018-3236628) 04 - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     Apply the patch
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 3306/tcp

Impact
Successful exploitation of this vulnerability will allow remote attackers to conduct a denial-of-service attack and partially modify data.

Solution:
Solution type: VendorFix
Apply the patch from the referenced advisory.

Affected Software/OS
Oracle MySQL version 5.5.58 and earlier, 5.6.38 and earlier, 5.7.19 and earlier on Linux

Vulnerability Insight
The flaw exists due to an error in 'Server:Partition' component.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle Mysql Security Updates (jan2018-3236628) 04 - Linux
OID:1.3.6.1.4.1.25623.1.0.812651
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2018-2562
url: http://www.oracle.com/technetwork/security-advisory/cpujan2018-3236628.html
cert-bund: CB-K18/0480
cert-bund: CB-K18/0392
cert-bund: CB-K18/0265
cert-bund: CB-K18/0096
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-1265
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0515
dfn-cert: DFN-CERT-2018-0424
dfn-cert: DFN-CERT-2018-0286
dfn-cert: DFN-CERT-2018-0101

High (CVSS: 7.0)
NVT: Oracle MySQL Server <= 5.5.51 / 5.6 <= 5.6.32 / 5.7 <= 5.7.14 Security Update (cpuoct2016) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	5.5.47
Fixed version:	See the referenced vendor advisory
Installation path / port:	3306/tcp

Impact
Successful exploitation of these vulnerabilities will allow remote authenticated attackers to cause denial of service conditions and gain elevated privileges.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Oracle MySQL Server versions 5.5.51 and prior, 5.6 through 5.6.32 and 5.7 through 5.7.14.

Vulnerability Insight
Multiple flaws exist due to multiple unspecified errors in the 'Server:GIS', 'Server:Federated', 'Server:Optimizer', 'Server:Types', 'Server:Error Handling' and 'Server:MyISAM' components.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.5.51 / 5.6 <= 5.6.32 / 5.7 <= 5.7.14 Security Update (.
↪..
OID:1.3.6.1.4.1.25623.1.0.809373
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2016-3492
cve: CVE-2016-5626
cve: CVE-2016-5629
cve: CVE-2016-5616
cve: CVE-2016-5617
cve: CVE-2016-8283
cve: CVE-2016-6663
cve: CVE-2016-6664
url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL
advisory-id: cpuoct2016
cert-bund: CB-K18/0224
cert-bund: CB-K17/1298
cert-bund: CB-K17/0139
cert-bund: CB-K16/1979
cert-bund: CB-K16/1846
cert-bund: CB-K16/1755
cert-bund: CB-K16/1714
cert-bund: CB-K16/1624
dfn-cert: DFN-CERT-2020-1473
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-0138
dfn-cert: DFN-CERT-2016-2089
dfn-cert: DFN-CERT-2016-1950
dfn-cert: DFN-CERT-2016-1859
dfn-cert: DFN-CERT-2016-1790
dfn-cert: DFN-CERT-2016-1714
```

[return to 172.30.9.2]

2.1.5 Medium 80/tcp

Medium (CVSS: 6.8)
NVT: PHP Multiple Vulnerabilities (Sep 2019) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.2.22
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.22, 7.3.9 or later.

Affected Software/OS
PHP versions before 7.2.22 and 7.3.x before 7.3.9.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- Buffer overflow in zendparse
- Cast to object confuses GC, causes crash
- Exif crash (bus error) due to wrong alignment and invalid cast
- Use-after-free in FPM master event handling

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Vulnerabilities (Sep 2019) - Linux`
OID:1.3.6.1.4.1.25623.1.0.108637
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
url: http://bugs.php.net/78363
url: http://bugs.php.net/78379
url: http://bugs.php.net/78333
url: http://bugs.php.net/77185
url: https://www.php.net/ChangeLog-7.php#7.3.9
url: https://www.php.net/ChangeLog-7.php#7.2.22
```

Medium (CVSS: 6.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (May 2015)

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.7
Fixed version:     2.4.10
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow a remote attacker to bypass intended access restrictions in opportunistic circumstances by leveraging multiple Require directives.

Solution:
Solution type: VendorFix
Update to version 2.4.10 or later.

Affected Software/OS
Apache HTTP Server version before 2.4.10.

Vulnerability Insight
Multiple flaws are due to:
- Vulnerability in the WinNT MPM component within the 'winnt_accept' function in server/mpm/winnt/child.c script that is triggered when the default AcceptFilter is used.
- Vulnerability in the mod_deflate module that is triggered when handling highly compressed bodies.
- A race condition in the mod_status module that is triggered as user-supplied input is not properly validated when handling the scoreboard.
- Vulnerability in the mod_cgid module that is triggered when used to host CGI scripts that do not consume standard input.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (May 2015)`
OID:1.3.6.1.4.1.25623.1.0.805638
Version used: `2024-02-20T05:05:48Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2014-3523
cve: CVE-2014-0118
cve: CVE-2014-0226
cve: CVE-2014-0231
url: http://httpd.apache.org/security/vulnerabilities_24.html
url: http://www.securityfocus.com/bid/73040
url: http://www.rapid7.com/db/vulnerabilities/apache-httpd-cve-2014-8109
cert-bund: CB-K16/1972
cert-bund: CB-K15/1517
cert-bund: CB-K15/0960
cert-bund: CB-K15/0806
cert-bund: CB-K15/0493
cert-bund: CB-K15/0079
cert-bund: CB-K15/0075
cert-bund: CB-K14/1568
cert-bund: CB-K14/1095
cert-bund: CB-K14/1050
cert-bund: CB-K14/1043
cert-bund: CB-K14/0969
cert-bund: CB-K14/0968
cert-bund: CB-K14/0924
cert-bund: CB-K14/0883
dfn-cert: DFN-CERT-2016-2081
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1008
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2014-1668
dfn-cert: DFN-CERT-2014-1145
dfn-cert: DFN-CERT-2014-1094
dfn-cert: DFN-CERT-2014-1088
dfn-cert: DFN-CERT-2014-1019
dfn-cert: DFN-CERT-2014-1017
dfn-cert: DFN-CERT-2014-0967
dfn-cert: DFN-CERT-2014-0926

Medium (CVSS: 6.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Sep 2014) - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.12
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.2.29, 2.4.12 or later.

Affected Software/OS
Apache HTTP Server version 2.2.0 through 2.2.27 and 2.4.1 through 2.4.10.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2013-5704: HTTP trailers could be used to replace HTTP headers late during request processing, potentially undoing or otherwise confusing modules that examined or modified request headers earlier. This fix adds the 'MergeTrailers' directive to restore legacy behavior.
- CVE-2014-0118: A resource consumption flaw was found in mod_deflate. If request body decompression was configured (using the 'DEFLATE' input filter), a remote attacker could cause the server to consume significant memory and/or CPU resources. The use of request body decompression is not a common configuration.
- CVE-2014-0226: A race condition was found in mod_status. An attacker able to access a public server status page on a server using a threaded MPM could send a carefully crafted request which could lead to a heap buffer overflow. Note that it is not a default or recommended configuration to have a public accessible server status page.
- CVE-2014-0231: A flaw was found in mod_cgid. If a server using mod_cgid hosted CGI scripts which did not consume standard input, a remote attacker could cause child processes to hang indefinitely, leading to denial of service.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Sep 2014) - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.147048
Version used: 2021-11-01T03:59:12Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2013-5704
cve: CVE-2014-0118
cve: CVE-2014-0226
cve: CVE-2014-0231
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K16/0112
cert-bund: CB-K15/1841
cert-bund: CB-K15/1517
cert-bund: CB-K15/1360
cert-bund: CB-K15/1078
cert-bund: CB-K15/1011
cert-bund: CB-K15/0960
cert-bund: CB-K15/0954
cert-bund: CB-K15/0806
cert-bund: CB-K15/0493
cert-bund: CB-K15/0469
cert-bund: CB-K15/0079
cert-bund: CB-K15/0075
cert-bund: CB-K14/1626
cert-bund: CB-K14/1592
cert-bund: CB-K14/1568
cert-bund: CB-K14/1545
cert-bund: CB-K14/1095
cert-bund: CB-K14/1050
cert-bund: CB-K14/1043
cert-bund: CB-K14/0969
cert-bund: CB-K14/0968
cert-bund: CB-K14/0924
cert-bund: CB-K14/0883
dfn-cert: DFN-CERT-2016-0125
dfn-cert: DFN-CERT-2015-1950
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1137
dfn-cert: DFN-CERT-2015-1069
dfn-cert: DFN-CERT-2015-1008

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-1002
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0495
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2014-1727
dfn-cert: DFN-CERT-2014-1691
dfn-cert: DFN-CERT-2014-1668
dfn-cert: DFN-CERT-2014-1633
dfn-cert: DFN-CERT-2014-1145
dfn-cert: DFN-CERT-2014-1094
dfn-cert: DFN-CERT-2014-1088
dfn-cert: DFN-CERT-2014-1019
dfn-cert: DFN-CERT-2014-1017
dfn-cert: DFN-CERT-2014-0967
dfn-cert: DFN-CERT-2014-0926
```

Medium (CVSS: 6.8)
NVT: PHP < 5.5.30, 5.6.x < 5.6.14 Multiple DoS Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.30
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (NULL pointer dereference and application crash).

Solution:

Solution type: VendorFix

Update to version 5.5.30, 5.6.14 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

PHP prior to version 5.5.30 and 5.6.x prior to 5.6.14.

Vulnerability Insight
The following flaws exist:
- CVE-2015-7804: Off-by-one error in the 'phar_parse_zipfile' function within ext/phar/zip.c script.
- CVE-2015-7803: An error in the 'phar_get_entry_data' function in ext/phar/util.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.30, 5.6.x < 5.6.14 Multiple DoS Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.806649
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-7803`
`cve: CVE-2015-7804`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/76959`
`url: https://bugs.php.net/bug.php?id=70433`
`url: http://www.openwall.com/lists/oss-security/2015/10/05/8`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0623`
`cert-bund: CB-K16/0422`
`cert-bund: CB-K16/0161`
`cert-bund: CB-K16/0136`
`cert-bund: CB-K15/1792`
`cert-bund: CB-K15/1453`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0972`
`dfn-cert: DFN-CERT-2016-0676`
`dfn-cert: DFN-CERT-2016-0460`
`dfn-cert: DFN-CERT-2016-0176`
`dfn-cert: DFN-CERT-2016-0154`
`dfn-cert: DFN-CERT-2015-1898`
`dfn-cert: DFN-CERT-2015-1530`

Medium (CVSS: 6.8)
NVT: PHP 5.4.x < 5.4.32, 5.5.x < 5.5.15 Multiple Vulnerabilities (Aug 2014)

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.16
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to overwrite arbitrary files, conduct denial of service attacks or potentially execute arbitrary code.

Solution:
Solution type: VendorFix
Update to version 5.4.32, 5.5.16 or later.

Affected Software/OS
PHP version 5.4.x prior to 5.4.32 and 5.5.x prior to 5.5.16.

Vulnerability Insight
The following flaws exist:
- CVE-2014-3597: Multiple overflow conditions in the 'php_parserr' function within ext/standard/dns.c script.
- CVE-2014-3587: Integer overflow in the 'cdf_read_property_info' function in cdf.c within the Fileinfo component.
- CVE-2014-5120: An error in the '_php_image_output_ctx' function within ext/gd/gd_ctx.c script as NULL bytes in paths to various image handling functions are not stripped.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.4.x < 5.4.32, 5.5.x < 5.5.15 Multiple Vulnerabilities (Aug 2014)`
OID:1.3.6.1.4.1.25623.1.0.804820
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

cve: CVE-2014-3587
cve: CVE-2014-3597
cve: CVE-2014-5120
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/69322
url: http://www.securityfocus.com/bid/69325
url: http://www.securityfocus.com/bid/69375
url: http://secunia.com/advisories/59709
url: http://secunia.com/advisories/57349
cert-bund: CB-K16/1499
cert-bund: CB-K16/1440
cert-bund: CB-K16/1345
cert-bund: CB-K16/1315
cert-bund: CB-K16/0944
cert-bund: CB-K16/0692
cert-bund: CB-K15/1704
cert-bund: CB-K15/0774
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/1215
cert-bund: CB-K14/1214
cert-bund: CB-K14/1167
cert-bund: CB-K14/1130
cert-bund: CB-K14/1117
cert-bund: CB-K14/1054
cert-bund: CB-K14/1051
cert-bund: CB-K14/1045
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1526
dfn-cert: DFN-CERT-2016-1431
dfn-cert: DFN-CERT-2016-1401
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0752
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2015-0815
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1280
dfn-cert: DFN-CERT-2014-1279
dfn-cert: DFN-CERT-2014-1219
dfn-cert: DFN-CERT-2014-1181
dfn-cert: DFN-CERT-2014-1176
dfn-cert: DFN-CERT-2014-1103

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2014-1098
dfn-cert: DFN-CERT-2014-1095
dfn-cert: DFN-CERT-2014-1092
```

Medium (CVSS: 6.8)
NVT: PHP Heap Use-After-Free Vulnerability (Sep 2019) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a heap-based use-after-free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.1.32
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.1.32 or later.

Affected Software/OS
PHP versions before 7.1.32.

Vulnerability Insight
PHP is prone to a heap use-after-free in pcrelib (cmb).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Heap Use-After-Free Vulnerability (Sep 2019) - Linux`
OID:1.3.6.1.4.1.25623.1.0.108635
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References
`url: http://bugs.php.net/75457`
`url: https://www.php.net/ChangeLog-7.php#7.1.32`

Medium (CVSS: 6.8)
NVT: PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Improper Input Validation Vulnerability (Jun 2015) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an improper input validation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.5.24
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service or possibly execute arbitrary code via pipelined HTTP requests.

Solution:
Solution type: VendorFix
Update to version 5.4.40, 5.5.24, 5.6.8 or later.

Affected Software/OS
PHP prior to version 5.4.40, 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.

Vulnerability Insight
The flaw is due to vulnerability in 'php_handler' function in sapi/apache2handler/sapi_apache2.c script in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Improper Input Validation Vulnerabi.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.805658
Version used: `2025-09-24T05:39:03Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-3330
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/74204
url: https://bugs.php.net/bug.php?id=69085
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: CB-K15/1437
cert-bund: CB-K15/1188
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
cert-bund: CB-K15/0665
cert-bund: CB-K15/0648
cert-bund: CB-K15/0561
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0677
dfn-cert: DFN-CERT-2015-0583

Medium (CVSS: 6.5)
NVT: PHP < 7.2.34, 7.3 < 7.3.23, 7.4 < 7.4.11 Multiple Vulnerabilities (Oct 2020) - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 7.2.34
Installation
path / port: 80/tcp

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 7.2.34, 7.3.23, 7.4.11 or later.

Affected Software/OS
PHP versions prior 7.2.34, 7.3 prior 7.3.23 and 7.4 prior to 7.4.11.

Vulnerability Insight
The following vulnerabilities exist:
- Wrong ciphertext/tag in AES-CCM encryption for a 12 bytes IV (CVE-2020-7069)
- PHP parses encoded cookie names so malicious '__Host-' cookies can be sent (CVE-2020-7070)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.34, 7.3 < 7.3.23, 7.4 < 7.4.11 Multiple Vulnerabilities (Oct 2020) - .`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.144694
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7069
cve: CVE-2020-7070
url: https://www.php.net/ChangeLog-7.php#7.2.34
url: https://www.php.net/ChangeLog-7.php#7.3.23
url: https://www.php.net/ChangeLog-7.php#7.4.11
cert-bund: WID-SEC-2022-2115
cert-bund: CB-K20/0949
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2021-0002
dfn-cert: DFN-CERT-2020-2187
dfn-cert: DFN-CERT-2020-2111
```

Medium (CVSS: 6.5)
NVT: PHP < 7.3.31, 7.4.x < 7.4.24, 8.0.x < 8.0.11 Security Update (Sep 2021) - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP released new versions which includes a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.3.31
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.31, 7.4.24, 8.0.11 or later.

Affected Software/OS
PHP versions prior to 7.3.31, 7.4.x through 7.4.23 and 8.0.x through 8.0.10.

Vulnerability Insight
Fixed bug #81420 (ZipArchive::extractTo extracts outside of destination).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 7.3.31, 7.4.x < 7.4.24, 8.0.x < 8.0.11 Security Update (Sep 2021) - Linux
OID:1.3.6.1.4.1.25623.1.0.117694
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2021-21706
url: https://www.php.net/ChangeLog-7.php#7.3.31
url: https://www.php.net/ChangeLog-7.php#7.4.24
url: https://www.php.net/ChangeLog-8.php#8.0.11
url: http://bugs.php.net/81420

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-2112
cert-bund: CB-K21/1008
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2021-2474
dfn-cert: DFN-CERT-2021-1994
```

Medium (CVSS: 6.5)
NVT: PHP < 7.4.31, 8.0.x < 8.0.24, 8.1.x < 8.1.11 Security Update - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.4.31
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.4.31, 8.0.24, 8.1.11 or later.

Affected Software/OS

PHP versions prior to 7.4.31, 8.0.x prior to 8.0.24 and 8.1.x prior to 8.1.11.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2022-31628: The phar uncompressor code would recursively uncompress 'quines' gzip files, resulting in an infinite loop.

- CVE-2022-31629: The vulnerability enables network and same-site attackers to set a standard insecure cookie in the victim's browser which is treated as a '__Host-' or '__Secure-' cookie by PHP applications.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 7.4.31, 8.0.x < 8.0.24, 8.1.x < 8.1.11 Security Update - Linux`

OID:1.3.6.1.4.1.25623.1.0.104331

Version used: `2025-09-24T05:39:03Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2022-31628
cve: CVE-2022-31629
url: https://www.php.net/ChangeLog-7.php#7.4.31
url: https://www.php.net/ChangeLog-8.php#8.0.24
url: https://www.php.net/ChangeLog-8.php#8.1.11
url: https://bugs.php.net/bug.php?id=81726
url: https://bugs.php.net/bug.php?id=81727
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0137
cert-bund: WID-SEC-2022-1567
dfn-cert: DFN-CERT-2024-1192
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2023-0422
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2523
dfn-cert: DFN-CERT-2022-2337
dfn-cert: DFN-CERT-2022-2157

Medium (CVSS: 6.5)
NVT: PHP < 7.2.26 Multiple Vulnerabilities (Dec 2019) - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 7.2.26

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.26 or later.

Affected Software/OS
PHP versions before 7.2.26.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- Buffer underflow in bc_shift_addsub (CVE-2019-11046)
- DirectoryIterator class silently truncates after a null byte (CVE-2019-11045)
- Use-after-free in exif parsing under memory sanitizer (CVE-2019-11050)
- Heap-buffer-overflow READ in exif (CVE-2019-11047)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.26 Multiple Vulnerabilities (Dec 2019) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143276
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2019-11045
cve: CVE-2019-11046
cve: CVE-2019-11047
cve: CVE-2019-11050
url: https://www.php.net/ChangeLog-7.php#7.2.26
cert-bund: WID-SEC-2022-2122
cert-bund: CB-K20/1199
cert-bund: CB-K19/1099
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-0415
dfn-cert: DFN-CERT-2020-0382
dfn-cert: DFN-CERT-2020-0339
dfn-cert: DFN-CERT-2019-2709
dfn-cert: DFN-CERT-2019-2659
```

Medium (CVSS: 6.5)
NVT: PHP 5.x < 7.1.20, 7.2.x < 7.2.8, 7.3.0alpha1 < 7.3.0alpha3 DoS Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.1.20
Installation
path / port:       80/tcp
```

Impact
Successfully exploitation will allow an attacker to consume 100% of the CPU, and consume disk space with a large volume of error logs, as demonstrated by an attack by a customer of a shared-hosting facility.

Solution:
Solution type: VendorFix
Update to version 7.1.20, 7.2.8, 7.3.0alpha3 or later.

Affected Software/OS
PHP versions 5.x, 7.0.x, 7.1.x prior to 7.1.20, 7.2.x prior to 7.2.8 and 7.3.x prior to 7.3.0alpha3 on Linux.

Vulnerability Insight
The flaw exists due to the php-fpm master process restarts a child process in an endless loop when using program execution functions with a non-blocking STDIN stream.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 7.1.20, 7.2.x < 7.2.8, 7.3.0alpha1 < 7.3.0alpha3 DoS Vulnerability - .`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.812520
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-9253
url: https://bugs.php.net/bug.php?id=73342
url: https://bugs.php.net/bug.php?id=70185
url: https://github.com/php/php-src/pull/3287
url: https://www.futureweb.at/security/CVE-2015-9253
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2022-0455
dfn-cert: DFN-CERT-2022-0431
dfn-cert: DFN-CERT-2020-0337
dfn-cert: DFN-CERT-2018-1882
```

Medium (CVSS: 6.1)
NVT: Apache HTTP Server 2.4.0 - 2.4.40 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.41
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.41 or later.

Affected Software/OS

Apache HTTP Server version 2.4.0 to 2.4.40.

Vulnerability Insight

Apache HTTP server is prone to multiple vulnerabilities:

. . . continues on next page . . .

. . . continued from previous page . . .

- A limited cross-site scripting issue affecting the mod_proxy error page. An attacker could cause the link on the error page to be malformed and instead point to a page of their choice. This would be exploitable where a server was set up with proxying enabled but was misconfigured in such a way that the Proxy Error page was displayed. (CVE-2019-10092)
- Redirects configured with mod_rewrite that were intended to be self referential might be fooled by encoded newlines and redirect instead to an unexpected URL within the request URL. (CVE-2019-10098)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.40 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114143
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2019-10092`
`cve: CVE-2019-10098`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: CB-K20/1030`
`cert-bund: CB-K20/0708`
`cert-bund: CB-K20/0043`
`cert-bund: CB-K19/0909`
`cert-bund: CB-K19/0728`
`dfn-cert: DFN-CERT-2021-1333`
`dfn-cert: DFN-CERT-2021-0540`
`dfn-cert: DFN-CERT-2020-2422`
`dfn-cert: DFN-CERT-2020-2133`
`dfn-cert: DFN-CERT-2020-1124`
`dfn-cert: DFN-CERT-2020-0716`
`dfn-cert: DFN-CERT-2020-0090`
`dfn-cert: DFN-CERT-2019-2592`
`dfn-cert: DFN-CERT-2019-2169`
`dfn-cert: DFN-CERT-2019-1961`
`dfn-cert: DFN-CERT-2019-1810`
`dfn-cert: DFN-CERT-2019-1797`
`dfn-cert: DFN-CERT-2019-1751`

Medium (CVSS: 6.1)
NVT: Apache HTTP Server 2.4.0 < 2.4.42 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.42
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.42 or later.

Affected Software/OS
Apache HTTP Server version 2.4.0 to 2.4.41.

Vulnerability Insight
Apache HTTP Server is prone to multiple vulnerabilities:
- mod_rewrite CWE-601 open redirect (CVE-2020-1927)
- mod_proxy_ftp use of uninitialized value (CVE-2020-1934)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 < 2.4.42 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.143671
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2020-1927`
`cve: CVE-2020-1934`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-0757
cert-bund: CB-K20/1030
cert-bund: CB-K20/0708
cert-bund: CB-K20/0691
cert-bund: CB-K20/0280
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-1467
dfn-cert: DFN-CERT-2020-2422
dfn-cert: DFN-CERT-2020-2133
dfn-cert: DFN-CERT-2020-1854
dfn-cert: DFN-CERT-2020-1793
dfn-cert: DFN-CERT-2020-1538
dfn-cert: DFN-CERT-2020-1335
dfn-cert: DFN-CERT-2020-1289
dfn-cert: DFN-CERT-2020-1124
dfn-cert: DFN-CERT-2020-0850
dfn-cert: DFN-CERT-2020-0835
dfn-cert: DFN-CERT-2020-0688
```

Medium (CVSS: 6.1)
NVT: Apache HTTP Server CRLF Injection Vulnerability (Dec 2016) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a CRLF injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.2.32, 2.4.25 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server version 2.2.0 through 2.2.31 and 2.4.1 through 2.4.23.

Vulnerability Insight
Possible CRLF injection allowing HTTP response splitting attacks for sites which use mod_userdir. This issue was mitigated to prohibit CR or LF injection into the 'Location' or other outbound header key or value.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server CRLF Injection Vulnerability (Dec 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147044
Version used: `2021-11-01T14:03:43Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2016-4975
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K19/0354
dfn-cert: DFN-CERT-2019-0358
dfn-cert: DFN-CERT-2018-1764
```

Medium (CVSS: 6.1)
NVT: PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 XSS Vulnerability (Aug 2016) - Linux

Product detection result
```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.5.22
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        80/tcp
```

Impact
Successfully exploiting this issue allows remote attackers to conduct cross-site scripting (XSS) attacks against Internet Explorer by leveraging '%0A%20' or '%0D%0A%20' mishandling in the header function.

Solution:
Solution type: VendorFix
Update to version 5.4.38, 5.5.22, 5.6.6 or later.

Affected Software/OS
PHP prior to version 5.4.38, 5.5.x prior to 5.5.22 and 5.6.x prior to 5.6.6 on Linux.

Vulnerability Insight
The flaw is due to the 'sapi_header_op' function in 'main/SAPI.c' script supports deprecated line folding without considering browser compatibility.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 XSS Vulnerability (Aug 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809137
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2015-8935
url: https://bugs.php.net/bug.php?id=68978
url: http://www.securityfocus.com/bid/92356
cert-bund: CB-K16/1614
cert-bund: CB-K16/1257
cert-bund: CB-K16/1230
cert-bund: CB-K16/1179
cert-bund: CB-K16/1106
cert-bund: CB-K16/1030
dfn-cert: DFN-CERT-2016-1719
dfn-cert: DFN-CERT-2016-1335
dfn-cert: DFN-CERT-2016-1295
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1178
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2016-1097

Medium (CVSS: 6.1)
NVT: PHP < 5.6.33, 7.x < 7.0.27, 7.1.x < 7.1.13, 7.2.x < 7.2.1 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 5.6.33
Installation
path / port: 80/tcp

Impact
Successfully exploiting these issues allows attacker to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site. This may allow the attacker to steal cookie-based authentication credentials and to launch other attacks and will also lead to a denial of service and exhausting the server resources.

Solution:
Solution type: VendorFix
Update to version 5.6.33, 7.0.27, 7.1.13, 7.2.1 or later.

Affected Software/OS
PHP prior to version 5.6.33, 7.0.x prior to 7.0.27, 7.1.x prior to 7.1.13 and 7.2.x prior to 7.2.1.

Vulnerability Insight
The following flaws exist:
- CVE-2018-5712: Input validation error on the PHAR 404 error page via the URI of a request for a .phar file.
- CVE-2018-5711: Integer signedness error in gd_gif_in.c in the GD Graphics Library (aka libgd).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.6.33, 7.x < 7.0.27, 7.1.x < 7.1.13, 7.2.x < 7.2.1 Multiple Vulnerabilit.
↪..

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.812735
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2018-5711
cve: CVE-2018-5712
url: http://php.net/ChangeLog-5.php
url: http://php.net/ChangeLog-7.php
url: https://bugs.php.net/bug.php?id=74782
url: https://bugs.php.net/bug.php?id=75571
cert-bund: WID-SEC-2024-0991
cert-bund: WID-SEC-2024-0990
cert-bund: CB-K20/0307
cert-bund: CB-K18/0498
cert-bund: CB-K18/0270
cert-bund: CB-K18/0188
cert-bund: CB-K18/0174
dfn-cert: DFN-CERT-2020-0774
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2019-0362
dfn-cert: DFN-CERT-2019-0212
dfn-cert: DFN-CERT-2019-0204
dfn-cert: DFN-CERT-2018-1739
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2018-0537
dfn-cert: DFN-CERT-2018-0290
dfn-cert: DFN-CERT-2018-0205
dfn-cert: DFN-CERT-2018-0191

Medium (CVSS: 5.9)
NVT: PHP < 5.5.28, 5.6.x < 5.6.12 DoS Vulnerability (Jul 2016) - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.28
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service (race condition and heap memory corruption) by leveraging an application that performs many temporary-file accesses.

Solution:
Solution type: VendorFix
Update to version 5.5.28, 5.6.12 or later.

Affected Software/OS
PHP prior to version 5.5.28 and 5.6.x prior to 5.6.12 on Linux.

Vulnerability Insight
The flaw is due to script 'main/php_open_temporary_file.c' does not ensure thread safety.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.28, 5.6.x < 5.6.12 DoS Vulnerability (Jul 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808613
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-8878`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/90837`

Medium (CVSS: 5.9)
NVT: PHP < 7.3.29 Multiple Vulnerabilities (Jul 2021) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     7.3.29
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.29 or later.

Affected Software/OS
PHP versions prior to 7.3.29.

Vulnerability Insight
The following flaws exist:
- CVE-2021-21705: SSRF bypass in FILTER_VALIDATE_URL.
- CVE-2021-21704: Stack buffer overflow in firebird_info_cb.
- CVE-2021-21704: SIGSEGV in firebird_handle_doer.
- CVE-2021-21704: SIGSEGV in firebird_stmt_execute.
- CVE-2021-21704: Crash while parsing blob data in firebird_fetch_blob.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.29 Multiple Vulnerabilities (Jul 2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.117524
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-21704
cve: CVE-2021-21705
url: https://www.php.net/ChangeLog-7.php#7.3.29
url: http://bugs.php.net/81122
url: http://bugs.php.net/76448
url: http://bugs.php.net/76449
url: http://bugs.php.net/76450
url: http://bugs.php.net/76452
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-1577
cert-bund: WID-SEC-2022-0624
cert-bund: CB-K21/0705
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-1046
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-1676
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1627
dfn-cert: DFN-CERT-2021-1509
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-1419
```

Medium (CVSS: 5.8)
NVT: PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Security Update (GHSA-h746-cjrr-wfmr) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a vulnerability in password_verify.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.1.28
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 8.1.28, 8.2.18, 8.3.6 or later.

Affected Software/OS
PHP prior to version 8.1.28, version 8.2.x through 8.2.17 and 8.3.x through 8.3.5.

Vulnerability Insight
If a password stored with password_hash starts with a null byte (\x00), testing a blank string as the password via password_verify will incorrectly return true.
If a user were able to create a password with a leading null byte (unlikely, but syntactically valid), an attacker could trivially compromise the victim's account by attempting to sign in with a blank string.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Security Update (GHSA-h746-cjrr-wfm.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.152118
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2024-3096
url: https://github.com/php/php-src/security/advisories/GHSA-h746-cjrr-wfmr
url: https://www.php.net/ChangeLog-8.php#8.1.28
url: https://www.php.net/ChangeLog-8.php#8.2.18
url: https://www.php.net/ChangeLog-8.php#8.3.6
cert-bund: WID-SEC-2024-0867
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-3329
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1192
dfn-cert: DFN-CERT-2024-1132
dfn-cert: DFN-CERT-2024-1115
dfn-cert: DFN-CERT-2024-0993
dfn-cert: DFN-CERT-2024-0962
```

Medium (CVSS: 5.8)
NVT: Apache HTTP Server 2.4.7 - 2.4.65 Authentication Bypass Vulnerability - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to an authentication bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

Affected Software/OS
Apache HTTP Server version 2.4.7 through 2.4.65.

Vulnerability Insight
mod_userdir+suexec bypass via AllowOverride FileInfo vulnerability in Apache HTTP Server. Users with access to use the RequestHeader directive in htaccess can cause some CGI scripts to run under an unexpected userid.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server 2.4.7 - 2.4.65 Authentication Bypass Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.125567
Version used: 2025-12-05T05:44:55Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2025-66200
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/8
cert-bund: WID-SEC-2025-2750

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

Medium (CVSS: 5.5)
NVT: PHP < 8.0.22, 8.1.x < 8.1.9 Security Update - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     8.0.22/8.1.9/8.2.0
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.22, 8.1.9, 8.2.0 or later.

Affected Software/OS
PHP versions prior to 8.0.22 and 8.1.x prior to 8.1.9.

Vulnerability Insight
Fixed potential overflow for the builtin server via the PHP_CLI_SERVER_WORKERS environment variable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.22, 8.1.x < 8.1.9 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.104644
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2022-4900
url: https://www.php.net/ChangeLog-8.php#8.2.0
url: https://www.php.net/ChangeLog-8.php#8.1.9
url: https://www.php.net/ChangeLog-8.php#8.0.22
url: https://github.com/php/php-src/issues/8989
url: https://github.com/php/php-src/pull/9000
url: https://github.com/php/php-src/commit/789a37f14405e2d1a05a76c9fb4ed2d49d458
↪0d5
url: https://bugzilla.redhat.com/show_bug.cgi?id=2179880
cert-bund: WID-SEC-2023-0695
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1132
dfn-cert: DFN-CERT-2023-0681
```

Medium (CVSS: 5.4)
NVT: PHP < 7.2.29 Multiple Vulnerabilities (Mar 2020) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.2.29
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.2.29 or later.

Affected Software/OS

PHP versions before 7.2.29.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

PHP is prone to multiple vulnerabilities:
- Use-of-uninitialized-value in exif (CVE-2020-7064)
- get_headers() silently truncates after a null byte (CVE-2020-7066)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.29 Multiple Vulnerabilities (Mar 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143615
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7064
cve: CVE-2020-7066
url: https://www.php.net/ChangeLog-7.php#7.2.29
cert-bund: WID-SEC-2022-2118
cert-bund: CB-K21/0068
cert-bund: CB-K20/1199
cert-bund: CB-K20/0239
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-1202
dfn-cert: DFN-CERT-2020-0965
dfn-cert: DFN-CERT-2020-0851
dfn-cert: DFN-CERT-2020-0787
dfn-cert: DFN-CERT-2020-0554
```

Medium (CVSS: 5.3)
NVT: Apache HTTP Server 2.4.1 < 2.4.24 IP Spoofing Vulnerability - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to an IP address spoofing vulnerability when proxying using mod_remoteip and mod_rewrite.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.24
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.24 or later.

Affected Software/OS
Apache HTTP Server version 2.4.1 to 2.4.23.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.1 < 2.4.24 IP Spoofing Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.144376
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2020-11985
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-3319
cert-bund: CB-K20/0798
dfn-cert: DFN-CERT-2020-1905
dfn-cert: DFN-CERT-2020-1854
```

Medium (CVSS: 5.3)
NVT: PHP < 7.2.31, 7.3 < 7.3.18, 7.4 < 7.4.6 Multiple DoS Vulnerabilities (May 2020) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

PHP is prone to two Denial-of-Service vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.2.31
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.31, 7.3.18, 7.4.6 or later.

Affected Software/OS
PHP versions prior 7.2.31, 7.3 prior 7.3.18 and 7.4 prior to 7.4.6.

Vulnerability Insight
The following flaws exist:
- Long filenames cause OOM and temp files to not be cleaned
- Long variables in multipart/form-data cause OOM and temp files are not cleaned
leading to a Denial-of-Service condition (CVE-2019-11048).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.31, 7.3 < 7.3.18, 7.4 < 7.4.6 Multiple DoS Vulnerabilities (May 2020).`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.143913
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2019-11048
url: https://www.php.net/ChangeLog-7.php#7.2.31
url: https://www.php.net/ChangeLog-7.php#7.3.18
url: https://www.php.net/ChangeLog-7.php#7.4.6
url: https://bugs.php.net/bug.php?id=78875
url: https://bugs.php.net/bug.php?id=78876
cert-bund: WID-SEC-2022-2117
cert-bund: CB-K20/1199
cert-bund: CB-K20/0467
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-2006
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-1376
dfn-cert: DFN-CERT-2020-1202
dfn-cert: DFN-CERT-2020-1019
```

Medium (CVSS: 5.3)
NVT: phpinfo() Output Reporting (HTTP)

Summary
Reporting of files containing the output of the phpinfo() PHP function previously detected via HTTP.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following files are calling the function phpinfo() which disclose potentiall
↪y sensitive information:
http://bwapp.trabalho_vulnnet/admin/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p5/apache2 </td></tr>
  <h2>PHP Variables</h2>
http://bwapp.trabalho_vulnnet/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p5/apache2 </td></tr>
  <h2>PHP Variables</h2>
```

Impact
Some of the information that can be gathered from this file includes:
The username of the user running the PHP process, if it is a sudo user, the IP address of the host, the web server version, the system version (Unix, Linux, Windows, ...), and the root directory of the web server.

Solution:
Solution type: Workaround
Delete the listed files or restrict access to them.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
All systems exposing a file containing the output of the phpinfo() PHP function.
This VT is also reporting if an affected endpoint for the following products have been identified:
- CVE-2008-0149: TUTOS
- CVE-2023-49282, CVE-2023-49283: Microsoft Graph PHP SDK
- CVE-2024-10486: Google for WooCommerce plugin for WordPress

Vulnerability Insight
Many PHP installation tutorials instruct the user to create a file called phpinfo.php or similar containing the phpinfo() statement. Such a file is often left back in the webserver directory.

Vulnerability Detection Method
This script reports files identified by the following separate VT: 'phpinfo() Output Detection (HTTP)' (OID: 1.3.6.1.4.1.25623.1.0.108474).
Details: `phpinfo() Output Reporting (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.11229
Version used: `2025-07-09T05:43:50Z`

References
```
cve: CVE-2008-0149
cve: CVE-2023-49282
cve: CVE-2023-49283
cve: CVE-2024-10486
url: https://www.php.net/manual/en/function.phpinfo.php
url: https://beaglesecurity.com/blog/vulnerability/revealing-phpinfo.html
```

Medium (CVSS: 5.3)
NVT: PHP < 7.3.33, 7.4.x < 7.4.26, 8.0.x < 8.0.13 Security Update (Nov 2021) - Linux

Product detection result
```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP released new versions which include a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     7.3.33
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 7.3.33, 7.4.26, 8.0.13 or later.

Affected Software/OS
PHP prior to version 7.3.33 and version 7.4.x through 7.4.25 and 8.0.x through 8.0.12.

Vulnerability Insight
Fixed bug #79971 (special character is breaking the path in xml function).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.33, 7.4.x < 7.4.26, 8.0.x < 8.0.13 Security Update (Nov 2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147187
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2021-21707
url: https://www.php.net/ChangeLog-7.php#7.3.33
url: https://www.php.net/ChangeLog-7.php#7.4.26
url: https://www.php.net/ChangeLog-8.php#8.0.13
url: http://bugs.php.net/79971
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-0587
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K21/1213
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2499
dfn-cert: DFN-CERT-2022-1516
dfn-cert: DFN-CERT-2022-1493
dfn-cert: DFN-CERT-2022-0557
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2022-0455
dfn-cert: DFN-CERT-2022-0431
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0407
dfn-cert: DFN-CERT-2022-0110
dfn-cert: DFN-CERT-2021-2474
dfn-cert: DFN-CERT-2021-2436
```

Medium (CVSS: 5.3)
NVT: Apache HTTP Server < 2.4.39 URL Normalization Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

When the path component of a request URL contains multiple consecutive slashes ('/'), directives such as LocationMatch and RewriteRule must account for duplicates in regular expressions while other aspects of the servers processing will implicitly collapse them.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.39
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.39 or later.

Affected Software/OS

Apache HTTP Server version 2.4.38 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.39 URL Normalization Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.142228

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.7`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2019-0220
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2023-2047
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-0757
cert-bund: CB-K20/0708
cert-bund: CB-K19/0623
cert-bund: CB-K19/0267
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2020-0184
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-1519
dfn-cert: DFN-CERT-2019-0815
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0680
dfn-cert: DFN-CERT-2019-0676
```

Medium (CVSS: 5.3)
NVT: PHP < 7.3.26, 7.4.x < 7.4.14, 8.0.x < 8.0.1 Filter Vulnerability (Jan 2021) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a vulnerability where FILTER_VALIDATE_URL accepts URLs with invalid userinfo.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.3.26
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.3.26, 7.4.14, 8.0.1 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP versions prior to 7.3.26, 7.4.x prior to 7.4.14 and 8.0.x prior to 8.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.26, 7.4.x < 7.4.14, 8.0.x < 8.0.1 Filter Vulnerability (Jan 2021) - L.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145114
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7071
url: https://www.php.net/ChangeLog-7.php#7.3.26
url: https://www.php.net/ChangeLog-7.php#7.4.14
url: https://www.php.net/ChangeLog-8.php#8.0.1
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-2114
cert-bund: CB-K21/0009
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1586
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1509
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2021-0013
```

Medium (CVSS: 5.3)
NVT: Apache HTTP Server 2.4.6 - 2.4.46 Tunneling Misconfiguration Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server is prone to a tunneling misconfiguration vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.48
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.48 or later.

Affected Software/OS
Apache HTTP Server versions 2.4.6 to 2.4.46 on Linux.

Vulnerability Insight
mod_proxy_wstunnel configured on an URL that is not necessarily upgraded by the origin server was tunneling the whole connection regardless, thus allowing for subsequent requests on the same connection to pass through with no HTTP validation, authentication or authorization possibly configured.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.6 - 2.4.46 Tunneling Misconfiguration Vulnerability - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.112898
Version used: `2021-08-24T09:01:06Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2019-17567
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-0438
cert-bund: CB-K21/0646
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-1273
```

Medium (CVSS: 5.1)
NVT: PHP 5.3.x < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14, 5.6.0alpha1 < 5.6.0 Heap Based Buffer Overflow Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a heap-based buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.14
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allows remote attackers to cause a denial of service (crash) and possibly execute arbitrary code on the affected system.

Solution:
Solution type: VendorFix
Update to version 5.3.29, 5.4.30, 5.5.14, 5.6.0 or later.

Affected Software/OS
PHP versions 5.3.x prior to 5.3.29, 5.4.x prior to 5.4.30, 5.5.x prior to 5.5.14 and 5.6.x prior to 5.6.0 on Linux.

Vulnerability Insight
The flaw is due to buffer overflow error in the 'php_parserr' function in ext/standard/dns.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.3.x < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14, 5.6.0alpha1 < 5.6.0 Heap Ba.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.809743
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-4049
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/68007
url: http://www.openwall.com/lists/oss-security/2014/06/13/4
cert-bund: CB-K16/0944
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/1174
cert-bund: CB-K14/1167
cert-bund: CB-K14/1110
cert-bund: CB-K14/0973
cert-bund: CB-K14/0972
cert-bund: CB-K14/0834
cert-bund: CB-K14/0830
cert-bund: CB-K14/0829
cert-bund: CB-K14/0805
cert-bund: CB-K14/0776
cert-bund: CB-K14/0750
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1219
dfn-cert: DFN-CERT-2014-1166
dfn-cert: DFN-CERT-2014-1014
dfn-cert: DFN-CERT-2014-1013
dfn-cert: DFN-CERT-2014-0870
dfn-cert: DFN-CERT-2014-0868
dfn-cert: DFN-CERT-2014-0867
dfn-cert: DFN-CERT-2014-0839
dfn-cert: DFN-CERT-2014-0816
dfn-cert: DFN-CERT-2014-0782
```

Medium (CVSS: 5.0)
NVT: PHP 5.4.x < 5.4.35, 5.5.x < 5.5.19, 5.6.x < 5.6.3 DoS Vulnerability (Nov 2014)

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.19
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow a local attacker to conduct a denial of service attack.

Solution:

Solution type: VendorFix

Update to PHP version 5.4.35, 5.5.19, 5.6.3 or later.

Affected Software/OS

PHP versions 5.4.x before 5.4.35, 5.5.x before 5.5.19 and 5.6.x before 5.6.3

Vulnerability Insight

An out of bounds read error exists in the 'donote' function in readelf.c script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 5.4.x < 5.4.35, 5.5.x < 5.5.19, 5.6.x < 5.6.3 DoS Vulnerability (Nov 2014)`

OID:1.3.6.1.4.1.25623.1.0.804884

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.5.9`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-3710
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/70807
url: https://bugs.php.net/bug.php?id=68283
url: http://xforce.iss.net/xforce/xfdb/98385
cert-bund: CB-K18/0057
cert-bund: CB-K16/1315
cert-bund: CB-K16/0692
cert-bund: CB-K15/1704
cert-bund: CB-K15/0493
cert-bund: CB-K14/1528
cert-bund: CB-K14/1359
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K14/1349
cert-bund: CB-K14/1330
dfn-cert: DFN-CERT-2018-0064
dfn-cert: DFN-CERT-2016-1401
dfn-cert: DFN-CERT-2016-0752
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2014-1639
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1424
dfn-cert: DFN-CERT-2014-1406
```

Medium (CVSS: 5.0)
NVT: PHP 5.x < 5.4.29, 5.5.x < 5.5.13 Multiple DoS Vulnerabilities (Jun 2014)

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.13
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to conduct denial of service attacks.

Solution:

Solution type: VendorFix

Update to version 5.4.29, 5.5.13 or later.

Affected Software/OS

PHP version 5.x before 5.4.29 and 5.5.x before 5.5.13.

Vulnerability Insight

The following flaws exist:

- CVE-2014-0237: Infinite loop within the 'unpack_summary_info' function in src/cdf.c script.
- CVE-2014-0238: An error within the 'cdf_read_property_info' function in src/cdf.c script.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 5.4.29, 5.5.x < 5.5.13 Multiple DoS Vulnerabilities (Jun 2014)`
OID:1.3.6.1.4.1.25623.1.0.804639
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-0237`
`cve: CVE-2014-0238`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/67759`
`url: http://www.securityfocus.com/bid/67765`
`url: http://secunia.com/advisories/58804`
`url: https://www.hkcert.org/my_url/en/alert/14060401`
`cert-bund: CB-K15/1704`
`cert-bund: CB-K15/0493`
`cert-bund: CB-K14/1359`
`cert-bund: CB-K14/1267`
`cert-bund: CB-K14/1174`
`cert-bund: CB-K14/1130`
`cert-bund: CB-K14/0973`
`cert-bund: CB-K14/0972`
`cert-bund: CB-K14/0830`
`cert-bund: CB-K14/0818`
`cert-bund: CB-K14/0776`
`cert-bund: CB-K14/0738`
`cert-bund: CB-K14/0660`
`cert-bund: CB-K14/0659`
`dfn-cert: DFN-CERT-2015-1799`
`dfn-cert: DFN-CERT-2014-1434`
`dfn-cert: DFN-CERT-2014-1333`
`dfn-cert: DFN-CERT-2014-1181`
`dfn-cert: DFN-CERT-2014-1014`
`dfn-cert: DFN-CERT-2014-1013`
`dfn-cert: DFN-CERT-2014-0868`
`dfn-cert: DFN-CERT-2014-0857`
`dfn-cert: DFN-CERT-2014-0816`
`dfn-cert: DFN-CERT-2014-0769`
`dfn-cert: DFN-CERT-2014-0685`
`dfn-cert: DFN-CERT-2014-0684`

Medium (CVSS: 5.0)
NVT: Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.64
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.64 or later.

Affected Software/OS
Apache HTTP Server version 2.4.63 and prior.

Vulnerability Insight
The following flaws exist:
- CVE-2024-42516: HTTP response splitting
- CVE-2024-43204: SSRF with mod_headers setting Content-Type header
- CVE-2024-47252: mod_ssl error log variable escaping
- CVE-2025-49812: mod_ssl TLS upgrade attack

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.154909
Version used: `2025-07-11T15:43:14Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2024-42516
cve: CVE-2024-43204
cve: CVE-2024-47252
cve: CVE-2025-49812
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.64
cert-bund: WID-SEC-2026-0162
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1529
dfn-cert: DFN-CERT-2026-0205
dfn-cert: DFN-CERT-2025-2421
dfn-cert: DFN-CERT-2025-2403
dfn-cert: DFN-CERT-2025-2402
dfn-cert: DFN-CERT-2025-2373
dfn-cert: DFN-CERT-2025-2231
dfn-cert: DFN-CERT-2025-2182
dfn-cert: DFN-CERT-2025-1917
dfn-cert: DFN-CERT-2025-1860
```

Medium (CVSS: 5.0)
NVT: Enabled Directory Listing/Indexing Detection (HTTP)

Summary
The script attempts to identify directories with an enabled directory listing/indexing on a remote web server.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The following directories with an enabled directory listing/indexing were identi
↪fied:
http://bwapp.trabalho_vulnnet/apps
http://bwapp.trabalho_vulnnet/db
http://bwapp.trabalho_vulnnet/documents
http://bwapp.trabalho_vulnnet/passwords
http://bwapp.trabalho_vulnnet/soap
Please review the content manually.
```

Impact
Based on the information shown an attacker might be able to gather additional info about the structure of this application.

Solution:
Solution type: Mitigation
If not needed disable the directory listing/indexing within the web servers config.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Web servers with an enabled directory listing/indexing.

Vulnerability Detection Method
Checks previously detected directories on a remote web server if a directory listing/indexing is enabled.
Note: This check has a low QoD (Quality of Detection) value as it is not possible to automatically determine if the directory listing/indexing has been enabled on purpose (which is also a valid use case for some software products).
Details: `Enabled Directory Listing/Indexing Detection (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.111074
Version used: `2025-03-14T15:40:32Z`

References
```
cve: CVE-1999-0569
cve: CVE-2023-37599
cve: CVE-2024-1076
url: https://wiki.owasp.org/index.php/OWASP_Periodic_Table_of_Vulnerabilities_-_
↪Directory_Indexing
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server 'mod_lua' Denial of Service Vulnerability -01 (May 2015)

Product detection result
```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.7
Fixed version:     2.4.13
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow a remote attacker to cause a denial of service via some crafted dimension.

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 2.4.13 or later.

Affected Software/OS
Apache HTTP Server versions through 2.4.12.

Vulnerability Insight
Flaw is due to vulnerability in lua_websocket_read function in lua_request.c in the mod_lua module.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_lua' Denial of Service Vulnerability -01 (May 2015)`
OID:1.3.6.1.4.1.25623.1.0.805616
Version used: `2024-02-20T05:05:48Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2015-0228`
`url: https://bugs.mageia.org/show_bug.cgi?id=15428`
`url: http://www.securityfocus.com/bid/73041`
`url: http://svn.apache.org/repos/asf/httpd/httpd/branches/2.4.x/CHANGES`
`cert-bund: CB-K15/1360`
`cert-bund: CB-K15/1188`
`cert-bund: CB-K15/1051`
`cert-bund: CB-K15/0273`
`cert-bund: CB-K14/1592`
`dfn-cert: DFN-CERT-2015-1435`
`dfn-cert: DFN-CERT-2015-1252`
`dfn-cert: DFN-CERT-2015-1087`
`dfn-cert: DFN-CERT-2015-0285`
`dfn-cert: DFN-CERT-2014-1691`

Medium (CVSS: 5.0)
NVT: Apache HTTP Server Multiple Vulnerabilities (Aug 2015) - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.14
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to bypass intended access restrictions in opportunistic circumstances and to cause cache poisoning or credential hijacking if an intermediary proxy is in use.

Solution:
Solution type: VendorFix
Update to version 2.4.14 or later.

Affected Software/OS
Apache HTTP Server version 2.4.x before 2.4.14.

Vulnerability Insight
Multiple flaws are due to:
- an error in 'ap_some_auth_required' function in 'server/request.c' script which does not consider that a Require directive may be associated with an authorization setting rather than an authentication setting.
- an error in chunked transfer coding implementation.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Aug 2015) - Linux`
OID:1.3.6.1.4.1.25623.1.0.806018
Version used: `2024-02-16T05:06:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2015-3185`
`cve: CVE-2015-3183`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.apache.org/dist/httpd/CHANGES_2.4
url: http://www.securityfocus.com/bid/75965
url: http://www.securityfocus.com/bid/75963
url: http://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K17/1558
cert-bund: CB-K16/1972
cert-bund: CB-K16/1593
cert-bund: CB-K16/1102
cert-bund: CB-K16/0564
cert-bund: CB-K16/0112
cert-bund: CB-K16/0090
cert-bund: CB-K16/0030
cert-bund: CB-K15/1841
cert-bund: CB-K15/1578
cert-bund: CB-K15/1517
cert-bund: CB-K15/1464
cert-bund: CB-K15/1360
cert-bund: CB-K15/1358
cert-bund: CB-K15/1281
cert-bund: CB-K15/1188
cert-bund: CB-K15/1146
cert-bund: CB-K15/1089
cert-bund: CB-K15/1051
dfn-cert: DFN-CERT-2017-1626
dfn-cert: DFN-CERT-2016-2081
dfn-cert: DFN-CERT-2016-1692
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0125
dfn-cert: DFN-CERT-2016-0101
dfn-cert: DFN-CERT-2016-0035
dfn-cert: DFN-CERT-2015-1950
dfn-cert: DFN-CERT-2015-1665
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1542
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1431
dfn-cert: DFN-CERT-2015-1350
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1198
dfn-cert: DFN-CERT-2015-1146
dfn-cert: DFN-CERT-2015-1087
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server DoS Vulnerability (Sep 2014) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.12
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.12 or later.

Affected Software/OS
Apache HTTP Server version 2.4.1 through 2.4.10.

Vulnerability Insight
A NULL pointer deference was found in mod_cache. A malicious HTTP server could cause a crash in a caching forward proxy configuration. This crash would only be a denial of service if using a threaded MPM.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server DoS Vulnerability (Sep 2014) - Linux
OID:1.3.6.1.4.1.25623.1.0.147046
Version used: 2021-11-01T03:59:12Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2014-3581
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K15/1841
cert-bund: CB-K15/1360
cert-bund: CB-K15/1188
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0469
cert-bund: CB-K14/1592
cert-bund: CB-K14/1545
dfn-cert: DFN-CERT-2015-1950
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-0495
dfn-cert: DFN-CERT-2014-1691
dfn-cert: DFN-CERT-2014-1633
```

Medium (CVSS: 5.0)
NVT: PHP < 7.3.30, 7.4.x < 7.4.23, 8.0.x < 8.0.10 Security Update (Aug 2021) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP released new versions which include security fixes.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.3.30
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.30, 7.4.23, 8.0.10 or later.

Affected Software/OS
PHP versions prior to 7.3.30, 7.4.x through 7.4.22 and 8.0.x through 8.0.9.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.30, 7.4.x < 7.4.23, 8.0.x < 8.0.10 Security Update (Aug 2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.146584
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`url: https://www.php.net/ChangeLog-7.php#7.3.30`
`url: https://www.php.net/ChangeLog-7.php#7.4.23`
`url: https://www.php.net/ChangeLog-8.php#8.0.10`

Medium (CVSS: 5.0)
NVT: PHP < 7.3.28, 7.4.x < 7.4.18 IMAP Header Injection Vulnerability (Apr 2021) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an IMAP header injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     7.3.28
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.28, 7.4.18 or later.

Affected Software/OS
PHP versions prior to 7.3.28 and 7.4.x through 7.4.17.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.28, 7.4.x < 7.4.18 IMAP Header Injection Vulnerability (Apr 2021) - L.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145869
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`url: https://www.php.net/ChangeLog-7.php#7.3.28`
`url: https://www.php.net/ChangeLog-7.php#7.4.18`

Medium (CVSS: 5.0)
NVT: Apache HTTP Server Multiple Vulnerabilities (Mar 2014) - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.7`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.7
Fixed version:     2.4.9
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.2.27, 2.4.9 or later.

Affected Software/OS
Apache HTTP Server version 2.2.0 through 2.2.26 and 2.4.1 through 2.4.7.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2013-6438: XML parsing code in mod_dav incorrectly calculates the end of the string when removing leading spaces and places a NUL character outside the buffer, causing random crashes. This XML parsing code is only used with DAV provider modules that support DeltaV, of which the only publicly released provider is mod_dav_svn.
- CVE-2014-0098: A flaw was found in mod_log_config. A remote attacker could send a specific truncated cookie causing a crash. This crash would only be a denial of service if using a threaded MPM.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Mar 2014) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147047
Version used: `2021-11-01T03:59:12Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2013-6438`
`cve: CVE-2014-0098`
`url: https://httpd.apache.org/security/vulnerabilities_22.html`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: CB-K15/1518`
`cert-bund: CB-K15/0960`
`cert-bund: CB-K15/0493`
`cert-bund: CB-K15/0079`
`cert-bund: CB-K14/1568`
`cert-bund: CB-K14/1313`
`cert-bund: CB-K14/1110`
`cert-bund: CB-K14/1095`
`cert-bund: CB-K14/1043`
`cert-bund: CB-K14/0969`
`cert-bund: CB-K14/0876`
`cert-bund: CB-K14/0319`
`dfn-cert: DFN-CERT-2015-1604`
`dfn-cert: DFN-CERT-2015-1008`
`dfn-cert: DFN-CERT-2015-0079`
`dfn-cert: DFN-CERT-2014-1668`
`dfn-cert: DFN-CERT-2014-1166`
`dfn-cert: DFN-CERT-2014-1145`
`dfn-cert: DFN-CERT-2014-1088`
`dfn-cert: DFN-CERT-2014-1019`
`dfn-cert: DFN-CERT-2014-0917`
`dfn-cert: DFN-CERT-2014-0331`

Medium (CVSS: 4.7)
NVT: PHP < 5.6.35, 7.x < 7.0.29, 7.1.x < 7.1.16, 7.2.x < 7.2.4 Security Bypass Vulnerability (May 2018) - Linux

Product detection result
`cpe:/a:php:php:5.5.9`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.9
Fixed version:     5.6.35
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow an attacker to bypass security restrictions and access sensitive configuration data for other accounts directly in the PHP worker process's memory.

Solution:
Solution type: VendorFix
Update to version 5.6.35, 7.0.29, 7.1.16, 7.2.4 or later.

Affected Software/OS
PHP prior to version 5.6.35, 7.x prior to 7.0.29, 7.1.x prior to 7.1.16 and 7.2.x prior to 7.2.4 on Linux.

Vulnerability Insight
The flaw exists as the dumpable FPM child processes allow bypassing opcache access controls.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.35, 7.x < 7.0.29, 7.1.x < 7.1.16, 7.2.x < 7.2.4 Security Bypass Vulne.`
↪..
OID:1.3.6.1.4.1.25623.1.0.813162
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2018-10545
url: http://www.php.net/ChangeLog-5.php#5.6.35
url: http://www.php.net/ChangeLog-7.php#7.0.29
url: http://www.php.net/ChangeLog-7.php#7.1.16
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.php.net/ChangeLog-7.php#7.2.4
cert-bund: CB-K18/0633
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-1232
dfn-cert: DFN-CERT-2018-0920
dfn-cert: DFN-CERT-2018-0877
```

Medium (CVSS: 4.6)
NVT: PHP 5.5.x < 5.5.15 Multiple Use After Free Vulnerabilities (Jul 2014)

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple use after free vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.15
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to conduct denial of service attacks or possibly have some other unspecified impact.

Solution:

Solution type: VendorFix

Update to version 5.5.15 or later.

Affected Software/OS

PHP version 5.x through 5.5.14.

Vulnerability Insight

An use-after-free error exists in the ext/spl/spl_dllist.c file in the SPL component.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 5.5.x < 5.5.15 Multiple Use After Free Vulnerabilities (Jul 2014)`

OID:1.3.6.1.4.1.25623.1.0.804682

Version used: `2025-09-24T05:39:03Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2014-4670
cve: CVE-2014-4698
url: https://bugs.php.net/bug.php?id=67539
url: http://www.securityfocus.com/bid/68511
url: http://www.securityfocus.com/bid/68513
url: https://bugs.php.net/bug.php?id=67538
url: http://git.php.net/?p=php-src.git;a=patch;h=df78c48354f376cf419d7a97f88ca07
↪d572f00fb
url: http://git.php.net/?p=php-src.git;a=patch;h=22882a9d89712ff2b6ebc20a689a894
↪52bba4dcd
cert-bund: CB-K16/0944
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/1215
cert-bund: CB-K14/1214
cert-bund: CB-K14/1051
cert-bund: CB-K14/1045
cert-bund: CB-K14/0938
cert-bund: CB-K14/0849
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1280
dfn-cert: DFN-CERT-2014-1279
dfn-cert: DFN-CERT-2014-1095
dfn-cert: DFN-CERT-2014-1092
dfn-cert: DFN-CERT-2014-0982
dfn-cert: DFN-CERT-2014-0887

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 2.4.x < 2.4.66 Improper Neutralization Vulnerability - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server is prone to an improper neutralization vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

Affected Software/OS
Apache HTTP Server version 2.4.x prior to 2.4.66.

Vulnerability Insight
Improper neutralization of escape, meta, or control sequences vulnerability in Apache HTTP Server through environment variables set via the Apache configuration unexpectedly superseding variables calculated by the server for CGI programs.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.x < 2.4.66 Improper Neutralization Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125566
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2025-65082
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/7
cert-bund: WID-SEC-2026-0155
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0214
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a Server Side Includes (SSI) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

Affected Software/OS
Apache HTTP Server prior to version 2.4.66.

Vulnerability Insight
Apache HTTP Server with SSI enabled and mod_cgid (but not mod_cgi) passes the shell-escaped query string to #exec cmd='...' directives.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.125564
Version used: 2025-12-05T05:44:55Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2025-58098
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/5

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2026-0153
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0027
dfn-cert: DFN-CERT-2026-0012
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

Medium (CVSS: 4.3)
NVT: PHP < 5.4.32, 5.5.x < 5.5.16 DoS Vulnerability

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     5.5.16
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to conduct denial of service attacks.

Solution:

Solution type: VendorFix

Update to version 5.4.32, 5.5.16 or later.

Affected Software/OS

PHP versions prior to 5.4.32 and 5.5.x prior to 5.5.16.

Vulnerability Insight

A NULL pointer dereference error exists in the 'gdImageCreateFromXpm' function within LibGD.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.32, 5.5.x < 5.5.16 DoS Vulnerability`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.804292
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2014-2497
url: https://bugs.php.net/bug.php?id=66901
url: http://www.securityfocus.com/bid/66233
cert-bund: CB-K15/0493
cert-bund: CB-K15/0454
cert-bund: CB-K14/1359
cert-bund: CB-K14/1215
cert-bund: CB-K14/1214
cert-bund: CB-K14/1052
cert-bund: CB-K14/1051
cert-bund: CB-K14/0904
cert-bund: CB-K14/0834
cert-bund: CB-K14/0830
cert-bund: CB-K14/0829
cert-bund: CB-K14/0738
dfn-cert: DFN-CERT-2016-0876
dfn-cert: DFN-CERT-2015-0473
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1280
dfn-cert: DFN-CERT-2014-1279
dfn-cert: DFN-CERT-2014-1098
dfn-cert: DFN-CERT-2014-1095
dfn-cert: DFN-CERT-2014-0936
dfn-cert: DFN-CERT-2014-0870
dfn-cert: DFN-CERT-2014-0868
dfn-cert: DFN-CERT-2014-0867
dfn-cert: DFN-CERT-2014-0769

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 'mod_lua' Denial of Service Vulnerability (May 2015)

Product detection result
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.12
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow a remote attacker to bypass intended access restrictions in opportunistic circumstances by leveraging multiple Require directives.

Solution:
Solution type: VendorFix
Update to version 2.4.12 or later.

Affected Software/OS
Apache HTTP Server version 2.3.x through 2.4.10.

Vulnerability Insight
Flaw is due to a vulnerability in LuaAuthzProvider that is triggered if a user-supplied LUA script is supplied more than once with different arguments.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_lua' Denial of Service Vulnerability (May 2015)`
OID:1.3.6.1.4.1.25623.1.0.805637
Version used: `2024-02-20T05:05:48Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.7`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2014-8109
url: http://httpd.apache.org/security/vulnerabilities_24.html
url: http://www.securityfocus.com/bid/73040
url: http://www.rapid7.com/db/vulnerabilities/apache-httpd-cve-2014-8109
cert-bund: CB-K15/1360
cert-bund: CB-K15/1188
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0736
cert-bund: CB-K14/1626
cert-bund: CB-K14/1592
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-0771
dfn-cert: DFN-CERT-2014-1727
dfn-cert: DFN-CERT-2014-1691
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 'mod_cache' Denial of Service Vulnerability -01 (May 2015)

Product detection result

```
cpe:/a:apache:http_server:2.4.7
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.7
Fixed version:     2.4.10
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow a remote attacker to cause a denial of service via a crafted HTTP Connection header when a reverse proxy is enabled.

Solution:

Solution type: VendorFix

Update to version 2.4.10 or later.

Affected Software/OS

Apache HTTP Server version 2.4.6 through 2.4.9.

Vulnerability Insight

Flaw is due to vulnerability in mod_proxy module in the Apache HTTP Server.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Apache HTTP Server 'mod_cache' Denial of Service Vulnerability -01 (May 2015)
OID:1.3.6.1.4.1.25623.1.0.805635
Version used: 2024-02-20T05:05:48Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.7
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2014-0117
url: http://zerodayinitiative.com/advisories/ZDI-14-239/
url: http://www.securityfocus.com/bid/68740
url: http://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K15/0493
cert-bund: CB-K14/1043
cert-bund: CB-K14/0883
dfn-cert: DFN-CERT-2014-1088
dfn-cert: DFN-CERT-2014-0926

Medium (CVSS: 4.3)
NVT: PHP < 8.0.29, 8.1.x < 8.1.20, 8.2.x < 8.2.7 Security Update - Linux

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a missing error check and insufficient random bytes in HTTP Digest authentication for SOAP vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.9
Fixed version: 8.0.29
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 8.0.29, 8.1.10, 8.2.7 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP prior to version 8.0.29, 8.1.x prior to 8.1.20 and 8.2.x prior to 8.2.7.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.29, 8.1.x < 8.1.20, 8.2.x < 8.2.7 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.149760
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2023-3247
url: https://www.php.net/ChangeLog-8.php#8.0.29
url: https://www.php.net/ChangeLog-8.php#8.1.20
url: https://www.php.net/ChangeLog-8.php#8.2.7
url: https://github.com/php/php-src/security/advisories/GHSA-76gg-c692-v2mw
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2680
cert-bund: WID-SEC-2023-1506
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2023-2570
dfn-cert: DFN-CERT-2023-2542
dfn-cert: DFN-CERT-2023-1328
```

[return to 172.30.9.2]

2.1.6 Medium 3306/tcp

Medium (CVSS: 6.7)
NVT: Oracle Mysql Security Updates (jan2017-2881727) 02 - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability will allow remote to have an impact on availability, confidentiality and integrity.

Solution:

Solution type: VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.5.53 and earlier, 5.6.34 and earlier, 5.7.16 and earlier on Linux

Vulnerability Insight

Multiple flaws exist due to: multiple unspecified errors in sub components 'Error Handling', 'Logging', 'MyISAM', 'Packaging', 'Optimizer', 'DML' and 'DDL'.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle Mysql Security Updates (jan2017-2881727) 02 - Linux`

OID:1.3.6.1.4.1.25623.1.0.809866

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.47-`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2017-3238
cve: CVE-2017-3318
cve: CVE-2017-3291
cve: CVE-2017-3317
cve: CVE-2017-3258
cve: CVE-2017-3312
cve: CVE-2017-3313
cve: CVE-2017-3244
cve: CVE-2017-3265
url: http://www.oracle.com/technetwork/security-advisory/cpujan2017-2881727.html
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/95571
url: http://www.securityfocus.com/bid/95560
url: http://www.securityfocus.com/bid/95491
url: http://www.securityfocus.com/bid/95527
url: http://www.securityfocus.com/bid/95565
url: http://www.securityfocus.com/bid/95588
url: http://www.securityfocus.com/bid/95501
url: http://www.securityfocus.com/bid/95585
url: http://www.securityfocus.com/bid/95520
cert-bund: CB-K18/0224
cert-bund: CB-K17/1732
cert-bund: CB-K17/1604
cert-bund: CB-K17/1298
cert-bund: CB-K17/0927
cert-bund: CB-K17/0423
cert-bund: CB-K17/0098
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1806
dfn-cert: DFN-CERT-2017-1675
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-0959
dfn-cert: DFN-CERT-2017-0430
dfn-cert: DFN-CERT-2017-0090
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.49 / 5.7 <= 5.7.31 / 8.0 <= 8.0.21 Security Update (cpuoct2020) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.6.50
Installation
path / port:       3306/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.6.50, 5.7.32, 8.0.22 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.49 and prior, 5.7 through 5.7.31 and 8.0 through 8.0.21.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.49 / 5.7 <= 5.7.31 / 8.0 <= 8.0.21 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.108958
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2020-14765
cve: CVE-2020-14769
cve: CVE-2020-14812
cve: CVE-2020-14793
cve: CVE-2020-14672
cve: CVE-2020-14867
url: https://www.oracle.com/security-alerts/cpuoct2020.html#AppendixMSQL
advisory-id: cpuoct2020
cert-bund: CB-K20/1066
cert-bund: CB-K20/1017
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-0002
dfn-cert: DFN-CERT-2020-2763
dfn-cert: DFN-CERT-2020-2756
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2380
dfn-cert: DFN-CERT-2020-2295
```

Medium (CVSS: 6.5)
NVT: Oracle Mysql Security Updates (oct2017-3236626) 04 - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.47-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪25623.1.0.100152)

Summary
Oracle MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation of this vulnerability will allow remote to compromise availability confidentiality, and integrity of the system.

Solution:
Solution type: VendorFix
Apply the patch from the referenced advisory.

Affected Software/OS
Oracle MySQL version 5.5.57 and earlier, 5.6.37 and earlier, 5.7.19 and earlier on Linux.

Vulnerability Insight
Multiple flaws exist due to:
- An error in 'Client programs' component.
- An error in 'Server: DDL'.
- An error in 'Server: Replication'

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle Mysql Security Updates (oct2017-3236626) 04 - Linux`
OID:1.3.6.1.4.1.25623.1.0.811992
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2017-10379`
`cve: CVE-2017-10384`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2017-10268
url: http://www.oracle.com/technetwork/security-advisory/cpuoct2017-3236626.html
url: http://www.securityfocus.com/bid/101415
url: http://www.securityfocus.com/bid/101406
url: http://www.securityfocus.com/bid/101390
cert-bund: CB-K18/0480
cert-bund: CB-K18/0242
cert-bund: CB-K18/0224
cert-bund: CB-K17/2048
cert-bund: CB-K17/1748
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-1265
dfn-cert: DFN-CERT-2018-0515
dfn-cert: DFN-CERT-2018-0260
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-2137
dfn-cert: DFN-CERT-2017-1827
```

Medium (CVSS: 6.5)
NVT: Oracle Mysql Security Updates (oct2017-3236626) 02 - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability will allow remote attackers to compromise availability of the system.

Solution:

Solution type: VendorFix

Apply the patch from the referenced advisory.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL version 5.5.57 and earlier, 5.6.37 and earlier, 5.7.11 and earlier on Linux.

Vulnerability Insight
The flaw exists due to an error in 'Server: Optimizer'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle Mysql Security Updates (oct2017-3236626) 02 - Linux`
OID:1.3.6.1.4.1.25623.1.0.811987
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2017-10378
url: http://www.oracle.com/technetwork/security-advisory/cpuoct2017-3236626.html
url: http://www.securityfocus.com/bid/101375
cert-bund: CB-K18/0480
cert-bund: CB-K18/0242
cert-bund: CB-K18/0224
cert-bund: CB-K17/2048
cert-bund: CB-K17/1748
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-1265
dfn-cert: DFN-CERT-2018-0515
dfn-cert: DFN-CERT-2018-0260
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-2137
dfn-cert: DFN-CERT-2017-1827
```

Medium (CVSS: 6.5)
NVT: Oracle Mysql Security Updates (jan2018-3236628) 02 - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation of these vulnerabilities will allow remote attackers to conduct a denial-of-service attack.

Solution:
Solution type: VendorFix
Apply the patch from the referenced advisory.

Affected Software/OS
Oracle MySQL version 5.5.58 and earlier, 5.6.38 and earlier, 5.7.20 and earlier on Linux

Vulnerability Insight
Multiple flaws exist due to:
- An error in the 'Server: DDL' component.
- Multiple errors in the 'Server: Optimizer' component.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle Mysql Security Updates (jan2018-3236628) 02 - Linux`
OID:1.3.6.1.4.1.25623.1.0.812647
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2018-2668`
`cve: CVE-2018-2665`
`cve: CVE-2018-2622`
`cve: CVE-2018-2640`
`url: http://www.oracle.com/technetwork/security-advisory/cpujan2018-3236628.html`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K18/0480
cert-bund: CB-K18/0392
cert-bund: CB-K18/0265
cert-bund: CB-K18/0096
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-1265
dfn-cert: DFN-CERT-2018-0515
dfn-cert: DFN-CERT-2018-0424
dfn-cert: DFN-CERT-2018-0286
dfn-cert: DFN-CERT-2018-0101
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.46 Security Update (cpujan2020) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to an unspecified denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.6.47
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.47 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.46 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.6.46 Security Update (cpujan2020) - Linux`

OID:1.3.6.1.4.1.25623.1.0.143358

Version used: `2025-09-09T05:38:49Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2020-2579
url: https://www.oracle.com/security-alerts/cpujan2020.html#AppendixMSQL
advisory-id: cpujan2020
cert-bund: CB-K20/0038
dfn-cert: DFN-CERT-2020-1827
dfn-cert: DFN-CERT-2020-1078
dfn-cert: DFN-CERT-2020-0096

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.5.51 Security Update (cpuoct2016) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.47
Fixed version: See the referenced vendor advisory
Installation
path / port: 3306/tcp

Impact
Successful exploitation of this vulnerability will allow a remote authenticated user to cause denial of service conditions.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Oracle MySQL Server versions 5.5.51 and prior.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The flaw exists due to an unspecified error within the 'Server:DML' component.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.51 Security Update (cpuoct2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809379
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2016-5624
url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL
advisory-id: cpuoct2016
cert-bund: CB-K16/1846
cert-bund: CB-K16/1714
cert-bund: CB-K16/1624
dfn-cert: DFN-CERT-2016-1950
dfn-cert: DFN-CERT-2016-1790
dfn-cert: DFN-CERT-2016-1714
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpuapr2025) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.47
Fixed version:     8.0.42
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 8.0.42, 8.4.5, 9.3.0 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.41 and prior, 8.1 through 8.4.4 and 9.0 through 9.2.0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpua.
↪..
OID:1.3.6.1.4.1.25623.1.0.171441
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2025-21577
cve: CVE-2025-30682
cve: CVE-2025-30687
cve: CVE-2025-30688
cve: CVE-2025-21574
cve: CVE-2025-21575
cve: CVE-2025-30693
cve: CVE-2025-30695
cve: CVE-2025-30715
cve: CVE-2025-21584
cve: CVE-2025-21580
cve: CVE-2025-21581
cve: CVE-2025-21585
cve: CVE-2025-30689
cve: CVE-2025-21579
cve: CVE-2025-30696
cve: CVE-2025-30705
cve: CVE-2025-30683
cve: CVE-2025-30684
cve: CVE-2025-30685
cve: CVE-2025-30699
cve: CVE-2025-30704
cve: CVE-2024-13176

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2024-9143
cve: CVE-2025-30721
cve: CVE-2025-30703
cve: CVE-2025-30681
url: https://www.oracle.com/security-alerts/cpuapr2025.html#AppendixMSQL
advisory-id: cpuapr2025
cert-bund: WID-SEC-2025-2364
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-1568
cert-bund: WID-SEC-2025-1566
cert-bund: WID-SEC-2025-1564
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-1257
cert-bund: WID-SEC-2025-1035
cert-bund: WID-SEC-2025-0828
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0813
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0131
cert-bund: WID-SEC-2024-3230
dfn-cert: DFN-CERT-2026-0037
dfn-cert: DFN-CERT-2025-3583
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2944
dfn-cert: DFN-CERT-2025-2602
dfn-cert: DFN-CERT-2025-2523
dfn-cert: DFN-CERT-2025-1905
dfn-cert: DFN-CERT-2025-1903
dfn-cert: DFN-CERT-2025-1901
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1648
dfn-cert: DFN-CERT-2025-1611
dfn-cert: DFN-CERT-2025-1470
dfn-cert: DFN-CERT-2025-1424
dfn-cert: DFN-CERT-2025-1304
dfn-cert: DFN-CERT-2025-0993
dfn-cert: DFN-CERT-2025-0981
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0973
dfn-cert: DFN-CERT-2025-0564
dfn-cert: DFN-CERT-2025-0465
dfn-cert: DFN-CERT-2025-0354
dfn-cert: DFN-CERT-2025-0158
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2764
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Security Update (cpujul2018 - 02) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	5.5.47
Fixed version:	See reference
Installation path / port:	3306/tcp

Impact
Successful exploitation will allow remote attackers to have an impact on confidentiality, integrity and availability.

Solution:
Solution type: VendorFix
The vendor has released updates. Please see the references for more information.

Affected Software/OS
Oracle MySQL version 5.5.60 and earlier, 5.6.40 and earlier, 5.7.22 and earlier.

Vulnerability Insight
Multiple flaws exist due to errors in 'Server: Security: Encryption', 'Server: Options', 'MyISAM', 'Client mysqldump' components of application.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Security Update (cpujul2018 - 02) - Linux
OID:1.3.6.1.4.1.25623.1.0.813707
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2018-2767
cve: CVE-2018-3066
cve: CVE-2018-3058
cve: CVE-2018-3070
url: https://www.oracle.com/security-alerts/cpujul2018.html#AppendixMSQL
advisory-id: cpujul2018
cert-bund: WID-SEC-2023-1594
cert-bund: CB-K18/0795
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1588
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2018-1649
dfn-cert: DFN-CERT-2018-1402
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0913
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.33
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.33, 8.0.23 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Oracle MySQL Server version 5.7.32 and prior and 8.0 through 8.0.22.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Li.`
↪..
OID:1.3.6.1.4.1.25623.1.0.145793
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2020-1971
cve: CVE-2021-2178
cve: CVE-2021-2202
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-0067
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-2047
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1000
cert-bund: WID-SEC-2022-0585
cert-bund: CB-K21/1065
cert-bund: CB-K21/0788
cert-bund: CB-K21/0615
cert-bund: CB-K21/0421
cert-bund: CB-K21/0111
cert-bund: CB-K21/0062
cert-bund: CB-K21/0006
cert-bund: CB-K20/1217
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-2126
dfn-cert: DFN-CERT-2021-1504
dfn-cert: DFN-CERT-2021-1225
dfn-cert: DFN-CERT-2021-0924
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0828
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0715
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0338
dfn-cert: DFN-CERT-2021-0255
dfn-cert: DFN-CERT-2021-0134
dfn-cert: DFN-CERT-2021-0131
dfn-cert: DFN-CERT-2021-0128
dfn-cert: DFN-CERT-2021-0120
dfn-cert: DFN-CERT-2021-0107
dfn-cert: DFN-CERT-2021-0078
dfn-cert: DFN-CERT-2021-0012
dfn-cert: DFN-CERT-2020-2791
dfn-cert: DFN-CERT-2020-2668
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.5.50 / 5.6 <= 5.6.31 / 5.7 <= 5.7.13 Security Update (cpuoct2016) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability will allow a remote authenticated user to cause denial of service conditions.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server versions 5.5.50 and prior, 5.6 through 5.6.31 and 5.7 through 5.7.13.

Vulnerability Insight
The flaw exists due to an unspecified error in the 'Server: DML' component.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.50 / 5.6 <= 5.6.31 / 5.7 <= 5.7.13 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.809375
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2016-5612
url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL
advisory-id: cpuoct2016
cert-bund: CB-K16/1979
cert-bund: CB-K16/1755
cert-bund: CB-K16/1742
cert-bund: CB-K16/1714
cert-bund: CB-K16/1624
dfn-cert: DFN-CERT-2016-2089
dfn-cert: DFN-CERT-2016-1859
dfn-cert: DFN-CERT-2016-1849
dfn-cert: DFN-CERT-2016-1790
dfn-cert: DFN-CERT-2016-1714
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (cpujul2019) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.47-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.6.45
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.45, 5.7.27, 8.0.17 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.44 and prior, 5.7 through 5.7.26 and 8.0 through 8.0.16.

Vulnerability Insight
Oracle MySQL Server is prone to multiple denial of service vulnerabilities.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.142644
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2019-2805
cve: CVE-2019-2740
cve: CVE-2019-2819
cve: CVE-2019-2739
cve: CVE-2019-2737
cve: CVE-2019-2738
url: https://www.oracle.com/security-alerts/cpujul2019.html#AppendixMSQL
advisory-id: cpujul2019
cert-bund: CB-K19/0620
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2180
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-0658
dfn-cert: DFN-CERT-2020-0517
dfn-cert: DFN-CERT-2019-2695
dfn-cert: DFN-CERT-2019-2656
dfn-cert: DFN-CERT-2019-2300
dfn-cert: DFN-CERT-2019-2008
dfn-cert: DFN-CERT-2019-1713
dfn-cert: DFN-CERT-2019-1683
dfn-cert: DFN-CERT-2019-1568
dfn-cert: DFN-CERT-2019-1453
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 / 8.0 <= 8.0.17 Security Update (cpuoct2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.6.46
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.46, 5.7.28, 8.0.18 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.45 and prior, 5.7 through 5.7.27 and 8.0 through 8.0.17.

Vulnerability Insight

Oracle MySQL Server is prone to multiple vulnerabilities.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 / 8.0 <= 8.0.17 Security Update (.
↪..
OID:1.3.6.1.4.1.25623.1.0.143029
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2019-2974
cve: CVE-2019-2911
url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL
advisory-id: cpuoct2019
cert-bund: CB-K20/1030
cert-bund: CB-K20/0109
cert-bund: CB-K19/0915
dfn-cert: DFN-CERT-2020-2763
dfn-cert: DFN-CERT-2020-2756
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2299
dfn-cert: DFN-CERT-2020-2180
dfn-cert: DFN-CERT-2020-1827
dfn-cert: DFN-CERT-2020-0658
dfn-cert: DFN-CERT-2020-0517
dfn-cert: DFN-CERT-2020-0103
dfn-cert: DFN-CERT-2019-2695
dfn-cert: DFN-CERT-2019-2687
dfn-cert: DFN-CERT-2019-2656
dfn-cert: DFN-CERT-2019-2301
dfn-cert: DFN-CERT-2019-2149

Medium (CVSS: 6.2)
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (cpuoct2019) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a local unauthenticated vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.6.45
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.45, 5.7.27, 8.0.17 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.44 and prior, 5.7 through 5.7.26 and 8.0 through 8.0.16.

Vulnerability Insight
Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where MySQL Server executes to compromise MySQL Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.143031
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2019-2969
url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL
advisory-id: cpuoct2019
cert-bund: CB-K19/0915
dfn-cert: DFN-CERT-2019-2149
```

Medium (CVSS: 6.1)
NVT: Oracle MySQL Server <= 5.5.47 / 5.6 <= 5.6.28 / 5.7 <= 5.7.10 Security Update (cpuapr2016v3) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Oracle MySQL Server versions 5.5.47 and prior, 5.6 through 5.6.28 and 5.7 through 5.7.10.

Vulnerability Insight
Unspecified errors exist in the 'MySQL Server' component via unknown vectors.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.47 / 5.6 <= 5.6.28 / 5.7 <= 5.7.10 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.807970
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2016-0649
cve: CVE-2016-0650
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2016-0644
cve: CVE-2016-0646
cve: CVE-2016-0640
cve: CVE-2016-0641
url: https://www.oracle.com/security-alerts/cpuapr2016v3.html#AppendixMSQL
advisory-id: cpuapr2016v3
cert-bund: CB-K16/1122
cert-bund: CB-K16/0936
cert-bund: CB-K16/0791
cert-bund: CB-K16/0750
cert-bund: CB-K16/0646
cert-bund: CB-K16/0597
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-0994
dfn-cert: DFN-CERT-2016-0903
dfn-cert: DFN-CERT-2016-0845
dfn-cert: DFN-CERT-2016-0803
dfn-cert: DFN-CERT-2016-0695
dfn-cert: DFN-CERT-2016-0644
```

Medium (CVSS: 5.9)
NVT: Oracle MySQL Backronym Vulnerability (Jun 2016) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to a backronym vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.3
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow man-in-the-middle attackers to spoof servers via a cleartext-downgrade attack.

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Upgrade to version Oracle MySQL Server 5.7.3 or later.

Affected Software/OS
Oracle MySQL Server 5.7.2 and earlier on Linux.

Vulnerability Insight
The flaw exists due to improper validation of MySQL client library when establishing a secure connection to a MySQL server using the –ssl option.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Backronym Vulnerability (Jun 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808064
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2015-3152`
`url: http://www.ocert.org/advisories/ocert-2015-003.html`
`url: https://duo.com/blog/backronym-mysql-vulnerability`
`cert-bund: CB-K18/0871`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K15/1045`
`cert-bund: CB-K15/1042`
`cert-bund: CB-K15/1020`
`cert-bund: CB-K15/0994`
`cert-bund: CB-K15/0964`
`cert-bund: CB-K15/0895`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2015-1105`
`dfn-cert: DFN-CERT-2015-1096`
`dfn-cert: DFN-CERT-2015-1071`
`dfn-cert: DFN-CERT-2015-1051`
`dfn-cert: DFN-CERT-2015-1016`
`dfn-cert: DFN-CERT-2015-0942`

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.43, 8.0.34 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Lin.
↪..
OID:1.3.6.1.4.1.25623.1.0.149980
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-22053
url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMSQL
advisory-id: cpujul2023
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2023-1794
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0491
dfn-cert: DFN-CERT-2024-0454

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2023-1642

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (cpuapr2016v3) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow remote users to affect confidentiality, integrity, and availability via unknown vectors.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.48 and prior, 5.6 through 5.6.29 and 5.7 through 5.7.11.

Vulnerability Insight

Unspecified errors exist in the 'MySQL Server' component via unknown vectors.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (. ↪..`

OID:1.3.6.1.4.1.25623.1.0.807966

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2016-0666
cve: CVE-2016-0647
cve: CVE-2016-0648
cve: CVE-2016-0642
cve: CVE-2016-0643
cve: CVE-2016-2047
url: https://www.oracle.com/security-alerts/cpuapr2016v3.html#AppendixMSQL
advisory-id: cpuapr2016v3
cert-bund: CB-K16/1129
cert-bund: CB-K16/1122
cert-bund: CB-K16/0936
cert-bund: CB-K16/0791
cert-bund: CB-K16/0750
cert-bund: CB-K16/0646
cert-bund: CB-K16/0597
cert-bund: CB-K16/0493
cert-bund: CB-K16/0133
dfn-cert: DFN-CERT-2016-1204
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-0994
dfn-cert: DFN-CERT-2016-0903
dfn-cert: DFN-CERT-2016-0845
dfn-cert: DFN-CERT-2016-0803
dfn-cert: DFN-CERT-2016-0695
dfn-cert: DFN-CERT-2016-0644
dfn-cert: DFN-CERT-2016-0532
dfn-cert: DFN-CERT-2016-0143
```

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (cpuapr2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a vulnerability in the libmysqld subcomponent.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.6.43
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.43, 5.7.25, 8.0.14 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.42 and prior, 5.7 through 5.7.24 and 8.0 through 8.0.13.

Vulnerability Insight
Difficult to exploit vulnerability allows unauthenticated attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Server accessible data.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.142404
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2018-3123
url: https://www.oracle.com/security-alerts/cpuapr2019.html#AppendixMSQL
advisory-id: cpuapr2019
cert-bund: WID-SEC-2023-1594
cert-bund: CB-K19/0319
dfn-cert: DFN-CERT-2019-0775
```

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.6.43 / 5.7 <= 5.7.25 / 8.0 <= 8.0.15 Security Update (cpuapr2019) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.47-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.47
Fixed version:     5.6.44
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.44, 5.7.26, 8.0.16 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.43 and prior, 5.7 through 5.7.25 and 8.0 through 8.0.15.

Vulnerability Insight
The attacks range in variety and difficulty. Most of them allow an attacker with network access via multiple protocols to compromise the MySQL Server.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.43 / 5.7 <= 5.7.25 / 8.0 <= 8.0.15 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.142402
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2019-1559
cve: CVE-2019-2683
cve: CVE-2019-2627
cve: CVE-2019-2614
url: https://www.oracle.com/security-alerts/cpuapr2019.html#AppendixMSQL
advisory-id: cpuapr2019
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2023-2946
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-0673
cert-bund: WID-SEC-2022-0462
cert-bund: CB-K22/0045
cert-bund: CB-K20/0041
cert-bund: CB-K19/0911
cert-bund: CB-K19/0639
cert-bund: CB-K19/0623
cert-bund: CB-K19/0622
cert-bund: CB-K19/0620
cert-bund: CB-K19/0619
cert-bund: CB-K19/0615
cert-bund: CB-K19/0332
cert-bund: CB-K19/0320
cert-bund: CB-K19/0319
cert-bund: CB-K19/0173
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2189
dfn-cert: DFN-CERT-2020-2180
dfn-cert: DFN-CERT-2020-0092
dfn-cert: DFN-CERT-2020-0048
dfn-cert: DFN-CERT-2019-2625
dfn-cert: DFN-CERT-2019-2457
dfn-cert: DFN-CERT-2019-2300
dfn-cert: DFN-CERT-2019-2274
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-2157
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-2008
dfn-cert: DFN-CERT-2019-1996
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1755
dfn-cert: DFN-CERT-2019-1746
dfn-cert: DFN-CERT-2019-1722
dfn-cert: DFN-CERT-2019-1713
dfn-cert: DFN-CERT-2019-1683
dfn-cert: DFN-CERT-2019-1678
dfn-cert: DFN-CERT-2019-1677
dfn-cert: DFN-CERT-2019-1617
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1486
dfn-cert: DFN-CERT-2019-1460
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-1453
dfn-cert: DFN-CERT-2019-1450
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2019-1240
dfn-cert: DFN-CERT-2019-0968
dfn-cert: DFN-CERT-2019-0781
dfn-cert: DFN-CERT-2019-0775
dfn-cert: DFN-CERT-2019-0771
dfn-cert: DFN-CERT-2019-0566
dfn-cert: DFN-CERT-2019-0556
dfn-cert: DFN-CERT-2019-0412
```

Medium (CVSS: 5.5)
NVT: Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (cpuoct2025) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     8.0.44
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.0.44, 8.4.7, 9.4.1 or later.

Affected Software/OS

Oracle MySQL Server versions 8.0.43 and prior, 8.1.x through 8.4.6 and 9.0.0 through 9.4.0.

. . . continues on next page . . .

. . . continued from previous page . . .

Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that all versions prior to 8.x and versions like 9.2.x in between are also affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.119198
Version used: `2025-10-24T05:39:31Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2025-53054`
`cve: CVE-2025-53053`
`cve: CVE-2025-53044`
`cve: CVE-2025-53045`
`cve: CVE-2025-53062`
`cve: CVE-2025-53069`
`cve: CVE-2025-53040`
`cve: CVE-2025-53042`
`url: https://www.oracle.com/security-alerts/cpuoct2025.html#AppendixMSQL`
`advisory-id: cpuoct2025`
`cert-bund: WID-SEC-2025-2363`
`dfn-cert: DFN-CERT-2025-3598`
`dfn-cert: DFN-CERT-2025-2945`

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 Security Update (cpuoct2019) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.47-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.6.46
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.46, 5.7.28 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.45 and prior and 5.7 through 5.7.27.

Vulnerability Insight
Oracle MySQL Server is prone to multiple vulnerabilities.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 Security Update (cpuoct2019) - Li.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.143033
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2019-2922
cve: CVE-2019-2923
cve: CVE-2019-2924
cve: CVE-2019-2910
url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL
advisory-id: cpuoct2019
cert-bund: CB-K19/0915
dfn-cert: DFN-CERT-2020-0103
dfn-cert: DFN-CERT-2019-2149
```

Medium (CVSS: 5.3)
NVT: Oracle Mysql Security Updates (jul2017-3236622) 03 - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL is prone to vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.47
Fixed version: Apply the patch

Impact
Successful exploitation of this vulnerability will allow remote attackers to partially access data, partially modify data, and partially deny service.

Solution:
Solution type: VendorFix
Apply the patch from the referenced advisory.

Affected Software/OS
Oracle MySQL version 5.5.56 and earlier, 5.6.36 and earlier, on Linux

Vulnerability Insight
The flaw exists due to a flaw in the Client programs component.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle Mysql Security Updates (jul2017-3236622) 03 - Linux
OID:1.3.6.1.4.1.25623.1.0.811435
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2017-3636
url: http://www.oracle.com/technetwork/security-advisory/cpujul2017-3236622.html
↪#AppendixMSQL
url: http://www.securityfocus.com/bid/99736

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K18/0224
cert-bund: CB-K17/1870
cert-bund: CB-K17/1604
cert-bund: CB-K17/1453
cert-bund: CB-K17/1401
cert-bund: CB-K17/1239
cert-bund: CB-K17/1205
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1956
dfn-cert: DFN-CERT-2017-1675
dfn-cert: DFN-CERT-2017-1519
dfn-cert: DFN-CERT-2017-1465
dfn-cert: DFN-CERT-2017-1282
dfn-cert: DFN-CERT-2017-1243
```

Medium (CVSS: 5.3)
NVT: Oracle Mysql Security Updates (jul2017-3236622) 02 - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     Apply the patch
```

Impact

Successful exploitation of this vulnerability will allow remote attackers to have an impact on confidentiality, integrity and availability.

Solution:

Solution type: VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.5.56 and earlier, 5.6.36 and earlier, 5.7.18 and earlier, on Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Multiple flaws exist due to
- A flaw in the Client mysqldump component.
- A flaw in the Server: DDL component.
- A flaw in the C API component.
- A flaw in the Connector/C component.
- A flaw in the Server: Charsets component.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle Mysql Security Updates (jul2017-3236622) 02 - Linux`
OID:1.3.6.1.4.1.25623.1.0.811433
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2017-3651
cve: CVE-2017-3653
cve: CVE-2017-3652
cve: CVE-2017-3635
cve: CVE-2017-3648
cve: CVE-2017-3641
url: http://www.oracle.com/technetwork/security-advisory/cpujul2017-3236622.html
↪#AppendixMSQL
url: http://www.securityfocus.com/bid/99802
url: http://www.securityfocus.com/bid/99810
url: http://www.securityfocus.com/bid/99805
url: http://www.securityfocus.com/bid/99730
url: http://www.securityfocus.com/bid/99789
url: http://www.securityfocus.com/bid/99767
cert-bund: CB-K18/0224
cert-bund: CB-K17/1870
cert-bund: CB-K17/1732
cert-bund: CB-K17/1604
cert-bund: CB-K17/1453
cert-bund: CB-K17/1401
cert-bund: CB-K17/1298
cert-bund: CB-K17/1239
cert-bund: CB-K17/1205
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1956
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1806
dfn-cert: DFN-CERT-2017-1675
dfn-cert: DFN-CERT-2017-1519
dfn-cert: DFN-CERT-2017-1465
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-1282
dfn-cert: DFN-CERT-2017-1243
```

Medium (CVSS: 5.3)
NVT: Oracle Mysql Security Updates (apr2017-3236618) 03 - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability will allow remote attackers to bypass certain security restrictions and perform unauthorized actions by conducting a man-in-the-middle attack. This may lead to other attacks also.

Solution:

Solution type: VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.5.54 and earlier, 5.6.35 and earlier on Linux

Vulnerability Insight

The flaw exists due to an incorrect implementation or enforcement of 'ssl-mode=REQUIRED' in MySQL.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `Oracle Mysql Security Updates (apr2017-3236618) 03 - Linux`
OID:1.3.6.1.4.1.25623.1.0.810885
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2017-3305`
`url: http://www.oracle.com/technetwork/security-advisory/cpuapr2017-3236618.html`
`url: http://www.securityfocus.com/bid/97023`
`cert-bund: CB-K17/1604`
`cert-bund: CB-K17/1239`
`cert-bund: CB-K17/0657`
`dfn-cert: DFN-CERT-2017-1675`
`dfn-cert: DFN-CERT-2017-1282`
`dfn-cert: DFN-CERT-2017-0675`

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.47-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.47
Fixed version:     8.0.40
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.40, 8.4.2, 9.0.2 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.170872
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2024-21238
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2024-2732
```

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.6.46 / 5.7 <= 5.7.26 Security Update (cpuapr2020) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.47-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities in OpenSSL.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.47
Fixed version:     5.6.47
Installation
path / port:       3306/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.6.47, 5.7.27 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.46 and prior and 5.7 through 5.7.26.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.46 / 5.7 <= 5.7.26 Security Update (cpuapr2020) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.143734
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2019-1547`
`cve: CVE-2019-1549`
`cve: CVE-2019-1552`
`cve: CVE-2019-1563`
`url: https://www.oracle.com/security-alerts/cpuapr2020.html#AppendixMSQL`
`advisory-id: cpuapr2020`
`cert-bund: WID-SEC-2023-3081`
`cert-bund: WID-SEC-2023-1762`
`cert-bund: WID-SEC-2023-1049`
`cert-bund: WID-SEC-2022-0673`
`cert-bund: CB-K22/0045`
`cert-bund: CB-K20/1049`
`cert-bund: CB-K20/1016`
`cert-bund: CB-K20/0321`
`cert-bund: CB-K20/0318`
`cert-bund: CB-K20/0043`
`cert-bund: CB-K20/0038`
`cert-bund: CB-K20/0036`
`cert-bund: CB-K20/0028`
`cert-bund: CB-K19/1025`
`cert-bund: CB-K19/0919`
`cert-bund: CB-K19/0915`
`cert-bund: CB-K19/0808`
`cert-bund: CB-K19/0675`
`dfn-cert: DFN-CERT-2023-2709`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-2014
dfn-cert: DFN-CERT-2020-1729
dfn-cert: DFN-CERT-2020-0895
dfn-cert: DFN-CERT-2020-0776
dfn-cert: DFN-CERT-2020-0775
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0716
dfn-cert: DFN-CERT-2020-0277
dfn-cert: DFN-CERT-2020-0101
dfn-cert: DFN-CERT-2020-0096
dfn-cert: DFN-CERT-2020-0091
dfn-cert: DFN-CERT-2020-0090
dfn-cert: DFN-CERT-2019-2164
dfn-cert: DFN-CERT-2019-2149
dfn-cert: DFN-CERT-2019-1900
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1559
```

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.40
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.40, 8.0.31 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.30.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Li.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.118387
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-2097
cve: CVE-2022-21617
cve: CVE-2022-21608
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2022-1777
cert-bund: WID-SEC-2022-1776
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1245
cert-bund: WID-SEC-2022-1146
cert-bund: WID-SEC-2022-1068
cert-bund: WID-SEC-2022-1065
cert-bund: WID-SEC-2022-0561
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-2491
dfn-cert: DFN-CERT-2023-1230
dfn-cert: DFN-CERT-2023-1058
dfn-cert: DFN-CERT-2023-0509
dfn-cert: DFN-CERT-2023-0299
dfn-cert: DFN-CERT-2023-0100
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-2315
dfn-cert: DFN-CERT-2022-2306
dfn-cert: DFN-CERT-2022-2150
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1905
dfn-cert: DFN-CERT-2022-1646
dfn-cert: DFN-CERT-2022-1536
dfn-cert: DFN-CERT-2022-1521
dfn-cert: DFN-CERT-2022-1520
dfn-cert: DFN-CERT-2022-1515
dfn-cert: DFN-CERT-2022-1497
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     8.0.36
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.0.36 or later.

Affected Software/OS

Oracle MySQL Server version 8.0.35 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Linux`

OID:1.3.6.1.4.1.25623.1.0.170866

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.47-`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2024-21200
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2024-2732

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpujan2021) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.47
Fixed version: 5.6.51
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.6.51, 5.7.33, 8.0.23 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.50 and prior, 5.7 through 5.7.32 and 8.0 through 8.0.22.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.32 / 8.0 <= 8.0.22 Security Update (.
↪..
OID:1.3.6.1.4.1.25623.1.0.145223
Version used: 2025-09-09T05:38:49Z

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-2022
cve: CVE-2021-2060
url: https://www.oracle.com/security-alerts/cpujan2021.html#AppendixMSQL
advisory-id: cpujan2021
cert-bund: WID-SEC-2023-0067
cert-bund: CB-K21/0062
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-0131

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.47
Fixed version: 5.7.31
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.31, 8.0.18 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.30 and prior and 8.0 through 8.0.17.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.145803
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-2160
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2021-0821

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.47
Fixed version: 5.7.34
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.34 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.33 and prior.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.145801
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2021-2154
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2021-1660
dfn-cert: DFN-CERT-2021-0984
dfn-cert: DFN-CERT-2021-0821
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.47
Fixed version:     8.0.39
Installation
path / port:       3306/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 8.0.39, 8.4.2, 9.0.2 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.38 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.170868
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2024-21207`
`url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL`
`advisory-id: cpuoct2024`
`cert-bund: WID-SEC-2024-3188`
`dfn-cert: DFN-CERT-2024-2732`

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.47-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.47
Fixed version:     5.7.44
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.44, 8.0.32 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.43 and prior and 8.x through 8.0.31.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.151215
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2023-22028`
`url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL`
`advisory-id: cpuoct2023`
`cert-bund: WID-SEC-2023-2690`
`dfn-cert: DFN-CERT-2024-0108`
`dfn-cert: DFN-CERT-2023-2536`

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.47-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.43, 8.0.32 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.31.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.151211
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2023-22015`
`cve: CVE-2023-22026`
`url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL`
`advisory-id: cpuoct2023`
`cert-bund: WID-SEC-2023-2690`
`dfn-cert: DFN-CERT-2023-2536`

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.47-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.33 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Lin.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.149978
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2023-22007
url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMSQL
advisory-id: cpujul2023
cert-bund: WID-SEC-2023-1794
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2023-1642
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Security Update (cpujul2018 - 04) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
```

. . . continues on next page . . .

. . . continued from previous page . . .

↪25623.1.0.100152)

Summary
Oracle MySQL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     See reference
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation of this vulnerability will allow remote attackers to conduct a denial-of-service condition.

Solution:
Solution type: VendorFix
The vendor has released updates. Please see the references for more information.

Affected Software/OS
Oracle MySQL version 5.5.60 and earlier.

Vulnerability Insight
Multiple flaws exist due to an error in the 'Server: Security: Privileges' component of MySQL Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Security Update (cpujul2018 - 04) - Linux`
OID:1.3.6.1.4.1.25623.1.0.813711
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2018-3063
url: https://www.oracle.com/security-alerts/cpujul2018.html#AppendixMSQL
advisory-id: cpujul2018
cert-bund: WID-SEC-2023-1594
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K18/0795
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1588
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2018-1649
dfn-cert: DFN-CERT-2018-1402
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpujan2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.6.51
Installation
path / port:       3306/tcp
```

Impact

Successful attacks of this vulnerability can result in the unauthorized ability to cause a hang or frequently repeatedly crash (complete DOS) the MySQL Server.

Solution:

Solution type: VendorFix

Update to version 5.6.51, 5.7.31, 8.0.18 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.50 and prior, 5.7 through 5.7.30 and 8.0 through 8.0.17.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.30 / 8.0 <= 8.0.17 Security Update (.
↪..`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.145221
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-2001
url: https://www.oracle.com/security-alerts/cpujan2021.html#AppendixMSQL
advisory-id: cpujan2021
cert-bund: WID-SEC-2023-0067
cert-bund: CB-K21/0062
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-0810
dfn-cert: DFN-CERT-2021-0131

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.47
Fixed version: 5.7.41
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.41 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.40 and prior.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Linux`
OID:1.3.6.1.4.1.25623.1.0.149167
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-21840
url: https://www.oracle.com/security-alerts/cpujan2023.html#AppendixMSQL
advisory-id: cpujan2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-0126
dfn-cert: DFN-CERT-2023-0105
```

Medium (CVSS: 4.4)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.47
Fixed version:     8.0.40
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.40, 8.4.1 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server version 8.0.39 and prior and 8.1 through 8.4.0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.170870
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2024-21212
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2024-2732
```

Medium (CVSS: 4.4)
NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.47
Fixed version:     5.7.37
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 5.7.37, 8.0.28 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118381
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-21595
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1776
dfn-cert: DFN-CERT-2023-0504
dfn-cert: DFN-CERT-2022-2306
```

Medium (CVSS: 4.4)
NVT: Oracle Mysql Security Updates (jan2017-2881727) 04 - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.47
Fixed version:     Apply the patch
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 3306/tcp

Impact
Successful exploitation of this vulnerability will allow remote to have some unspecified impact on availability.

Solution:
Solution type: VendorFix
Apply the patch from the referenced advisory.

Affected Software/OS
Oracle MySQL version 5.5.53 and earlier on Linux

Vulnerability Insight
The flaw exists due to an unspecified error in sub component 'Server: Charsets'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle Mysql Security Updates (jan2017-2881727) 04 - Linux
OID:1.3.6.1.4.1.25623.1.0.809870
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2017-3243
url: http://www.oracle.com/technetwork/security-advisory/cpujan2017-2881727.html
url: http://www.securityfocus.com/bid/95538
cert-bund: CB-K18/0224
cert-bund: CB-K17/1298
cert-bund: CB-K17/0098
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-0090

Medium (CVSS: 4.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.

. . . continues on next page . . .

. . . continued from previous page . . .

↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     5.7.40
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.40, 8.0.30 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.29.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.118385
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-21592
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2022-1776
dfn-cert: DFN-CERT-2022-2306

Medium (CVSS: 4.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.47
Fixed version: 5.7.40
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.40, 8.0.17 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.16.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.118383
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-21589
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2022-1776

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2022-2306

[return to 172.30.9.2]

2.1.7 Low 80/tcp

Low (CVSS: 3.6)
NVT: PHP <= 5.6.0 'PEAR' Symlink Attack Vulnerability

Product detection result
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a symlink attack vulnerability in the included PEAR installer.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     See references
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to a later PHP version including an PEAR installer in version 1.9.2 or later.

Affected Software/OS
PHP through version 5.6.0.

Vulnerability Insight
The PEAR_REST class in REST.php in PEAR allows local users to write to arbitrary files via a symlink attack on a (1) rest.cachefile or (2) rest.cacheid file in /tmp/pear/cache/, related to the retrieveCacheFirst and useLocalCache functions.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP <= 5.6.0 'PEAR' Symlink Attack Vulnerability
OID:1.3.6.1.4.1.25623.1.0.117252
Version used: 2025-09-24T05:39:03Z

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:php:php:5.5.9
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-5459
url: https://pear.php.net/bugs/bug.php?id=18056
url: https://pear.php.net/bugs/bug.php?id=18055
url: http://www.openwall.com/lists/oss-security/2014/08/27/3
cert-bund: CB-K16/0944
cert-bund: CB-K14/1167
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2014-1219
```

Low (CVSS: 3.6)
NVT: PHP < 7.2.33, 7.3 < 7.3.21, 7.4 < 7.4.9 DoS Vulnerability (Aug 2020) - Linux

Product detection result

```
cpe:/a:php:php:5.5.9
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service vulnerability in the phar_parse_zipfile function.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.9
Fixed version:     7.2.33
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.33, 7.3.21, 7.4.9 or later.

Affected Software/OS

PHP versions prior 7.2.33, 7.3 prior 7.3.21 and 7.4 prior to 7.4.9.

Vulnerability Insight

The phar_parse_zipfile function had use-after-free vulnerability because of mishandling of the actual_alias variable.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.33, 7.3 < 7.3.21, 7.4 < 7.4.9 DoS Vulnerability (Aug 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.144365
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.5.9`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7068
url: https://www.php.net/ChangeLog-7.php#7.2.33
url: https://www.php.net/ChangeLog-7.php#7.3.21
url: https://www.php.net/ChangeLog-7.php#7.4.9
cert-bund: WID-SEC-2022-2116
cert-bund: CB-K20/0788
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2020-1910
dfn-cert: DFN-CERT-2020-1732
```

[return to 172.30.9.2]

2.1.8 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 846798247
Packet 2: 846799339
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
`url: https://datatracker.ietf.org/doc/html/rfc1323`
`url: https://datatracker.ietf.org/doc/html/rfc7323`
`url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d`
`↪ownload/details.aspx?id=9152`
`url: https://www.fortiguard.com/psirt/FG-IR-16-090`

[return to 172.30.9.2]

2.1.9 Low 3306/tcp

Low (CVSS: 3.7)
NVT: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.10 Security Update (cpujul2016) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.47-`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation will allow a remote attacker to affect confidentiality via unknown vectors.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Oracle MySQL Server versions 5.5.48 and prior, 5.6 through 5.6.29 and 5.7 through 5.7.10.

Vulnerability Insight
An unspecified error exists in the 'MySQL Server' component via unknown vectors related to the 'Security Encryption' sub-component.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.10 Security Update (.
↪..
OID:1.3.6.1.4.1.25623.1.0.808701
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2016-3452
url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMSQL
url: http://www.securityfocus.com/bid/91999

. . . continues on next page . . .

. . . continued from previous page . . .

```
advisory-id: cpujul2016
cert-bund: CB-K16/1122
cert-bund: CB-K16/1100
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-1169
```

Low (CVSS: 3.7)
NVT: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (cpujul2016) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.47
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow a remote attacker to affect confidentiality via unknown vectors.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.48 and prior, 5.6 through 5.6.29 and 5.7 through 5.7.11.

Vulnerability Insight

An unspecified error exists in the 'MySQL Server' component via unknown vectors related to 'Connection' sub-component.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (. ↪..`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.808700
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.47-
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2016-5444
url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMSQL
url: http://www.securityfocus.com/bid/91987
advisory-id: cpujul2016
cert-bund: CB-K16/1122
cert-bund: CB-K16/1100
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-1169

Low (CVSS: 2.7)
NVT: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.47-
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.47
Fixed version: 5.7.41
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.41, 8.0.32 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.40 and prior and 8.x through 8.0.31.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.149531
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2023-21963`
`url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL`
`advisory-id: cpuapr2023`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2023-1033`
`dfn-cert: DFN-CERT-2023-0885`

Low (CVSS: 2.7)
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.18 Security Update (cpujul2019) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.47-`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.47
Fixed version:     5.6.45
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.45, 5.7.19 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server versions 5.6.44 and prior and 5.7 through 5.7.18.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.18 Security Update (cpujul2019) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.142642
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.47-`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2019-2730`
`url: https://www.oracle.com/security-alerts/cpujul2019.html#AppendixMSQL`
`advisory-id: cpujul2019`
`cert-bund: CB-K19/0620`
`dfn-cert: DFN-CERT-2019-2169`
`dfn-cert: DFN-CERT-2019-1453`

[return to 172.30.9.2]

2.1.10 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

References
`cve: CVE-1999-0524`
`url: https://datatracker.ietf.org/doc/html/rfc792`
`url: https://datatracker.ietf.org/doc/html/rfc2780`
`cert-bund: CB-K15/1514`
`cert-bund: CB-K14/0632`
`dfn-cert: DFN-CERT-2014-0658`

[return to 172.30.9.2]

2.1.11 Log 80/tcp

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port`

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner                       | Enumeration technique
-------------------------------------------------------------------------------
↪----------------------
Server: Apache/2.4.7 (Ubuntu)       | Invalid HTTP 00.5 GET request (non-existen
↪t HTTP version) to '/'
X-Powered-By: PHP/5.5.9-1ubuntu4.14 | Invalid HTTP 00.5 GET request (non-existen
↪t HTTP version) to '/'
```

Solution:

Log Method
Details: `HTTP Server Banner Enumeration`
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote HTTP Server banner is:
Server: Apache/2.4.7 (Ubuntu)
```

Solution:

Log Method

Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Hostname/IP "bwapp.trabalho_vulnnet" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
http://bwapp.trabalho_vulnnet/
http://bwapp.trabalho_vulnnet/admin
http://bwapp.trabalho_vulnnet/apps
http://bwapp.trabalho_vulnnet/db
http://bwapp.trabalho_vulnnet/documents
http://bwapp.trabalho_vulnnet/passwords
http://bwapp.trabalho_vulnnet/soap
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following directories were excluded from web application scanning because th
↪e "Regex pattern to exclude directories from CGI scanning" setting of the VT "
↪Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was
↪: "/(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graph
↪ic|grafik|picture|bilder|thumbnail|media/|skins?/)"
http://bwapp.trabalho_vulnnet/icons
http://bwapp.trabalho_vulnnet/images
http://bwapp.trabalho_vulnnet/js
http://bwapp.trabalho_vulnnet/stylesheets
Directory index found at:
http://bwapp.trabalho_vulnnet/apps/
http://bwapp.trabalho_vulnnet/db/
http://bwapp.trabalho_vulnnet/documents/
http://bwapp.trabalho_vulnnet/passwords/
http://bwapp.trabalho_vulnnet/soap/
Extraneous phpinfo() output found at:
http://bwapp.trabalho_vulnnet/admin/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p5/apache2 </td></tr>
  <h2>PHP Variables</h2>
http://bwapp.trabalho_vulnnet/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p5/apache2 </td></tr>
  <h2>PHP Variables</h2>The following CGIs were discovered:
Syntax : cginame (arguments [default value])
http://bwapp.trabalho_vulnnet/apps/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D;O [A] )
http://bwapp.trabalho_vulnnet/db/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D;O [A] )
http://bwapp.trabalho_vulnnet/documents/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D;O [A
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪] )
http://bwapp.trabalho_vulnnet/passwords/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D;O [A
↪] )
http://bwapp.trabalho_vulnnet/soap/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D;O [A] )
```

Solution:

Log Method
Details: `Web Application Scanning Consolidation / Info Reporting`
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: `2026-01-13T05:47:36Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: robot.txt / robots.txt exists on the Web Server (HTTP)

Summary
Web Servers can use a file called /robot(s).txt to ask search engines to ignore certain files and directories. By nature this file can not be used to protect private files from public read access.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The file 'http://bwapp.trabalho_vulnnet/robots.txt' contains the following:
User-agent: GoodBot
Disallow:
User-agent: BadBot
Disallow: /
User-agent: *
Disallow: /admin/
Disallow: /documents/
Disallow: /images/
Disallow: /passwords/
```

Solution:
Solution type: Mitigation
Review the content of the /robot(s).txt file and consider removing the files from the server or protect them in other ways in case you actually intended non-public availability.

Vulnerability Insight
Any serious web search engine will honor the /robot(s).txt file and not scan the files and directories listed there.

. . . continues on next page . . .

. . . continued from previous page . . .

Any entries listed in this file are not even hidden anymore.

Log Method
Details: `robot.txt / robots.txt exists on the Web Server (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.10302
Version used: `2024-02-26T14:36:40Z`

References
`url: https://www.robotstxt.org/`
`url: https://www.robotstxt.org/norobots-rfc.txt`

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Missing Headers                   | More Information
--------------------------------------------------------------------------------
↪--------------------------------------------------------------------------------
↪-----------------------------------------------
Content-Security-Policy           | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy        | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                   | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Feature-Policy                    | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Referrer-Policy                   | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Sec-Fetch-Mode                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options            | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options                   | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                  | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

Log Method
Details: `HTTP Security Headers Detection`
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: `2025-03-21T15:40:43Z`

References
`url: https://owasp.org/www-project-secure-headers/`
`url: https://owasp.org/www-project-secure-headers/#div-headers`
`url: https://securityheaders.com/`

[return to 172.30.9.2]

2.1.12 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background:

. . . continues on next page . . .

. . . continued from previous page . . .

After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
172.30.9.2|cpe:/a:apache:http_server:2.4.7
172.30.9.2|cpe:/a:mysql:mysql:5.5.47-
172.30.9.2|cpe:/a:oracle:mysql:5.5.47
172.30.9.2|cpe:/a:php:php:5.5.9
172.30.9.2|cpe:/o:canonical:ubuntu_linux
```

Solution:

Log Method
Details: `CPE Inventory`
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: `2022-07-27T10:11:28Z`

References
`url: https://nvd.nist.gov/products/cpe`

[return to 172.30.9.2]

2.1.13 Log general/tcp

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Network route from scanner (172.30.0.2) to target (172.30.9.2):
172.30.0.2
172.30.9.2
Network distance between scanner and target: 2
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `2022-10-17T11:13:19Z`

Log (CVSS: 0.0)
NVT: PHP Detection Consolidation

Summary
Consolidation of PHP detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected PHP
Version:       5.5.9
Location:      80/tcp
CPE:           cpe:/a:php:php:5.5.9
Concluded from version/product identification result:
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Concluded from version/product identification location:
http://bwapp.trabalho_vulnnet/
```

Solution:

Log Method
Details: `PHP Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.171722
Version used: `2025-09-24T05:39:03Z`

References
`url: https://www.php.net/`

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Hostname determination for IP 172.30.9.2:
Hostname|Source
bwapp.trabalho_vulnnet|Reverse-DNS
```

Solution:

Log Method

Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary

This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Ubuntu
CPE:          cpe:/o:canonical:ubuntu_linux
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from PHP Server banner on port 80/tcp: X-Powered-By: PHP/5.5.9-1ubuntu
↪4.14
Setting key "Host/runs_unixoide" based on this information
Other OS detections (in order of reliability):
OS:           Ubuntu
CPE:          cpe:/o:canonical:ubuntu_linux
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from HTTP Server banner on port 80/tcp: Server: Apache/2.4.7 (Ubuntu)
OS:           Ubuntu 14.04
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Version:      14.04
CPE:          cpe:/o:canonical:ubuntu_linux:14.04
Found by VT:  1.3.6.1.4.1.25623.1.0.108192 (Operating System (OS) Detection (MyS
↪QL/MariaDB))
Concluded from MySQL/MariaDB server banner on port 3306/tcp: 5.5.47-0ubuntu0.14.
↪04.1
```

Solution:

Log Method
Details: `OS Detection Consolidation and Reporting`
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: `2026-01-21T05:50:46Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
`It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.`

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: `IP Forwarding Enabled - Active Check`
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: `2021-12-03T08:27:06Z`

References
`cve: CVE-1999-0511`

Log (CVSS: 0.0)
NVT: Apache HTTP Server Detection Consolidation

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Consolidation of Apache HTTP Server detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Apache HTTP Server
Version:       2.4.7
Location:      80/tcp
CPE:           cpe:/a:apache:http_server:2.4.7
Concluded from version/product identification result:
Server: Apache/2.4.7 (Ubuntu)
```

Solution:

Log Method
Details: `Apache HTTP Server Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.117232
Version used: `2024-03-08T15:37:10Z`

References
`url: https://httpd.apache.org`

[return to 172.30.9.2]

2.1.14 Log 3306/tcp

Log (CVSS: 0.0)
NVT: Database Open Access Information Disclosure Vulnerability

Summary
Various Database server might be prone to an information disclosure vulnerability if accessible to remote systems.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`Oracle MySQL can be accessed by remote attackers`

Impact
Successful exploitation could allow an attacker to obtain sensitive information from the database.

Solution:
Solution type: Workaround

. . . continues on next page . . .

. . . continued from previous page . . .

Restrict database access to remote systems. Please see the manual of the affected database server for more information.

Affected Software/OS
- Oracle MySQL
- MariaDB
- IBM DB2
- PostgreSQL
- IBM solidDB
- Oracle Database
- Microsoft SQL Server

Vulnerability Insight
The remote database server is not restricting direct access from remote systems.

Log Method
Checks the result of various database server detections and evaluates their results.
Details: `Database Open Access Information Disclosure Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.902799
Version used: `2025-09-09T05:38:49Z`

References
`url: https://www.pcisecuritystandards.org/security_standards/index.php?id=pci_ds`
`↪s_v1-2.pdf`

Log (CVSS: 0.0)
NVT: MariaDB / Oracle MySQL Detection (MySQL Protocol)

Summary
MySQL protocol-based detection of MariaDB / Oracle MySQL.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Detected Oracle MySQL
Version:       5.5.47-0ubuntu0.14.04.1
Location:      3306/tcp
CPE:           cpe:/a:oracle:mysql:5.5.47
Concluded from version/product identification result:
5.5.47-0ubuntu0.14.04.1
```

Solution:

Log Method

. . . continues on next page . . .

. . . continued from previous page . . .

Details: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID:1.3.6.1.4.1.25623.1.0.100152
Version used: `2025-09-09T05:38:49Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A MySQL server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

[return to 172.30.9.2]