Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was " hgdfdghgdgd". The scan started at Mon Jan 26 01:47:47 2026 UTC and ended at Mon Jan 26 14:04:13 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

1.1 Host Authentications . . . 2

2 Results per Host **2**

2.1 172.30.1.1 . . . 2

2.1.1 Critical general/tcp . . . 3

2.1.2 Critical 513/tcp . . . 5

2.1.3 Critical 1524/tcp . . . 5

2.1.4 Critical 5432/tcp . . . 6

2.1.5 Critical 21/tcp . . . 12

2.1.6 Critical 445/tcp . . . 13

2.1.7 Critical 6200/tcp . . . 19

2.1.8 Critical 22/tcp . . . 20

2.1.9 Critical 80/tcp . . . 23

2.1.10 Critical 3306/tcp . . . 132

2.1.11 Critical 512/tcp . . . 144

2.1.12 High 514/tcp . . . 145

2.1.13 High 513/tcp . . . 146

2.1.14 High 5432/tcp . . . 146

2.1.15 High 21/tcp . . . 161

2.1.16 High 445/tcp . . . 162

2.1.17 High 22/tcp . . . 185

2.1.18 High 80/tcp . . . 199
2.1.19 High 3306/tcp . . . 287
2.1.20 Medium 5432/tcp . . . 327
2.1.21 Medium 23/tcp . . . 359
2.1.22 Medium 21/tcp . . . 361
2.1.23 Medium 445/tcp . . . 364
2.1.24 Medium 22/tcp . . . 390
2.1.25 Medium 80/tcp . . . 418
2.1.26 Medium 3306/tcp . . . 544
2.1.27 Low general/icmp . . . 629
2.1.28 Low general/tcp . . . 630
2.1.29 Low 5432/tcp . . . 632
2.1.30 Low 445/tcp . . . 638
2.1.31 Low 22/tcp . . . 643
2.1.32 Low 80/tcp . . . 650
2.1.33 Low 3306/tcp . . . 657
2.1.34 Log 514/tcp . . . 665
2.1.35 Log general/tcp . . . 665
2.1.36 Log 513/tcp . . . 674
2.1.37 Log 1524/tcp . . . 674
2.1.38 Log 139/tcp . . . 675
2.1.39 Log 5432/tcp . . . 675
2.1.40 Log 23/tcp . . . 686
2.1.41 Log 21/tcp . . . 688
2.1.42 Log 445/tcp . . . 690
2.1.43 Log 22/tcp . . . 695
2.1.44 Log 137/udp . . . 699
2.1.45 Log 80/tcp . . . 700
2.1.46 Log 3306/tcp . . . 712
2.1.47 Log 512/tcp . . . 714
2.1.48 Log general/CPE-T . . . 714

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.30.1.1 metasploitable2.trabalho_vulnnet	93	121	227	28	64	0
Total: 1	93	121	227	28	64	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Debug" are not shown.

This report contains all 533 results selected by the filtering described above. Before filtering there were 5586 results.

1.1 Host Authentications

Host	Protocol	Result	Port/User
172.30.1.1 - metasploitable2.trabalho_vulnnet	SMB	Success	Protocol SMB, Port 445, User

2 Results per Host

2.1 172.30.1.1

Host scan start	Mon Jan 26 10:38:48 2026 UTC
Host scan end	Mon Jan 26 12:32:35 2026 UTC

Service (Port)	Threat Level
general/tcp	Critical
513/tcp	Critical
1524/tcp	Critical
5432/tcp	Critical
21/tcp	Critical
445/tcp	Critical
6200/tcp	Critical
22/tcp	Critical
80/tcp	Critical
3306/tcp	Critical

. . . (continues) . . .

... (continued) ...

Service (Port)	Threat Level
512/tcp	Critical
514/tcp	High
513/tcp	High
5432/tcp	High
21/tcp	High
445/tcp	High
22/tcp	High
80/tcp	High
3306/tcp	High
5432/tcp	Medium
23/tcp	Medium
21/tcp	Medium
445/tcp	Medium
22/tcp	Medium
80/tcp	Medium
3306/tcp	Medium
general/icmp	Low
general/tcp	Low
5432/tcp	Low
445/tcp	Low
22/tcp	Low
80/tcp	Low
3306/tcp	Low
514/tcp	Log
general/tcp	Log
513/tcp	Log
1524/tcp	Log
139/tcp	Log
5432/tcp	Log
23/tcp	Log
21/tcp	Log
445/tcp	Log
22/tcp	Log
137/udp	Log
80/tcp	Log
3306/tcp	Log
512/tcp	Log
general/CPE-T	Log

2.1.1 Critical general/tcp

Critical (CVSS: 10.0)
NVT: Operating System (OS) End of Life (EOL) Detection

Product detection result
`cpe:/o:canonical:ubuntu_linux:8.04`
`Detected by OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0`
`↪.105937)`

Summary
The Operating System (OS) on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The "Ubuntu" Operating System on the remote host has reached the end of life.
CPE:                cpe:/o:canonical:ubuntu_linux:8.04
Installed version,
build or SP:        8.04
EOL date:           2013-05-09
EOL info:           https://documentation.ubuntu.com/project/release-team/list-of
↪-releases/
```

Impact
An EOL version of an OS is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: Mitigation
Update the OS on the remote host to a version which is still supported and receiving security updates by the vendor.
Note / Important: Please create an override for this result if the target host is a:
- Windows system with Extended Security Updates (ESU)
- System with additional 3rd-party / non-vendor security updates like e.g. from 'TuxCare', 'Freexian Extended LTS' or similar

Vulnerability Detection Method
Checks if an EOL version of an OS is present on the target host.
Details: `Operating System (OS) End of Life (EOL) Detection`
OID:1.3.6.1.4.1.25623.1.0.103674
Version used: `2025-05-21T05:40:19Z`

Product Detection Result
Product: `cpe:/o:canonical:ubuntu_linux:8.04`
Method: `OS Detection Consolidation and Reporting`
OID: 1.3.6.1.4.1.25623.1.0.105937)

[return to 172.30.1.1]

2.1.2 Critical 513/tcp

Critical (CVSS: 10.0)
NVT: rlogin Passwordless Login

Summary
The rlogin service allows root access without a password.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`It was possible to gain root access without a password.`

Impact
This vulnerability allows an attacker to gain complete control over the target system.

Solution:
Solution type: Mitigation
Disable the rlogin service and use alternatives like SSH instead.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `rlogin Passwordless Login`
OID:1.3.6.1.4.1.25623.1.0.113766
Version used: `2020-09-30T09:30:12Z`

[return to 172.30.1.1]

2.1.3 Critical 1524/tcp

Critical (CVSS: 10.0)
NVT: Possible Backdoor: Ingreslock

Summary
A backdoor is installed on the remote host.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
`The service is answering to an 'id;' command with the following response: uid=0(`
`↪root) gid=0(root)`

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Attackers can exploit this issue to execute arbitrary commands in the context of the application. Successful attacks will compromise the affected isystem.

Solution:
Solution type: Workaround
A whole cleanup of the infected system is recommended.

Vulnerability Detection Method
Details: `Possible Backdoor: Ingreslock`
OID:1.3.6.1.4.1.25623.1.0.103549
Version used: `2023-07-25T05:05:58Z`

[return to 172.30.1.1]

2.1.4 Critical 5432/tcp

Critical (CVSS: 10.0)
NVT: PostgreSQL End of Life (EOL) Detection - Linux

Product detection result
```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary
The PostgreSQL version on the remote host has reached the End of Life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
The "PostgreSQL" version on the remote host has reached the end of life.
CPE:                cpe:/a:postgresql:postgresql:8.3.1
Installed version:  8.3.1
Location/URL:       5432/tcp
EOL version:        8.3
EOL date:           2013-02-07
```

Impact
An EOL version of PostgreSQL is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update the PostgreSQL version on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `PostgreSQL End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.140158
Version used: `2025-04-15T05:54:49Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
`url: https://www.postgresql.org/support/versioning/`

Critical (CVSS: 10.0)
NVT: PostgreSQL Multiple Vulnerabilities (Aug 2025) - Linux

Product detection result
```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary
PostgreSQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 8.3.1
Fixed version:     13.22
Installation
path / port:       5432/tcp
```

Solution:
Solution type: VendorFix
Update to version 13.22, 14.19, 15.14, 16.10, 17.6 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PostgreSQL prior to version 13.22, 14.x prior to 14.19, 15.x prior to 15.14, 16.x prior to 16.10 and 17.x prior to 17.6.

Vulnerability Insight
The following flaws exist:
- CVE-2025-8713: Optimizer statistics can expose sampled data within a view, partition, or child table
- CVE-2025-8714: pg_dump lets superuser of origin server execute arbitrary code in psql client
- CVE-2025-8715: pg_dump newline in object name executes arbitrary code in psql client and in restore target server

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PostgreSQL Multiple Vulnerabilities (Aug 2025) - Linux`
OID:1.3.6.1.4.1.25623.1.0.155168
Version used: `2025-08-20T05:40:05Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
```
cve: CVE-2025-8713
cve: CVE-2025-8714
cve: CVE-2025-8715
url: https://www.postgresql.org/about/news/postgresql-176-1610-1514-1419-1322-an
↪d-18-beta-3-released-3118/
url: https://www.postgresql.org/support/security/CVE-2025-8713/
url: https://www.postgresql.org/support/security/CVE-2025-8714/
url: https://www.postgresql.org/support/security/CVE-2025-8715/
cert-bund: WID-SEC-2025-2140
cert-bund: WID-SEC-2025-1842
dfn-cert: DFN-CERT-2025-2667
dfn-cert: DFN-CERT-2025-2360
dfn-cert: DFN-CERT-2025-2233
```

Critical (CVSS: 9.8)
NVT: PostgreSQL < 10.6, 11.x < 11.1 SQL Injection Vulnerability - Linux

Product detection result
```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PostgreSQL is prone to an SQL injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     10.6
Installation
path / port:       5432/tcp
```

Solution:
Solution type: VendorFix
Update to version 10.6 or 11.1 respectively.

Affected Software/OS
PostgreSQL before versions 10.6 and 11.1.

Vulnerability Insight
A SQL Injection flaw has been discovered in PostgreSQL server in the way triggers that enable transition relations are dumped. The transition relation name is not correctly quoted and it may allow an attacker with CREATE privilege on some non-temporary schema or TRIGGER privilege on some table to create a malicious trigger that, when dumped and restored, would result in additional SQL statements being executed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PostgreSQL < 10.6, 11.x < 11.1 SQL Injection Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.112429
Version used: `2024-07-19T05:05:32Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References

```
cve: CVE-2018-16850
url: https://bugzilla.redhat.com/show_bug.cgi?id=CVE-2018-16850
url: https://www.postgresql.org/about/news/1905/
cert-bund: CB-K18/1080
dfn-cert: DFN-CERT-2019-1285
dfn-cert: DFN-CERT-2018-2290
```

Critical (CVSS: 9.8)
NVT: PostgreSQL Multiple Vulnerabilities (May 2015) - Linux

Product detection result
`cpe:/a:postgresql:postgresql:8.3.1`
`Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802`
`↪5)`

Summary
PostgreSQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     See references
Installation
path / port:       5432/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.0.20, 9.1.16, 9.2.11, 9.3.7, 9.4.2 or later.

Affected Software/OS
PostgreSQL versions prior to 9.0.20, 9.1.x prior to 9.1.16, 9.2.x prior to 9.2.11, 9.3.x prior to 9.3.7 and 9.4.x prior to 9.4.2.

Vulnerability Insight
The following flaws exist:
- CVE-2015-3165: Double 'free' after authentication timeout
- CVE-2015-3166: Unanticipated errors from the standard library
- CVE-2015-3167: pgcrypto has multiple error messages for decryption with an incorrect key

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PostgreSQL Multiple Vulnerabilities (May 2015) - Linux`
OID:1.3.6.1.4.1.25623.1.0.805805
Version used: `2025-03-12T05:38:19Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2015-3165
cve: CVE-2015-3166
cve: CVE-2015-3167
url: https://www.postgresql.org/about/news/postgresql-942-937-9211-9116-and-9020
↪-released-1587/
url: https://web.archive.org/web/20210122160721/http://www.securityfocus.com/bid
↪/74787
cert-bund: WID-SEC-2025-0479
cert-bund: CB-K15/1360
cert-bund: CB-K15/0714
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-0749
```

Critical (CVSS: 9.0)
NVT: PostgreSQL Default Credentials (PostgreSQL Protocol)

Product detection result

```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary

It was possible to login into the remote PostgreSQL as user postgres using weak credentials.

Quality of Detection (QoD): 99%

Vulnerability Detection Result

```
It was possible to login as user postgres with password "postgres".
```

Solution:

Solution type: Mitigation

Change the password as soon as possible.

Vulnerability Detection Method

Details: `PostgreSQL Default Credentials (PostgreSQL Protocol)`
OID:1.3.6.1.4.1.25623.1.0.103552
Version used: `2024-07-19T15:39:06Z`

Product Detection Result

Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

[return to 172.30.1.1]

2.1.5 Critical 21/tcp

Critical (CVSS: 9.8)
NVT: vsftpd Compromised Source Packages Backdoor Vulnerability

Product detection result
`cpe:/a:beasts:vsftpd:2.3.4`
`Detected by vsFTPd FTP Server Detection (OID: 1.3.6.1.4.1.25623.1.0.111050)`

Summary
vsftpd is prone to a backdoor vulnerability.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Impact
Attackers can exploit this issue to execute arbitrary commands in the context of the application. Successful attacks will compromise the affected application.

Solution:
Solution type: VendorFix
The repaired package can be downloaded from the referenced vendor homepage. Please validate the package with its signature.

Affected Software/OS
The vsftpd 2.3.4 source package downloaded between 20110630 and 20110703 is affected.

Vulnerability Insight
The tainted source package contains a backdoor which opens a shell on port 6200/tcp.

Vulnerability Detection Method
Details: `vsftpd Compromised Source Packages Backdoor Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.103185
Version used: `2023-12-07T05:05:41Z`

Product Detection Result
Product: `cpe:/a:beasts:vsftpd:2.3.4`
Method: `vsFTPd FTP Server Detection`
OID: 1.3.6.1.4.1.25623.1.0.111050)

References
`cve: CVE-2011-2523`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://scarybeastsecurity.blogspot.com/2011/07/alert-vsftpd-download-backd
↪oored.html
url: https://web.archive.org/web/20210127090551/https://www.securityfocus.com/bi
↪d/48539/
url: https://security.appspot.com/vsftpd.html
```

[return to 172.30.1.1]

2.1.6 Critical 445/tcp

Critical (CVSS: 10.0)
NVT: Samba 3.0.0 <= 3.0.25rc3 Remote Code Execution Vulnerability (CVE-2007-2446)

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Multiple Heap Overflows Allow remote code execution (RCE).

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     Apply patch
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Apply the patch mentioned in the linked reference.

Affected Software/OS

Samba versions 3.0.0 through 3.0.25rc3.

Vulnerability Insight

Various bugs in Samba's NDR parsing can allow a user to send specially crafted MS-RPC requests that will overwrite the heap space with user defined data.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Samba 3.0.0 <= 3.0.25rc3 Remote Code Execution Vulnerability (CVE-2007-2446)`
OID:1.3.6.1.4.1.25623.1.0.150725

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2024-06-28T15:38:46Z

Product Detection Result
Product: cpe:/a:samba:samba:3.0.20
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2007-2446
url: https://www.samba.org/samba/security/CVE-2007-2446.html

Critical (CVSS: 10.0)
NVT: Samba 'TALLOC_FREE()' Function RCE Vulnerability

Product detection result
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a remote code execution (RCE) vulnerability in the 'TALLOC_FREE()' function.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.0.20
Fixed version: 3.6.25 or 4.0.25 or 4.1.17, 4.2.0rc5, or later
Installation
path / port: 445/tcp

Impact
An attacker can exploit this issue to execute arbitrary code with root privileges. Failed exploit attempts will cause a denial-of-service condition

Solution:
Solution type: VendorFix
Updates are available. Please see the references or vendor advisory for more information.

Affected Software/OS
Samba 3.5.x and 3.6.x before 3.6.25, 4.0.x before 4.0.25, 4.1.x before 4.1.17, and 4.2.x before 4.2.0rc5

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The Netlogon server implementation in smbd performs a free operation on an uninitialized stack pointer, which allows remote attackers to execute arbitrary code via crafted Netlogon packets that use the ServerPasswordSet RPC API, as demonstrated by packets reaching the _netr_ServerPasswordSet function in rpc_server/netlogon/srv_netlog_nt.c.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 'TALLOC_FREE()' Function RCE Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.105231
Version used: `2025-09-17T05:39:26Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2015-0240`
`url: http://www.securityfocus.com/bid/72711`
`cert-bund: CB-K16/0596`
`cert-bund: CB-K16/0572`
`cert-bund: CB-K15/0245`
`cert-bund: CB-K15/0230`
`dfn-cert: DFN-CERT-2016-0648`
`dfn-cert: DFN-CERT-2016-0620`
`dfn-cert: DFN-CERT-2015-0253`
`dfn-cert: DFN-CERT-2015-0237`

Critical (CVSS: 10.0)
NVT: Samba End of Life (EOL) Detection

Product detection result
`cpe:/a:samba:samba:3.0.20`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
The Samba version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
The "Samba" version on the remote host has reached the end of life.
CPE:                cpe:/a:samba:samba:3.0.20
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 3.0.20
Location/URL:      445/tcp
EOL version:       3.0
EOL date:          2009-08-05
```

Impact
An EOL version of Samba is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update the Samba version on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `Samba End of Life (EOL) Detection`
OID:1.3.6.1.4.1.25623.1.0.140159
Version used: `2025-04-15T05:54:49Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`url: https://wiki.samba.org/index.php/Samba_Release_Planning`

Critical (CVSS: 10.0)
NVT: Samba 3.0.0 <= 3.6.3 Remote Code Execution Vulnerability (CVE-2012-1182)

Product detection result
`cpe:/a:samba:samba:3.0.20`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba 3.0.x to 3.6.3 are affected by a vulnerability that allows remote code execution (RCE) as the 'root' user.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     3.4.16
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        445/tcp
```

Solution:
Solution type: VendorFix
Update to version 3.4.16, 3.5.14, 3.6.4 or later.

Affected Software/OS
Samba versions 3.0.0 through 3.6.3.

Vulnerability Insight
Samba versions 3.6.3 and all versions previous to this are affected by a vulnerability that allows remote code execution as the 'root' user from an anonymous connection.
The code generator for Samba's remote procedure call (RPC) code contained an error which caused it to generate code containing a security flaw. This generated code is used in the parts of Samba that control marshalling and unmarshalling of RPC calls over the network.
The flaw caused checks on the variable containing the length of an allocated array to be done independently from the checks on the variable used to allocate the memory for that array. As both these variables are controlled by the connecting client it makes it possible for a specially crafted RPC call to cause the server to execute arbitrary code.
As this does not require an authenticated connection it is the most serious vulnerability possible in a program, and users and vendors are encouraged to patch their Samba installations immediately.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 3.0.0 <= 3.6.3 Remote Code Execution Vulnerability (CVE-2012-1182)`
OID:1.3.6.1.4.1.25623.1.0.150729
Version used: `2024-06-28T15:38:46Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2012-1182
url: https://www.samba.org/samba/security/CVE-2012-1182.html
dfn-cert: DFN-CERT-2013-0359
dfn-cert: DFN-CERT-2013-0351
dfn-cert: DFN-CERT-2012-1172
dfn-cert: DFN-CERT-2012-1111
dfn-cert: DFN-CERT-2012-0986
dfn-cert: DFN-CERT-2012-0950
dfn-cert: DFN-CERT-2012-0929
dfn-cert: DFN-CERT-2012-0850
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2012-0764
dfn-cert: DFN-CERT-2012-0748
dfn-cert: DFN-CERT-2012-0730
dfn-cert: DFN-CERT-2012-0727
dfn-cert: DFN-CERT-2012-0726
dfn-cert: DFN-CERT-2012-0721
dfn-cert: DFN-CERT-2012-0720
dfn-cert: DFN-CERT-2012-0719
dfn-cert: DFN-CERT-2012-0718
dfn-cert: DFN-CERT-2012-0713
dfn-cert: DFN-CERT-2012-0666
dfn-cert: DFN-CERT-2012-0665
dfn-cert: DFN-CERT-2012-0657
```

Critical (CVSS: 9.8)
NVT: Samba Elevation of Privilege Vulnerability (CVE-2022-45141)

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to an elevation of privilege vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.15.13 / 4.16.0
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.15.13, 4.16.0 or later.

Affected Software/OS

Samba versions prior to 4.15.13.

Vulnerability Insight

Kerberos, the trusted third party authentication system at the heart of Active Directory, issues a ticket using a key known to the target server but nobody else, returned to the client in a TGS-REP.

This key needs to be of a type understood only by the KDC and target server.

. . . continues on next page . . .

. . . continued from previous page . . .

However, due to a coding error subsequently addressed in all recent Heimdal versions and so fixed with Samba 4.16 (which imports Heimdal 8.0pre), the (attacking) client would be given the opportunity to select the encryption type, and so obtain a ticket encrypted with rc4-hmac, that it could attack offline.
This is possible unless rc4-hmac is totally removed from the server's account, by removing the unicodePwd attribute, but this will break other aspects of the server's operation in the domain (NETLOGON in particular).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Elevation of Privilege Vulnerability (CVE-2022-45141)`
OID:1.3.6.1.4.1.25623.1.0.104475
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2022-45141`
`url: https://www.samba.org/samba/security/CVE-2022-45141.html`
`cert-bund: WID-SEC-2022-2365`
`dfn-cert: DFN-CERT-2025-1637`
`dfn-cert: DFN-CERT-2022-2870`

[return to 172.30.1.1]

2.1.7 Critical 6200/tcp

Critical (CVSS: 9.8)
NVT: vsftpd Compromised Source Packages Backdoor Vulnerability

Summary
vsftpd is prone to a backdoor vulnerability.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Impact
Attackers can exploit this issue to execute arbitrary commands in the context of the application. Successful attacks will compromise the affected application.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
The repaired package can be downloaded from the referenced vendor homepage. Please validate the package with its signature.

Affected Software/OS
The vsftpd 2.3.4 source package downloaded between 20110630 and 20110703 is affected.

Vulnerability Insight
The tainted source package contains a backdoor which opens a shell on port 6200/tcp.

Vulnerability Detection Method
Details: `vsftpd Compromised Source Packages Backdoor Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.103185
Version used: `2023-12-07T05:05:41Z`

References
`cve: CVE-2011-2523`
`url: https://scarybeastsecurity.blogspot.com/2011/07/alert-vsftpd-download-backd`
`↪oored.html`
`url: https://web.archive.org/web/20210127090551/https://www.securityfocus.com/bi`
`↪d/48539/`
`url: https://security.appspot.com/vsftpd.html`

[return to 172.30.1.1]

2.1.8 Critical 22/tcp

Critical (CVSS: 9.8)
NVT: OpenBSD OpenSSH < 9.3p2 RCE Vulnerability

Product detection result
`cpe:/a:openbsd:openssh:4.7p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenBSD OpenSSH is prone to a remote code execution (RCE) vulnerability in OpenSSH's forwarded ssh-agent.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 4.7p1
Fixed version:     9.3p2
Installation
path / port:       22/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.3p2 or later.

Affected Software/OS
OpenBSD OpenSSH prior to version 9.3p2.
The following conditions needs to be met:
- Exploitation requires the presence of specific libraries on the victim system.
- Remote exploitation requires that the agent was forwarded to an attacker-controlled system.

Vulnerability Insight
A condition where specific libraries loaded via ssh-agent(1)'s PKCS#11 support could be abused to achieve remote code execution via a forwarded agent socket.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH < 9.3p2 RCE Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.104869
Version used: `2023-10-13T05:06:10Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2023-38408
url: https://www.openssh.com/releasenotes.html#9.3p2
url: https://www.qualys.com/2023/07/19/cve-2023-38408/rce-openssh-forwarded-ssh-
↪agent.txt
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1082
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-2679
cert-bund: WID-SEC-2023-2625
cert-bund: WID-SEC-2023-2240
cert-bund: WID-SEC-2023-1843
cert-bund: WID-SEC-2023-1819
dfn-cert: DFN-CERT-2026-0097
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2024-0491
dfn-cert: DFN-CERT-2023-2792
dfn-cert: DFN-CERT-2023-2179
dfn-cert: DFN-CERT-2023-1961
dfn-cert: DFN-CERT-2023-1920
dfn-cert: DFN-CERT-2023-1845
dfn-cert: DFN-CERT-2023-1773
dfn-cert: DFN-CERT-2023-1665
```

Critical (CVSS: 9.8)
NVT: OpenSSH < 7.2 X11 Forwarding Security Bypass Vulnerability - Linux

Product detection result

```
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenSSH is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     7.2
Installation
path / port:       22/tcp
```

Impact

Successfully exploiting this issue allows local users to bypass certain security restrictions and perform unauthorized actions. This may lead to further attacks.

Solution:

Solution type: VendorFix

Update to version 7.2 or later.

Affected Software/OS

OpenSSH versions before 7.2 on Linux.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

An access flaw was discovered in OpenSSH, it did not correctly handle failures to generate authentication cookies for untrusted X11 forwarding. A malicious or compromised remote X application could possibly use this flaw to establish a trusted connection to the local X server, even if only untrusted X11 forwarding was requested.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH < 7.2 X11 Forwarding Security Bypass Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.810769
Version used: `2024-12-13T05:05:32Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2016-1908
url: http://openwall.com/lists/oss-security/2016/01/15/13
url: http://www.securityfocus.com/bid/84427
url: https://bugzilla.redhat.com/show_bug.cgi?id=1298741#c4
url: http://www.openssh.com/txt/release-7.2
url: https://anongit.mindrot.org/openssh.git/commit/?id=ed4ce82dbfa8a3a3c8ea6fa0
↪db113c71e234416c
url: https://bugzilla.redhat.com/show_bug.cgi?id=1298741
cert-bund: CB-K16/1485
cert-bund: CB-K16/0694
cert-bund: CB-K16/0684
cert-bund: CB-K16/0449
cert-bund: CB-K16/0162
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2016-1574
dfn-cert: DFN-CERT-2016-0754
dfn-cert: DFN-CERT-2016-0733
dfn-cert: DFN-CERT-2016-0488
dfn-cert: DFN-CERT-2016-0182
```

[return to 172.30.1.1]

2.1.9 Critical 80/tcp

Critical (CVSS: 10.0)
NVT: Apache HTTP Server End of Life (EOL) Detection - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
The Apache HTTP Server version on the remote host has reached the End of Life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "Apache HTTP Server" version on the remote host has reached the end of life.
CPE:                cpe:/a:apache:http_server:2.2.8
Installed version: 2.2.8
Location/URL:       80/tcp
EOL version:        2.2
EOL date:           2017-12-31
```

Impact
An EOL version of the Apache HTTP Server is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update the Apache HTTP Server version on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `Apache HTTP Server End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.108085
Version used: `2025-04-15T05:54:49Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
url: https://archive.apache.org/dist/httpd/Announcement1.3.html
url: https://archive.apache.org/dist/httpd/Announcement2.0.html
url: https://www.apache.org/dist/httpd/Announcement2.2.html
url: https://en.wikipedia.org/wiki/Apache_HTTP_Server#Versions
```

Critical (CVSS: 10.0)
NVT: PHP 4.3.x < 5.2.7 Buffer Overflow Vulnerability

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.7
Installation
path / port:       80/tcp
```

Impact
Successful exploitation could allow attackers to execute arbitrary code via a crafted string containing an HTML entity.

Solution:
Solution type: VendorFix
Update to version 5.2.7 or later.

Affected Software/OS
PHP versions 4.3.x through 5.2.6.

Vulnerability Insight
An error exists in mbfilter_htmlent.c file in the mbstring extension. These can be exploited via mb_convert_encoding, mb_check_encoding, mb_convert_variables, and mb_parse_str functions.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 4.3.x < 5.2.7 Buffer Overflow Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.900185
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2008-5557
url: http://bugs.php.net/bug.php?id=45722
url: http://www.securityfocus.com/bid/32948
url: http://archives.neohapsis.com/archives/fulldisclosure/2008-12/0477.html
dfn-cert: DFN-CERT-2010-0588
dfn-cert: DFN-CERT-2009-1497

Critical (CVSS: 10.0)
NVT: PHP < 5.2.7 Multiple Vulnerabilities

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.2.7
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 5.2.7 or later.

Affected Software/OS
PHP prior to version 5.2.7.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.2.7 Multiple Vulnerabilities
OID:1.3.6.1.4.1.25623.1.0.108868
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2008-2371
cve: CVE-2008-2665
cve: CVE-2008-2666
cve: CVE-2008-2829
cve: CVE-2008-3658
cve: CVE-2008-3659
cve: CVE-2008-3660
cve: CVE-2008-5557
cve: CVE-2008-5624
cve: CVE-2008-5625
cve: CVE-2008-5658
url: http://www.securityfocus.com/bid/29796
url: http://www.securityfocus.com/bid/29797
url: http://www.securityfocus.com/bid/29829
url: http://www.securityfocus.com/bid/30087
url: http://www.securityfocus.com/bid/30649
url: http://www.securityfocus.com/bid/31612
url: http://www.securityfocus.com/bid/32383
url: http://www.securityfocus.com/bid/32625
url: http://www.securityfocus.com/bid/32688
url: http://www.securityfocus.com/bid/32948
dfn-cert: DFN-CERT-2010-0588
dfn-cert: DFN-CERT-2010-0263
dfn-cert: DFN-CERT-2009-1497
```

Critical (CVSS: 10.0)
NVT: PHP < 5.2.12 Multiple Vulnerabilities

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.12
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Attackers can exploit the code execution vulnerability to execute arbitrary code within the context of the PHP process. This may allow them to bypass intended security restrictions or gain elevated privileges.
An attacker may leverage the cross-site scripting vulnerability to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site. This may let the attacker steal cookie-based authentication credentials and launch other attacks.

Solution:
Solution type: VendorFix
Update to version 5.2.12 or later.

Affected Software/OS
PHP versions prior to 5.2.12.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.2.12 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.100409
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2009-4142`
`cve: CVE-2009-4143`
`url: http://www.securityfocus.com/bid/37390`
`url: http://www.securityfocus.com/bid/37389`
`url: http://www.php.net/ChangeLog-5.php#5.2.12`
`url: http://www.php.net/releases/5_2_12.php`
`url: http://www.suspekt.org/downloads/POC2009-ShockingNewsInPHPExploitation.pdf`
`url: http://www.blackhat.com/presentations/bh-usa-09/ESSER/BHUSA09-Esser-PostExp`
`↪loitationPHP-PAPER.pdf`
`url: http://d.hatena.ne.jp/t_komura/20091004/1254665511`
`url: http://bugs.php.net/bug.php?id=49785`
`dfn-cert: DFN-CERT-2010-1227`
`dfn-cert: DFN-CERT-2010-0265`
`dfn-cert: DFN-CERT-2010-0263`
`dfn-cert: DFN-CERT-2010-0253`
`dfn-cert: DFN-CERT-2010-0143`
`dfn-cert: DFN-CERT-2010-0140`
`dfn-cert: DFN-CERT-2010-0075`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2010-0074
dfn-cert: DFN-CERT-2010-0073
dfn-cert: DFN-CERT-2010-0060
```

Critical (CVSS: 10.0)
NVT: phpMyAdmin End of Life (EOL) Detection - Linux

Summary
The phpMyAdmin version on the remote host has reached the End of Life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "phpMyAdmin" version on the remote host has reached the end of life.
CPE:                cpe:/a:phpmyadmin:phpmyadmin:3.1.1
Installed version: 3.1.1
Location/URL:       /phpMyAdmin
EOL version:        3.1
EOL date:           unknown
```

Impact
An EOL version of phpMyAdmin is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update the phpMyAdmin version on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `phpMyAdmin End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.113015
Version used: `2025-04-15T05:54:49Z`

References

```
url: https://www.phpmyadmin.net/downloads/
url: https://www.phpmyadmin.net/news/2011/7/12/phpmyadmin-211-end-of-life/
url: https://www.phpmyadmin.net/news/2017/1/23/phpmyadmin-466-441510-and-401019-
↪are-released/
```

Critical (CVSS: 10.0)
NVT: PHP End of Life (EOL) Detection - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
The PHP version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "PHP" version on the remote host has reached the end of life.
CPE:                cpe:/a:php:php:5.2.4
Installed version: 5.2.4
EOL version:        5.2
EOL date:           2011-01-06
```

Impact
An EOL version of PHP is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update the PHP version on the remote host to a still supported version.

Vulnerability Insight
Each release branch of PHP is fully supported for two years from its initial stable release. During this period, bugs and security issues that have been reported are fixed and are released in regular point releases.
After this two year period of active support, each branch is then supported for an additional year for critical security issues only. Releases during this period are made on an as-needed basis: there may be multiple point releases, or none, depending on the number of reports.
Once the three years of support are completed, the branch reaches its end of life and is no longer supported.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: PHP End of Life (EOL) Detection - Linux
OID:1.3.6.1.4.1.25623.1.0.105889
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`url: https://secure.php.net/supported-versions.php`
`url: https://secure.php.net/eol.php`

Critical (CVSS: 10.0)
NVT: Apache HTTP Server Multiple Security Vulnerabilities

Product detection result
`cpe:/a:apache:http_server:2.2.8`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.2.8
Fixed version:     2.2.15
Installation
path / port:       80/tcp
```

Impact
These issues may lead to information disclosure or other attacks.

Solution:
Solution type: VendorFix
Update to version 2.2.15 or later.

Affected Software/OS
Apache HTTP Server versions prior to 2.2.15 are affected.

Vulnerability Detection Method
Details: `Apache HTTP Server Multiple Security Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.100514
Version used: `2022-05-02T09:35:37Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2010-0425
cve: CVE-2010-0434
cve: CVE-2010-0408
cve: CVE-2007-6750
url: http://www.securityfocus.com/bid/38494
url: http://www.securityfocus.com/bid/38491
url: http://httpd.apache.org/security/vulnerabilities_22.html
url: https://issues.apache.org/bugzilla/show_bug.cgi?id=48359
url: http://svn.apache.org/viewvc?view=revision&revision=917870
cert-bund: CB-K17/0896
cert-bund: CB-K17/0517
cert-bund: CB-K14/0825
dfn-cert: DFN-CERT-2020-0232
dfn-cert: DFN-CERT-2017-0925
dfn-cert: DFN-CERT-2017-0534
dfn-cert: DFN-CERT-2016-0890
dfn-cert: DFN-CERT-2014-0863
dfn-cert: DFN-CERT-2012-0424
dfn-cert: DFN-CERT-2012-0387
dfn-cert: DFN-CERT-2012-0306
dfn-cert: DFN-CERT-2011-0700
dfn-cert: DFN-CERT-2010-1647
dfn-cert: DFN-CERT-2010-1271
dfn-cert: DFN-CERT-2010-0730
dfn-cert: DFN-CERT-2010-0725
dfn-cert: DFN-CERT-2010-0619
dfn-cert: DFN-CERT-2010-0599
dfn-cert: DFN-CERT-2010-0586
dfn-cert: DFN-CERT-2010-0567
dfn-cert: DFN-CERT-2010-0414
dfn-cert: DFN-CERT-2010-0402
dfn-cert: DFN-CERT-2010-0314
dfn-cert: DFN-CERT-2010-0290
```

Critical (CVSS: 10.0)
NVT: TWiki < 4.2.4 Multiple XSS / Command Execution Vulnerabilities

Summary
TWiki is prone to multiple cross-site scripting (XSS) and command execution vulnerabilities.

Quality of Detection (QoD): 80%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result
Installed version: 01.Feb.2003
Fixed version: 4.2.4

Impact
Successful exploitation could allow execution of arbitrary script code or commands. This could let attackers steal cookie-based authentication credentials or compromise the affected application.

Solution:
Solution type: VendorFix
Update to version 4.2.4 or later.

Affected Software/OS
TWiki versions prior to 4.2.4.

Vulnerability Insight
The flaws are due to:
- %URLPARAM}}% variable is not properly sanitized which lets attackers conduct cross-site scripting attack.
- %SEARCH}}% variable is not properly sanitised before being used in an eval() call which lets the attackers execute perl code through eval injection attack.

Vulnerability Detection Method
Details: TWiki < 4.2.4 Multiple XSS / Command Execution Vulnerabilities
OID:1.3.6.1.4.1.25623.1.0.800320
Version used: 2025-12-11T05:46:19Z

References
cve: CVE-2008-5304
cve: CVE-2008-5305
url: http://twiki.org/cgi-bin/view/Codev.SecurityAlert-CVE-2008-5304
url: http://www.securityfocus.com/bid/32668
url: http://www.securityfocus.com/bid/32669
url: http://twiki.org/cgi-bin/view/Codev/SecurityAlert-CVE-2008-5305

Critical (CVSS: 10.0)
NVT: PHP 5.3.x < 5.3.7 Multiple Security Vulnerabilities

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.3.7
Installation
path / port:       80/tcp
```

Impact

An attacker can exploit these issues to execute arbitrary code, crash the affected application, gain and bypass security restrictions. Other attacks are also possible.

Solution:

Solution type: VendorFix

Update to version 5.3.7 or later.

Affected Software/OS

PHP prior to version 5.3.7.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 5.3.x < 5.3.7 Multiple Security Vulnerabilities`

OID:1.3.6.1.4.1.25623.1.0.103229

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2011-1938
cve: CVE-2011-2202
cve: CVE-2011-2483
cve: CVE-2011-3267
cve: CVE-2011-3268
url: https://web.archive.org/web/20110917120105/http://www.securityfocus.com/bid
↪/49241
url: https://www.php.net/archive/2011.php#id2011-08-18-1
cert-bund: CB-K15/1514
cert-bund: CB-K13/0921
dfn-cert: DFN-CERT-2013-1938
dfn-cert: DFN-CERT-2013-1494
dfn-cert: DFN-CERT-2012-0914
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2012-0731
dfn-cert: DFN-CERT-2012-0714
dfn-cert: DFN-CERT-2012-0678
dfn-cert: DFN-CERT-2012-0172
dfn-cert: DFN-CERT-2012-0167
dfn-cert: DFN-CERT-2012-0165
dfn-cert: DFN-CERT-2012-0099
dfn-cert: DFN-CERT-2011-1816
dfn-cert: DFN-CERT-2011-1814
dfn-cert: DFN-CERT-2011-1813
dfn-cert: DFN-CERT-2011-1708
dfn-cert: DFN-CERT-2011-1698
dfn-cert: DFN-CERT-2011-1686
dfn-cert: DFN-CERT-2011-1643
dfn-cert: DFN-CERT-2011-1603
dfn-cert: DFN-CERT-2011-1602
dfn-cert: DFN-CERT-2011-1443
dfn-cert: DFN-CERT-2011-1433
dfn-cert: DFN-CERT-2011-1402
dfn-cert: DFN-CERT-2011-1396
dfn-cert: DFN-CERT-2011-1387
dfn-cert: DFN-CERT-2011-1276
dfn-cert: DFN-CERT-2011-1005
```

Critical (CVSS: 9.9)
NVT: jQuery End of Life (EOL) Detection - Linux

Summary

The jQuery version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
The "jQuery" version on the remote host has reached the end of life.
CPE:                cpe:/a:jquery:jquery:1.3.2
Installed version: 1.3.2
Location/URL:       /mutillidae/javascript/ddsmoothmenu/jquery.min.js
EOL version:        1
EOL date:           unknown
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable2.trabalho_vulnnet/mutillidae/javascript
↪/ddsmoothmenu/jquery.min.js
- Referenced at:   http://metasploitable2.trabalho_vulnnet/mutillidae/
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

An EOL version of jQuery is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update jQuery on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `jQuery End of Life (EOL) Detection - Linux`
OID:1.3.6.1.4.1.25623.1.0.117149
Version used: `2025-04-15T05:54:49Z`

References
`url: https://github.com/jquery/jquery.com/pull/163`

Critical (CVSS: 9.8)
NVT: PHP < 7.4.28, 8.0.x < 8.0.16, 8.1.x < 8.1.3 Security Update (Feb 2022) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP released new versions which include a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     7.4.28
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.4.28, 8.0.16, 8.1.3 or later.

Affected Software/OS
PHP prior to version 7.4.28, 8.0.x through 8.0.15 and 8.1.x through 8.1.2.

Vulnerability Insight
Fix #81708: UAF due to php_filter_float() failing for ints.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.4.28, 8.0.x < 8.0.16, 8.1.x < 8.1.3 Security Update (Feb 2022) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147657
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2021-21708
url: https://www.php.net/ChangeLog-7.php#7.4.28
url: https://www.php.net/ChangeLog-8.php#8.0.16
url: https://www.php.net/ChangeLog-8.php#8.1.3
url: https://bugs.php.net/bug.php?id=81708
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-0280
cert-bund: CB-K22/0201
dfn-cert: DFN-CERT-2024-1062
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2500
dfn-cert: DFN-CERT-2022-2499
dfn-cert: DFN-CERT-2022-1605
dfn-cert: DFN-CERT-2022-0557
dfn-cert: DFN-CERT-2022-0407
dfn-cert: DFN-CERT-2022-0365
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.26, 7.x < 7.0.11 Multiple Vulnerabilities (Sep 2016) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.26
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service, or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.6.26, 7.0.11 or later.

Affected Software/OS

PHP prior to version 5.6.26 and 7.x prior to 7.0.11 on Linux.

Vulnerability Insight

The following flaws exist:

- Use-after-free vulnerability in the 'wddx_stack_destroy' function in 'ext/wddx/wddx.c' script.
- Improper verification of a BIT field has the UNSIGNED_FLAG flag in 'ext/mysqlnd/mysqlnd_wireprotocol.c' script.
- The ZIP signature-verification feature does not ensure that the uncompressed_filesize field is large enough.
- The script 'ext/spl/spl_array.c' proceeds with SplArray unserialization without validating a return value and data type.
- The script 'ext/intl/msgformat/msgformat_format.c' does not properly restrict the locale length provided to the Locale class in the ICU library.
- An error in the php_wddx_push_element function in ext/wddx/wddx.c.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.26, 7.x < 7.0.11 Multiple Vulnerabilities (Sep 2016) - Linux`

OID:1.3.6.1.4.1.25623.1.0.809317

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2016-7412
cve: CVE-2016-7413
cve: CVE-2016-7414
cve: CVE-2016-7416
cve: CVE-2016-7417
cve: CVE-2016-7418
url: http://www.php.net/ChangeLog-7.php
url: http://www.securityfocus.com/bid/93005
url: http://www.securityfocus.com/bid/93006
url: http://www.securityfocus.com/bid/93004
url: http://www.securityfocus.com/bid/93022
url: http://www.securityfocus.com/bid/93008
url: http://www.securityfocus.com/bid/93007
url: http://www.securityfocus.com/bid/93011
url: http://www.php.net/ChangeLog-5.php
cert-bund: CB-K16/1958
cert-bund: CB-K16/1549
cert-bund: CB-K16/1543
cert-bund: CB-K16/1532
cert-bund: CB-K16/1426
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2016-2063
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1639
dfn-cert: DFN-CERT-2016-1631
dfn-cert: DFN-CERT-2016-1495
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.37, 5.6.x < 5.6.23 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.5.37
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (use-after-free and application crash) or possibly execute arbitrary code or possibly have unspecified other impact via a large integer argument.

Solution:
Solution type: VendorFix
Update to version 5.5.37, 5.6.23 or later.

Affected Software/OS
PHP prior to version 5.5.37 and 5.6.x prior to 5.6.23 on Linux.

Vulnerability Insight
The following flaws exist:
- The 'spl_array.c' in the SPL extension improperly interacts with the unserialize implementation and garbage collection.
- Integer overflow in the 'SplFileObject::fread' function in 'spl_directory.c' in the SPL extension.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.37, 5.6.x < 5.6.23 Multiple Vulnerabilities (Aug 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808790
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-5770`
`cve: CVE-2016-5771`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/91401`
`url: http://www.securityfocus.com/bid/91403`
`cert-bund: CB-K16/2012`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/1452`
`cert-bund: CB-K16/1179`
`cert-bund: CB-K16/1106`
`cert-bund: CB-K16/1070`
`cert-bund: CB-K16/1030`
`cert-bund: CB-K16/0965`
`dfn-cert: DFN-CERT-2018-0576`
`dfn-cert: DFN-CERT-2016-2125`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1541
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1139
dfn-cert: DFN-CERT-2016-1097
dfn-cert: DFN-CERT-2016-1022
```

Critical (CVSS: 9.8)
NVT: PHP < 7.4.33, 8.0.x < 8.0.25, 8.1.x < 8.1.12 Security Update - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     7.4.33
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.4.33, 8.0.25, 8.1.12 or later.

Affected Software/OS

PHP prior to version 7.4.33, version 8.0.x through 8.0.24 and 8.1.x through 8.1.11.

Vulnerability Insight

The following vulnerabilities exist:
- CVE-2022-31630: OOB read due to insufficient input validation in imageloadfont()
- CVE-2022-37454: Buffer overflow in hash_update() on long parameter

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.4.33, 8.0.x < 8.0.25, 8.1.x < 8.1.12 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.148830
Version used: `2025-09-24T05:39:03Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2022-31630
cve: CVE-2022-37454
url: https://www.php.net/ChangeLog-7.php#7.4.33
url: https://www.php.net/ChangeLog-8.php#8.0.25
url: https://www.php.net/ChangeLog-8.php#8.1.12
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0138
cert-bund: WID-SEC-2022-1934
cert-bund: WID-SEC-2022-1816
dfn-cert: DFN-CERT-2026-0215
dfn-cert: DFN-CERT-2023-0552
dfn-cert: DFN-CERT-2023-0422
dfn-cert: DFN-CERT-2023-0028
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2793
dfn-cert: DFN-CERT-2022-2715
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2535
dfn-cert: DFN-CERT-2022-2523
dfn-cert: DFN-CERT-2022-2420
dfn-cert: DFN-CERT-2022-2380

Critical (CVSS: 9.8)
NVT: PHP < 5.5.35, 5.6.x < 5.6.21, 7.x < 7.0.6 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.2.4
Fixed version:     5.5.35
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.5.35, 5.6.21, 7.0.6 or later.

Affected Software/OS
PHP prior to version 5.5.35, 5.6.x prior to 5.6.21 and 7.x prior to 7.0.6 on Linux.

Vulnerability Insight
The following flaws exist:
- Improper validation of TIFF start data in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script.
- Improper validation of IFD sizes in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script.
- Improper construction of spprintf arguments, in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script.
- Error in 'grapheme_strpos function' in 'ext/intl/grapheme/grapheme_string.c'.
- Error in 'xml_parse_into_struct' function in 'ext/xml/xml.c' script.
- The 'bcpowmod' function in 'ext/bcmath/bcmath.c' improperly modifies certain data structures.
- Improper validation of input passed to 'bcpowmod' function in 'ext/bcmath/bcmath.c' script.
- Error in 'grapheme_strpos' function in ext/intl/grapheme/grapheme_string.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.35, 5.6.x < 5.6.21, 7.x < 7.0.6 Multiple Vulnerabilities (Jul 2016) -. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808603
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-4537`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2016-4538
cve: CVE-2016-4539
cve: CVE-2016-4540
cve: CVE-2016-4541
cve: CVE-2016-4542
cve: CVE-2016-4543
cve: CVE-2016-4544
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/89844
url: http://www.securityfocus.com/bid/90172
url: http://www.securityfocus.com/bid/90173
url: http://www.securityfocus.com/bid/90174
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0909
cert-bund: CB-K16/0868
cert-bund: CB-K16/0779
cert-bund: CB-K16/0774
cert-bund: CB-K16/0760
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0960
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0827
dfn-cert: DFN-CERT-2016-0814
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.34, 5.6.x < 5.6.20, 7.x < 7.0.5 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.5.34
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code.

Solution:
Solution type: VendorFix
Update to version 5.5.34, 5.6.20, 7.0.5 or later.

Affected Software/OS
PHP prior to version 5.5.34, 5.6.x prior to 5.6.20 and 7.0.x prior to 7.0.5 on Linux.

Vulnerability Insight
The following flaws exist:
- Multiple integer overflows in the mbfl_strcut function in 'ext/mbstring/libmbfl/mbfl/mbfilter.c' script.
- Format string vulnerability in the php_snmp_error function in 'ext/snmp/snmp.c' script.
- An improper handling of '\0' characters by the 'phar_analyze_path' function in 'ext/phar/phar.c' script.
- An integer overflow in the 'php_raw_url_encode' function in 'ext/standard/url.c' script.
- An improper handling of continuation-level jumps in 'file_check_mem' function in 'funcs.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.34, 5.6.x < 5.6.20, 7.x < 7.0.5 Multiple Vulnerabilities (Jul 2016) -.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.808199
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-8865`
`cve: CVE-2016-4070`
`cve: CVE-2016-4071`
`cve: CVE-2016-4072`
`cve: CVE-2016-4073`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/85800`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/85801
url: http://www.securityfocus.com/bid/85802
url: http://www.securityfocus.com/bid/85991
url: http://www.securityfocus.com/bid/85993
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/1319
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0884
cert-bund: CB-K16/0872
cert-bund: CB-K16/0779
cert-bund: CB-K16/0723
cert-bund: CB-K16/0705
cert-bund: CB-K16/0614
cert-bund: CB-K16/0494
dfn-cert: DFN-CERT-2018-1161
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1402
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0940
dfn-cert: DFN-CERT-2016-0929
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0775
dfn-cert: DFN-CERT-2016-0764
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0536
```

Critical (CVSS: 9.8)
NVT: PHP Multiple Vulnerabilities (Feb 2019) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.40
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 5.6.40, 7.1.16, 7.2.14, 7.3.1 or later.

Affected Software/OS
PHP versions before 5.6.40, 7.x before 7.1.26, 7.2.x before 7.2.14 and 7.3.x before 7.3.1.

Vulnerability Insight
The following flaws exist:
- Fixed bug #77269 (efree() on uninitialized Heap data in imagescale leads to use-after-free). (CVE-2016-10166)
- Fixed bug #77270 (imagecolormatch Out Of Bounds Write on Heap). (CVE-2019-6977)
- Fixed bug #77370 (Buffer overflow on mb regex functions - fetch_token). (CVE-2019-9023)
- Fixed bug #77371 (heap buffer overflow in mb regex functions - compile_string_node). (CVE-2019-9023)
- Fixed bug #77381 (heap buffer overflow in multibyte match_at). (CVE-2019-9023)
- Fixed bug #77382 (heap buffer overflow due to incorrect length in expand_case_fold_string). (CVE-2019-9023)
- Fixed bug #77385 (buffer overflow in fetch_token). (CVE-2019-9023)
- Fixed bug #77394 (Buffer overflow in multibyte case folding - unicode). (CVE-2019-9023)
- Fixed bug #77418 (Heap overflow in utf32be_mbc_to_code). (CVE-2019-9023)
- Fixed bug #77247 (heap buffer overflow in phar_detect_phar_fname_ext). (CVE-2019-9021)
- Fixed bug #77242 (heap out of bounds read in xmlrpc_decode()). (CVE-2019-9020)
- Fixed bug #77380 (Global out of bounds read in xmlrpc base64 code). (CVE-2019-9024)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP Multiple Vulnerabilities (Feb 2019) - Linux
OID:1.3.6.1.4.1.25623.1.0.142048
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-10166
cve: CVE-2019-6977
cve: CVE-2019-9020
cve: CVE-2019-9021
cve: CVE-2019-9023
cve: CVE-2019-9024

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
url: https://bugs.php.net/bug.php?id=77269
url: https://bugs.php.net/bug.php?id=77270
url: https://bugs.php.net/bug.php?id=77370
url: https://bugs.php.net/bug.php?id=77371
url: https://bugs.php.net/bug.php?id=77381
url: https://bugs.php.net/bug.php?id=77382
url: https://bugs.php.net/bug.php?id=77385
url: https://bugs.php.net/bug.php?id=77394
url: https://bugs.php.net/bug.php?id=77418
url: https://bugs.php.net/bug.php?id=77247
url: https://bugs.php.net/bug.php?id=77242
url: https://bugs.php.net/bug.php?id=77380
cert-bund: WID-SEC-2022-2127
cert-bund: CB-K19/0166
cert-bund: CB-K17/1252
cert-bund: CB-K17/0318
cert-bund: CB-K17/0232
cert-bund: CB-K17/0182
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2398
dfn-cert: DFN-CERT-2020-1078
dfn-cert: DFN-CERT-2020-0898
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-2283
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2019-1181
dfn-cert: DFN-CERT-2019-0804
dfn-cert: DFN-CERT-2019-0698
dfn-cert: DFN-CERT-2019-0434
dfn-cert: DFN-CERT-2019-0368
dfn-cert: DFN-CERT-2019-0313
dfn-cert: DFN-CERT-2019-0241
dfn-cert: DFN-CERT-2019-0212
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2017-0234
dfn-cert: DFN-CERT-2017-0179
```

Critical (CVSS: 9.8)
NVT: PHP <= 5.6.27 / 7.0.x <= 7.0.12 DoS Vulnerability

Product detection result

cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     None
Installation
path / port:       80/tcp
```

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
PHP versions through 5.6.27 and 7.0.x through 7.0.12.

Vulnerability Insight
PHP mishandles property modification during __wakeup processing, which allows remote attackers to cause a denial of service or possibly have unspecified other impact via crafted serialized data, as demonstrated by Exception::__toString with DateInterval::__wakeup.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP <= 5.6.27 / 7.0.x <= 7.0.12 DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.117802
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2016-9138
url: https://bugs.php.net/bug.php?id=73147
cert-bund: CB-K17/0318
cert-bund: CB-K16/1943
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2016-2053
```

Critical (CVSS: 9.8)
NVT: PHP <= 7.1.5 Multiple DoS Vulnerabilities

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     None
Installation
path / port:       80/tcp
```

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
PHP versions through 7.1.5.

Vulnerability Insight
The following flaws exist:
- CVE-2017-8923: The zend_string_extend function in Zend/zend_string.h does not prevent changes to string objects that result in a negative length, which allows remote attackers to cause a denial of service (application crash) or possibly have unspecified other impact by leveraging a script's use of .= with a long string.
- CVE-2017-9119: The i_zval_ptr_dtor function in Zend/zend_variables.h allows attackers to cause a denial of service (memory consumption and application crash) or possibly have unspecified other impact by triggering crafted operations on array data structures.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP <= 7.1.5 Multiple DoS Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.117799
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2017-8923
cve: CVE-2017-9119
url: https://bugs.php.net/bug.php?id=73122
url: https://bugs.php.net/bug.php?id=74310
url: https://bugs.php.net/bug.php?id=74577
url: https://bugs.php.net/bug.php?id=74593
url: http://www.securityfocus.com/bid/98518
url: http://www.securityfocus.com/bid/98596
cert-bund: WID-SEC-2024-3760
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2022-0455
dfn-cert: DFN-CERT-2022-0431
dfn-cert: DFN-CERT-2022-0410
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.27, 7.x < 7.0.12 Multiple DoS Vulnerabilities (Oct 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.27
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allows a remote attacker to cause a DoS, or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.6.27, 7.0.12 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP prior to version 5.6.27 and 7.0.x through 7.0.11.

Vulnerability Insight
The following flaws exist:
- Integer Overflow in gdImageWebpCtx of gd_webp.c
- Use After Free in PHP7 unserialize()

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.27, 7.x < 7.0.12 Multiple DoS Vulnerabilities (Oct 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809338
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-7568
cve: CVE-2016-9137
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/93184
url: http://www.securityfocus.com/bid/93577
url: http://www.php.net/ChangeLog-7.php
url: http://seclists.org/oss-sec/2016/q3/639
url: https://bugs.php.net/bug.php?id=73003
url: https://bugs.php.net/bug.php?id=73147
cert-bund: CB-K17/0327
cert-bund: CB-K17/0269
cert-bund: CB-K16/1941
cert-bund: CB-K16/1868
cert-bund: CB-K16/1854
cert-bund: CB-K16/1811
cert-bund: CB-K16/1645
cert-bund: CB-K16/1606
cert-bund: CB-K16/1603
dfn-cert: DFN-CERT-2017-0334
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2016-2047
dfn-cert: DFN-CERT-2016-1974
dfn-cert: DFN-CERT-2016-1961
dfn-cert: DFN-CERT-2016-1918
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1745
dfn-cert: DFN-CERT-2016-1704
dfn-cert: DFN-CERT-2016-1700
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.2.33
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to bypass authentication and perform unauthorized actions, cause a denial-of-service condition and gain access to potentially sensitive information.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.2.33 or 2.4.26 or later.

Affected Software/OS

Apache HTTP Server 2.2.x before 2.2.33 and 2.4.x before 2.4.26.

Vulnerability Insight

Multiple flaws exist as,

- The mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

- The mod_ssl may dereference a NULL pointer when third-party modules call ap_hook_process_connection() during an HTTP request to an HTTPS port.

- An use of the ap_get_basic_auth_pw() by third-party modules outside of the authentication phase may lead to authentication requirements being bypassed.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Linux`
OID:1.3.6.1.4.1.25623.1.0.811214
Version used: `2024-02-16T05:06:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2017-7679`
`cve: CVE-2017-3169`
`cve: CVE-2017-3167`
`url: http://seclists.org/oss-sec/2017/q2/509`
`url: http://www.securityfocus.com/bid/99135`
`url: http://www.securityfocus.com/bid/99134`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`url: http://httpd.apache.org/security/vulnerabilities_22.html`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: WID-SEC-2022-0673`
`cert-bund: CB-K22/0045`
`cert-bund: CB-K18/0066`
`cert-bund: CB-K17/2188`
`cert-bund: CB-K17/2013`
`cert-bund: CB-K17/1936`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1842`
`cert-bund: CB-K17/1768`
`cert-bund: CB-K17/1747`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/1382`
`cert-bund: CB-K17/1279`
`cert-bund: CB-K17/1154`
`cert-bund: CB-K17/1023`
`dfn-cert: DFN-CERT-2019-0358`
`dfn-cert: DFN-CERT-2018-0077`
`dfn-cert: DFN-CERT-2017-2290`
`dfn-cert: DFN-CERT-2017-2104`
`dfn-cert: DFN-CERT-2017-2021`
`dfn-cert: DFN-CERT-2017-1926`
`dfn-cert: DFN-CERT-2017-1925`
`dfn-cert: DFN-CERT-2017-1843`
`dfn-cert: DFN-CERT-2017-1828`
`dfn-cert: DFN-CERT-2017-1692`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1443
dfn-cert: DFN-CERT-2017-1327
dfn-cert: DFN-CERT-2017-1193
dfn-cert: DFN-CERT-2017-1058
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.28, 7.x < 7.0.13 Multiple Vulnerabilities (Nov 2016) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.28
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.28, 7.0.13 or later.

Affected Software/OS
PHP prior to version 5.6.28 and 7.x prior to 7.0.13.

Vulnerability Insight
The following flaws exist:
- CVE-2016-8670: Stack Buffer Overflow in GD dynamicGetbuf
- CVE-2016-9933, CVE-2016-9934: Multiple denial of service (DoS) vulnerabilities
- CVE-2016-10397: Security bypass vulnerability

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.28, 7.x < 7.0.13 Multiple Vulnerabilities (Nov 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.811489
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

cve: CVE-2016-8670
cve: CVE-2016-9933
cve: CVE-2016-9934
cve: CVE-2016-10397
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
url: http://bugs.php.net/73280
url: http://bugs.php.net/72696
url: http://bugs.php.net/73331
url: http://bugs.php.net/73192
cert-bund: CB-K17/1575
cert-bund: CB-K17/1461
cert-bund: CB-K17/1358
cert-bund: CB-K17/1252
cert-bund: CB-K17/0269
cert-bund: CB-K17/0124
cert-bund: CB-K17/0053
cert-bund: CB-K17/0015
cert-bund: CB-K16/2015
cert-bund: CB-K16/2011
cert-bund: CB-K16/1943
cert-bund: CB-K16/1790
cert-bund: CB-K16/1606
dfn-cert: DFN-CERT-2019-2707
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0131
dfn-cert: DFN-CERT-2017-0058
dfn-cert: DFN-CERT-2017-0016
dfn-cert: DFN-CERT-2016-2130
dfn-cert: DFN-CERT-2016-2123
dfn-cert: DFN-CERT-2016-2053
dfn-cert: DFN-CERT-2016-1887
dfn-cert: DFN-CERT-2016-1704

Critical (CVSS: 9.8)
NVT: PHP < 5.5.33, 5.6.x < 5.6.19 Multiple Vulnerabilities (Apr 2016) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.5.33
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to gain access to potentially sensitive information and conduct a denial of service (memory corruption and application crash).

Solution:
Solution type: VendorFix
Update to PHP version 5.5.33, 5.6.19 or later.

Affected Software/OS
PHP prior to version 5.5.33 and 5.6.x prior to 5.6.19 on Linux.

Vulnerability Insight
The following flaws exist:
- Use-after-free error in wddx.c script in the WDDX extension in PHP
- Error in the phar_parse_zipfile function in zip.c script in the PHAR extension in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.33, 5.6.x < 5.6.19 Multiple Vulnerabilities (Apr 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.807807
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2016-3141
cve: CVE-2016-3142
url: https://bugs.php.net/bug.php?id=71587
url: https://bugs.php.net/bug.php?id=71498
url: https://secure.php.net/ChangeLog-5.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/1620
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0723
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1717
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0775
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
```

Critical (CVSS: 9.8)

NVT: PHP < 5.4.42, 5.5.x < 5.5.26, 5.6.x < 5.6.10 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.4.42
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service, to read or write to arbitrary files, also execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 5.4.42, 5.5.26, 5.6.10 or later.

Affected Software/OS
PHP prior to version 5.4.42, 5.5.x prior to 5.5.26 and 5.6.x prior to 5.6.10 on Linux.

Vulnerability Insight
The following flaws exist:
- Improper validation of token extraction for table names, in the php_pgsql_meta_data function in pgsql.c in the PostgreSQL extension.
- Integer overflow in the ftp_genlist function in ext/ftp/ftp.c
- PHP does not ensure that pathnames lack %00 sequences.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.42, 5.5.x < 5.5.26, 5.6.x < 5.6.10 Multiple Vulnerabilities (Aug 2016. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808675
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-4598`
`cve: CVE-2015-4643`
`cve: CVE-2015-4644`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/75291`
`url: http://www.securityfocus.com/bid/75292`
`url: http://www.securityfocus.com/bid/75244`
`url: http://www.securityfocus.com/bid/75290`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K15/1261`
`cert-bund: CB-K15/1158`
`cert-bund: CB-K15/1031`
`cert-bund: CB-K15/0973`
`cert-bund: CB-K15/0966`
`cert-bund: CB-K15/0942`
`cert-bund: CB-K15/0936`
`cert-bund: CB-K15/0880`
`cert-bund: CB-K15/0854`
`dfn-cert: DFN-CERT-2016-1004`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-1335
dfn-cert: DFN-CERT-2015-1217
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1021
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0983
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
```

Critical (CVSS: 9.8)
NVT: PHP 'CVE-2019-13224' Use-After-Free Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a use-after-free vulnerability in a used third-pary library.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     7.1.32
Installation
path / port:       80/tcp
```

Impact

This flaw allows attackers to potentially cause information disclosure, denial of service, or possibly code execution by providing a crafted regular expression.

Solution:

Solution type: VendorFix

Update to version 7.1.32, 7.3.9 or later.

Affected Software/OS

PHP version before 7.1.32 and 7.3.x before 7.3.9.

Vulnerability Insight

The flaw exists due to a use-after-free in onig_new_deluxe() in regext.c of the third-party library Oniguruma 6.9.2 which is used by PHP.

The attacker provides a pair of a regex pattern and a string, with a multi-byte encoding that gets handled by onig_new_deluxe().

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 'CVE-2019-13224' Use-After-Free Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.108633
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2019-13224
url: http://bugs.php.net/78380
url: https://www.php.net/ChangeLog-7.php#7.3.9
url: https://www.php.net/ChangeLog-7.php#7.1.32
cert-bund: WID-SEC-2024-1086
cert-bund: WID-SEC-2024-0218
cert-bund: CB-K20/1030
dfn-cert: DFN-CERT-2024-0233
dfn-cert: DFN-CERT-2022-2107
dfn-cert: DFN-CERT-2020-2412
dfn-cert: DFN-CERT-2020-2105
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2019-1804
dfn-cert: DFN-CERT-2019-1471
dfn-cert: DFN-CERT-2019-1424
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result
```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.5.32
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.5.32, 5.6.18, 7.0.3 or later.

Affected Software/OS
PHP prior to version 5.5.32, 5.6.x prior to 5.6.18 and 7.x prior to 7.0.3 on Linux.

Vulnerability Insight
The following flaws exist:
- CVE-2016-2554: Stack-based buffer overflow in ext/phar/tar.c
- CVE-2016-4342: ext/phar/phar_object.c mishandles zero-length uncompressed data

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Multiple Vulnerabilities (Jul 2016) -. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808607
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-2554
cve: CVE-2016-4342
url: http://www.php.net/ChangeLog-7.php
url: http://www.securityfocus.com/bid/89154
url: http://www.securityfocus.com/bid/83353
url: http://www.openwall.com/lists/oss-security/2016/04/28/2
cert-bund: CB-K16/1776
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0868
cert-bund: CB-K16/0779
cert-bund: CB-K16/0760
cert-bund: CB-K16/0623
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0614
cert-bund: CB-K16/0405
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0814
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0441
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.4.49
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.49 or later.

Affected Software/OS

Apache HTTP Server version 2.4.48 and prior.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2021-34798: NULL pointer dereference in httpd core
- CVE-2021-39275: ap_escape_quotes buffer overflow
- CVE-2021-40438: mod_proxy SSRF

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.146725
Version used: `2022-08-09T10:11:17Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2021-34798
cve: CVE-2021-39275
cve: CVE-2021-40438
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0186
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2022-1298
cert-bund: WID-SEC-2022-1189
cert-bund: WID-SEC-2022-0724
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0476
cert-bund: CB-K22/0465
cert-bund: CB-K22/0463
cert-bund: CB-K21/0992
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2022-2405
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-0904
dfn-cert: DFN-CERT-2022-0878
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0672
dfn-cert: DFN-CERT-2022-0207
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2021-2629
dfn-cert: DFN-CERT-2021-2471
dfn-cert: DFN-CERT-2021-2185
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-2164
dfn-cert: DFN-CERT-2021-2153
dfn-cert: DFN-CERT-2021-2098
dfn-cert: DFN-CERT-2021-2090
dfn-cert: DFN-CERT-2021-2047
dfn-cert: DFN-CERT-2021-2020
dfn-cert: DFN-CERT-2021-1961
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.4.60
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.60 or later.

Affected Software/OS

Apache HTTP Server version 2.4.59 and prior.

Vulnerability Insight

The following flaws exist:

- CVE-2024-36387: Denial of Service (DoS) by Null pointer in websocket over HTTP/2
- CVE-2024-38473: Proxy encoding problem
- CVE-2024-38474: Weakness with encoded question marks in backreferences
- CVE-2024-38475: Weakness in mod_rewrite when first segment of substitution matches filesystem path
- CVE-2024-38476: May use exploitable/malicious backend application output to run local handlers via internal redirect
- CVE-2024-38477: Crash resulting in DoS in mod_proxy via a malicious request

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2024-39573: mod_rewrite proxy handler substitution

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114682
Version used: `2025-08-07T05:44:51Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2024-36387
cve: CVE-2024-38473
cve: CVE-2024-38474
cve: CVE-2024-38475
cve: CVE-2024-38476
cve: CVE-2024-38477
cve: CVE-2024-39573
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.60
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2024-3291
cert-bund: WID-SEC-2024-3199
cert-bund: WID-SEC-2024-1913
cert-bund: WID-SEC-2024-1504
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1808
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2024-2841
dfn-cert: DFN-CERT-2024-2787
dfn-cert: DFN-CERT-2024-2736
dfn-cert: DFN-CERT-2024-2342
dfn-cert: DFN-CERT-2024-2214
dfn-cert: DFN-CERT-2024-2201
dfn-cert: DFN-CERT-2024-2180
dfn-cert: DFN-CERT-2024-2110
dfn-cert: DFN-CERT-2024-2017
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1963
dfn-cert: DFN-CERT-2024-1920
dfn-cert: DFN-CERT-2024-1919
dfn-cert: DFN-CERT-2024-1911
dfn-cert: DFN-CERT-2024-1907
dfn-cert: DFN-CERT-2024-1893
dfn-cert: DFN-CERT-2024-1816
dfn-cert: DFN-CERT-2024-1811
dfn-cert: DFN-CERT-2024-1784
dfn-cert: DFN-CERT-2024-1741
dfn-cert: DFN-CERT-2024-1699
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.30, 7.x < 7.0.15, 7.1.x < 7.1.1 Multiple Vulnerabilities (Jan 2017) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.30
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.30, 7.0.15, 7.1.1 or later.

Affected Software/OS

PHP prior to version 5.6.30, 7.x prior to 7.0.15 and 7.1.x prior to 7.1.1.

Vulnerability Insight

The following flaws exist:

- CVE-2016-10161: Heap out of bounds read on unserialize in finish_nested_data()
- CVE-2016-10158: FPE when parsing a tag format
- CVE-2016-10168: Signed Integer Overflow gd_io.c
- CVE-2016-10167: DOS vulnerability in gdImageCreateFromGd2Ctx()
- CVE-2017-11147: Seg fault when loading hostile phar

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2016-10160: Memory corruption when loading hostile phar
- CVE-2016-10159: Crash while loading hostile phar archive

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.30, 7.x < 7.0.15, 7.1.x < 7.1.1 Multiple Vulnerabilities (Jan 2017) -. ↪..`
OID:1.3.6.1.4.1.25623.1.0.108052
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-10158
cve: CVE-2016-10159
cve: CVE-2016-10160
cve: CVE-2016-10161
cve: CVE-2016-10167
cve: CVE-2016-10168
cve: CVE-2017-11147
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
url: http://bugs.php.net/73825
url: http://bugs.php.net/73737
url: http://bugs.php.net/73869
url: http://bugs.php.net/73868
url: http://bugs.php.net/73773
url: http://bugs.php.net/73768
url: http://bugs.php.net/73764
cert-bund: WID-SEC-2023-2718
cert-bund: CB-K17/1957
cert-bund: CB-K17/1575
cert-bund: CB-K17/1461
cert-bund: CB-K17/1358
cert-bund: CB-K17/1252
cert-bund: CB-K17/0527
cert-bund: CB-K17/0327
cert-bund: CB-K17/0318
cert-bund: CB-K17/0269
cert-bund: CB-K17/0264
cert-bund: CB-K17/0232
cert-bund: CB-K17/0182
cert-bund: CB-K17/0141
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2017-2044
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0334
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0270
dfn-cert: DFN-CERT-2017-0234
dfn-cert: DFN-CERT-2017-0179
dfn-cert: DFN-CERT-2017-0144
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.27, 5.6.x < 5.6.11 Arbitrary Code Execution Vulnerability (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to an arbitrary code execution vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.5.27
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.

Solution:

Solution type: VendorFix

Update to version 5.5.27, 5.6.11 or later.

Affected Software/OS

PHP prior to version 5.5.27 and 5.6.x prior to 5.6.11 on Linux.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
An use-after-free vulnerability occurs in the 'spl_ptr_heap_insert' function in 'ext/spl/spl_heap.c'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.27, 5.6.x < 5.6.11 Arbitrary Code Execution Vulnerability (Aug 2016) . ↪..`
OID:1.3.6.1.4.1.25623.1.0.808671
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2015-4116
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75127
cert-bund: CB-K16/1179
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
cert-bund: CB-K16/0868
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0924
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Multiple Vulnerabilities - Linux

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.4.40
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service, to obtain sensitive information from process memory and to execute arbitrary code via crafted dimensions.

Solution:
Solution type: VendorFix
Update to version 5.4.40, 5.5.24, 5.6.8 or later.

Affected Software/OS
PHP prior to version 5.4.40, 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.

Vulnerability Insight
The following flaws exist:
- Multiple stack-based buffer overflows in the 'phar_set_inode' function in phar_internal.h script in PHP.
- Vulnerabilities in 'phar_parse_metadata' and 'phar_parse_pharfile' functions in ext/phar/phar.c script in PHP.
- A NULL pointer dereference flaw in the 'build_tablename' function in 'ext/pgsql/pgsql.c' script that is triggered when handling NULL return values for 'token'

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.805657
Version used: `2025-09-24T05:39:03Z`

References
```
cve: CVE-2015-1352
cve: CVE-2015-2783
cve: CVE-2015-3307
cve: CVE-2015-3329
cve: CVE-2015-3411
cve: CVE-2015-3412
cve: CVE-2015-4599
cve: CVE-2015-4600
cve: CVE-2015-4602
cve: CVE-2015-4603
cve: CVE-2015-4604
cve: CVE-2015-4605
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/74240
url: http://www.securityfocus.com/bid/74239
url: http://www.securityfocus.com/bid/74703
url: http://www.securityfocus.com/bid/75251
url: http://www.securityfocus.com/bid/75252
url: http://www.securityfocus.com/bid/74413
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/75249
url: http://www.securityfocus.com/bid/75241
url: http://www.securityfocus.com/bid/75233
url: http://www.securityfocus.com/bid/75255
url: http://www.securityfocus.com/bid/75250
url: https://bugs.php.net/bug.php?id=69085
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: CB-K16/0944
cert-bund: CB-K15/1437
cert-bund: CB-K15/1188
cert-bund: CB-K15/1158
cert-bund: CB-K15/1129
cert-bund: CB-K15/1031
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0936
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0763
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0648
cert-bund: CB-K15/0561
cert-bund: CB-K15/0552
cert-bund: CB-K15/0207
dfn-cert: DFN-CERT-2023-0071
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1217
dfn-cert: DFN-CERT-2015-1188
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0983
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0803
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0677
dfn-cert: DFN-CERT-2015-0583
dfn-cert: DFN-CERT-2015-0579
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2015-0212

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux

Product detection result
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	2.2.8
Fixed version:	2.4.52
Installation path / port:	80/tcp

Solution:
Solution type: VendorFix
Update to version 2.4.52 or later.

Affected Software/OS
Apache HTTP Server versions through 2.4.51.

Vulnerability Insight
A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.117856
Version used: 2021-12-23T12:12:57Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.2.8
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2021-44790
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0727
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0619
cert-bund: CB-K21/1296
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0192
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2022-0068
dfn-cert: DFN-CERT-2021-2656
```

Critical (CVSS: 9.8)
NVT: PHP < 8.0.30, 8.1.x < 8.1.22, 8.2.x < 8.2.9 Security Update - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     8.0.30
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.0.30, 8.1.22, 8.2.9 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP prior to version 8.0.30, 8.1.x prior to 8.1.22 and 8.2.x prior to 8.2.9.

Vulnerability Insight
The following flaws exist:
- CVE-2023-3823: Fixed bug GHSA-3qrf-m4j2-pcrr (Security issue with external entity loading in XML without enabling it)
- CVE-2023-3824: Fixed bug GHSA-jqcx-ccgc-xwhv (Buffer mismanagement in phar_dir_read())

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.30, 8.1.x < 8.1.22, 8.2.x < 8.2.9 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.170529
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2023-3823
cve: CVE-2023-3824
url: https://www.php.net/ChangeLog-8.php#8.1.22
url: https://www.php.net/ChangeLog-8.php#8.0.30
url: https://www.php.net/ChangeLog-8.php#8.2.9
url: https://github.com/php/php-src/security/advisories/GHSA-3qrf-m4j2-pcrr
url: https://github.com/php/php-src/security/advisories/GHSA-jqcx-ccgc-xwhv
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2679
cert-bund: WID-SEC-2023-1970
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-2681
dfn-cert: DFN-CERT-2024-0993
dfn-cert: DFN-CERT-2023-2570
dfn-cert: DFN-CERT-2023-2542
dfn-cert: DFN-CERT-2023-1775
```

Critical (CVSS: 9.8)
NVT: PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     8.1.29
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.29, 8.2.20, 8.3.8 or later.

Affected Software/OS
PHP prior to version 8.1.29, version 8.2.x through 8.2.19 and 8.3.x through 8.3.7.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2024-4577: Argument injection in PHP-CGI (bypass of CVE-2012-1823)
- CVE-2024-5458: Filter bypass in filter_var FILTER_VALIDATE_URL
- CVE-2024-5585: Bypass of CVE-2024-1874
Note: As of 06/2024 the CVEs CVE-2024-4577 and CVE-2024-5585 are known to be exploitable on Windows systems only.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.152369
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2024-4577
cve: CVE-2024-5458
cve: CVE-2024-5585
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.php.net/ChangeLog-8.php#8.1.29
url: https://www.php.net/ChangeLog-8.php#8.2.20
url: https://www.php.net/ChangeLog-8.php#8.3.8
url: https://github.com/php/php-src/security/advisories/GHSA-3qgc-jrrr-25jv
url: https://github.com/php/php-src/security/advisories/GHSA-9fcc-425m-g385
url: https://github.com/php/php-src/security/advisories/GHSA-w8qr-v226-r27w
url: https://devco.re/blog/2024/06/06/security-alert-cve-2024-4577-php-cgi-argum
↪ent-injection-vulnerability-en/
url: https://blog.orange.tw/2024/06/cve-2024-4577-yet-another-php-rce.html
url: https://labs.watchtowr.com/no-way-php-strikes-again-cve-2024-4577/
url: https://github.com/watchtowrlabs/CVE-2024-4577
url: https://blog.talosintelligence.com/new-persistent-attacks-japan/
url: https://www.bitdefender.com/en-us/blog/businessinsights/technical-advisory-
↪update-mass-exploitation-cve-2024-4577
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1320
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-3329
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1586
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1563
dfn-cert: DFN-CERT-2024-1476
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.38, 5.6.x < 5.6.24, 7.0.x < 7.0.9 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.5.38
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Impact
Successfully exploiting these issues may allow attackers to cause a denial of service obtain sensitive information from process memory, or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.5.38, 5.6.24, 7.0.9 or later.

Affected Software/OS
PHP prior to version 5.5.38, 5.6.x prior to 5.6.24 and 7.x prior to 7.0.9.

Vulnerability Insight
The following flaws exist:
- Integer overflow in the 'php_stream_zip_opener' function in 'ext/zip/zip_stream.c'
- Integer signedness error in the 'simplestring_addn' function in 'simplestring.c' in xmlrpc-epi
- 'ext/snmp/snmp.c' improperly interacts with the unserialize implementation and garbage collection
- The 'locale_accept_from_http' function in 'ext/intl/locale/locale_methods.c' does not properly restrict calls to the ICU 'uloc_acceptLanguageFromHTTP' function
- Error in the 'exif_process_user_comment' function of 'ext/exif/exif.c'
- Error in the 'exif_process_IFD_in_MAKERNOTE' function of 'ext/exif/exif.c'
- 'ext/session/session.c' does not properly maintain a certain hash data structure
- Integer overflow in the 'virtual_file_ex' function of 'TSRM/tsrm_virtual_cwd.c'
- Error in the 'php_url_parse_ex' function of 'ext/standard/url.c'
- Integer overflow error within _gdContributionsAlloc()
- Inadequate error handling in bzread()

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.5.38, 5.6.x < 5.6.24, 7.0.x < 7.0.9 Multiple Vulnerabilities (Jul 2016).
↪..
OID:1.3.6.1.4.1.25623.1.0.808634
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-5399
cve: CVE-2016-6207
cve: CVE-2016-6288

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2016-6289
cve: CVE-2016-6290
cve: CVE-2016-6291
cve: CVE-2016-6292
cve: CVE-2016-6294
cve: CVE-2016-6295
cve: CVE-2016-6296
cve: CVE-2016-6297
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/92111
url: http://www.securityfocus.com/bid/92074
url: http://www.securityfocus.com/bid/92097
url: http://www.securityfocus.com/bid/92073
url: http://www.securityfocus.com/bid/92078
url: http://www.securityfocus.com/bid/92115
url: http://www.securityfocus.com/bid/92094
url: http://www.securityfocus.com/bid/92095
url: http://www.securityfocus.com/bid/92099
url: http://php.net/ChangeLog-7.php
url: http://openwall.com/lists/oss-security/2016/07/24/2
cert-bund: CB-K17/1252
cert-bund: CB-K17/1011
cert-bund: CB-K16/1776
cert-bund: CB-K16/1722
cert-bund: CB-K16/1549
cert-bund: CB-K16/1499
cert-bund: CB-K16/1458
cert-bund: CB-K16/1452
cert-bund: CB-K16/1440
cert-bund: CB-K16/1407
cert-bund: CB-K16/1345
cert-bund: CB-K16/1283
cert-bund: CB-K16/1257
cert-bund: CB-K16/1248
cert-bund: CB-K16/1235
cert-bund: CB-K16/1233
cert-bund: CB-K16/1179
cert-bund: CB-K16/1130
cert-bund: CB-K16/1115
cert-bund: CB-K16/1110
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-1046
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1822
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1541
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1536
dfn-cert: DFN-CERT-2016-1526
dfn-cert: DFN-CERT-2016-1498
dfn-cert: DFN-CERT-2016-1431
dfn-cert: DFN-CERT-2016-1367
dfn-cert: DFN-CERT-2016-1335
dfn-cert: DFN-CERT-2016-1326
dfn-cert: DFN-CERT-2016-1310
dfn-cert: DFN-CERT-2016-1309
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1203
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1179
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.4.53
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.53 or later.

Affected Software/OS

Apache HTTP Server version 2.4.52 and prior.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2022-22719: mod_lua Use of uninitialized value of in r:parsebody
- CVE-2022-22720: HTTP request smuggling vulnerability

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2022-22721: Possible buffer overflow with very large or unlimited LimitXMLRequestBody
- CVE-2022-23943: mod_sed: Read/write beyond bounds

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.113837
Version used: `2022-03-21T03:03:41Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2022-22719
cve: CVE-2022-22720
cve: CVE-2022-22721
cve: CVE-2022-23943
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.53
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1772
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1161
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0898
cert-bund: WID-SEC-2022-0799
cert-bund: WID-SEC-2022-0755
cert-bund: WID-SEC-2022-0646
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0290
cert-bund: CB-K22/0619
cert-bund: CB-K22/0306
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0747
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0678
dfn-cert: DFN-CERT-2022-0582
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.29, 7.0.x < 7.0.14 DoS Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.29
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.29, 7.0.14 or later.

Affected Software/OS
PHP versions prior to 5.6.29 and 7.0.x prior to 7.0.14.

Vulnerability Insight
The php_wddx_push_element function in ext/wddx/wddx.c allows remote attackers to cause a denial of service (out-of-bounds read and memory corruption) or possibly have unspecified other impact via an empty boolean element in a wddxPacket XML document.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.29, 7.0.x < 7.0.14 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.117803
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2016-9935
url: https://www.php.net/ChangeLog-7.php#7.0.14
url: https://www.php.net/ChangeLog-5.php#5.6.29
url: https://bugs.php.net/bug.php?id=73631
cert-bund: CB-K17/0527
cert-bund: CB-K17/0327
cert-bund: CB-K17/0269
cert-bund: CB-K17/0053
cert-bund: CB-K17/0015
cert-bund: CB-K16/2015
cert-bund: CB-K16/1982
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0334
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0058
dfn-cert: DFN-CERT-2017-0016
dfn-cert: DFN-CERT-2016-2130
dfn-cert: DFN-CERT-2016-2084
```

Critical (CVSS: 9.8)
NVT: PHP < 7.0.12 RCE / DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a remote code execution (RCE) or denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     7.0.12
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.0.12 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP versions prior to 7.0.12.

Vulnerability Insight
The SplObjectStorage unserialize implementation in ext/spl/spl_observer.c does not verify that a key is an object, which allows remote attackers to execute arbitrary code or cause a denial of service (uninitialized memory access) via crafted serialized data.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.0.12 RCE / DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.117800
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-7480
url: https://www.php.net/ChangeLog-7.php#7.0.12
url: https://bugs.php.net/bug.php?id=73257
url: http://blog.checkpoint.com/2016/12/27/check-point-discovers-three-zero-day-
↪vulnerabilities-web-programming-language-php-7
cert-bund: CB-K17/0318
dfn-cert: DFN-CERT-2017-0325
```

Critical (CVSS: 9.8)
NVT: PHP < 7.1.33, 7.2.x < 7.2.24, 7.3.x < 7.3.11 RCE Vulnerability - Version Check

Product detection result
```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to a remote code execution (RCE) vulnerability in certain nginx + php-fpm configurations.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     7.1.33
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        80/tcp
```

Impact
Successful exploitation would allow an unauthenticated remote attacker to execute arbitrary code on the target machine.

Solution:
Solution type: VendorFix
Update to version 7.1.33, 7.2.24, 7.3.11 or later.
As an alternative a workaround to update the nginx configuration to mitigate this vulnerability is described at the PHP.net bugtracker linked in the references.

Affected Software/OS
PHP prior to version 7.1.33, 7.2.x prior to 7.2.24 and 7.3.x prior to 7.3.11.

Vulnerability Insight
The file sapi/fpm/fpm/fpm_main.c contains pointer arithmetic that assumes that env_path_info has a prefix equal to the path to the php script. However, the code does not check this assumption is satisfied. The absence of the check can lead to an invalid pointer in the 'path_info' variable.
Such conditions can be achieved in a pretty standard Nginx configuration. The regexp in 'fastcgi_split_path_info' directive can be broken using the newline character (in encoded form, %0a). Broken regexp leads to empty PATH_INFO, which triggers the bug.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.1.33, 7.2.x < 7.2.24, 7.3.x < 7.3.11 RCE Vulnerability - Version Check`
OID:1.3.6.1.4.1.25623.1.0.108692
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2019-11043
url: https://bugs.php.net/bug.php?id=78599
url: https://www.php.net/ChangeLog-7.php#7.3.11
url: https://www.php.net/ChangeLog-7.php#7.2.24
url: https://www.php.net/ChangeLog-7.php#7.1.33
url: https://github.com/neex/phuip-fpizdam
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-0418
cert-bund: CB-K20/0081
cert-bund: CB-K19/0943
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-0415
dfn-cert: DFN-CERT-2020-0193
dfn-cert: DFN-CERT-2019-2283
dfn-cert: DFN-CERT-2019-2206
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.25, 7.x < 7.0.10 Multiple Vulnerabilities (Sep 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.25
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service, to obtain sensitive information from process memory, to inject arbitrary-type session data by leveraging control of a session name.

Solution:

Solution type: VendorFix

Update to version 5.6.25, 7.0.10 or later.

Affected Software/OS

PHP prior to version 5.6.25 and 7.x prior to 7.0.10 on Linux.

Vulnerability Insight

The following flaws exist:

- Invalid wddxPacket XML document that is mishandled in a wddx_deserialize call in 'ext/wddx/wddx.c' script.

- Error in 'php_wddx_pop_element' function in 'ext/wddx/wddx.c' script.

. . . continues on next page . . .

. . . continued from previous page . . .

- An error in 'php_wddx_process_data' function in 'ext/wddx/wddx.c' script.
- Improper handling of the case of a thumbnail offset that exceeds the file size in 'exif_process_IFD_in_TIFF' function in 'ext/exif/exif.c' script.
- Improper validation of gamma values in 'imagegammacorrect' function in 'ext/gd/gd.c' script.
- Improper validation of number of colors in 'imagegammacorrect' function in 'ext/gd/gd.c' script.
- The script 'ext/session/session.c' skips invalid session names in a way that triggers incorrect parsing.
- Improper handling of certain objects in 'ext/standard/var_unserializer.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.25, 7.x < 7.0.10 Multiple Vulnerabilities (Sep 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.809319
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-7124`
`cve: CVE-2016-7125`
`cve: CVE-2016-7126`
`cve: CVE-2016-7127`
`cve: CVE-2016-7128`
`cve: CVE-2016-7129`
`cve: CVE-2016-7130`
`cve: CVE-2016-7131`
`cve: CVE-2016-7132`
`url: http://www.php.net/ChangeLog-7.php`
`url: http://www.securityfocus.com/bid/92756`
`url: http://www.securityfocus.com/bid/92552`
`url: http://www.securityfocus.com/bid/92755`
`url: http://www.securityfocus.com/bid/92757`
`url: http://www.securityfocus.com/bid/92564`
`url: http://www.securityfocus.com/bid/92758`
`url: http://www.php.net/ChangeLog-5.php`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/1772`
`cert-bund: CB-K16/1549`
`cert-bund: CB-K16/1543`
`cert-bund: CB-K16/1532`
`cert-bund: CB-K16/1499`
`cert-bund: CB-K16/1440`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/1280
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1878
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1639
dfn-cert: DFN-CERT-2016-1631
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1526
dfn-cert: DFN-CERT-2016-1359
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.4.54
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.54 or later.

Affected Software/OS

Apache HTTP Server version 2.4.53 and prior.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2022-26377: mod_proxy_ajp: Possible request smuggling
- CVE-2022-28614: Read beyond bounds via ap_rwrite()
- CVE-2022-28615: Read beyond bounds in ap_strcmp_match()
- CVE-2022-29404: Denial of service in mod_lua r:parsebody
- CVE-2022-30556: Information disclosure in mod_lua with websockets
- CVE-2022-31813: mod_proxy X-Forwarded-For dropped by hop-by-hop mechanism

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.148252
Version used: `2022-06-20T03:04:15Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2022-26377
cve: CVE-2022-28614
cve: CVE-2022-28615
cve: CVE-2022-29404
cve: CVE-2022-30556
cve: CVE-2022-31813
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.54
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-0134
cert-bund: WID-SEC-2023-0132
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1766
cert-bund: WID-SEC-2022-1764
cert-bund: WID-SEC-2022-0858
cert-bund: WID-SEC-2022-0192
cert-bund: CB-K22/0692
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2789
dfn-cert: DFN-CERT-2022-2652
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2310
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1833
dfn-cert: DFN-CERT-2022-1720
dfn-cert: DFN-CERT-2022-1353
dfn-cert: DFN-CERT-2022-1296

Critical (CVSS: 9.8)
NVT: phpMyAdmin < 4.9.2 Multiple Vulnerabilities (PMASA-2019-5) - Linux

Summary
phpMyAdmin is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.1.1
Fixed version:     4.9.2
Installation
path / port:       /phpMyAdmin
```

Solution:
Solution type: VendorFix
Update to version 4.9.2 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.2.

Vulnerability Insight
phpMyAdmin is prone to multiple vulnerabilities:
- SQL injection vulnerability (CVE-2019-18622)
- Certain Git information is not escaped (CVE-2019-19617)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.2 Multiple Vulnerabilities (PMASA-2019-5) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143167
Version used: `2024-02-13T05:06:26Z`

References

```
cve: CVE-2019-18622
cve: CVE-2019-19617
url: https://www.phpmyadmin.net/security/PMASA-2019-5/
url: https://www.phpmyadmin.net/news/2019/11/22/phpmyadmin-492-released/
cert-bund: CB-K20/0214
cert-bund: CB-K19/1043
cert-bund: CB-K19/1016
dfn-cert: DFN-CERT-2020-2322
dfn-cert: DFN-CERT-2020-0488
dfn-cert: DFN-CERT-2020-0089
dfn-cert: DFN-CERT-2019-2577
dfn-cert: DFN-CERT-2019-2465
```

Critical (CVSS: 9.8)
NVT: phpMyAdmin < 4.8.6 SQL Injection Vulnerability (PMASA-2019-3) - Linux

Summary
phpMyAdmin is prone to an SQL injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.1.1
Fixed version:     4.8.6
Installation
path / port:       /phpMyAdmin
```

Solution:
Solution type: VendorFix
Update to version 4.8.6 or later.

Affected Software/OS
phpMyAdmin prior to version 4.8.6.

Vulnerability Insight
A vulnerability was reported where a specially crafted database name can be used to trigger an SQL injection attack through the designer feature.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.8.6 SQL Injection Vulnerability (PMASA-2019-3) - Linux`
OID:1.3.6.1.4.1.25623.1.0.140207
Version used: `2024-02-13T05:06:26Z`

References

```
cve: CVE-2019-11768
url: https://www.phpmyadmin.net/security/PMASA-2019-3/
cert-bund: CB-K19/0477
dfn-cert: DFN-CERT-2019-1127
```

Critical (CVSS: 9.8)
NVT: phpMyAdmin 2.11.x < 2.11.9.4 / 3.0.x < 3.1.3 Multiple Vulnerabilities

Summary
phpMyAdmin is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 3.1.1
Fixed version:     2.11.9.5/3.1.3.1
```

Impact
Successful exploitation will let the attacker cause XSS, Directory Traversal attacks or can injection malicious PHP Codes to gain sensitive information about the remote host.

Solution:
Solution type: VendorFix
Upgrade to version 2.11.9.5 or 3.1.3.1 or later.

Affected Software/OS
phpMyAdmin version 2.11.x to 2.11.9.4 and 3.0.x to 3.1.3.

Vulnerability Insight
Multiple flaws are due to:
- BLOB streaming feature in 'bs_disp_as_mime_type.php' causes CRLF Injection which lets the attacker inject arbitrary data in the HTTP headers through the 'c_type' and 'file_type' parameters.
- XSS Vulnerability in 'display_export.lib.php' as its not sanitizing the 'pma_db_filename_template' parameter.
- Static code injection vulnerability in 'setup.php' which can be used to inject PHP Codes.
- Filename 'bs_disp_as_mime_type.php' which is not sanitizing user supplied inputs in the filename variable which causes directory traversal attacks.

Vulnerability Detection Method
Details: `phpMyAdmin 2.11.x < 2.11.9.4 / 3.0.x < 3.1.3 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.800381
Version used: `2024-07-17T05:05:38Z`

References
```
cve: CVE-2009-1148
cve: CVE-2009-1149
cve: CVE-2009-1150
cve: CVE-2009-1151
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: http://secunia.com/advisories/34430
url: http://www.securityfocus.com/bid/34236
url: http://www.securityfocus.com/bid/34251
url: http://www.securityfocus.com/bid/34253
url: http://www.phpmyadmin.net/home_page/security/PMASA-2009-1.php
url: http://www.phpmyadmin.net/home_page/security/PMASA-2009-2.php
url: http://www.phpmyadmin.net/home_page/security/PMASA-2009-3.php
```

Critical (CVSS: 9.8)
NVT: PHP < 5.5.37, 5.6.x < 5.6.23, 7.x < 7.0.8 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.5.37
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code.

Solution:
Solution type: VendorFix
Update to PHP version 5.5.37, 5.6.23, 7.0.8 or later.

Affected Software/OS
PHP prior to version 5.5.37, 5.6.x prior to 5.6.23 and 7.x prior to 7.0.8 on Linux.

Vulnerability Insight
The following flaws exist:
- The 'php_zip.c' script in the zip extension improperly interacts with the unserialize implementation and garbage collection.
- The php_wddx_process_data function in 'wddx.c' script in the WDDX extension mishandled data in a wddx_deserialize call.
- The multiple integer overflows in 'mcrypt.c' script in the mcrypt extension.
- The double free vulnerability in the '_php_mb_regex_ereg_replace_exec' function in 'php_mbregex.c' script in the mbstring extension.
- An integer overflow in the '_gd2GetHeader' function in 'gd_gd2.c' script in the GD Graphics Library.
- An integer overflow in the 'gdImageCreate' function in 'gd.c' script in the GD Graphics Library.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.37, 5.6.x < 5.6.23, 7.x < 7.0.8 Multiple Vulnerabilities (Aug 2016) -.`
`↪..`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.808788
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-5766
cve: CVE-2016-5767
cve: CVE-2016-5768
cve: CVE-2016-5769
cve: CVE-2016-5772
cve: CVE-2016-5773
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/91397
url: http://www.securityfocus.com/bid/91398
url: http://www.securityfocus.com/bid/91399
url: http://www.securityfocus.com/bid/91396
url: http://www.securityfocus.com/bid/91395
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K17/1575
cert-bund: CB-K17/1461
cert-bund: CB-K17/1252
cert-bund: CB-K16/1868
cert-bund: CB-K16/1776
cert-bund: CB-K16/1722
cert-bund: CB-K16/1629
cert-bund: CB-K16/1600
cert-bund: CB-K16/1452
cert-bund: CB-K16/1257
cert-bund: CB-K16/1230
cert-bund: CB-K16/1179
cert-bund: CB-K16/1115
cert-bund: CB-K16/1106
cert-bund: CB-K16/1077
cert-bund: CB-K16/1070
cert-bund: CB-K16/1045
cert-bund: CB-K16/1030
cert-bund: CB-K16/0975
cert-bund: CB-K16/0966
cert-bund: CB-K16/0965
dfn-cert: DFN-CERT-2021-0715
dfn-cert: DFN-CERT-2020-2741
dfn-cert: DFN-CERT-2018-0576

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2016-1974
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1822
dfn-cert: DFN-CERT-2016-1729
dfn-cert: DFN-CERT-2016-1697
dfn-cert: DFN-CERT-2016-1541
dfn-cert: DFN-CERT-2016-1335
dfn-cert: DFN-CERT-2016-1295
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1144
dfn-cert: DFN-CERT-2016-1139
dfn-cert: DFN-CERT-2016-1110
dfn-cert: DFN-CERT-2016-1097
dfn-cert: DFN-CERT-2016-1033
dfn-cert: DFN-CERT-2016-1022
dfn-cert: DFN-CERT-2016-1021
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.26 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.26
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service.

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 5.6.26 or later.

Affected Software/OS
PHP prior to version 5.6.26 on Linux.

Vulnerability Insight
The flaw is due to improper handling of object-deserialization failures in 'ext/standard/var_unserializer.re' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.26 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.809321
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-7411`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/93009`
`cert-bund: CB-K16/1958`
`cert-bund: CB-K16/1543`
`cert-bund: CB-K16/1532`
`cert-bund: CB-K16/1426`
`dfn-cert: DFN-CERT-2016-2063`
`dfn-cert: DFN-CERT-2016-1639`
`dfn-cert: DFN-CERT-2016-1631`
`dfn-cert: DFN-CERT-2016-1495`

Critical (CVSS: 9.8)
NVT: PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     8.1.31
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.31, 8.2.26, 8.3.14 or later.

Affected Software/OS
PHP versions prior to 8.1.31, 8.2.x prior to 8.2.26 and 8.3.x prior to 8.3.14.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2024-8929: Leak partial content of the heap through heap buffer over-read
- CVE-2024-8932: OOB access in ldap_escape
- CVE-2024-11233: Single byte overread with convert.quoted-printable-decode filter
- CVE-2024-11234: Configuring a proxy in a stream context might allow for CRLF injection in URIs
- CVE-2024-11236: Integer overflow in the firebird/dblib quoter causing OOB writes
- No CVE: Heap-Use-After-Free in sapi_read_post_data Processing in CLI SAPI Interface

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.153495
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2024-8929
cve: CVE-2024-8932
cve: CVE-2024-11233
cve: CVE-2024-11234
cve: CVE-2024-11236
url: https://www.php.net/ChangeLog-8.php#8.1.31
url: https://www.php.net/ChangeLog-8.php#8.2.26
url: https://www.php.net/ChangeLog-8.php#8.3.14
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://github.com/php/php-src/security/advisories/GHSA-h35g-vwh6-m678
url: https://github.com/php/php-src/security/advisories/GHSA-g665-fm4p-vhff
url: https://github.com/php/php-src/security/advisories/GHSA-r977-prxv-hc43
url: https://github.com/php/php-src/security/advisories/GHSA-c5f2-jwm7-mmq2
url: https://github.com/php/php-src/security/advisories/GHSA-5hqh-c84r-qjcv
url: https://github.com/php/php-src/security/advisories/GHSA-4w77-75f9-2c8w
url: https://thephp.foundation/blog/2025/04/10/php-core-security-audit-results/
url: https://ostif.org/php-audit-complete/
url: https://blog.quarkslab.com/security-audit-of-php-src.html
url: https://www.openwall.com/lists/oss-security/2025/04/12/2
cert-bund: WID-SEC-2024-3519
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2025-1082
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2024-3200
dfn-cert: DFN-CERT-2024-3172
dfn-cert: DFN-CERT-2024-3108
```

Critical (CVSS: 9.8)
NVT: PHP < 8.1.32, 8.2.x < 8.2.28 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     8.1.32
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.32, 8.2.28 or later.

Affected Software/OS

PHP versions prior to 8.1.32, and 8.2.x prior to 8.2.28.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The following vulnerabilities exist:
- CVE-2025-1217: Header parser of 'http' stream wrapper does not handle folded headers
- CVE-2025-1219: libxml streams use wrong 'content-type' header when requesting a redirected resource
- CVE-2025-1734: Streams HTTP wrapper does not fail for headers without colon
- CVE-2025-1736: Stream HTTP wrapper header check might omit basic auth header
- CVE-2025-1861: Stream HTTP wrapper truncate redirect location to 1024 bytes

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.32, 8.2.x < 8.2.28 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.154187
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2025-1217
cve: CVE-2025-1219
cve: CVE-2025-1734
cve: CVE-2025-1736
cve: CVE-2025-1861
url: https://www.php.net/ChangeLog-8.php#8.1.32
url: https://www.php.net/ChangeLog-8.php#8.2.28
url: https://github.com/php/php-src/security/advisories/GHSA-v8xr-gpvj-cx9g
url: https://github.com/php/php-src/security/advisories/GHSA-p3x9-6h7p-cgfc
url: https://github.com/php/php-src/security/advisories/GHSA-pcmh-g36c-qc44
url: https://github.com/php/php-src/security/advisories/GHSA-hgf5-96fm-v528
url: https://github.com/php/php-src/security/advisories/GHSA-52jp-hrpf-2jff
cert-bund: WID-SEC-2025-0566
dfn-cert: DFN-CERT-2025-1939
dfn-cert: DFN-CERT-2025-1082
dfn-cert: DFN-CERT-2025-0665
```

Critical (CVSS: 9.8)
NVT: phpMyAdmin Code Injection and XSS Vulnerability

Summary
phpMyAdmin is prone to a remote PHP code-injection vulnerability and to a cross-site scripting vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result
Installed version: 3.1.1
Fixed version: 2.11.9.5 / 3.1.3.1

Impact
An attacker can exploit this issue to inject and execute arbitrary malicious PHP code in the context of the webserver process. This may facilitate a compromise of the application and the underlying system. Other attacks are also possible.

Solution:
Solution type: VendorFix
Update to version 2.11.9.5 / 3.1.3.1 or later.

Affected Software/OS
Versions prior to phpMyAdmin 2.11.9.5 and 3.1.3.1 are vulnerable.

Vulnerability Detection Method
Details: phpMyAdmin Code Injection and XSS Vulnerability
OID:1.3.6.1.4.1.25623.1.0.100077
Version used: 2024-07-17T05:05:38Z

References
cve: CVE-2009-1151
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: http://www.securityfocus.com/bid/34236
url: http://www.securityfocus.com/bid/34251

Critical (CVSS: 9.8)
NVT: PHP < 5.6.7 DoS Vulnerability - Linux

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.6.7

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 5.6.7 or later.

Affected Software/OS
PHP prior to version 5.6.7 on Linux.

Vulnerability Insight
The flaw is due to 'type confusion' issues in 'ext/soap/php_encoding.c', 'ext/soap/php_http.c', and 'ext/soap/soap.c' scripts.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.7 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.808673
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2015-4601
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75246
cert-bund: CB-K16/0944
cert-bund: CB-K15/1158
cert-bund: CB-K15/1031
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0936
cert-bund: CB-K15/0854
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1217
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0983
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2015-0900

Critical (CVSS: 9.8)
NVT: PHP 5.x < 5.6.34, 7.x < 7.0.28, 7.1.x < 7.1.15, 7.2.x < 7.2.3 Stack Buffer Overflow Vulnerability (Mar 2018) - Linux

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a stack buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.34
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow an attacker to execute arbitrary code in the context of the affected application. Failed exploit attempts will result in denial-of-service conditions.

Solution:
Solution type: VendorFix
Update to version 5.6.34, 7.0.28, 7.1.15, 7.2.3 or later.

Affected Software/OS
PHP versions 5.x prior to 5.6.34, 7.x prior to 7.0.28, 7.1.x prior to 7.1.15 and 7.2.x prior to 7.2.3 on Linux.

Vulnerability Insight
The flaw exists because php fails to adequately bounds-check user-supplied data before copying it into an insufficiently sized buffer.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP 5.x < 5.6.34, 7.x < 7.0.28, 7.1.x < 7.1.15, 7.2.x < 7.2.3 Stack Buffer Over.
↪..
OID:1.3.6.1.4.1.25623.1.0.812821
Version used: 2025-09-24T05:39:03Z

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2018-7584
url: http://php.net/ChangeLog-7.php
url: http://www.securityfocus.com/bid/103204
url: https://bugs.php.net/bug.php?id=75981
cert-bund: CB-K18/0698
cert-bund: CB-K18/0498
cert-bund: CB-K18/0383
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-1232
dfn-cert: DFN-CERT-2018-1059
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2018-0537
dfn-cert: DFN-CERT-2018-0399

Critical (CVSS: 9.8)
NVT: PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.4.44
Installation
path / port: 80/tcp

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service (NULL pointer dereference and application crash) or trigger unintended method execution to defeat cryptographic protection mechanisms.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.4.44, 5.5.28, 5.6.12 or later.

Affected Software/OS
PHP prior to version 5.4.44, 5.5.x prior to 5.5.28 and 5.6.x prior to 5.6.12 on Linux.

Vulnerability Insight
Multiple flaws exist due to:
- An improper validation of certain Exception objects in 'Zend/zend_exceptions.c' script.
- The 'openssl_random_pseudo_bytes' function in 'ext/openssl/openssl.c' incorrectly relies on the deprecated 'RAND_pseudo_bytes' function.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Jul 2016. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808604
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-8835`
`cve: CVE-2015-8867`
`cve: CVE-2015-8873`
`cve: CVE-2015-8876`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/87481`
`url: http://www.securityfocus.com/bid/90867`
`url: http://www.securityfocus.com/bid/84426`
`url: http://www.securityfocus.com/bid/90712`
`cert-bund: CB-K17/0318`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/1190`
`cert-bund: CB-K16/1179`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0937`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0911`
`cert-bund: CB-K16/0868`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0705
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1265
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0996
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0764
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
```

Critical (CVSS: 9.8)
NVT: PHP < 5.2.5 Multiple Vulnerabilities

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.5
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.2.5 or later.

Affected Software/OS

PHP before version 5.2.5.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.2.5 Multiple Vulnerabilities`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.108866
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2007-3996
cve: CVE-2007-4782
cve: CVE-2007-4783
cve: CVE-2007-4784
cve: CVE-2007-4825
cve: CVE-2007-4840
cve: CVE-2007-4887
cve: CVE-2007-4889
cve: CVE-2007-5447
cve: CVE-2007-5653
cve: CVE-2007-5898
cve: CVE-2007-5899
cve: CVE-2007-5900
cve: CVE-2008-2107
cve: CVE-2008-2108
cve: CVE-2008-4107
url: http://www.securityfocus.com/bid/26403
dfn-cert: DFN-CERT-2010-0075
dfn-cert: DFN-CERT-2009-1418

Critical (CVSS: 9.8)
NVT: PHP < 5.2.6 Multiple Vulnerabilities

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.2.6

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        80/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.2.6 or later.

Affected Software/OS
PHP prior to version 5.2.6.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.2.6 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.108867
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2007-4850
cve: CVE-2007-6039
cve: CVE-2008-0599
cve: CVE-2008-1384
cve: CVE-2008-2050
cve: CVE-2008-2051
url: http://www.securityfocus.com/bid/27413
url: http://www.securityfocus.com/bid/28392
url: http://www.securityfocus.com/bid/29009
dfn-cert: DFN-CERT-2009-1497
```

Critical (CVSS: 9.8)
NVT: PHP < 5.2.6 Multiple Vulnerabilities (Aug 2008)

Product detection result
```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.6
Installation
path / port:       80/tcp
```

Impact

Successful exploitation could result in remote arbitrary code execution, security restrictions bypass, access to restricted files, denial of service.

Solution:

Solution type: VendorFix

Update to version 5.2.6 or later.

Affected Software/OS

PHP version prior to 5.2.6.

Vulnerability Insight

The following flaws exist:

- CVE-2007-4850: Error in curl/interface.c in the cURL library(libcurl), which could be exploited by attackers to bypass safe_mode security restrictions.
- CVE-2008-0599: Error during path translation in cgi_main.c.
- CVE-2008-0674: Buffer overflow error in PCRE when handling a character class containing a very large number of characters with codepoints greater than 255(UTF-8 mode).
- CVE-2008-2050: Stack-based buffer overflow in FastCGI SAPI (fastcgi.c).
- CVE-2008-2051: Unspecified error within the processing of incomplete multibyte characters in escapeshellcmd() API function

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.2.6 Multiple Vulnerabilities (Aug 2008)`

OID:1.3.6.1.4.1.25623.1.0.800110

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2007-4850
cve: CVE-2008-0599
cve: CVE-2008-0674
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2008-2050
cve: CVE-2008-2051
url: http://pcre.org/changelog.txt
url: http://www.securityfocus.com/bid/27413
url: http://www.securityfocus.com/bid/27786
url: http://www.securityfocus.com/bid/29009
url: http://www.php.net/ChangeLog-5.php
url: http://wiki.rpath.com/wiki/Advisories:rPSA-2008-0176
url: http://wiki.rpath.com/wiki/Advisories:rPSA-2008-0178
url: http://wiki.rpath.com/wiki/Advisories:rPSA-2008-0086
dfn-cert: DFN-CERT-2009-1497
```

Critical (CVSS: 9.8)
NVT: PHP < 5.6.31, 7.0.x < 7.0.21, 7.1.x < 7.1.7 Multiple Vulnerabilities (Jul 2017) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.31
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to leak information from the interpreter, crash PHP interpreter and also disclose sensitive information.

Solution:

Solution type: VendorFix

Update to version 5.6.31, 7.0.21, 7.1.7 or later.

Affected Software/OS

PHP prior to version 5.6.31, 7.0.x prior to 7.0.21 and 7.1.x prior to 7.1.7.

Vulnerability Insight

The following vulnerabilities exist:

- An ext/date/lib/parse_date.c out-of-bounds read affecting the php_parse_date function.

. . . continues on next page . . .

. . . continued from previous page . . .

- The openssl extension PEM sealing code did not check the return value of the OpenSSL sealing function.
- lack of bounds checks in the date extension's timelib_meridian parsing code.
- A stack-based buffer overflow in the zend_ini_do_op() function in the 'Zend/zend_ini_parser.c' script.
- The GIF decoding function gdImageCreateFromGifCtx in gd_gif_in.c in the GD Graphics Library (aka libgd) does not zero colorMap arrays before use.
- Heap buffer overread (READ: 1) finish_nested_data from unserialize
- oniguruma upstream fix

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.31, 7.0.x < 7.0.21, 7.1.x < 7.1.7 Multiple Vulnerabilities (Jul 2017).`
↪..

OID:1.3.6.1.4.1.25623.1.0.811482

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2017-7890
cve: CVE-2017-9224
cve: CVE-2017-9225
cve: CVE-2017-9226
cve: CVE-2017-9227
cve: CVE-2017-9228
cve: CVE-2017-9229
cve: CVE-2017-11144
cve: CVE-2017-11145
cve: CVE-2017-11628
cve: CVE-2017-12933
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/99492
url: http://www.securityfocus.com/bid/99550
url: http://www.securityfocus.com/bid/99605
url: http://www.securityfocus.com/bid/99612
url: http://www.securityfocus.com/bid/99489
url: http://www.php.net/ChangeLog-7.php
cert-bund: WID-SEC-2023-2719
cert-bund: WID-SEC-2023-2718
cert-bund: CB-K18/0270
cert-bund: CB-K18/0048
cert-bund: CB-K17/2123
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/1575
cert-bund: CB-K17/1573
cert-bund: CB-K17/1562
cert-bund: CB-K17/1468
cert-bund: CB-K17/1461
cert-bund: CB-K17/1373
cert-bund: CB-K17/1358
cert-bund: CB-K17/1132
cert-bund: CB-K17/1011
cert-bund: CB-K17/0908
dfn-cert: DFN-CERT-2020-1221
dfn-cert: DFN-CERT-2020-0484
dfn-cert: DFN-CERT-2020-0479
dfn-cert: DFN-CERT-2019-1052
dfn-cert: DFN-CERT-2018-2116
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0290
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-2219
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1644
dfn-cert: DFN-CERT-2017-1629
dfn-cert: DFN-CERT-2017-1530
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1432
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1161
dfn-cert: DFN-CERT-2017-1046
dfn-cert: DFN-CERT-2017-0932
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.43, 5.5.x < 5.5.27, 5.6.x < 5.6.11 Multiple Vulnerabilities (Mar 2016) - Linux

Product detection result

cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version: 5.2.4

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     5.4.43
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to execute arbitrary code in the context of the PHP process. Failed exploit attempts will likely crash the webserver.

Solution:
Solution type: VendorFix
Update to version 5.4.43, 5.5.27, 5.6.11 or later.

Affected Software/OS
PHP prior to version 5.4.43, 5.5.x prior to 5.5.27 and 5.6.x prior to 5.6.11 on Linux.

Vulnerability Insight
The following flaws exist:
- Inadequate boundary checks on user-supplied input by 'phar_fix_filepath' function in 'ext/phar/phar.c' script.
- Improper validation of file pointer in the 'phar_convert_to_other' function in 'ext/phar/phar_object.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.43, 5.5.x < 5.5.27, 5.6.x < 5.6.11 Multiple Vulnerabilities (Mar 2016. ↪..`
OID:1.3.6.1.4.1.25623.1.0.807507
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2015-5589
cve: CVE-2015-5590
cve: CVE-2015-8838
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75970
url: http://www.securityfocus.com/bid/88763
url: http://www.securityfocus.com/bid/75974
url: https://bugs.php.net/bug.php?id=69923
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
cert-bund: CB-K16/0422
cert-bund: CB-K15/1439
cert-bund: CB-K15/1261
cert-bund: CB-K15/1147
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1335
dfn-cert: DFN-CERT-2015-1203
```

Critical (CVSS: 9.8)
NVT: phpMyAdmin < 4.9.6, 5.x < 5.0.3 Multiple Vulnerabilities (PMASA-2020-5, PMASA-2020-6) - Linux

Summary
phpMyAdmin is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.1.1
Fixed version:     4.9.6
Installation
path / port:       /phpMyAdmin
```

Impact
Successful exploitation would allow an attacker to:
- If an attacker sends a crafted link to the victim with the malicious JavaScript, when the victim clicks on the link, the JavaScript will run and complete the instructions made by the attacker (CVE-2020-26934)
- An attacker could use this flaw to inject malicious SQL in to a query (CVE-2020-26935)

Solution:
Solution type: VendorFix
Update to version 4.9.6, 5.0.3 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.6 and 5.x prior to 5.0.3.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The following vulnerabilities exist:
- XSS relating to the transformation feature (CVE-2020-26934)
- SQL injection vulnerability in SearchController (CVE-2020-26935)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.6, 5.x < 5.0.3 Multiple Vulnerabilities (PMASA-2020-5, PMASA-2.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.144896
Version used: `2024-02-13T05:06:26Z`

References
```
cve: CVE-2020-26934
cve: CVE-2020-26935
url: https://www.phpmyadmin.net/security/PMASA-2020-5/
url: https://www.phpmyadmin.net/security/PMASA-2020-6/
cert-bund: CB-K20/0969
dfn-cert: DFN-CERT-2020-2526
dfn-cert: DFN-CERT-2020-2366
dfn-cert: DFN-CERT-2020-2322
dfn-cert: DFN-CERT-2020-2220
```

Critical (CVSS: 9.8)
NVT: PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.4.45
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to read arbitrary empty directories, also to cause a denial of service.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 5.4.45, 5.5.29, 5.6.13 or later.

Affected Software/OS
PHP prior to version 5.4.45, 5.5.x prior to 5.5.29 and 5.6.x prior to 5.6.13 on Linux.

Vulnerability Insight
The following flaws exist:
- Error in the 'ZipArchive::extractTo' function in 'ext/zip/php_zip.c' script.
- The xsl_ext_function_php function in ext/xsl/xsltprocessor.c when libxml2 is used, does not consider the possibility of a NULL valuePop return value before proceeding with a free operation after the principal argument loop.
- Improper handling of multiple php_var_unserialize calls
- Multiple use-after-free vulnerabilities

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 Multiple Vulnerabilities (Jul 2016. ↪..`
OID:1.3.6.1.4.1.25623.1.0.808617
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-9767`
`cve: CVE-2015-6834`
`cve: CVE-2015-6835`
`cve: CVE-2015-6837`
`cve: CVE-2015-6838`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/76652`
`url: http://www.securityfocus.com/bid/76649`
`url: http://www.securityfocus.com/bid/76733`
`url: http://www.securityfocus.com/bid/76734`
`url: http://www.securityfocus.com/bid/76738`
`url: http://www.openwall.com/lists/oss-security/2016/03/16/20`
`cert-bund: WID-SEC-2025-1425`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0623`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0614
cert-bund: CB-K16/0422
cert-bund: CB-K15/1571
cert-bund: CB-K15/1561
cert-bund: CB-K15/1478
cert-bund: CB-K15/1439
cert-bund: CB-K15/1415
cert-bund: CB-K15/1337
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1658
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1556
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1493
dfn-cert: DFN-CERT-2015-1407
```

Critical (CVSS: 9.8)
NVT: PHP < 5.3.13, 5.4.x < 5.4.3 Multiple Vulnerabilities - Active Check

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 95%

Vulnerability Detection Result

```
By doing the following HTTP POST request:
"HTTP POST" body : <?php phpinfo();?>
URL              : http://metasploitable2.trabalho_vulnnet/cgi-bin/php?%2D%64+%6
↪1%6C%6C%6F%77%5F%75%72%6C%5F%69%6E%63%6C%75%64%65%3D%6F%6E+%2D%64+%73%61%66%65
↪%5F%6D%6F%64%65%3D%6F%66%66+%2D%64+%73%75%68%6F%73%69%6E%2E%73%69%6D%75%6C%61%
↪74%69%6F%6E%3D%6F%6E+%2D%64+%64%69%73%61%62%6C%65%5F%66%75%6E%63%74%69%6F%6E%7
↪3%3D%22%22+%2D%64+%6F%70%65%6E%5F%62%61%73%65%64%69%72%3D%6E%6F%6E%65+%2D%64+%
↪61%75%74%6F%5F%70%72%65%70%65%6E%64%5F%66%69%6C%65%3D%70%68%70%3A%2F%2F%69%6E%
↪70%75%74+%2D%64+%63%67%69%2E%66%6F%72%63%65%5F%72%65%64%69%72%65%63%74%3D%30+%
↪2D%64+%63%67%69%2E%72%65%64%69%72%65%63%74%5F%73%74%61%74%75%73%5F%65%6E%76%3D
↪%30+%2D%6E
it was possible to execute the "<?php phpinfo();?>" command.
Result:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪p5/cgi </td></tr>
  <h2>PHP Core</h2>
  <h2>PHP Variables</h2>
```

Impact
Exploiting this issue allows remote attackers to view the source code of files in the context of the server process. This may allow the attacker to obtain sensitive information and to run arbitrary PHP code on the affected computer. Other attacks are also possible.

Solution:
Solution type: VendorFix
PHP: Update to version 5.3.13, 5.4.3 or later
- Other products / applications: Please contact the vendor for a solution

Affected Software/OS
PHP versions prior to 5.3.13 and 5.4.x prior to 5.4.3.
Other products / applications might be affected by the tested CVE-2012-1823 as well.

Vulnerability Insight
When PHP is used in a CGI-based setup (such as Apache's mod_cgid), the php-cgi receives a processed query string parameter as command line arguments which allows command-line switches, such as -s, -d or -c to be passed to the php-cgi binary, which can be exploited to disclose source code and obtain arbitrary code execution.
An example of the -s command, allowing an attacker to view the source code of index.php is below:
http://example.com/index.php?-s

Vulnerability Detection Method
Send multiple a crafted HTTP POST requests and checks the responses.
Notes:
- This script checks for the presence of CVE-2012-1823 which indicates that the system is also affected by the other included CVEs.
- It is currently expected that a result of this VT is reported if the system is generally exposing a phpinfo() output on the relevant URL / endpoint (independent from the running product). Exposing such sensitive information is generally seen as a security misconfiguration and should be avoided.
Details: `PHP < 5.3.13, 5.4.x < 5.4.3 Multiple Vulnerabilities - Active Check`
OID:1.3.6.1.4.1.25623.1.0.103482
Version used: `2025-11-11T05:40:18Z`

References
`cve: CVE-2012-1823`
`cve: CVE-2012-2311`
`cve: CVE-2012-2336`
`cve: CVE-2012-2335`
`url: https://web.archive.org/web/20190212080415/http://eindbazen.net/2012/05/php`

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪-cgi-advisory-cve-2012-1823/
url: https://www.kb.cert.org/vuls/id/520827
url: https://bugs.php.net/bug.php?id=61910
url: https://www.php.net/manual/en/security.cgi-bin.php
url: https://web.archive.org/web/20210121223743/http://www.securityfocus.com/bid
↪/53388
url: https://web.archive.org/web/20120709064615/http://www.h-online.com/open/new
↪s/item/Critical-open-hole-in-PHP-creates-risks-Update-2-1567532.html
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
dfn-cert: DFN-CERT-2013-1494
dfn-cert: DFN-CERT-2012-1316
dfn-cert: DFN-CERT-2012-1276
dfn-cert: DFN-CERT-2012-1268
dfn-cert: DFN-CERT-2012-1267
dfn-cert: DFN-CERT-2012-1266
dfn-cert: DFN-CERT-2012-1173
dfn-cert: DFN-CERT-2012-1101
dfn-cert: DFN-CERT-2012-0994
dfn-cert: DFN-CERT-2012-0993
dfn-cert: DFN-CERT-2012-0992
dfn-cert: DFN-CERT-2012-0920
dfn-cert: DFN-CERT-2012-0915
dfn-cert: DFN-CERT-2012-0914
dfn-cert: DFN-CERT-2012-0913
dfn-cert: DFN-CERT-2012-0907
dfn-cert: DFN-CERT-2012-0906
dfn-cert: DFN-CERT-2012-0900
dfn-cert: DFN-CERT-2012-0880
dfn-cert: DFN-CERT-2012-0878
```

Critical (CVSS: 9.6)
NVT: PHP < 5.5.22, 5.6.x < 5.6.6 XXE Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to an XML external entity (XXE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     5.5.22
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to conduct XML External Entity (XXE) and XML Entity Expansion (XEE) attacks.

Solution:
Solution type: VendorFix
Update to PHP version 5.5.22, 5.6.6 or later.

Affected Software/OS
PHP prior to version 5.5.22 and 5.6.x prior to 5.6.6 on Linux.

Vulnerability Insight
The flaw is due to script 'ext/libxml/libxml.c' does not isolate each thread from 'libxml_disable_entity_loader' when PHP-FPM is used.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.22, 5.6.x < 5.6.6 XXE Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.808615
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2015-8866
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/87470
cert-bund: CB-K18/0028
cert-bund: CB-K16/1776
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0705
cert-bund: CB-K16/0614
dfn-cert: DFN-CERT-2018-0010
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0764
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2016-0659

Critical (CVSS: 9.3)
NVT: PHP < 5.3.3 Multiple Vulnerabilities

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.3.3
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 5.3.3 or later.

Affected Software/OS
PHP prior to version 5.3.3.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.3.3 Multiple Vulnerabilities
OID:1.3.6.1.4.1.25623.1.0.108869
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2007-1581
cve: CVE-2010-0397
cve: CVE-2010-1860
cve: CVE-2010-1862

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2010-1864
cve: CVE-2010-1917
cve: CVE-2010-2097
cve: CVE-2010-2100
cve: CVE-2010-2101
cve: CVE-2010-2190
cve: CVE-2010-2191
cve: CVE-2010-2225
cve: CVE-2010-2484
cve: CVE-2010-2531
cve: CVE-2010-3062
cve: CVE-2010-3063
cve: CVE-2010-3064
cve: CVE-2010-3065
url: http://www.securityfocus.com/bid/38708
url: http://www.securityfocus.com/bid/40461
url: http://www.securityfocus.com/bid/40948
url: http://www.securityfocus.com/bid/41991
dfn-cert: DFN-CERT-2011-1005
dfn-cert: DFN-CERT-2011-0642
dfn-cert: DFN-CERT-2010-1620
dfn-cert: DFN-CERT-2010-1321
dfn-cert: DFN-CERT-2010-1247
dfn-cert: DFN-CERT-2010-1079
dfn-cert: DFN-CERT-2010-0997
dfn-cert: DFN-CERT-2010-0953
dfn-cert: DFN-CERT-2010-0775
dfn-cert: DFN-CERT-2010-0705
dfn-cert: DFN-CERT-2010-0419
dfn-cert: DFN-CERT-2010-0372
```

Critical (CVSS: 9.3)
NVT: PHP 5.2.x < 5.2.12, 5.3.0 Buffer Overflow Vulnerability

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      5.2.12
Installation
path / port:        80/tcp
```

Impact
Successful exploitation could allow attackers to potentially compromise a vulnerable system.

Solution:
Solution type: VendorFix
Update to version 5.2.12, 5.3.1 or later.

Affected Software/OS
PHP version 5.2.x through 5.2.11 and 5.3.0.

Vulnerability Insight
The '_gdGetColors' function in gd_gd.c fails to check certain colorsTotal structure member, whicn can be exploited to cause buffer overflow or buffer over-read attacks via a crafted GD file.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.2.x < 5.2.12, 5.3.0 Buffer Overflow Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.801123
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2009-3546
url: http://secunia.com/advisories/37080/
url: http://www.securityfocus.com/bid/36712
url: http://www.vupen.com/english/advisories/2009/2930
url: http://marc.info/?l=oss-security&m=125562113503923&w=2
dfn-cert: DFN-CERT-2012-1278
dfn-cert: DFN-CERT-2010-0263
dfn-cert: DFN-CERT-2010-0143
dfn-cert: DFN-CERT-2010-0140
dfn-cert: DFN-CERT-2010-0060
dfn-cert: DFN-CERT-2010-0011
dfn-cert: DFN-CERT-2009-1726
dfn-cert: DFN-CERT-2009-1720
dfn-cert: DFN-CERT-2009-1629
dfn-cert: DFN-CERT-2009-1490
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2009-1487

Critical (CVSS: 9.3)
NVT: PHP < 5.2.14 Multiple Vulnerabilities

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.2.14
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 5.2.14 or later.

Affected Software/OS
PHP prior to version 5.2.14.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.2.14 Multiple Vulnerabilities
OID:1.3.6.1.4.1.25623.1.0.108861
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2007-1581
cve: CVE-2010-0397
cve: CVE-2010-1860
cve: CVE-2010-1862

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2010-1864
cve: CVE-2010-2097
cve: CVE-2010-2100
cve: CVE-2010-2101
cve: CVE-2010-2190
cve: CVE-2010-2191
cve: CVE-2010-2225
cve: CVE-2010-2484
cve: CVE-2010-2531
cve: CVE-2010-3065
url: http://www.securityfocus.com/bid/38708
url: http://www.securityfocus.com/bid/40948
url: http://www.securityfocus.com/bid/41991
dfn-cert: DFN-CERT-2011-1005
dfn-cert: DFN-CERT-2011-0642
dfn-cert: DFN-CERT-2010-1620
dfn-cert: DFN-CERT-2010-1321
dfn-cert: DFN-CERT-2010-1247
dfn-cert: DFN-CERT-2010-1079
dfn-cert: DFN-CERT-2010-0997
dfn-cert: DFN-CERT-2010-0953
dfn-cert: DFN-CERT-2010-0775
dfn-cert: DFN-CERT-2010-0705
dfn-cert: DFN-CERT-2010-0419
dfn-cert: DFN-CERT-2010-0372
```

Critical (CVSS: 9.1)
NVT: Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.2.34
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successful exploitation will allow remote attackers to cause the target service to crash. A remote user can obtain potentially sensitive information as well on the target system.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server 2.2.34 or 2.4.27 or later.

Affected Software/OS
Apache HTTP Server 2.2.x before 2.2.34 and 2.4.x before 2.4.27.

Vulnerability Insight
The flaw exists due to error in Apache 'mod_auth_digest' which does not properly initialize memory used to process 'Digest' type HTTP Authorization headers.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.811237
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2017-9788`
`url: http://www.securitytracker.com/id/1038906`
`url: http://www.securityfocus.com/bid/99569`
`url: http://httpd.apache.org/security/vulnerabilities_22.html`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: CB-K18/0066`
`cert-bund: CB-K17/2013`
`cert-bund: CB-K17/1980`
`cert-bund: CB-K17/1936`
`cert-bund: CB-K17/1871`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1842`
`cert-bund: CB-K17/1768`
`cert-bund: CB-K17/1747`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/1558`
`cert-bund: CB-K17/1382`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/1197
cert-bund: CB-K17/1177
cert-bund: CB-K17/1023
dfn-cert: DFN-CERT-2019-0358
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2104
dfn-cert: DFN-CERT-2017-2070
dfn-cert: DFN-CERT-2017-2021
dfn-cert: DFN-CERT-2017-1954
dfn-cert: DFN-CERT-2017-1926
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1828
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1626
dfn-cert: DFN-CERT-2017-1443
dfn-cert: DFN-CERT-2017-1240
dfn-cert: DFN-CERT-2017-1217
dfn-cert: DFN-CERT-2017-1058
```

Critical (CVSS: 9.1)
NVT: PHP < 7.2.27, 7.3.x < 7.3.14, 7.4.x < 7.4.2 Multiple Vulnerabilities (Jan 2020) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     7.2.27
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.2.27, 7.3.14, 7.4.2 or later.

Affected Software/OS

PHP versions before 7.2.27, 7.3.x and 7.4.x.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- OOB read in php_strip_tags_ex (CVE-2020-7059)
- Global buffer-overflow in 'mbfl_filt_conv_big5_wchar' (CVE-2020-7060)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.27, 7.3.x < 7.3.14, 7.4.x < 7.4.2 Multiple Vulnerabilities (Jan 2020).`
↪..
OID:1.3.6.1.4.1.25623.1.0.143392
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2020-7059`
`cve: CVE-2020-7060`
`url: https://www.php.net/ChangeLog-7.php#7.2.27`
`url: https://www.php.net/ChangeLog-7.php#7.3.14`
`url: https://www.php.net/ChangeLog-7.php#7.4.2`
`cert-bund: WID-SEC-2022-2121`
`cert-bund: CB-K20/1199`
`cert-bund: CB-K20/0067`
`dfn-cert: DFN-CERT-2022-2638`
`dfn-cert: DFN-CERT-2020-2627`
`dfn-cert: DFN-CERT-2020-1964`
`dfn-cert: DFN-CERT-2020-0485`
`dfn-cert: DFN-CERT-2020-0422`
`dfn-cert: DFN-CERT-2020-0415`
`dfn-cert: DFN-CERT-2020-0382`
`dfn-cert: DFN-CERT-2020-0342`
`dfn-cert: DFN-CERT-2020-0339`
`dfn-cert: DFN-CERT-2020-0337`
`dfn-cert: DFN-CERT-2020-0139`

Critical (CVSS: 9.1)
NVT: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 Out of Bounds Read Memory Corruption Vulnerability (Mar 2016) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to an out-of-bounds read memory corruption vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.5.31
Installation
path / port: 80/tcp

Impact
Successfully exploiting this issue allow remote attackers to obtain sensitive information or cause a denial-of-service condition.

Solution:
Solution type: VendorFix
Update to version 5.5.31, 5.6.17, 7.0.2 or later.

Affected Software/OS
PHP prior to version 5.5.31, 5.6.x prior to 5.6.17 and 7.x prior to 7.0.2 on Linux.

Vulnerability Insight
A memory corruption vulnerability occurs via a large 'bgd_color' argument to the 'imagerotate' function in 'ext/gd/libgd/gd_interpolation.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 Out of Bounds Read Memory Corruption . ↪..
OID:1.3.6.1.4.1.25623.1.0.807504
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-1903
url: https://bugs.php.net/bug.php?id=70976
url: http://www.securityfocus.com/bid/79916

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.openwall.com/lists/oss-security/2016/01/14/8
cert-bund: CB-K16/1776
cert-bund: CB-K16/0614
cert-bund: CB-K16/0161
cert-bund: CB-K16/0136
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0176
dfn-cert: DFN-CERT-2016-0154
```

Critical (CVSS: 9.1)
NVT: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 DoS Vulnerability (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.5.31
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow attackers to obtain sensitive information from process memory or cause a denial of service (out-of-bounds read and buffer overflow) via a long string.

Solution:

Solution type: VendorFix

Update to version 5.5.31, 5.6.17, 7.0.2 or later.

Affected Software/OS

PHP prior to version 5.5.31, 5.6.x prior to 5.6.17 and 7.x prior to 7.0.2 on Linux.

Vulnerability Insight

The flaw is due to the 'sapi/fpm/fpm/fpm_log.c' script misinterprets the semantics of the snprintf return value.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 DoS Vulnerability (Aug 2016) - Linux
OID:1.3.6.1.4.1.25623.1.0.809139
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-5114
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/81808
cert-bund: CB-K16/1776
cert-bund: CB-K16/1179
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944

Critical (CVSS: 9.0)
NVT: Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.2.8
Fixed version: 2.4.55
Installation
path / port: 80/tcp

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 2.4.55 or later.

Affected Software/OS
Apache HTTP Server version 2.4.54 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2006-20001: mod_dav out of bounds read, or write of zero byte
- CVE-2022-36760: Possible request smuggling in mod_proxy_ajp
- CVE-2022-37436: mod_proxy allows a backend to trigger HTTP response splitting

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.149152
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2006-20001
cve: CVE-2022-36760
cve: CVE-2022-37436
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.55
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1022
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0110
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-1895
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0548
dfn-cert: DFN-CERT-2023-0497
dfn-cert: DFN-CERT-2023-0118
```

[return to 172.30.1.1]

2.1.10 Critical 3306/tcp

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.31 Security Update (cpuapr2023) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a vulnerability in InnoDB (zlib).

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	5.0.51a
Fixed version:	5.7.42
Installation path / port:	3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.32 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.31.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.31 Security Update (cpuapr2023) - Lin.
↪..
OID:1.3.6.1.4.1.25623.1.0.149535
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-37434
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-1653
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0122
cert-bund: WID-SEC-2024-0120
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1812
cert-bund: WID-SEC-2023-1791
cert-bund: WID-SEC-2023-1790
cert-bund: WID-SEC-2023-1783
cert-bund: WID-SEC-2023-1728
cert-bund: WID-SEC-2023-1542
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1033
cert-bund: WID-SEC-2023-1031
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2023-0140
cert-bund: WID-SEC-2023-0137
cert-bund: WID-SEC-2023-0132
cert-bund: WID-SEC-2023-0126
cert-bund: WID-SEC-2023-0125
cert-bund: WID-SEC-2022-1888
cert-bund: WID-SEC-2022-1438
cert-bund: WID-SEC-2022-0929
dfn-cert: DFN-CERT-2024-0998
dfn-cert: DFN-CERT-2024-0790
dfn-cert: DFN-CERT-2024-0125
dfn-cert: DFN-CERT-2023-3028
dfn-cert: DFN-CERT-2023-2816
dfn-cert: DFN-CERT-2023-2799
dfn-cert: DFN-CERT-2023-1643
dfn-cert: DFN-CERT-2023-0885
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2023-0553
dfn-cert: DFN-CERT-2023-0122
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2023-0105
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2421
dfn-cert: DFN-CERT-2022-2415
dfn-cert: DFN-CERT-2022-2366
dfn-cert: DFN-CERT-2022-2365
dfn-cert: DFN-CERT-2022-2364
dfn-cert: DFN-CERT-2022-2363
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-1841
dfn-cert: DFN-CERT-2022-1710
```

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpujan2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a vulnerability in libcurl.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.41
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.41, 8.0.32 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.40 and prior and 8.0 through 8.0.31.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpujan2023) - Lin.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.149169

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2022-32221
cve: CVE-2022-35260
cve: CVE-2022-42915
cve: CVE-2022-42916
url: https://www.oracle.com/security-alerts/cpujan2023.html#AppendixMSQL
advisory-id: cpujan2023
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1728
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1026
cert-bund: WID-SEC-2023-0296
cert-bund: WID-SEC-2023-0189
cert-bund: WID-SEC-2023-0137
cert-bund: WID-SEC-2023-0126
cert-bund: WID-SEC-2022-2372
cert-bund: WID-SEC-2022-1862
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2023-1636
dfn-cert: DFN-CERT-2023-1230
dfn-cert: DFN-CERT-2023-0898
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0372
dfn-cert: DFN-CERT-2023-0278
dfn-cert: DFN-CERT-2023-0216
dfn-cert: DFN-CERT-2023-0214
dfn-cert: DFN-CERT-2023-0157
dfn-cert: DFN-CERT-2023-0156
dfn-cert: DFN-CERT-2023-0105
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2401
dfn-cert: DFN-CERT-2022-2400
dfn-cert: DFN-CERT-2022-2393
dfn-cert: DFN-CERT-2022-2391
```

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.34, 8.1.0 Security Update (cpuoct2023) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.44
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.44, 8.0.35, 8.1.1 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.43 and prior, 8.x through 8.0.34 and 8.1.0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.34, 8.1.0 Security Update (cpuoct2023.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.151217
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2023-38545
cve: CVE-2023-22084
cve: CVE-2023-38546
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL
advisory-id: cpuoct2023
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-1086
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-0893
cert-bund: WID-SEC-2024-0290
cert-bund: WID-SEC-2024-0178
cert-bund: WID-SEC-2024-0175
cert-bund: WID-SEC-2024-0123
cert-bund: WID-SEC-2024-0119
cert-bund: WID-SEC-2024-0110
cert-bund: WID-SEC-2023-2788
cert-bund: WID-SEC-2023-2690
cert-bund: WID-SEC-2023-2570
dfn-cert: DFN-CERT-2024-2795
dfn-cert: DFN-CERT-2024-2543
dfn-cert: DFN-CERT-2024-1601
dfn-cert: DFN-CERT-2024-1517
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-1090
dfn-cert: DFN-CERT-2024-1025
dfn-cert: DFN-CERT-2024-0963
dfn-cert: DFN-CERT-2024-0869
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2024-0376
dfn-cert: DFN-CERT-2024-0220
dfn-cert: DFN-CERT-2024-0185
dfn-cert: DFN-CERT-2024-0184
dfn-cert: DFN-CERT-2024-0181
dfn-cert: DFN-CERT-2024-0133
dfn-cert: DFN-CERT-2024-0132
dfn-cert: DFN-CERT-2024-0127
dfn-cert: DFN-CERT-2024-0108
dfn-cert: DFN-CERT-2023-3124
dfn-cert: DFN-CERT-2023-3071
dfn-cert: DFN-CERT-2023-3064
dfn-cert: DFN-CERT-2023-2988
dfn-cert: DFN-CERT-2023-2941
dfn-cert: DFN-CERT-2023-2819
dfn-cert: DFN-CERT-2023-2763
dfn-cert: DFN-CERT-2023-2681
dfn-cert: DFN-CERT-2023-2680
dfn-cert: DFN-CERT-2023-2643
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-2475
dfn-cert: DFN-CERT-2023-2458
```

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.35 / 8.0 <= 8.0.26 Security Update (cpuoct2021) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.7.36
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.36, 8.0.27 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.35 and prior and 8.0 through 8.0.26.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.35 / 8.0 <= 8.0.26 Security Update (cpuoct2021) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.117740
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-3711
cve: CVE-2021-22926
cve: CVE-2021-35604
cve: CVE-2021-35624
cve: CVE-2021-22922
cve: CVE-2021-22923

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-22924
cve: CVE-2021-22925
cve: CVE-2021-22945
cve: CVE-2021-22946
cve: CVE-2021-22947
cve: CVE-2021-3712
url: https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixMSQL
advisory-id: cpuoct2021
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-2366
cert-bund: WID-SEC-2025-1459
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0556
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1821
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1030
cert-bund: WID-SEC-2023-0530
cert-bund: WID-SEC-2022-2354
cert-bund: WID-SEC-2022-2000
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1894
cert-bund: WID-SEC-2022-1515
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1308
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1225
cert-bund: WID-SEC-2022-1056
cert-bund: WID-SEC-2022-0875
cert-bund: WID-SEC-2022-0874
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0673
cert-bund: WID-SEC-2022-0602
cert-bund: WID-SEC-2022-0530
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0400
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0101
cert-bund: WID-SEC-2022-0094
cert-bund: CB-K22/0473
cert-bund: CB-K22/0469
cert-bund: CB-K22/0316
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K22/0224
cert-bund: CB-K22/0077
cert-bund: CB-K22/0072
cert-bund: CB-K22/0062
cert-bund: CB-K22/0045
cert-bund: CB-K22/0030
cert-bund: CB-K22/0011
cert-bund: CB-K21/1268
cert-bund: CB-K21/1179
cert-bund: CB-K21/1161
cert-bund: CB-K21/1087
cert-bund: CB-K21/0994
cert-bund: CB-K21/0991
cert-bund: CB-K21/0969
cert-bund: CB-K21/0907
cert-bund: CB-K21/0897
cert-bund: CB-K21/0797
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-0573
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-0469
dfn-cert: DFN-CERT-2022-2825
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2350
dfn-cert: DFN-CERT-2022-2086
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1469
dfn-cert: DFN-CERT-2022-1386
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-1143
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0922
dfn-cert: DFN-CERT-2022-0867
dfn-cert: DFN-CERT-2022-0835
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0586
dfn-cert: DFN-CERT-2022-0437
dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0122
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0120
dfn-cert: DFN-CERT-2022-0118
dfn-cert: DFN-CERT-2022-0112
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0052
dfn-cert: DFN-CERT-2022-0031
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2502
dfn-cert: DFN-CERT-2021-2481
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2434
dfn-cert: DFN-CERT-2021-2403
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2369
dfn-cert: DFN-CERT-2021-2329
dfn-cert: DFN-CERT-2021-2223
dfn-cert: DFN-CERT-2021-2216
dfn-cert: DFN-CERT-2021-2214
dfn-cert: DFN-CERT-2021-2189
dfn-cert: DFN-CERT-2021-2188
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2167
dfn-cert: DFN-CERT-2021-1996
dfn-cert: DFN-CERT-2021-1931
dfn-cert: DFN-CERT-2021-1917
dfn-cert: DFN-CERT-2021-1915
dfn-cert: DFN-CERT-2021-1871
dfn-cert: DFN-CERT-2021-1803
dfn-cert: DFN-CERT-2021-1799
dfn-cert: DFN-CERT-2021-1743
dfn-cert: DFN-CERT-2021-1593
dfn-cert: DFN-CERT-2021-1580
dfn-cert: DFN-CERT-2021-1568
```

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.5.52 / 5.6 <= 5.6.33 / 5.7 <= 5.7.15 Security Update (cpuoct2016) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability will allow a remote user to access restricted data.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.52 and prior, 5.6 through 5.6.33 and 5.7 through 5.7.15.

Vulnerability Insight

Multiple flaws exist due to multiple unspecified errors in the 'Server: Security: Encryption' and 'Server: Logging' components.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.5.52 / 5.6 <= 5.6.33 / 5.7 <= 5.7.15 Security Update (. ↪..`

OID:1.3.6.1.4.1.25623.1.0.809387

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2016-5584
cve: CVE-2016-6662
cve: CVE-2016-7440
url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL
advisory-id: cpuoct2016
url: http://legalhackers.com/advisories/MySQL-Exploit-Remote-Root-Code-Execution
↪-Privesc-CVE-2016-6662.txt
url: https://www.exploit-db.com/exploits/40360/
cert-bund: CB-K17/0139
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/0055
cert-bund: CB-K16/1846
cert-bund: CB-K16/1755
cert-bund: CB-K16/1742
cert-bund: CB-K16/1714
cert-bund: CB-K16/1655
cert-bund: CB-K16/1624
cert-bund: CB-K16/1448
cert-bund: CB-K16/1392
dfn-cert: DFN-CERT-2020-1473
dfn-cert: DFN-CERT-2017-0138
dfn-cert: DFN-CERT-2017-0060
dfn-cert: DFN-CERT-2016-1950
dfn-cert: DFN-CERT-2016-1859
dfn-cert: DFN-CERT-2016-1849
dfn-cert: DFN-CERT-2016-1790
dfn-cert: DFN-CERT-2016-1753
dfn-cert: DFN-CERT-2016-1714
dfn-cert: DFN-CERT-2016-1540
dfn-cert: DFN-CERT-2016-1479
```

Critical (CVSS: 9.3)
NVT: MySQL 5.x Unspecified Buffer Overflow Vulnerability

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MySQL is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     Unknown
```

Impact

An attacker can leverage this issue to execute arbitrary code within the context of the vulnerable application. Failed exploit attempts will result in a denial-of-service condition.

Solution:

Solution type: WillNotFix

. . . continues on next page . . .

. . . continued from previous page . . .

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
This issue affects MySQL 5.x. Other versions may also be vulnerable.

Vulnerability Insight
The flaw exists because the application fails to perform adequate boundary checks on user-supplied data.

Vulnerability Detection Method
Details: `MySQL 5.x Unspecified Buffer Overflow Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100271
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`url: http://www.securityfocus.com/bid/36242`

[return to 172.30.1.1]

2.1.11 Critical 512/tcp

Critical (CVSS: 10.0)
NVT: The rexec service is running

Summary
This remote host is running a rexec service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`The rexec service was detected on the target system.`

Solution:
Solution type: Mitigation
Disable the rexec service and use alternatives like SSH instead.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
rexec (remote execution client for an exec server) has the same kind of functionality that rsh has: you can execute shell commands on a remote computer.
The main difference is that rexec authenticate by reading the username and password *unencrypted* from the socket.

Vulnerability Detection Method
Checks whether an rexec service is exposed on the target host.
Details: `The rexec service is running`
OID:1.3.6.1.4.1.25623.1.0.100111
Version used: `2023-09-12T05:05:19Z`

References
`cve: CVE-1999-0618`

[return to 172.30.1.1]

2.1.12 High 514/tcp

High (CVSS: 7.5)
NVT: rsh Unencrypted Cleartext Login

Summary
This remote host is running a rsh service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The rsh service is misconfigured so it is allowing connections without a passwor
↪d or with default root:root credentials.
```

Solution:
Solution type: Mitigation
Disable the rsh service and use alternatives like SSH instead.

Vulnerability Insight
rsh (remote shell) is a command line computer program which can execute shell commands as another user, and on another computer across a computer network.
Remark: NIST don't see 'configuration issues' as software flaws so the referenced CVE has a severity of 0.0. The severity of this VT has been raised by Greenbone to still report a configuration issue on the target.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Details: `rsh Unencrypted Cleartext Login`
OID:1.3.6.1.4.1.25623.1.0.100080
Version used: `2021-10-20T09:03:29Z`

References
`cve: CVE-1999-0651`

[return to 172.30.1.1]

2.1.13 High 513/tcp

High (CVSS: 7.5)
NVT: The rlogin service is running

Summary
This remote host is running a rlogin service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`The rlogin service is running on the target system.`

Solution:
Solution type: Mitigation
Disable the rlogin service and use alternatives like SSH instead.

Vulnerability Insight
rlogin has several serious security problems,
- all information, including passwords, is transmitted unencrypted.
- .rlogin (or .rhosts) file is easy to misuse (potentially allowing anyone to login without a password)

Vulnerability Detection Method
Details: `The rlogin service is running`
OID:1.3.6.1.4.1.25623.1.0.901202
Version used: `2025-03-05T05:38:53Z`

References
`cve: CVE-1999-0651`

[return to 172.30.1.1]

2.1.14 High 5432/tcp

High (CVSS: 8.8)
NVT: PostgreSQL Multiple Vulnerabilities (Mar 2015) - Linux

Product detection result
`cpe:/a:postgresql:postgresql:8.3.1`
`Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802`
`↪5)`

Summary
PostgreSQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     9.1.20
Installation
path / port:       5432/tcp
```

Impact
Successful exploitation will allow a remote attacker to escalate privileges and to cause denial of service conditions.

Solution:
Solution type: VendorFix
Upgrade to version 9.1.20 or 9.2.15 or 9.3.11 or 9.4.6 or 9.5.1 or later.

Affected Software/OS
PostgreSQL version before 9.1.20, 9.2.x before 9.2.15, 9.3.x before 9.3.11, 9.4.x before 9.4.6, and 9.5.x before 9.5.1.

Vulnerability Insight
Multiple flaws are due to the PostgreSQL incorrectly handle certain regular expressions and certain configuration settings (GUCS) for users of PL/Java.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PostgreSQL Multiple Vulnerabilities (Mar 2015) - Linux`
OID:1.3.6.1.4.1.25623.1.0.807518
Version used: `2024-07-19T05:05:32Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2016-0773
cve: CVE-2016-0766
url: http://www.ubuntu.com/usn/USN-2894-1
url: http://www.securityfocus.com/bid/83184
url: http://www.postgresql.org/about/news/1644
cert-bund: CB-K16/1366
cert-bund: CB-K16/0361
cert-bund: CB-K16/0237
dfn-cert: DFN-CERT-2019-1285
dfn-cert: DFN-CERT-2016-1457
dfn-cert: DFN-CERT-2016-0401
dfn-cert: DFN-CERT-2016-0257
```

High (CVSS: 8.5)
NVT: PostgreSQL Multiple Security Vulnerabilities

Product detection result

```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary

PostgreSQL is prone to multiple security vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     See references
Installation
path / port:       5432/tcp
```

Impact

Attackers can exploit these issues to bypass certain security restrictions and execute arbitrary Perl or Tcl code.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

These issues affect versions prior to the following PostgreSQL versions:

. . . continues on next page . . .

. . . continued from previous page . . .

8.4.4, 8.3.11, 8.2.17, 8.1.21, 8.0.25, 7.4.29.

Vulnerability Detection Method
Details: PostgreSQL Multiple Security Vulnerabilities
OID:1.3.6.1.4.1.25623.1.0.100645
Version used: 2025-01-21T05:37:33Z

Product Detection Result
Product: cpe:/a:postgresql:postgresql:8.3.1
Method: PostgreSQL Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
cve: CVE-2010-1169
cve: CVE-2010-1170
cve: CVE-2010-1447
url: http://www.securityfocus.com/bid/40215
url: http://www.postgresql.org/about/news.1203
cert-bund: CB-K15/1514
dfn-cert: DFN-CERT-2012-1293
dfn-cert: DFN-CERT-2011-1011
dfn-cert: DFN-CERT-2010-1430
dfn-cert: DFN-CERT-2010-1135
dfn-cert: DFN-CERT-2010-1117
dfn-cert: DFN-CERT-2010-1046
dfn-cert: DFN-CERT-2010-0984
dfn-cert: DFN-CERT-2010-0976
dfn-cert: DFN-CERT-2010-0774
dfn-cert: DFN-CERT-2010-0773
dfn-cert: DFN-CERT-2010-0740
dfn-cert: DFN-CERT-2010-0698
dfn-cert: DFN-CERT-2010-0689
dfn-cert: DFN-CERT-2010-0683
dfn-cert: DFN-CERT-2010-0682
dfn-cert: DFN-CERT-2010-0681
dfn-cert: DFN-CERT-2010-0680
dfn-cert: DFN-CERT-2010-0673

High (CVSS: 8.3)
NVT: PostgreSQL Code Injection and Denial of Service Vulnerabilities - Linux

Product detection result
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PostgreSQL is prone to code injection and denial of service vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 8.3.1
Fixed version:     9.1.23
Installation
path / port:       5432/tcp
```

Impact
Successful exploitation will allow a remote attacker to inject code and cause the server to crash.

Solution:
Solution type: VendorFix
Upgrade to version 9.1.23 or 9.2.18 or 9.3.14 or 9.4.9 or 9.5.4 or higher.

Affected Software/OS
PostgreSQL version before 9.1.23, 9.2.x before 9.2.18, 9.3.x before 9.3.14, 9.4.x before 9.4.9, and 9.5.x before 9.5.4.

Vulnerability Insight
Multiple flaws are due to
- An error in certain nested CASE expressions.
- Improper sanitization of input passed to database and role names.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PostgreSQL Code Injection and Denial of Service Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.808665
Version used: `2024-07-19T05:05:32Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
```
cve: CVE-2016-5423
cve: CVE-2016-5424
url: https://www.postgresql.org/about/news/1688/
url: http://www.securityfocus.com/bid/92433
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/92435
cert-bund: CB-K16/1242
dfn-cert: DFN-CERT-2017-1382
dfn-cert: DFN-CERT-2016-1317
```

High (CVSS: 8.1)
NVT: PostgreSQL < 9.6.24, 10.x < 10.19, 11.x < 11.14, 12.x < 12.9, 13.x < 13.5, 14.x < 14.1 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary

PostgreSQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     9.6.24
Installation
path / port:       5432/tcp
```

Solution:

Solution type: VendorFix

Update to version 9.6.24, 10.19, 11.14, 12.9, 13.5, 14.1 or later.

Affected Software/OS

PostgreSQL prior to version 9.6.24, version 10.x through 10.18, 11.x through 11.13, 12.x through 12.8, 13.x through 13.4 and version 14.0.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2021-23214: Server processes unencrypted bytes from man-in-the-middle
- CVE-2021-23222: libpq processes unencrypted bytes from man-in-the-middle

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PostgreSQL < 9.6.24, 10.x < 10.19, 11.x < 11.14, 12.x < 12.9, 13.x < 13.5, 14.x. ↪..`

OID:1.3.6.1.4.1.25623.1.0.147148

Version used: `2024-07-19T05:05:32Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:postgresql:postgresql:8.3.1
Method: PostgreSQL Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
cve: CVE-2021-23214
cve: CVE-2021-23222
url: https://www.postgresql.org/about/news/postgresql-141-135-129-1114-1019-and-
↪9624-released-2349/
cert-bund: WID-SEC-2025-2471
cert-bund: WID-SEC-2023-0426
cert-bund: WID-SEC-2022-1515
cert-bund: WID-SEC-2022-0031
cert-bund: CB-K22/0310
cert-bund: CB-K22/0127
cert-bund: CB-K21/1201
dfn-cert: DFN-CERT-2022-2776
dfn-cert: DFN-CERT-2022-2152
dfn-cert: DFN-CERT-2022-1919
dfn-cert: DFN-CERT-2022-1885
dfn-cert: DFN-CERT-2022-0578
dfn-cert: DFN-CERT-2022-0236
dfn-cert: DFN-CERT-2021-2638
dfn-cert: DFN-CERT-2021-2566
dfn-cert: DFN-CERT-2021-2400

High (CVSS: 7.6)
NVT: PostgreSQL SQLi Vulnerability (Feb 2025) - Linux

Product detection result
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)

Summary
PostgreSQL is prone to an SQL injection (SQLi) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 8.3.1
Fixed version: 13.19

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        5432/tcp
```

Solution:
Solution type: VendorFix
Update to version 13.19, 14.16, 15.11, 16.7, 17.3 or later.

Affected Software/OS
PostgreSQL prior to version 13.19, 14.x prior to 14.16, 15.x prior to 15.11, 16.x prior to 16.7 and 17.x prior to 17.3.

Vulnerability Insight
Improper neutralization of quoting syntax in PostgreSQL libpq functions PQescapeLiteral(), PQescapeIdentifier(), PQescapeString(), and PQescapeStringConn() allows a database input provider to achieve SQL injection in certain usage patterns. Specifically, SQL injection requires the application to use the function result to construct input to psql, the PostgreSQL interactive terminal. Similarly, improper neutralization of quoting syntax in PostgreSQL command line utility programs allows a source of command line arguments to achieve SQL injection when client_encoding is BIG5 and server_encoding is one of EUC_TW or MULE_INTERNAL.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PostgreSQL SQLi Vulnerability (Feb 2025) - Linux`
OID:1.3.6.1.4.1.25623.1.0.154018
Version used: `2025-05-09T15:42:11Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
```
cve: CVE-2025-1094
url: https://www.postgresql.org/support/security/CVE-2025-1094/
url: https://attackerkb.com/topics/G5s8ZWAbYH/cve-2024-12356/rapid7-analysis
url: https://www.rapid7.com/blog/post/2025/02/13/cve-2025-1094-postgresql-psql-s
↪ql-injection-fixed/
cert-bund: WID-SEC-2025-1439
cert-bund: WID-SEC-2025-0372
dfn-cert: DFN-CERT-2025-0371
```

High (CVSS: 7.5)
NVT: Diffie-Hellman Ephemeral Key Exchange DoS Vulnerability (SSL/TLS, D(HE)ater)

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary
The remote SSL/TLS server is supporting Diffie-Hellman ephemeral (DHE) Key Exchange algorithms and thus could be prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
'DHE' cipher suites accepted by this service via the SSLv3 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
'DHE' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA

Impact
This vulnerability allows remote attackers (from the client side) to send arbitrary numbers that are actually not public keys, and trigger expensive server-side DHE modular-exponentiation calculations, also known as a D(HE)ater attack.
There could be an increase in CPU usage in the affected component. For OpenSSH, users may observe issues such as a slowdown in SSH connections.

Solution:
Solution type: Mitigation
- DHE key exchange should be disabled if no other mitigation mechanism can be used and either elliptic-curve variant of Diffie-Hellman (ECDHE) or RSA key exchange is supported by the clients. The fact that RSA key exchange is not forward secret should be considered.
- Limit the maximum number of concurrent connections in e.g. the configuration of the remote server. For Postfix this limit can be configured via 'smtpd_client_new_tls_session_rate_limit' option, for other products please refer to the manual of the product in question on configuration possibilities.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2002-20001: The Diffie-Hellman Key Agreement Protocol allows remote attackers (from the client side) to send arbitrary numbers that are actually not public keys, and trigger expensive server-side DHE modular-exponentiation calculations, aka a D(HE)ater attack. The client needs very little CPU resources and network bandwidth. The attack may be more disruptive in cases where a client can require a server to select its largest supported key size. The basic attack scenario is that the client must claim that it can only communicate with DHE, and the server must be configured to allow DHE.
- CVE-2022-40735: The Diffie-Hellman Key Agreement Protocol allows use of long exponents that arguably make certain calculations unnecessarily expensive, because the 1996 van Oorschot and Wiener paper found that '(appropriately) short exponents' can be used when there are adequate subgroup constraints, and these short exponents can lead to less expensive calculations than for long exponents. This issue is different from CVE-2002-20001 because it is based on an observation about exponent size, rather than an observation about numbers that are not public keys. The specific situations in which calculation expense would constitute a server-side vulnerability depend on the protocol (e.g., TLS, SSH, or IKE) and the DHE implementation details. In general, there might be an availability concern because of server-side resource consumption from DHE modular-exponentiation calculations. Finally, it is possible for an attacker to exploit this vulnerability and CVE-2002-20001 together.
- CVE-2024-41996: Validating the order of the public keys in the Diffie-Hellman Key Agreement Protocol, when an approved safe prime is used, allows remote attackers (from the client side) to trigger unnecessarily expensive server-side DHE modular-exponentiation calculations. The client may cause asymmetric resource consumption. The basic attack scenario is that the client must claim that it can only communicate with DHE, and the server must be configured to allow DHE and validate the order of the public key.

Vulnerability Detection Method
Checks the supported cipher suites of the remote SSL/TLS server.
Details: `Diffie-Hellman Ephemeral Key Exchange DoS Vulnerability (SSL/TLS, D(HE)ater)`
OID:1.3.6.1.4.1.25623.1.0.117840
Version used: `2024-10-03T05:05:33Z`

Product Detection Result
Product: `cpe:/a:ietf:transport_layer_security`
Method: `SSL/TLS: Report Supported Cipher Suites`
OID: 1.3.6.1.4.1.25623.1.0.802067)

References
`cve: CVE-2002-20001`
`cve: CVE-2022-40735`
`cve: CVE-2024-41996`
`url: https://dheatattack.gitlab.io/`
`url: https://dheatattack.gitlab.io/details/`
`url: https://www.researchgate.net/profile/Anton-Stiglic-2/publication/2401745_Se`
`↪curity_Issues_in_the_Diffie-Hellman_Key_Agreement_Protocol`
`url: https://github.com/Balasys/dheater`
`url: https://github.com/c0r0n3r/dheater`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-3056
cert-bund: WID-SEC-2023-1886
cert-bund: WID-SEC-2023-1352
cert-bund: WID-SEC-2022-2251
cert-bund: WID-SEC-2022-2000
cert-bund: CB-K22/0224
cert-bund: CB-K21/1276
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-2847
dfn-cert: DFN-CERT-2024-2578
dfn-cert: DFN-CERT-2024-1671
dfn-cert: DFN-CERT-2023-1697
dfn-cert: DFN-CERT-2023-1332
dfn-cert: DFN-CERT-2022-2147
dfn-cert: DFN-CERT-2022-0437
dfn-cert: DFN-CERT-2021-2622
```

High (CVSS: 7.5)
NVT: PostgreSQL Multiple Information Disclosure Vulnerabilities (May 2017) - Linux

Product detection result

```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary

PostgreSQL is prone to multiple information disclosure vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     9.2.21
Installation
path / port:       5432/tcp
```

Impact

Successful exploitation will allow an unprivileged attacker to steal some information.

Solution:

Solution type: VendorFix

Upgrade to PostgreSQL version 9.2.21 or 9.3.17 or 9.4.12 or 9.5.7 or 9.6.3 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

PostgreSQL version before 9.2.21, 9.3.x before 9.3.17, 9.4.x before 9.4.12, 9.5.x before 9.5.7, and 9.6.x before 9.6.3.

Vulnerability Insight
Multiple flaws are due to:
- Some selectivity estimation functions did not check user privileges before providing information from pg_statistic, possibly leaking information.
- An error in 'pg_user_mappings' view.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PostgreSQL Multiple Information Disclosure Vulnerabilities (May 2017) - Linux`
OID:1.3.6.1.4.1.25623.1.0.810990
Version used: `2024-07-19T05:05:32Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
`cve: CVE-2017-7484`
`cve: CVE-2017-7486`
`url: https://www.postgresql.org/about/news/1746`
`cert-bund: WID-SEC-2025-1969`
`cert-bund: CB-K17/0814`
`dfn-cert: DFN-CERT-2017-1382`
`dfn-cert: DFN-CERT-2017-0837`

High (CVSS: 7.4)
NVT: SSL/TLS: OpenSSL CCS Man in the Middle Security Bypass Vulnerability

Summary
OpenSSL is prone to a security bypass vulnerability.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Impact
Successfully exploiting this issue may allow attackers to obtain sensitive information by conducting a man-in-the-middle attack. This may lead to other attacks.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
OpenSSL before 0.9.8za, 1.0.0 before 1.0.0m and 1.0.1 before 1.0.1h.

Vulnerability Insight
OpenSSL does not properly restrict processing of ChangeCipherSpec messages, which allows man-in-the-middle attackers to trigger use of a zero-length master key in certain OpenSSL-to-OpenSSL communications, and consequently hijack sessions or obtain sensitive information, via a crafted TLS handshake, aka the 'CCS Injection' vulnerability.

Vulnerability Detection Method
Send two SSL ChangeCipherSpec request and check the response.
Details: `SSL/TLS: OpenSSL CCS Man in the Middle Security Bypass Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.105042
Version used: `2025-01-17T15:39:18Z`

References
`cve: CVE-2014-0224`
`url: https://www.openssl.org/news/secadv/20140605.txt`
`url: http://www.securityfocus.com/bid/67899`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2023-0500`
`cert-bund: CB-K15/0567`
`cert-bund: CB-K15/0415`
`cert-bund: CB-K15/0384`
`cert-bund: CB-K15/0080`
`cert-bund: CB-K15/0079`
`cert-bund: CB-K15/0074`
`cert-bund: CB-K14/1617`
`cert-bund: CB-K14/1537`
`cert-bund: CB-K14/1299`
`cert-bund: CB-K14/1297`
`cert-bund: CB-K14/1294`
`cert-bund: CB-K14/1202`
`cert-bund: CB-K14/1174`
`cert-bund: CB-K14/1153`
`cert-bund: CB-K14/0876`
`cert-bund: CB-K14/0756`
`cert-bund: CB-K14/0746`
`cert-bund: CB-K14/0736`
`cert-bund: CB-K14/0722`
`cert-bund: CB-K14/0716`
`cert-bund: CB-K14/0708`
`cert-bund: CB-K14/0684`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K14/0683
cert-bund: CB-K14/0680
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-0593
dfn-cert: DFN-CERT-2015-0427
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0082
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0078
dfn-cert: DFN-CERT-2014-1717
dfn-cert: DFN-CERT-2014-1632
dfn-cert: DFN-CERT-2014-1364
dfn-cert: DFN-CERT-2014-1357
dfn-cert: DFN-CERT-2014-1350
dfn-cert: DFN-CERT-2014-1265
dfn-cert: DFN-CERT-2014-1209
dfn-cert: DFN-CERT-2014-0917
dfn-cert: DFN-CERT-2014-0789
dfn-cert: DFN-CERT-2014-0778
dfn-cert: DFN-CERT-2014-0768
dfn-cert: DFN-CERT-2014-0752
dfn-cert: DFN-CERT-2014-0747
dfn-cert: DFN-CERT-2014-0738
dfn-cert: DFN-CERT-2014-0715
dfn-cert: DFN-CERT-2014-0714
dfn-cert: DFN-CERT-2014-0709
```

High (CVSS: 7.3)
NVT: PostgreSQL < 9.5.23, 9.6.x < 9.6.19, 10.x < 10.14, 11.x < 11.9, 12.x < 12.4 Search Path Vulnerability - Linux

Product detection result

```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary

PostgreSQL is prone to an uncontrolled search path element vulnerability in CREATE EXTENSION.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     9.5.23
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        5432/tcp
```

Impact
When a superuser runs certain CREATE EXTENSION statements, users may be able to execute arbitrary SQL functions under the identity of that superuser. The attacker must have permission to create objects in the new extension's schema or a schema of a prerequisite extension. Not all extensions are vulnerable.

Solution:
Solution type: VendorFix
Update to version 9.5.23, 9.6.19, 10.14, 11.9, 12.4 or later.

Affected Software/OS
PostgreSQL versions prior to 9.5.23, 9.6.x prior to 9.6.19, 10.x prior to 10.14, 11.x prior to 11.9 and 12.x prior to 12.4.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PostgreSQL < 9.5.23, 9.6.x < 9.6.19, 10.x < 10.14, 11.x < 11.9, 12.x < 12.4 Sea.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.144709
Version used: `2024-07-19T05:05:32Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
```
cve: CVE-2020-14350
url: https://www.postgresql.org/about/news/postgresql-124-119-1014-9619-9523-and
↪-13-beta-3-released-2060/
cert-bund: WID-SEC-2022-1382
cert-bund: CB-K20/0825
dfn-cert: DFN-CERT-2021-0631
dfn-cert: DFN-CERT-2020-2764
dfn-cert: DFN-CERT-2020-2656
dfn-cert: DFN-CERT-2020-2521
dfn-cert: DFN-CERT-2020-2311
dfn-cert: DFN-CERT-2020-1966
dfn-cert: DFN-CERT-2020-1806
dfn-cert: DFN-CERT-2020-1803
```

[return to 172.30.1.1]

2.1.15 High 21/tcp

High (CVSS: 7.5)
NVT: FTP Brute Force Logins With Default Credentials Reporting

Summary
It was possible to login into the remote FTP server using weak/known credentials.

Quality of Detection (QoD): 95%

Vulnerability Detection Result
```
It was possible to login with the following credentials <User>:<Password>
msfadmin:msfadmin
postgres:postgres
service:service
user:user
```

Impact
This issue may be exploited by a remote attacker to e.g. gain access to sensitive information or modify system configuration.

Solution:
Solution type: Mitigation
Change the password as soon as possible.

Vulnerability Insight
The following devices are / software is known to be affected:
- CVE-2001-1594: Codonics printer FTP service as used in GE Healthcare eNTEGRA P&R
- CVE-2013-7404: GE Healthcare Discovery NM 750b
- CVE-2014-9198: Schneider Electric ETG3000 FactoryCast HMI gateways
- CVE-2015-7261: QNAP iArtist Lite distributed with QNAP Signage Station
- CVE-2016-8731: Foscam C1 devices
- CVE-2017-8218: vsftpd on TP-Link C2 and C20i devices
- CVE-2018-9068: IMM2 for IBM and Lenovo System x
- CVE-2018-17771: Ingenico Telium 2 PoS terminals
- CVE-2018-19063, CVE-2018-19064: Foscam C2 and Opticam i5 devices
- CVE-2018-25147: Microhard Systems IPn4G
- CVE-2020-36915: Adtec Digital SignEdje Digital Signage Player

Note: As the VT 'FTP Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108717) might run into a timeout the actual reporting of this vulnerability takes place in this VT instead.

Vulnerability Detection Method
Reports weak/known credentials detected by the VT 'FTP Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108717).
Details: `FTP Brute Force Logins With Default Credentials Reporting`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.108718
Version used: 2026-01-16T15:42:49Z

References

```
cve: CVE-1999-0501
cve: CVE-1999-0502
cve: CVE-1999-0507
cve: CVE-1999-0508
cve: CVE-2001-1594
cve: CVE-2013-7404
cve: CVE-2014-9198
cve: CVE-2015-7261
cve: CVE-2016-8731
cve: CVE-2017-8218
cve: CVE-2018-9068
cve: CVE-2018-17771
cve: CVE-2018-19063
cve: CVE-2018-19064
cve: CVE-2018-25147
cve: CVE-2020-36915
```

[return to 172.30.1.1]

2.1.16 High 445/tcp

High (CVSS: 8.8)
NVT: Samba RCE Vulnerability (CVE-2021-44142)

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.13.17
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 4.13.17, 4.14.12, 4.15.5 or later.

Affected Software/OS
Samba versions prior to 4.13.17, version 4.14.x through 4.14.11 and 4.15.x through 4.15.4.

Vulnerability Insight
Samba is vulnerable to an out-of-bounds heap read write vulnerability that allows remote attackers to execute arbitrary code as root on affected Samba installations that use the VFS module vfs_fruit.
The specific flaw exists within the parsing of EA metadata when opening files in smbd. Access as a user that has write access to a file's extended attributes is required to exploit this vulnerability. Note that this could be a guest or unauthenticated user if such users are allowed write access to file extended attributes.
The problem in vfs_fruit exists in the default configuration of the fruit VFS module using fruit:metadata=netatalk or fruit:resource=file. If both options are set to different settings than the default values, the system is not affected by the security issue.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba RCE Vulnerability (CVE-2021-44142)`
OID:1.3.6.1.4.1.25623.1.0.147554
Version used: `2022-02-25T03:03:32Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2021-44142`
`url: https://www.samba.org/samba/security/CVE-2021-44142.html`
`cert-bund: WID-SEC-2022-1335`
`cert-bund: WID-SEC-2022-1228`
`cert-bund: WID-SEC-2022-0466`
`cert-bund: WID-SEC-2022-0432`
`cert-bund: WID-SEC-2022-0302`
`cert-bund: CB-K22/0128`
`dfn-cert: DFN-CERT-2022-0557`
`dfn-cert: DFN-CERT-2022-0348`
`dfn-cert: DFN-CERT-2022-0332`
`dfn-cert: DFN-CERT-2022-0264`
`dfn-cert: DFN-CERT-2022-0242`
`dfn-cert: DFN-CERT-2022-0239`
`dfn-cert: DFN-CERT-2022-0232`
`dfn-cert: DFN-CERT-2022-0228`

High (CVSS: 8.8)
NVT: Samba Multiple Vulnerabilities (Jul 2022)

Product detection result
`cpe:/a:samba:samba:3.0.20`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.14.14 / 4.15.9 / 4.16.4
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.14.14, 4.15.9, 4.16.4 or later.

Affected Software/OS
Samba versions prior to 4.14.14, 4.15.x prior to 4.15.9 and 4.16.x prior to 4.16.4.

Vulnerability Insight
The following flaws exist:
- CVE-2022-2031: Samba AD users can bypass certain restrictions associated with changing passwords
- CVE-2022-32742: Server memory information leak via SMB1
- CVE-2022-32746: Samba AD users can induce a use-after-free in the server process with an LDAP add or modify request

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Multiple Vulnerabilities (Jul 2022)`
OID:1.3.6.1.4.1.25623.1.0.104259
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2022-2031
cve: CVE-2022-32742
cve: CVE-2022-32746
url: https://www.samba.org/samba/security/CVE-2022-2031.html
url: https://www.samba.org/samba/security/CVE-2022-32742.html
url: https://www.samba.org/samba/security/CVE-2022-32746.html
cert-bund: WID-SEC-2022-0842
dfn-cert: DFN-CERT-2024-1065
dfn-cert: DFN-CERT-2023-0713
dfn-cert: DFN-CERT-2023-0199
dfn-cert: DFN-CERT-2023-0153
dfn-cert: DFN-CERT-2023-0089
dfn-cert: DFN-CERT-2022-2804
dfn-cert: DFN-CERT-2022-2514
dfn-cert: DFN-CERT-2022-1686
dfn-cert: DFN-CERT-2022-1674
dfn-cert: DFN-CERT-2022-1662
```

High (CVSS: 8.8)
NVT: Samba RCE Vulnerability (CVE-2021-44142)

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.13.17
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.13.17, 4.14.12, 4.15.5 or later.

Affected Software/OS

Samba versions prior to 4.13.17, version 4.14.x through 4.14.11 and 4.15.x through 4.15.4.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Samba is vulnerable to an out-of-bounds heap read write vulnerability that allows remote attackers to execute arbitrary code as root on affected Samba installations that use the VFS module vfs_fruit.
The specific flaw exists within the parsing of EA metadata when opening files in smbd. Access as a user that has write access to a file's extended attributes is required to exploit this vulnerability. Note that this could be a guest or unauthenticated user if such users are allowed write access to file extended attributes.
The problem in vfs_fruit exists in the default configuration of the fruit VFS module using fruit:metadata=netatalk or fruit:resource=file. If both options are set to different settings than the default values, the system is not affected by the security issue.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba RCE Vulnerability (CVE-2021-44142)`
OID:1.3.6.1.4.1.25623.1.0.147554
Version used: `2022-02-25T03:03:32Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2021-44142`
`url: https://www.samba.org/samba/security/CVE-2021-44142.html`
`cert-bund: WID-SEC-2022-1335`
`cert-bund: WID-SEC-2022-1228`
`cert-bund: WID-SEC-2022-0466`
`cert-bund: WID-SEC-2022-0432`
`cert-bund: WID-SEC-2022-0302`
`cert-bund: CB-K22/0128`
`dfn-cert: DFN-CERT-2022-0557`
`dfn-cert: DFN-CERT-2022-0348`
`dfn-cert: DFN-CERT-2022-0332`
`dfn-cert: DFN-CERT-2022-0264`
`dfn-cert: DFN-CERT-2022-0242`
`dfn-cert: DFN-CERT-2022-0239`
`dfn-cert: DFN-CERT-2022-0232`
`dfn-cert: DFN-CERT-2022-0228`

High (CVSS: 8.8)
NVT: Samba Buffer Overflow Vulnerability (CVE-2022-42898)

Product detection result
`cpe:/a:samba:samba:3.0.20`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.0.20
Fixed version: 4.15.12 / 4.16.7 / 4.17.3
Installation
path / port: 445/tcp

Solution:
Solution type: VendorFix
Update to version 4.15.12, 4.16.7, 4.17.3 or later.

Affected Software/OS
Samba versions prior to 4.15.12, 4.16.x prior to 4.16.7 and 4.17.x prior to 4.17.3 on 32-bit systems.

Vulnerability Insight
Samba's Kerberos libraries and AD DC failed to guard against integer overflows when parsing a PAC on a 32-bit system, which allowed an attacker with a forged PAC to corrupt the heap.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Samba Buffer Overflow Vulnerability (CVE-2022-42898)
OID:1.3.6.1.4.1.25623.1.0.104423
Version used: 2023-10-19T05:05:21Z

Product Detection Result
Product: cpe:/a:samba:samba:3.0.20
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2022-42898
url: https://www.samba.org/samba/security/CVE-2022-42898.html
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2690
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1812
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2023-1542

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2022-2372
cert-bund: WID-SEC-2022-2057
dfn-cert: DFN-CERT-2025-1637
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-1592
dfn-cert: DFN-CERT-2023-1230
dfn-cert: DFN-CERT-2023-1162
dfn-cert: DFN-CERT-2023-0199
dfn-cert: DFN-CERT-2023-0089
dfn-cert: DFN-CERT-2022-2804
dfn-cert: DFN-CERT-2022-2657
dfn-cert: DFN-CERT-2022-2612
dfn-cert: DFN-CERT-2022-2603
dfn-cert: DFN-CERT-2022-2579
```

High (CVSS: 8.1)
NVT: Samba 3.0.0 < 4.13.14, 4.14.0 < 4.14.10, 4.15.0 < 4.15.2 Multiple Vulnerabilities

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.13.14
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.13.14, 4.14.10, 4.15.2 or later.

Affected Software/OS

Samba version 3.x and 4.x through 4.13.13, 4.14.x through 4.14.9 and 4.15.x through 4.15.1.

Vulnerability Insight

The following vulnerabilities exist:

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2016-2124: SMB1 client connections can be downgraded to plaintext authentication
- CVE-2020-25717: A user in an AD Domain could become root on domain members

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 3.0.0 < 4.13.14, 4.14.0 < 4.14.10, 4.15.0 < 4.15.2 Multiple Vulnerabiliti.`
↪..
OID:1.3.6.1.4.1.25623.1.0.147124
Version used: `2022-02-28T03:03:56Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2016-2124`
`cve: CVE-2020-25717`
`url: https://www.samba.org/samba/security/CVE-2016-2124.html`
`url: https://www.samba.org/samba/security/CVE-2020-25717.html`
`cert-bund: WID-SEC-2022-2279`
`cert-bund: WID-SEC-2022-1335`
`cert-bund: WID-SEC-2022-1228`
`cert-bund: WID-SEC-2022-0676`
`cert-bund: WID-SEC-2022-0530`
`cert-bund: WID-SEC-2022-0432`
`cert-bund: WID-SEC-2022-0302`
`cert-bund: CB-K21/1173`
`dfn-cert: DFN-CERT-2023-2166`
`dfn-cert: DFN-CERT-2022-1571`
`dfn-cert: DFN-CERT-2022-1469`
`dfn-cert: DFN-CERT-2022-0865`
`dfn-cert: DFN-CERT-2022-0369`
`dfn-cert: DFN-CERT-2022-0348`
`dfn-cert: DFN-CERT-2022-0332`
`dfn-cert: DFN-CERT-2022-0293`
`dfn-cert: DFN-CERT-2021-2566`
`dfn-cert: DFN-CERT-2021-2539`
`dfn-cert: DFN-CERT-2021-2488`
`dfn-cert: DFN-CERT-2021-2424`
`dfn-cert: DFN-CERT-2021-2412`
`dfn-cert: DFN-CERT-2021-2330`

High (CVSS: 8.1)
NVT: Samba Multiple Vulnerabilities (Dec 2022)

Product detection result
`cpe:/a:samba:samba:3.0.20`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.0.20
Fixed version:     4.15.13 / 4.16.8 / 4.17.4
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.15.13, 4.16.8, 4.17.4 or later.

Affected Software/OS
Samba versions prior to 4.15.13, 4.16.x prior to 4.16.8 and 4.17.x prior to 4.17.4.

Vulnerability Insight
The following flaws exist:
- CVE-2022-37966: rc4-hmac Kerberos session keys issued to modern servers
- CVE-2022-37967: Kerberos constrained delegation ticket forgery possible against Samba AD DC
- CVE-2022-38023: RC4/HMAC-MD5 NetLogon Secure Channel is weak and should be avoided

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Multiple Vulnerabilities (Dec 2022)`
OID:1.3.6.1.4.1.25623.1.0.104476
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2022-37966`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2022-37967
cve: CVE-2022-38023
url: https://www.samba.org/samba/security/CVE-2022-37966.html
url: https://www.samba.org/samba/security/CVE-2022-37967.html
url: https://www.samba.org/samba/security/CVE-2022-38023.html
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-2365
cert-bund: WID-SEC-2022-1983
dfn-cert: DFN-CERT-2023-1592
dfn-cert: DFN-CERT-2023-1311
dfn-cert: DFN-CERT-2023-1162
dfn-cert: DFN-CERT-2023-0286
dfn-cert: DFN-CERT-2023-0201
dfn-cert: DFN-CERT-2023-0199
dfn-cert: DFN-CERT-2023-0176
dfn-cert: DFN-CERT-2023-0153
dfn-cert: DFN-CERT-2023-0089
dfn-cert: DFN-CERT-2022-2870
dfn-cert: DFN-CERT-2022-2429
```

High (CVSS: 7.9)
NVT: Samba < 3.4.0 Remote Code Execution Vulnerability (CVE-2012-0870)

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Ensure AndX offsets are increasing strictly monotonically in pre-3.4 versions.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     Apply patch
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Apply the patch mentioned in the linked reference.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Samba versions prior to 3.4.0.

Vulnerability Insight
Samba versions up to 3.4.0 do not ensure that AndX offsets of the smb daemon (smbd) are increasing strictly monotonically.
Therefore a remote code execution vulnerability exists in the smbd service. A remote attacker could use the vulnerability to launch an exploit over a network connection.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba < 3.4.0 Remote Code Execution Vulnerability (CVE-2012-0870)`
OID:1.3.6.1.4.1.25623.1.0.150728
Version used: `2021-10-06T05:01:59Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2012-0870`
`url: https://www.samba.org/samba/security/CVE-2012-0870.html`
`dfn-cert: DFN-CERT-2012-0730`
`dfn-cert: DFN-CERT-2012-0727`
`dfn-cert: DFN-CERT-2012-0721`
`dfn-cert: DFN-CERT-2012-0462`
`dfn-cert: DFN-CERT-2012-0444`
`dfn-cert: DFN-CERT-2012-0390`
`dfn-cert: DFN-CERT-2012-0356`

High (CVSS: 7.8)
NVT: Samba 'mount.cifs' Utility Symlink Attack Local Privilege Escalation Vulnerability

Product detection result
`cpe:/a:samba:samba:3.0.20`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to a local privilege escalation vulnerability in the 'mount.cifs' utility.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 3.0.20`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      3.0.38/3.3.13/3.4.8
Installation
path / port:        445/tcp
```

Impact
Local attackers can exploit this issue to gain elevated privileges on affected computers.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Vulnerability Detection Method
Details: `Samba 'mount.cifs' Utility Symlink Attack Local Privilege Escalation Vulnerabil.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.100623
Version used: `2025-01-17T15:39:18Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2010-0747`
`url: http://www.securityfocus.com/bid/39898`
`dfn-cert: DFN-CERT-2010-0624`

High (CVSS: 7.5)
NVT: Samba Multiple Vulnerabilities (Jul 2023)

Product detection result
`cpe:/a:samba:samba:3.0.20`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.0.20
Fixed version:     4.16.11 / 4.17.10 / 4.18.5
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 445/tcp

Solution:
Solution type: VendorFix
Update to version 4.16.11, 4.17.10, 4.18.5 or later.

Affected Software/OS
All versions of Samba up to 4.16.10, 4.17.9 and 4.18.4.

Vulnerability Insight
The following flaws exist:
- CVE-2022-2127: Out-Of-Bounds read in winbind AUTH_CRAP
- CVE-2023-34966: Samba Spotlight mdssvc RPC Request Infinite Loop Denial-of-Service Vulnerability
- CVE-2023-34967: Samba Spotlight mdssvc RPC Request Type Confusion Denial-of-Service Vulnerability
- CVE-2023-34968: Spotlight server-side Share Path Disclosure

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Samba Multiple Vulnerabilities (Jul 2023)
OID:1.3.6.1.4.1.25623.1.0.104872
Version used: 2023-10-13T05:06:10Z

Product Detection Result
Product: cpe:/a:samba:samba:3.0.20
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2022-2127
cve: CVE-2023-34966
cve: CVE-2023-34967
cve: CVE-2023-34968
url: https://www.samba.org/samba/security/CVE-2022-2127.html
url: https://www.samba.org/samba/security/CVE-2023-34966.html
url: https://www.samba.org/samba/security/CVE-2023-34967.html
url: https://www.samba.org/samba/security/CVE-2023-34968.html
cert-bund: WID-SEC-2023-2910
cert-bund: WID-SEC-2023-1842
dfn-cert: DFN-CERT-2025-1637
dfn-cert: DFN-CERT-2024-1661
dfn-cert: DFN-CERT-2024-1065
dfn-cert: DFN-CERT-2024-0839
dfn-cert: DFN-CERT-2024-0519

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0231
dfn-cert: DFN-CERT-2023-2818
dfn-cert: DFN-CERT-2023-1744
dfn-cert: DFN-CERT-2023-1741
dfn-cert: DFN-CERT-2023-1666
```

High (CVSS: 7.5)
NVT: Samba Badlock Critical Vulnerability

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to badlock vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.2.11 or 4.3.8 or 4.4.2, or later
Installation
path / port:       445/tcp
```

Impact

Successful exploitation of this vulnerability leads to Man-in-the-middle (MITM) attacks, to causes denial of service, to spoof and to obtain sensitive session information.

Solution:

Solution type: VendorFix

Upgrade to samba version 4.2.11, or 4.3.8, or 4.4.2, or later.

Affected Software/OS

Samba versions 3.0.x through 4.4.1.
NOTE: Samba versions 4.2.11, 4.3.8 are not affected

Vulnerability Insight

Multiple flaws exist due to:
- multiple errors in DCE-RPC code
- a spoofing Vulnerability in NETLOGON
- the LDAP implementation did not enforce integrity protection for LDAP connections
- the SSL/TLS certificates are not validated in certain connections
- not enforcing Server Message Block (SMB) signing for clients using the SMB1 protocol
- an integrity protection for IPC traffic is not enabled by default

. . . continues on next page . . .

. . . continued from previous page . . .

- the MS-SAMR and MS-LSAD protocol implementations mishandle DCERPC connections
- an error in the implementation of NTLMSSP authentication

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Badlock Critical Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.807646
Version used: `2023-07-20T05:05:17Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2016-2118`
`cve: CVE-2015-5370`
`cve: CVE-2016-2110`
`cve: CVE-2016-2111`
`cve: CVE-2016-2112`
`cve: CVE-2016-2113`
`cve: CVE-2016-2114`
`cve: CVE-2016-2115`
`cve: CVE-2016-0128`
`url: http://badlock.org/`
`url: http://thehackernews.com/2016/03/windows-samba-vulnerability.html`
`cert-bund: CB-K19/1015`
`cert-bund: CB-K16/0870`
`cert-bund: CB-K16/0596`
`cert-bund: CB-K16/0589`
`cert-bund: CB-K16/0572`
`cert-bund: CB-K16/0550`
`cert-bund: CB-K16/0546`
`dfn-cert: DFN-CERT-2019-2479`
`dfn-cert: DFN-CERT-2016-0930`
`dfn-cert: DFN-CERT-2016-0905`
`dfn-cert: DFN-CERT-2016-0648`
`dfn-cert: DFN-CERT-2016-0639`
`dfn-cert: DFN-CERT-2016-0620`
`dfn-cert: DFN-CERT-2016-0591`
`dfn-cert: DFN-CERT-2016-0589`

High (CVSS: 7.5)
NVT: Samba < 3.3.13 'SMB1 Packet Chaining' Unspecified Remote Memory Corruption Vulnerability

Product detection result
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to an unspecified memory-corruption vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.0.20
Fixed version: 3.3.13
Installation
path / port: 445/tcp

Impact
Attackers can exploit this issue to execute arbitrary code in the context of the application. Failed attacks may cause a denial-of-service condition.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Samba versions prior to 3.3.13 are vulnerable.

Vulnerability Detection Method
Details: Samba < 3.3.13 'SMB1 Packet Chaining' Unspecified Remote Memory Corruption Vuln.
↪..
OID:1.3.6.1.4.1.25623.1.0.100680
Version used: 2025-09-17T05:39:26Z

Product Detection Result
Product: cpe:/a:samba:samba:3.0.20
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2010-2063
url: http://www.securityfocus.com/bid/40884
url: http://labs.idefense.com/intelligence/vulnerabilities/display.php?id=873

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.samba.org/samba/security/CVE-2010-2063.html
dfn-cert: DFN-CERT-2012-0462
dfn-cert: DFN-CERT-2011-0962
dfn-cert: DFN-CERT-2010-1643
dfn-cert: DFN-CERT-2010-1135
dfn-cert: DFN-CERT-2010-0984
dfn-cert: DFN-CERT-2010-0842
dfn-cert: DFN-CERT-2010-0799
dfn-cert: DFN-CERT-2010-0794
dfn-cert: DFN-CERT-2010-0789
```

High (CVSS: 7.5)
NVT: Samba 3.0.0 <= 3.0.29 Buffer Overflow Vulnerability

Product detection result
`cpe:/a:samba:samba:3.0.20`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
The remote host is affected by the vulnerabilities described in CVE-2008-1105.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     N/A
```

Impact
CVE-2008-1105: Heap-based buffer overflow in the receive_smb_raw function in util/sock.c in Samba 3.0.0 through 3.0.29 allows remote attackers to execute arbitrary code via a crafted SMB response.

Solution:
Solution type: VendorFix
All Samba users should upgrade to the latest version.

Vulnerability Detection Method
Details: `Samba 3.0.0 <= 3.0.29 Buffer Overflow Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.90028
Version used: `2023-09-15T05:06:15Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2008-1105

High (CVSS: 7.5)
NVT: Samba 3.0.6 <= 3.0.23d Multiple Vulnerabilities

Product detection result
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.0.20
Fixed version: 3.0.24
Installation
path / port: 445/tcp

Solution:
Solution type: VendorFix
Update to version 3.0.24 or later.

Affected Software/OS
Samba versions 3.0.6 through 3.0.23d.

Vulnerability Insight
- CVE-2007-0452:
Internally Samba's file server daemon, smbd, implements support for deferred file open calls in an attempt to serve client requests that would otherwise fail due to a share mode violation. When renaming a file under certain circumstances it is possible that the request is never removed from the deferred open queue. smbd will then become stuck is a loop trying to service the open request.
This bug may allow an authenticated user to exhaust resources such as memory and CPU on the server by opening multiple CIFS sessions, each of which will normally spawn a new smbd process, and sending each connection into an infinite loop.
- CVE-2007-0454:
NOTE: This security advisory only impacts Samba servers that share AFS file systems to CIFS clients and which have been explicitly instructed in smb.conf to load the afsacl.so VFS module.

. . . continues on next page . . .

. . . continued from previous page . . .

The source defect results in the name of a file stored on disk being used as the format string in a call to snprintf(). This bug becomes exploitable only when a user is able to write to a share which utilizes Samba's afsacl.so library for setting Windows NT access control lists on files residing on an AFS file system.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 3.0.6 <= 3.0.23d Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.150723
Version used: `2021-09-29T04:35:02Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2007-0452`
`cve: CVE-2007-0454`
`url: https://www.samba.org/samba/security/CVE-2007-0452.html`
`url: https://www.samba.org/samba/security/CVE-2007-0454.html`

High (CVSS: 7.5)
NVT: Samba < 3.5.5 SID Parsing Remote Buffer Overflow Vulnerability

Product detection result
`cpe:/a:samba:samba:3.0.20`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to a remote stack-based buffer-overflow vulnerability because it fails to properly bounds-check user-supplied data before copying it to an insufficiently sized memory buffer.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.0.20
Fixed version:     3.5.5
Installation
path / port:       445/tcp
```

Impact
An attacker can exploit this issue to execute arbitrary code in the context of the affected application. Failed exploit attempts will likely result in a denial of service.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Samba versions prior to 3.5.5 are vulnerable.

Vulnerability Detection Method
Details: `Samba < 3.5.5 SID Parsing Remote Buffer Overflow Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100803
Version used: `2025-09-17T05:39:26Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2010-3069
url: http://www.securityfocus.com/bid/43212
url: http://us1.samba.org/samba/history/samba-3.5.5.html
url: http://us1.samba.org/samba/security/CVE-2010-2069.html
dfn-cert: DFN-CERT-2012-0462
dfn-cert: DFN-CERT-2011-0962
dfn-cert: DFN-CERT-2011-0321
dfn-cert: DFN-CERT-2011-0046
dfn-cert: DFN-CERT-2010-1650
dfn-cert: DFN-CERT-2010-1543
dfn-cert: DFN-CERT-2010-1424
dfn-cert: DFN-CERT-2010-1321
dfn-cert: DFN-CERT-2010-1232
dfn-cert: DFN-CERT-2010-1230
dfn-cert: DFN-CERT-2010-1220
dfn-cert: DFN-CERT-2010-1219
dfn-cert: DFN-CERT-2010-1218
```

High (CVSS: 7.2)
NVT: Samba 3.0.0 <= 4.3.2 Bypass File-Access Restrictions Vulnerability (CVE-2015-5252)

Product detection result
```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Insufficient symlink verification could allow data access outside share path.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.1.22
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.1.22, 4.2.7, 4.3.3 or later.

Affected Software/OS
Samba versions 3.0.0 through 4.1.21, 4.2.0 through 4.2.6 and 4.3.0 through 4.3.2.

Vulnerability Insight
All versions of Samba from 3.0.0 to 4.3.2 inclusive are vulnerable to a bug in symlink verification, which under certain circumstances could allow client access to files outside the exported share path.
If a Samba share is configured with a path that shares a common path prefix with another directory on the file system, the smbd daemon may allow the client to follow a symlink pointing to a file or directory in that other directory, even if the share parameter 'wide links' is set to 'no' (the default).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 3.0.0 <= 4.3.2 Bypass File-Access Restrictions Vulnerability (CVE-2015-52.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.150746
Version used: `2022-08-31T10:10:28Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2015-5252
url: https://www.samba.org/samba/security/CVE-2015-5252.html
cert-bund: CB-K16/0718
cert-bund: CB-K16/0596
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0589
cert-bund: CB-K16/0572
cert-bund: CB-K15/1849
dfn-cert: DFN-CERT-2016-0772
dfn-cert: DFN-CERT-2016-0648
dfn-cert: DFN-CERT-2016-0639
dfn-cert: DFN-CERT-2016-0620
dfn-cert: DFN-CERT-2015-1948
```

High (CVSS: 7.1)
NVT: Samba Server 'SMB1' Memory Information Leak Vulnerability (CVE-2017-12163)

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a memory information leak vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.4.16
Installation
path / port:       445/tcp
```

Impact

Successful exploitation will allow a client with write access to a share can cause server memory contents to be written into a file or printer.

Solution:

Solution type: VendorFix

Upgrade to Samba 4.6.8, 4.5.14 and 4.4.16 or later.

Affected Software/OS

Samba versions before 4.4.16, 4.5.0 before 4.5.14, and 4.6.0 before 4.6.8.

Vulnerability Insight

A server memory information leak bug over SMB1 if a client can write data to a share. Some SMB1 write requests were not correctly range checked to ensure the client had sent enough data to fulfill the write.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: Samba Server 'SMB1' Memory Information Leak Vulnerability (CVE-2017-12163)
OID:1.3.6.1.4.1.25623.1.0.811905
Version used: 2025-09-17T05:39:26Z

Product Detection Result
Product: cpe:/a:samba:samba:3.0.20
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2017-12163
url: https://www.samba.org/samba/security/CVE-2017-12163.html
url: http://www.securityfocus.com/bid/100925
cert-bund: CB-K18/0478
cert-bund: CB-K17/2077
cert-bund: CB-K17/1876
cert-bund: CB-K17/1603
dfn-cert: DFN-CERT-2018-0513
dfn-cert: DFN-CERT-2017-2172
dfn-cert: DFN-CERT-2017-1953
dfn-cert: DFN-CERT-2017-1671

High (CVSS: 7.1)
NVT: Samba Server 'SMB1' Memory Information Leak Vulnerability (CVE-2017-12163)

Product detection result
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a memory information leak vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.0.20
Fixed version: 4.4.16
Installation
path / port: 445/tcp

Impact
Successful exploitation will allow a client with write access to a share can cause server memory contents to be written into a file or printer.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Upgrade to Samba 4.6.8, 4.5.14 and 4.4.16 or later.

Affected Software/OS
Samba versions before 4.4.16, 4.5.0 before 4.5.14, and 4.6.0 before 4.6.8.

Vulnerability Insight
A server memory information leak bug over SMB1 if a client can write data to a share. Some SMB1 write requests were not correctly range checked to ensure the client had sent enough data to fulfill the write.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Server 'SMB1' Memory Information Leak Vulnerability (CVE-2017-12163)`
OID:1.3.6.1.4.1.25623.1.0.811905
Version used: `2025-09-17T05:39:26Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2017-12163`
`url: https://www.samba.org/samba/security/CVE-2017-12163.html`
`url: http://www.securityfocus.com/bid/100925`
`cert-bund: CB-K18/0478`
`cert-bund: CB-K17/2077`
`cert-bund: CB-K17/1876`
`cert-bund: CB-K17/1603`
`dfn-cert: DFN-CERT-2018-0513`
`dfn-cert: DFN-CERT-2017-2172`
`dfn-cert: DFN-CERT-2017-1953`
`dfn-cert: DFN-CERT-2017-1671`

[return to 172.30.1.1]

2.1.17 High 22/tcp

High (CVSS: 8.5)
NVT: OpenSSH Multiple Vulnerabilities

Product detection result
`cpe:/a:openbsd:openssh:4.7p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenSSH is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     7.0
Installation
path / port:       22/tcp
```

Impact
Successful exploitation will allow an attacker to gain privileges, to conduct impersonation attacks, to conduct brute-force attacks or cause a denial of service.

Solution:
Solution type: VendorFix
Upgrade to OpenSSH 7.0 or later.

Affected Software/OS
OpenSSH versions before 7.0.

Vulnerability Insight
Multiple flaws are due to:
- Use-after-free vulnerability in the 'mm_answer_pam_free_ctx' function in monitor.c in sshd.
- Vulnerability in 'kbdint_next_device' function in auth2-chall.c in sshd.
- Vulnerability in the handler for the MONITOR_REQ_PAM_FREE_CTX request.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.806052
Version used: `2023-07-25T05:05:58Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

. . . continues on next page . . .

. . . continued from previous page . . .

References

cve: CVE-2015-6564
cve: CVE-2015-6563
cve: CVE-2015-5600
url: http://seclists.org/fulldisclosure/2015/Aug/54
url: http://openwall.com/lists/oss-security/2015/07/23/4
cert-bund: CB-K18/0066
cert-bund: CB-K17/0054
cert-bund: CB-K16/1733
cert-bund: CB-K16/1315
cert-bund: CB-K16/1107
cert-bund: CB-K16/1102
cert-bund: CB-K16/0694
cert-bund: CB-K16/0448
cert-bund: CB-K15/1696
cert-bund: CB-K15/1591
cert-bund: CB-K15/1561
cert-bund: CB-K15/1550
cert-bund: CB-K15/1510
cert-bund: CB-K15/1369
cert-bund: CB-K15/1334
cert-bund: CB-K15/1247
cert-bund: CB-K15/1212
cert-bund: CB-K15/1194
cert-bund: CB-K15/1188
cert-bund: CB-K15/1105
cert-bund: CB-K15/1103
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-0059
dfn-cert: DFN-CERT-2016-1841
dfn-cert: DFN-CERT-2016-1401
dfn-cert: DFN-CERT-2016-1174
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0754
dfn-cert: DFN-CERT-2016-0486
dfn-cert: DFN-CERT-2015-1794
dfn-cert: DFN-CERT-2015-1679
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1632
dfn-cert: DFN-CERT-2015-1591
dfn-cert: DFN-CERT-2015-1443
dfn-cert: DFN-CERT-2015-1406
dfn-cert: DFN-CERT-2015-1263
dfn-cert: DFN-CERT-2015-1259

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1239
dfn-cert: DFN-CERT-2015-1161
dfn-cert: DFN-CERT-2015-1159
```

High (CVSS: 7.8)
NVT: OpenSSH <= 7.2p2 Privilege Escalation Vulnerability (May 2016)

Product detection result

```
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenSSH is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     7.2p2-3
Installation
path / port:       22/tcp
```

Impact

Successfully exploiting this issue will allow local users to gain privileges.

Solution:

Solution type: VendorFix

Update to version 7.2p2-3 or later.

Affected Software/OS

OpenSSH versions through 7.2p2.

Vulnerability Insight

The flaw exists due to an error in 'do_setup_env function' in the 'session.c' script in sshd which trigger a crafted environment for the /bin/login program when the UseLogin feature is enabled and PAM is configured to read .pam_environment files in user home directories.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `OpenSSH <= 7.2p2 Privilege Escalation Vulnerability (May 2016)`

OID:1.3.6.1.4.1.25623.1.0.807574

Version used: `2024-12-13T05:05:32Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:openbsd:openssh:4.7p1
Method: OpenSSH Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
cve: CVE-2015-8325
url: https://people.canonical.com/~ubuntu-security/cve/2015/CVE-2015-8325.html
url: https://anongit.mindrot.org/openssh.git/commit/?id=85bdcd7c92fe7ff133bbc4e1
↪0a65c91810f88755
cert-bund: WID-SEC-2024-1053
cert-bund: CB-K17/1725
cert-bund: CB-K17/0055
cert-bund: CB-K17/0054
cert-bund: CB-K16/1837
cert-bund: CB-K16/1487
cert-bund: CB-K16/1485
cert-bund: CB-K16/1221
cert-bund: CB-K16/0684
cert-bund: CB-K16/0577
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2017-1807
dfn-cert: DFN-CERT-2017-0060
dfn-cert: DFN-CERT-2017-0059
dfn-cert: DFN-CERT-2016-1943
dfn-cert: DFN-CERT-2016-1576
dfn-cert: DFN-CERT-2016-1574
dfn-cert: DFN-CERT-2016-1243
dfn-cert: DFN-CERT-2016-0864
dfn-cert: DFN-CERT-2016-0733
dfn-cert: DFN-CERT-2016-0628

High (CVSS: 7.8)
NVT: OpenSSH < 7.4 Multiple Vulnerabilities (Jan 2017) - Linux

Product detection result
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)

Summary
OpenSSH is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     7.4
Installation
path / port:       22/tcp
```

Impact

Successfully exploiting this issue allows local users to obtain sensitive private-key information, to gain privileges, conduct a senial-of-service condition and allows remote attackers to execute arbitrary local PKCS#11 modules.

Solution:

Solution type: VendorFix

Update to version 7.4 or later.

Affected Software/OS

OpenSSH versions before 7.4 on Linux.

Vulnerability Insight

Multiple flaws exist due to:
- An 'authfile.c' script does not properly consider the effects of realloc on buffer contents.
- The shared memory manager (associated with pre-authentication compression) does not ensure that a bounds check is enforced by all compilers.
- The sshd in OpenSSH creates forwarded Unix-domain sockets as root, when privilege separation is not used.
- An untrusted search path vulnerability in ssh-agent.c in ssh-agent.
- NULL pointer dereference error due to an out-of-sequence NEWKEYS message.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `OpenSSH < 7.4 Multiple Vulnerabilities (Jan 2017) - Linux`

OID:1.3.6.1.4.1.25623.1.0.8103256

Version used: `2024-12-13T05:05:32Z`

Product Detection Result

Product: `cpe:/a:openbsd:openssh:4.7p1`

Method: `OpenSSH Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.108577)

References

```
cve: CVE-2016-10009
cve: CVE-2016-10010
cve: CVE-2016-10011
cve: CVE-2016-10012
cve: CVE-2016-10708
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.openssh.com/txt/release-7.4
url: http://www.securityfocus.com/bid/94968
url: http://www.securityfocus.com/bid/94972
url: http://www.securityfocus.com/bid/94977
url: http://www.securityfocus.com/bid/94975
url: http://www.openwall.com/lists/oss-security/2016/12/19/2
url: http://blog.swiecki.net/2018/01/fuzzing-tcp-servers.html
url: https://anongit.mindrot.org/openssh.git/commit/?id=28652bca29046f62c7045e93
↪3e6b931de1d16737
cert-bund: WID-SEC-2023-1996
cert-bund: CB-K18/0919
cert-bund: CB-K18/0591
cert-bund: CB-K18/0137
cert-bund: CB-K18/0041
cert-bund: CB-K17/2219
cert-bund: CB-K17/2112
cert-bund: CB-K17/1292
cert-bund: CB-K17/1061
cert-bund: CB-K17/0527
cert-bund: CB-K17/0377
cert-bund: CB-K17/0127
cert-bund: CB-K17/0041
cert-bund: CB-K16/1991
dfn-cert: DFN-CERT-2021-0776
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2018-2259
dfn-cert: DFN-CERT-2018-2191
dfn-cert: DFN-CERT-2018-2068
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2018-1568
dfn-cert: DFN-CERT-2018-1432
dfn-cert: DFN-CERT-2018-1112
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-1068
dfn-cert: DFN-CERT-2018-0150
dfn-cert: DFN-CERT-2018-0046
dfn-cert: DFN-CERT-2017-2320
dfn-cert: DFN-CERT-2017-2208
dfn-cert: DFN-CERT-2017-1340
dfn-cert: DFN-CERT-2017-1096
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0386
dfn-cert: DFN-CERT-2017-0130
dfn-cert: DFN-CERT-2017-0042
dfn-cert: DFN-CERT-2016-2099
```

High (CVSS: 7.5)
NVT: Diffie-Hellman Ephemeral Key Exchange DoS Vulnerability (SSH, D(HE)ater)

Product detection result
`cpe:/a:ietf:secure_shell_protocol`
`Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565 ↪)`

Summary
The remote SSH server is supporting Diffie-Hellman ephemeral (DHE) Key Exchange (KEX) algorithms and thus could be prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
The remote SSH server supports the following DHE KEX algorithm(s):
diffie-hellman-group1-sha1
diffie-hellman-group14-sha1
diffie-hellman-group-exchange-sha1
diffie-hellman-group-exchange-sha256
```

Impact
This vulnerability allows remote attackers (from the client side) to send arbitrary numbers that are actually not public keys, and trigger expensive server-side DHE modular-exponentiation calculations, also known as a D(HE)ater attack.
There could be an increase in CPU usage in the affected component. For OpenSSH, users may observe issues such as a slowdown in SSH connections.

Solution:
Solution type: Mitigation
- DHE key exchange should be disabled if no other mitigation mechanism can be used and either elliptic-curve variant of Diffie-Hellman (ECDHE) or RSA key exchange is supported by the clients. The fact that RSA key exchange is not forward secret should be considered.
- Limit the maximum number of concurrent connections in e.g. the configuration of the remote server. For OpenSSH this limit can be configured via the 'MaxStartups' option, for other products please refer to the manual of the product in question on configuration possibilities.

Vulnerability Insight
- CVE-2002-20001: The Diffie-Hellman Key Agreement Protocol allows remote attackers (from the client side) to send arbitrary numbers that are actually not public keys, and trigger expensive server-side DHE modular-exponentiation calculations, aka a D(HE)ater attack. The client needs very little CPU resources and network bandwidth. The attack may be more disruptive in cases where a client can require a server to select its largest supported key size. The basic attack scenario is that the client must claim that it can only communicate with DHE, and the server must be configured to allow DHE.

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2022-40735: The Diffie-Hellman Key Agreement Protocol allows use of long exponents that arguably make certain calculations unnecessarily expensive, because the 1996 van Oorschot and Wiener paper found that '(appropriately) short exponents' can be used when there are adequate subgroup constraints, and these short exponents can lead to less expensive calculations than for long exponents. This issue is different from CVE-2002-20001 because it is based on an observation about exponent size, rather than an observation about numbers that are not public keys. The specific situations in which calculation expense would constitute a server-side vulnerability depend on the protocol (e.g., TLS, SSH, or IKE) and the DHE implementation details. In general, there might be an availability concern because of server-side resource consumption from DHE modular-exponentiation calculations. Finally, it is possible for an attacker to exploit this vulnerability and CVE-2002-20001 together.
- CVE-2024-41996: Validating the order of the public keys in the Diffie-Hellman Key Agreement Protocol, when an approved safe prime is used, allows remote attackers (from the client side) to trigger unnecessarily expensive server-side DHE modular-exponentiation calculations. The client may cause asymmetric resource consumption. The basic attack scenario is that the client must claim that it can only communicate with DHE, and the server must be configured to allow DHE and validate the order of the public key.

Vulnerability Detection Method
Checks the supported KEX algorithms of the remote SSH server.
Details: `Diffie-Hellman Ephemeral Key Exchange DoS Vulnerability (SSH, D(HE)ater)`
OID:1.3.6.1.4.1.25623.1.0.117839
Version used: `2024-10-03T05:05:33Z`

Product Detection Result
Product: `cpe:/a:ietf:secure_shell_protocol`
Method: `SSH Protocol Algorithms Supported`
OID: 1.3.6.1.4.1.25623.1.0.105565)

References
`cve: CVE-2002-20001`
`cve: CVE-2022-40735`
`cve: CVE-2024-41996`
`url: https://dheatattack.gitlab.io/`
`url: https://dheatattack.gitlab.io/details/`
`url: https://www.researchgate.net/profile/Anton-Stiglic-2/publication/2401745_Se`
`↪curity_Issues_in_the_Diffie-Hellman_Key_Agreement_Protocol`
`url: https://github.com/Balasys/dheater`
`url: https://github.com/c0r0n3r/dheater`
`cert-bund: WID-SEC-2024-3056`
`cert-bund: WID-SEC-2023-1886`
`cert-bund: WID-SEC-2023-1352`
`cert-bund: WID-SEC-2022-2251`
`cert-bund: WID-SEC-2022-2000`
`cert-bund: CB-K22/0224`
`cert-bund: CB-K21/1276`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-2847
dfn-cert: DFN-CERT-2024-2578
dfn-cert: DFN-CERT-2024-1671
dfn-cert: DFN-CERT-2023-1697
dfn-cert: DFN-CERT-2023-1332
dfn-cert: DFN-CERT-2022-2147
dfn-cert: DFN-CERT-2022-0437
dfn-cert: DFN-CERT-2021-2622
```

High (CVSS: 7.5)
NVT: OpenSSH <= 5.6 Improper Authentication Vulnerability

Product detection result

```
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenSSH 5.6 is prone to an authentication bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     5.7
Installation
path / port:       22/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7 or later.

Affected Software/OS

OpenSSH versions 5.6 or lower.

Vulnerability Insight

Please see the references for more information on the vulnerabilities.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `OpenSSH <= 5.6 Improper Authentication Vulnerability`

OID:1.3.6.1.4.1.25623.1.0.150632

Version used: `2021-05-28T11:51:20Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:openbsd:openssh:4.7p1
Method: OpenSSH Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
cve: CVE-2010-4478
url: https://github.com/seb-m/jpake

High (CVSS: 7.5)
NVT: OpenSSH 'schnorr.c' Remote Memory Corruption Vulnerability

Product detection result
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)

Summary
OpenSSH is prone to a remote memory-corruption vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 4.7p1
Fixed version: See references
Installation
path / port: 22/tcp

Impact
An attacker can exploit this issue to execute arbitrary code in context of the application. Failed exploits may result in denial-of-service conditions.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
OpenSSH 6.4 and prior with J-PAKE implemented are vulnerable.

Vulnerability Insight
The hash_buffer function in schnorr.c in OpenSSH through 6.4, when Makefile.inc is modified to enable the J-PAKE protocol, does not initialize certain data structures, which might allow remote attackers to cause a denial of service (memory corruption) or have unspecified other impact via vectors that trigger an error condition.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH 'schnorr.c' Remote Memory Corruption Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.105001
Version used: `2023-07-26T05:05:09Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2014-1692
url: http://www.securityfocus.com/bid/65230
cert-bund: CB-K15/1266
cert-bund: CB-K14/1399
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2014-1479
```

High (CVSS: 7.5)
NVT: OpenSSH < 7.3 DoS and User Enumeration Vulnerabilities - Linux

Product detection result
```
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary
OpenSSH is prone to denial of service (DoS) and user enumeration vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.7p1
Fixed version:     7.3
Installation
path / port:       22/tcp
```

Impact
Successfully exploiting this issue allows remote attackers to cause a denial of service (crypt CPU consumption) and to enumerate users by leveraging the timing difference between responses when a large password is provided.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 7.3 or later.

Affected Software/OS
OpenSSH versions before 7.3 on Linux.

Vulnerability Insight
Multiple flaws exist due to:
- The auth_password function in 'auth-passwd.c' script does not limit password lengths for password authentication.
- The sshd in OpenSSH, when SHA256 or SHA512 are used for user password hashing uses BLOWFISH hashing on a static password when the username does not exist and it takes much longer to calculate SHA256/SHA512 hash than BLOWFISH hash.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH < 7.3 DoS and User Enumeration Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.809154
Version used: `2024-12-13T05:05:32Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`cve: CVE-2016-6515`
`cve: CVE-2016-6210`
`url: http://www.openssh.com/txt/release-7.3`
`url: http://www.securityfocus.com/bid/92212`
`url: http://seclists.org/fulldisclosure/2016/Jul/51`
`url: https://security-tracker.debian.org/tracker/CVE-2016-6210`
`url: http://openwall.com/lists/oss-security/2016/08/01/2`
`cert-bund: WID-SEC-2023-0450`
`cert-bund: WID-SEC-2023-0449`
`cert-bund: CB-K18/0041`
`cert-bund: CB-K17/2219`
`cert-bund: CB-K17/2112`
`cert-bund: CB-K17/1753`
`cert-bund: CB-K17/1349`
`cert-bund: CB-K17/1292`
`cert-bund: CB-K17/0055`
`cert-bund: CB-K16/1837`
`cert-bund: CB-K16/1629`
`cert-bund: CB-K16/1487`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/1485
cert-bund: CB-K16/1252
cert-bund: CB-K16/1221
cert-bund: CB-K16/1082
dfn-cert: DFN-CERT-2023-1920
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-0046
dfn-cert: DFN-CERT-2017-2320
dfn-cert: DFN-CERT-2017-2208
dfn-cert: DFN-CERT-2017-1831
dfn-cert: DFN-CERT-2017-1407
dfn-cert: DFN-CERT-2017-1340
dfn-cert: DFN-CERT-2017-0060
dfn-cert: DFN-CERT-2016-1943
dfn-cert: DFN-CERT-2016-1729
dfn-cert: DFN-CERT-2016-1576
dfn-cert: DFN-CERT-2016-1574
dfn-cert: DFN-CERT-2016-1331
dfn-cert: DFN-CERT-2016-1243
dfn-cert: DFN-CERT-2016-1149
```

High (CVSS: 7.4)
NVT: OpenBSD OpenSSH <= 8.6 Command Injection Vulnerability

Product detection result

```
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenBSD OpenSSH is prone to a command injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     None
Installation
path / port:       22/tcp
```

Impact

Successful exploitation would allow an attacker to execute arbitrary code on the target machine.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
OpenBSD OpenSSH through version 8.6 (initially reported for 8.3p1).

Vulnerability Insight
scp of OpenSSH allows command injection in spc.c via backtick characters in the destination argument.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH <= 8.6 Command Injection Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.113736
Version used: `2025-07-29T05:44:59Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`cve: CVE-2020-15778`
`url: https://github.com/cpandya2909/CVE-2020-15778/`
`cert-bund: WID-SEC-2024-1082`
`cert-bund: WID-SEC-2023-1599`
`cert-bund: WID-SEC-2022-2413`
`cert-bund: WID-SEC-2022-1308`
`cert-bund: CB-K21/1268`
`dfn-cert: DFN-CERT-2024-1260`
`dfn-cert: DFN-CERT-2020-1691`

[return to 172.30.1.1]

2.1.18 High 80/tcp

High (CVSS: 8.8)
NVT: phpMyAdmin <= 5.1.1 CSV Injection Vulnerability - Linux

Summary
phpMyAdmin is prone to a CSV injection vulnerability via Export Section.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.1.1
Fixed version:     None
Installation
path / port:       /phpMyAdmin
```

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
phpMyAdmin version 5.1.1 and prior.

Vulnerability Insight
NOTE: the vendor disputes this because 'the CSV file is accurately generated based on the database contents.'
Nevertheless the vendor could implement measures while doing the CSV export which could lower or mitigate the risk originating from this flaw.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin <= 5.1.1 CSV Injection Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.144898
Version used: `2023-10-17T05:05:34Z`

References

```
cve: CVE-2020-22278
url: https://cert.ikiu.ac.ir/public-files/news/document/CVE-99/CVE-2020-22278.pd
↪f
```

High (CVSS: 8.8)
NVT: PHP < 5.6.36, 7.x < 7.0.30, 7.1.x < 7.1.17, 7.2.x < 7.2.5 Multiple Vulnerabilities (May 2018) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.36
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow an attacker to conduct XSS attacks, crash PHP, conduct denial of service condition and execute arbitrary code in the context of the affected application.

Solution:

Solution type: VendorFix

Update to version 5.6.36, 7.0.30, 7.1.17, 7.2.5 or later.

Affected Software/OS

PHP prior to version 5.6.36, 7.0.x prior to 7.0.30, 7.1.x prior to 7.1.17 and 7.2.x prior to 7.2.5 on Linux.

Vulnerability Insight

The following flaws exist:

- CVE-2018-10549: Out of bounds read error in 'exif_read_data' function while processing crafted JPG data.

- CVE-2018-10546: An error in stream filter 'convert.iconv' which leads to infinite loop on invalid sequence.

- CVE-2018-10548: An error in the LDAP module of PHP which allows a malicious LDAP server or man-in-the-middle attacker to crash PHP.

- CVE-2018-10547: An error in the 'phar_do_404()' function in 'ext/phar/phar_object.c' script which returns parts of the request unfiltered, leading to another XSS vector. This is due to incomplete fix for CVE-2018-5712.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.36, 7.x < 7.0.30, 7.1.x < 7.1.17, 7.2.x < 7.2.5 Multiple Vulnerabilit.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.813160

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2018-10546
cve: CVE-2018-10547
cve: CVE-2018-10548
cve: CVE-2018-10549
url: http://www.php.net/ChangeLog-5.php#5.6.36
url: http://www.php.net/ChangeLog-7.php#7.0.30
url: http://www.php.net/ChangeLog-7.php#7.1.17
url: http://www.php.net/ChangeLog-7.php#7.2.5
cert-bund: CB-K18/0633
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-1232
dfn-cert: DFN-CERT-2018-0920
dfn-cert: DFN-CERT-2018-0877
```

High (CVSS: 8.8)
NVT: phpMyAdmin < 4.9.4, 5.x < 5.0.1 SQL Injection Vulnerability (PMASA-2020-1) - Linux

Summary
phpMyAdmin is prone to an SQL injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.1.1
Fixed version:     4.9.4
Installation
path / port:       /phpMyAdmin
```

Impact
A malicious user could inject custom SQL in place of their own username when creating queries to this page. An attacker must have a valid MySQL account to access the server.

Solution:
Solution type: VendorFix
Update to version 4.9.4, 5.0.1 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.4 and 5.x prior to 5.0.1.

Vulnerability Insight
An SQL injection flaw has been discovered in the user accounts page.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.4, 5.x < 5.0.1 SQL Injection Vulnerability (PMASA-2020-1) - Li.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.143346
Version used: `2024-02-13T05:06:26Z`

References
```
cve: CVE-2020-5504
url: https://www.phpmyadmin.net/security/PMASA-2020-1/
cert-bund: WID-SEC-2025-2723
cert-bund: CB-K20/0214
cert-bund: CB-K20/0010
dfn-cert: DFN-CERT-2020-0488
dfn-cert: DFN-CERT-2020-0089
dfn-cert: DFN-CERT-2020-0026
```

High (CVSS: 8.8)
NVT: PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Linux

Product detection result
```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     8.1.30
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.30, 8.2.24, 8.3.12 or later.

Affected Software/OS
PHP versions prior to 8.1.30, 8.2.x prior to 8.2.24 and 8.3.x prior to 8.3.12.

Vulnerability Insight
The following vulnerabilities exist:

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2024-8925, CVE-2024-8928: Erroneous parsing of multipart form data
- CVE-2024-8926: Bypass of CVE-2024-4577, Parameter Injection Vulnerability
- CVE-2024-8927: cgi.force_redirect configuration is bypassable due to the environment variable collision
- CVE-2024-9026: Logs from children may be altered

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114787
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2024-8925`
`cve: CVE-2024-8926`
`cve: CVE-2024-8927`
`cve: CVE-2024-8928`
`cve: CVE-2024-9026`
`url: https://www.php.net/ChangeLog-8.php#8.1.30`
`url: https://www.php.net/ChangeLog-8.php#8.2.24`
`url: https://www.php.net/ChangeLog-8.php#8.3.12`
`url: https://github.com/php/php-src/security/advisories/GHSA-9pqp-7h25-4f32`
`url: https://github.com/php/php-src/security/advisories/GHSA-p99j-rfp4-xqvq`
`url: https://github.com/php/php-src/security/advisories/GHSA-94p6-54jq-9mwp`
`url: https://github.com/php/php-src/security/advisories/GHSA-865w-9rf3-2wh5`
`url: https://bugzilla.redhat.com/show_bug.cgi?id=2317439`
`url: https://thephp.foundation/blog/2025/04/10/php-core-security-audit-results/`
`url: https://ostif.org/php-audit-complete/`
`url: https://blog.quarkslab.com/security-audit-of-php-src.html`
`url: https://www.openwall.com/lists/oss-security/2025/04/12/2`
`cert-bund: WID-SEC-2025-0137`
`cert-bund: WID-SEC-2024-3116`
`cert-bund: WID-SEC-2024-2230`
`dfn-cert: DFN-CERT-2025-1211`
`dfn-cert: DFN-CERT-2025-0168`
`dfn-cert: DFN-CERT-2024-3330`
`dfn-cert: DFN-CERT-2024-3329`
`dfn-cert: DFN-CERT-2024-2707`
`dfn-cert: DFN-CERT-2024-2591`
`dfn-cert: DFN-CERT-2024-2550`

High (CVSS: 8.8)
NVT: PHP < 7.4.30, 8.0.x < 8.0.20, 8.1.x < 8.1.7 Security Update (Jun 2022) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP released new versions which include a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     7.4.30
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.4.30, 8.0.20, 8.1.7 or later.

Affected Software/OS
PHP prior to version 7.4.30, 8.0.x through 8.0.19 and 8.1.x through 8.1.6.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-31625: Uninitialized array in pg_query_params()
- CVE-2022-31626: mysqlnd/pdo password buffer overflow

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.4.30, 8.0.x < 8.0.20, 8.1.x < 8.1.7 Security Update (Jun 2022) - Linux`
OID:1.3.6.1.4.1.25623.1.0.148249
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2022-31625`
`cve: CVE-2022-31626`
`url: https://www.php.net/ChangeLog-7.php#7.4.30`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.php.net/ChangeLog-8.php#8.0.20
url: https://www.php.net/ChangeLog-8.php#8.1.7
url: https://bugs.php.net/bug.php?id=81720
url: https://bugs.php.net/bug.php?id=81719
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-0255
cert-bund: CB-K22/0700
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2500
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-1881
dfn-cert: DFN-CERT-2022-1552
dfn-cert: DFN-CERT-2022-1516
dfn-cert: DFN-CERT-2022-1493
dfn-cert: DFN-CERT-2022-1473
dfn-cert: DFN-CERT-2022-1288
```

High (CVSS: 8.8)
NVT: PHP < 5.6.18, 7.x < 7.0.3 DoS Vulnerability (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.18
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 5.6.18, 7.0.3 or later.

Affected Software/OS
PHP prior to version 5.6.18 and 7.x prior to 7.0.3 on Linux.

Vulnerability Insight
The flaw is due an improper handling of zero-size '././@LongLink' files by 'phar_make_dirstream' function in ext/phar/dirstream.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.18, 7.x < 7.0.3 DoS Vulnerability (Jul 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808609
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-4343
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/89179
url: http://www.openwall.com/lists/oss-security/2016/04/28/2
cert-bund: CB-K16/1776
cert-bund: CB-K16/0796
cert-bund: CB-K16/0779
cert-bund: CB-K16/0760
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-0847
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0814
```

High (CVSS: 8.6)
NVT: PHP < 5.5.36, 5.6.x < 5.6.22, 7.x < 7.0.7 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.5.36
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to version 5.5.36, 5.6.22, 7.0.7 or later.

Affected Software/OS

PHP prior to version 5.5.36, 5.6.x prior to 5.6.22 and 7.x prior to 7.0.7 on Linux.

Vulnerability Insight

The following flaws exist:

- The 'get_icu_value_internal' function in 'ext/intl/locale/locale_methods.c' script does not ensure the presence of a '\0' character.

- The 'gd_interpolation.c' script in the GD Graphics Library mishandled by the imagescale function.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.5.36, 5.6.x < 5.6.22, 7.x < 7.0.7 Multiple Vulnerabilities (Aug 2016) -. ↪..`

OID:1.3.6.1.4.1.25623.1.0.808794

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2013-7456
cve: CVE-2016-5093
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/90946
url: http://www.securityfocus.com/bid/90859
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/1179
cert-bund: CB-K16/1045
cert-bund: CB-K16/0944
cert-bund: CB-K16/0937
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
cert-bund: CB-K16/0909
cert-bund: CB-K16/0801
cert-bund: CB-K16/0796
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1110
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0996
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0960
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0857
dfn-cert: DFN-CERT-2016-0847
```

High (CVSS: 8.6)
NVT: PHP < 5.5.36, 5.6.x < 5.6.22 Multiple Vulnerabilities (Aug 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.5.36
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 5.5.36, 5.6.22 or later.

Affected Software/OS
PHP prior to version 5.5.36 and 5.6.x prior to 5.6.22 on Linux.

Vulnerability Insight
The following flaws exist:
- Integer overflow in the fread function in 'ext/standard/file.c' script.
- Integer overflow in the php_html_entities function in 'ext/standard/html.c' script.
- An Integer overflow in the php_escape_html_entities_ex function in 'ext/standard/html.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.36, 5.6.x < 5.6.22 Multiple Vulnerabilities (Aug 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808792
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2016-5094`
`cve: CVE-2016-5095`
`cve: CVE-2016-5096`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/90861`
`url: http://www.securityfocus.com/bid/90857`
`url: http://www.securityfocus.com/bid/92144`
`cert-bund: CB-K16/1982`
`cert-bund: CB-K16/1776`
`cert-bund: CB-K16/1179`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0937`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0911`
`cert-bund: CB-K16/0909`
`cert-bund: CB-K16/0796`
`dfn-cert: DFN-CERT-2016-2084`
`dfn-cert: DFN-CERT-2016-1882`
`dfn-cert: DFN-CERT-2016-1253`
`dfn-cert: DFN-CERT-2016-1004`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-0996
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0960
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0847
```

High (CVSS: 8.2)
NVT: PHP < 8.2.30, 8.3.x < 8.3.29, 8.4.x < 8.4.16 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     8.2.30
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.2.30, 8.3.29, 8.4.16 or later.

Affected Software/OS
PHP versions prior to 8.2.30, 8.3.x prior to 8.3.29 and 8.4.x prior to 8.4.16.

Vulnerability Insight
The following flaws exist:
- CVE-2025-14177: Information leak of memory in getimagesize
- CVE-2025-14178: Heap buffer overflow in array_merge()
- CVE-2025-14180: PDO quoting result null deref
- No CVE: Null byte termination in dns_get_record()

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.2.30, 8.3.x < 8.3.29, 8.4.x < 8.4.16 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.156071
Version used: `2026-01-12T05:50:06Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2025-14177
cve: CVE-2025-14178
cve: CVE-2025-14180
url: https://www.php.net/ChangeLog-8.php#8.2.30
url: https://www.php.net/ChangeLog-8.php#8.3.29
url: https://www.php.net/ChangeLog-8.php#8.4.16
url: https://github.com/php/php-src/security/advisories/GHSA-3237-qqm7-mfv7
url: https://github.com/php/php-src/security/advisories/GHSA-h96m-rvf9-jgm2
url: https://github.com/php/php-src/security/advisories/GHSA-8xr5-qppj-gvwj
url: https://github.com/php/php-src/security/advisories/GHSA-www2-q4fc-65wf
dfn-cert: DFN-CERT-2026-0262
dfn-cert: DFN-CERT-2025-3544

High (CVSS: 8.1)
NVT: PHP < 5.6.24, 7.x <= 7.0.8 Multiple Vulnerabilities (Jul 2016) - Linux

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.6.24
Installation
path / port: 80/tcp

Impact
Successfully exploiting these issues may allow remote, unauthenticated to conduct MITM attacks on internal server subrequests or direct the server to initiate connections to arbitrary hosts or to cause a denial of service.

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 5.6.24, 7.0.9 or later.

Affected Software/OS
PHP versions 5.x through 5.6.23 and 7.0.x through 7.0.8 on Linux.

Vulnerability Insight
The following flaws exist:
- The web servers running in a CGI or CGI-like context may assign client request proxy header values to internal HTTP_PROXY environment variables.
- 'HTTP_PROXY' is improperly trusted by some PHP libraries and applications
- An unspecified flaw in the gdImageCropThreshold function in 'gd_crop.c' in the GD Graphics Library.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.24, 7.x <= 7.0.8 Multiple Vulnerabilities (Jul 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808628
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-5385
cve: CVE-2016-6128
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/91821
url: http://www.securityfocus.com/bid/91509
url: http://www.php.net/ChangeLog-7.php
url: http://www.kb.cert.org/vuls/id/797896
url: https://bugs.php.net/bug.php?id=72573
url: https://bugs.php.net/bug.php?id=72494
cert-bund: WID-SEC-2025-2522
cert-bund: CB-K17/1252
cert-bund: CB-K16/1941
cert-bund: CB-K16/1854
cert-bund: CB-K16/1776
cert-bund: CB-K16/1549
cert-bund: CB-K16/1499
cert-bund: CB-K16/1407
cert-bund: CB-K16/1283
cert-bund: CB-K16/1248
cert-bund: CB-K16/1179
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/1115
cert-bund: CB-K16/1110
cert-bund: CB-K16/1106
cert-bund: CB-K16/1092
cert-bund: CB-K16/1077
cert-bund: CB-K16/1045
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2016-2047
dfn-cert: DFN-CERT-2016-1961
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1498
dfn-cert: DFN-CERT-2016-1367
dfn-cert: DFN-CERT-2016-1326
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1179
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1157
dfn-cert: DFN-CERT-2016-1144
dfn-cert: DFN-CERT-2016-1110
```

High (CVSS: 8.1)
NVT: Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a man-in-the-middle attack vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.4.24
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to redirect an application's outbound HTTP traffic to an arbitrary proxy server via a crafted proxy header in an HTTP request.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 2.4.24, or 2.2.32, or later.

Affected Software/OS
Apache HTTP Server through 2.4.23.
NOTE: Apache HTTP Server 2.2.32 is not vulnerable.

Vulnerability Insight
The flaw is due to 'CGI Servlet' does not protect applications from the presence of untrusted client data in the 'HTTP_PROXY' environment variable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808632
Version used: `2024-02-08T14:36:53Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2016-5387`
`url: https://www.apache.org/security/asf-httpoxy-response.txt`
`url: http://www.securityfocus.com/bid/91816`
`cert-bund: WID-SEC-2025-2522`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: CB-K17/2013`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1842`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/0527`
`cert-bund: CB-K17/0055`
`cert-bund: CB-K16/1995`
`cert-bund: CB-K16/1620`
`cert-bund: CB-K16/1289`
`cert-bund: CB-K16/1103`
`cert-bund: CB-K16/1088`
`cert-bund: CB-K16/1087`
`dfn-cert: DFN-CERT-2017-2104`
`dfn-cert: DFN-CERT-2017-1926`
`dfn-cert: DFN-CERT-2017-1925`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0060
dfn-cert: DFN-CERT-2016-2108
dfn-cert: DFN-CERT-2016-1717
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1175
dfn-cert: DFN-CERT-2016-1162
dfn-cert: DFN-CERT-2016-1153
```

High (CVSS: 8.1)
NVT: PHP < 8.0.28, 8.1.x < 8.1.16, 8.2.x < 8.2.3 Security Update - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     8.0.28
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.0.28, 8.1.16, 8.2.3 or later.

Affected Software/OS

PHP versions prior to 8.0.28, 8.1.x prior to 8.1.16 and 8.2.x prior to 8.2.3.

Vulnerability Insight

The following flaws exist:
- CVE-2023-0567: Fixed bug #81744 (Password_verify() always return true with some hash)
- CVE-2023-0568: Fixed bug #81746 (1-byte array overrun in common path resolve code)
- CVE-2023-0662: Fixed bug GHSA-54hq-v5wp-fqgv (DOS vulnerability when parsing multipart request body)

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: PHP < 8.0.28, 8.1.x < 8.1.16, 8.2.x < 8.2.3 Security Update - Linux
OID:1.3.6.1.4.1.25623.1.0.104541
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2023-0567
cve: CVE-2023-0568
cve: CVE-2023-0662
url: https://www.php.net/ChangeLog-8.php#8.2.3
url: https://www.php.net/ChangeLog-8.php#8.1.16
url: https://www.php.net/ChangeLog-8.php#8.0.28
url: https://www.php.net/archive/2023.php#2023-02-14-2
url: https://www.php.net/archive/2023.php#2023-02-14-3
url: https://www.php.net/archive/2023.php#2023-02-14-1
url: http://bugs.php.net/81744
url: http://bugs.php.net/81746
url: https://github.com/php/php-src/security/advisories/GHSA-54hq-v5wp-fqgv
url: https://github.com/php/php-src/security/advisories/GHSA-7fj2-8x79-rjf4
cert-bund: WID-SEC-2023-2671
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1022
cert-bund: WID-SEC-2023-0383
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-2681
dfn-cert: DFN-CERT-2023-2570
dfn-cert: DFN-CERT-2023-2538
dfn-cert: DFN-CERT-2023-0994
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0462
dfn-cert: DFN-CERT-2023-0435
dfn-cert: DFN-CERT-2023-0336

High (CVSS: 8.0)
NVT: phpMyAdmin < 4.9.5, 5.x < 5.0.2 Multiple SQL Injection Vulnerabilities (PMASA-2020-2, PMASA-2020-3, PMASA-2020-4) - Linux

Summary
phpMyAdmin is prone to multiple SQL injection vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 3.1.1
Fixed version:     4.9.5
Installation
path / port:       /phpMyAdmin
```

Impact

Successful exploitation would allow an attacker to:
- create a specially-crafted username and then trick the victim in to performing specific actions with that user account (such as editing its privileges)
- generate specially-crafted database or table names
- insert specially-crafted data in to certain database tables, which when retrieved (for instance, through the Browse tab) can trigger an XSS attack

Solution:

Solution type: VendorFix

Update to version 4.9.5, 5.0.2 or later.

Affected Software/OS

phpMyAdmin prior to version 4.9.5 and 5.x prior to 5.0.2.

Vulnerability Insight

The following SQL injection vulnerabilities exist:
- An SQL injection vulnerability was found in how phpMyAdmin retrieves the current username
- An SQL injection vulnerability has been discovered where certain parameters are not properly escaped when generating certain queries for search actions within phpMyAdmin
- An SQL injection vulnerability was discovered where malicious code could be used to trigger an XSS attack through retrieving and displaying results.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `phpMyAdmin < 4.9.5, 5.x < 5.0.2 Multiple SQL Injection Vulnerabilities (PMASA-2.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.112715

Version used: `2024-02-13T05:06:26Z`

References

```
cve: CVE-2020-10802
cve: CVE-2020-10803
cve: CVE-2020-10804
url: https://www.phpmyadmin.net/security/PMASA-2020-2/
url: https://www.phpmyadmin.net/security/PMASA-2020-3/
url: https://www.phpmyadmin.net/security/PMASA-2020-4/
cert-bund: CB-K20/0251
dfn-cert: DFN-CERT-2020-2366
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-0998
dfn-cert: DFN-CERT-2020-0592
```

High (CVSS: 7.8)
NVT: PHP < 8.0.27, 8.1.x < 8.1.14, 8.2.x < 8.2.1 Security Update - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to an integer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     8.0.27
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.0.27, 8.1.14, 8.2.1 or later.

Affected Software/OS

PHP prior to version 8.0.27, version 8.1.x through 8.1.13 and 8.2.0.

Vulnerability Insight

Due to an uncaught integer overflow, PDO::quote() of PDO_SQLite may return a not properly quoted string.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 8.0.27, 8.1.x < 8.1.14, 8.2.x < 8.2.1 Security Update - Linux`

OID:1.3.6.1.4.1.25623.1.0.149069

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2022-31631
url: https://www.php.net/ChangeLog-8.php#8.0.27
url: https://www.php.net/ChangeLog-8.php#8.1.14
url: https://www.php.net/ChangeLog-8.php#8.2.1
cert-bund: WID-SEC-2023-0035
dfn-cert: DFN-CERT-2023-0435
dfn-cert: DFN-CERT-2023-0422
dfn-cert: DFN-CERT-2023-0071
dfn-cert: DFN-CERT-2023-0034
```

High (CVSS: 7.5)
NVT: PHP < 5.6.31, 7.x < 7.0.17, 7.1.x < 7.1.3 DoS Vulnerability (Jul 2017) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.31
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow an attacker to cause a CPU consumption denial of service attack.

Solution:

Solution type: VendorFix

Update to version 5.6.31, 7.0.17, 7.1.3 or later.

Affected Software/OS

PHP prior to version 5.6.31, 7.x prior to 7.0.17 and 7.1.x prior to 7.1.3.

Vulnerability Insight

The flaw exists due to improper handling of long form variables in main/php_variables.c script.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: PHP < 5.6.31, 7.x < 7.0.17, 7.1.x < 7.1.3 DoS Vulnerability (Jul 2017) - Linux
OID:1.3.6.1.4.1.25623.1.0.811487
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2017-11142
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K18/0048
cert-bund: CB-K17/1461
cert-bund: CB-K17/1132
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1161

High (CVSS: 7.5)
NVT: Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version Check

Product detection result
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.2.8
Fixed version: Apply the referenced patch or upgrade to 2.4.28
Installation
path / port: 80/tcp

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

The successful exploitation allows the attacker to read chunks of the host's memory.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server 2.4.28. For Apache HTTP Server running version 2.2.34 apply the patch linked in the references.
As a workaround the usage of .htaccess should be disabled completely via the 'AllowOverride None' directive within the webservers configuration. Furthermore all <Limit> statements within the webserver configuration needs to be verified for invalid HTTP methods.

Affected Software/OS
Apache HTTP Server 2.2.x versions up to 2.2.34 and 2.4.x below 2.4.28.

Vulnerability Insight
Optionsbleed is a use after free error in the Apache HTTP Server that causes a corrupted Allow header to be constructed in response to HTTP OPTIONS requests. This can leak pieces of arbitrary memory from the server process that may contain secrets. The memory pieces change after multiple requests, so for a vulnerable host an arbitrary number of memory chunks can be leaked.
The bug appears if a webmaster tries to use the 'Limit' directive with an invalid HTTP method.
Example .htaccess:
<Limit abcxyz> </Limit>

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version C.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.108252
Version used: `2025-01-21T05:37:33Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2017-9798`
`url: http://openwall.com/lists/oss-security/2017/09/18/2`
`url: https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-le`
`↪ak-Apaches-server-memory.html`
`url: http://www.securityfocus.com/bid/100872`
`url: https://archive.apache.org/dist/httpd/patches/apply_to_2.2.34/`
`url: https://www.apache.org/dist/httpd/CHANGES_2.4.28`
`cert-bund: WID-SEC-2023-1594`
`cert-bund: CB-K18/1012`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K18/0800
cert-bund: CB-K18/0606
cert-bund: CB-K18/0098
cert-bund: CB-K18/0066
cert-bund: CB-K17/2188
cert-bund: CB-K17/2117
cert-bund: CB-K17/2021
cert-bund: CB-K17/1980
cert-bund: CB-K17/1936
cert-bund: CB-K17/1871
cert-bund: CB-K17/1773
cert-bund: CB-K17/1768
cert-bund: CB-K17/1587
dfn-cert: DFN-CERT-2019-0359
dfn-cert: DFN-CERT-2018-2113
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-0725
dfn-cert: DFN-CERT-2018-0100
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2290
dfn-cert: DFN-CERT-2017-2211
dfn-cert: DFN-CERT-2017-2108
dfn-cert: DFN-CERT-2017-2070
dfn-cert: DFN-CERT-2017-2021
dfn-cert: DFN-CERT-2017-1954
dfn-cert: DFN-CERT-2017-1854
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1659
```

High (CVSS: 7.5)
NVT: EasyPHP Webserver <= 12.1 Multiple Vulnerabilities - Active Check

Summary
EasyPHP Webserver is prone to multiple vulnerabilities.

Quality of Detection (QoD): 99%

Vulnerability Detection Result

```
Vulnerable URL: http://metasploitable2.trabalho_vulnnet/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p5/cgi </td></tr>
  <h2>PHP Core</h2>
  <h2>PHP Variables</h2>
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successful exploitation will allow attackers to gain administrative access, disclose the information, inject PHP code/shell and execute a remote PHP Code.

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
EasyPHP version 12.1 and prior.

Vulnerability Insight
The bug in EasyPHP WebServer Manager, its skipping authentication for certain requests. Which allows to bypass the authentication, disclose the information or execute a remote PHP code.

Vulnerability Detection Method
Sends a crafted HTTP GET request and checks the response.
Note: It is currently expected that a result of this VT is reported if the system is generally exposing a phpinfo() output on the relevant URL / endpoint (independent from the running product). Exposing such sensitive information is generally seen as a security misconfiguration and should be avoided.
Details: `EasyPHP Webserver <= 12.1 Multiple Vulnerabilities - Active Check`
OID:1.3.6.1.4.1.25623.1.0.803189
Version used: `2025-11-11T05:40:18Z`

References
`url: https://cxsecurity.com/issue/WLB-2013040069`

High (CVSS: 7.5)
NVT: PHP 'CVE-2017-7189' Improper Input Validation Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is improperly validating input from untrusted input.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     None
Installation
path / port:       80/tcp
```

Solution:
Solution type: WillNotFix
No solution was made available by the vendor. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Note: PHP versions 7.0.18 and 7.1.4 introduced a fix which was reverted again in version 7.0.19 / 7.1.5 respectively and the fix wasn't introduced again as of today (08-2020).

Affected Software/OS
All PHP versions since 4.3.0 up to the latest 7.x versions.
Note: PHP versions 7.0.18 and 7.1.4 introduced a fix which was reverted again in version 7.0.19 / 7.1.5 respectively.

Vulnerability Insight
main/streams/xp_socket.c in PHP misparses fsockopen calls, such as by interpreting fsockopen('127.0.0.1:80', 443) as if the address/port were 127.0.0.1:80:443, which is later truncated to 127.0.0.1:80. This behavior has a security risk if the explicitly provided port number (i.e., 443 in this example) is hardcoded into an application as a security policy, but the hostname argument (i.e., 127.0.0.1:80 in this example) is obtained from untrusted input.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 'CVE-2017-7189' Improper Input Validation Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.108874
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2017-7189
url: https://bugs.php.net/bug.php?id=74192
url: https://bugs.php.net/bug.php?id=74429
url: https://github.com/php/php-src/commit/bab0b99f376dac9170ac81382a5ed526938d5
↪95a
```

High (CVSS: 7.5)
NVT: PHP 'SplObjectStorage' Unserializer Arbitrary Code Execution Vulnerability

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a vulnerability that an attacker could exploit to execute arbitrary code with the privileges of the user running the affected application.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.3.3
Installation
path / port:       80/tcp
```

Impact
Successful exploits will compromise the application and possibly the computer.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for details.

Affected Software/OS
PHP 5 through 5.3.2 are vulnerable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 'SplObjectStorage' Unserializer Arbitrary Code Execution Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100684
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2010-2225`
`url: http://www.securityfocus.com/bid/40948`
`url: https://bugzilla.redhat.com/show_bug.cgi?id=605641`
`dfn-cert: DFN-CERT-2011-1005`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2011-0642
dfn-cert: DFN-CERT-2010-1620
dfn-cert: DFN-CERT-2010-1321
dfn-cert: DFN-CERT-2010-1247
dfn-cert: DFN-CERT-2010-1079
dfn-cert: DFN-CERT-2010-0997
dfn-cert: DFN-CERT-2010-0953
```

High (CVSS: 7.5)
NVT: PHP 5.2.11, 5.3.x < 5.3.1 Multiple Vulnerabilities (Dec 2009)

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.11
Installation
path / port:       80/tcp
```

Impact

Successful exploitation could allow local attackers to bypass certain security restrictions and cause denial of service.

Solution:

Solution type: VendorFix

Update to version 5.2.11, 5.3.1 or later.

Affected Software/OS

PHP versions prior to 5.2.11 and 5.3.x prior to 5.3.1.

Vulnerability Insight

The following flaws exist:

- CVE-2009-2626: Error in 'zend_restore_ini_entry_cb()' function in 'zend_ini.c', which allows attackers to obtain sensitive information.

- CVE-2009-4018: Error in 'proc_open()' function in 'ext/standard/proc_open.c' that does not enforce the 'safe_mode_allowed_env_vars' and 'safe_mode_protected_env_vars' directives, which allows attackers to execute programs with an arbitrary environment via the env parameter.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.2.11, 5.3.x < 5.3.1 Multiple Vulnerabilities (Dec 2009)`
OID:1.3.6.1.4.1.25623.1.0.801060
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2009-2626
cve: CVE-2009-4018
url: http://secunia.com/advisories/37482
url: http://www.securityfocus.com/bid/36009
url: http://www.securityfocus.com/bid/37138
url: http://bugs.php.net/bug.php?id=49026
url: http://securityreason.com/achievement_securityalert/65
url: http://www.openwall.com/lists/oss-security/2009/11/23/15
url: https://www.php.net/ChangeLog-5.php#PHP_5_2
dfn-cert: DFN-CERT-2010-1227
dfn-cert: DFN-CERT-2010-0802
dfn-cert: DFN-CERT-2010-0263
dfn-cert: DFN-CERT-2010-0075
dfn-cert: DFN-CERT-2010-0074
dfn-cert: DFN-CERT-2009-1726
dfn-cert: DFN-CERT-2009-1665
dfn-cert: DFN-CERT-2009-1663
dfn-cert: DFN-CERT-2009-1652
```

High (CVSS: 7.5)
NVT: PHP 5.2.x < 5.2.14, 5.3.x < 5.3.3 Multiple RCE Vulnerabilities

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple remote code execution (RCE) vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.14
Installation
path / port:       80/tcp
```

Impact

Attackers can exploit these issues to run arbitrary code within the context of the PHP process. This may allow them to bypass intended security restrictions or gain elevated privileges.

Solution:

Solution type: VendorFix

Update to version 5.2.14, 5.3.2 or later.

Affected Software/OS

PHP versions 5.2.x through 5.2.13 and 5.3.x through 5.3.2.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 5.2.x < 5.2.14, 5.3.x < 5.3.3 Multiple RCE Vulnerabilities`

OID:1.3.6.1.4.1.25623.1.0.100631

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2010-1868
url: http://www.securityfocus.com/bid/40013
url: http://php-security.org/2010/05/07/mops-2010-012-php-sqlite_single_query-un
↪initialized-memory-usage-vulnerability/index.html
url: http://php-security.org/2010/05/07/mops-2010-013-php-sqlite_array_query-uni
↪nitialized-memory-usage-vulnerability/index.html
url: http://php-security.org/2010/05/07/mops-submission-03-sqlite_single_query-s
↪qlite_array_query-uninitialized-memory-usage/index.html
```

High (CVSS: 7.5)

NVT: PHP 5.2.x < 5.2.7 Buffer Overflow Vulnerability (Jan 2015)

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.7
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to cause a denial of service or possibly execute arbitrary code.

Solution:
Solution type: VendorFix
Update to version 5.2.7 or later.

Affected Software/OS
PHP versions 5.2.x before 5.2.7

Vulnerability Insight
Stack-based buffer overflow in the date_from_ISO8601 function in ext/xmlrpc/libxmlrpc/xmlrpc.c allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code by including a timezone field in a date, leading to improper XML-RPC encoding.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.2.x < 5.2.7 Buffer Overflow Vulnerability (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805410
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-8626
url: https://bugs.php.net/bug.php?id=45226
url: https://web.archive.org/web/20141109060712/http://www.securityfocus.com/bid
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪/70928
url: http://openwall.com/lists/oss-security/2014/11/06/3
cert-bund: CB-K14/1413
dfn-cert: DFN-CERT-2014-1494
```

High (CVSS: 7.5)
NVT: PHP 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Mar 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.4.44
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to execute arbitrary code and to create or overwrite arbitrary files on the system and this may lead to launch further attacks.

Solution:

Solution type: VendorFix

Update to version 5.4.44, 5.5.28, 5.6.12 or later.

Affected Software/OS

PHP prior to version 5.4.44, 5.5.x prior to 5.5.28 and 5.6.x prior to 5.6.12 on Linux.

Vulnerability Insight

The following flaws exist:

- Multiple use-after-free vulnerabilities in SPL unserialize implementation.
- Insufficient validation of user supplied input by 'phar/phar_object.c' script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Mar 2016) . ↪..`

OID:1.3.6.1.4.1.25623.1.0.807503

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-6831
cve: CVE-2015-6832
cve: CVE-2015-6833
url: https://bugs.php.net/bug.php?id=70068
url: http://www.securityfocus.com/bid/76737
url: http://www.securityfocus.com/bid/76739
url: http://www.securityfocus.com/bid/76735
url: http://www.openwall.com/lists/oss-security/2015/08/19/3
cert-bund: CB-K16/0944
cert-bund: CB-K16/0422
cert-bund: CB-K15/1571
cert-bund: CB-K15/1439
cert-bund: CB-K15/1415
cert-bund: CB-K15/1261
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1658
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1493
dfn-cert: DFN-CERT-2015-1335

High (CVSS: 7.5)
NVT: PHP 5.x < 5.4.4 Memory Leak Vulnerability

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a memory leak vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.4.4

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        80/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.4.4 or later.

Affected Software/OS
PHP versions 5.x prior to 5.4.4.

Vulnerability Insight
PHP allows passing invalid utf-8 strings via the xmlTextWriterWriteAttribute, which are then misparsed by libxml2. This results in memory leak into the resulting output.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 5.4.4 Memory Leak Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.117788
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2010-4657`
`url: https://bugzilla.redhat.com/show_bug.cgi?id=CVE-2010-4657`

High (CVSS: 7.5)
NVT: PHP 5.x < 5.6.39, 7.x < 7.0.33, 7.1.x < 7.1.26, 7.2.x < 7.2.14 DoS Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 5.2.4`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     5.6.39
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow attackers to cause a denial of service of the affected application.

Solution:
Solution type: VendorFix
Update to version 5.6.39, 7.0.33, 7.1.26, 7.2.14, 7.3.0 or later.

Affected Software/OS
PHP versions 5.x prior to 5.6.39, 7.0.x prior to 7.0.33, 7.1.x prior to 7.1.26 and 7.2.x prior to 7.2.14.

Vulnerability Insight
A NULL pointer dereference and application crash via an empty string occurs in the message argument to the imap_mail function of ext/imap/php_imap.c.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 5.6.39, 7.x < 7.0.33, 7.1.x < 7.1.26, 7.2.x < 7.2.14 DoS Vulnerabilit.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.108505
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2018-19935`
`url: https://bugs.php.net/bug.php?id=77020`
`url: http://www.securityfocus.com/bid/106143`
`cert-bund: WID-SEC-2022-2128`
`cert-bund: CB-K18/1154`
`dfn-cert: DFN-CERT-2022-2638`
`dfn-cert: DFN-CERT-2019-1181`
`dfn-cert: DFN-CERT-2019-0313`
`dfn-cert: DFN-CERT-2019-0044`
`dfn-cert: DFN-CERT-2018-2476`

High (CVSS: 7.5)
NVT: PHP < 5.2.13 Multiple Vulnerabilities

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.13
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.2.13 or later.

Affected Software/OS
PHP prior to version 5.2.13.

Vulnerability Insight
The following flaws exist:
- CVE-2010-1128: The Linear Congruential Generator (LCG) does not provide the expected entropy, which makes it easier for context-dependent attackers to guess values that were intended to be unpredictable
- CVE-2010-1129: The safe_mode implementation does not properly handle directory pathnames that lack a trailing slash character, which allows context-dependent attackers to bypass intended access restrictions via vectors related to use of the tempnam function

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.2.13 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.100511
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2010-1128
cve: CVE-2010-1129
url: http://www.securityfocus.com/bid/38182
url: http://www.securityfocus.com/bid/38431
url: http://www.securityfocus.com/bid/38430
url: http://securityreason.com/achievement_securityalert/82
url: http://www.php.net/releases/5_2_13.php
url: http://svn.php.net/viewvc/php/php-src/branches/PHP_5_2/ext/session/session.
↪c?r1=293036&r2=294272
url: http://svn.php.net/viewvc/php/php-src/branches/PHP_5_3/ext/session/session.
↪c?r1=293036&r2=294272
dfn-cert: DFN-CERT-2010-1620
dfn-cert: DFN-CERT-2010-0997
dfn-cert: DFN-CERT-2010-0906
```

High (CVSS: 7.5)
NVT: PHP < 5.3.1 Multiple Vulnerabilities

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple security vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.3.1
Installation
path / port:       80/tcp
```

Impact

Some of these issues may be exploited to bypass security restrictions and create arbitrary files or cause denial-of-service conditions. The impact of the other issues has not been specified.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

PHP versions prior to 5.3.1.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.3.1 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.100359
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2009-3559
cve: CVE-2009-4017
url: http://www.securityfocus.com/bid/37079
url: http://securityreason.com/securityalert/6601
url: http://securityreason.com/securityalert/6600
url: http://www.php.net/releases/5_3_1.php
url: http://seclists.org/fulldisclosure/2009/Nov/228
url: http://www.securityfocus.com/archive/1/507982
dfn-cert: DFN-CERT-2010-1227
dfn-cert: DFN-CERT-2010-0802
dfn-cert: DFN-CERT-2010-0263
dfn-cert: DFN-CERT-2010-0143
dfn-cert: DFN-CERT-2010-0140
dfn-cert: DFN-CERT-2010-0060
dfn-cert: DFN-CERT-2009-1726
dfn-cert: DFN-CERT-2009-1666
dfn-cert: DFN-CERT-2009-1663
dfn-cert: DFN-CERT-2009-1639
```

High (CVSS: 7.5)
NVT: PHP < 5.3.28, 5.4.x < 5.4.23, 5.5.x < 5.5.7 RCE Vulnerability (Dec 2013)

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.3.28
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to execute arbitrary code or cause a denial of service (memory corruption).

Solution:

Solution type: VendorFix

Update to version 5.3.28, 5.4.23, 5.5.7 or later.

Affected Software/OS

PHP versions before 5.3.28, 5.4.x before 5.4.23, and 5.5.x before 5.5.7.

Vulnerability Insight

A boundary error exists within the 'asn1_time_to_time_t' function in 'ext/openssl/openssl.c' when parsing X.509 certificates.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.3.28, 5.4.x < 5.4.23, 5.5.x < 5.5.7 RCE Vulnerability (Dec 2013)`

OID:1.3.6.1.4.1.25623.1.0.804174

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2013-6420
url: http://secunia.com/advisories/56055
url: http://packetstormsecurity.com/files/124436/PHP-openssl_x509_parse-Memory-C
↪orruption.html
cert-bund: WID-SEC-2023-1283
cert-bund: CB-K17/1176
cert-bund: CB-K14/0834
cert-bund: CB-K14/0231
cert-bund: CB-K13/1092
cert-bund: CB-K13/1040
cert-bund: CB-K13/1037
cert-bund: CB-K13/1036
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1209
dfn-cert: DFN-CERT-2014-0870
dfn-cert: DFN-CERT-2013-2127
dfn-cert: DFN-CERT-2013-2066
dfn-cert: DFN-CERT-2013-2065
dfn-cert: DFN-CERT-2013-2064
```

High (CVSS: 7.5)
NVT: PHP < 5.3.6 Remote Integer Overflow Vulnerability

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to an integer overflow vulnerability because it fails to ensure that integer values are not overrun.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.3.6
Installation
path / port:       80/tcp
```

Impact

Successful exploits of this vulnerability allow remote attackers to execute arbitrary code in the context of a webserver affected by the issue. Failed attempts will likely result in denial-of-service conditions.

Solution:

Solution type: VendorFix

Update to version 5.3.6 or later.

Affected Software/OS

PHP prior to version 5.3.6.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.3.6 Remote Integer Overflow Vulnerability`

OID:1.3.6.1.4.1.25623.1.0.103113

Version used: `2025-09-24T05:39:03Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2011-1092
url: https://web.archive.org/web/20110611011255/http://www.securityfocus.com/bid
↪/46786
url: http://comments.gmane.org/gmane.comp.security.oss.general/4436
url: http://svn.php.net/viewvc/?view=revision&revision=309018
dfn-cert: DFN-CERT-2011-0520
dfn-cert: DFN-CERT-2011-0518
dfn-cert: DFN-CERT-2011-0517
dfn-cert: DFN-CERT-2011-0445
dfn-cert: DFN-CERT-2011-0444
dfn-cert: DFN-CERT-2011-0442
dfn-cert: DFN-CERT-2011-0441
dfn-cert: DFN-CERT-2011-0432

High (CVSS: 7.5)
NVT: PHP < 5.3.7 Use After Free Vulnerability

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to an use after free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.3.7
Installation
path / port: 80/tcp

Impact
Successful exploitation could allow remote attackers to execute arbitrary code in the context of a web server. Failed attempts will likely result in denial of service conditions.

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 5.3.7 or later.

Affected Software/OS
PHP version 5.3.6 and prior.

Vulnerability Insight
The error occurs due to passing the same variable multiple times to the 'substr_replace()' function, which makes the PHP to use the same pointer in three variables inside the function.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.3.7 Use After Free Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.902356
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2011-1148`
`url: http://bugs.php.net/bug.php?id=54238`
`url: http://www.securityfocus.com/bid/46843`
`url: http://openwall.com/lists/oss-security/2011/03/13/3`
`dfn-cert: DFN-CERT-2012-0914`
`dfn-cert: DFN-CERT-2012-0731`
`dfn-cert: DFN-CERT-2012-0099`
`dfn-cert: DFN-CERT-2011-1698`
`dfn-cert: DFN-CERT-2011-1686`
`dfn-cert: DFN-CERT-2011-1443`
`dfn-cert: DFN-CERT-2011-1433`
`dfn-cert: DFN-CERT-2011-1402`
`dfn-cert: DFN-CERT-2011-1396`
`dfn-cert: DFN-CERT-2011-1387`

High (CVSS: 7.5)
NVT: PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 Multiple RCE Vulnerabilities (Jul 2015) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.4.38
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to execute arbitrary code via some crafted dimensions.

Solution:
Solution type: VendorFix
Update to version 5.4.38, 5.5.22, 5.6.6 or later.

Affected Software/OS
PHP prior to version 5.4.38, 5.5.x prior to 5.5.22 and 5.6.x prior to 5.6.6.

Vulnerability Insight
The following flaws exist:
- Multiple use-after-free vulnerabilities in 'ext/date/php_date.c' script.
- Heap-based buffer overflow in the 'enchant_broker_request_dict' function in 'ext/enchant/enchant.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 Multiple RCE Vulnerabilities (Jul 2.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.805685
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-9705`
`cve: CVE-2015-0273`
`url: http://php.net/ChangeLog-5.php`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/73031
url: http://www.securityfocus.com/bid/72701
url: https://bugzilla.redhat.com/show_bug.cgi?id=1194730
url: http://lists.opensuse.org/opensuse-updates/2015-04/msg00002.html
cert-bund: WID-SEC-2023-0069
cert-bund: CB-K16/0944
cert-bund: CB-K15/1561
cert-bund: CB-K15/1437
cert-bund: CB-K15/0966
cert-bund: CB-K15/0901
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0482
cert-bund: CB-K15/0362
cert-bund: CB-K15/0358
cert-bund: CB-K15/0278
cert-bund: CB-K15/0222
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0956
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0371
dfn-cert: DFN-CERT-2015-0370
dfn-cert: DFN-CERT-2015-0286
dfn-cert: DFN-CERT-2015-0228
```

High (CVSS: 7.5)
NVT: PHP < 5.4.39, 5.5.x < 5.5.23, 5.6.x < 5.6.7 Multiple Vulnerabilities - Linux

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     5.4.39
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting these issues allow remote attackers to obtain sensitive information by providing crafted serialized data with an int data type and to execute arbitrary code by providing crafted serialized data with an unexpected data type.

Solution:
Solution type: VendorFix
Update to version 5.4.39, 5.5.23, 5.6.7 or later.

Affected Software/OS
PHP prior to version 5.4.39, 5.5.x prior to 5.5.23 and 5.6.x prior to 5.6.7.

Vulnerability Insight
The following flaws exist:
- 'do_soap_call' function in ext/soap/soap.c script in PHP does not verify that the uri property is a string.
- 'SoapClient::__call' method in ext/soap/soap.c script in PHP does not verify that __default_headers is an array.
- use-after-free error related to the 'unserialize' function when using DateInterval input.
- a flaw in the 'move_uploaded_file' function that is triggered when handling NULL bytes.
- an integer overflow condition in the '_zip_cdir_new' function in 'zip_dirent.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.4.39, 5.5.x < 5.5.23, 5.6.x < 5.6.7 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.805651
Version used: `2025-09-24T05:39:03Z`

References
```
cve: CVE-2015-2331
cve: CVE-2015-2348
cve: CVE-2015-2787
cve: CVE-2015-4147
cve: CVE-2015-4148
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/73357
url: http://www.securityfocus.com/bid/73431
url: http://www.securityfocus.com/bid/73434
url: https://bugs.php.net/bug.php?id=69085
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: WID-SEC-2023-1281
cert-bund: WID-SEC-2023-0069
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0944
cert-bund: CB-K15/1437
cert-bund: CB-K15/1188
cert-bund: CB-K15/1031
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0854
cert-bund: CB-K15/0809
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0561
cert-bund: CB-K15/0482
cert-bund: CB-K15/0377
cert-bund: CB-K15/0375
cert-bund: CB-K15/0372
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0854
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0583
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0387
dfn-cert: DFN-CERT-2015-0383
dfn-cert: DFN-CERT-2015-0382
```

High (CVSS: 7.5)
NVT: PHP < 5.4.41, 5.5.x < 5.5.25, 5.6.x < 5.6.9 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.4.41
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service, bypass intended extension restrictions and access and execute files or directories with unexpected names via crafted dimensions and remote FTP servers to execute arbitrary code.

Solution:

Solution type: VendorFix

Update to version 5.4.41, 5.5.25, 5.6.9 or later.

Affected Software/OS

PHP prior to version 5.4.41, 5.5.x prior to 5.5.25 and 5.6.x prior to 5.6.9.

Vulnerability Insight

The following flaws exist:

- Algorithmic complexity vulnerability in the 'multipart_buffer_headers' function in main/rfc1867.c script in PHP.
- 'pcntl_exec' implementation in PHP truncates a pathname upon encountering a \x00 character.
- Integer overflow in the 'ftp_genlist' function in ext/ftp/ftp.c script in PHP.
- The 'phar_parse_tarfile' function in ext/phar/tar.c script in PHP does not verify that the first character of a filename is different from the \0 character.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.41, 5.5.x < 5.5.25, 5.6.x < 5.6.9 Multiple Vulnerabilities - Linux`

OID:1.3.6.1.4.1.25623.1.0.805660

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-4021
cve: CVE-2015-4022
cve: CVE-2015-4024
cve: CVE-2015-4025
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2015-4026
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/75056
url: http://www.securityfocus.com/bid/74904
url: http://www.securityfocus.com/bid/74903
url: http://www.securityfocus.com/bid/74902
url: http://www.securityfocus.com/bid/74700
url: https://bugs.php.net/bug.php?id=69085
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: CB-K17/2123
cert-bund: CB-K16/0944
cert-bund: CB-K15/1188
cert-bund: CB-K15/1082
cert-bund: CB-K15/1031
cert-bund: CB-K15/0973
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0923
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
cert-bund: CB-K15/0769
cert-bund: CB-K15/0763
cert-bund: CB-K15/0759
cert-bund: CB-K15/0703
dfn-cert: DFN-CERT-2017-2219
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1139
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1021
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0973
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0803
dfn-cert: DFN-CERT-2015-0797
dfn-cert: DFN-CERT-2015-0732
```

High (CVSS: 7.5)
NVT: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Privilege Escalation Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.5.32
Installation
path / port:       80/tcp
```

Impact
Successfully exploitation will allow an attacker to update the 'metadata' and affect on confidentiality, integrity, and availability.

Solution:
Solution type: VendorFix
Update to version 5.5.32, 5.6.18, 7.0.3 or later.

Affected Software/OS
PHP prior to version 5.5.32, 5.6.x prior to 5.6.18 and 7.x prior to 7.0.3 on Linux.

Vulnerability Insight
An error occurs in the function stream_get_meta_data of the component File Upload. The manipulation as part of a Return Value leads to a privilege escalation vulnerability (Metadata).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Privilege Escalation Vulnerability - . ↪..`
OID:1.3.6.1.4.1.25623.1.0.812512
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2016-10712
url: https://bugs.php.net/bug.php?id=71323
url: https://git.php.net/?p=php-src.git;a=commit;h=6297a117d77fa3a0df2e21ca926a9
↪2c231819cd5
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K18/0498
cert-bund: CB-K18/0350
dfn-cert: DFN-CERT-2019-1052
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2018-0537
dfn-cert: DFN-CERT-2018-0380
```

High (CVSS: 7.5)
NVT: PHP < 5.6.0 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.0
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.6.0 or later.

Affected Software/OS

PHP prior to version 5.6.0 on Linux.

Vulnerability Insight

The flaw is due an improper validation of input to zero root_storage value in a CDF file.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.6.0 DoS Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.808669

Version used: `2025-09-24T05:39:03Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2014-0236
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/90957

High (CVSS: 7.5)
NVT: PHP < 5.6.5 Multiple Vulnerabilities (Jan 2015)

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.6.5
Installation
path / port: 80/tcp

Impact
Successful exploitation will allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.6.5 or later.

Affected Software/OS
PHP versions prior to 5.6.5.

Vulnerability Insight
A free operation on a stack-based character array is performed by the apprentice_load function in libmagic/apprentice.c in the Fileinfo component.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.5 Multiple Vulnerabilities (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805413
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-9426`
`url: https://bugs.php.net/bug.php?id=68665`
`url: http://securitytracker.com/id/1031480`

High (CVSS: 7.5)
NVT: PHP < 7.2.28 Multiple Vulnerabilities (Feb 2020) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     7.2.28
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.28 or later.

Affected Software/OS
PHP versions before 7.2.28.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:

. . . continues on next page . . .

. . . continued from previous page . . .

- Null Pointer Dereference in PHP Session Upload Progress (CVE-2020-7062)
- Files added to tar with Phar::buildFromIterator have all-access permissions (CVE-2020-7063)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.28 Multiple Vulnerabilities (Feb 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143541
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7062
cve: CVE-2020-7063
url: https://www.php.net/ChangeLog-7.php#7.2.28
cert-bund: WID-SEC-2022-2119
cert-bund: CB-K20/0147
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-0787
dfn-cert: DFN-CERT-2020-0518
dfn-cert: DFN-CERT-2020-0485
dfn-cert: DFN-CERT-2020-0341
```

High (CVSS: 7.5)
NVT: PHP < 7.2.30, 7.3 < 7.3.17, 7.4 < 7.4.5 DoS Vulnerability (Apr 2020) - Linux

Product detection result
```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     7.2.30
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.30, 7.3.17, 7.4.5 or later.

Affected Software/OS
PHP versions prior 7.2.30, 7.3 prior 7.3.17 and 7.4 prior to 7.4.5.

Vulnerability Insight
If 'CHARSET_EBCDIC' is defined (usually, on systems with EBCDIC encoding support), an out-of-bounds read can occur using a malformed url-encoded string.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.30, 7.3 < 7.3.17, 7.4 < 7.4.5 DoS Vulnerability (Apr 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143722
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7067
url: https://www.php.net/ChangeLog-7.php#7.2.30
url: https://www.php.net/ChangeLog-7.php#7.3.17
url: https://www.php.net/ChangeLog-7.php#7.4.5
cert-bund: CB-K20/1199
cert-bund: CB-K20/0336
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-0851
dfn-cert: DFN-CERT-2020-0751
```

High (CVSS: 7.5)
NVT: PHP < 7.3.27, 7.4.x < 7.4.15, 8.0.x < 8.0.2 NULL Deference Vulnerability (Feb 2021) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to a NULL dereference vulnerability in the SoapClient.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     7.3.27
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.27, 7.4.15, 8.0.2 or later.

Affected Software/OS
PHP versions prior to 7.3.27, 7.4.x prior to 7.4.15 and 8.0.x prior to 8.0.2.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.27, 7.4.x < 7.4.15, 8.0.x < 8.0.2 NULL Deference Vulnerability (Feb 2.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.145323
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2021-21702
url: https://www.php.net/ChangeLog-7.php#7.3.27
url: https://www.php.net/ChangeLog-7.php#7.4.15
url: https://www.php.net/ChangeLog-8.php#8.0.2
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-2113
cert-bund: CB-K21/0124
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-0904
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-1509
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-0556
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2021-0246
```

High (CVSS: 7.5)
NVT: Apache HTTP Server 'Whitespace Defects' Multiple Vulnerabilities

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.2.32
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to conduct request smuggling, response splitting and cache pollution attacks.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.2.32 or 2.4.25 or later.

Affected Software/OS

Apache HTTP Server 2.2.x before 2.2.32 and 2.3.x through 2.4.24 prior to 2.4.25.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Multiple flaws exist because the application accepted a broad pattern of unusual whitespace patterns from the user-agent, including bare CR, FF, VTAB in parsing the request line and request header lines, as well as HTAB in parsing the request line. Any bare CR present in request lines was treated as whitespace and remained in the request field member 'the_request', while a bare CR in the request header field name would be honored as whitespace, and a bare CR in the request header field value was retained the input headers array. Implied additional whitespace was accepted in the request line and prior to the ':' delimiter of any request header lines.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'Whitespace Defects' Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.812033
Version used: `2022-09-09T10:12:35Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2016-8743`
`url: https://httpd.apache.org/security/vulnerabilities_22.html`
`url: http://www.securityfocus.com/bid/95077`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: CB-K19/0354`
`cert-bund: CB-K18/0066`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/1279`
`cert-bund: CB-K17/1163`
`cert-bund: CB-K17/0955`
`cert-bund: CB-K17/0794`
`cert-bund: CB-K17/0704`
`cert-bund: CB-K17/0659`
`cert-bund: CB-K17/0527`
`cert-bund: CB-K17/0477`
`cert-bund: CB-K17/0185`
`cert-bund: CB-K16/1995`
`dfn-cert: DFN-CERT-2018-1764`
`dfn-cert: DFN-CERT-2018-1070`
`dfn-cert: DFN-CERT-2018-0077`
`dfn-cert: DFN-CERT-2017-1925`
`dfn-cert: DFN-CERT-2017-1692`
`dfn-cert: DFN-CERT-2017-1327`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1204
dfn-cert: DFN-CERT-2017-0988
dfn-cert: DFN-CERT-2017-0814
dfn-cert: DFN-CERT-2017-0723
dfn-cert: DFN-CERT-2017-0673
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0489
dfn-cert: DFN-CERT-2017-0189
dfn-cert: DFN-CERT-2016-2108
```

High (CVSS: 7.5)
NVT: PHP <= 5.2.10 Interruptions and Calltime Arbitrary Code Execution Vulnerability

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a vulnerability that an attacker could exploit to execute arbitrary code with the privileges of the user running the affected application.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     None
Installation
path / port:       80/tcp
```

Impact

Successful exploits will compromise the application and possibly the target system.

Solution:

Solution type: WillNotFix

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS

PHP version 5.2.10 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP <= 5.2.10 Interruptions and Calltime Arbitrary Code Execution Vulnerability`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.100252
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
url: http://www.securityfocus.com/bid/35867
url: http://www.blackhat.com/presentations/bh-usa-09/ESSER/BHUSA09-Esser-PostExploitationPHP-PAPER.pdf

High (CVSS: 7.5)
NVT: PHP Multiple Buffer Overflow Vulnerabilities

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple buffer overflow vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.2.8
Installation
path / port: 80/tcp

Impact
Successful exploits may allow attackers to execute arbitrary code in the context of applications using the vulnerable PHP functions. This may result in a compromise of the underlying system. Failed attempts may lead to a denial-of-service condition.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
PHP 4.4.x prior to 4.4.9 and 5.x prior to 5.2.8.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Buffer Overflow Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.100583
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2008-3658
cve: CVE-2008-3659
url: http://www.securityfocus.com/bid/30649
url: http://www.php.net/ChangeLog-5.php#5.2.8
url: http://www.php.net/archive/2008.php#id2008-08-07-1
url: http://support.avaya.com/elmodocs2/security/ASA-2009-161.htm
dfn-cert: DFN-CERT-2009-1497
```

High (CVSS: 7.5)
NVT: PHP Multiple Heap Buffer Overflow and Information Disclosure Vulnerabilities (Aug 2018) - Linux

Product detection result
```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to multiple heap buffer overflow and information disclosure vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.6.37
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow attackers to cause heap overflow, denial of service and disclose sensitive information.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 5.6.37, 7.0.31, 7.1.20 or 7.2.8 or later.

Affected Software/OS
PHP prior to version 5.6.37, 7.x prior to 7.0.31, 7.1.x prior to 7.1.20 and 7.2.x prior to 7.2.8.

Vulnerability Insight
The following flaws exist:
- CVE-2018-14851: exif_process_IFD_in_MAKERNOTE function in exif.c file suffers from improper validation against crafted JPEG files.
- CVE-2018-14883: exif_thumbnail_extract function in exif.c file suffers from improper validation of length of 'ImageInfo->Thumbnail.offset + ImageInfo->Thumbnail.size'
- CVE-2018-15132: linkinfo function on windows doesn't implement openbasedir check.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Heap Buffer Overflow and Information Disclosure Vulnerabilities (A.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.813901
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2018-14851
cve: CVE-2018-14883
cve: CVE-2018-15132
url: https://access.redhat.com/security/cve/cve-2018-14851
url: https://bugs.php.net/bug.php?id=76557
url: https://bugs.php.net/bug.php?id=76423
url: https://bugs.php.net/bug.php?id=76459
cert-bund: WID-SEC-2022-2130
cert-bund: CB-K18/0838
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-2116
dfn-cert: DFN-CERT-2018-1882
dfn-cert: DFN-CERT-2018-1835
dfn-cert: DFN-CERT-2018-1834
dfn-cert: DFN-CERT-2018-1777
dfn-cert: DFN-CERT-2018-1655
```

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities (Sep 2009)

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.11
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow attackers to spoof certificates and can cause unknown impacts in the context of the web application.

Solution:
Solution type: VendorFix
Update to version 5.2.11 or later.

Affected Software/OS
PHP prior to version 5.2.11.

Vulnerability Insight
The following flaws exist:
- An error in 'php_openssl_apply_verification_policy' function that does not properly perform certificate validation
- An input validation error in the processing of 'exif' data
- An unspecified error related to the sanity check for the color index in the 'imagecolortransparent' function

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Vulnerabilities (Sep 2009)`
OID:1.3.6.1.4.1.25623.1.0.900871
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2009-3291
cve: CVE-2009-3292
cve: CVE-2009-3293
cve: CVE-2009-5016
url: http://secunia.com/advisories/36791
url: http://www.securityfocus.com/bid/36449
url: http://www.php.net/releases/5_2_11.php
url: http://www.php.net/ChangeLog-5.php#5.2.11
url: http://www.openwall.com/lists/oss-security/2009/09/20/1
dfn-cert: DFN-CERT-2011-0148
dfn-cert: DFN-CERT-2010-1620
dfn-cert: DFN-CERT-2010-0802
dfn-cert: DFN-CERT-2010-0060
dfn-cert: DFN-CERT-2009-1726
dfn-cert: DFN-CERT-2009-1652
dfn-cert: DFN-CERT-2009-1639
dfn-cert: DFN-CERT-2009-1508
dfn-cert: DFN-CERT-2009-1490
dfn-cert: DFN-CERT-2009-1487
dfn-cert: DFN-CERT-2009-1376
dfn-cert: DFN-CERT-2009-1375
dfn-cert: DFN-CERT-2009-1374
```

High (CVSS: 7.5)
NVT: PHP Security Bypass and File Writing Vulnerabilities (Dec 2008)

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a security bypass and a file writing vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.7
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successful exploitation could allow remote attackers to write arbitrary file, bypass security restrictions and cause directory traversal attacks.

Solution:
Solution type: VendorFix
Update to version 5.2.7 or later.

Affected Software/OS
PHP versions 5.x prior to 5.2.7.

Vulnerability Insight
The following flaws exist:
- CVE-2008-5624: Error in initialization of 'page_uid' and 'page_gid' global variables for use by the SAPI 'php_getuid' function, which bypass the safe_mode restrictions.
- CVE-2008-5625: 'error_log' safe_mode restrictions are not enforced when 'safe_mode' is enabled through a 'php_admin_flag' setting in 'httpd.conf' file.
- CVE-2008-5658: Directory traversal vulnerability in 'ZipArchive::extractTo' function which allows attacker to write files via a ZIP file.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Security Bypass and File Writing Vulnerabilities (Dec 2008)`
OID:1.3.6.1.4.1.25623.1.0.900184
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2008-5624`
`cve: CVE-2008-5625`
`cve: CVE-2008-5658`
`url: http://www.php.net/ChangeLog-5.php#5.2.7`
`url: http://www.securityfocus.com/bid/32383`
`url: http://www.securityfocus.com/bid/32625`
`url: http://www.securityfocus.com/bid/32688`
`url: http://www.php.net/archive/2008.php#id2008-12-07-1`
`url: http://www.securityfocus.com/archive/1/archive/1/498985/100/0/threaded`
`dfn-cert: DFN-CERT-2010-0263`
`dfn-cert: DFN-CERT-2009-1497`

High (CVSS: 7.5)
NVT: PHP < 8.1.33, 8.2.x < 8.2.29, 8.3.x < 8.3.23, 8.4.x < 8.4.10 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     8.1.33
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.33, 8.2.29, 8.3.23, 8.4.10 or later.

Affected Software/OS
PHP versions prior to 8.1.33, 8.2.x prior to 8.2.29, 8.3.x prior to 8.3.23 and 8.4.x prior to 8.4.10.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2025-1220: Null byte termination in hostnames
- CVE-2025-1735: pgsql extension does not check for errors during escaping
- CVE-2025-6491: NULL pointer dereference in PHP SOAP extension via large XML namespace prefix

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.33, 8.2.x < 8.2.29, 8.3.x < 8.3.23, 8.4.x < 8.4.10 Multiple Vulnerabi.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.154869
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2025-1220
cve: CVE-2025-1735
cve: CVE-2025-6491
url: https://www.php.net/ChangeLog-8.php#8.1.33
url: https://www.php.net/ChangeLog-8.php#8.2.29
url: https://www.php.net/ChangeLog-8.php#8.3.23
url: https://www.php.net/ChangeLog-8.php#8.4.10
url: https://github.com/php/php-src/security/advisories/GHSA-3cr5-j632-f35r
url: https://github.com/php/php-src/security/advisories/GHSA-hrwm-9436-5mv3
url: https://github.com/php/php-src/security/advisories/GHSA-453j-q27h-5p8x
cert-bund: WID-SEC-2025-1460
dfn-cert: DFN-CERT-2025-1785
```

High (CVSS: 7.5)
NVT: phpMyAdmin 'CVE-2009-1285' Configuration File PHP Code Injection Vulnerability

Summary

According to its version number, the remote version of phpMyAdmin is prone to a remote PHP code-injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.1.1
Fixed version:     See references
```

Impact

An attacker can exploit this issue to inject and execute arbitrary malicious PHP code in the context of the webserver process. This may facilitate a compromise of the application and the underlying system. Other attacks are also possible.

Solution:

Solution type: VendorFix

Vendor updates are available.

Affected Software/OS

phpMyAdmin 3.x versions prior to 3.1.3.2 are vulnerable.

Vulnerability Detection Method

Details: `phpMyAdmin 'CVE-2009-1285' Configuration File PHP Code Injection Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100144
Version used: `2024-03-01T14:37:10Z`

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2009-1285
url: http://www.securityfocus.com/bid/34526
```

High (CVSS: 7.5)
NVT: phpMyAdmin < 4.9.10, 5.x < 5.1.3 Information Disclosure Vulnerability - Linux

Summary
phpMyAdmin is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.1.1
Fixed version:     4.9.10
Installation
path / port:       /phpMyAdmin
```

Solution:
Solution type: VendorFix
Update to version 4.9.10, 5.1.3 or later.

Affected Software/OS
phpMyAdmin prior to version 4.9.10 and version 5.x through 5.1.2.

Vulnerability Insight
The issue could allow users to cause an error that would reveal the path on disk where phpMyAdmin is running from. This requires the server to be running with display_errors on, which is not the recommended setting for a production environment.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.10, 5.x < 5.1.3 Information Disclosure Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.147786
Version used: `2023-10-17T05:05:34Z`

References

```
cve: CVE-2022-0813
url: https://www.phpmyadmin.net/news/2022/2/11/phpmyadmin-4910-and-513-are-relea
↪sed/
url: https://www.incibe-cert.es/en/early-warning/security-advisories/phpmyadmin-
↪exposure-sensitive-information
cert-bund: WID-SEC-2023-3005
cert-bund: CB-K22/0304
dfn-cert: DFN-CERT-2023-0379
dfn-cert: DFN-CERT-2022-0570
```

High (CVSS: 7.5)
NVT: phpMyAdmin BLOB Streaming Multiple Input Validation Vulnerabilities

Summary
phpMyAdmin is prone to multiple input-validation vulnerabilities, including an HTTP response-splitting vulnerability and a local file-include vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.1.1
Fixed version:     3.1.3.1
```

Impact
These issues can be leveraged to view or execute arbitrary local scripts, or misrepresent how web content is served, cached, or interpreted. This could aid in various attacks that try to entice client users into a false sense of trust. Other attacks are also possible.

Solution:
Solution type: VendorFix
Update to version 3.1.3.1 or later.

Affected Software/OS
Versions prior to phpMyAdmin 3.1.3.1 are vulnerable.

Vulnerability Detection Method
Details: `phpMyAdmin BLOB Streaming Multiple Input Validation Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.100078
Version used: `2024-03-01T14:37:10Z`

References
```
cve: CVE-2009-1148
cve: CVE-2009-1149
url: http://www.securityfocus.com/bid/34253
```

High (CVSS: 7.5)
NVT: phpMyAdmin Unspecified SQL Injection and Cross Site Scripting Vulnerabilities

Summary
phpMyAdmin is prone to SQL-injection and cross-site scripting vulnerabilities because it fails to sufficiently sanitize user-supplied data.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.1.1
```

. . . continues on next page . . .

. . . continued from previous page . . .

Fixed version: See references

Impact
Exploiting these issues could allow an attacker to steal cookie- based authentication credentials, compromise the application, access or modify data, or exploit latent vulnerabilities in the underlying database.

Solution:
Solution type: VendorFix
Vendor updates are available. Please see the references for details.

Affected Software/OS
Versions prior to phpMyAdmin 2.11.9.6 and 3.2.2.1 are affected.

Vulnerability Detection Method
Details: phpMyAdmin Unspecified SQL Injection and Cross Site Scripting Vulnerabilities
OID:1.3.6.1.4.1.25623.1.0.100307
Version used: 2024-03-01T14:37:10Z

References
cve: CVE-2009-3696
cve: CVE-2009-3697
url: http://www.securityfocus.com/bid/36658
url: http://freshmeat.net/projects/phpmyadmin/releases/306669
url: http://freshmeat.net/projects/phpmyadmin/releases/306667
dfn-cert: DFN-CERT-2009-1508
dfn-cert: DFN-CERT-2009-1503
dfn-cert: DFN-CERT-2009-1463

High (CVSS: 7.5)
NVT: Test HTTP dangerous methods

Summary
Misconfigured web servers allows remote clients to perform dangerous HTTP methods such as PUT and DELETE.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
We could upload the following files via the PUT method at this web server:
http://metasploitable2.trabalho_vulnnet/dav/puttest1002764699.html
We could delete the following files via the DELETE method at this web server:
http://metasploitable2.trabalho_vulnnet/dav/puttest1002764699.html

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

- Enabled PUT method: This might allow an attacker to upload and run arbitrary code on this web server.
- Enabled DELETE method: This might allow an attacker to delete additional files on this web server.

Solution:
Solution type: Mitigation
Use access restrictions to these dangerous HTTP methods or disable them completely.

Affected Software/OS
Web servers with enabled PUT and/or DELETE methods.

Vulnerability Detection Method
Checks if dangerous HTTP methods such as PUT and DELETE are enabled and can be misused to upload or delete files.
Details: `Test HTTP dangerous methods`
OID:1.3.6.1.4.1.25623.1.0.10498
Version used: `2023-08-01T13:29:10Z`

References
`url: http://www.securityfocus.com/bid/12141`
`owasp: OWASP-CM-001`

High (CVSS: 7.5)
NVT: PHP Out of Bounds Read Vulnerability (Jan 2015)

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an out of bounds read vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.4.37
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to obtain sensitive information and trigger unexpected code execution.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.4.37 or 5.5.21 or 5.6.5 or later.

Affected Software/OS
PHP versions through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4.

Vulnerability Insight
An out of bounds read error exists in sapi/cgi/cgi_main.c in the CGI component in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Out of Bounds Read Vulnerability (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805414
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2014-9427`
`url: https://bugs.php.net/bug.php?id=68618`
`url: http://www.securityfocus.com/bid/71833`
`cert-bund: CB-K15/1437`
`cert-bund: CB-K15/0757`
`cert-bund: CB-K15/0215`
`cert-bund: CB-K15/0207`
`cert-bund: CB-K15/0095`
`dfn-cert: DFN-CERT-2015-1514`
`dfn-cert: DFN-CERT-2015-0794`
`dfn-cert: DFN-CERT-2015-0223`
`dfn-cert: DFN-CERT-2015-0212`
`dfn-cert: DFN-CERT-2015-0093`

High (CVSS: 7.5)
NVT: PHP < 5.6.31 DoS Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.31
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers inject XML for deserialization to crash the PHP interpreter.

Solution:
Solution type: VendorFix
Update to version 5.6.31 or later.

Affected Software/OS
PHP prior to version 5.6.31.

Vulnerability Insight
The flaw exists due to an invalid free error for an empty boolean element in ext/wddx/wddx.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.31 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.811490
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2017-11143
url: http://www.php.net/ChangeLog-5.php
cert-bund: CB-K18/0048
cert-bund: CB-K17/1461
cert-bund: CB-K17/1358
cert-bund: CB-K17/1132
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1161
```

High (CVSS: 7.5)
NVT: PHP < 5.6.12 Multiple DoS Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.12
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (application crash or memory consuption).

Solution:

Solution type: VendorFix

Update to version 5.6.12 or later.

Affected Software/OS

PHP prior to version 5.6.12 on Linux.

Vulnerability Insight

The following flaws exist:

- Improper handling of driver behavior for SQL_WVARCHAR columns in the 'odbc_bindcols function' in 'ext/odbc/php_odbc.c' script.

- The 'gdImageScaleTwoPass' function in gd_interpolation.c script in the GD Graphics Library uses inconsistent allocate and free approaches.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: PHP < 5.6.12 Multiple DoS Vulnerabilities - Linux
OID:1.3.6.1.4.1.25623.1.0.808611
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-8874
cve: CVE-2015-8877
cve: CVE-2015-8879
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/90866
url: http://www.securityfocus.com/bid/90842
url: http://www.securityfocus.com/bid/90714
cert-bund: CB-K17/1252
cert-bund: CB-K16/1776
cert-bund: CB-K16/0975
cert-bund: CB-K16/0965
cert-bund: CB-K16/0944
cert-bund: CB-K16/0937
cert-bund: CB-K16/0912
cert-bund: CB-K16/0911
cert-bund: CB-K16/0868
cert-bund: CB-K16/0805
cert-bund: CB-K16/0801
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1033
dfn-cert: DFN-CERT-2016-1022
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0996
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0876
dfn-cert: DFN-CERT-2016-0871
dfn-cert: DFN-CERT-2016-0857
dfn-cert: DFN-CERT-2016-0855

High (CVSS: 7.5)
NVT: PHP < 5.5.24, 5.6.x < 5.6.8 DoS Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.5.24
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.5.24, 5.6.8 or later.

Affected Software/OS
PHP versions 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.

Vulnerability Insight
An use-after-free vulnerability occurs in the '_zend_shared_memdup' function in 'zend_shared_alloc.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.24, 5.6.x < 5.6.8 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.805687
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2015-1351
url: http://bugzilla.redhat.com/show_bug.cgi?id=1185900
url: http://www.securityfocus.com/bid/71929
url: http://openwall.com/lists/oss-security/2015/01/24/9
cert-bund: CB-K15/1437
cert-bund: CB-K15/0757
cert-bund: CB-K15/0552
cert-bund: CB-K15/0459
cert-bund: CB-K15/0207
dfn-cert: DFN-CERT-2019-1354
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0579
dfn-cert: DFN-CERT-2015-0487
dfn-cert: DFN-CERT-2015-0212
```

High (CVSS: 7.5)
NVT: PHP < 5.5.21, 5.6.x < 5.6.5 Multiple DoS Vulnerabilities (Jan 2015)

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.5.21
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause a denial of service or possibly have unspecified other impact.

Solution:

Solution type: VendorFix

Update to PHP version 5.5.21, 5.6.5 or later.

Affected Software/OS

PHP version 5.5.20 and prior and 5.6.x through 5.6.4

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The following flaws exist:
- CVE-2014-9425: Double free error in the 'zend_ts_hash_graceful_destroy' function in 'zend_ts_hash.c script in the Zend Engine.
- CVE-2014-9709: Improper handling of GIF images in the gdImageCreateFromGif function used in the GetCode_ from 'gd_gif_in.c' script in GD Graphics Library (LibGD).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.21, 5.6.x < 5.6.5 Multiple DoS Vulnerabilities (Jan 2015)`
OID:1.3.6.1.4.1.25623.1.0.805412
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2014-9425
cve: CVE-2014-9709
url: http://securitytracker.com/id/1031479
url: http://www.securityfocus.com/bid/71800
url: http://www.securityfocus.com/bid/73306
url: https://bugs.php.net/bug.php?id=68676
cert-bund: WID-SEC-2023-0069
cert-bund: CB-K17/1176
cert-bund: CB-K16/0944
cert-bund: CB-K15/1437
cert-bund: CB-K15/0966
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0482
cert-bund: CB-K15/0454
cert-bund: CB-K15/0420
dfn-cert: DFN-CERT-2023-0071
dfn-cert: DFN-CERT-2017-1209
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0876
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0900
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0473
dfn-cert: DFN-CERT-2015-0442
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an out-of-bounds read vulnerability in mod_macro.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.4.58
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.58 or later.

Affected Software/OS

Apache HTTP Server version 2.4.57 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.100272
Version used: `2024-02-15T05:05:40Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2023-31122
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.58
url: https://www.openwall.com/lists/oss-security/2023/10/19/4
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0899
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2024-0107
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2712
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2024-0732
dfn-cert: DFN-CERT-2023-2640
dfn-cert: DFN-CERT-2023-2583
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.4.59
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.59 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server version 2.4.58 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2023-38709: HTTP response splitting
- CVE-2024-24795: HTTP response splitting in multiple modules
- CVE-2024-27316: HTTP/2 DoS by memory exhaustion on endless continuation frames

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.152039
Version used: `2024-06-07T05:05:42Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2023-38709
cve: CVE-2024-24795
cve: CVE-2024-27316
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.59
url: https://kb.cert.org/vuls/id/421644
url: https://nowotarski.info/http2-continuation-flood/
url: https://nowotarski.info/http2-continuation-flood-technical-details/
cert-bund: WID-SEC-2025-1529
cert-bund: WID-SEC-2024-1725
cert-bund: WID-SEC-2024-1643
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1504
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0801
cert-bund: WID-SEC-2024-0789
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-2658
dfn-cert: DFN-CERT-2025-2657
dfn-cert: DFN-CERT-2024-2900
dfn-cert: DFN-CERT-2024-2534
dfn-cert: DFN-CERT-2024-2076
dfn-cert: DFN-CERT-2024-1958
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1749
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1697
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1335
dfn-cert: DFN-CERT-2024-1238
dfn-cert: DFN-CERT-2024-1031
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-0964
dfn-cert: DFN-CERT-2024-0901
dfn-cert: DFN-CERT-2024-0890
```

High (CVSS: 7.5)
NVT: PHP < 5.6.32, 7.x < 7.0.24, 7.1.x < 7.1.11 Heap Based Buffer Overflow Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a heap buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.32
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow attacker to execute arbitrary code with elevated privileges within the context of a privileged process.

Solution:
Solution type: VendorFix
Update to version 5.6.32, 7.0.25, 7.1.11 or later.

Affected Software/OS
PHP prior to version 5.6.32, 7.x prior to 7.0.25 and 7.1.x prior to 7.1.11.

Vulnerability Insight
The flaw exists due to an error in the date extension's 'timelib_meridian' handling of 'front of' and 'back of' directives.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.32, 7.x < 7.0.24, 7.1.x < 7.1.11 Heap Based Buffer Overflow Vulnerabi.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.812073
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2017-16642
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/101745
url: http://php.net/ChangeLog-7.php
url: https://bugs.php.net/bug.php?id=75055
cert-bund: CB-K18/0270
cert-bund: CB-K18/0048
cert-bund: CB-K17/2123
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0290
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-2219
```

High (CVSS: 7.3)
NVT: PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 RCE Vulnerability (Mar 2016) - Linux

Product detection result
```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.4.45
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Impact
Successfully exploiting this issue allow remote attackers to execute arbitrary code in the context of the user running the affected application. Failed exploit attempts will likely cause a denial-of-service condition.

Solution:
Solution type: VendorFix
Update to version 5.4.45, 5.5.29, 5.6.13 or later.

Affected Software/OS
PHP prior to version 5.4.45, 5.5.x prior to 5.5.29 and 5.6.x prior to 5.6.13 on Linux.

Vulnerability Insight
The flaw is due to 'SoapClient __call' method in 'ext/soap/soap.c' script does not properly manage headers.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 RCE Vulnerability (Mar 2016) - Lin.
↪..
OID:1.3.6.1.4.1.25623.1.0.807505
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2015-6836
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/76644
url: https://bugs.php.net/bug.php?id=70388
cert-bund: WID-SEC-2025-1425
cert-bund: CB-K16/0944
cert-bund: CB-K16/0422
cert-bund: CB-K15/1571
cert-bund: CB-K15/1561
cert-bund: CB-K15/1478
cert-bund: CB-K15/1439
cert-bund: CB-K15/1415
cert-bund: CB-K15/1337
dfn-cert: DFN-CERT-2016-1004

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1658
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1556
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1493
dfn-cert: DFN-CERT-2015-1407
```

High (CVSS: 7.1)
NVT: Apache HTTP Server 'mod_deflate' Denial Of Service Vulnerability (Jul 2009)

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a Denial of Service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.2.12
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause Denial of Service to the legitimate user by CPU consumption.

Solution:

Solution type: VendorFix

Update to version 2.2.12 or later.

Affected Software/OS

Apache HTTP Server version 2.2.11 and prior.

Vulnerability Insight

The flaw is due to error in 'mod_deflate' module which can cause a high CPU load by requesting large files which are compressed and then disconnecting.

Vulnerability Detection Method

Details: `Apache HTTP Server 'mod_deflate' Denial Of Service Vulnerability (Jul 2009)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.800837
Version used: 2024-02-19T05:05:57Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.2.8
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2009-1891
url: http://secunia.com/advisories/35781
url: http://www.securityfocus.com/bid/35623
url: http://www.vupen.com/english/advisories/2009/1841
url: https://rhn.redhat.com/errata/RHSA-2009-1148.html
url: https://bugzilla.redhat.com/show_bug.cgi?id=509125
dfn-cert: DFN-CERT-2011-0700
dfn-cert: DFN-CERT-2010-1665
dfn-cert: DFN-CERT-2010-1647
dfn-cert: DFN-CERT-2009-1725
dfn-cert: DFN-CERT-2009-1602
dfn-cert: DFN-CERT-2009-1507
dfn-cert: DFN-CERT-2009-1225
dfn-cert: DFN-CERT-2009-1101

High (CVSS: 7.1)
NVT: Apache HTTP Server 'mod_proxy_http.c' Denial Of Service Vulnerability

Product detection result
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a Denial of Service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.2.8
Fixed version: 2.3.3
Installation
path / port: 80/tcp

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successful exploitation will allow remote attackers to cause Denial of Service to the legitimate user by CPU consumption.

Solution:
Solution type: VendorFix
Update to version 2.3.3 or later.

Affected Software/OS
Apache HTTP Server version prior to 2.3.3.

Vulnerability Insight
The flaw is due to error in 'stream_reqbody_cl' function in 'mod_proxy_http.c' in the mod_proxy module. When a reverse proxy is configured, it does not properly handle an amount of streamed data that exceeds the Content-Length value via crafted requests.

Vulnerability Detection Method
Details: `Apache HTTP Server 'mod_proxy_http.c' Denial Of Service Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.800827
Version used: `2022-05-09T13:48:18Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2009-1890
url: http://secunia.com/advisories/35691
url: http://www.securityfocus.com/bid/35565
url: http://www.vupen.com/english/advisories/2009/1773
url: http://svn.apache.org/viewvc/httpd/httpd/trunk/CHANGES?r1=790587&r2=790586&
↪pathrev=790587
dfn-cert: DFN-CERT-2010-1665
dfn-cert: DFN-CERT-2010-1647
dfn-cert: DFN-CERT-2009-1725
dfn-cert: DFN-CERT-2009-1507
dfn-cert: DFN-CERT-2009-1225
```

High (CVSS: 7.1)
NVT: PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12, 7.x < 7.0.4 DoS and Information Disclosure Vulnerability - Linux

Product detection result
`cpe:/a:php:php:5.2.4`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a denial of service (DoS) and an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.4.44
Installation
path / port:       80/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to obtain sensitive information from process memory or cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 5.4.44, 5.5.28, 5.6.12, 7.0.4 or later.

Affected Software/OS
PHP prior to version 5.4.44, 5.5.x prior to 5.5.28, 5.6.x prior to 5.6.12 and 7.x prior to 7.0.4.

Vulnerability Insight
The flaw is due an error in the 'make_http_soap_request' function of the 'ext/soap/php_http.c' script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12, 7.x < 7.0.4 DoS and Information D.
↪..
OID:1.3.6.1.4.1.25623.1.0.808666
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2016-3185
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/ChangeLog-7.php

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0623
cert-bund: CB-K16/0614
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
```

[return to 172.30.1.1]

2.1.19 High 3306/tcp

High (CVSS: 8.5)
NVT: MySQL 'sql_parse.cc' Multiple Format String Vulnerabilities

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MySQL is prone to Multiple Format String vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Vulnerable range:  4.0 - 5.0.83
```

Impact

Successful exploitation could allow remote authenticated users to cause a Denial of Service and possibly have unspecified other attacks.

Solution:

Solution type: VendorFix

Upgrade to MySQL version 5.1.36 or later.

Affected Software/OS

MySQL version 4.0.0 to 5.0.83 on all running platform.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The flaws are due to error in the 'dispatch_command' function in sql_parse.cc in libmysqld/ which can caused via format string specifiers in a database name in a 'COM_CREATE_DB' or 'COM_DROP_DB' request.

Vulnerability Detection Method
Details: `MySQL 'sql_parse.cc' Multiple Format String Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.800842
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2009-2446
url: http://secunia.com/advisories/35767
url: http://www.securityfocus.com/bid/35609
url: http://xforce.iss.net/xforce/xfdb/51614
url: http://www.securityfocus.com/archive/1/archive/1/504799/100/0/threaded
dfn-cert: DFN-CERT-2010-0232
dfn-cert: DFN-CERT-2009-1769
dfn-cert: DFN-CERT-2009-1728
dfn-cert: DFN-CERT-2009-1340
dfn-cert: DFN-CERT-2009-1243
dfn-cert: DFN-CERT-2009-1235
dfn-cert: DFN-CERT-2009-1231
```

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.5.49 / 5.6 <= 5.6.30 / 5.7 <= 5.7.12 Security Update (cpujul2016) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 5.0.51a`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      See the referenced vendor advisory
Installation
path / port:        3306/tcp
```

Impact
Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Oracle MySQL Server versions 5.5.49 and prior, 5.6 through 5.6.30 and 5.7 through 5.7.12.

Vulnerability Insight
Multiple unspecified errors exist in the 'MySQL Server' component via unknown vectors.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.49 / 5.6 <= 5.6.30 / 5.7 <= 5.7.12 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.808595
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2016-3477
cve: CVE-2016-3521
cve: CVE-2016-3615
cve: CVE-2016-5440
url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMSQL
url: http://www.securityfocus.com/bid/91902
url: http://www.securityfocus.com/bid/91932
url: http://www.securityfocus.com/bid/91960
url: http://www.securityfocus.com/bid/91953
advisory-id: cpujul2016
cert-bund: CB-K16/1755
cert-bund: CB-K16/1742
cert-bund: CB-K16/1448
cert-bund: CB-K16/1146
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/1122
cert-bund: CB-K16/1100
dfn-cert: DFN-CERT-2016-1859
dfn-cert: DFN-CERT-2016-1849
dfn-cert: DFN-CERT-2016-1540
dfn-cert: DFN-CERT-2016-1217
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-1169
```

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.35
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.35, 8.0.26 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.34 and prior and 8.0 through 8.0.25.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Li.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.146354

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

cve: CVE-2021-22901
cve: CVE-2019-17543
cve: CVE-2021-2389
cve: CVE-2021-2390
cve: CVE-2021-2356
cve: CVE-2021-2385
cve: CVE-2021-2342
cve: CVE-2021-2372
cve: CVE-2021-22897
cve: CVE-2021-22898
url: https://www.oracle.com/security-alerts/cpujul2021.html#AppendixMSQL
advisory-id: cpujul2021
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-2364
cert-bund: WID-SEC-2025-1905
cert-bund: WID-SEC-2025-1550
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1963
cert-bund: WID-SEC-2022-0873
cert-bund: CB-K22/0044
cert-bund: CB-K21/0813
cert-bund: CB-K21/0770
dfn-cert: DFN-CERT-2025-2944
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2369
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-1743

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-1677
dfn-cert: DFN-CERT-2021-1593
dfn-cert: DFN-CERT-2021-1580
dfn-cert: DFN-CERT-2021-1537
dfn-cert: DFN-CERT-2021-1329
dfn-cert: DFN-CERT-2021-1174
dfn-cert: DFN-CERT-2021-1165
dfn-cert: DFN-CERT-2021-1157
dfn-cert: DFN-CERT-2021-1151
dfn-cert: DFN-CERT-2021-1148
dfn-cert: DFN-CERT-2021-1045
dfn-cert: DFN-CERT-2019-2216
```

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.39
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.39, 8.0.30 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.38 and prior and 8.0 through 8.0.29.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Li.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.148510

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-1292
cve: CVE-2022-27778
cve: CVE-2018-25032
cve: CVE-2022-21515
url: https://www.oracle.com/security-alerts/cpujul2022.html#AppendixMSQL
advisory-id: cpujul2022
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2723
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1784
cert-bund: WID-SEC-2023-1542
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-0141
cert-bund: WID-SEC-2023-0132
cert-bund: WID-SEC-2022-1775
cert-bund: WID-SEC-2022-1772
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1438
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1245
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1068
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0833
cert-bund: WID-SEC-2022-0826
cert-bund: WID-SEC-2022-0767
cert-bund: WID-SEC-2022-0755
cert-bund: WID-SEC-2022-0736
cert-bund: WID-SEC-2022-0735
cert-bund: WID-SEC-2022-0677
cert-bund: WID-SEC-2022-0554

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0277
cert-bund: WID-SEC-2022-0071
cert-bund: WID-SEC-2022-0005
cert-bund: CB-K22/0619
cert-bund: CB-K22/0570
cert-bund: CB-K22/0536
cert-bund: CB-K22/0386
dfn-cert: DFN-CERT-2024-2686
dfn-cert: DFN-CERT-2024-2451
dfn-cert: DFN-CERT-2024-0998
dfn-cert: DFN-CERT-2024-0790
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-3028
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-2600
dfn-cert: DFN-CERT-2023-2599
dfn-cert: DFN-CERT-2023-2571
dfn-cert: DFN-CERT-2023-0553
dfn-cert: DFN-CERT-2023-0430
dfn-cert: DFN-CERT-2023-0372
dfn-cert: DFN-CERT-2023-0121
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2023-0100
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-2309
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2268
dfn-cert: DFN-CERT-2022-2254
dfn-cert: DFN-CERT-2022-2150
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2066
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1905
dfn-cert: DFN-CERT-2022-1875
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1646
dfn-cert: DFN-CERT-2022-1614
dfn-cert: DFN-CERT-2022-1609
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1520
dfn-cert: DFN-CERT-2022-1476
dfn-cert: DFN-CERT-2022-1425
dfn-cert: DFN-CERT-2022-1310
dfn-cert: DFN-CERT-2022-1304
dfn-cert: DFN-CERT-2022-1267
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1103
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-1076
dfn-cert: DFN-CERT-2022-1054
dfn-cert: DFN-CERT-2022-1049
dfn-cert: DFN-CERT-2022-0986
dfn-cert: DFN-CERT-2022-0768
dfn-cert: DFN-CERT-2022-0716
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.5.39 / 5.6 <= 5.6.20 Security Update (cpuoct2014) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.5.40
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow attackers to disclose potentially sensitive information, gain escalated privileges, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 5.5.40, 5.6.21 or later.

Affected Software/OS
Oracle MySQL Server versions 5.5.39 and prior and 5.6 through 5.6.20.

Vulnerability Insight
Unspecified errors in the MySQL Server component via unknown vectors related to C API SSL CERTIFICATE HANDLING, SERVER:DML, SERVER:SSL:yaSSL, SERVER:OPTIMIZER, SERVER:INNODB DML FOREIGN KEYS.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.39 / 5.6 <= 5.6.20 Security Update (cpuoct2014) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.808144
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2014-6507`
`cve: CVE-2014-6491`
`cve: CVE-2014-6500`
`cve: CVE-2014-6469`
`cve: CVE-2014-6555`
`cve: CVE-2014-6559`
`cve: CVE-2014-6494`
`cve: CVE-2014-6496`
`cve: CVE-2014-6464`
`url: https://www.oracle.com/security-alerts/cpuoct2014.html#AppendixMSQL`
`url: http://www.securityfocus.com/bid/70444`
`url: http://www.securityfocus.com/bid/70446`
`url: http://www.securityfocus.com/bid/70451`
`url: http://www.securityfocus.com/bid/70469`
`url: http://www.securityfocus.com/bid/70478`
`url: http://www.securityfocus.com/bid/70487`
`url: http://www.securityfocus.com/bid/70497`
`url: http://www.securityfocus.com/bid/70530`
`url: http://www.securityfocus.com/bid/70550`
`advisory-id: cpuoct2014`
`cert-bund: CB-K15/1518`
`cert-bund: CB-K15/0964`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0567
cert-bund: CB-K15/0415
cert-bund: CB-K14/1482
cert-bund: CB-K14/1420
cert-bund: CB-K14/1299
dfn-cert: DFN-CERT-2015-1604
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-0593
dfn-cert: DFN-CERT-2015-0427
dfn-cert: DFN-CERT-2014-1567
dfn-cert: DFN-CERT-2014-1500
dfn-cert: DFN-CERT-2014-1357
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.5.45 / 5.6 <= 5.6.26 Security Update (cpujul2016) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.45 and prior and 5.6 through 5.6.26.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

An unspecified error exists in the 'MySQL Server' component via unknown vectors related to the 'Option' sub-component.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.45 / 5.6 <= 5.6.26 Security Update (cpujul2016) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.808599
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2016-3471`
`url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMSQL`
`url: http://www.securityfocus.com/bid/91913`
`advisory-id: cpujul2016`
`cert-bund: CB-K16/1122`
`cert-bund: CB-K16/1100`
`dfn-cert: DFN-CERT-2016-1192`
`dfn-cert: DFN-CERT-2016-1169`

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.0.51a
Fixed version:     5.7.38
Installation
path / port:       3306/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.7.38, 8.0.29 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.37 and prior and 8.0 through 8.0.28.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.113943
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2022-0778`
`cve: CVE-2022-21454`
`cve: CVE-2022-21417`
`cve: CVE-2022-21427`
`cve: CVE-2022-21451`
`cve: CVE-2022-21444`
`cve: CVE-2022-21460`
`url: https://www.oracle.com/security-alerts/cpuapr2022.html#AppendixMSQL`
`advisory-id: cpuapr2022`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2024-2086`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2024-1186`
`cert-bund: WID-SEC-2024-0794`
`cert-bund: WID-SEC-2023-1969`
`cert-bund: WID-SEC-2022-1335`
`cert-bund: WID-SEC-2022-1228`
`cert-bund: WID-SEC-2022-1081`
`cert-bund: WID-SEC-2022-1057`
`cert-bund: WID-SEC-2022-0836`
`cert-bund: WID-SEC-2022-0833`
`cert-bund: WID-SEC-2022-0826`
`cert-bund: WID-SEC-2022-0767`
`cert-bund: WID-SEC-2022-0677`
`cert-bund: WID-SEC-2022-0551`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-0530
cert-bund: WID-SEC-2022-0515
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0270
cert-bund: WID-SEC-2022-0261
cert-bund: WID-SEC-2022-0200
cert-bund: WID-SEC-2022-0190
cert-bund: WID-SEC-2022-0169
cert-bund: WID-SEC-2022-0065
cert-bund: CB-K22/0619
cert-bund: CB-K22/0470
cert-bund: CB-K22/0468
cert-bund: CB-K22/0321
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-0081
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2268
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1469
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1294
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1205
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-0955
dfn-cert: DFN-CERT-2022-0902
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0873
dfn-cert: DFN-CERT-2022-0866
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0779
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0759
dfn-cert: DFN-CERT-2022-0627
dfn-cert: DFN-CERT-2022-0625
dfn-cert: DFN-CERT-2022-0610
dfn-cert: DFN-CERT-2022-0603
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.37
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.37, 8.0.28 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Li.`
↪..

OID:1.3.6.1.4.1.25623.1.0.147464

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

. . . continues on next page . . .

. . . continued from previous page . . .

References

cve: CVE-2021-22946
cve: CVE-2022-21367
cve: CVE-2022-21270
cve: CVE-2022-21304
cve: CVE-2022-21344
cve: CVE-2022-21303
cve: CVE-2022-21245
cve: CVE-2021-22947
url: https://www.oracle.com/security-alerts/cpujan2022.html#AppendixMSQL
advisory-id: cpujan2022
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1056
cert-bund: WID-SEC-2022-0875
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0101
cert-bund: CB-K22/0316
cert-bund: CB-K22/0077
cert-bund: CB-K22/0062
cert-bund: CB-K22/0030
cert-bund: CB-K21/0991
cert-bund: CB-K21/0969
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2086
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1143
dfn-cert: DFN-CERT-2022-0835
dfn-cert: DFN-CERT-2022-0586
dfn-cert: DFN-CERT-2022-0118
dfn-cert: DFN-CERT-2022-0112
dfn-cert: DFN-CERT-2022-0052
dfn-cert: DFN-CERT-2021-2527

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2021-1931

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.6.48 Security Update (cpujul2020) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.6.49
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.6.49 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.48 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.6.48 Security Update (cpujul2020) - Linux
OID:1.3.6.1.4.1.25623.1.0.144285
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2020-1967
cve: CVE-2020-14539
cve: CVE-2020-14559

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixMSQL
advisory-id: cpujul2020
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-3080
cert-bund: CB-K21/1088
cert-bund: CB-K21/0070
cert-bund: CB-K20/1023
cert-bund: CB-K20/1017
cert-bund: CB-K20/0711
cert-bund: CB-K20/0708
cert-bund: CB-K20/0357
dfn-cert: DFN-CERT-2021-2192
dfn-cert: DFN-CERT-2021-0830
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0444
dfn-cert: DFN-CERT-2021-0140
dfn-cert: DFN-CERT-2020-2295
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2006
dfn-cert: DFN-CERT-2020-1827
dfn-cert: DFN-CERT-2020-1788
dfn-cert: DFN-CERT-2020-1508
dfn-cert: DFN-CERT-2020-0956
dfn-cert: DFN-CERT-2020-0930
dfn-cert: DFN-CERT-2020-0841
dfn-cert: DFN-CERT-2020-0824
dfn-cert: DFN-CERT-2020-0822
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.34
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.34, 8.0.24 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.33 and prior and 8.0 through 8.0.23.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.145795
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-3449
cve: CVE-2021-3450
cve: CVE-2021-23840
cve: CVE-2021-23841
cve: CVE-2021-2307
cve: CVE-2021-2304
cve: CVE-2021-2180
cve: CVE-2021-2194
cve: CVE-2021-2166
cve: CVE-2021-2179
cve: CVE-2021-2226
cve: CVE-2021-2169
cve: CVE-2021-2146
cve: CVE-2021-2174
cve: CVE-2021-2171
cve: CVE-2021-2162
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-0227
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-1894

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1320
cert-bund: WID-SEC-2022-1303
cert-bund: WID-SEC-2022-1294
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0671
cert-bund: WID-SEC-2022-0669
cert-bund: WID-SEC-2022-0602
cert-bund: CB-K22/0476
cert-bund: CB-K22/0061
cert-bund: CB-K21/1097
cert-bund: CB-K21/1095
cert-bund: CB-K21/1065
cert-bund: CB-K21/0785
cert-bund: CB-K21/0770
cert-bund: CB-K21/0573
cert-bund: CB-K21/0572
cert-bund: CB-K21/0565
cert-bund: CB-K21/0421
cert-bund: CB-K21/0412
cert-bund: CB-K21/0409
cert-bund: CB-K21/0389
cert-bund: CB-K21/0317
cert-bund: CB-K21/0185
dfn-cert: DFN-CERT-2024-2451
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0121
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0024
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2223
dfn-cert: DFN-CERT-2021-2216
dfn-cert: DFN-CERT-2021-2214
dfn-cert: DFN-CERT-2021-2197
dfn-cert: DFN-CERT-2021-2196
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-2126
dfn-cert: DFN-CERT-2021-1996
dfn-cert: DFN-CERT-2021-1825
dfn-cert: DFN-CERT-2021-1803
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-1740
dfn-cert: DFN-CERT-2021-1670
dfn-cert: DFN-CERT-2021-1660
dfn-cert: DFN-CERT-2021-1549
dfn-cert: DFN-CERT-2021-1547
dfn-cert: DFN-CERT-2021-1537
dfn-cert: DFN-CERT-2021-1500
dfn-cert: DFN-CERT-2021-1418
dfn-cert: DFN-CERT-2021-1330
dfn-cert: DFN-CERT-2021-1132
dfn-cert: DFN-CERT-2021-1129
dfn-cert: DFN-CERT-2021-1128
dfn-cert: DFN-CERT-2021-1098
dfn-cert: DFN-CERT-2021-1070
dfn-cert: DFN-CERT-2021-1061
dfn-cert: DFN-CERT-2021-0984
dfn-cert: DFN-CERT-2021-0884
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0829
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0818
dfn-cert: DFN-CERT-2021-0813
dfn-cert: DFN-CERT-2021-0807
dfn-cert: DFN-CERT-2021-0806
dfn-cert: DFN-CERT-2021-0740
dfn-cert: DFN-CERT-2021-0696
dfn-cert: DFN-CERT-2021-0656
dfn-cert: DFN-CERT-2021-0630
dfn-cert: DFN-CERT-2021-0629
dfn-cert: DFN-CERT-2021-0409
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0379
dfn-cert: DFN-CERT-2021-0363
```

High (CVSS: 7.5)
NVT: MySQL 5.0.51a Unspecified RCE Vulnerability

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MySQL 5.0.51a is prone to an unspecified remote code-execution vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     Unknown
```

Impact

An attacker can leverage this issue to execute arbitrary code within the context of the vulnerable application. Failed exploit attempts will result in a denial-of-service condition.

Solution:

Solution type: WillNotFix

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS

This issue affects MySQL 5.0.51a. Other versions may also be vulnerable.

Vulnerability Insight

Very few technical details are currently available.

Vulnerability Detection Method

Details: `MySQL 5.0.51a Unspecified RCE Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100436
Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2009-4484
url: http://www.securityfocus.com/bid/37640
url: http://archives.neohapsis.com/archives/dailydave/2010-q1/0002.html
url: http://intevydis.com/mysql_demo.html
dfn-cert: DFN-CERT-2010-0462
dfn-cert: DFN-CERT-2010-0214
```

High (CVSS: 7.5)
NVT: MySQL Server Buffer Overflow Vulnerability - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
MySQL is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Impact
Successful exploitation could allow attackers to execute arbitrary code.

Solution:
Solution type: VendorFix
Upgrade to MySQL Version 5.0.90 or 5.1.43 or 5.5.1 or later.

Affected Software/OS
MySQL Version 5.0.x before 5.0.90, MySQL version 5.1.x before 5.1.43, MySQL 5.5.x through 5.5.0-m2 On Linux

Vulnerability Insight
The flaw is due to an error in application that allows remote attackers to execute arbitrary code via unspecified vectors

Vulnerability Detection Method
Details: MySQL Server Buffer Overflow Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.901093
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2009-4484
url: http://secunia.com/advisories/38364
url: http://dev.mysql.com/doc/relnotes/mysql/5.5/en/news-5-5-1.html
url: http://dev.mysql.com/doc/relnotes/mysql/5.1/en/news-5-1-43.html
url: http://dev.mysql.com/doc/relnotes/mysql/5.0/en/news-5-0-90.html
dfn-cert: DFN-CERT-2010-0462

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2010-0214

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 8.0.40
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 8.0.40, 8.4.3, 9.0.2 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.2 and 9.0 through 9.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuo.
↪..
OID:1.3.6.1.4.1.25623.1.0.170874
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2024-5535

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2024-6119
cve: CVE-2024-21230
cve: CVE-2024-7264
cve: CVE-2024-21196
cve: CVE-2024-21194
cve: CVE-2024-21199
cve: CVE-2024-21218
cve: CVE-2024-21236
cve: CVE-2024-21239
cve: CVE-2024-21198
cve: CVE-2024-21219
cve: CVE-2024-21203
cve: CVE-2024-21197
cve: CVE-2024-21201
cve: CVE-2024-21241
cve: CVE-2024-21193
cve: CVE-2024-21213
cve: CVE-2024-21231
cve: CVE-2024-21237
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-2838
cert-bund: WID-SEC-2025-2836
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-0823
cert-bund: WID-SEC-2025-0814
cert-bund: WID-SEC-2025-0612
cert-bund: WID-SEC-2025-0225
cert-bund: WID-SEC-2025-0166
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2025-0001
cert-bund: WID-SEC-2024-3674
cert-bund: WID-SEC-2024-3412
cert-bund: WID-SEC-2024-3201
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3192
cert-bund: WID-SEC-2024-3188
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-2040
cert-bund: WID-SEC-2024-1736
cert-bund: WID-SEC-2024-1469
dfn-cert: DFN-CERT-2026-0015
dfn-cert: DFN-CERT-2025-3495
dfn-cert: DFN-CERT-2025-3494
dfn-cert: DFN-CERT-2025-3493
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-3492
dfn-cert: DFN-CERT-2025-3491
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-1659
dfn-cert: DFN-CERT-2025-1474
dfn-cert: DFN-CERT-2025-1454
dfn-cert: DFN-CERT-2025-0975
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0474
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2025-0175
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2024-3300
dfn-cert: DFN-CERT-2024-3152
dfn-cert: DFN-CERT-2024-3013
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2783
dfn-cert: DFN-CERT-2024-2734
dfn-cert: DFN-CERT-2024-2732
dfn-cert: DFN-CERT-2024-2381
dfn-cert: DFN-CERT-2024-2322
dfn-cert: DFN-CERT-2024-2285
dfn-cert: DFN-CERT-2024-2168
dfn-cert: DFN-CERT-2024-2025
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1968
dfn-cert: DFN-CERT-2024-1967
dfn-cert: DFN-CERT-2024-1681
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.0.51a
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.43, 8.0.34 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Lin.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.151213
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-2650
cve: CVE-2023-0464
cve: CVE-2023-0465
cve: CVE-2023-0466
cve: CVE-2023-1255
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL
advisory-id: cpuoct2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0120
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2024-0053
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2690
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1794
cert-bund: WID-SEC-2023-1781
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1323
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-1130
cert-bund: WID-SEC-2023-1053
cert-bund: WID-SEC-2023-0782
cert-bund: WID-SEC-2023-0732
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1067
dfn-cert: DFN-CERT-2024-0565
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2024-0125
dfn-cert: DFN-CERT-2023-3071
dfn-cert: DFN-CERT-2023-3070
dfn-cert: DFN-CERT-2023-2749
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-2116
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2023-1903
dfn-cert: DFN-CERT-2023-1720
dfn-cert: DFN-CERT-2023-1649
dfn-cert: DFN-CERT-2023-1642
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1428
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1332
dfn-cert: DFN-CERT-2023-1246
dfn-cert: DFN-CERT-2023-1245
dfn-cert: DFN-CERT-2023-1233
dfn-cert: DFN-CERT-2023-0999
dfn-cert: DFN-CERT-2023-0960
dfn-cert: DFN-CERT-2023-0929
dfn-cert: DFN-CERT-2023-0904
dfn-cert: DFN-CERT-2023-0782
dfn-cert: DFN-CERT-2023-0700
dfn-cert: DFN-CERT-2023-0645
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.33 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Lin.`
↪..
OID:1.3.6.1.4.1.25623.1.0.149537
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2023-0215
cve: CVE-2022-43551
cve: CVE-2023-21980
cve: CVE-2022-4304
cve: CVE-2022-4450
cve: CVE-2023-0286
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023
cert-bund: WID-SEC-2025-1365
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-2086
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0114
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1886
cert-bund: WID-SEC-2023-1812
cert-bund: WID-SEC-2023-1793
cert-bund: WID-SEC-2023-1790
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1553
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1033
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2023-0777
cert-bund: WID-SEC-2023-0304
cert-bund: WID-SEC-2022-2375
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2024-0126
dfn-cert: DFN-CERT-2024-0016
dfn-cert: DFN-CERT-2023-2192
dfn-cert: DFN-CERT-2023-1760
dfn-cert: DFN-CERT-2023-1697
dfn-cert: DFN-CERT-2023-1656
dfn-cert: DFN-CERT-2023-1643
dfn-cert: DFN-CERT-2023-1590
dfn-cert: DFN-CERT-2023-1522
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-1256
dfn-cert: DFN-CERT-2023-1162
dfn-cert: DFN-CERT-2023-1043
dfn-cert: DFN-CERT-2023-1037
dfn-cert: DFN-CERT-2023-0898
dfn-cert: DFN-CERT-2023-0885
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2023-0774
dfn-cert: DFN-CERT-2023-0685
dfn-cert: DFN-CERT-2023-0662
dfn-cert: DFN-CERT-2023-0661
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-0639
dfn-cert: DFN-CERT-2023-0618
dfn-cert: DFN-CERT-2023-0543
dfn-cert: DFN-CERT-2023-0471
dfn-cert: DFN-CERT-2023-0430
dfn-cert: DFN-CERT-2023-0329
dfn-cert: DFN-CERT-2023-0318
dfn-cert: DFN-CERT-2023-0310
dfn-cert: DFN-CERT-2023-0299
dfn-cert: DFN-CERT-2023-0288
dfn-cert: DFN-CERT-2023-0284
dfn-cert: DFN-CERT-2023-0283
dfn-cert: DFN-CERT-2022-2902
```

High (CVSS: 7.5)
NVT: Oracle MySQL Denial Of Service Vulnerability (Feb 2017) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.6.21
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability will allow attackers to cause crash of applications using that MySQL client.

Solution:

Solution type: VendorFix

Upgrade to Oracle MySQL version 5.6.21 or 5.7.5 or later.

Affected Software/OS

Oracle MySQL version before 5.6.21 and 5.7.x before 5.7.5 on Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Multiple errors exist as,
- In sql-common/client.c script 'mysql_prune_stmt_list' function, the for loop adds elements to pruned_list without removing it from the existing list.
- If application gets disconnected just before it tries to prepare a new statement, 'mysql_prune_stmt_list' tries to detach all previously prepared statements.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Denial Of Service Vulnerability (Feb 2017) - Linux`
OID:1.3.6.1.4.1.25623.1.0.810604
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2017-3302
url: https://bugs.mysql.com/bug.php?id=63363
url: https://bugs.mysql.com/bug.php?id=70429
url: http://www.openwall.com/lists/oss-security/2017/02/11/11
cert-bund: CB-K18/0224
cert-bund: CB-K17/1604
cert-bund: CB-K17/1298
cert-bund: CB-K17/1239
cert-bund: CB-K17/0657
cert-bund: CB-K17/0423
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1675
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-1282
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0430
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.31 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.30.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Lin.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.149533
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2023-21912
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1033
dfn-cert: DFN-CERT-2023-1058
dfn-cert: DFN-CERT-2023-1037
dfn-cert: DFN-CERT-2023-0885
```

High (CVSS: 7.2)
NVT: Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a vulnerability in the parser.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.7.30
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.30, 8.0.20 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.29 and prior and 8.0 through 8.0.19.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.145799
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-2144
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2021-0821

High (CVSS: 7.2)
NVT: Oracle MySQL Server <= 5.5.46 / 5.6 <= 5.6.27 / 5.7.9 Security Update (cpujan2016) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Oracle MySQL Server versions 5.5.46 and prior, 5.6 through 5.6.27 and version 5.7.9.

Vulnerability Insight
Unspecified errors exist in the 'MySQL Server' component via unknown vectors.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.46 / 5.6 <= 5.6.27 / 5.7.9 Security Update (cpujan20.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.812170
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2016-0609
cve: CVE-2016-0608
cve: CVE-2016-0606
cve: CVE-2016-0600
cve: CVE-2016-0598
cve: CVE-2016-0597
cve: CVE-2016-0546
cve: CVE-2016-0505
url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMSQL
url: http://www.securityfocus.com/bid/81258
url: http://www.securityfocus.com/bid/81226
url: http://www.securityfocus.com/bid/81188
url: http://www.securityfocus.com/bid/81182
url: http://www.securityfocus.com/bid/81151
url: http://www.securityfocus.com/bid/81066
url: http://www.securityfocus.com/bid/81088
advisory-id: cpujan2016
cert-bund: WID-SEC-2024-1482
cert-bund: CB-K16/1122
cert-bund: CB-K16/0936
cert-bund: CB-K16/0791
cert-bund: CB-K16/0646
cert-bund: CB-K16/0493
cert-bund: CB-K16/0246
cert-bund: CB-K16/0245
cert-bund: CB-K16/0133
cert-bund: CB-K16/0094
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-0994
dfn-cert: DFN-CERT-2016-0845
dfn-cert: DFN-CERT-2016-0695
dfn-cert: DFN-CERT-2016-0532
dfn-cert: DFN-CERT-2016-0266
dfn-cert: DFN-CERT-2016-0265
dfn-cert: DFN-CERT-2016-0143
dfn-cert: DFN-CERT-2016-0104
```

High (CVSS: 7.1)
NVT: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (cpujan2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
```

. . . continues on next page . . .

. . . continued from previous page . . .

↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Server accessible data and unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server.

Solution:
Solution type: VendorFix
Updates are available. Apply the necessary patch from the referenced link.

Affected Software/OS
Oracle MySQL Server versions 5.6.42 and prior, 5.7 through 5.7.24 and 8.0 through 8.0.13.

Vulnerability Insight
The attacks range in variety and difficulty. Most of them allow an attacker with network access via multiple protocols to compromise the MySQL Server.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.112488
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2019-2534`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2019-2529
cve: CVE-2019-2482
cve: CVE-2019-2455
cve: CVE-2019-2503
cve: CVE-2018-0734
cve: CVE-2019-2537
cve: CVE-2019-2481
cve: CVE-2019-2507
cve: CVE-2019-2531
cve: CVE-2018-5407
url: https://www.oracle.com/security-alerts/cpujan2019.html#AppendixMSQL
advisory-id: cpujan2019
cert-bund: WID-SEC-2025-2349
cert-bund: WID-SEC-2025-1212
cert-bund: WID-SEC-2023-3083
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-1696
cert-bund: WID-SEC-2022-0673
cert-bund: WID-SEC-2022-0517
cert-bund: CB-K22/0045
cert-bund: CB-K20/0324
cert-bund: CB-K20/0136
cert-bund: CB-K19/1121
cert-bund: CB-K19/0696
cert-bund: CB-K19/0622
cert-bund: CB-K19/0615
cert-bund: CB-K19/0321
cert-bund: CB-K19/0320
cert-bund: CB-K19/0319
cert-bund: CB-K19/0318
cert-bund: CB-K19/0316
cert-bund: CB-K19/0314
cert-bund: CB-K19/0050
cert-bund: CB-K19/0044
cert-bund: CB-K18/1173
cert-bund: CB-K18/1065
cert-bund: CB-K18/1039
dfn-cert: DFN-CERT-2020-0326
dfn-cert: DFN-CERT-2019-2457
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-2305
dfn-cert: DFN-CERT-2019-2300
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-1996
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1746
dfn-cert: DFN-CERT-2019-1713
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1617
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1600
dfn-cert: DFN-CERT-2019-1588
dfn-cert: DFN-CERT-2019-1562
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-1450
dfn-cert: DFN-CERT-2019-1240
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0782
dfn-cert: DFN-CERT-2019-0781
dfn-cert: DFN-CERT-2019-0778
dfn-cert: DFN-CERT-2019-0775
dfn-cert: DFN-CERT-2019-0772
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2019-0232
dfn-cert: DFN-CERT-2019-0204
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2019-0104
dfn-cert: DFN-CERT-2019-0103
dfn-cert: DFN-CERT-2019-0102
dfn-cert: DFN-CERT-2018-2541
dfn-cert: DFN-CERT-2018-2539
dfn-cert: DFN-CERT-2018-2513
dfn-cert: DFN-CERT-2018-2456
dfn-cert: DFN-CERT-2018-2444
dfn-cert: DFN-CERT-2018-2396
dfn-cert: DFN-CERT-2018-2360
dfn-cert: DFN-CERT-2018-2338
dfn-cert: DFN-CERT-2018-2214
```

High (CVSS: 7.0)
NVT: Oracle MySQL Server <= 5.5.51 / 5.6 <= 5.6.32 / 5.7 <= 5.7.14 Security Update (cpuoct2016) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of these vulnerabilities will allow remote authenticated attackers to cause denial of service conditions and gain elevated privileges.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.51 and prior, 5.6 through 5.6.32 and 5.7 through 5.7.14.

Vulnerability Insight

Multiple flaws exist due to multiple unspecified errors in the 'Server:GIS', 'Server:Federated', 'Server:Optimizer', 'Server:Types', 'Server:Error Handling' and 'Server:MyISAM' components.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.5.51 / 5.6 <= 5.6.32 / 5.7 <= 5.7.14 Security Update (. ↪..`

OID:1.3.6.1.4.1.25623.1.0.809373

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2016-3492
cve: CVE-2016-5626
cve: CVE-2016-5629
cve: CVE-2016-5616
cve: CVE-2016-5617
cve: CVE-2016-8283
cve: CVE-2016-6663
cve: CVE-2016-6664
url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL
advisory-id: cpuoct2016
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K18/0224
cert-bund: CB-K17/1298
cert-bund: CB-K17/0139
cert-bund: CB-K16/1979
cert-bund: CB-K16/1846
cert-bund: CB-K16/1755
cert-bund: CB-K16/1714
cert-bund: CB-K16/1624
dfn-cert: DFN-CERT-2020-1473
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-0138
dfn-cert: DFN-CERT-2016-2089
dfn-cert: DFN-CERT-2016-1950
dfn-cert: DFN-CERT-2016-1859
dfn-cert: DFN-CERT-2016-1790
dfn-cert: DFN-CERT-2016-1714
```

[return to 172.30.1.1]

2.1.20 Medium 5432/tcp

Medium (CVSS: 6.8)
NVT: PostgreSQL Multiple Security Vulnerabilities (Sep 2009)

Product detection result

```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary

PostgreSQL is prone to multiple security vulnerabilities, including a denial-of-service issue, a privilege-escalation issue, and an authentication-bypass issue.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     See references
Installation
path / port:       5432/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Attackers can exploit these issues to shut down affected servers, perform certain actions with elevated privileges, and bypass authentication mechanisms to perform unauthorized actions. Other attacks may also be possible.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Vulnerability Detection Method
Details: `PostgreSQL Multiple Security Vulnerabilities (Sep 2009)`
OID:1.3.6.1.4.1.25623.1.0.100273
Version used: `2025-01-22T05:38:11Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
`cve: CVE-2009-3229`
`cve: CVE-2009-3230`
`cve: CVE-2009-3231`
`url: https://web.archive.org/web/20210121192244/http://www.securityfocus.com/bid`
`↪/36314`
`url: https://bugzilla.redhat.com/show_bug.cgi?id=522085#c1`
`url: http://permalink.gmane.org/gmane.comp.security.oss.general/2088`
`dfn-cert: DFN-CERT-2012-1293`
`dfn-cert: DFN-CERT-2009-1748`
`dfn-cert: DFN-CERT-2009-1528`
`dfn-cert: DFN-CERT-2009-1508`
`dfn-cert: DFN-CERT-2009-1452`
`dfn-cert: DFN-CERT-2009-1409`
`dfn-cert: DFN-CERT-2009-1408`
`dfn-cert: DFN-CERT-2009-1393`
`dfn-cert: DFN-CERT-2009-1381`
`dfn-cert: DFN-CERT-2009-1380`
`dfn-cert: DFN-CERT-2009-1340`

Medium (CVSS: 6.5)
NVT: PostgreSQL 'bitsubstr' Buffer Overflow Vulnerability

Product detection result
`cpe:/a:postgresql:postgresql:8.3.1`
`Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802`

. . . continues on next page . . .

. . . continued from previous page . . .

↪5)

Summary
PostgreSQL is prone to a buffer-overflow vulnerability because the application fails to perform adequate boundary checks on user-supplied data.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     See references
Installation
path / port:       5432/tcp
```

Impact
Attackers can exploit this issue to execute arbitrary code with elevated privileges or crash the affected application.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
PostgreSQL version 8.0.x, 8.1.x, 8.3.x is vulnerable. Other versions may also be affected.

Vulnerability Detection Method
Details: `PostgreSQL 'bitsubstr' Buffer Overflow Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100470
Version used: `2024-07-19T05:05:32Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References

```
cve: CVE-2010-0442
url: http://www.securityfocus.com/bid/37973
url: http://xforce.iss.net/xforce/xfdb/55902
url: http://intevydis.blogspot.com/2010/01/postgresql-8023-bitsubstr-overflow.ht
↪ml
dfn-cert: DFN-CERT-2010-0698
dfn-cert: DFN-CERT-2010-0689
dfn-cert: DFN-CERT-2010-0682
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2010-0681
dfn-cert: DFN-CERT-2010-0680
```

Medium (CVSS: 6.5)
NVT: PostgreSQL 'intarray' Module 'gettoken()' Buffer Overflow Vulnerability

Product detection result

```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary

PostgreSQL is prone to a buffer-overflow vulnerability because the application fails to perform adequate boundary checks on user-supplied data. The issue affects the 'intarray' module.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     See references
Installation
path / port:       5432/tcp
```

Impact

An authenticated attacker can leverage this issue to execute arbitrary code within the context of the vulnerable application. Failed exploit attempts will result in a denial-of-service condition.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

The issue affect versions prior to 8.2.20, 8.3.14, 8.4.7, and 9.0.3.

Vulnerability Detection Method

Details: `PostgreSQL 'intarray' Module 'gettoken()' Buffer Overflow Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.103054
Version used: `2025-01-21T05:37:33Z`

Product Detection Result

Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2010-4015
url: http://www.securityfocus.com/bid/46084
url: http://www.postgresql.org/about/news.1289
cert-bund: CB-K15/1514
dfn-cert: DFN-CERT-2012-1293
dfn-cert: DFN-CERT-2011-0492
dfn-cert: DFN-CERT-2011-0176
dfn-cert: DFN-CERT-2011-0151
dfn-cert: DFN-CERT-2011-0149
dfn-cert: DFN-CERT-2011-0146
dfn-cert: DFN-CERT-2011-0143
```

Medium (CVSS: 6.5)
NVT: PostgreSQL NULL Character CA SSL Certificate Validation Security Bypass Vulnerability

Product detection result

```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary

PostgreSQL is prone to a security bypass vulnerability because the application fails to properly validate the domain name in a signed CA certificate, allowing attackers to substitute malicious SSL certificates for trusted ones.
PostgreSQL is also prone to a local privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     See references
Installation
path / port:       5432/tcp
```

Impact

Successfully exploiting this issue allows attackers to perform man-in-the- middle attacks or impersonate trusted servers, which will aid in further attacks.
Exploiting the privilege escalation vulnerability allows local attackers to gain elevated privileges.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PostgreSQL versions prior to 8.4.2, 8.3.9, 8.2.15, 8.1.19, 8.0.23, and 7.4.27 are vulnerable to this issue.

Vulnerability Detection Method
Details: `PostgreSQL NULL Character CA SSL Certificate Validation Security Bypass Vulnera.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.100400
Version used: `2025-01-17T15:39:18Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
`cve: CVE-2009-4034`
`cve: CVE-2009-4136`
`url: http://www.securityfocus.com/bid/37334`
`url: http://www.securityfocus.com/bid/37333`
`url: http://www.postgresql.org/about/news.1170`
`dfn-cert: DFN-CERT-2012-1293`
`dfn-cert: DFN-CERT-2010-0682`
`dfn-cert: DFN-CERT-2010-0681`
`dfn-cert: DFN-CERT-2010-0680`
`dfn-cert: DFN-CERT-2010-0085`
`dfn-cert: DFN-CERT-2010-0007`
`dfn-cert: DFN-CERT-2010-0001`
`dfn-cert: DFN-CERT-2009-1799`
`dfn-cert: DFN-CERT-2009-1791`

Medium (CVSS: 6.5)
NVT: PostgreSQL < 9.4.26, 9.5.x < 9.5.21, 9.6.x < 9.6.17, 10.x < 10.12, 11.x < 11.7, 12.x < 12.2 Authorization Check Vulnerability - Linux

Product detection result
`cpe:/a:postgresql:postgresql:8.3.1`
`Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802`
`↪5)`

Summary
PostgreSQL is prone to an authorization check vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     9.4.26
Installation
path / port:       5432/tcp
```

Impact

The ALTER ... DEPENDS ON EXTENSION sub-commands do not perform authorization checks, which can allow an unprivileged user to drop any function, procedure, materialized view, index, or trigger under certain conditions. This attack is possible if an administrator has installed an extension and an unprivileged user can CREATE, or an extension owner either executes DROP EXTENSION predictably or can be convinced to execute DROP EXTENSION.

Solution:

Solution type: VendorFix

Update to version 9.4.26, 9.5.21, 9.6.17, 10.12, 11.7, 12.2 or later.

Affected Software/OS

PostgreSQL versions prior to 9.4.26, 9.5.x prior to 9.5.21, 9.6.x prior to 9.6.17, 10.x prior to 10.12, 11.x prior to 11.7 and 12.x prior to 12.2.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PostgreSQL < 9.4.26, 9.5.x < 9.5.21, 9.6.x < 9.6.17, 10.x < 10.12, 11.x < 11.7,.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.143610

Version used: `2024-07-19T05:05:32Z`

Product Detection Result

Product: `cpe:/a:postgresql:postgresql:8.3.1`

Method: `PostgreSQL Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.128025)

References

```
cve: CVE-2020-1720
url: https://www.postgresql.org/about/news/2011/
cert-bund: CB-K20/0130
dfn-cert: DFN-CERT-2020-2764
dfn-cert: DFN-CERT-2020-2521
dfn-cert: DFN-CERT-2020-2311
dfn-cert: DFN-CERT-2020-1966
dfn-cert: DFN-CERT-2020-1806
dfn-cert: DFN-CERT-2020-0626
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2020-0319

Medium (CVSS: 6.0)
NVT: PostgreSQL PL/Perl and PL/Tcl Local Privilege Escalation Vulnerability

Product detection result
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)

Summary
PostgreSQL is prone to a local privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	8.3.1
Fixed version:	See references
Installation path / port:	5432/tcp

Impact
Exploiting this issue allows local attackers to gain elevated privileges and execute arbitrary commands with the privileges of the victim.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Versions prior to PostgreSQL 9.0.1 are vulnerable.

Vulnerability Detection Method
Details: PostgreSQL PL/Perl and PL/Tcl Local Privilege Escalation Vulnerability
OID:1.3.6.1.4.1.25623.1.0.100843
Version used: 2025-01-17T15:39:18Z

Product Detection Result
Product: cpe:/a:postgresql:postgresql:8.3.1
Method: PostgreSQL Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.128025)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2010-3433
url: http://www.securityfocus.com/bid/43747
url: http://www.postgresql.org/docs/9.0/static/release-9-0-1.html
cert-bund: CB-K15/1514
dfn-cert: DFN-CERT-2012-1293
dfn-cert: DFN-CERT-2010-1604
dfn-cert: DFN-CERT-2010-1492
dfn-cert: DFN-CERT-2010-1430
dfn-cert: DFN-CERT-2010-1424
dfn-cert: DFN-CERT-2010-1389
dfn-cert: DFN-CERT-2010-1379
dfn-cert: DFN-CERT-2010-1346
dfn-cert: DFN-CERT-2010-1316
dfn-cert: DFN-CERT-2010-1310
```

Medium (CVSS: 5.9)
NVT: SSL/TLS: Deprecated SSLv2 and SSLv3 Protocol Detection

Product detection result

```
cpe:/a:ietf:secure_sockets_layer:3.0
Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
```

Summary

It was possible to detect the usage of the deprecated SSLv2 and/or SSLv3 protocol on this system.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
In addition to TLSv1.0+ the service is also providing the deprecated SSLv3 proto
↪col and supports one or more ciphers. Those supported ciphers can be found in
↪the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.8020
↪67) VT.
```

Impact

An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection.

Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.

Solution:

Solution type: Mitigation

It is recommended to disable the deprecated SSLv2 and/or SSLv3 protocols in favor of the TLSv1.2+ protocols.

. . . continues on next page . . .

. . . continued from previous page . . .

Please see the references for more resources supporting you with this task.

Affected Software/OS
All services providing an encrypted communication using the SSLv2 and/or SSLv3 protocols.

Vulnerability Insight
The SSLv2 and SSLv3 protocols contain known cryptographic flaws like:
- CVE-2014-3566: Padding Oracle On Downgraded Legacy Encryption (POODLE)
- CVE-2016-0800: Decrypting RSA with Obsolete and Weakened eNcryption (DROWN)

Vulnerability Detection Method
Checks the used SSL protocols of the services provided by this system.
Details: `SSL/TLS: Deprecated SSLv2 and SSLv3 Protocol Detection`
OID:1.3.6.1.4.1.25623.1.0.111012
Version used: `2025-03-27T05:38:50Z`

Product Detection Result
Product: `cpe:/a:ietf:secure_sockets_layer:3.0`
Method: `SSL/TLS: Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.105782)

References
`cve: CVE-2016-0800`
`cve: CVE-2014-3566`
`url: https://ssl-config.mozilla.org`
`url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel`
`↪ines/TG02102/BSI-TR-02102-1.html`
`url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/`
`↪TLS-Protokoll/TLS-Protokoll_node.html`
`url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch`
`↪eRichtlinien/TR03116/BSI-TR-03116-4.html`
`url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes`
`↪tstandard_BSI_TLS_Version_2_4.html`
`url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org`
`url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters`
`↪-report-2014`
`url: https://drownattack.com`
`url: https://www.imperialviolet.org/2014/10/14/poodle.html`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2025-1658`
`cert-bund: WID-SEC-2023-0431`
`cert-bund: WID-SEC-2023-0427`
`cert-bund: CB-K18/0094`
`cert-bund: CB-K17/1198`
`cert-bund: CB-K17/1196`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/1828
cert-bund: CB-K16/1438
cert-bund: CB-K16/1384
cert-bund: CB-K16/1141
cert-bund: CB-K16/1107
cert-bund: CB-K16/1102
cert-bund: CB-K16/0792
cert-bund: CB-K16/0599
cert-bund: CB-K16/0597
cert-bund: CB-K16/0459
cert-bund: CB-K16/0456
cert-bund: CB-K16/0433
cert-bund: CB-K16/0424
cert-bund: CB-K16/0415
cert-bund: CB-K16/0413
cert-bund: CB-K16/0374
cert-bund: CB-K16/0367
cert-bund: CB-K16/0331
cert-bund: CB-K16/0329
cert-bund: CB-K16/0328
cert-bund: CB-K16/0156
cert-bund: CB-K15/1514
cert-bund: CB-K15/1358
cert-bund: CB-K15/1021
cert-bund: CB-K15/0972
cert-bund: CB-K15/0637
cert-bund: CB-K15/0590
cert-bund: CB-K15/0525
cert-bund: CB-K15/0393
cert-bund: CB-K15/0384
cert-bund: CB-K15/0287
cert-bund: CB-K15/0252
cert-bund: CB-K15/0246
cert-bund: CB-K15/0237
cert-bund: CB-K15/0118
cert-bund: CB-K15/0110
cert-bund: CB-K15/0108
cert-bund: CB-K15/0080
cert-bund: CB-K15/0078
cert-bund: CB-K15/0077
cert-bund: CB-K15/0075
cert-bund: CB-K14/1617
cert-bund: CB-K14/1581
cert-bund: CB-K14/1537
cert-bund: CB-K14/1479
cert-bund: CB-K14/1458
cert-bund: CB-K14/1342
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K14/1314
cert-bund: CB-K14/1313
cert-bund: CB-K14/1311
cert-bund: CB-K14/1304
cert-bund: CB-K14/1296
dfn-cert: DFN-CERT-2018-0096
dfn-cert: DFN-CERT-2017-1238
dfn-cert: DFN-CERT-2017-1236
dfn-cert: DFN-CERT-2016-1929
dfn-cert: DFN-CERT-2016-1527
dfn-cert: DFN-CERT-2016-1468
dfn-cert: DFN-CERT-2016-1216
dfn-cert: DFN-CERT-2016-1174
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0884
dfn-cert: DFN-CERT-2016-0841
dfn-cert: DFN-CERT-2016-0644
dfn-cert: DFN-CERT-2016-0642
dfn-cert: DFN-CERT-2016-0496
dfn-cert: DFN-CERT-2016-0495
dfn-cert: DFN-CERT-2016-0465
dfn-cert: DFN-CERT-2016-0459
dfn-cert: DFN-CERT-2016-0453
dfn-cert: DFN-CERT-2016-0451
dfn-cert: DFN-CERT-2016-0415
dfn-cert: DFN-CERT-2016-0403
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2016-0360
dfn-cert: DFN-CERT-2016-0359
dfn-cert: DFN-CERT-2016-0357
dfn-cert: DFN-CERT-2016-0171
dfn-cert: DFN-CERT-2015-1431
dfn-cert: DFN-CERT-2015-1075
dfn-cert: DFN-CERT-2015-1026
dfn-cert: DFN-CERT-2015-0664
dfn-cert: DFN-CERT-2015-0548
dfn-cert: DFN-CERT-2015-0404
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0259
dfn-cert: DFN-CERT-2015-0254
dfn-cert: DFN-CERT-2015-0245
dfn-cert: DFN-CERT-2015-0118
dfn-cert: DFN-CERT-2015-0114
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0082
dfn-cert: DFN-CERT-2015-0081
dfn-cert: DFN-CERT-2015-0076
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2014-1717
dfn-cert: DFN-CERT-2014-1680
dfn-cert: DFN-CERT-2014-1632
dfn-cert: DFN-CERT-2014-1564
dfn-cert: DFN-CERT-2014-1542
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2014-1366
dfn-cert: DFN-CERT-2014-1354
```

Medium (CVSS: 5.9)
NVT: SSL/TLS: Report Weak Cipher Suites

Product detection result

```
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)
```

Summary

This routine reports all weak SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
'Weak' cipher suites accepted by this service via the SSLv3 protocol:
TLS_RSA_WITH_RC4_128_SHA
'Weak' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_RSA_WITH_RC4_128_SHA
```

Impact

This could allow remote attackers to obtain sensitive information or have other, unspecified impacts.

Solution:

Solution type: Mitigation

The configuration of this services should be changed so that it does not accept the listed weak cipher suites anymore.

Please see the references for more resources supporting you with this task.

Affected Software/OS

All services providing an encrypted communication using weak SSL/TLS cipher suites.

Vulnerability Insight

These rules are applied for the evaluation of the cryptographic strength:

- RC4 is considered to be weak (CVE-2013-2566, CVE-2015-2808)

. . . continues on next page . . .

. . . continued from previous page . . .

- Ciphers using 64 bit or less are considered to be vulnerable to brute force methods and therefore considered as weak (CVE-2015-4000)
- 1024 bit RSA authentication is considered to be insecure and therefore as weak
- Any cipher considered to be secure for only the next 10 years is considered as medium
- Any other cipher is considered as strong

Vulnerability Detection Method
Checks previous collected cipher suites.
NOTE: No severity for SMTP services with 'Opportunistic TLS' and weak cipher suites on port 25/tcp is reported. If too strong cipher suites are configured for this service the alternative would be to fall back to an even more insecure cleartext communication.
Details: `SSL/TLS: Report Weak Cipher Suites`
OID:1.3.6.1.4.1.25623.1.0.103440
Version used: `2025-03-27T05:38:50Z`

Product Detection Result
Product: `cpe:/a:ietf:transport_layer_security`
Method: `SSL/TLS: Report Supported Cipher Suites`
OID: 1.3.6.1.4.1.25623.1.0.802067)

References
`cve: CVE-2013-2566`
`cve: CVE-2015-2808`
`cve: CVE-2015-4000`
`url: https://ssl-config.mozilla.org`
`url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel`
`↪ines/TG02102/BSI-TR-02102-1.html`
`url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/`
`↪TLS-Protokoll/TLS-Protokoll_node.html`
`url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch`
`↪eRichtlinien/TR03116/BSI-TR-03116-4.html`
`url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes`
`↪tstandard_BSI_TLS_Version_2_4.html`
`url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org`
`url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters`
`↪-report-2014`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: CB-K21/0067`
`cert-bund: CB-K19/0812`
`cert-bund: CB-K17/1750`
`cert-bund: CB-K16/1593`
`cert-bund: CB-K16/1552`
`cert-bund: CB-K16/1102`
`cert-bund: CB-K16/0617`
`cert-bund: CB-K16/0599`
`cert-bund: CB-K16/0168`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0121
cert-bund: CB-K16/0090
cert-bund: CB-K16/0030
cert-bund: CB-K15/1751
cert-bund: CB-K15/1591
cert-bund: CB-K15/1550
cert-bund: CB-K15/1517
cert-bund: CB-K15/1514
cert-bund: CB-K15/1464
cert-bund: CB-K15/1442
cert-bund: CB-K15/1334
cert-bund: CB-K15/1269
cert-bund: CB-K15/1136
cert-bund: CB-K15/1090
cert-bund: CB-K15/1059
cert-bund: CB-K15/1022
cert-bund: CB-K15/1015
cert-bund: CB-K15/0986
cert-bund: CB-K15/0964
cert-bund: CB-K15/0962
cert-bund: CB-K15/0932
cert-bund: CB-K15/0927
cert-bund: CB-K15/0926
cert-bund: CB-K15/0907
cert-bund: CB-K15/0901
cert-bund: CB-K15/0896
cert-bund: CB-K15/0889
cert-bund: CB-K15/0877
cert-bund: CB-K15/0850
cert-bund: CB-K15/0849
cert-bund: CB-K15/0834
cert-bund: CB-K15/0827
cert-bund: CB-K15/0802
cert-bund: CB-K15/0764
cert-bund: CB-K15/0733
cert-bund: CB-K15/0667
cert-bund: CB-K14/0935
cert-bund: CB-K13/0942
dfn-cert: DFN-CERT-2023-2939
dfn-cert: DFN-CERT-2021-0775
dfn-cert: DFN-CERT-2020-1561
dfn-cert: DFN-CERT-2020-1276
dfn-cert: DFN-CERT-2017-1821
dfn-cert: DFN-CERT-2016-1692
dfn-cert: DFN-CERT-2016-1648
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0665
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-0642
dfn-cert: DFN-CERT-2016-0184
dfn-cert: DFN-CERT-2016-0135
dfn-cert: DFN-CERT-2016-0101
dfn-cert: DFN-CERT-2016-0035
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1679
dfn-cert: DFN-CERT-2015-1632
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1542
dfn-cert: DFN-CERT-2015-1518
dfn-cert: DFN-CERT-2015-1406
dfn-cert: DFN-CERT-2015-1341
dfn-cert: DFN-CERT-2015-1194
dfn-cert: DFN-CERT-2015-1144
dfn-cert: DFN-CERT-2015-1113
dfn-cert: DFN-CERT-2015-1078
dfn-cert: DFN-CERT-2015-1067
dfn-cert: DFN-CERT-2015-1038
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-1012
dfn-cert: DFN-CERT-2015-0980
dfn-cert: DFN-CERT-2015-0977
dfn-cert: DFN-CERT-2015-0976
dfn-cert: DFN-CERT-2015-0960
dfn-cert: DFN-CERT-2015-0956
dfn-cert: DFN-CERT-2015-0944
dfn-cert: DFN-CERT-2015-0937
dfn-cert: DFN-CERT-2015-0925
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0881
dfn-cert: DFN-CERT-2015-0879
dfn-cert: DFN-CERT-2015-0866
dfn-cert: DFN-CERT-2015-0844
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0737
dfn-cert: DFN-CERT-2015-0696
dfn-cert: DFN-CERT-2014-0977
```

Medium (CVSS: 5.5)
NVT: PostgreSQL 'RESET ALL' Unauthorized Access Vulnerability

Product detection result

```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PostgreSQL is prone to an unauthorized-access vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     See references
Installation
path / port:       5432/tcp
```

Impact
Attackers can exploit this issue to reset special parameter settings only a root user should be able to modify. This may aid in further attacks.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
This issue affects versions prior to the following PostgreSQL versions:
7.4.29, 8.0.25, 8.1.21, 8.2.17, 8.3.11, 8.4.4.

Vulnerability Detection Method
Details: `PostgreSQL 'RESET ALL' Unauthorized Access Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100648
Version used: `2025-01-21T05:37:33Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References

```
cve: CVE-2010-1975
url: http://www.securityfocus.com/bid/40304
url: http://www.postgresql.org/docs/current/static/release-8-4-4.html
url: http://www.postgresql.org/docs/current/static/release-8-2-17.html
url: http://www.postgresql.org/docs/current/static/release-8-1-21.html
url: http://www.postgresql.org/docs/current/static/release-8-3-11.html
url: http://www.postgresql.org/docs/current/static/release-8-0-25.html
url: http://www.postgresql.org/docs/current/static/release-7-4-29.html
dfn-cert: DFN-CERT-2012-1293
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2010-0984
dfn-cert: DFN-CERT-2010-0698
dfn-cert: DFN-CERT-2010-0689
```

Medium (CVSS: 5.4)
NVT: PostgreSQL DoS Vulnerability (Feb 2025) - Linux

Product detection result

```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary

PostgreSQL is prone to a denial of service (DoS) vulnerability due to a buffer over-read.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     13.21
Installation
path / port:       5432/tcp
```

Solution:

Solution type: VendorFix

Update to version 13.21, 14.18, 15.13, 16.9, 17.5 or later.

Affected Software/OS

PostgreSQL prior to version 13.21, 14.x prior to 14.18, 15.x prior to 15.13, 16.x prior to 16.9 and 17.x prior to 17.5.

Vulnerability Insight

A buffer over-read in PostgreSQL GB18030 encoding validation allows a database input provider to achieve temporary denial of service on platforms where a 1-byte over-read can elicit process termination.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PostgreSQL DoS Vulnerability (Feb 2025) - Linux`

OID:1.3.6.1.4.1.25623.1.0.154470

Version used: `2025-05-13T05:41:39Z`

Product Detection Result

Product: `cpe:/a:postgresql:postgresql:8.3.1`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: PostgreSQL Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.128025)

References

```
cve: CVE-2025-4207
url: https://www.postgresql.org/support/security/CVE-2025-4207/
url: https://www.postgresql.org/about/news/postgresql-175-169-1513-1418-and-1321
↪-released-3072/
url: https://www.openwall.com/lists/oss-security/2025/05/09/3
cert-bund: WID-SEC-2025-1439
cert-bund: WID-SEC-2025-0986
dfn-cert: DFN-CERT-2025-1179
```

Medium (CVSS: 5.4)
NVT: PostgreSQL Multiple Vulnerabilities (Nov 2025) - Linux

Product detection result

```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary

PostgreSQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     13.23
Installation
path / port:       5432/tcp
```

Solution:

Solution type: VendorFix

Update to version 13.23, 14.20, 15.15, 16.11, 17.7, 18.1 or later.

Affected Software/OS

PostgreSQL prior to version 13.23, 14.x prior to 14.20, 15.x prior to 15.15, 16.x prior to 16.11, 17.x prior to 17.7 and 18.x prior to 18.1.

Vulnerability Insight

The following flaws exist:
- CVE-2025-12817: CREATE STATISTICS does not check for schema CREATE privilege

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2025-12818: libpq undersizes allocations, via integer wraparound

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PostgreSQL Multiple Vulnerabilities (Nov 2025) - Linux`
OID:1.3.6.1.4.1.25623.1.0.155797
Version used: `2025-11-18T05:39:54Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
```
cve: CVE-2025-12817
cve: CVE-2025-12818
url: https://www.postgresql.org/about/news/postgresql-181-177-1611-1515-1420-and
↪-1323-released-3171/
url: https://www.postgresql.org/support/security/CVE-2025-12817/
url: https://www.postgresql.org/support/security/CVE-2025-12818/
cert-bund: WID-SEC-2025-2600
dfn-cert: DFN-CERT-2025-3194
```

Medium (CVSS: 5.3)
NVT: SSL/TLS: Server Certificate / Certificate in Chain with RSA keys less than 2048 bits

Summary
The remote SSL/TLS server certificate and/or any of the certificates in the certificate chain is using a RSA key with less than 2048 bits.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote SSL/TLS server is using the following certificate(s) with a RSA key w
↪ith less than 2048 bits (public-key-size:public-key-algorithm:serial:issuer):
1024:RSA:00FAF93A4C7FB6B9CC:1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D
↪626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for C
↪omplication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no su
↪ch thing outside US,C=XX (Server certificate)
```

Impact
Using certificates with weak RSA key size can lead to unauthorized exposure of sensitive information.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: Mitigation
Replace the certificate with a stronger key and reissue the certificates it signed.

Vulnerability Insight
SSL/TLS certificates using RSA keys with less than 2048 bits are considered unsafe.

Vulnerability Detection Method
Checks the RSA keys size of the server certificate and all certificates in chain for a size < 2048 bit.
Details: `SSL/TLS: Server Certificate / Certificate in Chain with RSA keys less than 2048.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.150710
Version used: `2021-12-10T12:48:00Z`

References
`url: https://www.cabforum.org/wp-content/uploads/Baseline_Requirements_V1.pdf`

Medium (CVSS: 5.0)
NVT: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094)

Summary
The remote SSL/TLS service is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The following indicates that the remote SSL/TLS service is affected:
Protocol Version | Successful re-done SSL/TLS handshakes (Renegotiation) over an
↪ existing / already established SSL/TLS connection
--------------------------------------------------------------------------------
↪-------------------------------------------------
TLSv1.0          | 10
```

Impact
The flaw might make it easier for remote attackers to cause a DoS (CPU consumption) by performing many renegotiations within a single connection.

Solution:
Solution type: VendorFix
Users should contact their vendors for specific patch information.
A general solution is to remove/disable renegotiation capabilities altogether from/in the affected SSL/TLS service.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Every SSL/TLS service which does not properly restrict client-initiated renegotiation.

Vulnerability Insight

The flaw exists because the remote SSL/TLS service does not properly restrict client-initiated renegotiation within the SSL and TLS protocols.
Note: The referenced CVEs are affecting OpenSSL and Mozilla Network Security Services (NSS) but both are in a DISPUTED state with the following rationale:
> It can also be argued that it is the responsibility of server deployments, not a security library, to prevent or limit renegotiation when it is inappropriate within a specific environment.
Both CVEs are still kept in this VT as a reference to the origin of this flaw.

Vulnerability Detection Method

Checks if the remote service allows to re-do the same SSL/TLS handshake (Renegotiation) over an existing / already established SSL/TLS connection.
Details: `SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094)`
OID:1.3.6.1.4.1.25623.1.0.117761
Version used: `2024-09-27T05:05:23Z`

References

```
cve: CVE-2011-1473
cve: CVE-2011-5094
url: https://web.archive.org/web/20211201133213/https://orchilles.com/ssl-renego
↪tiation-dos/
url: https://mailarchive.ietf.org/arch/msg/tls/wdg46VE_jkYBbgJ5yE4P9nQ-8IU/
url: https://vincent.bernat.ch/en/blog/2011-ssl-dos-mitigation
url: https://www.openwall.com/lists/oss-security/2011/07/08/2
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0796
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K17/0980
cert-bund: CB-K17/0979
cert-bund: CB-K14/0772
cert-bund: CB-K13/0915
cert-bund: CB-K13/0462
dfn-cert: DFN-CERT-2025-0933
dfn-cert: DFN-CERT-2017-1013
dfn-cert: DFN-CERT-2017-1012
dfn-cert: DFN-CERT-2014-0809
dfn-cert: DFN-CERT-2013-1928
dfn-cert: DFN-CERT-2012-1112
```

Medium (CVSS: 5.0)
NVT: SSL/TLS: Certificate Expired

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25
↪623.1.0.103692)
```

Summary
The remote server's SSL/TLS certificate has already expired.

Quality of Detection (QoD): 99%

Vulnerability Detection Result

```
The certificate of the remote service expired on 2010-04-16 14:07:45.
Certificate details:
fingerprint (SHA-1)             | ED093088706603BFD5DC237399B498DA2D4D31C6
fingerprint (SHA-256)           | E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A
↪F1E32DEE436DE813CC
issued by                       | 1.2.840.113549.1.9.1=#726F6F74407562756E747538
↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office
↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is
↪ no such thing outside US,C=XX
public key algorithm            | RSA
public key size (bits)          | 1024
serial                          | 00FAF93A4C7FB6B9CC
signature algorithm             | sha1WithRSAEncryption
subject                         | 1.2.840.113549.1.9.1=#726F6F74407562756E747538
↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office
↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is
↪ no such thing outside US,C=XX
subject alternative names (SAN) | None
valid from                      | 2010-03-17 14:07:45 UTC
valid until                     | 2010-04-16 14:07:45 UTC
```

Solution:
Solution type: Mitigation
Replace the SSL/TLS certificate by a new one.

Vulnerability Insight
This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.

Vulnerability Detection Method
Details: `SSL/TLS: Certificate Expired`
OID:1.3.6.1.4.1.25623.1.0.103955
Version used: `2024-06-14T05:05:48Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Collect and Report Certificate Details
OID: 1.3.6.1.4.1.25623.1.0.103692)

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection

Product detection result

```
cpe:/a:ietf:secure_sockets_layer:3.0
Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
```

Summary

It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
The service is only providing the deprecated TLSv1.0 protocol and supports one o
↪r more ciphers. Those supported ciphers can be found in the 'SSL/TLS: Report S
↪upported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.802067) VT.
```

Impact

An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection.
Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.

Solution:
Solution type: Mitigation
It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols.
Please see the references for more resources supporting you with this task.

Affected Software/OS

- All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols
- CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder
- CVE-2024-41270: Gorush v1.18.4
- CVE-2025-3200: Multiple products from Wiesemann & Theis

Vulnerability Insight

The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like:
- CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST)

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)

Vulnerability Detection Method
Checks the used TLS protocols of the services provided by this system.
Details: `SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection`
OID:1.3.6.1.4.1.25623.1.0.117274
Version used: `2025-04-30T05:39:51Z`

Product Detection Result
Product: `cpe:/a:ietf:secure_sockets_layer:3.0`
Method: `SSL/TLS: Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.105782)

References
```
cve: CVE-2011-3389
cve: CVE-2015-0204
cve: CVE-2023-41928
cve: CVE-2024-41270
cve: CVE-2025-3200
url: https://ssl-config.mozilla.org
url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel
↪ines/TG02102/BSI-TR-02102-1.html
url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/
↪TLS-Protokoll/TLS-Protokoll_node.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch
↪eRichtlinien/TR03116/BSI-TR-03116-4.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes
↪tstandard_BSI_TLS_Version_2_4.html
url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
↪-report-2014
url: https://datatracker.ietf.org/doc/rfc8996/
url: https://vnhacker.blogspot.com/2011/09/beast.html
url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak
url: https://certvde.com/en/advisories/VDE-2025-031/
url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc
url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K18/0799
cert-bund: CB-K16/1289
cert-bund: CB-K16/1096
cert-bund: CB-K15/1751
cert-bund: CB-K15/1266
cert-bund: CB-K15/0850
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0764
cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482
```

Medium (CVSS: 4.3)
NVT: PostgreSQL < 9.5.25, 9.6.x < 9.6.21, 10.x < 10.16, 11.x < 11.11, 12.x < 12.6, 13.x < 13.2 Information Disclosure Vulnerability - Linux

Product detection result
`cpe:/a:postgresql:postgresql:8.3.1`
`Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802`
`↪5)`

Summary
PostgreSQL is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     9.5.25
Installation
path / port:       5432/tcp
```

Impact
Successful exploitation would allow an attacker to read sensitive information.

Solution:
Solution type: VendorFix
Update to version 9.5.25, 9.6.21, 10.16, 11.11, 12.6 or 13.2 respectively.

Affected Software/OS
PostgreSQL through version 9.5.24 and versions 9.6.0 through 9.6.20, 10.0 through 10.15, 11.0 through 11.10, 12.0 through 12.6 and 13.0 through 13.1.

Vulnerability Insight
A user with SELECT privileges on a single column can craft a specific query to read all information from all columns of the table.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PostgreSQL < 9.5.25, 9.6.x < 9.6.21, 10.x < 10.16, 11.x < 11.11, 12.x < 12.6, 1.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.113791
Version used: `2024-07-19T05:05:32Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.128025)

References
cve: CVE-2021-20229
url: https://bugzilla.redhat.com/show_bug.cgi?id=1925296
cert-bund: WID-SEC-2023-2464
cert-bund: CB-K21/0172
dfn-cert: DFN-CERT-2021-0324

Medium (CVSS: 4.0)
NVT: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability

Summary
The SSL/TLS service uses Diffie-Hellman groups with insufficient strength (key size < 2048).

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Server Temporary Key Size: 1024 bits

Impact
An attacker might be able to decrypt the SSL/TLS communication offline.

Solution:
Solution type: Workaround
- Deploy (Ephemeral) Elliptic-Curve Diffie-Hellman (ECDHE) or use a 2048-bit or stronger Diffie-Hellman group. Please see the references for more resources supporting you with this task.
- For Apache Web Servers: Beginning with version 2.4.7, mod_ssl will use DH parameters which include primes with lengths of more than 1024 bits.

Affected Software/OS
All services providing an encrypted communication using Diffie-Hellman groups with insufficient strength.

Vulnerability Insight
The Diffie-Hellman group are some big numbers that are used as base for the DH computations. They can be, and often are, fixed. The security of the final secret depends on the size of these parameters. It was found that 512 and 768 bits to be weak, 1024 bits to be breakable by really powerful attackers like governments.

Vulnerability Detection Method
Checks the DHE temporary public key size.
Details: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerabili.
↪..

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.106223
Version used: 2025-03-27T05:38:50Z

References

```
url: https://weakdh.org
url: https://weakdh.org/sysadmin.html
url: https://ssl-config.mozilla.org
url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel
↪ines/TG02102/BSI-TR-02102-1.html
url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/
↪TLS-Protokoll/TLS-Protokoll_node.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch
↪eRichtlinien/TR03116/BSI-TR-03116-4.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes
↪tstandard_BSI_TLS_Version_2_4.html
url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
↪-report-2014
url: https://httpd.apache.org/docs/2.4/mod/mod_ssl.html#sslcertificatefile
```

Medium (CVSS: 4.0)
NVT: PostgreSQL 'CVE-2009-0922' Denial of Service Vulnerability - Linux

Product detection result

```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary

PostgreSQL Server is prone to denial of service vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     8.3.7/8.2.13/8.1.17/8.0.21/7.4.25
Installation
path / port:       5432/tcp
```

Impact

Successful exploitation will let the attacker cause stack consumption or denial of service through mismatched encoding conversion requests.

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Upgrade to respective version below, PostgreSQL 8.3.7 or 8.2.13 or 8.1.17 or 8.0.21 or 7.4.25.

Affected Software/OS
PostgreSQL versions before 8.3.7, 8.2.13, 8.1.17, 8.0.21, and 7.4.25

Vulnerability Insight
This flaw is due to failure in converting a localized error message to the client-specified encoding.

Vulnerability Detection Method
Details: `PostgreSQL 'CVE-2009-0922' Denial of Service Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.900480
Version used: `2025-03-05T05:38:52Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
```
cve: CVE-2009-0922
url: https://bugzilla.redhat.com/show_bug.cgi?id=488156
url: http://www.securityfocus.com/bid/34090
url: http://archives.postgresql.org/pgsql-bugs/2009-02/msg00172.php
dfn-cert: DFN-CERT-2012-1293
dfn-cert: DFN-CERT-2009-1408
```

Medium (CVSS: 4.0)
NVT: PostgreSQL Conversion Encoding Remote DoS Vulnerability (Mar 2009)

Product detection result
```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary
PostgreSQL is prone to a remote denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 8.3.1
Fixed version:     See references
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 5432/tcp

Impact
Exploiting this issue may allow attackers to terminate connections to the PostgreSQL server, denying service to legitimate users.

Solution:
Solution type: VendorFix
Updates are available. Update to newer Version.

Vulnerability Detection Method
Details: PostgreSQL Conversion Encoding Remote DoS Vulnerability (Mar 2009)
OID:1.3.6.1.4.1.25623.1.0.100157
Version used: 2025-01-22T05:38:11Z

Product Detection Result
Product: cpe:/a:postgresql:postgresql:8.3.1
Method: PostgreSQL Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
cve: CVE-2009-0922
url: https://web.archive.org/web/20210121185850/http://www.securityfocus.com/bid
↪/34090
dfn-cert: DFN-CERT-2012-1293
dfn-cert: DFN-CERT-2009-1408

Medium (CVSS: 4.0)
NVT: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm

Summary
The remote service is using a SSL/TLS certificate in the certificate chain that has been signed using a cryptographically weak hashing algorithm.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The following certificates are part of the certificate chain but using insecure
↪signature algorithms:
Subject: 1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D626173
↪652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for Complic
↪ation of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no such thi
↪ng outside US,C=XX
Signature Algorithm: sha1WithRSAEncryption

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: Mitigation
Servers that use SSL/TLS certificates signed with a weak SHA-1, MD5, MD4 or MD2 hashing algorithm will need to obtain new SHA-2 signed SSL/TLS certificates to avoid web browser SSL/TLS certificate warnings.

Vulnerability Insight
The following hashing algorithms used for signing SSL/TLS certificates are considered cryptographically weak and not secure enough for ongoing use:
- Secure Hash Algorithm 1 (SHA-1)
- Message Digest 5 (MD5)
- Message Digest 4 (MD4)
- Message Digest 2 (MD2)
Beginning as late as January 2017 and as early as June 2016, browser developers such as Microsoft and Google will begin warning users when visiting web sites that use SHA-1 signed Secure Socket Layer (SSL) certificates.
NOTE: The script preference allows to set one or more custom SHA-1 fingerprints of CA certificates which are trusted by this routine. The fingerprints needs to be passed comma-separated and case-insensitive:
Fingerprint1
or
fingerprint1, Fingerprint2

Vulnerability Detection Method
Check which hashing algorithm was used to sign the remote SSL/TLS certificate.
Details: `SSL/TLS: Certificate Signed Using A Weak Signature Algorithm`
OID:1.3.6.1.4.1.25623.1.0.105880
Version used: `2021-10-15T11:13:32Z`

References
`url: https://blog.mozilla.org/security/2014/09/23/phasing-out-certificates-with-`
`↪sha-1-based-signature-algorithms/`

[return to 172.30.1.1]

2.1.21 Medium 23/tcp

Medium (CVSS: 4.8)
NVT: Telnet Unencrypted Cleartext Login

Summary
The remote host is running a Telnet service that allows cleartext logins over unencrypted connections.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 70%

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Impact
An attacker can uncover login names and passwords by sniffing traffic to the Telnet service.

Solution:
Solution type: Mitigation
Replace Telnet with a protocol like SSH which supports encrypted connections.

Vulnerability Detection Method
Details: `Telnet Unencrypted Cleartext Login`
OID:1.3.6.1.4.1.25623.1.0.108522
Version used: `2023-10-13T05:06:09Z`

Medium (CVSS: 4.8)
NVT: Telnet Unencrypted Cleartext Login

Summary
The remote host is running a Telnet service that allows cleartext logins over unencrypted connections.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Impact
An attacker can uncover login names and passwords by sniffing traffic to the Telnet service.

Solution:
Solution type: Mitigation
Replace Telnet with a protocol like SSH which supports encrypted connections.

Vulnerability Detection Method
Details: `Telnet Unencrypted Cleartext Login`
OID:1.3.6.1.4.1.25623.1.0.108522
Version used: `2023-10-13T05:06:09Z`

[return to 172.30.1.1]

2.1.22 Medium 21/tcp

Medium (CVSS: 6.4)
NVT: Anonymous FTP Login Reporting

Summary
Reports if the remote FTP Server allows anonymous logins.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to login to the remote FTP service with the following anonymous
↪account(s):
anonymous:anonymous@example.com
ftp:anonymous@example.com
```

Impact
Based on the files accessible via this anonymous FTP login and the permissions of this account an attacker might be able to:
- gain access to sensitive files
- upload or delete files.

Solution:
Solution type: Mitigation
If you do not want to share files, you should disable anonymous logins.

Vulnerability Insight
A host that provides an FTP service may additionally provide Anonymous FTP access as well. Under this arrangement, users do not strictly need an account on the host. Instead the user typically enters 'anonymous' or 'ftp' when prompted for username. Although users are commonly asked to send their email address as their password, little to no verification is actually performed on the supplied data.
Remark: NIST don't see 'configuration issues' as software flaws so the referenced CVE has a severity of 0.0. The severity of this VT has been raised by Greenbone to still report a configuration issue on the target.

Vulnerability Detection Method
Details: `Anonymous FTP Login Reporting`
OID:1.3.6.1.4.1.25623.1.0.900600
Version used: `2021-10-20T09:03:29Z`

References
`cve: CVE-1999-0497`

Medium (CVSS: 5.1)
NVT: vsftpd '__tzfile_read()' Function Heap Based Buffer Overflow Vulnerability

Product detection result
`cpe:/a:beasts:vsftpd:2.3.4`
`Detected by vsFTPd FTP Server Detection (OID: 1.3.6.1.4.1.25623.1.0.111050)`

Summary
vsftpd is prone to a buffer-overflow vulnerability because it fails to perform adequate boundary checks on user-supplied data.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.3.4
Fixed version:     2.3.5
```

Impact
Attackers may leverage this issue to execute arbitrary code in the context of the application. Failed attacks will cause denial-of-service conditions.

Solution:
Solution type: VendorFix
A fixed version 2.3.5 is available. Please see the references for more information.

Affected Software/OS
vsftpd 2.3.4 is affected. Other versions may also be vulnerable.

Vulnerability Detection Method
Details: `vsftpd '__tzfile_read()' Function Heap Based Buffer Overflow Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.103362
Version used: `2024-03-04T14:37:58Z`

Product Detection Result
Product: `cpe:/a:beasts:vsftpd:2.3.4`
Method: `vsFTPd FTP Server Detection`
OID: 1.3.6.1.4.1.25623.1.0.111050)

References
```
url: http://www.securityfocus.com/bid/51013
url: http://dividead.wordpress.com/tag/heap-overflow/
url: https://security.appspot.com/vsftpd/Changelog.txt
url: https://security.appspot.com/vsftpd.html
```

Medium (CVSS: 5.0)
NVT: vsftpd < 3.0.3 Security Bypass Vulnerability

Product detection result
`cpe:/a:beasts:vsftpd:2.3.4`
`Detected by vsFTPd FTP Server Detection (OID: 1.3.6.1.4.1.25623.1.0.111050)`

Summary
vsftpd is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.3.4
Fixed version:     3.0.3
```

Impact
An attacker can exploit this issue to bypass certain security restrictions and perform unauthorized actions. This may aid in further attacks.

Solution:
Solution type: VendorFix
A fixed version 3.0.3 is available. Please see the references for more information.

Affected Software/OS
vsftpd versions 3.0.2 and below are vulnerable.

Vulnerability Detection Method
Details: `vsftpd < 3.0.3 Security Bypass Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.108045
Version used: `2025-01-17T15:39:18Z`

Product Detection Result
Product: `cpe:/a:beasts:vsftpd:2.3.4`
Method: `vsFTPd FTP Server Detection`
OID: 1.3.6.1.4.1.25623.1.0.111050)

References
```
cve: CVE-2015-1419
url: http://www.securityfocus.com/bid/72451
url: https://security.appspot.com/vsftpd/Changelog.txt
cert-bund: CB-K15/0130
dfn-cert: DFN-CERT-2015-0130
```

Medium (CVSS: 4.8)
NVT: FTP Unencrypted Cleartext Login

Summary
The remote host is running a FTP service that allows cleartext logins over unencrypted connections.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The remote FTP service accepts logins without a previous sent 'AUTH TLS' command
↪. Response(s):
Non-anonymous sessions: 331 Please specify the password.
Anonymous sessions:     331 Please specify the password.
```

Impact
An attacker can uncover login names and passwords by sniffing traffic to the FTP service.

Solution:
Solution type: Mitigation
Enable FTPS or enforce the connection via the 'AUTH TLS' command. Please see the manual of the FTP service for more information.

Vulnerability Detection Method
Tries to login to a non FTPS enabled FTP service without sending a 'AUTH TLS' command first and checks if the service is accepting the login without enforcing the use of the 'AUTH TLS' command.
Details: `FTP Unencrypted Cleartext Login`
OID:1.3.6.1.4.1.25623.1.0.108528
Version used: `2023-12-20T05:05:58Z`

[return to 172.30.1.1]

2.1.23 Medium 445/tcp

Medium (CVSS: 6.8)
NVT: Samba Symlink Race Vulnerability (CVE-2021-20316)

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Samba is prone to a symlinc race vulnerability which can allow metadata read and modify outside of the exported share.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.15.0
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.15.0 or later.

Affected Software/OS
Samba prior to version 4.15.0.

Vulnerability Insight
A malicious client can use a symlink race to access or modify file or directory metadata information outside of the exported share. The user must have permissions to read or write the metadata on the accessed file or directory.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Symlink Race Vulnerability (CVE-2021-20316)`
OID:1.3.6.1.4.1.25623.1.0.147401
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2021-20316
url: https://www.samba.org/samba/history/samba-4.15.0.html
url: https://www.samba.org/samba/security/CVE-2021-20316.html
cert-bund: WID-SEC-2022-0465
cert-bund: CB-K22/0027
dfn-cert: DFN-CERT-2022-1032
dfn-cert: DFN-CERT-2022-0264
dfn-cert: DFN-CERT-2022-0242
```

Medium (CVSS: 6.8)
NVT: Samba Symlink Race Vulnerability (CVE-2021-20316)

Product detection result
`cpe:/a:samba:samba:3.0.20`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to a symlinc race vulnerability which can allow metadata read and modify outside of the exported share.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.15.0
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.15.0 or later.

Affected Software/OS
Samba prior to version 4.15.0.

Vulnerability Insight
A malicious client can use a symlink race to access or modify file or directory metadata information outside of the exported share. The user must have permissions to read or write the metadata on the accessed file or directory.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Symlink Race Vulnerability (CVE-2021-20316)`
OID:1.3.6.1.4.1.25623.1.0.147401
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2021-20316`
`url: https://www.samba.org/samba/history/samba-4.15.0.html`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.samba.org/samba/security/CVE-2021-20316.html
cert-bund: WID-SEC-2022-0465
cert-bund: CB-K22/0027
dfn-cert: DFN-CERT-2022-1032
dfn-cert: DFN-CERT-2022-0264
dfn-cert: DFN-CERT-2022-0242
```

Medium (CVSS: 6.6)
NVT: Samba Security Feature Bypass Vulnerability (CVE-2020-17049)

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a security feature bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.13.13
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.13.13, 4.14.9, 4.15.1 or later.

Affected Software/OS

Samba versions prior to 4.13.13, 4.14.x prior to 4.14.9 and version 4.15.0.

Vulnerability Insight

BUG 14642: Provide a fix for MS CVE-2020-17049 in Samba [SECURITY] 'Bronze bit' S4U2Proxy Constrained Delegation bypass in Samba with embedded Heimdal.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Samba Security Feature Bypass Vulnerability (CVE-2020-17049)`

OID:1.3.6.1.4.1.25623.1.0.117760

Version used: `2024-01-03T05:05:19Z`

Product Detection Result

Product: `cpe:/a:samba:samba:3.0.20`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2020-17049
url: https://www.samba.org/samba/history/samba-4.13.13.html
url: https://www.samba.org/samba/history/samba-4.14.9.html
url: https://www.samba.org/samba/history/samba-4.15.1.html
url: https://bugzilla.samba.org/show_bug.cgi?id=14642
url: https://blog.netspi.com/cve-2020-17049-kerberos-bronze-bit-overview
url: https://blog.netspi.com/cve-2020-17049-kerberos-bronze-bit-theory
url: https://github.com/SecureAuthCorp/impacket/pull/1013
cert-bund: WID-SEC-2023-1542
cert-bund: WID-SEC-2022-2280
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K21/1126
cert-bund: CB-K20/1109
dfn-cert: DFN-CERT-2024-0078
dfn-cert: DFN-CERT-2023-1053
dfn-cert: DFN-CERT-2022-1686
dfn-cert: DFN-CERT-2022-0332
dfn-cert: DFN-CERT-2020-2464
```

Medium (CVSS: 6.6)
NVT: Samba Security Feature Bypass Vulnerability (CVE-2020-17049)

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a security feature bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.13.13
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 4.13.13, 4.14.9, 4.15.1 or later.

Affected Software/OS
Samba versions prior to 4.13.13, 4.14.x prior to 4.14.9 and version 4.15.0.

Vulnerability Insight
BUG 14642: Provide a fix for MS CVE-2020-17049 in Samba [SECURITY] 'Bronze bit' S4U2Proxy Constrained Delegation bypass in Samba with embedded Heimdal.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Security Feature Bypass Vulnerability (CVE-2020-17049)`
OID:1.3.6.1.4.1.25623.1.0.117760
Version used: `2024-01-03T05:05:19Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2020-17049`
`url: https://www.samba.org/samba/history/samba-4.13.13.html`
`url: https://www.samba.org/samba/history/samba-4.14.9.html`
`url: https://www.samba.org/samba/history/samba-4.15.1.html`
`url: https://bugzilla.samba.org/show_bug.cgi?id=14642`
`url: https://blog.netspi.com/cve-2020-17049-kerberos-bronze-bit-overview`
`url: https://blog.netspi.com/cve-2020-17049-kerberos-bronze-bit-theory`
`url: https://github.com/SecureAuthCorp/impacket/pull/1013`
`cert-bund: WID-SEC-2023-1542`
`cert-bund: WID-SEC-2022-2280`
`cert-bund: WID-SEC-2022-0432`
`cert-bund: WID-SEC-2022-0302`
`cert-bund: CB-K21/1126`
`cert-bund: CB-K20/1109`
`dfn-cert: DFN-CERT-2024-0078`
`dfn-cert: DFN-CERT-2023-1053`
`dfn-cert: DFN-CERT-2022-1686`
`dfn-cert: DFN-CERT-2022-0332`
`dfn-cert: DFN-CERT-2020-2464`

Medium (CVSS: 6.5)
NVT: Samba < 4.14.8 DoS Vulnerability

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.0.20
Fixed version: 4.14.8
Installation
path / port: 445/tcp

Solution:
Solution type: VendorFix
Update to version 4.14.8 or later.

Affected Software/OS
Samba prior to version 4.14.8.

Vulnerability Insight
An unuthenticated user can crash the AD DC KDC by omitting the server name in a TGS-REQ.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Samba < 4.14.8 DoS Vulnerability
OID:1.3.6.1.4.1.25623.1.0.146864
Version used: 2021-10-21T08:03:33Z

Product Detection Result
Product: cpe:/a:samba:samba:3.0.20
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2021-3671
url: https://www.samba.org/samba/history/samba-4.14.8.html
cert-bund: WID-SEC-2022-2372
cert-bund: WID-SEC-2022-1714
cert-bund: CB-K21/1034
dfn-cert: DFN-CERT-2022-2612
dfn-cert: DFN-CERT-2022-2269

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2021-2539

Medium (CVSS: 6.5)
NVT: Samba File Truncation Vulnerability (CVE-2023-3347)

Product detection result
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a file truncation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.17.12 / 4.18.8 / 4.19.1
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.17.12, 4.18.8, 4.19.1 or later.

Affected Software/OS
Samba versions prior to 4.17.12, 4.18.x prior to 4.18.8 and 4.19.0 only.

Vulnerability Insight
SMB client can truncate files to 0 bytes by opening files with OVERWRITE disposition when using the acl_xattr Samba VFS module with the smb.conf setting 'acl_xattr:ignore system acls = yes'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Samba File Truncation Vulnerability (CVE-2023-3347)
OID:1.3.6.1.4.1.25623.1.0.104957
Version used: 2023-11-16T05:05:14Z

Product Detection Result
Product: cpe:/a:samba:samba:3.0.20
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2023-4091
url: https://lists.samba.org/archive/samba-announce/2023/000651.html
url: https://www.samba.org/samba/security/CVE-2023-4091.html
cert-bund: WID-SEC-2023-2620
dfn-cert: DFN-CERT-2024-1065
dfn-cert: DFN-CERT-2024-0839
dfn-cert: DFN-CERT-2023-2700
dfn-cert: DFN-CERT-2023-2494
dfn-cert: DFN-CERT-2023-2462
dfn-cert: DFN-CERT-2023-2447
dfn-cert: DFN-CERT-2023-2443
```

Medium (CVSS: 6.5)
NVT: Samba Security Vulnerability (CVE-2019-10218)

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Malicious servers can cause Samba client code to return filenames containing path separators to calling code.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.9.15
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.9.15, 4.10.10, 4.11.2 or later.

Affected Software/OS

Samba versions prior to 4.9.15, 4.10.x through 4.10.9 and 4.11.x through 4.11.1.
Note: This flaw affects the client code (libsmbclient) of the remote Samba server installation.

Vulnerability Insight

Samba client code (libsmbclient) returns server-supplied filenames to calling code without checking for pathname separators (such as '/' or '../') in the server returned names.

. . . continues on next page . . .

. . . continued from previous page . . .

A malicious server can craft a pathname containing separators and return this to client code, causing the client to use this access local pathnames for reading or writing instead of SMB network pathnames.
This access is done using the local privileges of the client.
This attack can be achieved using any of SMB1/2/3 as it is not reliant on any specific SMB protocol version.
Specifically, samba client tools like smbget and smbclient's mget use the server supplied 'final' name component as a local name when obtaining multiple files. While the design of these tools is that server can always choose the file names, this vulnerability is that it allows a remote server to create local files outside the current working directory.
Users of the libsmbclient library external to Samba may also be vulnerable if they use server returned filenames without adequate checking and pass them to functions that do local filesystem access.
Note that the Gnome GVFS client library is not believed to be vulnerable, as it always passes server-returned pathnames back to the SMB share they were returned from. Such malformed pathnames are then rejected by the server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Security Vulnerability (CVE-2019-10218)`
OID:1.3.6.1.4.1.25623.1.0.117772
Version used: `2021-12-03T14:28:28Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2019-10218`
`url: https://www.samba.org/samba/security/CVE-2019-10218.html`
`cert-bund: WID-SEC-2023-2366`
`cert-bund: CB-K19/0945`
`dfn-cert: DFN-CERT-2023-2166`
`dfn-cert: DFN-CERT-2021-1167`
`dfn-cert: DFN-CERT-2020-2026`
`dfn-cert: DFN-CERT-2020-1078`
`dfn-cert: DFN-CERT-2020-0891`
`dfn-cert: DFN-CERT-2020-0657`
`dfn-cert: DFN-CERT-2020-0600`
`dfn-cert: DFN-CERT-2020-0375`
`dfn-cert: DFN-CERT-2019-2244`
`dfn-cert: DFN-CERT-2019-2240`

Medium (CVSS: 6.5)
NVT: Samba 'fd_open_atomic infinite loop' DoS Vulnerability (CVE-2017-9461)

Product detection result
`cpe:/a:samba:samba:3.0.20`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.4.10
Installation
path / port:       445/tcp
```

Impact
Successfully exploiting this issue will allow remote attackers to conduct a denial-of-service condition(infinite loop with high CPU usage and memory consumption).

Solution:
Solution type: VendorFix
Upgrade to Samba 4.4.10 or 4.5.6 or later.

Affected Software/OS
Samba versions before 4.4.10 and 4.5.x before 4.5.6

Vulnerability Insight
The flaw exists due to error in smbd which enters infinite loop when trying to open an invalid symlink with O_CREAT.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 'fd_open_atomic infinite loop' DoS Vulnerability (CVE-2017-9461)`
OID:1.3.6.1.4.1.25623.1.0.811083
Version used: `2025-09-17T05:39:26Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2017-9461
url: https://bugzilla.samba.org/show_bug.cgi?id=12572
url: https://git.samba.org/?p=samba.git;a=commit;h=10c3e3923022485c720f322ca4f0a
↪ca5d7501310
cert-bund: CB-K17/1281
cert-bund: CB-K17/1129
dfn-cert: DFN-CERT-2019-0726
dfn-cert: DFN-CERT-2017-1329
dfn-cert: DFN-CERT-2017-1168
```

Medium (CVSS: 6.0)
NVT: Samba < 3.0.37, 3.1.x < 3.2.15, 3.3.x < 3.3.8, 3.4.x < 3.4.2 Multiple Vulnerabilities

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to multiple vulnerabilities including a vulnerability that may allow attackers to bypass certain security restrictions, an information disclosure vulnerability and a remote denial-of-service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     3.0.37/3.2.15/3.3.8/3.4.2
Installation
path / port:       445/tcp
```

Impact

Successful exploits may allow attackers to gain access to resources that aren't supposed to be shared, allow attackers to obtain sensitive information that may aid in further attacks and to cause the application to consume excessive CPU resources, denying service to legitimate users.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Versions prior to Samba 3.4.2, 3.3.8, 3.2.15, and 3.0.37 are vulnerable.

Vulnerability Detection Method

Details: `Samba < 3.0.37, 3.1.x < 3.2.15, 3.3.x < 3.3.8, 3.4.x < 3.4.2 Multiple Vulnerabi.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪. .
OID:1.3.6.1.4.1.25623.1.0.100306
Version used: 2025-09-17T05:39:26Z

Product Detection Result
Product: cpe:/a:samba:samba:3.0.20
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2009-2813
cve: CVE-2009-2948
cve: CVE-2009-2906
url: http://www.securityfocus.com/bid/36363
url: http://www.securityfocus.com/bid/36573
url: http://www.securityfocus.com/bid/36572
url: http://www.samba.org/samba/security/CVE-2009-2813.html
url: http://www.samba.org/samba/security/CVE-2009-2948.html
url: http://www.samba.org/samba/security/CVE-2009-2906.html
url: http://www.samba.org/samba/history/security.html
dfn-cert: DFN-CERT-2010-0482
dfn-cert: DFN-CERT-2010-0157
dfn-cert: DFN-CERT-2010-0133
dfn-cert: DFN-CERT-2009-1708
dfn-cert: DFN-CERT-2009-1632
dfn-cert: DFN-CERT-2009-1621
dfn-cert: DFN-CERT-2009-1523
dfn-cert: DFN-CERT-2009-1522
dfn-cert: DFN-CERT-2009-1508
dfn-cert: DFN-CERT-2009-1455
dfn-cert: DFN-CERT-2009-1439
dfn-cert: DFN-CERT-2009-1399

Medium (CVSS: 6.0)
NVT: Samba 3.0.0 <= 3.0.25rc3 MS-RPC Remote Shell Command Execution Vulnerability - Version Check

Product detection result
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a vulnerability that allows attackers to execute arbitrary shell commands because the software fails to sanitize user-supplied input.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     See referenced vendor advisory
Installation
path / port:       445/tcp
```

Impact

An attacker may leverage this issue to execute arbitrary shell commands on an affected system with the privileges of the application.

Solution:

Solution type: VendorFix

Updates are available. Please see the referenced vendor advisory.

Affected Software/OS

Samba versions 3.0.0 through 3.0.25rc3.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Samba 3.0.0 <= 3.0.25rc3 MS-RPC Remote Shell Command Execution Vulnerability - . ↪..`

OID:1.3.6.1.4.1.25623.1.0.108012

Version used: `2025-03-18T05:38:50Z`

Product Detection Result

Product: `cpe:/a:samba:samba:3.0.20`

Method: `SMB NativeLanMan`

OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2007-2447
url: https://www.samba.org/samba/security/CVE-2007-2447.html
url: https://web.archive.org/web/20210121173708/http://www.securityfocus.com/bid
↪/23972
```

Medium (CVSS: 5.9)

NVT: Samba 4.1 < 4.17.1 Improper Authentication (CVE-2021-20251)

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Samba is prone to an improper authentication vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     4.17.1
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.17.1 or later.

Affected Software/OS
Samba version 4.1 through 4.17.1.

Vulnerability Insight
By making bad password count handling atomic, we ensure only one failed authorisation attempt can get through at a time, and refuse excess login attempts made to the same server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 4.1 < 4.17.1 Improper Authentication (CVE-2021-20251)`
OID:1.3.6.1.4.1.25623.1.0.126184
Version used: `2023-10-19T05:05:21Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2021-20251
url: https://www.samba.org/samba/history/samba-4.17.1.html
url: https://bugzilla.samba.org/show_bug.cgi?id=14611
cert-bund: WID-SEC-2022-1799
dfn-cert: DFN-CERT-2023-0201
dfn-cert: DFN-CERT-2023-0199
dfn-cert: DFN-CERT-2023-0176
dfn-cert: DFN-CERT-2023-0153
```

Medium (CVSS: 5.8)
NVT: Samba Format String Vulnerability

Product detection result
`cpe:/a:samba:samba:3.0.20`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     3.0.35/3.2.13/3.3.6
Installation
path / port:       445/tcp
```

Impact
When dos filemode is set to yes in the smb.conf, attackers can exploit this issue to bypass certain security restrictions and compromise a user's system.

Solution:
Solution type: VendorFix
Update to version 3.3.6 or later.

Affected Software/OS
Samba 3.0.0 before 3.0.35 on Linux.
Samba 3.1.x on Linux.
Samba 3.2.4 before 3.2.13 on Linux.
Samba 3.3.0 before 3.3.6 on Linux.

Vulnerability Insight
The flaw is due to uninitialised memory access error in 'smbd' when denying attempts to modify a restricted access control list. This can be exploited to modify the ACL of an already writable file without required permissions.

Vulnerability Detection Method
Details: `Samba Format String Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.900685
Version used: `2025-09-17T05:39:26Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2009-1888
url: http://secunia.com/advisories/35539
url: http://www.securityfocus.com/bid/35472
url: http://www.vupen.com/english/advisories/2009/1664
dfn-cert: DFN-CERT-2010-0482
dfn-cert: DFN-CERT-2009-1708
dfn-cert: DFN-CERT-2009-1621
dfn-cert: DFN-CERT-2009-1523
dfn-cert: DFN-CERT-2009-1363
dfn-cert: DFN-CERT-2009-1086
```

Medium (CVSS: 5.0)
NVT: Samba 3.0.0 <= 4.0.7 DoS Vulnerability (CVE-2013-4124)

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba 3.0.x to 4.0.7 are affected by a denial of service attack on authenticated or guest connections.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     3.5.22
Installation
path / port:       445/tcp
```

Solution:

Solution type: VendorFix

Update to version 3.5.22, 3.6.17, 4.0.8 or later.

Affected Software/OS

Samba versions 3.0.0 through 3.5.21, 3.6.0 through 3.6.16 and 4.0.0 through 4.0.7.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

All current released versions of Samba are vulnerable to a denial of service on an authenticated or guest connection. A malformed packet can cause the smbd server to loop the CPU performing memory allocations and preventing any further service.
A connection to a file share, or a local account is needed to exploit this problem, either authenticated or unauthenticated if guest connections are allowed.
This flaw is not exploitable beyond causing the code to loop allocating memory, which may cause the machine to exceed memory limits.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 3.0.0 <= 4.0.7 DoS Vulnerability (CVE-2013-4124)`
OID:1.3.6.1.4.1.25623.1.0.150732
Version used: `2021-09-29T04:35:02Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2013-4124
url: https://www.samba.org/samba/security/CVE-2013-4124.html
cert-bund: CB-K14/0986
cert-bund: CB-K14/0696
cert-bund: CB-K13/0714
cert-bund: CB-K13/0704
dfn-cert: DFN-CERT-2014-1026
dfn-cert: DFN-CERT-2014-0726
dfn-cert: DFN-CERT-2013-1714
dfn-cert: DFN-CERT-2013-1700
dfn-cert: DFN-CERT-2013-1500
dfn-cert: DFN-CERT-2013-1488
dfn-cert: DFN-CERT-2013-1462
dfn-cert: DFN-CERT-2013-1454
```

Medium (CVSS: 5.0)
NVT: Samba 3.0.1 <= 3.0.22 DoS Vulnerability (CVE-2006-3403)

Product detection result
```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary
Memory exhaustion DoS against smbd.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     Apply patch
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Apply the patch mentioned in the linked reference.

Affected Software/OS
Samba versions 3.0.1 through 3.0.22.

Vulnerability Insight
The smbd daemon maintains internal data structures used track active connections to file and printer shares. In certain circumstances an attacker may be able to continually increase the memory usage of an smbd process by issuing a large number of share connection requests. This defect affects all Samba configurations.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba 3.0.1 <= 3.0.22 DoS Vulnerability (CVE-2006-3403)`
OID:1.3.6.1.4.1.25623.1.0.150722
Version used: `2021-09-29T04:35:02Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2006-3403`
`url: https://www.samba.org/samba/security/CVE-2006-3403.html`

Medium (CVSS: 5.0)
NVT: Samba < 3.0.32 winbind Daemon DoS Vulnerability

Product detection result
`cpe:/a:samba:samba:3.0.20`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Samba is prone to a winbind daemon denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     3.0.32
Installation
path / port:       445/tcp
```

Impact
Successful exploitation will let the attacker crash the application.

Solution:
Solution type: VendorFix
Update to version 3.0.32 or later.

Affected Software/OS
Samba version prior to 3.0.32 on Linux.

Vulnerability Insight
This flaw is due to a race condition in the winbind daemon which allows remote attackers to cause denial of service through unspecified vectors related to an unresponsive child process.

Vulnerability Detection Method
Details: `Samba < 3.0.32 winbind Daemon DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.800711
Version used: `2025-09-17T05:39:26Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`url: http://wiki.rpath.com/wiki/Advisories:rPSA-2008-0308`
`url: http://www.samba.org/samba/history/samba-3.0.32.html`
`url: http://www.securityfocus.com/archive/1/archive/1/497941/100/0/threaded`

Medium (CVSS: 5.0)
NVT: Samba < 3.4.8, 3.5.x < 3.5.2 Multiple Remote DoS Vulnerabilities

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to multiple remote denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     3.4.8/3.5.2 or later
Installation
path / port:       445/tcp
```

Impact
An attacker can exploit these issues to crash the application, denying service to legitimate users.

Solution:
Solution type: VendorFix
Update to version 3.4.8, 3.5.2 or later.

Affected Software/OS
Versions prior to Samba 3.4.8 and 3.5.2 are vulnerable.

Vulnerability Detection Method
Details: Samba < 3.4.8, 3.5.x < 3.5.2 Multiple Remote DoS Vulnerabilities
OID:1.3.6.1.4.1.25623.1.0.100644
Version used: 2023-07-28T16:09:07Z

Product Detection Result
Product: cpe:/a:samba:samba:3.0.20
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2010-1635
cve: CVE-2010-1642
url: http://www.securityfocus.com/bid/40097
url: https://bugzilla.samba.org/show_bug.cgi?id=7229
url: https://bugzilla.samba.org/show_bug.cgi?id=7254
url: http://samba.org/samba/history/samba-3.4.8.html
url: http://samba.org/samba/history/samba-3.5.2.html
dfn-cert: DFN-CERT-2012-0462

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2010-0954

Medium (CVSS: 5.0)
NVT: Samba < 3.5.7 'FD_SET' Memory Corruption Vulnerability

Product detection result
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a memory-corruption vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.0.20
Fixed version: 3.5.7
Installation
path / port: 445/tcp

Impact
An attacker can exploit this issue to crash the application or cause the application to enter an infinite loop. Due to the nature of this issue, arbitrary code execution may be possible but this has not been confirmed.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Samba versions prior to 3.5.7 are vulnerable.

Vulnerability Detection Method
Details: Samba < 3.5.7 'FD_SET' Memory Corruption Vulnerability
OID:1.3.6.1.4.1.25623.1.0.103095
Version used: 2025-09-17T05:39:26Z

Product Detection Result
Product: cpe:/a:samba:samba:3.0.20
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2011-0719
url: http://www.securityfocus.com/bid/46597
url: http://samba.org/samba/security/CVE-2011-0719.html
dfn-cert: DFN-CERT-2012-1981
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0462
dfn-cert: DFN-CERT-2011-0962
dfn-cert: DFN-CERT-2011-0712
dfn-cert: DFN-CERT-2011-0399
dfn-cert: DFN-CERT-2011-0274
dfn-cert: DFN-CERT-2011-0268
dfn-cert: DFN-CERT-2011-0267
```

Medium (CVSS: 4.7)
NVT: Samba 'mtab' Lock File Handling Local DoS Vulnerability

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a local denial of service (DoS) vulnerability that affects the mounting utilities 'mount.cifs' and 'umount.cifs'.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     3.6.1
Installation
path / port:       445/tcp
```

Impact

A local attacker can exploit this issue to cause the mounting utilities to abort, resulting in a denial-of-service condition.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Vulnerability Detection Method

Details: `Samba 'mtab' Lock File Handling Local DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.103283
Version used: `2025-09-17T05:39:26Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:samba:samba:3.0.20
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2011-3585
url: http://www.securityfocus.com/bid/49940
url: https://bugzilla.samba.org/show_bug.cgi?id=7179
url: http://git.samba.org/?p=cifs-utils.git;a=commitdiff;h=810f7e4e0f2dbcbee0294
↪d9b371071cb08268200

Medium (CVSS: 4.4)
NVT: Samba <= 3.4.5 'mount.cifs' Utility Local Privilege Escalation Vulnerability

Product detection result
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to a local privilege escalation vulnerability in the 'mount.cifs' utility.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.0.20
Fixed version: 3.4.6
Installation
path / port: 445/tcp

Impact
Local attackers can exploit this issue to gain elevated privileges on affected computers.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Vulnerability Detection Method
Details: Samba <= 3.4.5 'mount.cifs' Utility Local Privilege Escalation Vulnerability
OID:1.3.6.1.4.1.25623.1.0.100476
Version used: 2025-09-17T05:39:26Z

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:samba:samba:3.0.20
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
cve: CVE-2009-3297
cve: CVE-2010-0787
url: http://www.securityfocus.com/bid/37992
dfn-cert: DFN-CERT-2012-0462
dfn-cert: DFN-CERT-2012-0171
dfn-cert: DFN-CERT-2011-1306
dfn-cert: DFN-CERT-2010-0984
dfn-cert: DFN-CERT-2010-0842
dfn-cert: DFN-CERT-2010-0641
dfn-cert: DFN-CERT-2010-0639
dfn-cert: DFN-CERT-2010-0275
dfn-cert: DFN-CERT-2010-0268
dfn-cert: DFN-CERT-2010-0266
dfn-cert: DFN-CERT-2010-0218
dfn-cert: DFN-CERT-2010-0198
dfn-cert: DFN-CERT-2010-0155
dfn-cert: DFN-CERT-2010-0136
dfn-cert: DFN-CERT-2010-0134
dfn-cert: DFN-CERT-2010-0133
dfn-cert: DFN-CERT-2010-0129

Medium (CVSS: 4.3)
NVT: Samba Information Disclosure Vulnerability (CVE-2021-44141)

Product detection result
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)

Summary
Samba is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.0.20
Fixed version: 4.15.5
Installation
path / port: 445/tcp

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 4.15.5 or later.

Affected Software/OS
Samba versions prior to 4.15.5.

Vulnerability Insight
Samba is vulnerable to a malicious client using a server symlink to determine if a file or directory exists in an area of the server file system not exported under the share definition. SMB1 with unix extensions has to be enabled in order for this attack to succeed.
Clients that have write access to the exported part of the file system under a share via SMB1 unix extensions or via NFS can create symlinks that point to arbitrary files or directories on the server filesystem.
Clients can then use SMB1 unix extension information queries to determine if the target of the symlink exists or not by examining error codes returned from the smbd server. There is no ability to access these files or directories, only to determine if they exist or not.
If SMB1 is turned off and only SMB2 is used, or unix extensions are not enabled then there is no way to discover if a symlink points to a valid target or not via SMB2. For this reason, even if symlinks are created via NFS, if the Samba server does not allow SMB1 with unix extensions there is no way to exploit this bug.
Finding out what files or directories exist on a file server can help attackers guess system user names or the exact operating system release and applications running on the server hosting Samba which may help mount further attacks.
SMB1 has been disabled on Samba since version 4.11.0 and onwards.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Information Disclosure Vulnerability (CVE-2021-44141)`
OID:1.3.6.1.4.1.25623.1.0.147555
Version used: `2022-02-25T03:03:32Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
`cve: CVE-2021-44141`
`url: https://www.samba.org/samba/security/CVE-2021-44141.html`
`cert-bund: WID-SEC-2022-0466`
`cert-bund: CB-K22/0128`
`dfn-cert: DFN-CERT-2022-1032`
`dfn-cert: DFN-CERT-2022-0264`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0242
dfn-cert: DFN-CERT-2022-0228
```

[return to 172.30.1.1]

2.1.24 Medium 22/tcp

Medium (CVSS: 6.8)
NVT: OpenBSD OpenSSH <= 7.9 Multiple Vulnerabilities

Product detection result

```
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenBSD OpenSSH is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     8.0
Installation
path / port:       22/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.0 or later.

Affected Software/OS

OpenBSD OpenSSH versions 7.9 and prior.

Vulnerability Insight

The following flaws exist:

- CVE-2018-20685: bypass of intended access restrictions in the scp client
- CVE-2019-6109, CVE-2019-6110: manipulation of the output in the scp client by a malicious server
- CVE-2019-6111: overwrite of arbitrary files in the scp client by a malicious server

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `OpenBSD OpenSSH <= 7.9 Multiple Vulnerabilities`

OID:1.3.6.1.4.1.25623.1.0.117786

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2023-10-20T16:09:12Z

Product Detection Result
Product: cpe:/a:openbsd:openssh:4.7p1
Method: OpenSSH Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
cve: CVE-2018-20685
cve: CVE-2019-6109
cve: CVE-2019-6110
cve: CVE-2019-6111
url: https://sintonen.fi/advisories/scp-client-multiple-vulnerabilities.txt
url: http://www.openwall.com/lists/oss-security/2019/04/18/1
cert-bund: WID-SEC-2024-1082
cert-bund: WID-SEC-2024-0872
cert-bund: WID-SEC-2023-1995
cert-bund: WID-SEC-2023-0561
cert-bund: CB-K19/0627
cert-bund: CB-K19/0312
cert-bund: CB-K19/0058
cert-bund: CB-K19/0037
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2019-2157
dfn-cert: DFN-CERT-2019-1470
dfn-cert: DFN-CERT-2019-0970
dfn-cert: DFN-CERT-2019-0776
dfn-cert: DFN-CERT-2019-0563
dfn-cert: DFN-CERT-2019-0415
dfn-cert: DFN-CERT-2019-0357
dfn-cert: DFN-CERT-2019-0275
dfn-cert: DFN-CERT-2019-0136
dfn-cert: DFN-CERT-2019-0094

Medium (CVSS: 6.5)
NVT: OpenSSH 4.4 < 4.9 Permission, Privileges and Access Controls Vulnerability

Product detection result
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)

Summary
OpenSSH 4.4 up to versions before 4.9 allows remote authenticated users to bypass the sshd_config ForceCommand directive by modifying the .ssh/rc session file.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     4.9
Installation
path / port:       22/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.9 or later.

Affected Software/OS
OpenSSH version 4.4 through 4.8.

Vulnerability Insight
Please see the references for more information on the vulnerabilities.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH 4.4 < 4.9 Permission, Privileges and Access Controls Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.150633
Version used: `2021-05-28T11:51:20Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`cve: CVE-2008-1657`
`url: https://www.openbsd.org/errata43.html#001_openssh`

Medium (CVSS: 6.5)
NVT: OpenBSD OpenSSH < 9.6 Multiple Vulnerabilities (Terrapin Attack)

Product detection result
`cpe:/a:openbsd:openssh:4.7p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenBSD OpenSSH is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     9.6
Installation
path / port:       22/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.6 or later.
Note: Client and Server implementations need to run a fixed version to mitigate the Terrapin flaw.

Affected Software/OS
OpenBSD OpenSSH prior to version 9.6.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2023-48795: The SSH transport protocol with certain OpenSSH extensions allows remote attackers to bypass integrity checks such that some packets are omitted (from the extension negotiation message), and a client and server may consequently end up with a connection for which some security features have been downgraded or disabled, aka a 'Terrapin attack'.
- CVE-2023-51384: In ssh-agent certain destination constraints can be incompletely applied. When destination constraints are specified during addition of PKCS#11-hosted private keys, these constraints are only applied to the first key, even if a PKCS#11 token returns multiple keys.
- CVE-2023-51385: OS command injection might occur if a user name or host name has shell metacharacters, and this name is referenced by an expansion token in certain situations. For example, an untrusted Git repository can have a submodule with shell metacharacters in a user name or host name.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH < 9.6 Multiple Vulnerabilities (Terrapin Attack)`
OID:1.3.6.1.4.1.25623.1.0.118572
Version used: `2025-10-08T05:38:55Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2023-48795
cve: CVE-2023-51384
cve: CVE-2023-51385
url: https://www.openssh.com/txt/release-9.6
url: https://terrapin-attack.com
url: https://vin01.github.io/piptagole/ssh/security/openssh/libssh/remote-code-e
↪xecution/2023/12/20/openssh-proxycommand-libssh-rce.html
url: https://github.com/vin01/poc-proxycommand-vulnerable
cert-bund: WID-SEC-2025-0810
cert-bund: WID-SEC-2025-0168
cert-bund: WID-SEC-2025-0144
cert-bund: WID-SEC-2025-0139
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-3320
cert-bund: WID-SEC-2024-3198
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-3140
cert-bund: WID-SEC-2024-1913
cert-bund: WID-SEC-2024-1781
cert-bund: WID-SEC-2024-1701
cert-bund: WID-SEC-2024-1656
cert-bund: WID-SEC-2024-1655
cert-bund: WID-SEC-2024-1643
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1639
cert-bund: WID-SEC-2024-1637
cert-bund: WID-SEC-2024-1630
cert-bund: WID-SEC-2024-1474
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1228
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-1082
cert-bund: WID-SEC-2024-0899
cert-bund: WID-SEC-2024-0892
cert-bund: WID-SEC-2024-0889
cert-bund: WID-SEC-2024-0885
cert-bund: WID-SEC-2024-0874
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0578
cert-bund: WID-SEC-2024-0564
cert-bund: WID-SEC-2024-0523
cert-bund: WID-SEC-2023-3182
cert-bund: WID-SEC-2023-3174
dfn-cert: DFN-CERT-2026-0097
dfn-cert: DFN-CERT-2025-3629
dfn-cert: DFN-CERT-2025-3272
dfn-cert: DFN-CERT-2025-2058
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-2037
dfn-cert: DFN-CERT-2025-1447
dfn-cert: DFN-CERT-2025-1177
dfn-cert: DFN-CERT-2025-1025
dfn-cert: DFN-CERT-2025-0660
dfn-cert: DFN-CERT-2025-0502
dfn-cert: DFN-CERT-2025-0294
dfn-cert: DFN-CERT-2025-0173
dfn-cert: DFN-CERT-2025-0165
dfn-cert: DFN-CERT-2025-0024
dfn-cert: DFN-CERT-2024-3171
dfn-cert: DFN-CERT-2024-2818
dfn-cert: DFN-CERT-2024-2759
dfn-cert: DFN-CERT-2024-2741
dfn-cert: DFN-CERT-2024-2682
dfn-cert: DFN-CERT-2024-2602
dfn-cert: DFN-CERT-2024-2573
dfn-cert: DFN-CERT-2024-2392
dfn-cert: DFN-CERT-2024-2210
dfn-cert: DFN-CERT-2024-2209
dfn-cert: DFN-CERT-2024-2194
dfn-cert: DFN-CERT-2024-2169
dfn-cert: DFN-CERT-2024-2048
dfn-cert: DFN-CERT-2024-2030
dfn-cert: DFN-CERT-2024-2028
dfn-cert: DFN-CERT-2024-1930
dfn-cert: DFN-CERT-2024-1895
dfn-cert: DFN-CERT-2024-1869
dfn-cert: DFN-CERT-2024-1868
dfn-cert: DFN-CERT-2024-1865
dfn-cert: DFN-CERT-2024-1862
dfn-cert: DFN-CERT-2024-1854
dfn-cert: DFN-CERT-2024-1846
dfn-cert: DFN-CERT-2024-1817
dfn-cert: DFN-CERT-2024-1794
dfn-cert: DFN-CERT-2024-1715
dfn-cert: DFN-CERT-2024-1698
dfn-cert: DFN-CERT-2024-1688
dfn-cert: DFN-CERT-2024-1655
dfn-cert: DFN-CERT-2024-1600
dfn-cert: DFN-CERT-2024-1443
dfn-cert: DFN-CERT-2024-1442
dfn-cert: DFN-CERT-2024-1413
dfn-cert: DFN-CERT-2024-1382
dfn-cert: DFN-CERT-2024-1380
dfn-cert: DFN-CERT-2024-1373
dfn-cert: DFN-CERT-2024-1260
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1259
dfn-cert: DFN-CERT-2024-1108
dfn-cert: DFN-CERT-2024-1061
dfn-cert: DFN-CERT-2024-1029
dfn-cert: DFN-CERT-2024-1003
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2024-0896
dfn-cert: DFN-CERT-2024-0779
dfn-cert: DFN-CERT-2024-0762
dfn-cert: DFN-CERT-2024-0744
dfn-cert: DFN-CERT-2024-0698
dfn-cert: DFN-CERT-2024-0633
dfn-cert: DFN-CERT-2024-0619
dfn-cert: DFN-CERT-2024-0618
dfn-cert: DFN-CERT-2024-0616
dfn-cert: DFN-CERT-2024-0597
dfn-cert: DFN-CERT-2024-0545
dfn-cert: DFN-CERT-2024-0526
dfn-cert: DFN-CERT-2024-0491
dfn-cert: DFN-CERT-2024-0480
dfn-cert: DFN-CERT-2024-0451
dfn-cert: DFN-CERT-2024-0440
dfn-cert: DFN-CERT-2024-0420
dfn-cert: DFN-CERT-2024-0388
dfn-cert: DFN-CERT-2024-0343
dfn-cert: DFN-CERT-2024-0306
dfn-cert: DFN-CERT-2024-0299
dfn-cert: DFN-CERT-2024-0285
dfn-cert: DFN-CERT-2024-0267
dfn-cert: DFN-CERT-2024-0251
dfn-cert: DFN-CERT-2024-0215
dfn-cert: DFN-CERT-2024-0211
dfn-cert: DFN-CERT-2024-0164
dfn-cert: DFN-CERT-2024-0154
dfn-cert: DFN-CERT-2024-0101
dfn-cert: DFN-CERT-2024-0092
dfn-cert: DFN-CERT-2024-0088
dfn-cert: DFN-CERT-2024-0067
dfn-cert: DFN-CERT-2024-0063
dfn-cert: DFN-CERT-2024-0062
dfn-cert: DFN-CERT-2024-0024
dfn-cert: DFN-CERT-2024-0022
dfn-cert: DFN-CERT-2024-0013
dfn-cert: DFN-CERT-2023-3219
dfn-cert: DFN-CERT-2023-3218
dfn-cert: DFN-CERT-2023-3210
dfn-cert: DFN-CERT-2023-3201
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-3200
dfn-cert: DFN-CERT-2023-3195
dfn-cert: DFN-CERT-2023-3193
dfn-cert: DFN-CERT-2023-3191
dfn-cert: DFN-CERT-2023-3185
dfn-cert: DFN-CERT-2023-3184
dfn-cert: DFN-CERT-2023-3183
dfn-cert: DFN-CERT-2023-3182
dfn-cert: DFN-CERT-2023-3175
```

Medium (CVSS: 6.4)
NVT: OpenSSH <= 7.2p1 Xauth Command Injection Vulnerability

Product detection result

```
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenSSH is prone to an xauth command injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     7.2p2
Installation
path / port:       22/tcp
```

Impact

By injecting xauth commands one gains limited* read/write arbitrary files, information leakage or xauth-connect capabilities.

Solution:

Solution type: VendorFix

Update to version 7.2p2 or later.

Affected Software/OS

OpenSSH versions before 7.2p2.

Vulnerability Insight

An authenticated user may inject arbitrary xauth commands by sending an x11 channel request that includes a newline character in the x11 cookie. The newline acts as a command separator to the xauth binary. This attack requires the server to have 'X11Forwarding yes' enabled. Disabling it, mitigates this vector.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH <= 7.2p1 Xauth Command Injection Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.105581
Version used: `2024-12-13T05:05:32Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2016-3115
url: http://www.openssh.com/txt/release-7.2p2
cert-bund: CB-K17/0054
cert-bund: CB-K16/1485
cert-bund: CB-K16/1107
cert-bund: CB-K16/0684
cert-bund: CB-K16/0449
cert-bund: CB-K16/0448
cert-bund: CB-K16/0397
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2017-0059
dfn-cert: DFN-CERT-2016-1574
dfn-cert: DFN-CERT-2016-1174
dfn-cert: DFN-CERT-2016-0733
dfn-cert: DFN-CERT-2016-0488
dfn-cert: DFN-CERT-2016-0486
dfn-cert: DFN-CERT-2016-0437
```

Medium (CVSS: 5.8)
NVT: OpenSSH Certificate Validation Security Bypass Vulnerability

Product detection result
`cpe:/a:openbsd:openssh:4.7p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenSSH is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 4.7p1
Fixed version:     See references
Installation
path / port:       22/tcp
```

Impact
Attackers can exploit this issue to bypass certain security restrictions and perform unauthorized actions. This may aid in further attacks.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
OpenSSH 6.6 and prior are vulnerable.

Vulnerability Insight
The verify_host_key function in sshconnect.c in the client in OpenSSH 6.6 and earlier allows remote servers to trigger the skipping of SSHFP DNS RR checking by presenting an unacceptable HostCertificate.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH Certificate Validation Security Bypass Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.105004
Version used: `2025-01-17T15:39:18Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2014-2653
url: http://www.securityfocus.com/bid/66459
cert-bund: CB-K15/1105
cert-bund: CB-K15/0299
cert-bund: CB-K14/1399
cert-bund: CB-K14/0407
cert-bund: CB-K14/0400
dfn-cert: DFN-CERT-2015-1161
dfn-cert: DFN-CERT-2015-0303
dfn-cert: DFN-CERT-2014-1479
dfn-cert: DFN-CERT-2014-0422
dfn-cert: DFN-CERT-2014-0415
```

Medium (CVSS: 5.3)
NVT: OpenSSH < 7.1p2 DoS Vulnerability (Jan 2016)

Product detection result
`cpe:/a:openbsd:openssh:4.7p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenSSH is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     7.1p2
Installation
path / port:       22/tcp
```

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service (out-of-bounds read and application crash).

Solution:
Solution type: VendorFix
Update to version 7.1p2 or later.

Affected Software/OS
OpenSSH versions before 7.1p2.

Vulnerability Insight
The flaw exists due to an error in the 'ssh_packet_read_poll2' function within the 'packet.c' file.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH < 7.1p2 DoS Vulnerability (Jan 2016)`
OID:1.3.6.1.4.1.25623.1.0.806671
Version used: `2024-12-13T05:05:32Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2016-1907
url: http://www.openssh.com/txt/release-7.1p2
url: https://anongit.mindrot.org/openssh.git/commit/?id=2fecfd486bdba9f51b3a7892
↪77bb0733ca36e1c0
cert-bund: WID-SEC-2024-1055
cert-bund: CB-K17/0055
cert-bund: CB-K16/0684
cert-bund: CB-K16/0068
dfn-cert: DFN-CERT-2017-0060
dfn-cert: DFN-CERT-2016-0733
dfn-cert: DFN-CERT-2016-0077
```

Medium (CVSS: 5.3)
NVT: Weak Host Key Algorithm(s) (SSH)

Product detection result

```
cpe:/a:ietf:secure_shell_protocol
Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↪)
```

Summary

The remote SSH server is configured to allow / support weak host key algorithm(s).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote SSH server supports the following weak host key algorithm(s):
host key algorithm | Description
-------------------------------------------------------------------------------
↪---------
ssh-dss            | Digital Signature Algorithm (DSA) / Digital Signature Stand
↪ard (DSS)
```

Solution:
Solution type: Mitigation
Disable the reported weak host key algorithm(s).

Vulnerability Detection Method

Checks the supported host key algorithms of the remote SSH server.
Currently weak host key algorithms are defined as the following:
- ssh-dss: Digital Signature Algorithm (DSA) / Digital Signature Standard (DSS)
Details: `Weak Host Key Algorithm(s) (SSH)`
OID:1.3.6.1.4.1.25623.1.0.117687
Version used: `2024-06-14T05:05:48Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:ietf:secure_shell_protocol
Method: SSH Protocol Algorithms Supported
OID: 1.3.6.1.4.1.25623.1.0.105565)

References
url: https://www.rfc-editor.org/rfc/rfc8332
url: https://www.rfc-editor.org/rfc/rfc8709
url: https://www.rfc-editor.org/rfc/rfc4253#section-6.6

Medium (CVSS: 5.3)
NVT: OpenSSH Information Disclosure Vulnerability (CVE-2016-20012)

Product detection result
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)

Summary
OpenBSD OpenSSH is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 50%

Vulnerability Detection Result
Installed version: 4.7p1
Fixed version: None
Installation
path / port: 22/tcp

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
All currently OpenSSH versions are known to be affected.

Vulnerability Insight
OpenSSH allows remote attackers, who have a suspicion that a certain combination of username and public key is known to an SSH server, to test whether this suspicion is correct. This occurs because a challenge is sent only when that combination could be valid for a login session.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH Information Disclosure Vulnerability (CVE-2016-20012)`
OID:1.3.6.1.4.1.25623.1.0.117777
Version used: `2022-11-24T10:18:54Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2016-20012
url: https://github.com/openssh/openssh-portable/pull/270
url: https://rushter.com/blog/public-ssh-keys/
url: https://utcc.utoronto.ca/~cks/space/blog/tech/SSHKeysAreInfoLeak
cert-bund: WID-SEC-2024-1082
cert-bund: WID-SEC-2024-0229
cert-bund: CB-K21/0979
dfn-cert: DFN-CERT-2024-1260
```

Medium (CVSS: 5.3)
NVT: OpenSSH < 7.6 'sftp-server' Security Bypass Vulnerability - Linux

Product detection result
```
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary
OpenSSH is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.7p1
Fixed version:     7.6
Installation
path / port:       22/tcp
```

Impact
Successfully exploiting this issue allows local users to bypass certain security restrictions and perform unauthorized actions. This may lead to further attacks.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 7.6 or later.

Affected Software/OS
OpenSSH versions prior to 7.6 on Linux.

Vulnerability Insight
The flaw exists in the 'process_open' function in sftp-server.c script which does not properly prevent write operations in readonly mode.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH < 7.6 'sftp-server' Security Bypass Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.812051
Version used: `2024-12-13T05:05:32Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2017-15906
url: https://www.openssh.com/txt/release-7.6
url: http://www.securityfocus.com/bid/101552
url: https://github.com/openbsd/src/commit/a6981567e8e
cert-bund: WID-SEC-2024-1082
cert-bund: CB-K20/0041
cert-bund: CB-K18/0137
cert-bund: CB-K17/2126
cert-bund: CB-K17/2014
cert-bund: CB-K17/2002
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2019-0362
dfn-cert: DFN-CERT-2018-2554
dfn-cert: DFN-CERT-2018-2191
dfn-cert: DFN-CERT-2018-2068
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2018-1568
dfn-cert: DFN-CERT-2018-0150
dfn-cert: DFN-CERT-2017-2217
dfn-cert: DFN-CERT-2017-2100
dfn-cert: DFN-CERT-2017-2093
```

Medium (CVSS: 5.3)
NVT: Weak Key Exchange (KEX) Algorithm(s) Supported (SSH)

Product detection result

```
cpe:/a:ietf:secure_shell_protocol
Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↪)
```

Summary

The remote SSH server is configured to allow / support weak key exchange (KEX) algorithm(s).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote SSH server supports the following weak KEX algorithm(s):
KEX algorithm                      | Reason
-------------------------------------------------------------------------------
↪-----------
diffie-hellman-group-exchange-sha1 | Using SHA-1
diffie-hellman-group1-sha1         | Using Oakley Group 2 (a 1024-bit MODP group
↪) and SHA-1
```

Impact

An attacker can quickly break individual connections.

Solution:

Solution type: Mitigation

Disable the reported weak KEX algorithm(s)
- 1024-bit MODP group / prime KEX algorithms:
Alternatively use elliptic-curve Diffie-Hellmann in general, e.g. Curve 25519.

Vulnerability Insight

- 1024-bit MODP group / prime KEX algorithms:
Millions of HTTPS, SSH, and VPN servers all use the same prime numbers for Diffie-Hellman key exchange. Practitioners believed this was safe as long as new key exchange messages were generated for every connection. However, the first step in the number field sieve-the most efficient algorithm for breaking a Diffie-Hellman connection-is dependent only on this prime.
A nation-state can break a 1024-bit prime.

Vulnerability Detection Method

Checks the supported KEX algorithms of the remote SSH server.
Currently weak KEX algorithms are defined as the following:
- non-elliptic-curve Diffie-Hellmann (DH) KEX algorithms with 1024-bit MODP group / prime
- ephemerally generated key exchange groups uses SHA-1
- using RSA 1024-bit modulus key
Details: `Weak Key Exchange (KEX) Algorithm(s) Supported (SSH)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.150713
Version used: 2024-06-14T05:05:48Z

Product Detection Result
Product: cpe:/a:ietf:secure_shell_protocol
Method: SSH Protocol Algorithms Supported
OID: 1.3.6.1.4.1.25623.1.0.105565)

References
url: https://weakdh.org/sysadmin.html
url: https://www.rfc-editor.org/rfc/rfc9142
url: https://www.rfc-editor.org/rfc/rfc9142#name-summary-guidance-for-implem
url: https://www.rfc-editor.org/rfc/rfc6194
url: https://www.rfc-editor.org/rfc/rfc4253#section-6.5

Medium (CVSS: 5.3)
NVT: OpenSSH < 7.8 User Enumeration Vulnerability - Linux

Product detection result
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)

Summary
OpenSSH is prone to a user enumeration vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 4.7p1
Fixed version: 7.8
Installation
path / port: 22/tcp

Impact
Successfully exploitation will allow remote attacker to test whether a certain user exists or not (username enumeration) on a target OpenSSH server.

Solution:
Solution type: VendorFix
Update to version 7.8 or later.

Affected Software/OS
OpenSSH versions 7.7 and prior.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The flaw is due to not delaying bailout for an invalid authenticating user until after the packet containing the request has been fully parsed, related to auth2-gss.c, auth2-hostbased.c, and auth2-pubkey.c

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH < 7.8 User Enumeration Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.813864
Version used: `2024-12-13T05:05:32Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2018-15473
url: https://0day.city/cve-2018-15473.html
url: https://github.com/openbsd/src/commit/779974d35b4859c07bc3cb8a12c74b43b0a7d
↪1e0
cert-bund: WID-SEC-2024-1082
cert-bund: CB-K20/0041
cert-bund: CB-K18/1031
cert-bund: CB-K18/0873
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2021-2178
dfn-cert: DFN-CERT-2020-2189
dfn-cert: DFN-CERT-2020-0228
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-0857
dfn-cert: DFN-CERT-2019-0362
dfn-cert: DFN-CERT-2018-2293
dfn-cert: DFN-CERT-2018-2259
dfn-cert: DFN-CERT-2018-2191
dfn-cert: DFN-CERT-2018-1806
dfn-cert: DFN-CERT-2018-1696
```

Medium (CVSS: 5.0)
NVT: OpenSSH Denial of Service Vulnerability

Product detection result
`cpe:/a:openbsd:openssh:4.7p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
OpenSSH is prone to a remote denial-of-service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     See references
Installation
path / port:       22/tcp
```

Impact
Exploiting this issue allows remote attackers to trigger denial-of- service conditions.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
OpenSSH 6.1 and prior.

Vulnerability Insight
The default configuration of OpenSSH through 6.1 enforces a fixed time limit between establishing a TCP connection and completing a login, which makes it easier for remote attackers to cause a denial of service (connection-slot exhaustion) by periodically making many new TCP connections.

Vulnerability Detection Method
Compare the version retrieved from the banner with the affected range.
Details: `OpenSSH Denial of Service Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.103939
Version used: `2023-07-26T05:05:09Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References

```
cve: CVE-2010-5107
url: http://www.securityfocus.com/bid/58162
cert-bund: CB-K15/1266
cert-bund: CB-K15/0080
cert-bund: CB-K14/1423
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K13/0953
cert-bund: CB-K13/0943
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0082
dfn-cert: DFN-CERT-2014-1491
dfn-cert: DFN-CERT-2013-1971
dfn-cert: DFN-CERT-2013-1967
dfn-cert: DFN-CERT-2013-1307
dfn-cert: DFN-CERT-2013-0944
dfn-cert: DFN-CERT-2013-0742
dfn-cert: DFN-CERT-2013-0397
dfn-cert: DFN-CERT-2013-0298
```

Medium (CVSS: 5.0)
NVT: OpenBSD OpenSSH < 9.2 Unspecified Vulnerability

Product detection result

```
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenBSD OpenSSH is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     9.2
Installation
path / port:       22/tcp
```

Solution:

Solution type: VendorFix

Update to version 9.2 or later.

Affected Software/OS

OpenBSD OpenSSH prior to version 9.2.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

If the CanonicalizeHostname and CanonicalizePermittedCNAMEs options were enabled, and the system/libc resolver did not check that names in DNS responses were valid, then use of these options could allow an attacker with control of DNS to include invalid characters (possibly including wildcards) in names added to known_hosts files when they were updated. These names would still have to match the CanonicalizePermittedCNAMEs allow-list, so practical exploitation appears unlikely.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH < 9.2 Unspecified Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.104512
Version used: `2025-01-21T05:37:33Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`url: https://www.openssh.com/releasenotes.html#9.2`
`url: https://www.openwall.com/lists/oss-security/2023/02/02/3`

Medium (CVSS: 5.0)
NVT: OpenBSD OpenSSH < 9.3 Unspecified Vulnerability

Product detection result
`cpe:/a:openbsd:openssh:4.7p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenBSD OpenSSH is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.7p1
Fixed version:     9.3
Installation
path / port:       22/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.3 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
OpenBSD OpenSSH prior to version 9.3.

Vulnerability Insight
ssh(1): Portable OpenSSH provides an implementation of the getrrsetbyname(3) function if the standard library does not provide it, for use by the VerifyHostKeyDNS feature. A specifically crafted DNS response could cause this function to perform an out-of-bounds read of adjacent stack data, but this condition does not appear to be exploitable beyond denial-of-service to the ssh(1) client.
The getrrsetbyname(3) replacement is only included if the system's standard library lacks this function and portable OpenSSH was not compiled with the ldns library (–with-ldns). getrrsetbyname(3) is only invoked if using VerifyHostKeyDNS to fetch SSHFP records.This problem was found by the Coverity static analyzer.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH < 9.3 Unspecified Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.104635
Version used: `2025-01-21T05:37:33Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`url: https://www.openssh.com/releasenotes.html#9.3`
`url: https://www.openwall.com/lists/oss-security/2023/03/15/8`

Medium (CVSS: 4.9)
NVT: OpenSSH 'child_set_env()' Function Security Bypass Vulnerability

Product detection result
`cpe:/a:openbsd:openssh:4.7p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenSSH is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 4.7p1`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     6.6
Installation
path / port:       22/tcp
```

Impact
The security bypass allows remote attackers to bypass intended environment restrictions by using a substring located before a wildcard character.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Versions prior to OpenSSH 6.6 are vulnerable.

Vulnerability Insight
sshd in OpenSSH before 6.6 does not properly support wildcards on AcceptEnv lines in sshd_config.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH 'child_set_env()' Function Security Bypass Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.105003
Version used: `2025-01-17T15:39:18Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2014-2532
url: http://www.securityfocus.com/bid/66355
cert-bund: CB-K15/1437
cert-bund: CB-K14/1399
cert-bund: CB-K14/0893
cert-bund: CB-K14/0400
cert-bund: CB-K14/0345
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2014-1479
dfn-cert: DFN-CERT-2014-0922
dfn-cert: DFN-CERT-2014-0415
dfn-cert: DFN-CERT-2014-0360
```

Medium (CVSS: 4.3)
NVT: Weak Encryption Algorithm(s) Supported (SSH)

Product detection result

```
cpe:/a:ietf:secure_shell_protocol
Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↪)
```

Summary

The remote SSH server is configured to allow / support weak encryption algorithm(s).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote SSH server supports the following weak client-to-server encryption al
↪gorithm(s):
3des-cbc
aes128-cbc
aes192-cbc
aes256-cbc
arcfour
arcfour128
arcfour256
blowfish-cbc
cast128-cbc
rijndael-cbc@lysator.liu.se
The remote SSH server supports the following weak server-to-client encryption al
↪gorithm(s):
3des-cbc
aes128-cbc
aes192-cbc
aes256-cbc
arcfour
arcfour128
arcfour256
blowfish-cbc
cast128-cbc
rijndael-cbc@lysator.liu.se
```

Solution:

Solution type: Mitigation

Disable the reported weak encryption algorithm(s).

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

- The 'arcfour' cipher is the Arcfour stream cipher with 128-bit keys. The Arcfour cipher is believed to be compatible with the RC4 cipher [SCHNEIER]. Arcfour (and RC4) has problems with weak keys, and should not be used anymore.
- The 'none' algorithm specifies that no encryption is to be done. Note that this method provides no confidentiality protection, and it is NOT RECOMMENDED to use it.
- A vulnerability exists in SSH messages that employ CBC mode that may allow an attacker to recover plaintext from a block of ciphertext.

Vulnerability Detection Method

Checks the supported encryption algorithms (client-to-server and server-to-client) of the remote SSH server.
Currently weak encryption algorithms are defined as the following:
- Arcfour (RC4) cipher based algorithms
- 'none' algorithm
- CBC mode cipher based algorithms

Details: `Weak Encryption Algorithm(s) Supported (SSH)`
OID:1.3.6.1.4.1.25623.1.0.105611
Version used: `2024-06-14T05:05:48Z`

Product Detection Result

Product: `cpe:/a:ietf:secure_shell_protocol`
Method: `SSH Protocol Algorithms Supported`
OID: 1.3.6.1.4.1.25623.1.0.105565)

References

```
url: https://www.rfc-editor.org/rfc/rfc8758
url: https://www.kb.cert.org/vuls/id/958563
url: https://www.rfc-editor.org/rfc/rfc4253#section-6.3
```

Medium (CVSS: 4.3)
NVT: OpenSSH Security Bypass Vulnerability

Product detection result

```
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenSSH is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     6.9
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:       22/tcp
```

Impact
Successful exploitation will allow remote attackers to bypass intended access restrictions.

Solution:
Solution type: VendorFix
Upgrade to OpenSSH version 6.9 or later.

Affected Software/OS
OpenSSH versions before 6.9.

Vulnerability Insight
The flaw is due to the refusal deadline was not checked within the x11_open_helper function.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH Security Bypass Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.806049
Version used: `2023-07-25T05:05:58Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
```
cve: CVE-2015-5352
url: http://openwall.com/lists/oss-security/2015/07/01/10
cert-bund: CB-K17/0054
cert-bund: CB-K16/1733
cert-bund: CB-K16/1315
cert-bund: CB-K16/0694
cert-bund: CB-K15/1591
cert-bund: CB-K15/1334
cert-bund: CB-K15/1194
cert-bund: CB-K15/0934
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2017-0059
dfn-cert: DFN-CERT-2016-1841
dfn-cert: DFN-CERT-2016-1401
dfn-cert: DFN-CERT-2016-0864
dfn-cert: DFN-CERT-2016-0754
dfn-cert: DFN-CERT-2015-1679
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-1406
dfn-cert: DFN-CERT-2015-1263
dfn-cert: DFN-CERT-2015-0987
```

Medium (CVSS: 4.0)
NVT: OpenSSH <= 5.8 Multiple DoS Vulnerabilities

Product detection result

```
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
```

Summary

OpenSSH is prone to multiple Denial of Service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     See references
Installation
path / port:       22/tcp
```

Impact

Exploiting this issue allows remote attackers to trigger denial-of-service conditions due to excessive memory consumption.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for details.

Affected Software/OS

OpenSSH 5.8 and prior are vulnerable.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `OpenSSH <= 5.8 Multiple DoS Vulnerabilities`

OID:1.3.6.1.4.1.25623.1.0.103937

Version used: `2021-06-07T05:38:52Z`

Product Detection Result

Product: `cpe:/a:openbsd:openssh:4.7p1`

Method: `OpenSSH Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.108577)

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2011-5000
cve: CVE-2010-4755
url: http://www.securityfocus.com/bid/54114
url: http://seclists.org/fulldisclosure/2011/Aug/2
dfn-cert: DFN-CERT-2012-1211

Medium (CVSS: 4.0)
NVT: OpenBSD OpenSSH < 9.1 Multiple Vulnerabilities

Product detection result
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)

Summary
OpenBSD OpenSSH is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 4.7p1
Fixed version: 9.1
Installation
path / port: 22/tcp

Solution:
Solution type: VendorFix
Update to version 9.1 or later.

Affected Software/OS
OpenBSD OpenSSH prior to version 9.1.

Vulnerability Insight
The following vulnerabilities exist:
- A one-byte overflow in SSH- banner processing in ssh-keyscan.
- A double free() in error path of file hashing step in signing/verify code in ssh-keygen.
- A double-free in error path in ssh-keysign.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: OpenBSD OpenSSH < 9.1 Multiple Vulnerabilities
OID:1.3.6.1.4.1.25623.1.0.127244
Version used: 2025-01-21T05:37:33Z

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:openbsd:openssh:4.7p1
Method: OpenSSH Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
url: https://www.openssh.com/releasenotes.html#9.1

[return to 172.30.1.1]

2.1.25 Medium 80/tcp

Medium (CVSS: 6.9)
NVT: Apache HTTP Server Privilege Escalation Vulnerability (Mar 2012) - Linux

Product detection result
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.2.8
Fixed version: 2.2.23
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 2.2.23, 2.4.2 or later.

Affected Software/OS
Apache HTTP Server version 2.2.0 through 2.2.22 and version 2.4.1.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Insecure handling of LD_LIBRARY_PATH was found that could lead to the current working directory to be searched for DSOs. This could allow a local user to execute code as root if an administrator runs apachectl from an untrusted directory.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Privilege Escalation Vulnerability (Mar 2012) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147056
Version used: `2021-11-01T05:54:41Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2012-0883`
`url: https://httpd.apache.org/security/vulnerabilities_22.html`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`dfn-cert: DFN-CERT-2013-0270`
`dfn-cert: DFN-CERT-2013-0237`
`dfn-cert: DFN-CERT-2012-2277`
`dfn-cert: DFN-CERT-2012-1173`

Medium (CVSS: 6.8)
NVT: PHP Multiple Vulnerabilities (Sep 2019) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     7.2.22
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 7.2.22, 7.3.9 or later.

Affected Software/OS
PHP versions before 7.2.22 and 7.3.x before 7.3.9.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- Buffer overflow in zendparse
- Cast to object confuses GC, causes crash
- Exif crash (bus error) due to wrong alignment and invalid cast
- Use-after-free in FPM master event handling

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Multiple Vulnerabilities (Sep 2019) - Linux`
OID:1.3.6.1.4.1.25623.1.0.108637
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
url: http://bugs.php.net/78363
url: http://bugs.php.net/78379
url: http://bugs.php.net/78333
url: http://bugs.php.net/77185
url: https://www.php.net/ChangeLog-7.php#7.3.9
url: https://www.php.net/ChangeLog-7.php#7.2.22
```

Medium (CVSS: 6.8)
NVT: PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Improper Input Validation Vulnerability (Jun 2015) - Linux

Summary
PHP is prone to an improper input validation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.4.40
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Impact
Successfully exploiting this issue allow remote attackers to cause a denial of service or possibly execute arbitrary code via pipelined HTTP requests.

Solution:
Solution type: VendorFix
Update to version 5.4.40, 5.5.24, 5.6.8 or later.

Affected Software/OS
PHP prior to version 5.4.40, 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.

Vulnerability Insight
The flaw is due to vulnerability in 'php_handler' function in sapi/apache2handler/sapi_apache2.c script in PHP.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Improper Input Validation Vulnerabi.
↪..
OID:1.3.6.1.4.1.25623.1.0.805658
Version used: 2025-09-24T05:39:03Z

References
cve: CVE-2015-3330
url: http://php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/74204
url: https://bugs.php.net/bug.php?id=69085
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: CB-K15/1437
cert-bund: CB-K15/1188
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
cert-bund: CB-K15/0665
cert-bund: CB-K15/0648
cert-bund: CB-K15/0561
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0677
dfn-cert: DFN-CERT-2015-0583

Medium (CVSS: 6.8)
NVT: PHP < 5.5.2 Session Fixation Vulnerability (Aug 2013)

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a session fixation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.5.2
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
- Update to PHP version 5.5.2 or later and set 'session.use_strict_mode' in php.ini to 'On'
- make adoptive session with user land code as described in the referenced PHP strict_sessions document

Affected Software/OS
PHP versions prior to 5.5.2 if an application is using the Sessions subsystem of PHP.

Vulnerability Insight
Session fixation vulnerability in the Sessions subsystem in PHP allows remote attackers to hijack web sessions by specifying a session ID.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.2 Session Fixation Vulnerability (Aug 2013)`
OID:1.3.6.1.4.1.25623.1.0.803737
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2011-4718`
`url: https://wiki.php.net/rfc/strict_sessions`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://wiki.php.net/rfc/strict_sessions#current_solution
url: http://git.php.net/?p=php-src.git;a=commit;h=169b78eb79b0e080b67f9798708eb3
↪771c6d0b2f
url: http://git.php.net/?p=php-src.git;a=commit;h=25e8fcc88fa20dc9d4c47184471003
↪f436927cde
url: https://access.redhat.com/security/cve/cve-2011-4718
url: http://secunia.com/advisories/54562
url: http://cxsecurity.com/cveshow/CVE-2011-4718
cert-bund: WID-SEC-2023-1284
dfn-cert: DFN-CERT-2013-1538
```

Medium (CVSS: 6.8)
NVT: TWiki Cross-Site Request Forgery Vulnerability (Sep 2010)

Summary
TWiki is prone to a cross-site request forgery (CSRF) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 01.Feb.2003
Fixed version:     4.3.2
```

Impact
Successful exploitation will allow attacker to gain administrative privileges on the target application and can cause CSRF attack.

Solution:
Solution type: VendorFix
Upgrade to TWiki version 4.3.2 or later.

Affected Software/OS
TWiki version prior to 4.3.2

Vulnerability Insight
Attack can be done by tricking an authenticated TWiki user into visiting a static HTML page on another side, where a Javascript enabled browser will send an HTTP POST request to TWiki, which in turn will process the request as the TWiki user.

Vulnerability Detection Method
Details: `TWiki Cross-Site Request Forgery Vulnerability (Sep 2010)`
OID:1.3.6.1.4.1.25623.1.0.801281
Version used: `2024-03-01T14:37:10Z`

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2009-4898
url: http://www.openwall.com/lists/oss-security/2010/08/03/8
url: http://www.openwall.com/lists/oss-security/2010/08/02/17
url: http://twiki.org/cgi-bin/view/Codev/SecurityAuditTokenBasedCsrfFix
url: http://twiki.org/cgi-bin/view/Codev/DownloadTWiki
```

Medium (CVSS: 6.8)
NVT: PHP < 5.3.4 Multiple Vulnerabilities

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.3.4
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.3.4 or later.

Affected Software/OS
PHP prior to version 5.3.4.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.3.4 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.108870
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2006-7243
cve: CVE-2010-2094
cve: CVE-2010-2950
cve: CVE-2010-3436
cve: CVE-2010-3709
cve: CVE-2010-3710
cve: CVE-2010-3870
cve: CVE-2010-4150
cve: CVE-2010-4156
cve: CVE-2010-4409
cve: CVE-2010-4697
cve: CVE-2010-4698
cve: CVE-2010-4699
cve: CVE-2010-4700
cve: CVE-2011-0753
cve: CVE-2011-0754
cve: CVE-2011-0755
url: http://www.securityfocus.com/bid/40173
url: http://www.securityfocus.com/bid/43926
url: http://www.securityfocus.com/bid/44605
url: http://www.securityfocus.com/bid/44718
url: http://www.securityfocus.com/bid/44723
url: http://www.securityfocus.com/bid/44951
url: http://www.securityfocus.com/bid/44980
url: http://www.securityfocus.com/bid/45119
url: http://www.securityfocus.com/bid/45335
url: http://www.securityfocus.com/bid/45338
url: http://www.securityfocus.com/bid/45339
url: http://www.securityfocus.com/bid/45952
url: http://www.securityfocus.com/bid/45954
url: http://www.securityfocus.com/bid/46056
url: http://www.securityfocus.com/bid/46168
cert-bund: CB-K16/0944
cert-bund: CB-K15/0703
cert-bund: CB-K14/0323
cert-bund: CB-K13/0712
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-0732
dfn-cert: DFN-CERT-2014-0336
dfn-cert: DFN-CERT-2013-1713
dfn-cert: DFN-CERT-2012-1268
dfn-cert: DFN-CERT-2012-1266
dfn-cert: DFN-CERT-2012-0731
dfn-cert: DFN-CERT-2012-0210
dfn-cert: DFN-CERT-2012-0109
dfn-cert: DFN-CERT-2011-0642
dfn-cert: DFN-CERT-2011-0515
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2011-0445
dfn-cert: DFN-CERT-2011-0432
dfn-cert: DFN-CERT-2011-0402
dfn-cert: DFN-CERT-2011-0148
dfn-cert: DFN-CERT-2011-0147
dfn-cert: DFN-CERT-2011-0036
dfn-cert: DFN-CERT-2011-0013
dfn-cert: DFN-CERT-2011-0012
dfn-cert: DFN-CERT-2011-0011
dfn-cert: DFN-CERT-2010-1729
dfn-cert: DFN-CERT-2010-1706
dfn-cert: DFN-CERT-2010-1664
dfn-cert: DFN-CERT-2010-1620
dfn-cert: DFN-CERT-2010-1593
dfn-cert: DFN-CERT-2010-1530
dfn-cert: DFN-CERT-2010-1526
dfn-cert: DFN-CERT-2010-1471
dfn-cert: DFN-CERT-2010-1321
dfn-cert: DFN-CERT-2010-1247
```

Medium (CVSS: 6.8)
NVT: PHP < 5.5.30, 5.6.x < 5.6.14 Multiple DoS Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.5.30
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (NULL pointer dereference and application crash).

Solution:

Solution type: VendorFix

Update to version 5.5.30, 5.6.14 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP prior to version 5.5.30 and 5.6.x prior to 5.6.14.

Vulnerability Insight
The following flaws exist:
- CVE-2015-7804: Off-by-one error in the 'phar_parse_zipfile' function within ext/phar/zip.c script.
- CVE-2015-7803: An error in the 'phar_get_entry_data' function in ext/phar/util.c script.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.30, 5.6.x < 5.6.14 Multiple DoS Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.806649
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-7803`
`cve: CVE-2015-7804`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/76959`
`url: https://bugs.php.net/bug.php?id=70433`
`url: http://www.openwall.com/lists/oss-security/2015/10/05/8`
`cert-bund: CB-K16/0944`
`cert-bund: CB-K16/0912`
`cert-bund: CB-K16/0623`
`cert-bund: CB-K16/0422`
`cert-bund: CB-K16/0161`
`cert-bund: CB-K16/0136`
`cert-bund: CB-K15/1792`
`cert-bund: CB-K15/1453`
`dfn-cert: DFN-CERT-2016-1004`
`dfn-cert: DFN-CERT-2016-0972`
`dfn-cert: DFN-CERT-2016-0676`
`dfn-cert: DFN-CERT-2016-0460`
`dfn-cert: DFN-CERT-2016-0176`
`dfn-cert: DFN-CERT-2016-0154`
`dfn-cert: DFN-CERT-2015-1898`
`dfn-cert: DFN-CERT-2015-1530`

Medium (CVSS: 6.8)
NVT: PHP 5.x < 5.3.4 Improper Input Validation Vulnerability

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an improper input validation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.3.4
Installation
path / port:       80/tcp
```

Impact
Exploiting this issue can allow attackers to provide unexpected input and possibly bypass input-validation protection mechanisms. This can aid in further attacks that may utilize crafted user-supplied input.

Solution:
Solution type: VendorFix
Update to version 5.3.4 or later.

Affected Software/OS
PHP versions 5.x prior to 5.3.4.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 5.3.4 Improper Input Validation Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100901
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2010-3870`
`url: http://www.securityfocus.com/bid/44605`
`url: http://bugs.php.net/bug.php?id=48230`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://bugs.php.net/bug.php?id=49687
url: http://svn.php.net/viewvc?view=revision&revision=304959
url: http://comments.gmane.org/gmane.comp.security.oss.general/3684
url: http://www.mandriva.com/en/security/advisories?name=MDVSA-2010:224
dfn-cert: DFN-CERT-2011-0402
dfn-cert: DFN-CERT-2011-0148
dfn-cert: DFN-CERT-2010-1664
dfn-cert: DFN-CERT-2010-1620
dfn-cert: DFN-CERT-2010-1530
```

Medium (CVSS: 6.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Sep 2014) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.2.29
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.2.29, 2.4.12 or later.

Affected Software/OS

Apache HTTP Server version 2.2.0 through 2.2.27 and 2.4.1 through 2.4.10.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2013-5704: HTTP trailers could be used to replace HTTP headers late during request processing, potentially undoing or otherwise confusing modules that examined or modified request headers earlier. This fix adds the 'MergeTrailers' directive to restore legacy behavior.

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2014-0118: A resource consumption flaw was found in mod_deflate. If request body decompression was configured (using the 'DEFLATE' input filter), a remote attacker could cause the server to consume significant memory and/or CPU resources. The use of request body decompression is not a common configuration.
- CVE-2014-0226: A race condition was found in mod_status. An attacker able to access a public server status page on a server using a threaded MPM could send a carefully crafted request which could lead to a heap buffer overflow. Note that it is not a default or recommended configuration to have a public accessible server status page.
- CVE-2014-0231: A flaw was found in mod_cgid. If a server using mod_cgid hosted CGI scripts which did not consume standard input, a remote attacker could cause child processes to hang indefinitely, leading to denial of service.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Sep 2014) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147048
Version used: `2021-11-01T03:59:12Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2013-5704`
`cve: CVE-2014-0118`
`cve: CVE-2014-0226`
`cve: CVE-2014-0231`
`url: https://httpd.apache.org/security/vulnerabilities_22.html`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: CB-K16/0112`
`cert-bund: CB-K15/1841`
`cert-bund: CB-K15/1517`
`cert-bund: CB-K15/1360`
`cert-bund: CB-K15/1078`
`cert-bund: CB-K15/1011`
`cert-bund: CB-K15/0960`
`cert-bund: CB-K15/0954`
`cert-bund: CB-K15/0806`
`cert-bund: CB-K15/0493`
`cert-bund: CB-K15/0469`
`cert-bund: CB-K15/0079`
`cert-bund: CB-K15/0075`
`cert-bund: CB-K14/1626`
`cert-bund: CB-K14/1592`
`cert-bund: CB-K14/1568`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K14/1545
cert-bund: CB-K14/1095
cert-bund: CB-K14/1050
cert-bund: CB-K14/1043
cert-bund: CB-K14/0969
cert-bund: CB-K14/0968
cert-bund: CB-K14/0924
cert-bund: CB-K14/0883
dfn-cert: DFN-CERT-2016-0125
dfn-cert: DFN-CERT-2015-1950
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1137
dfn-cert: DFN-CERT-2015-1069
dfn-cert: DFN-CERT-2015-1008
dfn-cert: DFN-CERT-2015-1002
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0495
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2014-1727
dfn-cert: DFN-CERT-2014-1691
dfn-cert: DFN-CERT-2014-1668
dfn-cert: DFN-CERT-2014-1633
dfn-cert: DFN-CERT-2014-1145
dfn-cert: DFN-CERT-2014-1094
dfn-cert: DFN-CERT-2014-1088
dfn-cert: DFN-CERT-2014-1019
dfn-cert: DFN-CERT-2014-1017
dfn-cert: DFN-CERT-2014-0967
dfn-cert: DFN-CERT-2014-0926
```

Medium (CVSS: 6.8)
NVT: PHP < 5.2.15, 5.3.x < 5.3.4 DoS Vulnerabilities

Product detection result

cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.2.4
Fixed version:     5.2.15
Installation
path / port:       80/tcp
```

Impact
Successful exploitation could allow local attackers to crash the affected application, denying service to legitimate users.

Solution:
Solution type: VendorFix
Update to version 5.2.15, 5.3.4 or later.

Affected Software/OS
PHP version prior to 5.2.15 and 5.3.x prior to 5.3.4.

Vulnerability Insight
The following flaws exist:
- CVE-2010-4697: An use-after-free error in the 'Zend' engine, which allows remote attackers to cause a denial of service.
- CVE-2010-4698: A stack-based buffer overflow in the 'GD' extension, which allows attackers to cause a denial of service.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.2.15, 5.3.x < 5.3.4 DoS Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.801586
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2010-4697
cve: CVE-2010-4698
url: http://bugs.php.net/52879
url: http://bugs.php.net/53492
url: http://www.php.net/ChangeLog-5.php
url: https://web.archive.org/web/20120527082603/http://www.securityfocus.com/bid
↪/45952
url: https://web.archive.org/web/20140615002045/http://www.securityfocus.com/bid
↪/45338
dfn-cert: DFN-CERT-2011-0515
```

Medium (CVSS: 6.8)
NVT: PHP Heap Use-After-Free Vulnerability (Sep 2019) - Linux

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a heap-based use-after-free vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 7.1.32
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 7.1.32 or later.

Affected Software/OS
PHP versions before 7.1.32.

Vulnerability Insight
PHP is prone to a heap use-after-free in pcrelib (cmb).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP Heap Use-After-Free Vulnerability (Sep 2019) - Linux
OID:1.3.6.1.4.1.25623.1.0.108635
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
url: http://bugs.php.net/75457
url: https://www.php.net/ChangeLog-7.php#7.1.32

Medium (CVSS: 6.5)
NVT: phpMyAdmin Bookmark Security Bypass Vulnerability

Summary
phpMyAdmin is prone to a security bypass vulnerability that affects bookmarks.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.1.1
Fixed version:     3.3.9.2
```

Impact
Successfully exploiting this issue allows a remote attacker to bypass certain security restrictions and perform unauthorized actions.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for details.

Affected Software/OS
Versions prior to phpMyAdmin 3.3.9.2 and 2.11.11.3 are vulnerable.

Vulnerability Detection Method
Details: `phpMyAdmin Bookmark Security Bypass Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.103076
Version used: `2025-01-17T15:39:18Z`

References
```
cve: CVE-2011-0986
cve: CVE-2011-0987
url: http://www.securityfocus.com/bid/46359
url: http://www.phpmyadmin.net/home_page/security/PMASA-2011-2.php
dfn-cert: DFN-CERT-2011-0289
dfn-cert: DFN-CERT-2011-0263
dfn-cert: DFN-CERT-2011-0214
dfn-cert: DFN-CERT-2011-0190
```

Medium (CVSS: 6.5)
NVT: PHP 5.x < 7.1.20, 7.2.x < 7.2.8, 7.3.0alpha1 < 7.3.0alpha3 DoS Vulnerability - Linux

Product detection result
```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     7.1.20
Installation
path / port:       80/tcp
```

Impact
Successfully exploitation will allow an attacker to consume 100% of the CPU, and consume disk space with a large volume of error logs, as demonstrated by an attack by a customer of a shared-hosting facility.

Solution:
Solution type: VendorFix
Update to version 7.1.20, 7.2.8, 7.3.0alpha3 or later.

Affected Software/OS
PHP versions 5.x, 7.0.x, 7.1.x prior to 7.1.20, 7.2.x prior to 7.2.8 and 7.3.x prior to 7.3.0alpha3 on Linux.

Vulnerability Insight
The flaw exists due to the php-fpm master process restarts a child process in an endless loop when using program execution functions with a non-blocking STDIN stream.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 7.1.20, 7.2.x < 7.2.8, 7.3.0alpha1 < 7.3.0alpha3 DoS Vulnerability - .`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.812520
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-9253
url: https://bugs.php.net/bug.php?id=73342
url: https://bugs.php.net/bug.php?id=70185
url: https://github.com/php/php-src/pull/3287
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.futureweb.at/security/CVE-2015-9253
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2022-0455
dfn-cert: DFN-CERT-2022-0431
dfn-cert: DFN-CERT-2020-0337
dfn-cert: DFN-CERT-2018-1882
```

Medium (CVSS: 6.5)
NVT: PHP < 7.2.26 Multiple Vulnerabilities (Dec 2019) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     7.2.26
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.2.26 or later.

Affected Software/OS

PHP versions before 7.2.26.

Vulnerability Insight

PHP is prone to multiple vulnerabilities:
- Buffer underflow in bc_shift_addsub (CVE-2019-11046)
- DirectoryIterator class silently truncates after a null byte (CVE-2019-11045)
- Use-after-free in exif parsing under memory sanitizer (CVE-2019-11050)
- Heap-buffer-overflow READ in exif (CVE-2019-11047)

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 7.2.26 Multiple Vulnerabilities (Dec 2019) - Linux`

OID:1.3.6.1.4.1.25623.1.0.143276

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2019-11045
cve: CVE-2019-11046
cve: CVE-2019-11047
cve: CVE-2019-11050
url: https://www.php.net/ChangeLog-7.php#7.2.26
cert-bund: WID-SEC-2022-2122
cert-bund: CB-K20/1199
cert-bund: CB-K19/1099
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-0415
dfn-cert: DFN-CERT-2020-0382
dfn-cert: DFN-CERT-2020-0339
dfn-cert: DFN-CERT-2019-2709
dfn-cert: DFN-CERT-2019-2659

Medium (CVSS: 6.5)
NVT: PHP < 7.4.31, 8.0.x < 8.0.24, 8.1.x < 8.1.11 Security Update - Linux

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 7.4.31
Installation
path / port: 80/tcp

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 7.4.31, 8.0.24, 8.1.11 or later.

Affected Software/OS
PHP versions prior to 7.4.31, 8.0.x prior to 8.0.24 and 8.1.x prior to 8.1.11.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-31628: The phar uncompressor code would recursively uncompress 'quines' gzip files, resulting in an infinite loop.
- CVE-2022-31629: The vulnerability enables network and same-site attackers to set a standard insecure cookie in the victim's browser which is treated as a '__Host-' or '__Secure-' cookie by PHP applications.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.4.31, 8.0.x < 8.0.24, 8.1.x < 8.1.11 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.104331
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2022-31628
cve: CVE-2022-31629
url: https://www.php.net/ChangeLog-7.php#7.4.31
url: https://www.php.net/ChangeLog-8.php#8.0.24
url: https://www.php.net/ChangeLog-8.php#8.1.11
url: https://bugs.php.net/bug.php?id=81726
url: https://bugs.php.net/bug.php?id=81727
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0137
cert-bund: WID-SEC-2022-1567
dfn-cert: DFN-CERT-2024-1192
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2023-0422
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2523
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2022-2337
dfn-cert: DFN-CERT-2022-2157

Medium (CVSS: 6.5)
NVT: PHP < 7.3.31, 7.4.x < 7.4.24, 8.0.x < 8.0.11 Security Update (Sep 2021) - Linux

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP released new versions which includes a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     7.3.31
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.31, 7.4.24, 8.0.11 or later.

Affected Software/OS
PHP versions prior to 7.3.31, 7.4.x through 7.4.23 and 8.0.x through 8.0.10.

Vulnerability Insight
Fixed bug #81420 (ZipArchive::extractTo extracts outside of destination).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 7.3.31, 7.4.x < 7.4.24, 8.0.x < 8.0.11 Security Update (Sep 2021) - Linux
OID:1.3.6.1.4.1.25623.1.0.117694
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-21706
url: https://www.php.net/ChangeLog-7.php#7.3.31
url: https://www.php.net/ChangeLog-7.php#7.4.24
url: https://www.php.net/ChangeLog-8.php#8.0.11
url: http://bugs.php.net/81420
cert-bund: WID-SEC-2022-2112
cert-bund: CB-K21/1008
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2021-2474
dfn-cert: DFN-CERT-2021-1994
```

Medium (CVSS: 6.5)
NVT: PHP < 7.2.34, 7.3 < 7.3.23, 7.4 < 7.4.11 Multiple Vulnerabilities (Oct 2020) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     7.2.34
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.2.34, 7.3.23, 7.4.11 or later.

Affected Software/OS

PHP versions prior 7.2.34, 7.3 prior 7.3.23 and 7.4 prior to 7.4.11.

Vulnerability Insight

The following vulnerabilities exist:

- Wrong ciphertext/tag in AES-CCM encryption for a 12 bytes IV (CVE-2020-7069)
- PHP parses encoded cookie names so malicious '__Host-' cookies can be sent (CVE-2020-7070)

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 7.2.34, 7.3 < 7.3.23, 7.4 < 7.4.11 Multiple Vulnerabilities (Oct 2020) - .`

. . . continues on next page . . .

. . . continued from previous page . . .

↪. .
OID:1.3.6.1.4.1.25623.1.0.144694
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2020-7069
cve: CVE-2020-7070
url: https://www.php.net/ChangeLog-7.php#7.2.34
url: https://www.php.net/ChangeLog-7.php#7.3.23
url: https://www.php.net/ChangeLog-7.php#7.4.11
cert-bund: WID-SEC-2022-2115
cert-bund: CB-K20/0949
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2021-0002
dfn-cert: DFN-CERT-2020-2187
dfn-cert: DFN-CERT-2020-2111

Medium (CVSS: 6.5)
NVT: phpMyAdmin < 4.9.0 CSRF Vulnerability (PMASA-2019-4) - Linux

Summary
phpMyAdmin is prone to a CSRF vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.1.1
Fixed version: 4.9.0
Installation
path / port: /phpMyAdmin

Solution:
Solution type: VendorFix
Update to version 4.9.0 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
phpMyAdmin prior to version 4.9.0.

Vulnerability Insight
A vulnerability was found that allows an attacker to trigger a CSRF attack against a phpMyAdmin user. The attacker can trick the user, for instance through a broken <img> tag pointing at the victim's phpMyAdmin database, and the attacker can potentially deliver a payload (such as a specific INSERT or DELETE statement) through the victim.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.0 CSRF Vulnerability (PMASA-2019-4) - Linux`
OID:1.3.6.1.4.1.25623.1.0.142499
Version used: `2024-02-13T05:06:26Z`

References
`cve: CVE-2019-12616`
`url: https://www.phpmyadmin.net/security/PMASA-2019-4/`
`cert-bund: CB-K19/0477`
`dfn-cert: DFN-CERT-2019-1217`
`dfn-cert: DFN-CERT-2019-1127`

Medium (CVSS: 6.5)
NVT: phpMyAdmin < 4.9.1 CSRF Vulnerability - Linux

Summary
phpMyAdmin is prone to a CSRF vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.1.1
Fixed version:     4.9.1
Installation
path / port:       /phpMyAdmin
```

Solution:
Solution type: VendorFix
Update to phpMyAdmin version 4.9.1 or later.

Affected Software/OS
phpMyAdmin version 4.9.0.1 and prior.

Vulnerability Insight
A CSRF issue in phpMyAdmin allows deletion of any server in the Setup page.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin < 4.9.1 CSRF Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.142897
Version used: `2024-02-13T05:06:26Z`

References
`cve: CVE-2019-12922`
`url: https://seclists.org/fulldisclosure/2019/Sep/23`
`url: https://github.com/phpmyadmin/phpmyadmin/commit/7d21d4223bdbe0306593309132b`
`↪4263d7087d13b`
`cert-bund: CB-K19/0836`
`dfn-cert: DFN-CERT-2020-0089`
`dfn-cert: DFN-CERT-2019-1975`

Medium (CVSS: 6.4)
NVT: phpMyAdmin 3.x < 3.3.10.3, 3.4.x < 3.4.3.2 Multiple Vulnerabilities (PMASA-2011-9, PMASA-2011-12) - Linux

Summary
phpMyAdmin is prone to multiple vulnerabilities:
- a Cross-Site Scripting (XSS) vulnerability in table Print view
- possible superglobal and local variables manipulation in swekey authentication.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.1.1
Fixed version:     3.3.10.3
```

Solution:
Solution type: VendorFix
Update to version 3.3.10.3, 3.4.3.2 or later.

Affected Software/OS
phpMyAdmin 3.x before 3.3.10.3 and 3.4.x before 3.4.3.2.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin 3.x < 3.3.10.3, 3.4.x < 3.4.3.2 Multiple Vulnerabilities (PMASA-2011.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.108242
Version used: `2024-02-13T05:06:26Z`

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2011-2642
cve: CVE-2011-2719
url: https://www.phpmyadmin.net/security/PMASA-2011-9/
url: http://www.securityfocus.com/bid/48874
url: https://www.phpmyadmin.net/security/PMASA-2011-12/
dfn-cert: DFN-CERT-2011-1222
dfn-cert: DFN-CERT-2011-1168
dfn-cert: DFN-CERT-2011-1132
dfn-cert: DFN-CERT-2011-1130

Medium (CVSS: 6.4)
NVT: PHP 5.x < 5.3.9 Security Bypass Vulnerability

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.3.9
Installation
path / port: 80/tcp

Impact
Remote attackers can exploit this issue to bypass certain security restrictions and create arbitrary files in the context of the application.

Solution:
Solution type: VendorFix
Update to version 5.3.9 or later.

Affected Software/OS
PHP versions 5.x prior to 5.3.9.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP 5.x < 5.3.9 Security Bypass Vulnerability
OID:1.3.6.1.4.1.25623.1.0.103464

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2012-0057
url: http://www.securityfocus.com/bid/51806
url: https://bugs.php.net/bug.php?id=54446
url: https://bugzilla.redhat.com/show_bug.cgi?id=782657
url: http://www.php.net/ChangeLog-5.php
dfn-cert: DFN-CERT-2013-1494
dfn-cert: DFN-CERT-2012-1276
dfn-cert: DFN-CERT-2012-1268
dfn-cert: DFN-CERT-2012-1267
dfn-cert: DFN-CERT-2012-1266
dfn-cert: DFN-CERT-2012-0714
dfn-cert: DFN-CERT-2012-0641
dfn-cert: DFN-CERT-2012-0586
dfn-cert: DFN-CERT-2012-0538
dfn-cert: DFN-CERT-2012-0172
dfn-cert: DFN-CERT-2012-0167

Medium (CVSS: 6.4)
NVT: PHP 5.2.x < 5.2.14, 5.3.x < 5.3.3 Multiple Information Disclosure Vulnerabilities

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple information disclosure vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.2.14
Installation
path / port: 80/tcp

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successful exploitation could allow local attackers to bypass certain security restrictions and to obtain sensitive information.

Solution:
Solution type: VendorFix
Update to version 5.2.14, 5.3.3 or later.

Affected Software/OS
PHP versions 5.2.x through 5.2.13 and 5.3.x through 5.3.2.

Vulnerability Insight
The following flaws exist:
- Error in 'trim()', 'ltrim()', 'rtrim()' and 'substr_replace()' functions, which causes a userspace interruption of an internal function within the call time pass by reference feature.
- Error in 'parse_str()', 'preg_match()', 'unpack()' and 'pack()' functions, 'ZEND_FETCH_RW()', 'ZEND_CONCAT()', and 'ZEND_ASSIGN_CONCAT()' opcodes, and the 'ArrayObject::uasort' method, trigger memory corruption by causing a userspace interruption of an internal function or handler.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.2.x < 5.2.14, 5.3.x < 5.3.3 Multiple Information Disclosure Vulnerabiliti.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.801359
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2010-2190`
`cve: CVE-2010-2191`
`url: http://www.php-security.org/2010/05/30/mops-2010-048-php-substr_replace-int`
`↪erruption-information-leak-vulnerability/index.html`
`url: http://www.php-security.org/2010/05/30/mops-2010-047-php-trimltrimrtrim-int`
`↪erruption-information-leak-vulnerability/index.html`
`dfn-cert: DFN-CERT-2010-1321`
`dfn-cert: DFN-CERT-2010-1247`

Medium (CVSS: 6.4)
NVT: PHP 4.x, 5.2.6 DoS Vulnerability

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.7
Installation
path / port:       80/tcp
```

Impact
Successful exploitation could allow attackers to execute arbitrary code, corrupt files and cause denial of service.

Solution:
Solution type: VendorFix
Update to version 5.2.7 or later.

Affected Software/OS
PHP versions 4.x and 5.2.6 (and probably prior).

Vulnerability Insight
An error occurs in 'dba_replace()' function while processing malformed user supplied data containing a key with the NULL byte.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 4.x, 5.2.6 DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.900925
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2008-7068`
`url: http://xforce.iss.net/xforce/xfdb/47316`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://web.archive.org/web/20141121221325/http://www.securityfocus.com/bid
↪/33498
url: https://web.archive.org/web/20200229230422/http://www.securityfocus.com/arc
↪hive/1/498746/100/0/threaded
dfn-cert: DFN-CERT-2009-1726
dfn-cert: DFN-CERT-2009-1375
dfn-cert: DFN-CERT-2009-1374
```

Medium (CVSS: 6.1)
NVT: jQuery 1.2 < 3.5.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability in jQuery.htmlPrefilter and related methods.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.3.2
Fixed version:     3.5.0
Installation
path / port:       /mutillidae/javascript/ddsmoothmenu/jquery.min.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable2.trabalho_vulnnet/mutillidae/javascript
↪/ddsmoothmenu/jquery.min.js
- Referenced at:   http://metasploitable2.trabalho_vulnnet/mutillidae/
```

Solution:
Solution type: VendorFix
Update to version 3.5.0 or later.

Affected Software/OS
jQuery versions starting from 1.2 and prior to version 3.5.0.

Vulnerability Insight
Passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.2 < 3.5.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143812
Version used: `2023-07-14T05:06:08Z`

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2020-11022
url: https://github.com/jquery/jquery/security/advisories/GHSA-gxr4-xjj5-5px2
url: https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
url: https://masatokinugawa.l0.cm/2020/05/jquery3.5.0-xss.html
url: https://security.snyk.io/vuln/SNYK-JS-JQUERY-567880
cert-bund: WID-SEC-2025-1087
cert-bund: WID-SEC-2024-3217
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1347
cert-bund: WID-SEC-2022-0740
cert-bund: WID-SEC-2022-0732
cert-bund: WID-SEC-2022-0624
cert-bund: CB-K22/0463
cert-bund: CB-K21/1085
cert-bund: CB-K21/0071
cert-bund: CB-K21/0070
cert-bund: CB-K21/0069
cert-bund: CB-K21/0067
cert-bund: CB-K21/0061
cert-bund: CB-K21/0059
cert-bund: CB-K20/1049
cert-bund: CB-K20/1030
cert-bund: CB-K20/1027
cert-bund: CB-K20/1025
cert-bund: CB-K20/1023
cert-bund: CB-K20/1008
cert-bund: CB-K20/0870
cert-bund: CB-K20/0800
cert-bund: CB-K20/0705
cert-bund: CB-K20/0521
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2025-0559
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-1988
dfn-cert: DFN-CERT-2022-1670
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2021-0828
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0633
dfn-cert: DFN-CERT-2021-0545
dfn-cert: DFN-CERT-2021-0140
dfn-cert: DFN-CERT-2021-0138
dfn-cert: DFN-CERT-2021-0135
dfn-cert: DFN-CERT-2021-0132
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2305
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2227
dfn-cert: DFN-CERT-2020-2209
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-2074
dfn-cert: DFN-CERT-2020-2015
dfn-cert: DFN-CERT-2020-2001
dfn-cert: DFN-CERT-2020-1838
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1712
dfn-cert: DFN-CERT-2020-1509
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-1433
dfn-cert: DFN-CERT-2020-1163
dfn-cert: DFN-CERT-2020-1161
dfn-cert: DFN-CERT-2020-1138
dfn-cert: DFN-CERT-2020-1099
```

Medium (CVSS: 6.1)
NVT: jQuery < 1.9.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 1.3.2
Fixed version:     1.9.0
Installation
path / port:       /mutillidae/javascript/ddsmoothmenu/jquery.min.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable2.trabalho_vulnnet/mutillidae/javascript
↪/ddsmoothmenu/jquery.min.js
- Referenced at:   http://metasploitable2.trabalho_vulnnet/mutillidae/
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 1.9.0 or later.

Affected Software/OS
jQuery prior to version 1.9.0.

Vulnerability Insight
The jQuery(strInput) function does not differentiate selectors from HTML in a reliable fashion. In vulnerable versions, jQuery determined whether the input was HTML by looking for the '<' character anywhere in the string, giving attackers more flexibility when attempting to construct a malicious payload. In fixed versions, jQuery only deems the input to be HTML if it explicitly starts with the '<' character, limiting exploitability only to attackers who can control the beginning of a string, which is far less common.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 1.9.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141636
Version used: `2023-07-14T05:06:08Z`

References
`cve: CVE-2012-6708`
`url: https://bugs.jquery.com/ticket/11290`
`cert-bund: WID-SEC-2022-0673`
`cert-bund: CB-K22/0045`
`cert-bund: CB-K18/1131`
`dfn-cert: DFN-CERT-2025-1803`
`dfn-cert: DFN-CERT-2023-1197`
`dfn-cert: DFN-CERT-2020-0590`

Medium (CVSS: 6.1)
NVT: PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 XSS Vulnerability (Aug 2016) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.4.38
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allows remote attackers to conduct cross-site scripting (XSS) attacks against Internet Explorer by leveraging '%0A%20' or '%0D%0A%20' mishandling in the header function.

Solution:

Solution type: VendorFix

Update to version 5.4.38, 5.5.22, 5.6.6 or later.

Affected Software/OS

PHP prior to version 5.4.38, 5.5.x prior to 5.5.22 and 5.6.x prior to 5.6.6 on Linux.

Vulnerability Insight

The flaw is due to the 'sapi_header_op' function in 'main/SAPI.c' script supports deprecated line folding without considering browser compatibility.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 XSS Vulnerability (Aug 2016) - Linux`

OID:1.3.6.1.4.1.25623.1.0.809137

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2015-8935
url: https://bugs.php.net/bug.php?id=68978
url: http://www.securityfocus.com/bid/92356
cert-bund: CB-K16/1614
cert-bund: CB-K16/1257
cert-bund: CB-K16/1230
cert-bund: CB-K16/1179
cert-bund: CB-K16/1106
cert-bund: CB-K16/1030
dfn-cert: DFN-CERT-2016-1719
dfn-cert: DFN-CERT-2016-1335
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-1295
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1097
```

Medium (CVSS: 6.1)
NVT: TWiki < 6.1.0 XSS Vulnerability

Summary
bin/statistics in TWiki 6.0.2 allows XSS via the webs parameter.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 01.Feb.2003
Fixed version:     6.1.0
```

Solution:
Solution type: VendorFix
Update to version 6.1.0 or later.

Affected Software/OS
TWiki version 6.0.2 and probably prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `TWiki < 6.1.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141830
Version used: `2023-07-14T16:09:27Z`

References

```
cve: CVE-2018-20212
url: https://seclists.org/fulldisclosure/2019/Jan/7
url: http://twiki.org/cgi-bin/view/Codev/DownloadTWiki
```

Medium (CVSS: 6.1)
NVT: jQuery < 3.4.0 Object Extensions Vulnerability

Summary
jQuery is prone to multiple vulnerabilities regarding property injection in Object.prototype.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 1.3.2
Fixed version:     3.4.0
Installation
path / port:       /mutillidae/javascript/ddsmoothmenu/jquery.min.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable2.trabalho_vulnnet/mutillidae/javascript
↪/ddsmoothmenu/jquery.min.js
- Referenced at:   http://metasploitable2.trabalho_vulnnet/mutillidae/
```

Solution:
Solution type: VendorFix
Update to version 3.4.0 or later. Patch diffs are available for older versions.

Affected Software/OS
jQuery prior to version 3.4.0.

Vulnerability Insight
The following flaws exist:
- CVE-2019-5428: A prototype pollution vulnerability exists that allows an attacker to inject properties on Object.prototype.
- CVE-2019-11358: jQuery mishandles jQuery.extend(true, }}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 3.4.0 Object Extensions Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.142314
Version used: `2023-07-14T05:06:08Z`

References

```
cve: CVE-2019-5428
cve: CVE-2019-11358
url: https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/
url: https://github.com/DanielRuf/snyk-js-jquery-174006?files=1
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2022-1948
cert-bund: WID-SEC-2022-1947
cert-bund: WID-SEC-2022-0732
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K21/1083
cert-bund: CB-K20/1049
cert-bund: CB-K20/1030
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K20/0800
cert-bund: CB-K20/0710
cert-bund: CB-K20/0324
cert-bund: CB-K20/0314
cert-bund: CB-K20/0309
cert-bund: CB-K20/0106
cert-bund: CB-K20/0041
cert-bund: CB-K20/0037
cert-bund: CB-K20/0034
cert-bund: CB-K19/0921
cert-bund: CB-K19/0920
cert-bund: CB-K19/0916
cert-bund: CB-K19/0911
cert-bund: CB-K19/0909
cert-bund: CB-K19/0619
cert-bund: CB-K19/0504
cert-bund: CB-K19/0329
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2024-1997
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-2467
dfn-cert: DFN-CERT-2021-1536
dfn-cert: DFN-CERT-2021-1503
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-1812
dfn-cert: DFN-CERT-2020-1574
dfn-cert: DFN-CERT-2020-1537
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0769
dfn-cert: DFN-CERT-2020-0721
dfn-cert: DFN-CERT-2020-0276
dfn-cert: DFN-CERT-2020-0102
dfn-cert: DFN-CERT-2020-0100
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-2156
dfn-cert: DFN-CERT-2019-2126
dfn-cert: DFN-CERT-2019-1861
dfn-cert: DFN-CERT-2019-1663
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1460
dfn-cert: DFN-CERT-2019-1182
dfn-cert: DFN-CERT-2019-1153
dfn-cert: DFN-CERT-2019-1118
dfn-cert: DFN-CERT-2019-1033
dfn-cert: DFN-CERT-2019-0914
dfn-cert: DFN-CERT-2019-0899
dfn-cert: DFN-CERT-2019-0805
```

Medium (CVSS: 6.1)
NVT: PHP < 5.6.33, 7.x < 7.0.27, 7.1.x < 7.1.13, 7.2.x < 7.2.1 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.6.33
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting these issues allows attacker to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site. This may allow the attacker to steal cookie-based authentication credentials and to launch other attacks and will also lead to a denial of service and exhausting the server resources.

Solution:

Solution type: VendorFix

Update to version 5.6.33, 7.0.27, 7.1.13, 7.2.1 or later.

Affected Software/OS

PHP prior to version 5.6.33, 7.0.x prior to 7.0.27, 7.1.x prior to 7.1.13 and 7.2.x prior to 7.2.1.

Vulnerability Insight

The following flaws exist:

- CVE-2018-5712: Input validation error on the PHAR 404 error page via the URI of a request for a .phar file.

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2018-5711: Integer signedness error in gd_gif_in.c in the GD Graphics Library (aka libgd).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.33, 7.x < 7.0.27, 7.1.x < 7.1.13, 7.2.x < 7.2.1 Multiple Vulnerabilit.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.812735
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2018-5711
cve: CVE-2018-5712
url: http://php.net/ChangeLog-5.php
url: http://php.net/ChangeLog-7.php
url: https://bugs.php.net/bug.php?id=74782
url: https://bugs.php.net/bug.php?id=75571
cert-bund: WID-SEC-2024-0991
cert-bund: WID-SEC-2024-0990
cert-bund: CB-K20/0307
cert-bund: CB-K18/0498
cert-bund: CB-K18/0270
cert-bund: CB-K18/0188
cert-bund: CB-K18/0174
dfn-cert: DFN-CERT-2020-0774
dfn-cert: DFN-CERT-2020-0680
dfn-cert: DFN-CERT-2019-1737
dfn-cert: DFN-CERT-2019-0362
dfn-cert: DFN-CERT-2019-0212
dfn-cert: DFN-CERT-2019-0204
dfn-cert: DFN-CERT-2018-1739
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2018-0537
dfn-cert: DFN-CERT-2018-0290
dfn-cert: DFN-CERT-2018-0205
dfn-cert: DFN-CERT-2018-0191
```

Medium (CVSS: 6.1)
NVT: phpMyAdmin <= 4.8.2 XSS Vulnerability (PMASA-2018-5) - Linux

Summary
phpMyAdmin is prone to an authenticated cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.1.1
Fixed version:     4.8.3
```

Solution:
Solution type: VendorFix
Update to version 4.8.3.

Affected Software/OS
phpMyAdmin through version 4.8.2.

Vulnerability Insight
An authenticated attacker could trick a user into importing a specially crafted file, resulting in the attacker gaining control over the user's account.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin <= 4.8.2 XSS Vulnerability (PMASA-2018-5) - Linux`
OID:1.3.6.1.4.1.25623.1.0.113255
Version used: `2025-12-11T05:46:19Z`

References
```
cve: CVE-2018-15605
url: https://www.phpmyadmin.net/security/PMASA-2018-5/
cert-bund: CB-K18/0877
dfn-cert: DFN-CERT-2018-1704
```

Medium (CVSS: 6.1)
NVT: Apache HTTP Server CRLF Injection Vulnerability (Dec 2016) - Linux

Product detection result
```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to a CRLF injection vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.2.32
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.2.32, 2.4.25 or later.

Affected Software/OS
Apache HTTP Server version 2.2.0 through 2.2.31 and 2.4.1 through 2.4.23.

Vulnerability Insight
Possible CRLF injection allowing HTTP response splitting attacks for sites which use mod_userdir. This issue was mitigated to prohibit CR or LF injection into the 'Location' or other outbound header key or value.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server CRLF Injection Vulnerability (Dec 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147044
Version used: `2021-11-01T14:03:43Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2016-4975
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K19/0354
dfn-cert: DFN-CERT-2019-0358
dfn-cert: DFN-CERT-2018-1764
```

Medium (CVSS: 6.1)
NVT: jQuery 1.0.3 < 3.5.0 XSS Vulnerability

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

jQuery is prone to a cross-site scripting (XSS) vulnerability when appending HTML containing option elements.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.3.2
Fixed version:     3.5.0
Installation
path / port:       /mutillidae/javascript/ddsmoothmenu/jquery.min.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable2.trabalho_vulnnet/mutillidae/javascript
↪/ddsmoothmenu/jquery.min.js
- Referenced at:   http://metasploitable2.trabalho_vulnnet/mutillidae/
```

Solution:
Solution type: VendorFix
Update to version 3.5.0 or later.

Affected Software/OS
jQuery versions starting from 1.0.3 and prior to version 3.5.0.

Vulnerability Insight
Passing HTML containing <option> elements from untrusted sources - even after sanitizing them - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery 1.0.3 < 3.5.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143813
Version used: `2025-01-31T15:39:24Z`

References

```
cve: CVE-2020-11023
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://github.com/jquery/jquery/security/advisories/GHSA-jpcq-cgw6-v4j6
url: https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
url: https://masatokinugawa.l0.cm/2020/05/jquery3.5.0-xss.html
url: https://security.snyk.io/vuln/SNYK-JS-JQUERY-565129
cert-bund: WID-SEC-2025-1459
cert-bund: WID-SEC-2024-3191
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2023-0063
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1347
cert-bund: WID-SEC-2022-1189
cert-bund: WID-SEC-2022-0757
cert-bund: WID-SEC-2022-0732
cert-bund: CB-K21/1085
cert-bund: CB-K21/1067
cert-bund: CB-K21/0418
cert-bund: CB-K20/1049
cert-bund: CB-K20/1027
cert-bund: CB-K20/1025
cert-bund: CB-K20/1024
cert-bund: CB-K20/1021
cert-bund: CB-K20/1008
cert-bund: CB-K20/0870
cert-bund: CB-K20/0800
cert-bund: CB-K20/0705
cert-bund: CB-K20/0521
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-1803
dfn-cert: DFN-CERT-2025-0559
dfn-cert: DFN-CERT-2025-0497
dfn-cert: DFN-CERT-2025-0373
dfn-cert: DFN-CERT-2025-0348
dfn-cert: DFN-CERT-2024-2743
dfn-cert: DFN-CERT-2023-2027
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0481
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2022-1988
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2348
dfn-cert: DFN-CERT-2021-1687
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2021-0820
dfn-cert: DFN-CERT-2021-0633
dfn-cert: DFN-CERT-2021-0563
dfn-cert: DFN-CERT-2021-0545
dfn-cert: DFN-CERT-2020-2776
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2335
dfn-cert: DFN-CERT-2020-2287
dfn-cert: DFN-CERT-2020-2227
dfn-cert: DFN-CERT-2020-2209
dfn-cert: DFN-CERT-2020-2074
dfn-cert: DFN-CERT-2020-1743
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-1712
dfn-cert: DFN-CERT-2020-1509
dfn-cert: DFN-CERT-2020-1506
dfn-cert: DFN-CERT-2020-1433
dfn-cert: DFN-CERT-2020-1163
dfn-cert: DFN-CERT-2020-1099
```

Medium (CVSS: 6.1)
NVT: jQuery < 1.9.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability via the load method.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.3.2
Fixed version:     1.9.0
Installation
path / port:       /mutillidae/javascript/ddsmoothmenu/jquery.min.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable2.trabalho_vulnnet/mutillidae/javascript
↪/ddsmoothmenu/jquery.min.js
- Referenced at:   http://metasploitable2.trabalho_vulnnet/mutillidae/
```

Solution:
Solution type: VendorFix
Update to version 1.9.0 or later.

Affected Software/OS
jQuery versions prior to 1.9.0.

Vulnerability Insight
jQuery allows cross-site scripting attacks via the load method. The load method fails to recognize and remove '<script>' HTML tags that contain a whitespace character, i.e: '</script >', which results in the enclosed script logic to be executed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 1.9.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.143968
Version used: `2023-07-14T05:06:08Z`

References
`cve: CVE-2020-7656`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://snyk.io/vuln/SNYK-JS-JQUERY-569619
cert-bund: WID-SEC-2023-0558
cert-bund: WID-SEC-2022-0736
dfn-cert: DFN-CERT-2022-1614
dfn-cert: DFN-CERT-2021-2348
dfn-cert: DFN-CERT-2021-1503
dfn-cert: DFN-CERT-2020-2259
dfn-cert: DFN-CERT-2020-2209
```

Medium (CVSS: 6.1)
NVT: phpMyAdmin Cross-Site Scripting Vulnerability (PMASA-2018-3) - Linux

Summary
phpMyAdmin is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.1.1
Fixed version:     4.8.2
Installation
path / port:       /phpMyAdmin
```

Impact
Successful exploitation will allow an attacker to inject arbitrary web script or HTML via crafted database name.

Solution:
Solution type: VendorFix
Upgrade to version 4.8.2 or newer. Please see the references for more information.

Affected Software/OS
phpMyAdmin versions prior to 4.8.2 on Linux

Vulnerability Insight
The flaw exists due to insufficient validation of input passed to 'js/designer/move.js' script in phpMyAdmin.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `phpMyAdmin Cross-Site Scripting Vulnerability (PMASA-2018-3) - Linux`
OID:1.3.6.1.4.1.25623.1.0.813451
Version used: `2025-09-12T05:38:45Z`

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2018-12581
url: https://www.phpmyadmin.net/security/PMASA-2018-3
url: http://www.securityfocus.com/bid/104530
cert-bund: CB-K18/0744
dfn-cert: DFN-CERT-2018-1207
```

Medium (CVSS: 6.1)
NVT: jQuery < 3.0.0 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.3.2
Fixed version:     3.0.0
Installation
path / port:       /mutillidae/javascript/ddsmoothmenu/jquery.min.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable2.trabalho_vulnnet/mutillidae/javascript
↪/ddsmoothmenu/jquery.min.js
- Referenced at:   http://metasploitable2.trabalho_vulnnet/mutillidae/
```

Solution:
Solution type: VendorFix
Update to version 3.0.0 or later.

Affected Software/OS
jQuery prior to version 3.0.0.

Vulnerability Insight
When a cross-domain Ajax request is performed without the dataType option, causing text/javascript responses to be executed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 3.0.0 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141635
Version used: `2023-07-14T05:06:08Z`

References

```
cve: CVE-2015-9251
url: https://github.com/jquery/jquery/issues/2432
cert-bund: WID-SEC-2025-1660
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2025-1212
cert-bund: WID-SEC-2024-1872
cert-bund: WID-SEC-2024-1682
cert-bund: WID-SEC-2023-0239
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K20/1030
cert-bund: CB-K20/0309
cert-bund: CB-K20/0041
cert-bund: CB-K19/0911
cert-bund: CB-K19/0909
cert-bund: CB-K19/0615
cert-bund: CB-K19/0321
cert-bund: CB-K19/0313
cert-bund: CB-K19/0054
cert-bund: CB-K19/0052
cert-bund: CB-K19/0049
cert-bund: CB-K19/0048
cert-bund: CB-K19/0046
cert-bund: CB-K18/1006
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-0245
dfn-cert: DFN-CERT-2020-2423
dfn-cert: DFN-CERT-2020-2130
dfn-cert: DFN-CERT-2020-0630
dfn-cert: DFN-CERT-2020-0590
dfn-cert: DFN-CERT-2020-0318
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-0777
dfn-cert: DFN-CERT-2019-0772
dfn-cert: DFN-CERT-2019-0119
dfn-cert: DFN-CERT-2019-0111
dfn-cert: DFN-CERT-2018-2103
dfn-cert: DFN-CERT-2018-1163
```

Medium (CVSS: 6.0)
NVT: TWiki CSRF Vulnerability

Summary
TWiki is prone to a cross-site request forgery (CSRF) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`Installed version: 01.Feb.2003`

. . . continues on next page . . .

. . . continued from previous page . . .

Fixed version: 4.3.1

Impact
Successful exploitation will allow attacker to gain administrative privileges on the target application and can cause CSRF attack.

Solution:
Solution type: VendorFix
Upgrade to version 4.3.1 or later.

Affected Software/OS
TWiki version prior to 4.3.1

Vulnerability Insight
Remote authenticated user can create a specially crafted image tag that, when viewed by the target user, will update pages on the target system with the privileges of the target user via HTTP requests.

Vulnerability Detection Method
Details: TWiki CSRF Vulnerability
OID:1.3.6.1.4.1.25623.1.0.800400
Version used: 2024-06-28T05:05:33Z

References
cve: CVE-2009-1339
url: http://secunia.com/advisories/34880
url: http://bugs.debian.org/cgi-bin/bugreport.cgi?bug=526258
url: http://twiki.org/p/pub/Codev/SecurityAlert-CVE-2009-1339/TWiki-4.3.0-c-diff
↪-cve-2009-1339.txt

Medium (CVSS: 5.9)
NVT: PHP < 7.3.29 Multiple Vulnerabilities (Jul 2021) - Linux

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     7.3.29
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.29 or later.

Affected Software/OS
PHP versions prior to 7.3.29.

Vulnerability Insight
The following flaws exist:
- CVE-2021-21705: SSRF bypass in FILTER_VALIDATE_URL.
- CVE-2021-21704: Stack buffer overflow in firebird_info_cb.
- CVE-2021-21704: SIGSEGV in firebird_handle_doer.
- CVE-2021-21704: SIGSEGV in firebird_stmt_execute.
- CVE-2021-21704: Crash while parsing blob data in firebird_fetch_blob.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.29 Multiple Vulnerabilities (Jul 2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.117524
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2021-21704
cve: CVE-2021-21705
url: https://www.php.net/ChangeLog-7.php#7.3.29
url: http://bugs.php.net/81122
url: http://bugs.php.net/76448
url: http://bugs.php.net/76449
url: http://bugs.php.net/76450
url: http://bugs.php.net/76452
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-1577
cert-bund: WID-SEC-2022-0624
cert-bund: CB-K21/0705
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-1046
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-1676
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1627
dfn-cert: DFN-CERT-2021-1509
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-1419
```

Medium (CVSS: 5.9)
NVT: PHP < 5.5.28, 5.6.x < 5.6.12 DoS Vulnerability (Jul 2016) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.5.28
Installation
path / port:       80/tcp
```

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service (race condition and heap memory corruption) by leveraging an application that performs many temporary-file accesses.

Solution:

Solution type: VendorFix

Update to version 5.5.28, 5.6.12 or later.

Affected Software/OS

PHP prior to version 5.5.28 and 5.6.x prior to 5.6.12 on Linux.

Vulnerability Insight

The flaw is due to script 'main/php_open_temporary_file.c' does not ensure thread safety.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.5.28, 5.6.x < 5.6.12 DoS Vulnerability (Jul 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808613
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2015-8878`
`url: http://www.php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/90837`

Medium (CVSS: 5.8)
NVT: PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Security Update (GHSA-h746-cjrr-wfmr) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a vulnerability in password_verify.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     8.1.28
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.28, 8.2.18, 8.3.6 or later.

Affected Software/OS
PHP prior to version 8.1.28, version 8.2.x through 8.2.17 and 8.3.x through 8.3.5.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

If a password stored with password_hash starts with a null byte (\x00), testing a blank string as the password via password_verify will incorrectly return true.
If a user were able to create a password with a leading null byte (unlikely, but syntactically valid), an attacker could trivially compromise the victim's account by attempting to sign in with a blank string.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Security Update (GHSA-h746-cjrr-wfm.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.152118
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2024-3096`
`url: https://github.com/php/php-src/security/advisories/GHSA-h746-cjrr-wfmr`
`url: https://www.php.net/ChangeLog-8.php#8.1.28`
`url: https://www.php.net/ChangeLog-8.php#8.2.18`
`url: https://www.php.net/ChangeLog-8.php#8.3.6`
`cert-bund: WID-SEC-2024-0867`
`dfn-cert: DFN-CERT-2025-1211`
`dfn-cert: DFN-CERT-2024-3330`
`dfn-cert: DFN-CERT-2024-3329`
`dfn-cert: DFN-CERT-2024-1574`
`dfn-cert: DFN-CERT-2024-1192`
`dfn-cert: DFN-CERT-2024-1132`
`dfn-cert: DFN-CERT-2024-1115`
`dfn-cert: DFN-CERT-2024-0993`
`dfn-cert: DFN-CERT-2024-0962`

Medium (CVSS: 5.8)
NVT: HTTP Debugging Methods (TRACE/TRACK) Enabled

Summary
The remote web server supports the TRACE and/or TRACK methods. TRACE and TRACK are HTTP methods which are used to debug web server connections.

Quality of Detection (QoD): 99%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
The web server has the following HTTP methods enabled: TRACE
```

Impact
An attacker may use this flaw to trick your legitimate web users to give him their credentials.

Solution:
Solution type: Mitigation
Disable the TRACE and TRACK methods in your web server configuration.
Please see the manual of your web server or the references for more information.

Affected Software/OS
Web servers with enabled TRACE and/or TRACK methods.

Vulnerability Insight
It has been shown that web servers supporting this methods are subject to cross-site-scripting attacks, dubbed XST for Cross-Site-Tracing, when used in conjunction with various weaknesses in browsers.

Vulnerability Detection Method
Checks if HTTP methods such as TRACE and TRACK are enabled and can be used.
Details: `HTTP Debugging Methods (TRACE/TRACK) Enabled`
OID:1.3.6.1.4.1.25623.1.0.11213
Version used: `2023-08-01T13:29:10Z`

References
```
cve: CVE-2003-1567
cve: CVE-2004-2320
cve: CVE-2004-2763
cve: CVE-2005-3398
cve: CVE-2006-4683
cve: CVE-2007-3008
cve: CVE-2008-7253
cve: CVE-2009-2823
cve: CVE-2010-0386
cve: CVE-2012-2223
cve: CVE-2014-7883
url: http://www.kb.cert.org/vuls/id/288308
url: http://www.securityfocus.com/bid/11604
url: http://www.securityfocus.com/bid/15222
url: http://www.securityfocus.com/bid/19915
url: http://www.securityfocus.com/bid/24456
url: http://www.securityfocus.com/bid/33374
url: http://www.securityfocus.com/bid/36956
url: http://www.securityfocus.com/bid/36990
url: http://www.securityfocus.com/bid/37995
url: http://www.securityfocus.com/bid/9506
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/9561
url: http://www.kb.cert.org/vuls/id/867593
url: https://httpd.apache.org/docs/current/en/mod/core.html#traceenable
url: https://techcommunity.microsoft.com/t5/iis-support-blog/http-track-and-trac
↪e-verbs/ba-p/784482
url: https://owasp.org/www-community/attacks/Cross_Site_Tracing
cert-bund: CB-K14/0981
dfn-cert: DFN-CERT-2021-1825
dfn-cert: DFN-CERT-2014-1018
dfn-cert: DFN-CERT-2010-0020
```

Medium (CVSS: 5.8)
NVT: PHP Directory Traversal Vulnerability (Apr 2012)

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a directory traversal vulnerability because it fails to properly sanitize user-supplied input.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.3.11
Installation
path / port:       80/tcp
```

Impact

Exploiting this issue may allow an attacker to retrieve, corrupt or upload arbitrary files at arbitrary locations that could aid in further attacks.

Solution:

Solution type: VendorFix

Update to version 5.3.11, 5.4.1 or later.

Affected Software/OS

PHP versions 5.x prior to 5.3.11 and 5.4.0 only.

Vulnerability Insight

Remote attackers can use specially crafted requests with directory- traversal sequences ('../') to retrieve, corrupt or upload arbitrary files in the context of the application.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP Directory Traversal Vulnerability (Apr 2012)`
OID:1.3.6.1.4.1.25623.1.0.103486
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2012-1172`
`url: https://web.archive.org/web/20120513003105/http://www.securityfocus.com/bid`
`↪/53403`
`url: https://bugzilla.redhat.com/show_bug.cgi?id=799187`
`url: http://www.php.net/archive/2012.php#id2012-04-26-1`
`dfn-cert: DFN-CERT-2013-1494`
`dfn-cert: DFN-CERT-2012-1268`
`dfn-cert: DFN-CERT-2012-1267`
`dfn-cert: DFN-CERT-2012-1266`
`dfn-cert: DFN-CERT-2012-1173`
`dfn-cert: DFN-CERT-2012-0914`
`dfn-cert: DFN-CERT-2012-0907`
`dfn-cert: DFN-CERT-2012-0906`
`dfn-cert: DFN-CERT-2012-0900`
`dfn-cert: DFN-CERT-2012-0870`
`dfn-cert: DFN-CERT-2012-0869`
`dfn-cert: DFN-CERT-2012-0866`
`dfn-cert: DFN-CERT-2012-0813`
`dfn-cert: DFN-CERT-2012-0773`

Medium (CVSS: 5.5)
NVT: PHP < 8.0.22, 8.1.x < 8.1.9 Security Update - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     8.0.22/8.1.9/8.2.0
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.22, 8.1.9, 8.2.0 or later.

Affected Software/OS
PHP versions prior to 8.0.22 and 8.1.x prior to 8.1.9.

Vulnerability Insight
Fixed potential overflow for the builtin server via the PHP_CLI_SERVER_WORKERS environment variable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.0.22, 8.1.x < 8.1.9 Security Update - Linux`
OID:1.3.6.1.4.1.25623.1.0.104644
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2022-4900
url: https://www.php.net/ChangeLog-8.php#8.2.0
url: https://www.php.net/ChangeLog-8.php#8.1.9
url: https://www.php.net/ChangeLog-8.php#8.0.22
url: https://github.com/php/php-src/issues/8989
url: https://github.com/php/php-src/pull/9000
url: https://github.com/php/php-src/commit/789a37f14405e2d1a05a76c9fb4ed2d49d458
↪0d5
url: https://bugzilla.redhat.com/show_bug.cgi?id=2179880
cert-bund: WID-SEC-2023-0695
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1132
dfn-cert: DFN-CERT-2023-0681
```

Medium (CVSS: 5.4)
NVT: PHP < 7.2.29 Multiple Vulnerabilities (Mar 2020) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     7.2.29
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.29 or later.

Affected Software/OS
PHP versions before 7.2.29.

Vulnerability Insight
PHP is prone to multiple vulnerabilities:
- Use-of-uninitialized-value in exif (CVE-2020-7064)
- get_headers() silently truncates after a null byte (CVE-2020-7066)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.29 Multiple Vulnerabilities (Mar 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143615
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7064
cve: CVE-2020-7066
url: https://www.php.net/ChangeLog-7.php#7.2.29
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-2118
cert-bund: CB-K21/0068
cert-bund: CB-K20/1199
cert-bund: CB-K20/0239
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-1202
dfn-cert: DFN-CERT-2020-0965
dfn-cert: DFN-CERT-2020-0851
dfn-cert: DFN-CERT-2020-0787
dfn-cert: DFN-CERT-2020-0554
```

Medium (CVSS: 5.3)
NVT: PHP < 7.3.33, 7.4.x < 7.4.26, 8.0.x < 8.0.13 Security Update (Nov 2021) - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP released new versions which include a security fix.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     7.3.33
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 7.3.33, 7.4.26, 8.0.13 or later.

Affected Software/OS

PHP prior to version 7.3.33 and version 7.4.x through 7.4.25 and 8.0.x through 8.0.12.

Vulnerability Insight

Fixed bug #79971 (special character is breaking the path in xml function).

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: PHP < 7.3.33, 7.4.x < 7.4.26, 8.0.x < 8.0.13 Security Update (Nov 2021) - Linux
OID:1.3.6.1.4.1.25623.1.0.147187
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2021-21707
url: https://www.php.net/ChangeLog-7.php#7.3.33
url: https://www.php.net/ChangeLog-7.php#7.4.26
url: https://www.php.net/ChangeLog-8.php#8.0.13
url: http://bugs.php.net/79971
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-0587
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K21/1213
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2499
dfn-cert: DFN-CERT-2022-1516
dfn-cert: DFN-CERT-2022-1493
dfn-cert: DFN-CERT-2022-0557
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2022-0455
dfn-cert: DFN-CERT-2022-0431
dfn-cert: DFN-CERT-2022-0407
dfn-cert: DFN-CERT-2022-0110
dfn-cert: DFN-CERT-2021-2474
dfn-cert: DFN-CERT-2021-2436

Medium (CVSS: 5.3)
NVT: PHP < 7.2.31, 7.3 < 7.3.18, 7.4 < 7.4.6 Multiple DoS Vulnerabilities (May 2020) - Linux

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to two Denial-of-Service vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     7.2.31
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.2.31, 7.3.18, 7.4.6 or later.

Affected Software/OS
PHP versions prior 7.2.31, 7.3 prior 7.3.18 and 7.4 prior to 7.4.6.

Vulnerability Insight
The following flaws exist:
- Long filenames cause OOM and temp files to not be cleaned
- Long variables in multipart/form-data cause OOM and temp files are not cleaned
leading to a Denial-of-Service condition (CVE-2019-11048).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.31, 7.3 < 7.3.18, 7.4 < 7.4.6 Multiple DoS Vulnerabilities (May 2020).`
↪..
OID:1.3.6.1.4.1.25623.1.0.143913
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2019-11048
url: https://www.php.net/ChangeLog-7.php#7.2.31
url: https://www.php.net/ChangeLog-7.php#7.3.18
url: https://www.php.net/ChangeLog-7.php#7.4.6
url: https://bugs.php.net/bug.php?id=78875
url: https://bugs.php.net/bug.php?id=78876
cert-bund: WID-SEC-2022-2117
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K20/1199
cert-bund: CB-K20/0467
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2020-2627
dfn-cert: DFN-CERT-2020-2006
dfn-cert: DFN-CERT-2020-1964
dfn-cert: DFN-CERT-2020-1438
dfn-cert: DFN-CERT-2020-1376
dfn-cert: DFN-CERT-2020-1202
dfn-cert: DFN-CERT-2020-1019
```

Medium (CVSS: 5.3)
NVT: phpinfo() Output Reporting (HTTP)

Summary
Reporting of files containing the output of the phpinfo() PHP function previously detected via HTTP.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following files are calling the function phpinfo() which disclose potentiall
↪y sensitive information:
http://metasploitable2.trabalho_vulnnet/mutillidae/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p5/cgi </td></tr>
  <h2>PHP Core</h2>
  <h2>PHP Variables</h2>
http://metasploitable2.trabalho_vulnnet/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p5/cgi </td></tr>
  <h2>PHP Core</h2>
  <h2>PHP Variables</h2>
```

Impact
Some of the information that can be gathered from this file includes:
The username of the user running the PHP process, if it is a sudo user, the IP address of the host, the web server version, the system version (Unix, Linux, Windows, ...), and the root directory of the web server.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: Workaround
Delete the listed files or restrict access to them.

Affected Software/OS
All systems exposing a file containing the output of the phpinfo() PHP function.
This VT is also reporting if an affected endpoint for the following products have been identified:
- CVE-2008-0149: TUTOS
- CVE-2023-49282, CVE-2023-49283: Microsoft Graph PHP SDK
- CVE-2024-10486: Google for WooCommerce plugin for WordPress

Vulnerability Insight
Many PHP installation tutorials instruct the user to create a file called phpinfo.php or similar containing the phpinfo() statement. Such a file is often left back in the webserver directory.

Vulnerability Detection Method
This script reports files identified by the following separate VT: 'phpinfo() Output Detection (HTTP)' (OID: 1.3.6.1.4.1.25623.1.0.108474).
Details: `phpinfo() Output Reporting (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.11229
Version used: `2025-07-09T05:43:50Z`

References
`cve: CVE-2008-0149`
`cve: CVE-2023-49282`
`cve: CVE-2023-49283`
`cve: CVE-2024-10486`
`url: https://www.php.net/manual/en/function.phpinfo.php`
`url: https://beaglesecurity.com/blog/vulnerability/revealing-phpinfo.html`

Medium (CVSS: 5.3)
NVT: PHP < 7.3.26, 7.4.x < 7.4.14, 8.0.x < 8.0.1 Filter Vulnerability (Jan 2021) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a vulnerability where FILTER_VALIDATE_URL accepts URLs with invalid userinfo.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.2.4
Fixed version:     7.3.26
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.26, 7.4.14, 8.0.1 or later.

Affected Software/OS
PHP versions prior to 7.3.26, 7.4.x prior to 7.4.14 and 8.0.x prior to 8.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.26, 7.4.x < 7.4.14, 8.0.x < 8.0.1 Filter Vulnerability (Jan 2021) - L.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145114
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2020-7071
url: https://www.php.net/ChangeLog-7.php#7.3.26
url: https://www.php.net/ChangeLog-7.php#7.4.14
url: https://www.php.net/ChangeLog-8.php#8.0.1
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-2114
cert-bund: CB-K21/0009
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1586
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2021-2373
dfn-cert: DFN-CERT-2021-1645
dfn-cert: DFN-CERT-2021-1509
dfn-cert: DFN-CERT-2021-1453
dfn-cert: DFN-CERT-2021-0380
dfn-cert: DFN-CERT-2021-0013
```

Medium (CVSS: 5.1)
NVT: Apache HTTP Server Log Escape Filtering Vulnerability (Jul 2013) - Linux

Product detection result
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a log escape filtering vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.2.8
Fixed version: 2.2.25
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 2.2.25 or later.

Affected Software/OS
Apache HTTP Server version 2.0.35 through 2.2.23.

Vulnerability Insight
mod_rewrite does not filter terminal escape sequences from logs, which could make it easier for attackers to insert those sequences into terminal emulators containing vulnerabilities related to escape sequences.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server Log Escape Filtering Vulnerability (Jul 2013) - Linux
OID:1.3.6.1.4.1.25623.1.0.147051
Version used: 2021-11-01T03:59:12Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.2.8
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2013-1862
url: https://httpd.apache.org/security/vulnerabilities_22.html

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0960
cert-bund: CB-K14/1568
cert-bund: CB-K14/1095
cert-bund: CB-K14/0231
cert-bund: CB-K14/0058
cert-bund: CB-K13/1009
cert-bund: CB-K13/0600
cert-bund: CB-K13/0592
dfn-cert: DFN-CERT-2015-1008
dfn-cert: DFN-CERT-2014-1668
dfn-cert: DFN-CERT-2014-1145
dfn-cert: DFN-CERT-2014-0049
dfn-cert: DFN-CERT-2013-2027
dfn-cert: DFN-CERT-2013-1587
dfn-cert: DFN-CERT-2013-1585
dfn-cert: DFN-CERT-2013-1463
dfn-cert: DFN-CERT-2013-0888
```

Medium (CVSS: 5.0)
NVT: PHP 5.2.x < 5.2.14, 5.3.x < 5.3.3 Multiple Vulnerabilities

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple security vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.14
Installation
path / port:       80/tcp
```

Impact

An attacker can exploit these issues to execute arbitrary code, crash the affected application, gain access to sensitive information and bypass security restrictions. Other attacks are also possible.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP versions 5.2.x prior to 5.2.14 and 5.3.x prior to 5.3.3.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.2.x < 5.2.14, 5.3.x < 5.3.3 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.100726
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2010-2484
cve: CVE-2010-2531
url: http://www.securityfocus.com/bid/41991
url: http://www.php.net/ChangeLog-5.php#5.3.3
dfn-cert: DFN-CERT-2011-1005
dfn-cert: DFN-CERT-2011-0642
dfn-cert: DFN-CERT-2010-1620
dfn-cert: DFN-CERT-2010-1321
dfn-cert: DFN-CERT-2010-1247
dfn-cert: DFN-CERT-2010-1079
dfn-cert: DFN-CERT-2010-0997
dfn-cert: DFN-CERT-2010-0953
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server 'mod_lua' Denial of Service Vulnerability -01 (May 2015)

Product detection result
```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.2.8
Fixed version:     2.4.13
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        80/tcp
```

Impact
Successful exploitation will allow a remote attacker to cause a denial of service via some crafted dimension.

Solution:
Solution type: VendorFix
Update to version 2.4.13 or later.

Affected Software/OS
Apache HTTP Server versions through 2.4.12.

Vulnerability Insight
Flaw is due to vulnerability in lua_websocket_read function in lua_request.c in the mod_lua module.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_lua' Denial of Service Vulnerability -01 (May 2015)`
OID:1.3.6.1.4.1.25623.1.0.805616
Version used: `2024-02-20T05:05:48Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2015-0228
url: https://bugs.mageia.org/show_bug.cgi?id=15428
url: http://www.securityfocus.com/bid/73041
url: http://svn.apache.org/repos/asf/httpd/httpd/branches/2.4.x/CHANGES
cert-bund: CB-K15/1360
cert-bund: CB-K15/1188
cert-bund: CB-K15/1051
cert-bund: CB-K15/0273
cert-bund: CB-K14/1592
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1087
dfn-cert: DFN-CERT-2015-0285
dfn-cert: DFN-CERT-2014-1691
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server 'mod_proxy_ftp' Module Command Injection Vulnerability

Product detection result
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a command injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.0.64 / 2.2.14
Installation
path / port:       80/tcp
```

Impact
Successful exploitation could allow remote attackers to bypass intended access restrictions in the context of the affected application, and can cause the arbitrary command injection.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server version 2.0.64, 2.2.14 or later.

Affected Software/OS
Apache HTTP Server 1.3.x, 2.0.x through 2.0.63 and 2.2.x through 2.2.13 running mod_proxy_ftp.

Vulnerability Insight
The flaw is due to error in the mod_proxy_ftp module which can be exploited via vectors related to the embedding of these commands in the Authorization HTTP header.

Vulnerability Detection Method
Details: Apache HTTP Server 'mod_proxy_ftp' Module Command Injection Vulnerability
OID:1.3.6.1.4.1.25623.1.0.900842
Version used: 2025-03-05T05:38:52Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.2.8
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2009-3095
url: http://intevydis.com/vd-list.shtml
url: http://www.securityfocus.com/bid/36254
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: https://httpd.apache.org/security/vulnerabilities_20.html
dfn-cert: DFN-CERT-2012-0618
dfn-cert: DFN-CERT-2011-0700
dfn-cert: DFN-CERT-2010-1647
dfn-cert: DFN-CERT-2010-0730
dfn-cert: DFN-CERT-2010-0446
dfn-cert: DFN-CERT-2010-0273
dfn-cert: DFN-CERT-2009-1809
dfn-cert: DFN-CERT-2009-1755
dfn-cert: DFN-CERT-2009-1725
dfn-cert: DFN-CERT-2009-1623
dfn-cert: DFN-CERT-2009-1603
dfn-cert: DFN-CERT-2009-1602
dfn-cert: DFN-CERT-2009-1507
dfn-cert: DFN-CERT-2009-1340
dfn-cert: DFN-CERT-2009-1326
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.4.64
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.64 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server version 2.4.63 and prior.

Vulnerability Insight
The following flaws exist:
- CVE-2024-42516: HTTP response splitting
- CVE-2024-43204: SSRF with mod_headers setting Content-Type header
- CVE-2024-47252: mod_ssl error log variable escaping
- CVE-2025-49812: mod_ssl TLS upgrade attack

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.154909
Version used: `2025-07-11T15:43:14Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2024-42516
cve: CVE-2024-43204
cve: CVE-2024-47252
cve: CVE-2025-49812
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.64
cert-bund: WID-SEC-2026-0162
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1529
dfn-cert: DFN-CERT-2026-0205
dfn-cert: DFN-CERT-2025-2421
dfn-cert: DFN-CERT-2025-2403
dfn-cert: DFN-CERT-2025-2402
dfn-cert: DFN-CERT-2025-2373
dfn-cert: DFN-CERT-2025-2231
dfn-cert: DFN-CERT-2025-2182
dfn-cert: DFN-CERT-2025-1917
dfn-cert: DFN-CERT-2025-1860
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server Multiple Remote Denial of Service Vulnerabilities

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to multiple remote denial-of-service vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.2.16
Installation
path / port:       80/tcp
```

Impact
An attacker can exploit these issues to deny service to legitimate users.

Solution:
Solution type: VendorFix
These issues have been fixed in Apache 2.2.16. Please see the references for more information.

Affected Software/OS
Versions prior to Apache 2.2.16 are vulnerable.

Vulnerability Detection Method
Details: `Apache HTTP Server Multiple Remote Denial of Service Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.100725
Version used: `2022-05-02T09:35:37Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2010-1452
url: http://www.securityfocus.com/bid/41963
url: http://www.apache.org/dist/httpd/Announcement2.2.html
url: http://www.apache.org/dist/httpd/CHANGES_2.2.16
dfn-cert: DFN-CERT-2012-0731
dfn-cert: DFN-CERT-2012-0618
dfn-cert: DFN-CERT-2011-1693
dfn-cert: DFN-CERT-2011-1342
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2011-1341
dfn-cert: DFN-CERT-2011-1298
dfn-cert: DFN-CERT-2011-0700
dfn-cert: DFN-CERT-2010-1665
dfn-cert: DFN-CERT-2010-1647
dfn-cert: DFN-CERT-2010-1123
dfn-cert: DFN-CERT-2010-1053
dfn-cert: DFN-CERT-2010-1048
dfn-cert: DFN-CERT-2010-1041
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server Multiple Vulnerabilities (Mar 2014) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.2.27
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.2.27, 2.4.9 or later.

Affected Software/OS

Apache HTTP Server version 2.2.0 through 2.2.26 and 2.4.1 through 2.4.7.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2013-6438: XML parsing code in mod_dav incorrectly calculates the end of the string when removing leading spaces and places a NUL character outside the buffer, causing random crashes. This XML parsing code is only used with DAV provider modules that support DeltaV, of which the only publicly released provider is mod_dav_svn.

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2014-0098: A flaw was found in mod_log_config. A remote attacker could send a specific truncated cookie causing a crash. This crash would only be a denial of service if using a threaded MPM.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Mar 2014) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147047
Version used: `2021-11-01T03:59:12Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2013-6438`
`cve: CVE-2014-0098`
`url: https://httpd.apache.org/security/vulnerabilities_22.html`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: CB-K15/1518`
`cert-bund: CB-K15/0960`
`cert-bund: CB-K15/0493`
`cert-bund: CB-K15/0079`
`cert-bund: CB-K14/1568`
`cert-bund: CB-K14/1313`
`cert-bund: CB-K14/1110`
`cert-bund: CB-K14/1095`
`cert-bund: CB-K14/1043`
`cert-bund: CB-K14/0969`
`cert-bund: CB-K14/0876`
`cert-bund: CB-K14/0319`
`dfn-cert: DFN-CERT-2015-1604`
`dfn-cert: DFN-CERT-2015-1008`
`dfn-cert: DFN-CERT-2015-0079`
`dfn-cert: DFN-CERT-2014-1668`
`dfn-cert: DFN-CERT-2014-1166`
`dfn-cert: DFN-CERT-2014-1145`
`dfn-cert: DFN-CERT-2014-1088`
`dfn-cert: DFN-CERT-2014-1019`
`dfn-cert: DFN-CERT-2014-0917`
`dfn-cert: DFN-CERT-2014-0331`

Medium (CVSS: 5.0)
NVT: /doc directory browsable

Summary
The /doc directory is browsable. /doc shows the content of the /usr/doc directory and therefore it shows which programs and - important! - the version of the installed programs.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`Vulnerable URL: http://metasploitable2.trabalho_vulnnet/doc/`

Solution:
Solution type: Mitigation
Use access restrictions for the /doc directory. If you use Apache you might use this in your access.conf:
<Directory /usr/doc> AllowOverride None order deny, allow deny from all allow from localhost </Directory>

Vulnerability Detection Method
Details: `/doc directory browsable`
OID:1.3.6.1.4.1.25623.1.0.10056
Version used: `2023-08-01T13:29:10Z`

References
`cve: CVE-1999-0678`
`url: http://www.securityfocus.com/bid/318`

Medium (CVSS: 5.0)
NVT: Enabled Directory Listing/Indexing Detection (HTTP)

Summary
The script attempts to identify directories with an enabled directory listing/indexing on a remote web server.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
The following directories with an enabled directory listing/indexing were identi
↪fied:
http://metasploitable2.trabalho_vulnnet/dav
http://metasploitable2.trabalho_vulnnet/doc
http://metasploitable2.trabalho_vulnnet/mutillidae/documentation
http://metasploitable2.trabalho_vulnnet/test
http://metasploitable2.trabalho_vulnnet/test/testoutput
Please review the content manually.
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Based on the information shown an attacker might be able to gather additional info about the structure of this application.

Solution:
Solution type: Mitigation
If not needed disable the directory listing/indexing within the web servers config.

Affected Software/OS
Web servers with an enabled directory listing/indexing.

Vulnerability Detection Method
Checks previously detected directories on a remote web server if a directory listing/indexing is enabled.
Note: This check has a low QoD (Quality of Detection) value as it is not possible to automatically determine if the directory listing/indexing has been enabled on purpose (which is also a valid use case for some software products).
Details: `Enabled Directory Listing/Indexing Detection (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.111074
Version used: `2025-03-14T15:40:32Z`

References
```
cve: CVE-1999-0569
cve: CVE-2023-37599
cve: CVE-2024-1076
url: https://wiki.owasp.org/index.php/OWASP_Periodic_Table_of_Vulnerabilities_-_
↪Directory_Indexing
```

Medium (CVSS: 5.0)
NVT: PHP 'mb_strcut()' Function Information Disclosure Vulnerability

Product detection result
```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary
PHP is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.3.4
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        80/tcp
```

Impact
Attackers can exploit this issue to obtain sensitive information that may lead to further attacks.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Versions prior to PHP 5.3.4 are vulnerable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 'mb_strcut()' Function Information Disclosure Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100898
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2010-4156`
`url: http://www.securityfocus.com/bid/44727`
`url: http://permalink.gmane.org/gmane.comp.security.oss.general/3715`
`dfn-cert: DFN-CERT-2011-0642`
`dfn-cert: DFN-CERT-2011-0147`
`dfn-cert: DFN-CERT-2010-1526`

Medium (CVSS: 5.0)
NVT: PHP 'open_basedir' Security Bypass Vulnerability

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     None
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to read arbitrary files.

Solution:

Solution type: WillNotFix

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS

PHP versions 5.x through 5.0.5, 5.1.x through 5.1.6, 5.2.x through 5.2.17, 5.3.x through 5.3.27, 5.4.x through 5.4.23 and 5.5.x through 5.5.6.

Vulnerability Insight

A vulnerability in libxml RSHUTDOWN function allows remote attackers to bypass open_basedir protection mechanism through stream_close method call.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 'open_basedir' Security Bypass Vulnerability`

OID:1.3.6.1.4.1.25623.1.0.804241

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2012-1171
url: https://bugzilla.redhat.com/show_bug.cgi?id=802591
```

Medium (CVSS: 5.0)

NVT: PHP 4.4.x < 4.4.9, 5.2.x < 5.2.8 DoS Vulnerability

Product detection result

`cpe:/a:php:php:5.2.4`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a denial of service (DoS) vulnerability because the application fails to handle certain file requests.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.8
Installation
path / port:       80/tcp
```

Impact
Attackers can exploit this issue to crash the affected application, denying service to legitimate users.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
PHP versions 4.4.x prior to 4.4.9 and 5.2.x through 5.2.6.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP 4.4.x < 4.4.9, 5.2.x < 5.2.8 DoS Vulnerability
OID:1.3.6.1.4.1.25623.1.0.100582
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2008-3660
url: https://web.archive.org/web/20081205004344/http://www.securityfocus.com/bid
↪/31612
url: http://www.openwall.com/lists/oss-security/2008/08/08/2
url: http://www.php.net/ChangeLog-5.php#5.2.8
url: http://support.avaya.com/elmodocs2/security/ASA-2009-161.htm
dfn-cert: DFN-CERT-2009-1497
```

Medium (CVSS: 5.0)
NVT: PHP 5.3.1 Multiple DoS Vulnerabilities

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.14
Installation
path / port:       80/tcp
```

Impact
Exploiting these issues allows remote attackers to cause denial of service conditions in the context of an application using the vulnerable library.

Solution:
Solution type: VendorFix
Update to version 5.2.14, 5.3.3 or later.

Affected Software/OS
PHP versions 5.2.x prior to 5.2.14 and 5.3.x prior to 5.3.3.

Vulnerability Insight
The xmlrpc extension in PHP does not properly handle a missing methodName element in the first argument to the xmlrpc_decode_request function, which allows context-dependent attackers to cause a denial of service (NULL pointer dereference and application crash) and possibly have unspecified other impact via a crafted argument.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.3.1 Multiple DoS Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.100529
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2010-0397
url: https://web.archive.org/web/20110611011157/http://www.securityfocus.com/bid
↪/38708
url: http://bugs.debian.org/cgi-bin/bugreport.cgi?bug=573573
url: http://permalink.gmane.org/gmane.comp.security.oss.general/2673
url: https://www.php.net/ChangeLog-5.php
dfn-cert: DFN-CERT-2010-1620
dfn-cert: DFN-CERT-2010-1247
dfn-cert: DFN-CERT-2010-1079
dfn-cert: DFN-CERT-2010-0953
dfn-cert: DFN-CERT-2010-0775
dfn-cert: DFN-CERT-2010-0705
dfn-cert: DFN-CERT-2010-0419
dfn-cert: DFN-CERT-2010-0372
```

Medium (CVSS: 5.0)
NVT: PHP 5.x < 5.2.9 Memory Information Disclosure Vulnerability

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a memory information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.9
Installation
path / port:       80/tcp
```

Impact

Successful exploitation could let the attacker read the contents of arbitrary memory locations through a crafted value for an indexed image.

Solution:

Solution type: VendorFix

Update to version 5.2.9 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

PHP versions 5.x through 5.2.8.

Vulnerability Insight
The flaw is due to an improper validation of bgd_color or clrBack argument in imageRotate function.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 5.2.9 Memory Information Disclosure Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.900186
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2008-5498`
`url: http://securitytracker.com/alerts/2008/Dec/1021494.html`
`url: https://web.archive.org/web/20101223093311/http://www.securityfocus.com/bid`
`↪/33002`
`url: http://downloads.securityfocus.com/vulnerabilities/exploits/33002.php`
`url: http://downloads.securityfocus.com/vulnerabilities/exploits/33002-2.php`
`dfn-cert: DFN-CERT-2009-1497`

Medium (CVSS: 5.0)
NVT: PHP 5.x < 5.3.3 Information Disclosure Vulnerability

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.3.3
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Attackers can exploit this issue to obtain sensitive information that may lead to further attacks.

Solution:
Solution type: VendorFix
Update to version 5.3.3 or later.

Affected Software/OS
PHP versions 5.x through 5.3.2.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.x < 5.3.3 Information Disclosure Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100695
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2010-2484`
`url: http://www.securityfocus.com/bid/41265`
`url: http://permalink.gmane.org/gmane.comp.security.oss.general/3109`
`dfn-cert: DFN-CERT-2011-1005`
`dfn-cert: DFN-CERT-2011-0642`
`dfn-cert: DFN-CERT-2010-1620`
`dfn-cert: DFN-CERT-2010-1321`
`dfn-cert: DFN-CERT-2010-1247`
`dfn-cert: DFN-CERT-2010-1079`
`dfn-cert: DFN-CERT-2010-0997`
`dfn-cert: DFN-CERT-2010-0953`

Medium (CVSS: 5.0)
NVT: PHP 5.x < 5.4.29, 5.5.x < 5.5.13 Multiple DoS Vulnerabilities (Jun 2014)

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple denial of service (DoS) vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.4.29
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to conduct denial of service attacks.

Solution:

Solution type: VendorFix

Update to version 5.4.29, 5.5.13 or later.

Affected Software/OS

PHP version 5.x before 5.4.29 and 5.5.x before 5.5.13.

Vulnerability Insight

The following flaws exist:

- CVE-2014-0237: Infinite loop within the 'unpack_summary_info' function in src/cdf.c script.
- CVE-2014-0238: An error within the 'cdf_read_property_info' function in src/cdf.c script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 5.x < 5.4.29, 5.5.x < 5.5.13 Multiple DoS Vulnerabilities (Jun 2014)`

OID:1.3.6.1.4.1.25623.1.0.804639

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-0237
cve: CVE-2014-0238
url: http://www.php.net/ChangeLog-5.php
url: http://www.securityfocus.com/bid/67759
url: http://www.securityfocus.com/bid/67765
url: http://secunia.com/advisories/58804
url: https://www.hkcert.org/my_url/en/alert/14060401
cert-bund: CB-K15/1704
cert-bund: CB-K15/0493
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K14/1359
cert-bund: CB-K14/1267
cert-bund: CB-K14/1174
cert-bund: CB-K14/1130
cert-bund: CB-K14/0973
cert-bund: CB-K14/0972
cert-bund: CB-K14/0830
cert-bund: CB-K14/0818
cert-bund: CB-K14/0776
cert-bund: CB-K14/0738
cert-bund: CB-K14/0660
cert-bund: CB-K14/0659
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1333
dfn-cert: DFN-CERT-2014-1181
dfn-cert: DFN-CERT-2014-1014
dfn-cert: DFN-CERT-2014-1013
dfn-cert: DFN-CERT-2014-0868
dfn-cert: DFN-CERT-2014-0857
dfn-cert: DFN-CERT-2014-0816
dfn-cert: DFN-CERT-2014-0769
dfn-cert: DFN-CERT-2014-0685
dfn-cert: DFN-CERT-2014-0684
```

Medium (CVSS: 5.0)
NVT: PHP < 5.2.15 Security Bypass Vulnerability

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.15
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successful exploitation could allow remote attackers to bypass intended access restrictions by modifying data structures that were not intended to depend on external input.

Solution:
Solution type: VendorFix
Update to version 5.2.15 or later.

Affected Software/OS
PHP version prior to 5.2.15.

Vulnerability Insight
An error in 'extract()' function does not prevent the use of the 'EXTR_OVERWRITE' parameter to overwrite the GLOBALS superglobal array.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.2.15 Security Bypass Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.801731
Version used: `2025-12-17T05:46:28Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2011-0752`
`url: http://www.php.net/releases/5_2_15.php`
`url: http://www.openwall.com/lists/oss-security/2010/12/13/4`
`dfn-cert: DFN-CERT-2011-0515`

Medium (CVSS: 5.0)
NVT: PHP < 5.3.29, 5.4.x < 5.4.24, 5.5.x < 5.5.8 RCE Vulnerability

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.3.29
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to allow a remote attacker to cause a heap-based buffer overflow, resulting in a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.3.29, 5.4.24, 5.5.8 or later.

Affected Software/OS

PHP versions prior to 5.3.29, 5.4.x prior to 5.4.24, 5.5.x prior to 5.5.8.

Vulnerability Insight

An error exists in the 'scan function' in 'ext/date/lib/parse_iso_intervals.c' which does not validate user-supplied input when handling 'DateInterval' objects.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.3.29, 5.4.x < 5.4.24, 5.5.x < 5.5.8 RCE Vulnerability`

OID:1.3.6.1.4.1.25623.1.0.804160

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2013-6712
url: http://git.php.net/?p=php-src.git;a=commit;h=12fe4e90be7bfa2a763197079f68f5
↪568a14e071
url: https://bugs.php.net/bug.php?id=66060
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/0972
cert-bund: CB-K13/1092
cert-bund: CB-K13/1040
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1014
dfn-cert: DFN-CERT-2013-2127
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2013-2066

Medium (CVSS: 5.0)
NVT: PHP < 5.3.4 Multiple Security Bypass Vulnerabilities

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple security bypass vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.3.4
Installation
path / port:       80/tcp
```

Impact
Successful exploitation could allow remote attackers to trigger an incomplete output array, and possibly bypass spam detection or have unspecified other impact.

Solution:
Solution type: VendorFix
Update to version 5.3.4 or later.

Affected Software/OS
PHP prior to version 5.3.4.

Vulnerability Insight
The following flaws exist:
- An error in handling pathname which accepts the '?' character in a pathname.
- An error in 'iconv_mime_decode_headers()' function in the 'Iconv' extension.
- 'SplFileInfo::getType' function in the Standard PHP Library (SPL) extension, does not properly detect symbolic links in windows.
- Integer overflow in the 'mt_rand' function.
- Race condition in the 'PCNTL extension', when a user-defined signal handler exists.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP < 5.3.4 Multiple Security Bypass Vulnerabilities
OID:1.3.6.1.4.1.25623.1.0.801585

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2006-7243
cve: CVE-2010-4699
cve: CVE-2011-0753
cve: CVE-2011-0754
cve: CVE-2011-0755
url: http://www.php.net/ChangeLog-5.php
url: http://www.php.net/releases/5_3_4.php
url: http://openwall.com/lists/oss-security/2010/12/09/9
url: http://svn.php.net/viewvc?view=revision&revision=305507
cert-bund: CB-K16/0944
cert-bund: CB-K15/0703
cert-bund: CB-K14/0323
cert-bund: CB-K13/0712
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-0732
dfn-cert: DFN-CERT-2014-0336
dfn-cert: DFN-CERT-2013-1713
dfn-cert: DFN-CERT-2012-0210
dfn-cert: DFN-CERT-2011-0515
dfn-cert: DFN-CERT-2011-0013
dfn-cert: DFN-CERT-2011-0012
dfn-cert: DFN-CERT-2011-0011
dfn-cert: DFN-CERT-2010-1729

Medium (CVSS: 5.0)
NVT: PHP < 7.3.28, 7.4.x < 7.4.18 IMAP Header Injection Vulnerability (Apr 2021) - Linux

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to an IMAP header injection vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     7.3.28
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.28, 7.4.18 or later.

Affected Software/OS
PHP versions prior to 7.3.28 and 7.4.x through 7.4.17.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.28, 7.4.x < 7.4.18 IMAP Header Injection Vulnerability (Apr 2021) - L.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145869
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`url: https://www.php.net/ChangeLog-7.php#7.3.28`
`url: https://www.php.net/ChangeLog-7.php#7.4.18`

Medium (CVSS: 5.0)
NVT: PHP < 7.3.30, 7.4.x < 7.4.23, 8.0.x < 8.0.10 Security Update (Aug 2021) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP released new versions which include security fixes.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 5.2.4`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      7.3.30
Installation
path / port:        80/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.3.30, 7.4.23, 8.0.10 or later.

Affected Software/OS
PHP versions prior to 7.3.30, 7.4.x through 7.4.22 and 8.0.x through 8.0.9.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.3.30, 7.4.x < 7.4.23, 8.0.x < 8.0.10 Security Update (Aug 2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.146584
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`url: https://www.php.net/ChangeLog-7.php#7.3.30`
`url: https://www.php.net/ChangeLog-7.php#7.4.23`
`url: https://www.php.net/ChangeLog-8.php#8.0.10`

Medium (CVSS: 5.0)
NVT: PHP <= 5.2.8 Multiple Vulnerabilities

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to multiple security vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.9
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Impact
Successful exploits could allow an attacker to cause a denial of service (DoS) condition. An unspecified issue with an unknown impact was also reported.

Solution:
Solution type: VendorFix
Update to version 5.2.9 or later.

Affected Software/OS
PHP version 5.2.8 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: PHP <= 5.2.8 Multiple Vulnerabilities
OID:1.3.6.1.4.1.25623.1.0.100146
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2009-1271
url: http://www.securityfocus.com/bid/33927
dfn-cert: DFN-CERT-2009-1726

Medium (CVSS: 5.0)
NVT: QWikiwiki directory traversal vulnerability

Summary
The remote host is running QWikiwiki, a Wiki application written in PHP.
The remote version of this software contains a validation input flaw which may allow an attacker to use it to read arbitrary files on the remote host with the privileges of the web server.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
Vulnerable URL: http://metasploitable2.trabalho_vulnnet/mutillidae/index.php?pag
↪e=../../../../../../../../../../../etc/passwd%00

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Vulnerability Detection Method
Details: `QWikiwiki directory traversal vulnerability`
OID:1.3.6.1.4.1.25623.1.0.16100
Version used: `2025-04-15T05:54:49Z`

References
`cve: CVE-2005-0283`
`url: http://www.securityfocus.com/bid/12163`

Medium (CVSS: 5.0)
NVT: awiki <= 20100125 Multiple LFI Vulnerabilities - Active Check

Summary
awiki is prone to multiple local file include (LFI) vulnerabilities because it fails to properly sanitize user-supplied input.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
`Vulnerable URL: http://metasploitable2.trabalho_vulnnet/mutillidae/index.php?pag`
`↪e=/etc/passwd`

Impact
An attacker can exploit this vulnerability to obtain potentially sensitive information and execute arbitrary local scripts in the context of the webserver process. This may allow the attacker to compromise the application and the host.

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
awiki version 20100125 and prior.

Vulnerability Detection Method
Sends a crafted HTTP GET request and checks the response.
Details: `awiki <= 20100125 Multiple LFI Vulnerabilities - Active Check`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.103210
Version used: 2025-04-15T05:54:49Z

References
url: https://www.exploit-db.com/exploits/36047/
url: http://www.securityfocus.com/bid/49187

Medium (CVSS: 5.0)
NVT: PHP <= 5.3.0 DoS Vulnerability

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     None
Installation
path / port:       80/tcp
```

Impact
Successful exploitation could allow attackers to execute arbitrary PHP code and cause denial of service.

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
PHP versions 5.3.0 and prior.

Vulnerability Insight
An error in 'unserialize()' function while processing malformed user supplied data containing a long serialized string passed via the '__wakeup()' or '__destruct()' methods.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: PHP <= 5.3.0 DoS Vulnerability
OID:1.3.6.1.4.1.25623.1.0.900993
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2009-4418
url: http://www.security-database.com/detail.php?alert=CVE-2009-4418
url: http://www.suspekt.org/downloads/POC2009-ShockingNewsInPHPExploitation.pdf

Medium (CVSS: 5.0)
NVT: PHP 'ext/imap/php_imap.c' Use After Free DoS Vulnerability

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.2.15 / 5.3.4
Installation
path / port: 80/tcp

Impact
Successful exploitation could allow local attackers to crash the affected application, denying service to legitimate users.

Solution:
Solution type: VendorFix
Update to PHP 5.2.15 or 5.3.4

Affected Software/OS
PHP version 5.2 before 5.2.15 and 5.3 before 5.3.4

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
An error in 'imap_do_open' function in the IMAP extension 'ext/imap/php_imap.c' may lead to denial of service.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 'ext/imap/php_imap.c' Use After Free DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.801583
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
```
cve: CVE-2010-4150
url: http://xforce.iss.net/xforce/xfdb/63390
url: http://www.securityfocus.com/bid/44980
url: http://svn.php.net/viewvc?view=revision&revision=305032
dfn-cert: DFN-CERT-2011-0515
dfn-cert: DFN-CERT-2011-0402
dfn-cert: DFN-CERT-2011-0013
dfn-cert: DFN-CERT-2011-0012
dfn-cert: DFN-CERT-2011-0011
dfn-cert: DFN-CERT-2010-1593
```

Medium (CVSS: 5.0)
NVT: PHP 5.2.x < 5.2.17, 5.3.x < 5.3.5 DoS Vulnerability

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.2.17
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successful attacks will cause applications written in PHP to hang, creating a denial of service condition.

Solution:
Solution type: VendorFix
Update to version 5.2.17, 5.3.5 or later.

Affected Software/OS
PHP versions 5.2.x prior to 5.2.17 and 5.3.x prior to 5.3.5.

Vulnerability Insight
The vulnerability is due to the Floating-Point value that exist in zend_strtod function.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP 5.2.x < 5.2.17, 5.3.x < 5.3.5 DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.103020
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2010-4645`
`url: https://web.archive.org/web/20111122101850/http://www.securityfocus.com/bid`
`↪/45668`
`url: http://bugs.php.net/bug.php?id=53632`
`url: http://svn.php.net/viewvc/?view=revision&revision=307119`
`url: http://svn.php.net/viewvc?view=revision&revision=307095`
`url: http://www.exploringbinary.com/php-hangs-on-numeric-value-2-225073858507201`
`↪1e-308/`
`dfn-cert: DFN-CERT-2012-0731`
`dfn-cert: DFN-CERT-2012-0514`
`dfn-cert: DFN-CERT-2011-0515`
`dfn-cert: DFN-CERT-2011-0148`
`dfn-cert: DFN-CERT-2011-0147`
`dfn-cert: DFN-CERT-2011-0097`
`dfn-cert: DFN-CERT-2011-0096`
`dfn-cert: DFN-CERT-2011-0095`

Medium (CVSS: 5.0)
NVT: PHP DoS Vulnerability (Apr 2009)

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.9
Installation
path / port:       80/tcp
```

Impact
Successful exploitation could result in denial of service condition.

Solution:
Solution type: VendorFix
Update to version 5.2.9 or later.

Affected Software/OS
PHP prior to version 5.2.9.

Vulnerability Insight
Improper handling of .zip file while doing extraction via php_zip_make_relative_path function in php_zip.c file.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP DoS Vulnerability (Apr 2009)`
OID:1.3.6.1.4.1.25623.1.0.800393
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2009-1272`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.php.net/releases/5_2_9.php
url: http://www.openwall.com/lists/oss-security/2009/04/01/9
dfn-cert: DFN-CERT-2009-1129
```

Medium (CVSS: 4.9)
NVT: Apache HTTP Server 'Options' and 'AllowOverride' Directives Security Bypass Vulnerability

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a security bypass vulnerability related to the handling of specific configuration directives.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.2.9
Installation
path / port:       80/tcp
```

Impact

A local attacker may exploit this issue to execute arbitrary code within the context of the webserver process. This may result in elevated privileges or aid in further attacks.

Solution:

Solution type: VendorFix

Update to version 2.2.9 or later.

Affected Software/OS

Versions prior to Apache HTTP Server 2.2.9 are vulnerable.

Vulnerability Detection Method

Details: `Apache HTTP Server 'Options' and 'AllowOverride' Directives Security Bypass Vul.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.100211
Version used: `2025-01-17T15:39:18Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.2.8`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

cve: CVE-2009-1195
url: http://www.securityfocus.com/bid/35115
dfn-cert: DFN-CERT-2011-0700
dfn-cert: DFN-CERT-2010-1665
dfn-cert: DFN-CERT-2010-1647
dfn-cert: DFN-CERT-2009-1725
dfn-cert: DFN-CERT-2009-1507
dfn-cert: DFN-CERT-2009-1225

Medium (CVSS: 4.8)
NVT: Cleartext Transmission of Sensitive Information via HTTP

Summary

The host / application transmits sensitive information (username, passwords) in cleartext via HTTP.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The following input fields were identified (URL:input name):
http://metasploitable2.trabalho_vulnnet/dvwa/login.php:password
http://metasploitable2.trabalho_vulnnet/phpMyAdmin/:pma_password
http://metasploitable2.trabalho_vulnnet/phpMyAdmin/?D=A:pma_password
http://metasploitable2.trabalho_vulnnet/tikiwiki/tiki-install.php:pass
http://metasploitable2.trabalho_vulnnet/twiki/bin/view/TWiki/TWikiUserAuthentica
↪tion:oldpassword

Impact

An attacker could use this situation to compromise or eavesdrop on the HTTP communication between the client and the server using a man-in-the-middle attack to get access to sensitive data like usernames or passwords.

Solution:

Solution type: Workaround

Enforce the transmission of sensitive data via an encrypted SSL/TLS connection. Additionally make sure the host / application is redirecting all users to the secured SSL/TLS connection before allowing to input sensitive data into the mentioned functions.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Hosts / applications which doesn't enforce the transmission of sensitive data via an encrypted SSL/TLS connection.

Vulnerability Detection Method
Evaluate previous collected information and check if the host / application is not enforcing the transmission of sensitive data via an encrypted SSL/TLS connection.
The script is currently checking the following:
- HTTP Basic Authentication (Basic Auth)
- HTTP Forms (e.g. Login) with input field of type 'password'
Details: `Cleartext Transmission of Sensitive Information via HTTP`
OID:1.3.6.1.4.1.25623.1.0.108440
Version used: `2023-09-07T05:05:21Z`

References
`url: https://www.owasp.org/index.php/Top_10_2013-A2-Broken_Authentication_and_Se`
`↪ssion_Management`
`url: https://www.owasp.org/index.php/Top_10_2013-A6-Sensitive_Data_Exposure`
`url: https://cwe.mitre.org/data/definitions/319.html`

Medium (CVSS: 4.7)
NVT: PHP < 5.6.35, 7.x < 7.0.29, 7.1.x < 7.1.16, 7.2.x < 7.2.4 Security Bypass Vulnerability (May 2018) - Linux

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.2.4
Fixed version:     5.6.35
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow an attacker to bypass security restrictions and access sensitive configuration data for other accounts directly in the PHP worker process's memory.

Solution:
Solution type: VendorFix
Update to version 5.6.35, 7.0.29, 7.1.16, 7.2.4 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP prior to version 5.6.35, 7.x prior to 7.0.29, 7.1.x prior to 7.1.16 and 7.2.x prior to 7.2.4 on Linux.

Vulnerability Insight
The flaw exists as the dumpable FPM child processes allow bypassing opcache access controls.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.6.35, 7.x < 7.0.29, 7.1.x < 7.1.16, 7.2.x < 7.2.4 Security Bypass Vulne.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.813162
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2018-10545`
`url: http://www.php.net/ChangeLog-5.php#5.6.35`
`url: http://www.php.net/ChangeLog-7.php#7.0.29`
`url: http://www.php.net/ChangeLog-7.php#7.1.16`
`url: http://www.php.net/ChangeLog-7.php#7.2.4`
`cert-bund: CB-K18/0633`
`dfn-cert: DFN-CERT-2019-1737`
`dfn-cert: DFN-CERT-2018-1232`
`dfn-cert: DFN-CERT-2018-0920`
`dfn-cert: DFN-CERT-2018-0877`

Medium (CVSS: 4.6)
NVT: Apache HTTP Server Multiple Vulnerabilities (Jan 2012) - Linux

Product detection result
`cpe:/a:apache:http_server:2.2.8`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
↪`.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.2.22
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.2.22 or later.

Affected Software/OS
Apache HTTP Server version 2.0.35 through 2.2.21.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2011-3607: An integer overflow flaw was found which, when the mod_setenvif module is enabled, could allow local users to gain privileges via a .htaccess file.
- CVE-2012-0031: A flaw was found in the handling of the scoreboard. An unprivileged child process could cause the parent process to crash at shutdown rather than terminate cleanly.
- CVE-2012-0053: A flaw was found in the default error response for status code 400. This flaw could be used by an attacker to expose 'httpOnly' cookies when no custom ErrorDocument is specified.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Jan 2012) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147057
Version used: `2021-11-01T05:54:41Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2011-3607
cve: CVE-2012-0031
cve: CVE-2012-0053
url: https://httpd.apache.org/security/vulnerabilities_22.html
cert-bund: CB-K15/1073
cert-bund: CB-K15/0080
cert-bund: CB-K15/0079
cert-bund: CB-K14/1505
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K14/0608
dfn-cert: DFN-CERT-2015-1135
dfn-cert: DFN-CERT-2015-0082
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2014-1592
dfn-cert: DFN-CERT-2014-0635
dfn-cert: DFN-CERT-2013-1307
dfn-cert: DFN-CERT-2012-1276
dfn-cert: DFN-CERT-2012-1112
dfn-cert: DFN-CERT-2012-0928
dfn-cert: DFN-CERT-2012-0771
dfn-cert: DFN-CERT-2012-0758
dfn-cert: DFN-CERT-2012-0744
dfn-cert: DFN-CERT-2012-0740
dfn-cert: DFN-CERT-2012-0568
dfn-cert: DFN-CERT-2012-0425
dfn-cert: DFN-CERT-2012-0424
dfn-cert: DFN-CERT-2012-0387
dfn-cert: DFN-CERT-2012-0343
dfn-cert: DFN-CERT-2012-0332
dfn-cert: DFN-CERT-2012-0306
dfn-cert: DFN-CERT-2012-0264
dfn-cert: DFN-CERT-2012-0228
dfn-cert: DFN-CERT-2012-0203
dfn-cert: DFN-CERT-2012-0188
dfn-cert: DFN-CERT-2012-0048
```

Medium (CVSS: 4.3)
NVT: phpMyAdmin Database Search Cross Site Scripting Vulnerability

Summary
phpMyAdmin is prone to a cross-site scripting vulnerability because it fails to sufficiently sanitize user-supplied data.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.1.1
Fixed version:     2.11.11.1/3.3.8.1
```

Impact
An attacker may leverage this issue to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site. This may allow the attacker to steal cookie-based authentication credentials and to launch other attacks.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Vendor updates are available. Please see the references for more information.

Affected Software/OS
Versions prior to phpMyAdmin 3.3.8.1 and 2.11.11.1 are vulnerable.

Vulnerability Detection Method
Details: `phpMyAdmin Database Search Cross Site Scripting Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100939
Version used: `2024-03-01T14:37:10Z`

References
`cve: CVE-2010-4329`
`url: http://www.securityfocus.com/bid/45100`
`url: http://www.phpmyadmin.net/home_page/security/PMASA-2010-8.php`
`dfn-cert: DFN-CERT-2011-0002`
`dfn-cert: DFN-CERT-2010-1662`
`dfn-cert: DFN-CERT-2010-1625`

Medium (CVSS: 4.3)
NVT: Apache HTTP Server XSS Vulnerability (Sep 2012) - Linux

Product detection result
`cpe:/a:apache:http_server:2.2.8`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.2.8
Fixed version:     2.2.23
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.2.23, 2.4.3 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server version 2.2.0 through 2.2.22 and 2.4.1 through 2.4.2.

Vulnerability Insight
Possible XSS for sites which use mod_negotiation and allow untrusted uploads to locations which have MultiViews enabled. Note: This issue is also known as CVE-2008-0455.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server XSS Vulnerability (Sep 2012) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147055
Version used: `2021-11-01T14:03:43Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2008-0455`
`cve: CVE-2012-2687`
`url: https://httpd.apache.org/security/vulnerabilities_22.html`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: CB-K15/1273`
`cert-bund: CB-K15/0960`
`cert-bund: CB-K14/1568`
`cert-bund: CB-K14/1531`
`dfn-cert: DFN-CERT-2015-1343`
`dfn-cert: DFN-CERT-2015-1008`
`dfn-cert: DFN-CERT-2014-1668`
`dfn-cert: DFN-CERT-2014-1644`
`dfn-cert: DFN-CERT-2013-1307`
`dfn-cert: DFN-CERT-2013-0716`
`dfn-cert: DFN-CERT-2013-0342`
`dfn-cert: DFN-CERT-2013-0270`
`dfn-cert: DFN-CERT-2013-0237`
`dfn-cert: DFN-CERT-2013-0234`
`dfn-cert: DFN-CERT-2013-0040`
`dfn-cert: DFN-CERT-2012-2277`

Medium (CVSS: 4.3)
NVT: PHP < 5.2.10 JPEG Image Processing DoS Vulnerability

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PHP is prone to a denial of service (DoS) vulnerability in the exif_read_data() function.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.10
Installation
path / port:       80/tcp
```

Impact
Successful exploits may allow remote attackers to cause denial of service conditions in applications that use the vulnerable function.

Solution:
Solution type: VendorFix
Update to version 5.2.10 or later.

Affected Software/OS
PHP prior to version 5.2.10.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.2.10 JPEG Image Processing DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100581
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2009-2687
url: http://www.securityfocus.com/bid/35440
url: http://www.php.net/releases/5_2_10.php
url: http://lists.debian.org/debian-security-announce/2009/msg00263.html
url: http://archives.neohapsis.com/archives/fulldisclosure/2009-08/0339.html
url: http://support.avaya.com/css/P8/documents/100072880
dfn-cert: DFN-CERT-2010-0802
dfn-cert: DFN-CERT-2010-0263
dfn-cert: DFN-CERT-2010-0060
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2009-1726
dfn-cert: DFN-CERT-2009-1652
dfn-cert: DFN-CERT-2009-1508
dfn-cert: DFN-CERT-2009-1340
```

Medium (CVSS: 4.3)
NVT: PHP 5.2.x < 5.2.15, 5.3.x < 5.3.4 Multiple Vulnerabilities

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.15
Installation
path / port:       80/tcp
```

Impact

Successful exploitation could allow remote attackers to cause a denial of service (memory consumption and application crash) via a long e-mail address string.

Solution:

Solution type: VendorFix

Update to version 5.2.15, 5.3.4 or later.

Affected Software/OS

PHP version 5.2.x through 5.2.14 and 5.3.x through 5.3.3.

Vulnerability Insight

The following flaws exist:

- CVE-2010-3709: NULL pointer dereference vulnerability in 'ZipArchive::getArchiveComment'
- CVE-2010-3710: Stack consumption vulnerability in the filter_var function when FILTER_VALIDATE_EMAIL mode is used while processing the long e-mail address string.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 5.2.x < 5.2.15, 5.3.x < 5.3.4 Multiple Vulnerabilities`

OID:1.3.6.1.4.1.25623.1.0.801547

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2010-3709
cve: CVE-2010-3710
url: http://bugs.php.net/bug.php?id=52929
url: https://bugzilla.redhat.com/show_bug.cgi?id=646684
url: http://www.securityfocus.com/archive/1/514562/30/150/threaded
dfn-cert: DFN-CERT-2011-0642
dfn-cert: DFN-CERT-2011-0402
dfn-cert: DFN-CERT-2011-0148
dfn-cert: DFN-CERT-2011-0147
dfn-cert: DFN-CERT-2011-0013
dfn-cert: DFN-CERT-2011-0012
dfn-cert: DFN-CERT-2011-0011
dfn-cert: DFN-CERT-2010-1664
dfn-cert: DFN-CERT-2010-1471

Medium (CVSS: 4.3)
NVT: PHP < 5.3.22, 5.4.x < 5.4.12 SOAP Parser Multiple Information Disclosure Vulnerabilities

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to multiple information disclosure vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 5.3.22
Installation
path / port: 80/tcp

Impact
Successful exploitation will allow remote attackers to obtain sensitive information.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.3.22, 5.4.12 or later.

Affected Software/OS
PHP prior to version 5.3.22 and 5.4.x prior to 5.4.12.

Vulnerability Insight
Errors exist in the way the SOAP parser processes certain SOAP objects (due to allowed expansion of XML external entities during SOAP WSDL files parsing).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 5.3.22, 5.4.x < 5.4.12 SOAP Parser Multiple Information Disclosure Vulner.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.803764
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2013-1824`
`url: http://php.net/ChangeLog-5.php`
`url: http://www.securityfocus.com/bid/62373`
`url: http://git.php.net/?p=php-src.git;a=commit;h=afe98b7829d50806559acac9b530ac`
`↪b8283c3bf4`
`cert-bund: CB-K14/1480`
`dfn-cert: DFN-CERT-2014-1566`

Medium (CVSS: 4.3)
NVT: PHP < 5.4.32, 5.5.x < 5.5.16 DoS Vulnerability

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.4.32
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to conduct denial of service attacks.

Solution:

Solution type: VendorFix

Update to version 5.4.32, 5.5.16 or later.

Affected Software/OS

PHP versions prior to 5.4.32 and 5.5.x prior to 5.5.16.

Vulnerability Insight

A NULL pointer dereference error exists in the 'gdImageCreateFromXpm' function within LibGD.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.4.32, 5.5.x < 5.5.16 DoS Vulnerability`

OID:1.3.6.1.4.1.25623.1.0.804292

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2014-2497
url: https://bugs.php.net/bug.php?id=66901
url: http://www.securityfocus.com/bid/66233
cert-bund: CB-K15/0493
cert-bund: CB-K15/0454
cert-bund: CB-K14/1359
cert-bund: CB-K14/1215
cert-bund: CB-K14/1214
cert-bund: CB-K14/1052
cert-bund: CB-K14/1051
cert-bund: CB-K14/0904
cert-bund: CB-K14/0834
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K14/0830
cert-bund: CB-K14/0829
cert-bund: CB-K14/0738
dfn-cert: DFN-CERT-2016-0876
dfn-cert: DFN-CERT-2015-0473
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1280
dfn-cert: DFN-CERT-2014-1279
dfn-cert: DFN-CERT-2014-1098
dfn-cert: DFN-CERT-2014-1095
dfn-cert: DFN-CERT-2014-0936
dfn-cert: DFN-CERT-2014-0870
dfn-cert: DFN-CERT-2014-0868
dfn-cert: DFN-CERT-2014-0867
dfn-cert: DFN-CERT-2014-0769
```

Medium (CVSS: 4.3)
NVT: PHP < 8.0.29, 8.1.x < 8.1.20, 8.2.x < 8.2.7 Security Update - Linux

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a missing error check and insufficient random bytes in HTTP Digest authentication for SOAP vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     8.0.29
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.0.29, 8.1.10, 8.2.7 or later.

Affected Software/OS

PHP prior to version 8.0.29, 8.1.x prior to 8.1.20 and 8.2.x prior to 8.2.7.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: PHP < 8.0.29, 8.1.x < 8.1.20, 8.2.x < 8.2.7 Security Update - Linux
OID:1.3.6.1.4.1.25623.1.0.149760
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2023-3247
url: https://www.php.net/ChangeLog-8.php#8.0.29
url: https://www.php.net/ChangeLog-8.php#8.1.20
url: https://www.php.net/ChangeLog-8.php#8.2.7
url: https://github.com/php/php-src/security/advisories/GHSA-76gg-c692-v2mw
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2680
cert-bund: WID-SEC-2023-1506
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2023-2570
dfn-cert: DFN-CERT-2023-2542
dfn-cert: DFN-CERT-2023-1328

Medium (CVSS: 4.3)
NVT: phpMyAdmin Multiple Cross Site Scripting Vulnerabilities

Summary
phpMyAdmin is prone to multiple cross-site scripting vulnerabilities because it fails to properly sanitize user-supplied input.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.1.1
Fixed version: 2.11.10.1/3.3.5.1

Impact
An attacker may leverage these issues to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site. This can allow the attacker to steal cookie-based authentication credentials and launch other attacks.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for details.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
phpMyAdmin 2.11.x prior to 2.11.10.1 phpMyAdmin 3.x prior to 3.3.5.1

Vulnerability Detection Method
Details: `phpMyAdmin Multiple Cross Site Scripting Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.100761
Version used: `2024-03-01T14:37:10Z`

References
```
cve: CVE-2010-3056
url: http://www.securityfocus.com/bid/42584
url: http://www.phpmyadmin.net/home_page/security/PMASA-2010-5.php
dfn-cert: DFN-CERT-2010-1191
dfn-cert: DFN-CERT-2010-1121
dfn-cert: DFN-CERT-2010-1119
dfn-cert: DFN-CERT-2010-1102
dfn-cert: DFN-CERT-2010-1085
dfn-cert: DFN-CERT-2010-1077
```

Medium (CVSS: 4.3)
NVT: jQuery < 1.6.3 XSS Vulnerability

Summary
jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Installed version: 1.3.2
Fixed version:     1.6.3
Installation
path / port:       /mutillidae/javascript/ddsmoothmenu/jquery.min.js
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: http://metasploitable2.trabalho_vulnnet/mutillidae/javascript
↪/ddsmoothmenu/jquery.min.js
- Referenced at:   http://metasploitable2.trabalho_vulnnet/mutillidae/
```

Solution:
Solution type: VendorFix
Update to version 1.6.3 or later.

Affected Software/OS
jQuery prior to version 1.6.3.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Cross-site scripting (XSS) vulnerability in jQuery before 1.6.3, when using location.hash to select elements, allows remote attackers to inject arbitrary web script or HTML via a crafted tag.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `jQuery < 1.6.3 XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.141637
Version used: `2023-07-14T05:06:08Z`

References
`cve: CVE-2011-4969`
`url: https://blog.jquery.com/2011/09/01/jquery-1-6-3-released/`
`cert-bund: CB-K17/0195`
`dfn-cert: DFN-CERT-2017-0199`
`dfn-cert: DFN-CERT-2016-0890`

Medium (CVSS: 4.3)
NVT: phpMyAdmin Debug Backtrace Cross Site Scripting Vulnerability

Summary
phpMyAdmin is prone to a cross-site scripting vulnerability because it fails to sufficiently sanitize user-supplied data.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.1.1
Fixed version:     3.3.6
```

Impact
An attacker may leverage this issue to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site. This may allow the attacker to steal cookie-based authentication credentials and to launch other attacks.

Solution:
Solution type: VendorFix
Vendor updates are available. Please see the references for more information.

Affected Software/OS
Versions prior to phpMyAdmin 3.3.6 are vulnerable. Other versions may also be affected.

Vulnerability Detection Method
Details: `phpMyAdmin Debug Backtrace Cross Site Scripting Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100775

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2024-03-01T14:37:10Z

References

```
cve: CVE-2010-2958
url: http://www.securityfocus.com/bid/42874
url: http://www.phpmyadmin.net/home_page/security/PMASA-2010-6.php
url: http://www.phpmyadmin.git.sourceforge.net/git/gitweb.cgi?p=phpmyadmin/phpmy
↪admin;a=commitdiff;h=133a77fac7d31a38703db2099a90c1b49de62e37
```

Medium (CVSS: 4.3)
NVT: phpMyAdmin SQL bookmark XSS Vulnerability

Summary
phpMyAdmin is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.1.1
Fixed version:     3.2.0.1
```

Impact
Successful exploitation will let the attacker cause XSS attacks and inject malicious web script or HTML code via a crafted SQL bookmarks.

Solution:
Solution type: VendorFix
Upgrade to phpMyAdmin version 3.2.0.1 or later.

Affected Software/OS
phpMyAdmin version 3.0.x to 3.2.0.rc1.

Vulnerability Insight
This flaw arises because the input passed into SQL bookmarks is not adequately sanitised before using it in dynamically generated content.

Vulnerability Detection Method
Details: `phpMyAdmin SQL bookmark XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.800595
Version used: 2024-03-01T14:37:10Z

References

```
cve: CVE-2009-2284
url: http://secunia.com/advisories/35649
url: http://www.securityfocus.com/bid/35543
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.phpmyadmin.net/home_page/security/PMASA-2009-5.php
dfn-cert: DFN-CERT-2009-1064
```

Medium (CVSS: 4.3)
NVT: phpMyAdmin Setup Script Request Cross Site Scripting Vulnerability

Summary
phpMyAdmin is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.1.1
Fixed version:     3.3.7
```

Impact
Successful exploitation will allow attackers to execute arbitrary web script or HTML in a user's browser session in the context of an affected site.

Solution:
Solution type: VendorFix
Upgrade to phpMyAdmin version 3.3.7 or later.

Affected Software/OS
phpMyAdmin versions 3.x before 3.3.7

Vulnerability Insight
The flaw is caused by an unspecified input validation error when processing spoofed requests sent to setup script, which could be exploited by attackers to cause arbitrary scripting code to be executed on the user's browser session in the security context of an affected site.

Vulnerability Detection Method
Details: `phpMyAdmin Setup Script Request Cross Site Scripting Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.801286
Version used: `2024-03-01T14:37:10Z`

References

```
cve: CVE-2010-3263
url: http://secunia.com/advisories/41210
url: http://xforce.iss.net/xforce/xfdb/61675
url: http://www.phpmyadmin.net/home_page/security/PMASA-2010-7.php
dfn-cert: DFN-CERT-2010-1249
dfn-cert: DFN-CERT-2010-1195
dfn-cert: DFN-CERT-2010-1187
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 'httpOnly' Cookie Information Disclosure Vulnerability

Product detection result
`cpe:/a:apache:http_server:2.2.8`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a cookie information disclosure vulnerability.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Impact
Successful exploitation will allow attackers to obtain sensitive information that may aid in further attacks.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server version 2.2.22 or later.

Affected Software/OS
Apache HTTP Server versions 2.2.0 through 2.2.21.

Vulnerability Insight
The flaw is due to an error within the default error response for status code 400 when no custom ErrorDocument is configured, which can be exploited to expose 'httpOnly' cookies.

Vulnerability Detection Method
Details: `Apache HTTP Server 'httpOnly' Cookie Information Disclosure Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.902830
Version used: `2025-03-05T05:38:53Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2012-0053`
`url: http://secunia.com/advisories/47779`
`url: http://www.securityfocus.com/bid/51706`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.exploit-db.com/exploits/18442
url: http://rhn.redhat.com/errata/RHSA-2012-0128.html
url: http://httpd.apache.org/security/vulnerabilities_22.html
url: http://svn.apache.org/viewvc?view=revision&revision=1235454
url: http://lists.opensuse.org/opensuse-security-announce/2012-02/msg00026.html
cert-bund: CB-K15/0080
cert-bund: CB-K14/1505
cert-bund: CB-K14/0608
dfn-cert: DFN-CERT-2015-0082
dfn-cert: DFN-CERT-2014-1592
dfn-cert: DFN-CERT-2014-0635
dfn-cert: DFN-CERT-2013-1307
dfn-cert: DFN-CERT-2012-1276
dfn-cert: DFN-CERT-2012-1112
dfn-cert: DFN-CERT-2012-0928
dfn-cert: DFN-CERT-2012-0758
dfn-cert: DFN-CERT-2012-0744
dfn-cert: DFN-CERT-2012-0568
dfn-cert: DFN-CERT-2012-0425
dfn-cert: DFN-CERT-2012-0424
dfn-cert: DFN-CERT-2012-0387
dfn-cert: DFN-CERT-2012-0343
dfn-cert: DFN-CERT-2012-0332
dfn-cert: DFN-CERT-2012-0306
dfn-cert: DFN-CERT-2012-0264
dfn-cert: DFN-CERT-2012-0203
dfn-cert: DFN-CERT-2012-0188
```

Medium (CVSS: 4.3)
NVT: phpMyAdmin 'error.php' Cross Site Scripting Vulnerability

Summary
phpMyAdmin is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Impact
Successful exploitation will allow attackers to inject arbitrary HTML code within the error page and conduct phishing attacks.

Solution:
Solution type: WillNotFix

. . . continues on next page . . .

. . . continued from previous page . . .

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS
phpMyAdmin version 3.3.8.1 and prior.

Vulnerability Insight
The flaw is caused by input validation errors in the 'error.php' script when processing crafted BBcode tags containing '@' characters, which could allow attackers to inject arbitrary HTML code within the error page and conduct phishing attacks.

Vulnerability Detection Method
Details: `phpMyAdmin 'error.php' Cross Site Scripting Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.801660
Version used: `2023-10-17T05:05:34Z`

References
```
cve: CVE-2010-4480
url: http://www.exploit-db.com/exploits/15699/
url: http://www.vupen.com/english/advisories/2010/3133
dfn-cert: DFN-CERT-2011-0467
dfn-cert: DFN-CERT-2011-0451
dfn-cert: DFN-CERT-2011-0016
dfn-cert: DFN-CERT-2011-0002
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 'mod_proxy_ftp' Wildcard Characters XSS Vulnerability

Product detection result
```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to a cross-site scripting vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.2.8
Fixed version:     See references
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Remote attackers can execute arbitrary script code.

Solution:
Solution type: VendorFix
Fixed is available in the SVN repository, please see the references for more information.

Affected Software/OS
Apache HTTP Server versions 2.0.0 to 2.0.63 and 2.2.0 to 2.2.9.

Vulnerability Insight
Input passed to the module mod_proxy_ftp with wildcard character is not properly sanitized before returning to the user.

Vulnerability Detection Method
Details: `Apache HTTP Server 'mod_proxy_ftp' Wildcard Characters XSS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.900107
Version used: `2025-03-05T05:38:52Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2008-2939
url: http://www.securityfocus.com/archive/1/495180
url: http://www.securityfocus.com/bid/30560
url: http://httpd.apache.org/docs/2.0/mod/mod_proxy_ftp.html
url: http://svn.apache.org/viewvc?view=rev&revision=682871
url: http://svn.apache.org/viewvc?view=rev&revision=682868
dfn-cert: DFN-CERT-2010-0712
dfn-cert: DFN-CERT-2009-1725
dfn-cert: DFN-CERT-2009-1497
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux

Product detection result
```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Apache HTTP Server is prone to a Server Side Includes (SSI) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

Affected Software/OS
Apache HTTP Server prior to version 2.4.66.

Vulnerability Insight
Apache HTTP Server with SSI enabled and mod_cgid (but not mod_cgi) passes the shell-escaped query string to #exec cmd='...' directives.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125564
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2025-58098
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/5
cert-bund: WID-SEC-2026-0153
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0027
dfn-cert: DFN-CERT-2026-0012
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2025-3405

Medium (CVSS: 4.3)
NVT: Apache HTTP Server DoS Vulnerability (Jul 2013) - Linux

Product detection result
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	2.2.8
Fixed version:	2.2.25
Installation path / port:	80/tcp

Solution:
Solution type: VendorFix
Update to version 2.2.25, 2.4.6 or later.

Affected Software/OS
Apache HTTP Server version 2.2.0 through 2.2.23 and 2.4.1 through 2.4.4.

Vulnerability Insight
Sending a MERGE request against a URI handled by mod_dav_svn with the source href (sent as part of the request body as XML) pointing to a URI that is not configured for DAV will trigger a segfault.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server DoS Vulnerability (Jul 2013) - Linux
OID:1.3.6.1.4.1.25623.1.0.147050
Version used: 2021-11-01T03:59:12Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.2.8
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2013-1896
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K15/0960
cert-bund: CB-K14/1568
cert-bund: CB-K14/1095
cert-bund: CB-K14/0231
cert-bund: CB-K13/1009
cert-bund: CB-K13/0600
dfn-cert: DFN-CERT-2015-1008
dfn-cert: DFN-CERT-2014-1668
dfn-cert: DFN-CERT-2014-1145
dfn-cert: DFN-CERT-2013-2027
dfn-cert: DFN-CERT-2013-1587
dfn-cert: DFN-CERT-2013-1503
dfn-cert: DFN-CERT-2013-1464
dfn-cert: DFN-CERT-2013-1463
dfn-cert: DFN-CERT-2013-1456
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server DoS Vulnerability (May 2011) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.2.8
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.2.19
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.0.65, 2.2.19 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server version 2.0.35 through 2.0.64 and 2.2.0 through 2.2.18.

Vulnerability Insight
A flaw was found in the apr_fnmatch() function of the bundled APR library. Where mod_autoindex is enabled, and a directory indexed by mod_autoindex contained files with sufficiently long names, a remote attacker could send a carefully crafted request which would cause excessive CPU usage. This could be used in a denial of service attack.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server DoS Vulnerability (May 2011) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147060
Version used: `2021-11-01T05:54:41Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2011-0419`
`url: https://httpd.apache.org/security/vulnerabilities_22.html`
`cert-bund: CB-K14/1599`
`dfn-cert: DFN-CERT-2014-1694`
`dfn-cert: DFN-CERT-2013-1307`
`dfn-cert: DFN-CERT-2013-0784`
`dfn-cert: DFN-CERT-2012-1406`
`dfn-cert: DFN-CERT-2012-0731`
`dfn-cert: DFN-CERT-2012-0627`
`dfn-cert: DFN-CERT-2012-0150`
`dfn-cert: DFN-CERT-2011-1725`
`dfn-cert: DFN-CERT-2011-1692`
`dfn-cert: DFN-CERT-2011-1492`
`dfn-cert: DFN-CERT-2011-1379`
`dfn-cert: DFN-CERT-2011-0876`
`dfn-cert: DFN-CERT-2011-0863`
`dfn-cert: DFN-CERT-2011-0848`
`dfn-cert: DFN-CERT-2011-0802`
`dfn-cert: DFN-CERT-2011-0762`
`dfn-cert: DFN-CERT-2011-0761`
`dfn-cert: DFN-CERT-2011-0748`

Medium (CVSS: 4.3)
NVT: Apache HTTP Server Multiple Vulnerabilities (Feb 2013) - Linux

Product detection result
`cpe:/a:apache:http_server:2.2.8`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.2.24
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.2.24, 2.4.4 or later.

Affected Software/OS
Apache HTTP Server version 2.2.0 through 2.2.23 and 2.4.1 through 2.4.3.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2012-3499: Various XSS flaws due to unescaped hostnames and URIs HTML output in mod_info, mod_status, mod_imagemap, mod_ldap, and mod_proxy_ftp.
- CVE-2012-4558: A XSS flaw affected the mod_proxy_balancer manager interface.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Feb 2013) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147052
Version used: `2021-11-01T05:54:41Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2012-3499`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2012-4558
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K15/0960
cert-bund: CB-K14/0058
cert-bund: CB-K13/0600
dfn-cert: DFN-CERT-2015-1008
dfn-cert: DFN-CERT-2014-0049
dfn-cert: DFN-CERT-2013-1587
dfn-cert: DFN-CERT-2013-1307
dfn-cert: DFN-CERT-2013-1046
dfn-cert: DFN-CERT-2013-0944
dfn-cert: DFN-CERT-2013-0888
dfn-cert: DFN-CERT-2013-0716
dfn-cert: DFN-CERT-2013-0661
dfn-cert: DFN-CERT-2013-0476
```

[return to 172.30.1.1]

2.1.26 Medium 3306/tcp

Medium (CVSS: 6.8)
NVT: MySQL < 5.0.88, 5.1.x < 5.1.41 DoS and Spoofing Vulnerabilities

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MySQL is prone to denial of service (DoS) and spoofing vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.0.88 or 5.1.41
```

Impact

Successful exploitation could allow users to cause a Denial of Service and man-in-the-middle attackers to spoof arbitrary SSL-based MySQL servers via a crafted certificate.

Solution:

Solution type: VendorFix

Update to version 5.0.88, 5.1.41 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
MySQL 5.0.x before 5.0.88 and 5.1.x before 5.1.41 on all running platform.

Vulnerability Insight
The flaws are due to:
- mysqld does not properly handle errors during execution of certain SELECT statements with subqueries, and does not preserve certain null_value flags during execution of statements that use the 'GeomFromWKB()' function.
- An error in 'vio_verify_callback()' function in 'viosslfactories.c', when OpenSSL is used, accepts a value of zero for the depth of X.509 certificates.

Vulnerability Detection Method
Details: `MySQL < 5.0.88, 5.1.x < 5.1.41 DoS and Spoofing Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.801064
Version used: `2025-12-11T05:46:19Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2009-4019
cve: CVE-2009-4028
url: http://bugs.mysql.com/47780
url: http://bugs.mysql.com/47320
url: http://marc.info/?l=oss-security&m=125881733826437&w=2
url: http://dev.mysql.com/doc/refman/5.0/en/news-5-0-88.html
dfn-cert: DFN-CERT-2010-0639
dfn-cert: DFN-CERT-2010-0462
dfn-cert: DFN-CERT-2010-0232
dfn-cert: DFN-CERT-2010-0214
dfn-cert: DFN-CERT-2010-0078
dfn-cert: DFN-CERT-2009-1814
dfn-cert: DFN-CERT-2009-1769
```

Medium (CVSS: 6.8)
NVT: MySQL < 5.1.41 Multiple Vulnerabilities

Product detection result
```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
MySQL is prone to a security bypass vulnerability and to a local privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.0.51a
Fixed version:     5.1.41
```

Impact
An attacker can exploit the security-bypass issue to bypass certain security restrictions and obtain sensitive information that may lead to further attacks.
Local attackers can exploit the local privilege-escalation issue to gain elevated privileges on the affected computer.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for details.

Affected Software/OS
Versions prior to MySQL 5.1.41 are vulnerable.

Vulnerability Detection Method
Details: `MySQL < 5.1.41 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.100356
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2009-4028
cve: CVE-2009-4030
url: http://www.securityfocus.com/bid/37076
url: http://www.securityfocus.com/bid/37075
url: http://dev.mysql.com/doc/refman/5.1/en/news-5-1-41.html
dfn-cert: DFN-CERT-2013-0042
dfn-cert: DFN-CERT-2010-1568
dfn-cert: DFN-CERT-2010-0639
dfn-cert: DFN-CERT-2010-0462
dfn-cert: DFN-CERT-2010-0232
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2010-0214
dfn-cert: DFN-CERT-2010-0078
dfn-cert: DFN-CERT-2009-1814
```

Medium (CVSS: 6.8)
NVT: Oracle MySQL Server <= 5.1.65 / 5.5 <= 5.5.27 Security Update (cpujan2013) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.1.66
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.1.66, 5.5.28 or later.

Affected Software/OS

Oracle MySQL Server versions 5.1.65 and prior and 5.5 through 5.5.27.

Vulnerability Insight

The flaw allows remote authenticated users to affect availability, related to GIS Extension.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.1.65 / 5.5 <= 5.5.27 Security Update (cpujan2013) - Li.`
↪..

OID:1.3.6.1.4.1.25623.1.0.117200

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2012-5060
url: https://www.oracle.com/security-alerts/cpujan2013.html#AppendixMSQL
advisory-id: cpujan2013
dfn-cert: DFN-CERT-2013-0079

Medium (CVSS: 6.8)
NVT: Oracle MySQL Server 5.0 < 5.0.93 / 5.1 < 5.1.50 SQL Injection Vulnerability

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an SQL injection vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.0.93
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.0.93, 5.1.50 or later.

Affected Software/OS
Oracle MySQL Server versions 5.0 prior to 5.0.93 and 5.1 prior to 5.1.50.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server 5.0 < 5.0.93 / 5.1 < 5.1.50 SQL Injection Vulnerability
OID:1.3.6.1.4.1.25623.1.0.117025
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2009-5026
url: https://bugs.mysql.com/bug.php?id=49124
dfn-cert: DFN-CERT-2012-1563
dfn-cert: DFN-CERT-2012-0939
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.5.38 / 5.6 <= 5.6.19 Security Update (cpuoct2014) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.5.39
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow attackers to disclose potentially sensitive information, gain escalated privileges, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.

Solution:

Solution type: VendorFix

Update to version 5.5.39, 5.6.20 or later.

Affected Software/OS

Oracle MySQL Server versions 5.5.38 and prior and 5.6 through 5.6.19.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Unspecified errors in the MySQL Server component via unknown vectors related to CLIENT:MYSQLADMIN, CLIENT:MYSQLDUMP, SERVER:MEMORY STORAGE ENGINE, SERVER:SSL:yaSSL, SERVER:DML, SERVER:SSL:yaSSL, SERVER:REPLICATION ROW FORMAT BINARY LOG DML, SERVER:CHARACTER SETS, and SERVER:MyISAM.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.38 / 5.6 <= 5.6.19 Security Update (cpuoct2014) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.808138
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2014-6530`
`cve: CVE-2012-5615`
`cve: CVE-2014-6495`
`cve: CVE-2014-6478`
`cve: CVE-2014-4274`
`cve: CVE-2014-4287`
`cve: CVE-2014-6484`
`cve: CVE-2014-6505`
`cve: CVE-2014-6463`
`cve: CVE-2014-6551`
`url: https://www.oracle.com/security-alerts/cpuoct2014.html#AppendixMSQL`
`advisory-id: cpuoct2014`
`cert-bund: CB-K15/1518`
`cert-bund: CB-K15/0567`
`cert-bund: CB-K15/0415`
`cert-bund: CB-K14/1482`
`cert-bund: CB-K14/1420`
`cert-bund: CB-K14/1412`
`cert-bund: CB-K14/1299`
`dfn-cert: DFN-CERT-2015-1604`
`dfn-cert: DFN-CERT-2015-0593`
`dfn-cert: DFN-CERT-2015-0427`
`dfn-cert: DFN-CERT-2014-1567`
`dfn-cert: DFN-CERT-2014-1500`
`dfn-cert: DFN-CERT-2014-1489`
`dfn-cert: DFN-CERT-2014-1357`
`dfn-cert: DFN-CERT-2013-0259`

Medium (CVSS: 6.5)
NVT: MySQL Multiple Vulnerabilities

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MySQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.0.51a
Fixed version:     5.0.91/5.1.47
```

Impact
Successful exploitation could allow users to cause a denial of service and to execute arbitrary code.

Solution:
Solution type: VendorFix
Upgrade to MySQL version 5.0.91 or 5.1.47.

Affected Software/OS
MySQL 5.0.x before 5.0.91 and 5.1.x before 5.1.47 on all running platform.

Vulnerability Insight
The flaws are due to:
- An error in 'my_net_skip_rest()' function in 'sql/net_serv.cc' when handling a large number of packets that exceed the maximum length, which allows remote attackers to cause a denial of service (CPU and bandwidth consumption).
- buffer overflow when handling 'COM_FIELD_LIST' command with a long table name, allows remote authenticated users to execute arbitrary code.
- directory traversal vulnerability when handling a '..' (dot dot) in a table name, which allows remote authenticated users to bypass intended table grants to read field definitions of arbitrary tables.

Vulnerability Detection Method
Details: `MySQL Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.801355
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2010-1848
cve: CVE-2010-1849
cve: CVE-2010-1850
url: http://securitytracker.com/alerts/2010/May/1024031.html
url: http://securitytracker.com/alerts/2010/May/1024033.html
url: http://securitytracker.com/alerts/2010/May/1024032.html
url: http://dev.mysql.com/doc/refman/5.1/en/news-5-1-47.html
url: http://dev.mysql.com/doc/refman/5.0/en/news-5-0-91.html
dfn-cert: DFN-CERT-2010-1568
dfn-cert: DFN-CERT-2010-1491
dfn-cert: DFN-CERT-2010-1424
dfn-cert: DFN-CERT-2010-0737
dfn-cert: DFN-CERT-2010-0736
dfn-cert: DFN-CERT-2010-0713
dfn-cert: DFN-CERT-2010-0706
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.1.67 / 5.5 <= 5.5.29 / 5.6 <= 5.6.10 Security Update (cpuapr2013) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.1.68
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation could allow remote attackers to affect confidentiality, integrity, and availability via unknown vectors.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.1.68, 5.5.30, 5.6.11 or later.

Affected Software/OS
Oracle MySQL Server versions 5.1.67 and prior, 5.5 through 5.5.29 and 5.6 through 5.6.10.

Vulnerability Insight
Unspecified error in some unknown vectors related to Information Schema.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.1.67 / 5.5 <= 5.5.29 / 5.6 <= 5.6.10 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.803482
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2013-2378`
`cve: CVE-2013-1506`
`url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL`
`url: http://www.securityfocus.com/bid/59188`
`advisory-id: cpuapr2013`
`dfn-cert: DFN-CERT-2013-0839`
`dfn-cert: DFN-CERT-2013-0798`

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.1.67 / 5.5 <= 5.5.29 Security Update (cpuapr2013) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.1.68
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation could allow remote attackers to affect confidentiality, integrity, and availability via unknown vectors.

Solution:

Solution type: VendorFix

Update to version 5.1.68, 5.5.30 or later.

Affected Software/OS

Oracle MySQL Server versions 5.1.67 and prior and 5.5 through 5.5.29.

Vulnerability Insight

Unspecified error in Server Partition and in some unspecified vectors.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.1.67 / 5.5 <= 5.5.29 Security Update (cpuapr2013) - Li.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.803480

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2013-1521
cve: CVE-2013-1552
cve: CVE-2013-1555
cve: CVE-2012-5614
url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL
url: http://www.securityfocus.com/bid/59196
url: http://www.securityfocus.com/bid/59210
advisory-id: cpuapr2013
dfn-cert: DFN-CERT-2013-0839
dfn-cert: DFN-CERT-2013-0798
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.1.68 / 5.5 <= 5.5.30 / 5.6 <= 5.6.10 Security Update (cpuapr2013) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.1.69
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation could allow remote attackers to affect confidentiality, integrity, and availability via unknown vectors.

Solution:
Solution type: VendorFix
Update to version 5.1.69, 5.5.31, 5.6.11 or later.

Affected Software/OS
Oracle MySQL Server versions 5.1.68 and prior, 5.5 through 5.5.30 and 5.6 through 5.6.10.

Vulnerability Insight
Unspecified error in Server Optimizer, Server Privileges, InnoDB, and in some unspecified vectors.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.1.68 / 5.5 <= 5.5.30 / 5.6 <= 5.6.10 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.803484
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2013-2375
cve: CVE-2013-1544
cve: CVE-2013-1532
cve: CVE-2013-2389
cve: CVE-2013-2392
cve: CVE-2013-2391
url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL
url: http://www.securityfocus.com/bid/59207
url: http://www.securityfocus.com/bid/59209
url: http://www.securityfocus.com/bid/59224
url: http://www.securityfocus.com/bid/59242
advisory-id: cpuapr2013
dfn-cert: DFN-CERT-2013-0882
dfn-cert: DFN-CERT-2013-0839
dfn-cert: DFN-CERT-2013-0798
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.33
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.33, 8.0.23 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.32 and prior and 8.0 through 8.0.22.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145793
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2020-1971
cve: CVE-2021-2178
cve: CVE-2021-2202
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-0067
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-2047
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1000
cert-bund: WID-SEC-2022-0585
cert-bund: CB-K21/1065
cert-bund: CB-K21/0788
cert-bund: CB-K21/0615
cert-bund: CB-K21/0421
cert-bund: CB-K21/0111
cert-bund: CB-K21/0062
cert-bund: CB-K21/0006
cert-bund: CB-K20/1217
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-2126
dfn-cert: DFN-CERT-2021-1504
dfn-cert: DFN-CERT-2021-1225
dfn-cert: DFN-CERT-2021-0924
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0828
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0821
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0715
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0338
dfn-cert: DFN-CERT-2021-0255
dfn-cert: DFN-CERT-2021-0134
dfn-cert: DFN-CERT-2021-0131
dfn-cert: DFN-CERT-2021-0128
dfn-cert: DFN-CERT-2021-0120
dfn-cert: DFN-CERT-2021-0107
dfn-cert: DFN-CERT-2021-0078
dfn-cert: DFN-CERT-2021-0012
dfn-cert: DFN-CERT-2020-2791
dfn-cert: DFN-CERT-2020-2668
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.49 / 5.7 <= 5.7.31 / 8.0 <= 8.0.21 Security Update (cpuoct2020) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.6.50
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.50, 5.7.32, 8.0.22 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.49 and prior, 5.7 through 5.7.31 and 8.0 through 8.0.21.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Oracle MySQL Server <= 5.6.49 / 5.7 <= 5.7.31 / 8.0 <= 8.0.21 Security Update (.
↪..
OID:1.3.6.1.4.1.25623.1.0.108958
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2020-14765
cve: CVE-2020-14769
cve: CVE-2020-14812
cve: CVE-2020-14793
cve: CVE-2020-14672
cve: CVE-2020-14867
url: https://www.oracle.com/security-alerts/cpuoct2020.html#AppendixMSQL
advisory-id: cpuoct2020
cert-bund: CB-K20/1066
cert-bund: CB-K20/1017
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-0002
dfn-cert: DFN-CERT-2020-2763
dfn-cert: DFN-CERT-2020-2756
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2380
dfn-cert: DFN-CERT-2020-2295

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.46 Security Update (cpujan2020) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an unspecified denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      5.6.47
Installation
path / port:        3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.47 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.46 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.46 Security Update (cpujan2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143358
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2020-2579`
`url: https://www.oracle.com/security-alerts/cpujan2020.html#AppendixMSQL`
`advisory-id: cpujan2020`
`cert-bund: CB-K20/0038`
`dfn-cert: DFN-CERT-2020-1827`
`dfn-cert: DFN-CERT-2020-1078`
`dfn-cert: DFN-CERT-2020-0096`

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 / 8.0 <= 8.0.17 Security Update (cpuoct2019) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.6.46
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.46, 5.7.28, 8.0.18 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.45 and prior, 5.7 through 5.7.27 and 8.0 through 8.0.17.

Vulnerability Insight
Oracle MySQL Server is prone to multiple vulnerabilities.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 / 8.0 <= 8.0.17 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.143029
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2019-2974
cve: CVE-2019-2911
url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL
advisory-id: cpuoct2019
cert-bund: CB-K20/1030
cert-bund: CB-K20/0109
cert-bund: CB-K19/0915
dfn-cert: DFN-CERT-2020-2763
dfn-cert: DFN-CERT-2020-2756
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2299
dfn-cert: DFN-CERT-2020-2180
dfn-cert: DFN-CERT-2020-1827
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-0658
dfn-cert: DFN-CERT-2020-0517
dfn-cert: DFN-CERT-2020-0103
dfn-cert: DFN-CERT-2019-2695
dfn-cert: DFN-CERT-2019-2687
dfn-cert: DFN-CERT-2019-2656
dfn-cert: DFN-CERT-2019-2301
dfn-cert: DFN-CERT-2019-2149
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.5.31 / 5.6 <= 5.6.11 Security Update (cpujan2016) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.31 and prior and 5.6 through 5.6.11.

Vulnerability Insight

Unspecified errors exist in the 'MySQL Server' component via unknown vectors.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Oracle MySQL Server <= 5.5.31 / 5.6 <= 5.6.11 Security Update (cpujan2016) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.812186
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2016-0502
url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMSQL
url: http://www.securityfocus.com/bid/81136
advisory-id: cpujan2016
cert-bund: WID-SEC-2024-1482
cert-bund: CB-K16/0246
cert-bund: CB-K16/0245
cert-bund: CB-K16/0094
dfn-cert: DFN-CERT-2016-0266
dfn-cert: DFN-CERT-2016-0265
dfn-cert: DFN-CERT-2016-0104

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (cpu-jul2019) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.6.45
Installation
path / port: 3306/tcp

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 5.6.45, 5.7.27, 8.0.17 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.44 and prior, 5.7 through 5.7.26 and 8.0 through 8.0.16.

Vulnerability Insight
Oracle MySQL Server is prone to multiple denial of service vulnerabilities.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.142644
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2019-2805`
`cve: CVE-2019-2740`
`cve: CVE-2019-2819`
`cve: CVE-2019-2739`
`cve: CVE-2019-2737`
`cve: CVE-2019-2738`
`url: https://www.oracle.com/security-alerts/cpujul2019.html#AppendixMSQL`
`advisory-id: cpujul2019`
`cert-bund: CB-K19/0620`
`dfn-cert: DFN-CERT-2020-2620`
`dfn-cert: DFN-CERT-2020-2180`
`dfn-cert: DFN-CERT-2020-0658`
`dfn-cert: DFN-CERT-2020-0517`
`dfn-cert: DFN-CERT-2019-2695`
`dfn-cert: DFN-CERT-2019-2656`
`dfn-cert: DFN-CERT-2019-2300`
`dfn-cert: DFN-CERT-2019-2008`
`dfn-cert: DFN-CERT-2019-1713`
`dfn-cert: DFN-CERT-2019-1683`
`dfn-cert: DFN-CERT-2019-1568`
`dfn-cert: DFN-CERT-2019-1453`

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.5.51 Security Update (cpuoct2016) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	5.0.51a
Fixed version:	See the referenced vendor advisory
Installation path / port:	3306/tcp

Impact
Successful exploitation of this vulnerability will allow a remote authenticated user to cause denial of service conditions.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Oracle MySQL Server versions 5.5.51 and prior.

Vulnerability Insight
The flaw exists due to an unspecified error within the 'Server:DML' component.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.5.51 Security Update (cpuoct2016) - Linux
OID:1.3.6.1.4.1.25623.1.0.809379
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2016-5624
url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL
advisory-id: cpuoct2016
cert-bund: CB-K16/1846
cert-bund: CB-K16/1714
cert-bund: CB-K16/1624
dfn-cert: DFN-CERT-2016-1950
dfn-cert: DFN-CERT-2016-1790
dfn-cert: DFN-CERT-2016-1714
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.5.50 / 5.6 <= 5.6.31 / 5.7 <= 5.7.13 Security Update (cpuoct2016) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability will allow a remote authenticated user to cause denial of service conditions.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.50 and prior, 5.6 through 5.6.31 and 5.7 through 5.7.13.

Vulnerability Insight

The flaw exists due to an unspecified error in the 'Server: DML' component.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.50 / 5.6 <= 5.6.31 / 5.7 <= 5.7.13 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.809375
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2016-5612
url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL
advisory-id: cpuoct2016
cert-bund: CB-K16/1979
cert-bund: CB-K16/1755
cert-bund: CB-K16/1742
cert-bund: CB-K16/1714
cert-bund: CB-K16/1624
dfn-cert: DFN-CERT-2016-2089
dfn-cert: DFN-CERT-2016-1859
dfn-cert: DFN-CERT-2016-1849
dfn-cert: DFN-CERT-2016-1790
dfn-cert: DFN-CERT-2016-1714
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpuapr2025) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.0.51a
Fixed version:     8.0.42
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.42, 8.4.5, 9.3.0 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.41 and prior, 8.1 through 8.4.4 and 9.0 through 9.2.0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpua.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.171441
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2025-21577
cve: CVE-2025-30682
cve: CVE-2025-30687
cve: CVE-2025-30688
cve: CVE-2025-21574
cve: CVE-2025-21575
cve: CVE-2025-30693
cve: CVE-2025-30695
cve: CVE-2025-30715
cve: CVE-2025-21584
cve: CVE-2025-21580
cve: CVE-2025-21581
cve: CVE-2025-21585
cve: CVE-2025-30689
cve: CVE-2025-21579
cve: CVE-2025-30696
cve: CVE-2025-30705
cve: CVE-2025-30683
cve: CVE-2025-30684
cve: CVE-2025-30685
cve: CVE-2025-30699
cve: CVE-2025-30704
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2024-13176
cve: CVE-2024-9143
cve: CVE-2025-30721
cve: CVE-2025-30703
cve: CVE-2025-30681
url: https://www.oracle.com/security-alerts/cpuapr2025.html#AppendixMSQL
advisory-id: cpuapr2025
cert-bund: WID-SEC-2025-2364
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-1568
cert-bund: WID-SEC-2025-1566
cert-bund: WID-SEC-2025-1564
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-1257
cert-bund: WID-SEC-2025-1035
cert-bund: WID-SEC-2025-0828
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0813
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0131
cert-bund: WID-SEC-2024-3230
dfn-cert: DFN-CERT-2026-0037
dfn-cert: DFN-CERT-2025-3583
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2944
dfn-cert: DFN-CERT-2025-2602
dfn-cert: DFN-CERT-2025-2523
dfn-cert: DFN-CERT-2025-1905
dfn-cert: DFN-CERT-2025-1903
dfn-cert: DFN-CERT-2025-1901
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1648
dfn-cert: DFN-CERT-2025-1611
dfn-cert: DFN-CERT-2025-1470
dfn-cert: DFN-CERT-2025-1424
dfn-cert: DFN-CERT-2025-1304
dfn-cert: DFN-CERT-2025-0993
dfn-cert: DFN-CERT-2025-0981
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0973
dfn-cert: DFN-CERT-2025-0564
dfn-cert: DFN-CERT-2025-0465
dfn-cert: DFN-CERT-2025-0354
dfn-cert: DFN-CERT-2025-0158
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2764
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.1.66 / 5.5 <= 5.5.28 Security Update (cpuapr2013) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.1.67
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.1.67, 5.5.29 or later.

Affected Software/OS
Oracle MySQL Server versions 5.1.66 and prior and 5.5 through 5.5.28.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.1.66 / 5.5 <= 5.5.28 Security Update (cpuapr2013) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.117211
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2013-1531
url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL
advisory-id: cpuapr2013
dfn-cert: DFN-CERT-2013-0839
dfn-cert: DFN-CERT-2013-0798

Medium (CVSS: 6.2)
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (cpuoct2019) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to a local unauthenticated vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.6.45
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.45, 5.7.27, 8.0.17 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.44 and prior, 5.7 through 5.7.26 and 8.0 through 8.0.16.

Vulnerability Insight
Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where MySQL Server executes to compromise MySQL Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.143031
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2019-2969`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL
advisory-id: cpuoct2019
cert-bund: CB-K19/0915
dfn-cert: DFN-CERT-2019-2149
```

Medium (CVSS: 6.1)
NVT: Oracle MySQL Server <= 5.5.47 / 5.6 <= 5.6.28 / 5.7 <= 5.7.10 Security Update (cpuapr2016v3) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.47 and prior, 5.6 through 5.6.28 and 5.7 through 5.7.10.

Vulnerability Insight

Unspecified errors exist in the 'MySQL Server' component via unknown vectors.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.5.47 / 5.6 <= 5.6.28 / 5.7 <= 5.7.10 Security Update (. ↪. .`

OID:1.3.6.1.4.1.25623.1.0.807970

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2016-0649
cve: CVE-2016-0650
cve: CVE-2016-0644
cve: CVE-2016-0646
cve: CVE-2016-0640
cve: CVE-2016-0641
url: https://www.oracle.com/security-alerts/cpuapr2016v3.html#AppendixMSQL
advisory-id: cpuapr2016v3
cert-bund: CB-K16/1122
cert-bund: CB-K16/0936
cert-bund: CB-K16/0791
cert-bund: CB-K16/0750
cert-bund: CB-K16/0646
cert-bund: CB-K16/0597
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-0994
dfn-cert: DFN-CERT-2016-0903
dfn-cert: DFN-CERT-2016-0845
dfn-cert: DFN-CERT-2016-0803
dfn-cert: DFN-CERT-2016-0695
dfn-cert: DFN-CERT-2016-0644

Medium (CVSS: 6.0)
NVT: MySQL Authenticated Access Restrictions Bypass Vulnerability (CVE-2008-7247) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
MySQL is prone to an access restrictions bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.0.51a
Fixed version:     5.0.88/5.1.41
```

Impact
Successful exploitation could allow users to bypass intended access restrictions by calling CREATE TABLE with DATA DIRECTORY or INDEX DIRECTORY argument referring to a subdirectory.

Solution:
Solution type: VendorFix
Update to version 5.0.88, 5.1.41, 6.0.9-alpha or later.

Affected Software/OS
MySQL 5.0.x before 5.0.88, 5.1.x before 5.1.41, 6.0 before 6.0.9-alpha.

Vulnerability Insight
The flaw is due to an error in 'sql/sql_table.cc', when the data home directory contains a symlink to a different filesystem.

Vulnerability Detection Method
Details: `MySQL Authenticated Access Restrictions Bypass Vulnerability (CVE-2008-7247) - .`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.801065
Version used: `2025-12-11T05:46:19Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2008-7247
url: http://lists.mysql.com/commits/59711
url: http://bugs.mysql.com/bug.php?id=39277
url: http://marc.info/?l=oss-security&m=125908040022018&w=2
dfn-cert: DFN-CERT-2010-1568
dfn-cert: DFN-CERT-2010-0639
dfn-cert: DFN-CERT-2010-0462
dfn-cert: DFN-CERT-2010-0256
dfn-cert: DFN-CERT-2010-0145
```

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.5.45 / 5.6 <= 5.6.26 Security Update (cpujan2016) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a vulnerability in a third party library.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	5.0.51a
Fixed version:	See the referenced vendor advisory
Installation path / port:	3306/tcp

Impact
The flaw makes it easier for remote attackers to obtain private RSA keys by capturing TLS handshakes, aka a Lenstra attack.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Oracle MySQL Server versions 5.5.45 and prior and 5.6 through 5.6.26.

Vulnerability Insight
wolfSSL (formerly CyaSSL) as used in MySQL does not properly handle faults associated with the Chinese Remainder Theorem (CRT) process when allowing ephemeral key exchange without low memory optimizations on a server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.5.45 / 5.6 <= 5.6.26 Security Update (cpujan2016) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.117193
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2015-7744
url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMSQL
advisory-id: cpujan2016
cert-bund: WID-SEC-2024-1482
cert-bund: CB-K16/0246
cert-bund: CB-K16/0245
cert-bund: CB-K16/0094
dfn-cert: DFN-CERT-2016-0266
dfn-cert: DFN-CERT-2016-0265
dfn-cert: DFN-CERT-2016-0104
```

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.6.43 / 5.7 <= 5.7.25 / 8.0 <= 8.0.15 Security Update (cpuapr2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.6.44
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.44, 5.7.26, 8.0.16 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.43 and prior, 5.7 through 5.7.25 and 8.0 through 8.0.15.

Vulnerability Insight

The attacks range in variety and difficulty. Most of them allow an attacker with network access via multiple protocols to compromise the MySQL Server.
For further information refer to the official advisory via the referenced link.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.43 / 5.7 <= 5.7.25 / 8.0 <= 8.0.15 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.142402
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2019-1559`
`cve: CVE-2019-2683`
`cve: CVE-2019-2627`
`cve: CVE-2019-2614`
`url: https://www.oracle.com/security-alerts/cpuapr2019.html#AppendixMSQL`
`advisory-id: cpuapr2019`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2023-2946`
`cert-bund: WID-SEC-2023-1594`
`cert-bund: WID-SEC-2022-0673`
`cert-bund: WID-SEC-2022-0462`
`cert-bund: CB-K22/0045`
`cert-bund: CB-K20/0041`
`cert-bund: CB-K19/0911`
`cert-bund: CB-K19/0639`
`cert-bund: CB-K19/0623`
`cert-bund: CB-K19/0622`
`cert-bund: CB-K19/0620`
`cert-bund: CB-K19/0619`
`cert-bund: CB-K19/0615`
`cert-bund: CB-K19/0332`
`cert-bund: CB-K19/0320`
`cert-bund: CB-K19/0319`
`cert-bund: CB-K19/0173`
`dfn-cert: DFN-CERT-2020-2620`
`dfn-cert: DFN-CERT-2020-2189`
`dfn-cert: DFN-CERT-2020-2180`
`dfn-cert: DFN-CERT-2020-0092`
`dfn-cert: DFN-CERT-2020-0048`
`dfn-cert: DFN-CERT-2019-2625`
`dfn-cert: DFN-CERT-2019-2457`
`dfn-cert: DFN-CERT-2019-2300`
`dfn-cert: DFN-CERT-2019-2274`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-2157
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-2008
dfn-cert: DFN-CERT-2019-1996
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1755
dfn-cert: DFN-CERT-2019-1746
dfn-cert: DFN-CERT-2019-1722
dfn-cert: DFN-CERT-2019-1713
dfn-cert: DFN-CERT-2019-1683
dfn-cert: DFN-CERT-2019-1678
dfn-cert: DFN-CERT-2019-1677
dfn-cert: DFN-CERT-2019-1617
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1486
dfn-cert: DFN-CERT-2019-1460
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-1453
dfn-cert: DFN-CERT-2019-1450
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2019-1240
dfn-cert: DFN-CERT-2019-0968
dfn-cert: DFN-CERT-2019-0781
dfn-cert: DFN-CERT-2019-0775
dfn-cert: DFN-CERT-2019-0771
dfn-cert: DFN-CERT-2019-0566
dfn-cert: DFN-CERT-2019-0556
dfn-cert: DFN-CERT-2019-0412
```

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (cpuapr2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a vulnerability in the libmysqld subcomponent.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.0.51a
Fixed version:     5.6.43
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.43, 5.7.25, 8.0.14 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.42 and prior, 5.7 through 5.7.24 and 8.0 through 8.0.13.

Vulnerability Insight
Difficult to exploit vulnerability allows unauthenticated attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Server accessible data.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.142404
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2018-3123`
`url: https://www.oracle.com/security-alerts/cpuapr2019.html#AppendixMSQL`
`advisory-id: cpuapr2019`
`cert-bund: WID-SEC-2023-1594`
`cert-bund: CB-K19/0319`
`dfn-cert: DFN-CERT-2019-0775`

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (cpuapr2016v3) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation will allow remote users to affect confidentiality, integrity, and availability via unknown vectors.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Oracle MySQL Server versions 5.5.48 and prior, 5.6 through 5.6.29 and 5.7 through 5.7.11.

Vulnerability Insight
Unspecified errors exist in the 'MySQL Server' component via unknown vectors.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.807966
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2016-0666`
`cve: CVE-2016-0647`
`cve: CVE-2016-0648`
`cve: CVE-2016-0642`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2016-0643
cve: CVE-2016-2047
url: https://www.oracle.com/security-alerts/cpuapr2016v3.html#AppendixMSQL
advisory-id: cpuapr2016v3
cert-bund: CB-K16/1129
cert-bund: CB-K16/1122
cert-bund: CB-K16/0936
cert-bund: CB-K16/0791
cert-bund: CB-K16/0750
cert-bund: CB-K16/0646
cert-bund: CB-K16/0597
cert-bund: CB-K16/0493
cert-bund: CB-K16/0133
dfn-cert: DFN-CERT-2016-1204
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-0994
dfn-cert: DFN-CERT-2016-0903
dfn-cert: DFN-CERT-2016-0845
dfn-cert: DFN-CERT-2016-0803
dfn-cert: DFN-CERT-2016-0695
dfn-cert: DFN-CERT-2016-0644
dfn-cert: DFN-CERT-2016-0532
dfn-cert: DFN-CERT-2016-0143
```

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 5.7.43, 8.0.34 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.149980
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2023-22053`
`url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMSQL`
`advisory-id: cpujul2023`
`cert-bund: WID-SEC-2024-1248`
`cert-bund: WID-SEC-2023-1794`
`dfn-cert: DFN-CERT-2024-1188`
`dfn-cert: DFN-CERT-2024-0593`
`dfn-cert: DFN-CERT-2024-0491`
`dfn-cert: DFN-CERT-2024-0454`
`dfn-cert: DFN-CERT-2023-1642`

Medium (CVSS: 5.9)
NVT: Oracle MySQL Backronym Vulnerability (Jun 2016) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL is prone to a backronym vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.0.51a
Fixed version:     5.7.3
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation will allow man-in-the-middle attackers to spoof servers via a cleartext-downgrade attack.

Solution:
Solution type: VendorFix
Upgrade to version Oracle MySQL Server 5.7.3 or later.

Affected Software/OS
Oracle MySQL Server 5.7.2 and earlier on Linux.

Vulnerability Insight
The flaw exists due to improper validation of MySQL client library when establishing a secure connection to a MySQL server using the –ssl option.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Backronym Vulnerability (Jun 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808064
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2015-3152
url: http://www.ocert.org/advisories/ocert-2015-003.html
url: https://duo.com/blog/backronym-mysql-vulnerability
cert-bund: CB-K18/0871
cert-bund: CB-K16/0944
cert-bund: CB-K15/1045
cert-bund: CB-K15/1042
cert-bund: CB-K15/1020
cert-bund: CB-K15/0994
cert-bund: CB-K15/0964
cert-bund: CB-K15/0895
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1105
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-1096
dfn-cert: DFN-CERT-2015-1071
dfn-cert: DFN-CERT-2015-1051
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-0942
```

Medium (CVSS: 5.5)
NVT: Oracle MySQL Server <= 5.5.46 Security Update (cpuapr2016v3) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow local users to affect availability.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.46 and prior.

Vulnerability Insight

Unspecified error exists in the 'MySQL Server' component via unknown vectors related to 'Optimizer'.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.5.46 Security Update (cpuapr2016v3) - Linux`
OID:1.3.6.1.4.1.25623.1.0.807964

Version used: `2025-09-09T05:38:49Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2016-0651
url: https://www.oracle.com/security-alerts/cpuapr2016v3.html#AppendixMSQL
advisory-id: cpuapr2016v3
cert-bund: CB-K16/1122
cert-bund: CB-K16/0936
cert-bund: CB-K16/0791
cert-bund: CB-K16/0597
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-0994
dfn-cert: DFN-CERT-2016-0845
dfn-cert: DFN-CERT-2016-0644

Medium (CVSS: 5.5)
NVT: Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (cpuoct2025) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 8.0.44
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 8.0.44, 8.4.7, 9.4.1 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server versions 8.0.43 and prior, 8.1.x through 8.4.6 and 9.0.0 through 9.4.0.
Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that all versions prior to 8.x and versions like 9.2.x in between are also affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.119198
Version used: `2025-10-24T05:39:31Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2025-53054
cve: CVE-2025-53053
cve: CVE-2025-53044
cve: CVE-2025-53045
cve: CVE-2025-53062
cve: CVE-2025-53069
cve: CVE-2025-53040
cve: CVE-2025-53042
url: https://www.oracle.com/security-alerts/cpuoct2025.html#AppendixMSQL
advisory-id: cpuoct2025
cert-bund: WID-SEC-2025-2363
dfn-cert: DFN-CERT-2025-3598
dfn-cert: DFN-CERT-2025-2945
```

Medium (CVSS: 5.4)
NVT: Oracle MySQL Server <= 5.1.66 / 5.5 <= 5.5.28 Security Update (cpujan2013) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.1.67
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.1.67, 5.5.29 or later.

Affected Software/OS
Oracle MySQL Server versions 5.1.66 and prior and 5.5 through 5.5.28.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.1.66 / 5.5 <= 5.5.28 Security Update (cpujan2013) - Li.`
↪..
OID:1.3.6.1.4.1.25623.1.0.117202
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2012-5611
cve: CVE-2013-0384
cve: CVE-2013-0389
cve: CVE-2013-0385
cve: CVE-2013-0375
cve: CVE-2012-1702
cve: CVE-2013-0383
cve: CVE-2012-0572
cve: CVE-2012-0574
cve: CVE-2012-1705
cve: CVE-2012-4414
url: https://www.oracle.com/security-alerts/cpujan2013.html#AppendixMSQL
advisory-id: cpujan2013
cert-bund: CB-K13/0919
cert-bund: CB-K13/0603
dfn-cert: DFN-CERT-2013-1937
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2013-1597
dfn-cert: DFN-CERT-2013-0259
dfn-cert: DFN-CERT-2013-0192
dfn-cert: DFN-CERT-2013-0119
dfn-cert: DFN-CERT-2013-0118
dfn-cert: DFN-CERT-2013-0106
dfn-cert: DFN-CERT-2013-0079
dfn-cert: DFN-CERT-2013-0037
dfn-cert: DFN-CERT-2013-0028
dfn-cert: DFN-CERT-2012-2285
dfn-cert: DFN-CERT-2012-2258
dfn-cert: DFN-CERT-2012-2215
dfn-cert: DFN-CERT-2012-2200
```

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.40
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.40, 8.0.31 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.30.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Li.`
↪..

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.118387
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-2097
cve: CVE-2022-21617
cve: CVE-2022-21608
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2022-1777
cert-bund: WID-SEC-2022-1776
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1245
cert-bund: WID-SEC-2022-1146
cert-bund: WID-SEC-2022-1068
cert-bund: WID-SEC-2022-1065
cert-bund: WID-SEC-2022-0561
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-2491
dfn-cert: DFN-CERT-2023-1230
dfn-cert: DFN-CERT-2023-1058
dfn-cert: DFN-CERT-2023-0509
dfn-cert: DFN-CERT-2023-0299
dfn-cert: DFN-CERT-2023-0100
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-2315
dfn-cert: DFN-CERT-2022-2306
dfn-cert: DFN-CERT-2022-2150
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-1905
dfn-cert: DFN-CERT-2022-1646
dfn-cert: DFN-CERT-2022-1536
dfn-cert: DFN-CERT-2022-1521

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1520
dfn-cert: DFN-CERT-2022-1515
dfn-cert: DFN-CERT-2022-1497
```

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 Security Update (cpuoct2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.6.46
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.46, 5.7.28 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.45 and prior and 5.7 through 5.7.27.

Vulnerability Insight

Oracle MySQL Server is prone to multiple vulnerabilities.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 Security Update (cpuoct2019) - Li.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.143033
Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2019-2922
cve: CVE-2019-2923
cve: CVE-2019-2924
cve: CVE-2019-2910
url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL
advisory-id: cpuoct2019
cert-bund: CB-K19/0915
dfn-cert: DFN-CERT-2020-0103
dfn-cert: DFN-CERT-2019-2149
```

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     8.0.40
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.0.40, 8.4.2, 9.0.2 or later.

Affected Software/OS

Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪..
OID:1.3.6.1.4.1.25623.1.0.170872
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2024-21238
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2024-2732

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.6.46 / 5.7 <= 5.7.26 Security Update (cpuapr2020) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities in OpenSSL.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.6.47
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.6.47, 5.7.27 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.46 and prior and 5.7 through 5.7.26.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.46 / 5.7 <= 5.7.26 Security Update (cpuapr2020) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.143734
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2019-1547
cve: CVE-2019-1549
cve: CVE-2019-1552
cve: CVE-2019-1563
url: https://www.oracle.com/security-alerts/cpuapr2020.html#AppendixMSQL
advisory-id: cpuapr2020
cert-bund: WID-SEC-2023-3081
cert-bund: WID-SEC-2023-1762
cert-bund: WID-SEC-2023-1049
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K20/1049
cert-bund: CB-K20/1016
cert-bund: CB-K20/0321
cert-bund: CB-K20/0318
cert-bund: CB-K20/0043
cert-bund: CB-K20/0038
cert-bund: CB-K20/0036
cert-bund: CB-K20/0028
cert-bund: CB-K19/1025
cert-bund: CB-K19/0919
cert-bund: CB-K19/0915
cert-bund: CB-K19/0808
cert-bund: CB-K19/0675
dfn-cert: DFN-CERT-2023-2709
dfn-cert: DFN-CERT-2020-2014
dfn-cert: DFN-CERT-2020-1729
dfn-cert: DFN-CERT-2020-0895
dfn-cert: DFN-CERT-2020-0776
dfn-cert: DFN-CERT-2020-0775
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0716
dfn-cert: DFN-CERT-2020-0277
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-0101
dfn-cert: DFN-CERT-2020-0096
dfn-cert: DFN-CERT-2020-0091
dfn-cert: DFN-CERT-2020-0090
dfn-cert: DFN-CERT-2019-2164
dfn-cert: DFN-CERT-2019-2149
dfn-cert: DFN-CERT-2019-1900
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1559
```

Medium (CVSS: 5.0)
NVT: MySQL Multiple Denial of Service Vulnerabilities

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

MySQL is prone to multiple denial of service vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.0.92/5.1.51/5.5.6
```

Impact

Successful exploitation could allow an attacker to cause a denial of service and to execute arbitrary code.

Solution:

Solution type: VendorFix

Upgrade to MySQL version 5.0.92, or 5.1.51 or 5.5.6.

Affected Software/OS

MySQL 5.0 before 5.0.92, 5.1 before 5.1.51, and 5.5 before 5.5.6.

Vulnerability Insight

The flaws are due to:
- An error in propagating the type errors, which allows remote attackers to cause a denial of service via crafted arguments to extreme-value functions such as 'LEAST' or 'GREATEST'.
- An unspecified error in vectors related to materializing a derived table that required a temporary table for grouping and user variable assignments.

. . . continues on next page . . .

. . . continued from previous page . . .

- An error in handling prepared statements that uses GROUP_CONCAT with the WITH ROLLUP modifier.
- An error in handling a query that uses the GREATEST or LEAST function with a mixed list of numeric and LONGBLOB arguments.

Vulnerability Detection Method
Details: `MySQL Multiple Denial of Service Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.801571
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2010-3833
cve: CVE-2010-3834
cve: CVE-2010-3836
cve: CVE-2010-3837
cve: CVE-2010-3838
url: http://secunia.com/advisories/42875
url: http://www.securityfocus.com/bid/43676
url: http://bugs.mysql.com/bug.php?id=54568
url: http://dev.mysql.com/doc/refman/5.5/en/news-5-5-6.html
url: http://dev.mysql.com/doc/refman/5.0/en/news-5-0-92.html
url: http://dev.mysql.com/doc/refman/5.1/en/news-5-1-51.html
dfn-cert: DFN-CERT-2011-0079
dfn-cert: DFN-CERT-2011-0058
dfn-cert: DFN-CERT-2010-1524
dfn-cert: DFN-CERT-2010-1523
dfn-cert: DFN-CERT-2010-1496
```

Medium (CVSS: 5.0)
NVT: Oracle MySQL < 5.1.51 Multiple DoS Vulnerabilities

Product detection result
```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL is prone to multiple denial of service (DoS) vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.1.51
Installation
path / port:       3306/tcp
```

Impact

An attacker can exploit these issues to crash the database, denying access to legitimate users.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL versions prior to 5.1.51.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL < 5.1.51 Multiple DoS Vulnerabilities`

OID:1.3.6.1.4.1.25623.1.0.100900

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2010-3833
cve: CVE-2010-3834
cve: CVE-2010-3835
cve: CVE-2010-3836
cve: CVE-2010-3837
cve: CVE-2010-3838
cve: CVE-2010-3839
cve: CVE-2010-3840
url: http://www.securityfocus.com/bid/43676
url: http://dev.mysql.com/doc/refman/5.1/en/news-5-1-51.html
dfn-cert: DFN-CERT-2011-0079
dfn-cert: DFN-CERT-2011-0058
dfn-cert: DFN-CERT-2010-1524
dfn-cert: DFN-CERT-2010-1523
dfn-cert: DFN-CERT-2010-1496
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2010-1491

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.7.42
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.33 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Lin.
↪..
OID:1.3.6.1.4.1.25623.1.0.149978
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-22007
url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMSQL

. . . continues on next page . . .

. . . continued from previous page . . .

```
advisory-id: cpujul2023
cert-bund: WID-SEC-2023-1794
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2023-1642
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.43, 8.0.32 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.31.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Lin.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.151211

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2023-22015
cve: CVE-2023-22026
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL
advisory-id: cpuoct2023
cert-bund: WID-SEC-2023-2690
dfn-cert: DFN-CERT-2023-2536
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpujan2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.6.51
Installation
path / port:       3306/tcp
```

Impact

Successful attacks of this vulnerability can result in the unauthorized ability to cause a hang or frequently repeatedly crash (complete DOS) the MySQL Server.

Solution:

Solution type: VendorFix

Update to version 5.6.51, 5.7.31, 8.0.18 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.50 and prior, 5.7 through 5.7.30 and 8.0 through 8.0.17.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.30 / 8.0 <= 8.0.17 Security Update (.
↪..
OID:1.3.6.1.4.1.25623.1.0.145221
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-2001
url: https://www.oracle.com/security-alerts/cpujan2021.html#AppendixMSQL
advisory-id: cpujan2021
cert-bund: WID-SEC-2023-0067
cert-bund: CB-K21/0062
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-0810
dfn-cert: DFN-CERT-2021-0131

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpujan2021) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.6.51
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.6.51, 5.7.33, 8.0.23 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server versions 5.6.50 and prior, 5.7 through 5.7.32 and 8.0 through 8.0.22.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.32 / 8.0 <= 8.0.22 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145223
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2021-2022
cve: CVE-2021-2060
url: https://www.oracle.com/security-alerts/cpujan2021.html#AppendixMSQL
advisory-id: cpujan2021
cert-bund: WID-SEC-2023-0067
cert-bund: CB-K21/0062
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-0131
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.0.51a
Fixed version:     8.0.39
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 8.0.39, 8.4.2, 9.0.2 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.38 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo.
↪..
OID:1.3.6.1.4.1.25623.1.0.170868
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2024-21207
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2024-2732

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      5.7.41
Installation
path / port:        3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.41 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.40 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Linux`
OID:1.3.6.1.4.1.25623.1.0.149167
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-21840
url: https://www.oracle.com/security-alerts/cpujan2023.html#AppendixMSQL
advisory-id: cpujan2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-0126
dfn-cert: DFN-CERT-2023-0105
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     8.0.36
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.36 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.35 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.170866
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2024-21200
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2024-2732
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.34
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.34 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.33 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.145801
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-2154
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2021-1660
dfn-cert: DFN-CERT-2021-0984
dfn-cert: DFN-CERT-2021-0821
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.31
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.31, 8.0.18 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.30 and prior and 8.0 through 8.0.17.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.145803
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-2160
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2021-0821
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.7.44
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.44, 8.0.32 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.43 and prior and 8.x through 8.0.31.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Lin.
↪..
OID:1.3.6.1.4.1.25623.1.0.151215
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-22028
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL
advisory-id: cpuoct2023
cert-bund: WID-SEC-2023-2690
dfn-cert: DFN-CERT-2024-0108
dfn-cert: DFN-CERT-2023-2536

Medium (CVSS: 4.6)
NVT: MySQL Privilege Escalation Vulnerability - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MySQL is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.0.51a
Fixed version:     5.0.67
```

Impact
Successful exploitation of this vulnerability will allow an authenticated user to use the DATA DIRECTORY and INDEX DIRECTORY options to possibly bypass privilege checks.

Solution:
Solution type: VendorFix
Upgrade to MySQL version 5.0.67.

Affected Software/OS
MySQL version before 5.0.67 on Linux

Vulnerability Insight
The flaw exists due to table creation option allows the use of the MySQL data directory in DATA DIRECTORY and INDEX DIRECTORY options.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MySQL Privilege Escalation Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.811630
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2008-4098`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://bugs.mysql.com/bug.php?id=32167
url: http://www.securityfocus.com/bid/29106
dfn-cert: DFN-CERT-2010-0232
dfn-cert: DFN-CERT-2009-1728
```

Medium (CVSS: 4.6)
NVT: MySQL MyISAM Table Privileges Security Bypass Vulnerability

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

According to its version number, the remote version of MySQL is prone to a security bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     4.1.24/5.0.60
```

Impact

An attacker can exploit this issue to gain access to table files created by other users, bypassing certain security restrictions.

Solution:

Solution type: VendorFix

Updates are available, please see the references for more information.

Affected Software/OS

This issue affects versions prior to MySQL 4 (prior to 4.1.24) and MySQL 5 (prior to 5.0.60).

Vulnerability Insight

NOTE 1: This issue was also assigned CVE-2008-4097 because CVE-2008-2079 was incompletely fixed, allowing symlink attacks.

NOTE 2: CVE-2008-4098 was assigned because fixes for the vector described in CVE-2008-4097 can also be bypassed.

Vulnerability Detection Method

Details: `MySQL MyISAM Table Privileges Security Bypass Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100156
Version used: `2025-09-09T05:38:49Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2008-2079
cve: CVE-2008-4097
cve: CVE-2008-4098
url: http://www.securityfocus.com/bid/29106
dfn-cert: DFN-CERT-2010-0232
dfn-cert: DFN-CERT-2009-1728
dfn-cert: DFN-CERT-2009-1235

Medium (CVSS: 4.4)
NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.7.37
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.37, 8.0.28 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.118381
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-21595
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1776
dfn-cert: DFN-CERT-2023-0504
dfn-cert: DFN-CERT-2022-2306

Medium (CVSS: 4.4)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 8.0.40
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 8.0.40, 8.4.1 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Oracle MySQL Server version 8.0.39 and prior and 8.1 through 8.4.0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.170870
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2024-21212`
`url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL`
`advisory-id: cpuoct2024`
`cert-bund: WID-SEC-2024-3188`
`dfn-cert: DFN-CERT-2025-0446`
`dfn-cert: DFN-CERT-2024-2732`

Medium (CVSS: 4.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.0.51a
Fixed version:     5.7.40
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.40, 8.0.17 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.16.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118383
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2022-21589`
`url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL`
`advisory-id: cpuoct2022`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2023-2031`
`cert-bund: WID-SEC-2022-1776`
`dfn-cert: DFN-CERT-2022-2306`

Medium (CVSS: 4.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.0.51a
Fixed version:     5.7.40
Installation
path / port:       3306/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 5.7.40, 8.0.30 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.29.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118385
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2022-21592`
`url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL`
`advisory-id: cpuoct2022`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2023-2031`
`cert-bund: WID-SEC-2022-1776`
`dfn-cert: DFN-CERT-2022-2306`

Medium (CVSS: 4.0)
NVT: MySQL Empty Bit-String Literal Denial of Service Vulnerability

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MySQL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
Successful exploitation by remote attackers could cause denying access to legitimate users.

Solution:
Solution type: VendorFix
Update to version 5.0.66 or 5.1.26 or 6.0.6 or later.

Affected Software/OS
MySQL versions prior to 5.0.x - 5.0.66, 5.1.x - 5.1.26, and 6.0.x - 6.0.5 on all running platform.

Vulnerability Insight
Issue is due to error while processing an empty bit string literal via a specially crafted SQL statement.

Vulnerability Detection Method
Details: `MySQL Empty Bit-String Literal Denial of Service Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.900221
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2008-3963
url: http://secunia.com/advisories/31769/
url: http://www.securityfocus.com/bid/31081
url: http://bugs.mysql.com/bug.php?id=35658
url: http://dev.mysql.com/doc/refman/5.1/en/news-5-1-26.html
dfn-cert: DFN-CERT-2009-1728
dfn-cert: DFN-CERT-2009-1235
```

Medium (CVSS: 4.0)
NVT: Oracle Mysql Security Updates (jan2012-366304) 04 - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Oracle MySQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability will allow remote users to affect integrity, availability and confidentiality.

Solution:

Solution type: VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.0.x and 5.1.x on Linux

Vulnerability Insight

Multiple flaws exist due to multiple unspecified errors in MySQL Server.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle Mysql Security Updates (jan2012-366304) 04 - Linux`

OID:1.3.6.1.4.1.25623.1.0.812349

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2012-0087
cve: CVE-2012-0102
cve: CVE-2012-0101
url: http://www.oracle.com/technetwork/topics/security/cpujan2012-366304.html
url: http://www.securityfocus.com/bid/51509
url: http://www.securityfocus.com/bid/51502
url: http://www.securityfocus.com/bid/51505
dfn-cert: DFN-CERT-2012-1563
dfn-cert: DFN-CERT-2012-0936
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2012-0933
dfn-cert: DFN-CERT-2012-0443
dfn-cert: DFN-CERT-2012-0262
dfn-cert: DFN-CERT-2012-0249
dfn-cert: DFN-CERT-2012-0217
dfn-cert: DFN-CERT-2012-0216
dfn-cert: DFN-CERT-2012-0100
```

Medium (CVSS: 4.0)
NVT: Oracle Mysql Security Updates (jan2012-366304) 03 - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of these vulnerabilities will allow remote attackers to affect integrity, availability and confidentiality.

Solution:

Solution type: VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.0.x, 5.1.x and 5.5.x on Linux

Vulnerability Insight

Multiple flaws exist due to multiple unspecified errors in MySQL Server.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle Mysql Security Updates (jan2012-366304) 03 - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.812347
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2012-0075
cve: CVE-2012-0484
cve: CVE-2012-0114
cve: CVE-2012-0490
url: http://www.oracle.com/technetwork/topics/security/cpujan2012-366304.html
url: http://www.securityfocus.com/bid/51526
url: http://www.securityfocus.com/bid/51515
url: http://www.securityfocus.com/bid/51520
url: http://www.securityfocus.com/bid/51524
dfn-cert: DFN-CERT-2012-1563
dfn-cert: DFN-CERT-2012-0936
dfn-cert: DFN-CERT-2012-0933
dfn-cert: DFN-CERT-2012-0443
dfn-cert: DFN-CERT-2012-0262
dfn-cert: DFN-CERT-2012-0249
dfn-cert: DFN-CERT-2012-0217
dfn-cert: DFN-CERT-2012-0216
dfn-cert: DFN-CERT-2012-0100

Medium (CVSS: 4.0)
NVT: Oracle MySQL < MySQL 5.1.49 'TEMPORARY InnoDB' Tables DoS Vulnerability

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.1.49

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
An attacker can exploit these issues to crash the database, denying access to legitimate users.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
This issue affects versions prior to MySQL 5.1.49.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL < MySQL 5.1.49 'TEMPORARY InnoDB' Tables DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100763
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2010-3680`
`url: http://www.securityfocus.com/bid/42598`
`url: http://bugs.mysql.com/bug.php?id=54044`
`url: http://dev.mysql.com/doc/refman/5.1/en/news-5-1-49.html`
`dfn-cert: DFN-CERT-2011-0079`
`dfn-cert: DFN-CERT-2011-0071`
`dfn-cert: DFN-CERT-2011-0058`
`dfn-cert: DFN-CERT-2010-1524`
`dfn-cert: DFN-CERT-2010-1517`
`dfn-cert: DFN-CERT-2010-1496`
`dfn-cert: DFN-CERT-2010-1312`
`dfn-cert: DFN-CERT-2010-1311`

Medium (CVSS: 4.0)
NVT: Oracle MySQL < 5.1.49 Multiple DoS Vulnerabilities

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.1.49
Installation
path / port:       3306/tcp
```

Impact
An attacker can exploit this issue to crash the database, denying access to legitimate users.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Oracle MySQL versions prior to 5.1.49.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL < 5.1.49 Multiple DoS Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.100785
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2010-3677
url: http://www.securityfocus.com/bid/42646
url: http://www.securityfocus.com/bid/42633
url: http://www.securityfocus.com/bid/42643
url: http://www.securityfocus.com/bid/42598
url: http://www.securityfocus.com/bid/42596
url: http://www.securityfocus.com/bid/42638
url: http://www.securityfocus.com/bid/42599
url: http://www.securityfocus.com/bid/42625
url: http://bugs.mysql.com/bug.php?id=54575
url: http://dev.mysql.com/doc/refman/5.1/en/news-5-1-49.html
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2011-0079
dfn-cert: DFN-CERT-2011-0071
dfn-cert: DFN-CERT-2011-0058
dfn-cert: DFN-CERT-2010-1524
dfn-cert: DFN-CERT-2010-1517
dfn-cert: DFN-CERT-2010-1496
dfn-cert: DFN-CERT-2010-1424
dfn-cert: DFN-CERT-2010-1312
dfn-cert: DFN-CERT-2010-1311
```

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server <= 5.5.38 Security Update (cpuoct2014) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.5.39
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow attackers to disclose potentially sensitive information, gain escalated privileges, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.

Solution:

Solution type: VendorFix

Update to version 5.5.39 or later.

Affected Software/OS

Oracle MySQL Server versions 5.5.38 and prior.

Vulnerability Insight

Unspecified errors in the MySQL Server component via unknown vectors related to SERVER:DDL.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.38 Security Update (cpuoct2014) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808140
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2014-6520
url: https://www.oracle.com/security-alerts/cpuoct2014.html#AppendixMSQL
url: http://www.securityfocus.com/bid/70510
advisory-id: cpuoct2014
cert-bund: CB-K15/0567
cert-bund: CB-K15/0415
cert-bund: CB-K14/1482
cert-bund: CB-K14/1420
cert-bund: CB-K14/1412
cert-bund: CB-K14/1299
dfn-cert: DFN-CERT-2015-0593
dfn-cert: DFN-CERT-2015-0427
dfn-cert: DFN-CERT-2014-1567
dfn-cert: DFN-CERT-2014-1500
dfn-cert: DFN-CERT-2014-1489
dfn-cert: DFN-CERT-2014-1357
```

Medium (CVSS: 4.0)
NVT: MySQL Mysqld Multiple Denial Of Service Vulnerabilities

Product detection result
```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
MySQL is prone to multiple denial of service vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.0.51a
Fixed version:     5.1.49/5.0.92
```

Impact
Successful exploitation could allow users to cause a Denial of Service condution.

Solution:
Solution type: VendorFix
Upgrade to MySQL version 5.1.49 or 5.0.92

Affected Software/OS
MySQL version 5.1 before 5.1.49 and 5.0 before 5.0.92 on all running platform.

Vulnerability Insight
The flaws are due to:
- An error in handling of a join query that uses a table with a unique SET column.
- An error in handling of 'EXPLAIN' with crafted 'SELECT ... UNION ... ORDER BY (SELECT ... WHERE ...)' statements.

Vulnerability Detection Method
Details: `MySQL Mysqld Multiple Denial Of Service Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.801567
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2010-3677
cve: CVE-2010-3682
url: http://bugs.mysql.com/bug.php?id=54477
url: https://bugzilla.redhat.com/show_bug.cgi?id=628172
url: http://dev.mysql.com/doc/refman/5.1/en/news-5-1-49.html
url: http://www.openwall.com/lists/oss-security/2010/09/28/10
dfn-cert: DFN-CERT-2011-0079
dfn-cert: DFN-CERT-2011-0071
dfn-cert: DFN-CERT-2011-0058
dfn-cert: DFN-CERT-2010-1524
dfn-cert: DFN-CERT-2010-1517
dfn-cert: DFN-CERT-2010-1496
dfn-cert: DFN-CERT-2010-1424
dfn-cert: DFN-CERT-2010-1312
dfn-cert: DFN-CERT-2010-1311
```

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server <= 5.5.46 Security Update (cpujan2016) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation will allow an authenticated remote attacker to affect availability via unknown vectors.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Oracle MySQL Server versions 5.5.46 and prior.

Vulnerability Insight
Unspecified errors exist in the 'MySQL Server' component via unknown vectors.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.46 Security Update (cpujan2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.117189
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2016-0616
url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMSQL
advisory-id: cpujan2016
cert-bund: WID-SEC-2024-1482
cert-bund: CB-K16/1122
cert-bund: CB-K16/0936
cert-bund: CB-K16/0791
cert-bund: CB-K16/0493
cert-bund: CB-K16/0246
cert-bund: CB-K16/0245
cert-bund: CB-K16/0133
cert-bund: CB-K16/0094
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-0994
dfn-cert: DFN-CERT-2016-0845
dfn-cert: DFN-CERT-2016-0532
dfn-cert: DFN-CERT-2016-0266
dfn-cert: DFN-CERT-2016-0265
dfn-cert: DFN-CERT-2016-0143
dfn-cert: DFN-CERT-2016-0104
```

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server <= 5.1.62 / 5.4.x <= 5.5.23 Security Update (cpujul2012) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.1.63
Installation
path / port:       3306/tcp
```

Impact

The flaws allow remote authenticated users to affect availability via unknown vectors related to the 'Server Optimizer' and 'GIS Extension' package / privilege.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 5.1.63, 5.5.24 or later.

Affected Software/OS
Oracle MySQL Server 5.1.62 and prior and 5.4.x through 5.5.23.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.1.62 / 5.4.x <= 5.5.23 Security Update (cpujul2012) - . ↪..`
OID:1.3.6.1.4.1.25623.1.0.117264
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2012-0540`
`cve: CVE-2012-1734`
`cve: CVE-2012-2749`
`url: https://www.oracle.com/security-alerts/cpujul2012.html#AppendixMSQL`
`advisory-id: cpujul2012`
`dfn-cert: DFN-CERT-2013-0106`
`dfn-cert: DFN-CERT-2012-2118`
`dfn-cert: DFN-CERT-2012-1389`

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server <= 5.1.62 / 5.4.x <= 5.5.22 Security Update (cpujul2012) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 5.0.51a`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      5.1.63
Installation
path / port:        3306/tcp
```

Impact
The flaw allows remote authenticated users to affect availability via unknown vectors related to the 'Server Optimizer' package / privilege.

Solution:
Solution type: VendorFix
Update to version 5.1.63, 5.5.23 or later.

Affected Software/OS
Oracle MySQL Server 5.1.62 and prior and 5.4.x through 5.5.22.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.1.62 / 5.4.x <= 5.5.22 Security Update (cpujul2012) - . ↪..`
OID:1.3.6.1.4.1.25623.1.0.117262
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2012-1689
url: https://www.oracle.com/security-alerts/cpujul2012.html#AppendixMSQL
advisory-id: cpujul2012
dfn-cert: DFN-CERT-2012-2118
dfn-cert: DFN-CERT-2012-1389
```

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server <= 5.5.46 / 5.6 <= 5.6.27 Security Update (cpujan2016) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.0.51a`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.46 and prior and 5.6 through 5.6.27.

Vulnerability Insight

Unspecified errors exist in the 'MySQL Server' component via unknown vectors.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.5.46 / 5.6 <= 5.6.27 Security Update (cpujan2016) - Li.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.812175

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2016-0596
url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMSQL
url: http://www.securityfocus.com/bid/81176
url: http://www.securityfocus.com/bid/81198
url: http://www.securityfocus.com/bid/81130
advisory-id: cpujan2016
cert-bund: WID-SEC-2024-1482
cert-bund: CB-K16/1122
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0936
cert-bund: CB-K16/0791
cert-bund: CB-K16/0646
cert-bund: CB-K16/0493
cert-bund: CB-K16/0246
cert-bund: CB-K16/0245
cert-bund: CB-K16/0133
cert-bund: CB-K16/0094
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-0994
dfn-cert: DFN-CERT-2016-0845
dfn-cert: DFN-CERT-2016-0695
dfn-cert: DFN-CERT-2016-0532
dfn-cert: DFN-CERT-2016-0266
dfn-cert: DFN-CERT-2016-0265
dfn-cert: DFN-CERT-2016-0143
dfn-cert: DFN-CERT-2016-0104
```

[return to 172.30.1.1]

2.1.27 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

References
`cve: CVE-1999-0524`
`url: https://datatracker.ietf.org/doc/html/rfc792`
`url: https://datatracker.ietf.org/doc/html/rfc2780`
`cert-bund: CB-K15/1514`
`cert-bund: CB-K14/0632`
`dfn-cert: DFN-CERT-2014-0658`

[return to 172.30.1.1]

2.1.28 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 696097621
Packet 2: 696098713
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation

. . . continues on next page . . .

. . . continued from previous page . . .

To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled. The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
`url: https://datatracker.ietf.org/doc/html/rfc1323`
`url: https://datatracker.ietf.org/doc/html/rfc7323`
`url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d`
`↪ownload/details.aspx?id=9152`
`url: https://www.fortiguard.com/psirt/FG-IR-16-090`

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 696097621
Packet 2: 696098713
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
`url: https://datatracker.ietf.org/doc/html/rfc1323`
`url: https://datatracker.ietf.org/doc/html/rfc7323`
`url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d`
`↪ownload/details.aspx?id=9152`
`url: https://www.fortiguard.com/psirt/FG-IR-16-090`

[return to 172.30.1.1]

2.1.29 Low 5432/tcp

Low (CVSS: 3.5)
NVT: PostgreSQL Hash Table Integer Overflow Vulnerability

Product detection result
`cpe:/a:postgresql:postgresql:8.3.1`
`Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802`
`↪5)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
PostgreSQL is prone to an integer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     See references
Installation
path / port:       5432/tcp
```

Impact
Successful exploitation could allow execution of specially-crafted sql query which once processed would lead to denial of service (postgresql daemon crash).

Solution:
Solution type: VendorFix
Apply the patch linked in the references.

Affected Software/OS
PostgreSQL version 8.4.1 and prior and 8.5 through 8.5alpha2.

Vulnerability Insight
The flaw is due to an integer overflow error in 'src/backend/executor/nodeHash.c', when used to calculate size for the hashtable for joined relations.

Vulnerability Detection Method
Details: `PostgreSQL Hash Table Integer Overflow Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.902139
Version used: `2025-03-05T05:38:52Z`

Product Detection Result
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.128025)

References

```
cve: CVE-2010-0733
url: https://bugzilla.redhat.com/show_bug.cgi?id=546621
url: http://www.openwall.com/lists/oss-security/2010/03/16/10
url: http://archives.postgresql.org/pgsql-bugs/2009-10/msg00310.php
url: http://archives.postgresql.org/pgsql-bugs/2009-10/msg00289.php
url: http://archives.postgresql.org/pgsql-bugs/2009-10/msg00287.php
url: http://archives.postgresql.org/pgsql-bugs/2009-10/msg00277.php
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://git.postgresql.org/gitweb?p=postgresql.git;a=commitdiff;h=64b057e682
↪3655fb6c5d1f24a28f236b94dd6c54
dfn-cert: DFN-CERT-2010-0984
dfn-cert: DFN-CERT-2010-0682
dfn-cert: DFN-CERT-2010-0681
dfn-cert: DFN-CERT-2010-0680
```

Low (CVSS: 3.4)
NVT: SSL/TLS: SSLv3 Protocol CBC Cipher Suites Information Disclosure Vulnerability (POODLE)

Product detection result

```
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)
```

Summary

This host is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerability was detected according to the Vulnerability Detection Method.

Impact

Successful exploitation will allow a man-in-the-middle attackers gain access to the plain text data stream.

Solution:

Solution type: Mitigation

Possible Mitigations are:
- Disable SSLv3
- Disable cipher suites supporting CBC cipher modes
- Enable TLS_FALLBACK_SCSV if the service is providing TLSv1.0+

Vulnerability Insight

The flaw is due to the block cipher padding not being deterministic and not covered by the Message Authentication Code

Vulnerability Detection Method

Evaluate previous collected information about this service.

Details: `SSL/TLS: SSLv3 Protocol CBC Cipher Suites Information Disclosure Vulnerability . ↪. .`

OID:1.3.6.1.4.1.25623.1.0.802087

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2024-09-30T08:38:05Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067)

References
cve: CVE-2014-3566
url: https://www.openssl.org/~bodo/ssl-poodle.pdf
url: http://www.securityfocus.com/bid/70574
url: https://www.imperialviolet.org/2014/10/14/poodle.html
url: https://www.dfranke.us/posts/2014-10-14-how-poodle-happened.html
url: http://googleonlinesecurity.blogspot.in/2014/10/this-poodle-bites-exploitin
↪g-ssl-30.html
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-1658
cert-bund: WID-SEC-2023-0431
cert-bund: CB-K17/1198
cert-bund: CB-K17/1196
cert-bund: CB-K16/1828
cert-bund: CB-K16/1438
cert-bund: CB-K16/1384
cert-bund: CB-K16/1102
cert-bund: CB-K16/0599
cert-bund: CB-K16/0156
cert-bund: CB-K15/1514
cert-bund: CB-K15/1358
cert-bund: CB-K15/1021
cert-bund: CB-K15/0972
cert-bund: CB-K15/0637
cert-bund: CB-K15/0590
cert-bund: CB-K15/0525
cert-bund: CB-K15/0393
cert-bund: CB-K15/0384
cert-bund: CB-K15/0287
cert-bund: CB-K15/0252
cert-bund: CB-K15/0246
cert-bund: CB-K15/0237
cert-bund: CB-K15/0118
cert-bund: CB-K15/0110
cert-bund: CB-K15/0108
cert-bund: CB-K15/0080
cert-bund: CB-K15/0078
cert-bund: CB-K15/0077
cert-bund: CB-K15/0075

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K14/1617
cert-bund: CB-K14/1581
cert-bund: CB-K14/1537
cert-bund: CB-K14/1479
cert-bund: CB-K14/1458
cert-bund: CB-K14/1342
cert-bund: CB-K14/1314
cert-bund: CB-K14/1313
cert-bund: CB-K14/1311
cert-bund: CB-K14/1304
cert-bund: CB-K14/1296
dfn-cert: DFN-CERT-2017-1238
dfn-cert: DFN-CERT-2017-1236
dfn-cert: DFN-CERT-2016-1929
dfn-cert: DFN-CERT-2016-1527
dfn-cert: DFN-CERT-2016-1468
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0884
dfn-cert: DFN-CERT-2016-0642
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2016-0171
dfn-cert: DFN-CERT-2015-1431
dfn-cert: DFN-CERT-2015-1075
dfn-cert: DFN-CERT-2015-1026
dfn-cert: DFN-CERT-2015-0664
dfn-cert: DFN-CERT-2015-0548
dfn-cert: DFN-CERT-2015-0404
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0259
dfn-cert: DFN-CERT-2015-0254
dfn-cert: DFN-CERT-2015-0245
dfn-cert: DFN-CERT-2015-0118
dfn-cert: DFN-CERT-2015-0114
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0082
dfn-cert: DFN-CERT-2015-0081
dfn-cert: DFN-CERT-2015-0076
dfn-cert: DFN-CERT-2014-1717
dfn-cert: DFN-CERT-2014-1680
dfn-cert: DFN-CERT-2014-1632
dfn-cert: DFN-CERT-2014-1564
dfn-cert: DFN-CERT-2014-1542
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2014-1366
dfn-cert: DFN-CERT-2014-1354
```

Low (CVSS: 2.1)
NVT: PostgreSQL Low Cost Function Information Disclosure Vulnerability

Product detection result
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)

Summary
PostgreSQL is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 8.3.1
Fixed version:     See references
Installation
path / port:       5432/tcp
```

Impact
Local attackers can exploit this issue to obtain sensitive information that may lead to further attacks.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
PostgreSQL 8.3.6 is vulnerable. Other versions may also be affected.

Vulnerability Detection Method
Details: PostgreSQL Low Cost Function Information Disclosure Vulnerability
OID:1.3.6.1.4.1.25623.1.0.100158
Version used: 2025-01-17T15:39:18Z

Product Detection Result
Product: cpe:/a:postgresql:postgresql:8.3.1
Method: PostgreSQL Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
url: http://www.securityfocus.com/bid/34069

[return to 172.30.1.1]

2.1.30 Low 445/tcp

Low (CVSS: 3.5)
NVT: Samba Symlink Directory Traversal Vulnerability (Feb 2010)

Product detection result
`cpe:/a:samba:samba:3.0.20`
`Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)`

Summary
Samba is prone to a directory traversal vulnerability because the application fails to sufficiently sanitize user-supplied input.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     3.3.11/3.4.6/3.5.0rc3
Installation
path / port:       445/tcp
```

Impact
Exploits would allow an attacker to access files outside of the Samba user's root directory to obtain sensitive information and perform other attacks.

Solution:
Solution type: VendorFix
The vendor commented on the issue stating that it stems from an insecure default configuration. The Samba team advises administrators to set 'wide links = no' in the '[global]' section of 'smb.conf' and then restart the service to correct misconfigured services.
Please see the references for more information.

Affected Software/OS
Samba versions before 3.3.11, 3.4.x before 3.4.6, and 3.5.x before 3.5.0rc3.

Vulnerability Insight
To exploit this issue, attackers require authenticated access to a writable share. Note that this issue may be exploited through a writable share accessible by guest accounts.

Vulnerability Detection Method
Details: `Samba Symlink Directory Traversal Vulnerability (Feb 2010)`
OID:1.3.6.1.4.1.25623.1.0.100488
Version used: `2025-09-17T05:39:26Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:samba:samba:3.0.20
Method: SMB NativeLanMan
OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2010-0926
url: http://www.securityfocus.com/bid/38111
url: http://www.samba.org/samba/news/symlink_attack.html
url: http://archives.neohapsis.com/archives/fulldisclosure/2010-02/0100.html
url: http://lists.grok.org.uk/pipermail/full-disclosure/2010-February/072927.htm
↪l
url: https://www.samba.org/samba/security/CVE-2010-0926.html
dfn-cert: DFN-CERT-2012-0320
dfn-cert: DFN-CERT-2010-0984
dfn-cert: DFN-CERT-2010-0491
dfn-cert: DFN-CERT-2010-0462
```

Low (CVSS: 3.3)
NVT: Samba 'etc/mtab' File Appending Local DoS Vulnerability

Product detection result

```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary

Samba is prone to a local denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     3.5.9
Installation
path / port:       445/tcp
```

Impact

A local attacker can exploit this issue to cause the computer to stop responding, denying service to legitimate users.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Details: `Samba 'etc/mtab' File Appending Local DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.103298
Version used: `2025-09-17T05:39:26Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2011-1678
url: http://www.securityfocus.com/bid/49939
url: https://bugzilla.redhat.com/show_bug.cgi?id=CVE-2011-1678
dfn-cert: DFN-CERT-2012-0171
dfn-cert: DFN-CERT-2011-1584
dfn-cert: DFN-CERT-2011-1306
dfn-cert: DFN-CERT-2011-1305
dfn-cert: DFN-CERT-2011-1117
```

Low (CVSS: 2.5)
NVT: Samba Share Escape Vulnerability (CVE-2021-43566)

Product detection result
```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary
Samba is prone to a share escape vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.0.20
Fixed version:     4.13.16
Installation
path / port:       445/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.13.16 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Samba versions prior to 4.13.16.

Vulnerability Insight
Samba is vulnerable to a malicious client using an SMB1 or NFS symlink race to allow a directory to be created in an area of the server file system not exported under the share definition. Note that SMB1 has to be enabled, or the share also available via NFS in order for this attack to succeed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Samba Share Escape Vulnerability (CVE-2021-43566)`
OID:1.3.6.1.4.1.25623.1.0.117876
Version used: `2022-01-24T03:04:40Z`

Product Detection Result
Product: `cpe:/a:samba:samba:3.0.20`
Method: `SMB NativeLanMan`
OID: 1.3.6.1.4.1.25623.1.0.102011)

References
```
cve: CVE-2021-43566
url: https://www.samba.org/samba/history/samba-4.13.16.html
url: https://www.samba.org/samba/security/CVE-2021-43566.html
cert-bund: WID-SEC-2023-2979
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K22/0016
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0264
dfn-cert: DFN-CERT-2022-0242
dfn-cert: DFN-CERT-2022-0239
dfn-cert: DFN-CERT-2022-0035
```

Low (CVSS: 2.1)
NVT: Samba < 3.5.11 'client/mount.cifs.c' Remote DoS Vulnerability

Product detection result
```
cpe:/a:samba:samba:3.0.20
Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
```

Summary
Samba is prone to a remote denial-of-service vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.0.20
Fixed version:     3.5.11 or later
Installation
path / port:       445/tcp
```

Impact

A remote attacker can exploit this issue to crash the affected application, denying service to legitimate users.

Solution:

Solution type: VendorFix

Update to version 3.5.11 or later.

Affected Software/OS

Samba version 3.5.10 and prior.

Vulnerability Detection Method

Details: `Samba < 3.5.11 'client/mount.cifs.c' Remote DoS Vulnerability`

OID:1.3.6.1.4.1.25623.1.0.100499

Version used: `2025-09-17T05:39:26Z`

Product Detection Result

Product: `cpe:/a:samba:samba:3.0.20`

Method: `SMB NativeLanMan`

OID: 1.3.6.1.4.1.25623.1.0.102011)

References

```
cve: CVE-2010-0547
cve: CVE-2011-2724
url: http://www.securityfocus.com/bid/38326
url: http://git.samba.org/?p=samba.git;a=commit;h=a065c177dfc8f968775593ba00dffa
↪feebb2e054
dfn-cert: DFN-CERT-2012-0171
dfn-cert: DFN-CERT-2011-1584
dfn-cert: DFN-CERT-2011-1306
dfn-cert: DFN-CERT-2011-1305
dfn-cert: DFN-CERT-2011-1268
dfn-cert: DFN-CERT-2011-1176
dfn-cert: DFN-CERT-2010-0984
dfn-cert: DFN-CERT-2010-0641
dfn-cert: DFN-CERT-2010-0624
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2010-0491
dfn-cert: DFN-CERT-2010-0462
dfn-cert: DFN-CERT-2010-0275
```

[return to 172.30.1.1]

2.1.31 Low 22/tcp

Low (CVSS: 3.5)
NVT: openssh-server Forced Command Handling Information Disclosure Vulnerability

Product detection result
`cpe:/a:openbsd:openssh:4.7p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
The auth_parse_options function in auth-options.c in sshd in OpenSSH before 5.7 provides debug messages containing authorized_keys command options, which allows remote authenticated users to obtain potentially sensitive information by reading these messages, as demonstrated by the shared user account required by Gitolite.
NOTE: this can cross privilege boundaries because a user account may intentionally have no shell or filesystem access, and therefore may have no nupported way to read an authorized_keys file in its own home directory.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     5.7
Installation
path / port:       22/tcp
```

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
OpenSSH before 5.7.

Vulnerability Detection Method
Details: `openssh-server Forced Command Handling Information Disclosure Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.103503
Version used: `2023-07-25T05:05:58Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:openbsd:openssh:4.7p1
Method: OpenSSH Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
cve: CVE-2012-0814
url: http://www.securityfocus.com/bid/51702
url: http://bugs.debian.org/cgi-bin/bugreport.cgi?bug=657445
url: https://downloads.avaya.com/css/P8/documents/100161262
dfn-cert: DFN-CERT-2013-1307
dfn-cert: DFN-CERT-2013-0991

Low (CVSS: 2.6)
NVT: Weak MAC Algorithm(s) Supported (SSH)

Product detection result
cpe:/a:ietf:secure_shell_protocol
Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↪)

Summary
The remote SSH server is configured to allow / support weak MAC algorithm(s).

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The remote SSH server supports the following weak client-to-server MAC algorithm
↪(s):
hmac-md5
hmac-md5-96
hmac-sha1-96
umac-64@openssh.com
The remote SSH server supports the following weak server-to-client MAC algorithm
↪(s):
hmac-md5
hmac-md5-96
hmac-sha1-96
umac-64@openssh.com

Solution:
Solution type: Mitigation
Disable the reported weak MAC algorithm(s).

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks the supported MAC algorithms (client-to-server and server-to-client) of the remote SSH server.
Currently weak MAC algorithms are defined as the following:
- MD5 based algorithms
- 96-bit based algorithms
- 64-bit based algorithms
- 'none' algorithm
Details: `Weak MAC Algorithm(s) Supported (SSH)`
OID:1.3.6.1.4.1.25623.1.0.105610
Version used: `2024-06-14T05:05:48Z`

Product Detection Result
Product: `cpe:/a:ietf:secure_shell_protocol`
Method: `SSH Protocol Algorithms Supported`
OID: 1.3.6.1.4.1.25623.1.0.105565)

References
`url: https://www.rfc-editor.org/rfc/rfc6668`
`url: https://www.rfc-editor.org/rfc/rfc4253#section-6.4`

Low (CVSS: 2.6)
NVT: OpenSSH CBC Mode Information Disclosure Vulnerability

Product detection result
`cpe:/a:openbsd:openssh:4.7p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenSSH is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 4.7p1
Fixed version:     5.2
Installation
path / port:       22/tcp
```

Impact
Successful exploits will allow attackers to obtain four bytes of plaintext from an encrypted session.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Upgrade to OpenSSH 5.2 or later.

Affected Software/OS
Versions prior to OpenSSH 5.2 are vulnerable. Various versions of SSH Tectia are also affected.

Vulnerability Insight
The flaw is due to the improper handling of errors within an SSH session encrypted with a block cipher algorithm in the Cipher-Block Chaining 'CBC' mode.

Vulnerability Detection Method
Details: `OpenSSH CBC Mode Information Disclosure Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.100153
Version used: `2023-07-27T05:05:08Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References
`cve: CVE-2008-5161`
`url: http://www.securityfocus.com/bid/32319`
`cert-bund: CB-K15/1514`
`dfn-cert: DFN-CERT-2021-0770`
`dfn-cert: DFN-CERT-2012-0852`
`dfn-cert: DFN-CERT-2010-0803`
`dfn-cert: DFN-CERT-2009-1232`
`dfn-cert: DFN-CERT-2009-1129`

Low (CVSS: 2.4)
NVT: OpenBSD OpenSSH < 10.1 Multiple Vulnerabilities

Product detection result
`cpe:/a:openbsd:openssh:4.7p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenBSD OpenSSH is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     10.1
Installation
path / port:       22/tcp
```

Solution:
Solution type: VendorFix
Update to version 10.1 or later.

Affected Software/OS
OpenBSD OpenSSH versions prior to 10.1.

Vulnerability Insight
The following flaws exist:
- CVE-2025-61984: 'ssh' allows control characters in usernames that originate from certain possibly untrusted sources, potentially leading to code execution when a ProxyCommand is used. The untrusted sources are the command line and %-sequence expansion of a configuration file. (A configuration file that provides a complete literal username is not categorized as an untrusted source.)
- CVE-2025-61985: 'ssh' allows the '\0' character in an ssh:// URI, potentially leading to code execution when a ProxyCommand is used.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenBSD OpenSSH < 10.1 Multiple Vulnerabilities`
OID:1.3.6.1.4.1.25623.1.0.119134
Version used: `2025-10-08T05:38:55Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

References

```
cve: CVE-2025-61984
cve: CVE-2025-61985
url: https://www.openssh.com/txt/release-10.1
url: https://www.openssh.com/security.html
url: https://www.openwall.com/lists/oss-security/2025/10/06/1
url: https://dgl.cx/2025/10/bash-a-newline-ssh-proxycommand-cve-2025-61984#_
cert-bund: WID-SEC-2025-2212
dfn-cert: DFN-CERT-2026-0218
dfn-cert: DFN-CERT-2025-3384
dfn-cert: DFN-CERT-2025-2768
```

Low (CVSS: 2.1)
NVT: OpenSSH 'ssh-keysign.c' Local Information Disclosure Vulnerability

Product detection result
`cpe:/a:openbsd:openssh:4.7p1`
`Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)`

Summary
OpenSSH is prone to a local information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 4.7p1
Fixed version:     5.8p2
Installation
path / port:       22/tcp
```

Impact
Local attackers can exploit this issue to obtain sensitive information. Information obtained may lead to further attacks.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Versions prior to OpenSSH 5.8p2 are vulnerable.

Vulnerability Insight
ssh-keysign.c in ssh-keysign in OpenSSH before 5.8p2 on certain platforms executes ssh-rand-helper with unintended open file descriptors, which allows local users to obtain sensitive key information via the ptrace system call.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSH 'ssh-keysign.c' Local Information Disclosure Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.105002
Version used: `2025-01-17T15:39:18Z`

Product Detection Result
Product: `cpe:/a:openbsd:openssh:4.7p1`
Method: `OpenSSH Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.108577)

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2011-4327
url: http://www.securityfocus.com/bid/65674
url: http://www.openssh.com/txt/portable-keysign-rand-helper.adv

Low (CVSS: 1.2)
NVT: OpenSSH < 5.1 Exposure of Sensitive Information to an Unauthorized Actor Vulnerability

Product detection result
cpe:/a:openbsd:openssh:4.7p1
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)

Summary
OpenBSD OpenSSH is prone to hijack the X11 forwarding port vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 4.7p1
Fixed version: 5.1
Installation
path / port: 22/tcp

Solution:
Solution type: VendorFix
Update to version 5.1 or later.

Affected Software/OS
OpenSSH versions before 5.1.

Vulnerability Insight
Please see the references for more information on the vulnerabilities.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: OpenSSH < 5.1 Exposure of Sensitive Information to an Unauthorized Actor Vulner.
↪..
OID:1.3.6.1.4.1.25623.1.0.150648
Version used: 2021-11-16T12:48:13Z

Product Detection Result
Product: cpe:/a:openbsd:openssh:4.7p1
Method: OpenSSH Detection Consolidation

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.108577)

References
cve: CVE-2008-3259
url: https://www.openssh.com/txt/release-5.1
dfn-cert: DFN-CERT-2010-0803

[return to 172.30.1.1]

2.1.32 Low 80/tcp

Low (CVSS: 3.6)
NVT: PHP <= 5.6.0 'PEAR' Symlink Attack Vulnerability

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a symlink attack vulnerability in the included PEAR installer.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: See references
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to a later PHP version including an PEAR installer in version 1.9.2 or later.

Affected Software/OS
PHP through version 5.6.0.

Vulnerability Insight
The PEAR_REST class in REST.php in PEAR allows local users to write to arbitrary files via a symlink attack on a (1) rest.cachefile or (2) rest.cacheid file in /tmp/pear/cache/, related to the retrieveCacheFirst and useLocalCache functions.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: PHP <= 5.6.0 'PEAR' Symlink Attack Vulnerability
OID:1.3.6.1.4.1.25623.1.0.117252
Version used: 2025-09-24T05:39:03Z

Product Detection Result
Product: cpe:/a:php:php:5.2.4
Method: PHP Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
cve: CVE-2014-5459
url: https://pear.php.net/bugs/bug.php?id=18056
url: https://pear.php.net/bugs/bug.php?id=18055
url: http://www.openwall.com/lists/oss-security/2014/08/27/3
cert-bund: CB-K16/0944
cert-bund: CB-K14/1167
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2014-1219

Low (CVSS: 3.6)
NVT: PHP < 7.2.33, 7.3 < 7.3.21, 7.4 < 7.4.9 DoS Vulnerability (Aug 2020) - Linux

Product detection result
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary
PHP is prone to a denial of service vulnerability in the phar_parse_zipfile function.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.2.4
Fixed version: 7.2.33
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 7.2.33, 7.3.21, 7.4.9 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

PHP versions prior 7.2.33, 7.3 prior 7.3.21 and 7.4 prior to 7.4.9.

Vulnerability Insight
The phar_parse_zipfile function had use-after-free vulnerability because of mishandling of the actual_alias variable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 7.2.33, 7.3 < 7.3.21, 7.4 < 7.4.9 DoS Vulnerability (Aug 2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.144365
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2020-7068`
`url: https://www.php.net/ChangeLog-7.php#7.2.33`
`url: https://www.php.net/ChangeLog-7.php#7.3.21`
`url: https://www.php.net/ChangeLog-7.php#7.4.9`
`cert-bund: WID-SEC-2022-2116`
`cert-bund: CB-K20/0788`
`dfn-cert: DFN-CERT-2022-2639`
`dfn-cert: DFN-CERT-2022-2638`
`dfn-cert: DFN-CERT-2021-2373`
`dfn-cert: DFN-CERT-2021-1645`
`dfn-cert: DFN-CERT-2021-1453`
`dfn-cert: DFN-CERT-2021-0380`
`dfn-cert: DFN-CERT-2020-1910`
`dfn-cert: DFN-CERT-2020-1732`

Low (CVSS: 2.6)
NVT: PHP < 5.2.8 XSS Vulnerability

Product detection result
`cpe:/a:php:php:5.2.4`
`Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)`

Summary
PHP is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.8
Installation
path / port:       80/tcp
```

Impact

Successful exploitation could allow attackers to inject arbitrary web script or HTML via unspecified vectors and conduct Cross-Site Scripting attacks.

Solution:

Solution type: VendorFix

Update to version 5.2.8 or later.

Affected Software/OS

PHP version 5.2.7 and prior.

Vulnerability Insight

The flaw is due to improper handling of certain inputs when display_errors settings is enabled.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP < 5.2.8 XSS Vulnerability`

OID:1.3.6.1.4.1.25623.1.0.800334

Version used: `2025-09-24T05:39:03Z`

Product Detection Result

Product: `cpe:/a:php:php:5.2.4`

Method: `PHP Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

```
cve: CVE-2008-5814
url: http://jvn.jp/en/jp/JVN50327700/index.html
url: http://jvndb.jvn.jp/en/contents/2008/JVNDB-2008-000084.html
dfn-cert: DFN-CERT-2010-0588
dfn-cert: DFN-CERT-2010-0263
```

Low (CVSS: 2.6)

NVT: Apache HTTP Server 'mod_proxy_ftp' Module DoS Vulnerability

Product detection result

`cpe:/a:apache:http_server:2.2.8`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a Denial of Service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.2.8
Fixed version:     2.0.64 / 2.2.14
Installation
path / port:       80/tcp
```

Impact
Successful exploitation could allow remote attackers to cause a Denial of Service (DoS) in the context of the affected application.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server version 2.0.64, 2.2.14 or later.

Affected Software/OS
Apache HTTP Server version 2.0.x through 2.0.63 and 2.2.x through 2.2.13 running mod_proxy.

Vulnerability Insight
The flaw is due to an error in 'ap_proxy_ftp_handler' function in modules/proxy/proxy_ftp.c in the mod_proxy_ftp module while processing responses received from FTP servers. This can be exploited to trigger a NULL-pointer dereference and crash an Apache child process via a malformed EPSV response.

Vulnerability Detection Method
Details: Apache HTTP Server 'mod_proxy_ftp' Module DoS Vulnerability
OID:1.3.6.1.4.1.25623.1.0.900841
Version used: 2025-03-05T05:38:52Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.2.8
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2009-3094
url: http://intevydis.com/vd-list.shtml

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/36260
url: http://www.intevydis.com/blog/?p=59
url: http://secunia.com/advisories/36549
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: https://httpd.apache.org/security/vulnerabilities_20.html
dfn-cert: DFN-CERT-2012-0618
dfn-cert: DFN-CERT-2011-0700
dfn-cert: DFN-CERT-2010-1647
dfn-cert: DFN-CERT-2010-0730
dfn-cert: DFN-CERT-2010-0446
dfn-cert: DFN-CERT-2010-0273
dfn-cert: DFN-CERT-2009-1809
dfn-cert: DFN-CERT-2009-1755
dfn-cert: DFN-CERT-2009-1725
dfn-cert: DFN-CERT-2009-1623
dfn-cert: DFN-CERT-2009-1603
dfn-cert: DFN-CERT-2009-1602
dfn-cert: DFN-CERT-2009-1507
dfn-cert: DFN-CERT-2009-1340
dfn-cert: DFN-CERT-2009-1326
```

Low (CVSS: 2.1)
NVT: PHP < 4.4.5, 5.1.x < 5.1.7, 5.2.x < 5.2.6 DoS Vulnerability

Product detection result

```
cpe:/a:php:php:5.2.4
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
```

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.2.4
Fixed version:     5.2.6
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will let the local attackers to crash an affected web server.

Solution:

Solution type: VendorFix

Update to version 4.4.5, 5.1.7, 5.2.6 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
PHP version 4.4.4 and prior, 5.1.x through 5.1.6 and 5.2.x through 5.2.5.

Vulnerability Insight
An error occurs in the 'mbstring.func_overload' setting in .htaccess file. It can be exploited via modifying behavior of other sites hosted on the same web server which causes this setting to be applied to other virtual hosts on the same server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 4.4.5, 5.1.x < 5.1.7, 5.2.x < 5.2.6 DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.800373
Version used: `2025-09-24T05:39:03Z`

Product Detection Result
Product: `cpe:/a:php:php:5.2.4`
Method: `PHP Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.171722)

References
`cve: CVE-2009-0754`
`url: http://bugs.php.net/bug.php?id=27421`
`url: https://web.archive.org/web/20200228163106/http://www.securityfocus.com/bid`
`↪/33542`
`url: https://bugzilla.redhat.com/show_bug.cgi?id=479272`

Low (CVSS: 1.2)
NVT: Apache HTTP Server 'ap_pregsub()' Function Local Denial of Service Vulnerability

Product detection result
`cpe:/a:apache:http_server:2.2.8`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a local denial-of-service vulnerability because of a NULL-pointer dereference error or a memory exhaustion.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
`Installed version: 2.2.8`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      See references
Installation
path / port:        80/tcp
```

Impact
Local attackers can exploit this issue to trigger a NULL-pointer dereference or memory exhaustion, and cause a server crash, denying service to legitimate users.
Note: To trigger this issue, 'mod_setenvif' must be enabled and the attacker should be able to place a malicious '.htaccess' file on the affected webserver.

Solution:
Solution type: VendorFix
Update to the most recent version of Apache HTTP Server.

Affected Software/OS
Apache HTTP Server 2.0.x through 2.0.64 and 2.2.x through 2.2.21 are vulnerable. Other versions may also be affected.

Vulnerability Detection Method
Details: `Apache HTTP Server 'ap_pregsub()' Function Local Denial of Service Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.103333
Version used: `2022-04-28T13:38:57Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.2.8`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2011-4415
url: http://www.securityfocus.com/bid/50639
url: http://www.halfdog.net/Security/2011/ApacheModSetEnvIfIntegerOverflow/
url: http://www.gossamer-threads.com/lists/apache/dev/403775
dfn-cert: DFN-CERT-2012-1276
```

[return to 172.30.1.1]

2.1.33 Low 3306/tcp

Low (CVSS: 3.7)
NVT: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.10 Security Update (cpujul2016) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation will allow a remote attacker to affect confidentiality via unknown vectors.

Solution:
Solution type: VendorFix
Updates are available. Please see the references for more information.

Affected Software/OS
Oracle MySQL Server versions 5.5.48 and prior, 5.6 through 5.6.29 and 5.7 through 5.7.10.

Vulnerability Insight
An unspecified error exists in the 'MySQL Server' component via unknown vectors related to the 'Security Encryption' sub-component.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.10 Security Update (.
↪..`
OID:1.3.6.1.4.1.25623.1.0.808701
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2016-3452
url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMSQL
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/91999
advisory-id: cpujul2016
cert-bund: CB-K16/1122
cert-bund: CB-K16/1100
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-1169
```

Low (CVSS: 3.7)
NVT: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (cpujul2016) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     See the referenced vendor advisory
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow a remote attacker to affect confidentiality via unknown vectors.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.48 and prior, 5.6 through 5.6.29 and 5.7 through 5.7.11.

Vulnerability Insight

An unspecified error exists in the 'MySQL Server' component via unknown vectors related to 'Connection' sub-component.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪..
OID:1.3.6.1.4.1.25623.1.0.808700
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2016-5444
url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMSQL
url: http://www.securityfocus.com/bid/91987
advisory-id: cpujul2016
cert-bund: CB-K16/1122
cert-bund: CB-K16/1100
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-1169

Low (CVSS: 3.5)
NVT: MySQL 'ALTER DATABASE' Remote DoS Vulnerability

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
MySQL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.1.48

Impact
Successful exploitation could allow an attacker to cause a Denial of Service.

Solution:
Solution type: VendorFix
Update to version 5.1.48 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
MySQL version prior to 5.1.48.

Vulnerability Insight
The flaw is due to an error when processing the 'ALTER DATABASE' statement and can be exploited to corrupt the MySQL data directory using the '#mysql50#' prefix followed by a '.' or '..'.
NOTE: Successful exploitation requires 'ALTER' privileges on a database.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MySQL 'ALTER DATABASE' Remote DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.801380
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2010-2008
url: http://secunia.com/advisories/40333
url: http://www.securityfocus.com/bid/41198
url: http://bugs.mysql.com/bug.php?id=53804
url: http://securitytracker.com/alerts/2010/Jun/1024160.html
url: http://dev.mysql.com/doc/refman/5.1/en/news-5-1-48.html
dfn-cert: DFN-CERT-2010-1517
dfn-cert: DFN-CERT-2010-1078
dfn-cert: DFN-CERT-2010-0975
dfn-cert: DFN-CERT-2010-0944
```

Low (CVSS: 3.5)
NVT: Oracle MySQL Server <= 5.1.63 Security Update (cpuapr2013) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.1.64
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation could allow remote attackers to affect confidentiality, integrity, and availability via unknown vectors.

Solution:

Solution type: VendorFix

Update to version 5.1.64 or later.

Affected Software/OS

Oracle MySQL Server versions 5.1.63 and prior.

Vulnerability Insight

Unspecified error in some unknown vectors related to Server Types.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.1.63 Security Update (cpuapr2013) - Linux`

OID:1.3.6.1.4.1.25623.1.0.803481

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.0.51a`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2013-1548
url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL
url: http://www.securityfocus.com/bid/59223
advisory-id: cpuapr2013
dfn-cert: DFN-CERT-2013-0839
dfn-cert: DFN-CERT-2013-0798
```

Low (CVSS: 2.7)

NVT: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.0.51a
Fixed version:     5.7.41
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.41, 8.0.32 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.40 and prior and 8.x through 8.0.31.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Lin.`
↪..
OID:1.3.6.1.4.1.25623.1.0.149531
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.0.51a`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2023-21963
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1033
dfn-cert: DFN-CERT-2023-0885
```

Low (CVSS: 2.7)
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.18 Security Update (cpujul2019) - Linux

Product detection result
cpe:/a:mysql:mysql:5.0.51a
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.0.51a
Fixed version: 5.6.45
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.6.45, 5.7.19 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.44 and prior and 5.7 through 5.7.18.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.18 Security Update (cpujul2019) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.142642
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.0.51a
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2019-2730
url: https://www.oracle.com/security-alerts/cpujul2019.html#AppendixMSQL
advisory-id: cpujul2019
cert-bund: CB-K19/0620
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-1453

[return to 172.30.1.1]

2.1.34 Log 514/tcp

Log (CVSS: 0.0)
NVT: rsh Service Detection

Summary
Checks if the remote host is running a rsh service.
Note: The reporting takes place in a separate VT 'rsh Unencrypted Cleartext Login' (OID: 1.3.6.1.4.1.25623.1.0.100080).

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A rsh service is running at this port.`

Solution:

Log Method
Details: `rsh Service Detection`
OID:1.3.6.1.4.1.25623.1.0.108478
Version used: `2024-06-26T05:05:39Z`

[return to 172.30.1.1]

2.1.35 Log general/tcp

Log (CVSS: 0.0)
NVT: PostgreSQL Detection Consolidation

Summary
Consolidation of PostgreSQL detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Detected PostgreSQL
Version:       8.3.1
Location:      5432/tcp
CPE:           cpe:/a:postgresql:postgresql:8.3.1
Concluded from version/product identification result:
select version(); query result: T versionDg]PostgreSQL 8.3.1 on i486-pc-linux-gn
↪u, compiled by GCC cc (GCC) 4.2.3 (Ubuntu 4.2.3-2ubuntu4)CSELECTZI
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:

Log Method
Details: PostgreSQL Detection Consolidation
OID:1.3.6.1.4.1.25623.1.0.128025
Version used: 2024-07-19T05:05:32Z

References
url: https://www.postgresql.org/

Log (CVSS: 0.0)
NVT: OpenSSH Detection Consolidation

Summary
Consolidation of OpenSSH detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected OpenSSH Server
Version:       4.7p1
Location:      22/tcp
CPE:           cpe:/a:openbsd:openssh:4.7p1
Concluded from version/product identification result:
SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1
```

Solution:

Log Method
Details: OpenSSH Detection Consolidation
OID:1.3.6.1.4.1.25623.1.0.108577
Version used: 2024-12-13T05:05:32Z

References
url: https://www.openssh.com/

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Network route from scanner (172.30.0.2) to target (172.30.1.1):
172.30.0.2
172.30.1.1
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight

For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method

A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.

Details: `Traceroute`

OID:1.3.6.1.4.1.25623.1.0.51662

Version used: `2022-10-17T11:13:19Z`

Log (CVSS: 0.0)

NVT: Firebird SQL Detection Consolidation

Summary

Consolidation of Firebird SQL detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Firebird SQL
Version:       unknown
Location:      /
CPE:           cpe:/a:firebirdsql:firebird
Detection methods:
Remote Detection on port 1524/tcp
  Supported protocol version: 16
```

Solution:

Log Method

Details: `Firebird SQL Detection Consolidation`

OID:1.3.6.1.4.1.25623.1.0.155942

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2026-01-13T05:47:36Z

References
url: https://www.firebirdsql.org/

Log (CVSS: 0.0)
NVT: SSL/TLS: Hostname discovery from server certificate

Summary
It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.

Quality of Detection (QoD): 98%

Vulnerability Detection Result
The following additional but not resolvable hostnames were detected:
ubuntu804-base.localdomain

Solution:

Log Method
Details: SSL/TLS: Hostname discovery from server certificate
OID:1.3.6.1.4.1.25623.1.0.111010
Version used: 2021-11-22T15:32:39Z

Log (CVSS: 0.0)
NVT: Unknown OS and Service Banner Reporting

Summary
This VT consolidates and reports the information collected by the following VTs:
- Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154)
- Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286)
- Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525)
- OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937)
If you know any of the information reported here, please send the full output to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Unknown banners have been collected which might help to identify the OS running
↪on this host. If these banners containing information about the host OS please
↪ report the following information to https://forum.greenbone.net/c/vulnerabili
↪ty-tests/7:

. . . continues on next page . . .

. . . continued from previous page . . .

```
Banner:                 _                  _       _ _        _     _      ----
↪
 _ __ ___   ___| |_ __ _ ___ _ __ | | ___ (_) |_ __ _| |__ | | ___|___ \
| '_ ` _ \ / _ \ __/ _` / __| '_ \| |/ _ \| | __/ _` | '_ \| |/ _ \ __) |
| | | | | |  __/ || (_| \__ \ |_) | | (_) | | || (_| | |_) | |  __// __/
|_| |_| |_|\___|\__\__,_|___/ .__/|_|\___/|_|\__\__,_|_.__/|_|\___|_____|
                             |_|
Warning: Never expose this VM to an untrusted network!
Contact: msfdev[at]metasploit.com
Login with msfadmin/msfadmin to get started
efdec65ce341 login:
Identified from: Telnet banner on port 23/tcp
```

Solution:

Log Method
Details: `Unknown OS and Service Banner Reporting`
OID:1.3.6.1.4.1.25623.1.0.108441
Version used: `2023-06-22T10:34:15Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: Apache HTTP Server Detection Consolidation

Summary
Consolidation of Apache HTTP Server detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Apache HTTP Server
Version:       2.2.8
Location:      80/tcp
CPE:           cpe:/a:apache:http_server:2.2.8
Concluded from version/product identification result:
Server: Apache/2.2.8 (Ubuntu) DAV/2
```

Solution:

Log Method
Details: `Apache HTTP Server Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.117232

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2024-03-08T15:37:10Z

References
url: https://httpd.apache.org

Log (CVSS: 0.0)
NVT: PHP Detection Consolidation

Summary
Consolidation of PHP detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected PHP
Version:       5.2.4
Location:      80/tcp
CPE:           cpe:/a:php:php:5.2.4
Concluded from version/product identification result:
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Concluded from version/product identification location:
http://metasploitable2.trabalho_vulnnet/
```

Solution:

Log Method
Details: PHP Detection Consolidation
OID:1.3.6.1.4.1.25623.1.0.171722
Version used: 2025-09-24T05:39:03Z

References
url: https://www.php.net/

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Ubuntu 8.04
Version:      8.04
CPE:          cpe:/o:canonical:ubuntu_linux:8.04
Found by VT:  1.3.6.1.4.1.25623.1.0.105586 (Operating System (OS) Detection (SSH
↪ Banner))
Concluded from SSH banner on port 22/tcp: SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1
Setting key "Host/runs_unixoide" based on this information
Other OS detections (in order of reliability):
OS:           Linux/Unix
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.105355 (Operating System (OS) Detection (FTP
↪))
Concluded from FTP banner on port 21/tcp: 220 (vsFTPd 2.3.4)
OS:           Debian GNU/Linux
CPE:          cpe:/o:debian:debian_linux
Found by VT:  1.3.6.1.4.1.25623.1.0.102011 (SMB NativeLanMan)
Concluded from SMB/Samba banner on port 445/tcp:
OS String:  Unix
SMB String: Samba 3.0.20-Debian
OS:           Ubuntu 8.04
Version:      8.04
CPE:          cpe:/o:canonical:ubuntu_linux:8.04
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from PHP Server banner on port 80/tcp: X-Powered-By: PHP/5.2.4-2ubuntu
↪5.10
OS:           Ubuntu 8.04
Version:      8.04
CPE:          cpe:/o:canonical:ubuntu_linux:8.04
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from HTTP Server banner on port 80/tcp: Server: Apache/2.2.8 (Ubuntu)
↪DAV/2
OS:           Ubuntu
CPE:          cpe:/o:canonical:ubuntu_linux
Found by VT:  1.3.6.1.4.1.25623.1.0.108192 (Operating System (OS) Detection (MyS
↪QL/MariaDB))
Concluded from MySQL/MariaDB server banner on port 3306/tcp: 5.0.51a-3ubuntu5
OS:           Linux/Unix
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.10150 (Using NetBIOS to retrieve information
↪ from a SMB host)
Concluded from NetBIOS information on port 137/udp: null MAC address of a Samba
```

. . . continues on next page . . .

. . . continued from previous page . . .

↪server

Solution:

Log Method
Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-01-21T05:50:46Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: IP Forwarding Enabled - Active Check
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: 2021-12-03T08:27:06Z

References
cve: CVE-1999-0511

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Hostname determination for IP 172.30.1.1:
Hostname|Source
metasploitable2.trabalho_vulnnet|Reverse-DNS
```

Solution:

Log Method

Details: Hostname Determination Reporting
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: 2022-07-27T10:11:28Z

Log (CVSS: 0.0)
NVT: jQuery Detection Consolidation

Summary

Consolidation of jQuery detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected jQuery
Version:       1.3.2
Location:      /mutillidae/javascript/ddsmoothmenu/jquery.min.js
CPE:           cpe:/a:jquery:jquery:1.3.2
Concluded from version/product identification result:
src="./javascript/ddsmoothmenu/jquery.min.js
jQuery JavaScript Library v1.3.2
Concluded from version/product identification location:
- Identified file: http://metasploitable2.trabalho_vulnnet/mutillidae/javascript
↪/ddsmoothmenu/jquery.min.js
- Referenced at:   http://metasploitable2.trabalho_vulnnet/mutillidae/
```

Solution:

Log Method

Details: jQuery Detection Consolidation
OID:1.3.6.1.4.1.25623.1.0.150658
Version used: 2023-07-14T05:06:08Z

References

url: https://jquery.com/

[return to 172.30.1.1]

2.1.36 Log 513/tcp

Log (CVSS: 0.0)
NVT: Service Detection with 'BINARY' Request

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A rlogin service seems to be running on this port.`

Solution:

Vulnerability Insight
This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a 'BINARY' request to the remaining unknown services and tries to identify them.

Log Method
Details: `Service Detection with 'BINARY' Request`
OID:1.3.6.1.4.1.25623.1.0.108204
Version used: `2025-03-05T05:38:53Z`

[return to 172.30.1.1]

2.1.37 Log 1524/tcp

Log (CVSS: 0.0)
NVT: Firebird / InterBase Database Server Service Detection (TCP)

Summary
TCP based detection of a Firebird / InterBase Database service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
A Firebird / Interbase Database service is running at this port.
Supported protocol version: 16
```

Solution:

Log Method

. . . continues on next page . . .

. . . continued from previous page . . .

Details: `Firebird / InterBase Database Server Service Detection (TCP)`
OID:1.3.6.1.4.1.25623.1.0.80004
Version used: `2026-01-13T05:47:36Z`

[return to 172.30.1.1]

2.1.38 Log 139/tcp

Log (CVSS: 0.0)
NVT: SMB/CIFS Server Detection

Summary
This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A SMB server is running on this port`

Solution:

Log Method
Details: `SMB/CIFS Server Detection`
OID:1.3.6.1.4.1.25623.1.0.11011
Version used: `2023-08-01T13:29:10Z`

[return to 172.30.1.1]

2.1.39 Log 5432/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: PostgreSQL SSL/TLS Support Detection (PostgreSQL Protocol)

Product detection result
```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802
↪5)
```

Summary
Checks if the remote PostgreSQL server supports SSL/TLS.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The remote PostgreSQL server supports SSL/TLS.

Solution:

Log Method
Details: SSL/TLS: PostgreSQL SSL/TLS Support Detection (PostgreSQL Protocol)
OID:1.3.6.1.4.1.25623.1.0.105013
Version used: 2024-07-24T05:06:37Z

Product Detection Result
Product: cpe:/a:postgresql:postgresql:8.3.1
Method: PostgreSQL Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.128025)

References
url: https://www.postgresql.org/docs/current/static/ssl-tcp.html

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites

Summary
This routine reports all SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result
'Strong' cipher suites accepted by this service via the SSLv3 protocol:
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the SSLv3 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
'Weak' cipher suites accepted by this service via the SSLv3 protocol:
TLS_RSA_WITH_RC4_128_SHA
No 'Null' cipher suites accepted by this service via the SSLv3 protocol.
No 'Anonymous' cipher suites accepted by this service via the SSLv3 protocol.
'Strong' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_AES_256_CBC_SHA

. . . continues on next page . . .

. . . continued from previous page . . .

```
'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
'Weak' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_RSA_WITH_RC4_128_SHA
No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol.
```

Solution:

Vulnerability Insight
Notes:
- As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead.
- SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.

Log Method
Details: `SSL/TLS: Report Supported Cipher Suites`
OID:1.3.6.1.4.1.25623.1.0.802067
Version used: `2024-09-27T05:05:23Z`

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection

Summary
Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote SSL/TLS service supports the following SSL/TLS protocol version(s):
SSLv3
TLSv1.0
```

Solution:

Log Method
Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies.

. . . continues on next page . . .

. . . continued from previous page . . .

Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers.
Details: SSL/TLS: Version Detection
OID:1.3.6.1.4.1.25623.1.0.105782
Version used: 2024-09-27T05:05:23Z

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details

Summary
This script collects and reports the details of all SSL/TLS certificates.
This data will be used by other tests to verify server certificates.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
The following certificate details of the remote service were collected.
Certificate details:
fingerprint (SHA-1)             | ED093088706603BFD5DC237399B498DA2D4D31C6
fingerprint (SHA-256)           | E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A
↪F1E32DEE436DE813CC
issued by                       | 1.2.840.113549.1.9.1=#726F6F74407562756E747538
↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office
↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is
↪ no such thing outside US,C=XX
public key algorithm            | RSA
public key size (bits)          | 1024
serial                          | 00FAF93A4C7FB6B9CC
signature algorithm             | sha1WithRSAEncryption
subject                         | 1.2.840.113549.1.9.1=#726F6F74407562756E747538
↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office
↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is
↪ no such thing outside US,C=XX
subject alternative names (SAN) | None
valid from                      | 2010-03-17 14:07:45 UTC
valid until                     | 2010-04-16 14:07:45 UTC
```

Solution:

Log Method
Details: SSL/TLS: Collect and Report Certificate Details
OID:1.3.6.1.4.1.25623.1.0.103692
Version used: 2024-09-27T05:05:23Z

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status

Summary
Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
Protocol Version | Safe/Secure Renegotiation Support Status
--------------------------------------------------------------------------------
↪--------------------------------------------------------------------------------
↪-------------------------------------
SSLv3            | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.0          | Enabled, Note: While the remote service announces the support
↪ of safe/secure renegotiation it still might not support / accept renegotiatio
↪n at all.
TLSv1.1          | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.2          | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.3          | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
```

Solution:

Log Method
Details: SSL/TLS: Safe/Secure Renegotiation Support Status
OID:1.3.6.1.4.1.25623.1.0.117757
Version used: 2024-09-27T05:05:23Z

References
url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html
url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation
url: https://datatracker.ietf.org/doc/html/rfc5746

Log (CVSS: 0.0)
NVT: SSL/TLS: Untrusted Certificate Detection

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Checks and reports if a remote SSL/TLS service is using a certificate which is untrusted / the verification against the system wide trust store has failed.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
The remote SSL/TLS server is using the following certificate(s) which failed the
↪ verification against the system wide trust store (serial:issuer):
00FAF93A4C7FB6B9CC:1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D626173652
↪E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for Complicati
↪on of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no such thing
↪outside US,C=XX (Server certificate)
```

Solution:

Log Method

Details: SSL/TLS: Untrusted Certificate Detection
OID:1.3.6.1.4.1.25623.1.0.117764
Version used: 2024-09-27T05:05:23Z

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection

Product detection result

```
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25
↪623.1.0.103692)
```

Summary

The SSL/TLS certificate on this port is self-signed.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
The certificate of the remote service is self signed.
Certificate details:
fingerprint (SHA-1)             | ED093088706603BFD5DC237399B498DA2D4D31C6
fingerprint (SHA-256)           | E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A
↪F1E32DEE436DE813CC
issued by                       | 1.2.840.113549.1.9.1=#726F6F74407562756E747538
↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office
↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is
↪ no such thing outside US,C=XX
public key algorithm            | RSA
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
public key size (bits)          | 1024
serial                          | 00FAF93A4C7FB6B9CC
signature algorithm             | sha1WithRSAEncryption
subject                         | 1.2.840.113549.1.9.1=#726F6F74407562756E747538
↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office
↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is
↪ no such thing outside US,C=XX
subject alternative names (SAN) | None
valid from                      | 2010-03-17 14:07:45 UTC
valid until                     | 2010-04-16 14:07:45 UTC
```

Solution:

Log Method
Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name.
Details: `SSL/TLS: Certificate - Self-Signed Certificate Detection`
OID:1.3.6.1.4.1.25623.1.0.103140
Version used: `2025-07-15T05:43:27Z`

Product Detection Result
Product: `cpe:/a:ietf:transport_layer_security`
Method: `SSL/TLS: Collect and Report Certificate Details`
OID: 1.3.6.1.4.1.25623.1.0.103692)

References
`url: http://en.wikipedia.org/wiki/Self-signed_certificate`
`url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1`

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Subject Common Name Does Not Match Server FQDN

Product detection result
`cpe:/a:ietf:transport_layer_security`
`Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25`
`↪623.1.0.103692)`

Summary
The SSL/TLS certificate contains a common name (CN) that does not match the hostname.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
The certificate of the remote service contains a common name (CN) that does not
↪match the hostname "metasploitable2.trabalho_vulnnet".
Certificate details:
fingerprint (SHA-1)              | ED093088706603BFD5DC237399B498DA2D4D31C6
fingerprint (SHA-256)            | E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A
↪F1E32DEE436DE813CC
issued by                        | 1.2.840.113549.1.9.1=#726F6F74407562756E747538
↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office
↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is
↪ no such thing outside US,C=XX
public key algorithm             | RSA
public key size (bits)           | 1024
serial                           | 00FAF93A4C7FB6B9CC
signature algorithm              | sha1WithRSAEncryption
subject                          | 1.2.840.113549.1.9.1=#726F6F74407562756E747538
↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office
↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is
↪ no such thing outside US,C=XX
subject alternative names (SAN) | None
valid from                       | 2010-03-17 14:07:45 UTC
valid until                      | 2010-04-16 14:07:45 UTC
```

Solution:

Log Method
Details: SSL/TLS: Certificate - Subject Common Name Does Not Match Server FQDN
OID:1.3.6.1.4.1.25623.1.0.103141
Version used: 2024-06-14T05:05:48Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Collect and Report Certificate Details
OID: 1.3.6.1.4.1.25623.1.0.103692)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary
This routine reports all Medium SSL/TLS cipher suites accepted by a service.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
'Medium' cipher suites accepted by this service via the SSLv3 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
```

Solution:

Vulnerability Insight

Any cipher suite considered to be secure for only the next 10 years is considered as medium.

Log Method

Details: `SSL/TLS: Report Medium Cipher Suites`
OID:1.3.6.1.4.1.25623.1.0.902816
Version used: `2024-09-27T05:05:23Z`

Product Detection Result

Product: `cpe:/a:ietf:transport_layer_security`
Method: `SSL/TLS: Report Supported Cipher Suites`
OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites

Product detection result

```
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)
```

Summary

This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
'Weak' cipher suites accepted by this service via the SSLv3 protocol:
TLS_RSA_WITH_RC4_128_SHA
'Non Weak' cipher suites accepted by this service via the SSLv3 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
'Weak' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_RSA_WITH_RC4_128_SHA
'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
```

Solution:

Log Method

Details: `SSL/TLS: Report Non Weak Cipher Suites`
OID:1.3.6.1.4.1.25623.1.0.103441
Version used: `2024-09-27T05:05:23Z`

Product Detection Result

Product: `cpe:/a:ietf:transport_layer_security`
Method: `SSL/TLS: Report Supported Cipher Suites`
OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: Services

Summary

This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
An unknown service is running on this port.
It is usually reserved for Postgres
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites

Product detection result
```
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)
```

Summary
This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).

Quality of Detection (QoD): 98%

Vulnerability Detection Result
```
Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv
↪ice via the SSLv3 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv
↪ice via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
```

Solution:

Log Method
Details: `SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites`
OID:1.3.6.1.4.1.25623.1.0.105018

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2024-09-30T08:38:05Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: PostgreSQL Detection (TCP)

Summary
TCP based detection of PostgreSQL.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
A PostgreSQL service has been identified on this port.

Solution:

Log Method
The script sends a connection request to the server (user:postgres, DB:postgres) and attempts to extract the version number from the reply.
Details: PostgreSQL Detection (TCP)
OID:1.3.6.1.4.1.25623.1.0.100151
Version used: 2024-07-22T05:05:40Z

[return to 172.30.1.1]

2.1.40 Log 23/tcp

Log (CVSS: 0.0)
NVT: Telnet Service Detection

Summary
This scripts tries to detect a Telnet service running at the remote host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
A Telnet server seems to be running on this port

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Log Method
Details: `Telnet Service Detection`
OID:1.3.6.1.4.1.25623.1.0.100074
Version used: `2023-07-28T16:09:08Z`

References
`url: https://tools.ietf.org/html/rfc854`

Log (CVSS: 0.0)
NVT: Telnet Banner Reporting

Summary
This scripts reports the received banner of a Telnet service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Remote Telnet banner:
                _                   _       _ _        _     _      ____
 _ __ ___   ___| |_ __ _ ___ _ __ | | ___ (_) |_ __ _| |__ | | ___|___ \
| '_ ` _ \ / _ \ __/ _` / __| '_ \| |/ _ \| | __/ _` | '_ \| |/ _ \ __) |
| | | | | |  __/ || (_| \__ \ |_) | | (_) | | || (_| | |_) | |  __// __/
|_| |_| |_|\___|\__\__,_|___/ .__/|_|\___/|_|\__\__,_|_.__/|_|\___|_____|
                            |_|
Warning: Never expose this VM to an untrusted network!
Contact: msfdev[at]metasploit.com
Login with msfadmin/msfadmin to get started
efdec65ce341 login:
```

Solution:

Log Method
Details: `Telnet Banner Reporting`
OID:1.3.6.1.4.1.25623.1.0.10281
Version used: `2025-06-16T05:41:07Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A telnet server seems to be running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

[return to 172.30.1.1]

2.1.41 Log 21/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: FTP Missing Support For AUTH TLS

Summary
The remote FTP server does not support the 'AUTH TLS' command.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`The remote FTP server does not support the 'AUTH TLS' command.`

Solution:

Log Method
Details: `SSL/TLS: FTP Missing Support For AUTH TLS`
OID:1.3.6.1.4.1.25623.1.0.108553
Version used: `2021-03-19T08:13:38Z`

Log (CVSS: 0.0)
NVT: vsFTPd FTP Server Detection

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
The script is grabbing the banner of a FTP server and attempts to identify a vsFTPd FTP Server and its version from the reply.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected vsFTPd
Version:       2.3.4
Location:      21/tcp
CPE:           cpe:/a:beasts:vsftpd:2.3.4
Concluded from version/product identification result:
220 (vsFTPd 2.3.4)
```

Solution:

Log Method
Details: `vsFTPd FTP Server Detection`
OID:1.3.6.1.4.1.25623.1.0.111050
Version used: `2023-07-26T05:05:09Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
An FTP server is running on this port.
Here is its banner :
220 (vsFTPd 2.3.4)
```

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0)
NVT: FTP Banner Detection

Summary
This script detects and reports a FTP Server Banner.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Remote FTP server banner:
220 (vsFTPd 2.3.4)
This is probably (a):
- vsFTPd
Server operating system information collected via "SYST" command:
215 UNIX Type: L8
Server status information collected via "STAT" command:
211-FTP server status:
     Connected to 172.30.0.2
     Logged in as ftp
     TYPE: ASCII
     No session bandwidth limit
     Session timeout in seconds is 300
     Control connection is plain text
     Data connections will be plain text
     vsFTPd 2.3.4 - secure, fast, stable
211 End of status
```

Solution:

Log Method
Details: FTP Banner Detection
OID:1.3.6.1.4.1.25623.1.0.10092
Version used: 2025-04-16T05:39:43Z

[return to 172.30.1.1]

2.1.42 Log 445/tcp

Log (CVSS: 0.0)
NVT: SMB Remote Version Detection

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Detection of Server Message Block(SMB).
This script sends SMB Negotiation request and try to get the version from the response.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`Only SMBv1 is enabled on remote target`

Solution:

Log Method
Details: `SMB Remote Version Detection`
OID:1.3.6.1.4.1.25623.1.0.807830
Version used: `2023-07-26T05:05:09Z`

Log (CVSS: 0.0)
NVT: SMBv1 Enabled - Active Check

Summary
The host has enabled SMBv1 for the SMB Server.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`SMBv1 is enabled for the SMB Server`

Solution:

Log Method
Checks if SMBv1 is enabled for the SMB Server based on the information provided by the following VT:
- SMB Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.807830).
Details: `SMBv1 Enabled - Active Check`
OID:1.3.6.1.4.1.25623.1.0.140151
Version used: `2024-01-09T05:06:46Z`

References
`url: https://www.us-cert.gov/ncas/current-activity/2017/01/16/SMB-Security-Best-`
`↪Practices`
`url: https://support.microsoft.com/en-us/kb/2696547`
`url: https://support.microsoft.com/en-us/kb/204279`

Log (CVSS: 0.0)
NVT: SMB/CIFS Server Detection

Summary
This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A CIFS server is running on this port`

Solution:

Log Method
Details: `SMB/CIFS Server Detection`
OID:1.3.6.1.4.1.25623.1.0.11011
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: SMB NativeLanMan

Summary
It is possible to extract OS, domain and SMB server information from the Session Setup AndX Response packet which is generated during NTLM authentication.

Quality of Detection (QoD): 95%

Vulnerability Detection Result
```
Detected Samba
Version:       3.0.20
Location:      445/tcp
CPE:           cpe:/a:samba:samba:3.0.20
Concluded from version/product identification result:
Samba 3.0.20-Debian
Extra information:
Detected SMB workgroup: WORKGROUP
Detected SMB server: Samba 3.0.20-Debian
```

Solution:

Log Method
Details: `SMB NativeLanMan`
OID:1.3.6.1.4.1.25623.1.0.102011
Version used: `2024-06-25T05:05:27Z`

Log (CVSS: 0.0)
NVT: SMB NativeLanMan

Summary
It is possible to extract OS, domain and SMB server information from the Session Setup AndX Response packet which is generated during NTLM authentication.

Quality of Detection (QoD): 95%

Vulnerability Detection Result
```
Detected SMB workgroup: WORKGROUP
Detected SMB server: Samba 3.0.20-Debian
Detected OS: Debian GNU/Linux
```

Solution:

Log Method
Details: `SMB NativeLanMan`
OID:1.3.6.1.4.1.25623.1.0.102011
Version used: `2024-06-25T05:05:27Z`

Log (CVSS: 0.0)
NVT: Microsoft Windows SMB Accessible Shares

Summary
The script detects the Windows SMB Accessible Shares and sets the result into KB.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The following shares were found
IPC$
```

Solution:

Log Method
Details: `Microsoft Windows SMB Accessible Shares`
OID:1.3.6.1.4.1.25623.1.0.902425
Version used: `2025-04-16T05:39:43Z`

Log (CVSS: 0.0)
NVT: SMB Login Successful For Authenticated Checks

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

It was possible to login using the provided SMB credentials. Hence authenticated checks are enabled.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Solution:

Log Method
Details: `SMB Login Successful For Authenticated Checks`
OID:1.3.6.1.4.1.25623.1.0.108539
Version used: `2023-07-28T16:09:07Z`

Log (CVSS: 0.0)
NVT: SMB log in

Summary
This script attempts to logon into the remote host using login/password credentials.

Quality of Detection (QoD): 97%

Vulnerability Detection Result
`It was possible to log into the remote host using the SMB protocol.`

Solution:

Log Method
Details: `SMB log in`
OID:1.3.6.1.4.1.25623.1.0.10394
Version used: `2025-09-25T05:39:09Z`

Log (CVSS: 0.0)
NVT: Microsoft SMB Signing Disabled

Summary
Checks if SMB Signing is disabled at the remote SMB server.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

SMB Signing is disabled at the server.

Solution:

Log Method
Details: Microsoft SMB Signing Disabled
OID:1.3.6.1.4.1.25623.1.0.802726
Version used: 2023-07-25T05:05:58Z

[return to 172.30.1.1]

2.1.43 Log 22/tcp

Log (CVSS: 0.0)
NVT: SSH Server type and version

Summary
This detects the SSH Server's type and version by connecting to the server and processing the buffer received.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Remote SSH server banner: SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1
Remote SSH supported authentication: none,password,publickey,hostbased,keyboard-
↪interactive
Remote SSH text/login banner: (not available)
This is probably (a):
- OpenSSH
Concluded from remote connection attempt with credentials:
Login:    OpenVASVT
Password: OpenVASVT
```

Solution:

Vulnerability Insight
This information gives potential attackers additional information about the system they are attacking. Versions and Types should be omitted where possible.

Log Method
Details: SSH Server type and version
OID:1.3.6.1.4.1.25623.1.0.10267
Version used: 2025-11-13T05:40:19Z

Log (CVSS: 0.0)
NVT: SSH Protocol Algorithms Supported

Summary
This script detects which algorithms are supported by the remote SSH service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following options are supported by the remote SSH service:
kex_algorithms:
diffie-hellman-group-exchange-sha256,diffie-hellman-group-exchange-sha1,diffie-h
↪ellman-group14-sha1,diffie-hellman-group1-sha1
server_host_key_algorithms:
ssh-rsa,ssh-dss
encryption_algorithms_client_to_server:
aes128-cbc,3des-cbc,blowfish-cbc,cast128-cbc,arcfour128,arcfour256,arcfour,aes19
↪2-cbc,aes256-cbc,rijndael-cbc@lysator.liu.se,aes128-ctr,aes192-ctr,aes256-ctr
encryption_algorithms_server_to_client:
aes128-cbc,3des-cbc,blowfish-cbc,cast128-cbc,arcfour128,arcfour256,arcfour,aes19
↪2-cbc,aes256-cbc,rijndael-cbc@lysator.liu.se,aes128-ctr,aes192-ctr,aes256-ctr
mac_algorithms_client_to_server:
hmac-md5,hmac-sha1,umac-64@openssh.com,hmac-ripemd160,hmac-ripemd160@openssh.com
↪,hmac-sha1-96,hmac-md5-96
mac_algorithms_server_to_client:
hmac-md5,hmac-sha1,umac-64@openssh.com,hmac-ripemd160,hmac-ripemd160@openssh.com
↪,hmac-sha1-96,hmac-md5-96
compression_algorithms_client_to_server:
none,zlib@openssh.com
compression_algorithms_server_to_client:
none,zlib@openssh.com
```

Solution:

Log Method
Details: `SSH Protocol Algorithms Supported`
OID:1.3.6.1.4.1.25623.1.0.105565
Version used: `2026-01-21T05:50:46Z`

Log (CVSS: 0.0)
NVT: SSH Protocol Versions Supported

Summary
Identification of SSH protocol versions supported by the remote SSH Server. Also reads the corresponding fingerprints from the service.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 95%

Vulnerability Detection Result

```
The remote SSH Server supports the following SSH Protocol Versions:
1.99
2.0
```

Solution:

Log Method

The following versions are tried: 1.33, 1.5, 1.99 and 2.0.
Details: `SSH Protocol Versions Supported`
OID:1.3.6.1.4.1.25623.1.0.100259
Version used: `2024-06-17T08:31:37Z`

Log (CVSS: 0.0)
NVT: PQC Key Exchange (KEX) Algorithm(s) Missing (SSH)

Product detection result

```
cpe:/a:ietf:secure_shell_protocol
Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↪)
```

Summary

The remote SSH server is configured to NOT allow / support at least ONE Post-Quantum Cryptography (PQC) key exchange (KEX) algorithm(s).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote SSH server is NOT supporting at least ONE PQC KEX algorithm.
```

Impact

The connection may be vulnerable to 'store now, decrypt later' attacks.

Solution:
Solution type: Mitigation
Update the remote SSH server to a version supporting PQC KEX algorithms (e.g. OpenSSH 8.9 or later) and enable relevant PQC KEX algorithms accordingly.
Please see the references/manual of the remote SSH server and/or contact the vendor of it for more support.

Log Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks the (previously collected) supported KEX algorithms of the remote SSH server.
Currently the following PQC KEX algorithms are defined / getting used for this check:
- sntrup761x25519-sha512@openssh.com
- sntrup761x25519-sha512
- mlkem768x25519-sha256
- sntrup4591761x25519-sha512@tinyssh.org
- ecdh-nistp256-kyber-512r3-sha256-d00@openquantumsafe.org
- ecdh-nistp384-kyber-768r3-sha384-d00@openquantumsafe.org
- ecdh-nistp521-kyber-1024r3-sha512-d00@openquantumsafe.org
- x25519-kyber-512r3-sha256-d00@amazon.com
- mlkem1024nistp384-sha384
- mlkem768nistp256-sha256
- curve25519-frodokem1344-sha512@ssh.com
- ecdh-nistp521-kyber1024-sha512@ssh.com

Details: `PQC Key Exchange (KEX) Algorithm(s) Missing (SSH)`
OID:1.3.6.1.4.1.25623.1.0.119214
Version used: `2025-10-31T05:40:56Z`

Product Detection Result
Product: `cpe:/a:ietf:secure_shell_protocol`
Method: `SSH Protocol Algorithms Supported`
OID: 1.3.6.1.4.1.25623.1.0.105565)

References
`url: https://openssh.com/pq.html`
`url: https://quantumcomputingreport.com/openssh-10-0-introduces-default-post-qua`
`↪ntum-key-exchange-algorithm/`
`url: https://www.nist.gov/news-events/news/2024/08/nist-releases-first-3-finaliz`
`↪ed-post-quantum-encryption-standards`
`url: https://csrc.nist.gov/News/2024/postquantum-cryptography-fips-approved`
`url: https://www.forescout.com/blog/post-quantum-cryptography-the-real-risks-of-`
`↪not-adopting-it/`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`An ssh server is running on this port`

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

[return to 172.30.1.1]

2.1.44 Log 137/udp

Log (CVSS: 0.0)
NVT: Using NetBIOS to retrieve information from a SMB host

Summary
This script is using NetBIOS (port UDP:137) to retrieve information from a SMB host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following 7 NetBIOS names have been gathered :
 EFDEC65CE341    = Computer name
 EFDEC65CE341    = This is the computer name registered for workstation services
↪ by a WINS client.
 EFDEC65CE341    = This is the current logged in user registered for this workst
↪ation.
 WORKGROUP       = Workgroup / Domain name
 WORKGROUP       = Workgroup / Domain name (part of the Browser elections)
This SMB server seems to be a SAMBA server (this is not a security risk, this is
↪ for your information). This can be told because this server claims to have a
↪null MAC address.
If you do not want to allow everyone to find the NetBIOS name of your computer,
↪you should filter incoming traffic to this port.
```

Solution:

Log Method
Details: `Using NetBIOS to retrieve information from a SMB host`
OID:1.3.6.1.4.1.25623.1.0.10150
Version used: `2023-08-01T13:29:10Z`

[return to 172.30.1.1]

2.1.45 Log 80/tcp

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Hostname/IP "metasploitable2.trabalho_vulnnet" was used to access the remote
↪ host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
A possible recursion was detected during web application scanning:
The service is using a relative URL in one or more HTML references where e.g. /f
↪ile1.html contains <a href="subdir/file2.html"> and a subsequent request for s
↪ubdir/file2.html is linking to subdir/file2.html. This would resolves to subdi
↪r/subdir/file2.html causing a recursion. To work around this counter-measures
↪have been enabled but the service should be fixed as well to not use such prob
↪lematic links. Below an excerpt of URLs is shown to help identify those issues
↪.
Syntax : URL (HTML link)
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
http://metasploitable2.trabalho_vulnnet/mutillidae/index.php (index.php?page=doc
↪umentation/how-to-access-Mutillidae-over-Virtual-Box-network.php)
http://metasploitable2.trabalho_vulnnet/mutillidae/index.php (index.php?page=doc
↪umentation/vulnerabilities.php)
The following directories were used for web application scanning:
http://metasploitable2.trabalho_vulnnet/
http://metasploitable2.trabalho_vulnnet/cgi-bin
http://metasploitable2.trabalho_vulnnet/dav
http://metasploitable2.trabalho_vulnnet/doc
http://metasploitable2.trabalho_vulnnet/dvwa
http://metasploitable2.trabalho_vulnnet/index
http://metasploitable2.trabalho_vulnnet/index/ajax
http://metasploitable2.trabalho_vulnnet/index/download
http://metasploitable2.trabalho_vulnnet/mutillidae
http://metasploitable2.trabalho_vulnnet/mutillidae/documentation
http://metasploitable2.trabalho_vulnnet/oops/TWiki
http://metasploitable2.trabalho_vulnnet/phpMyAdmin
http://metasploitable2.trabalho_vulnnet/rdiff/TWiki
http://metasploitable2.trabalho_vulnnet/test
http://metasploitable2.trabalho_vulnnet/test/testoutput
http://metasploitable2.trabalho_vulnnet/tikiwiki
http://metasploitable2.trabalho_vulnnet/tikiwiki/lib
http://metasploitable2.trabalho_vulnnet/twiki
http://metasploitable2.trabalho_vulnnet/twiki/pub
http://metasploitable2.trabalho_vulnnet/twiki/pub/TWiki/FileAttachment
http://metasploitable2.trabalho_vulnnet/twiki/pub/TWiki/TWikiDocGraphics
http://metasploitable2.trabalho_vulnnet/twiki/pub/TWiki/TWikiLogos
http://metasploitable2.trabalho_vulnnet/twiki/pub/TWiki/TWikiPreferences
http://metasploitable2.trabalho_vulnnet/twiki/pub/TWiki/TWikiTemplates
http://metasploitable2.trabalho_vulnnet/twiki/pub/icn
http://metasploitable2.trabalho_vulnnet/view/TWiki
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following directories were excluded from web application scanning because th
↪e "Regex pattern to exclude directories from CGI scanning" setting of the VT "
↪Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was
↪: "/(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graph
↪ic|grafik|picture|bilder|thumbnail|media/|skins?/)"
http://metasploitable2.trabalho_vulnnet/dvwa/dvwa/css
http://metasploitable2.trabalho_vulnnet/dvwa/dvwa/images
http://metasploitable2.trabalho_vulnnet/icons
http://metasploitable2.trabalho_vulnnet/index.php/Home
http://metasploitable2.trabalho_vulnnet/index.php/Home/login
http://metasploitable2.trabalho_vulnnet/index.php/installer
http://metasploitable2.trabalho_vulnnet/index.php/s
http://metasploitable2.trabalho_vulnnet/index.php/wp-json
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
http://metasploitable2.trabalho_vulnnet/mutillidae/images
http://metasploitable2.trabalho_vulnnet/mutillidae/javascript
http://metasploitable2.trabalho_vulnnet/mutillidae/javascript/ddsmoothmenu
http://metasploitable2.trabalho_vulnnet/mutillidae/styles
http://metasploitable2.trabalho_vulnnet/mutillidae/styles/ddsmoothmenu
http://metasploitable2.trabalho_vulnnet/phpMyAdmin/themes/original/img
http://metasploitable2.trabalho_vulnnet/tikiwiki/img/icons
http://metasploitable2.trabalho_vulnnet/tikiwiki/styles
http://metasploitable2.trabalho_vulnnet/tikiwiki/styles/transitions
Directory index found at:
http://metasploitable2.trabalho_vulnnet/dav/
http://metasploitable2.trabalho_vulnnet/mutillidae/documentation/
http://metasploitable2.trabalho_vulnnet/test/
http://metasploitable2.trabalho_vulnnet/test/testoutput/
http://metasploitable2.trabalho_vulnnet/twiki/TWikiDocumentation.html
http://metasploitable2.trabalho_vulnnet/twiki/bin/view/TWiki/TWikiDocumentation
http://metasploitable2.trabalho_vulnnet/twiki/bin/view/TWiki/TWikiInstallationGu
↪ide
Extraneous phpinfo() output found at:
http://metasploitable2.trabalho_vulnnet/mutillidae/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p5/cgi </td></tr>
  <h2>PHP Core</h2>
  <h2>PHP Variables</h2>
http://metasploitable2.trabalho_vulnnet/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p5/cgi </td></tr>
  <h2>PHP Core</h2>
  <h2>PHP Variables</h2>PHP script discloses physical path at:
http://metasploitable2.trabalho_vulnnet/mutillidae/documentation/vulnerabilities
↪.php (/var/www/mutillidae/documentation/vulnerabilities.php)
http://metasploitable2.trabalho_vulnnet/tikiwiki/tiki-install.php (/var/www/tiki
↪wiki/lib/adodb/drivers/adodb-mysql.inc.php)
The "Number of pages to mirror" setting (Current: 200) of the VT "Web mirroring"
↪ (OID: 1.3.6.1.4.1.25623.1.0.10662) was reached. Raising this limit allows to
↪mirror this host more thoroughly but might increase the scanning time.
NOTE: The 'Maximum number of items shown for each list' setting has been reached
↪. There are 355 additional entries available for the following truncated list.
The following CGIs were discovered:
Syntax : cginame (arguments [default value])
http://metasploitable2.trabalho_vulnnet/dav/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D;
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪0 [A] )
http://metasploitable2.trabalho_vulnnet/dvwa/login.php (username [] password []
↪Login [Login] )
http://metasploitable2.trabalho_vulnnet/mutillidae/ (page [add-to-your-blog.php]
↪ )
http://metasploitable2.trabalho_vulnnet/mutillidae/documentation/ (C=S;O [A] C=N
↪;O [D] C=M;O [A] C=D;O [A] )
http://metasploitable2.trabalho_vulnnet/mutillidae/index.php (username [anonymou
↪s] do [toggle-hints] page [home.php] )
http://metasploitable2.trabalho_vulnnet/oops/TWiki/TWikiHistory (template [oopsr
↪ev] param1 [1.10] )
http://metasploitable2.trabalho_vulnnet/phpMyAdmin/index.php (phpMyAdmin [a11105
↪38c02168d887e40bab2d809acba7485af9] token [***replaced***] pma_username [] tab
↪le [] lang [] server [1] db [] convcharset [utf-8] pma_password [] )
http://metasploitable2.trabalho_vulnnet/phpMyAdmin/phpmyadmin.css.php (token [**
↪*replaced***] js_frame [right] lang [en-utf-8] nocache [2457687151] convcharse
↪t [utf-8] )
http://metasploitable2.trabalho_vulnnet/rdiff/TWiki/TWikiHistory (rev1 [1.10] re
↪v2 [1.9] )
http://metasploitable2.trabalho_vulnnet/test/ (C=S;O [A] C=N;O [D] C=M;O [A] C=D
↪;O [A] )
http://metasploitable2.trabalho_vulnnet/test/testoutput/ (C=S;O [A] C=N;O [D] C=
↪M;O [A] C=D;O [A] )
http://metasploitable2.trabalho_vulnnet/tikiwiki/tiki-install.php (host [localho
↪st] dbinfo [] pass [] name [] db [] restart [1] resetdb [] user [] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/attach/TWiki/FileAttachment (f
↪ilename [Sample.txt] revInfo [1] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Know/ReadmeFirst (t [1769
↪430309] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Know/WebChanges (t [17694
↪30226] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Know/WebHome (t [17694302
↪06] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Know/WebIndex (t [1769430
↪310] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Know/WebNotify (t [176943
↪0310] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Know/WebPreferences (t [1
↪769430229] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Know/WebSearch (t [176943
↪0228] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Know/WebStatistics (t [17
↪69430311] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Know/WebTopicList (t [176
↪9430310] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/BillClinton (topicpa
↪rent [Main.TWikiUsers] )
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/CharleytheHorse (t [
↪1769430317] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/ChristopheVermeulen
↪(topicparent [Main.TWikiUsers] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/DavidWarman (topicpa
↪rent [Main.TWikiUsers] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/EngineeringGroup (to
↪picparent [Main.TWikiGroups] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/GoodStyle (topicpare
↪nt [Main.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/JohnAltstadt (topicp
↪arent [Main.TWikiUsers] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/JohnTalintyre (t [17
↪69430318] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/MartinRaabe (topicpa
↪rent [TWiki.TWikiUpgradeGuide] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/NicholasLee (t [1769
↪430318] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/OfficeLocations (t [
↪1769430210] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/PeterFokkinga (topic
↪parent [Main.TWikiUsers] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/PeterThoeny (t [1769
↪430260] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/SupportGroup (topicp
↪arent [Main.TWikiGroups] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/TWikiAdminGroup (t [
↪1769430320] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/TWikiGroups (t [1769
↪430209] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/TWikiGuest (t [17694
↪30318] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/TWikiPreferences (to
↪picparent [Main.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/TWikiRegistration (t
↪opicparent [Main.TWikiUsers] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/TWikiUsers (t [17694
↪30209] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/TWikiWeb (topicparen
↪t [Main.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/TestArea (topicparen
↪t [Main.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/TextFormattingFAQ (t
↪opicparent [Main.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/TextFormattingRules
↪(topicparent [Main.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/WebChanges (t [17694
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪30211] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/WebHome (t [17694301
↪98] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/WebIndex (t [1769430
↪214] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/WebNotify (t [176943
↪0232] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/WebPreferences (t [1
↪769430216] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/WebSearch (t [176943
↪0214] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/WebStatistics (t [17
↪69430232] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/WebTopicEditTemplate
↪ (topicparent [Main.WebPreferences] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/WebTopicList (t [176
↪9430231] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/WelcomeGuest (topicp
↪arent [Main.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/WikiName (topicparen
↪t [Main.TWikiUsers] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Main/WikiNotation (topicp
↪arent [Main.TWikiUsers] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/TestTopic1 (topic
↪parent [Sandbox.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/TestTopic2 (topic
↪parent [Sandbox.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/TestTopic3 (topic
↪parent [Sandbox.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/TestTopic4 (topic
↪parent [Sandbox.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/TestTopic5 (topic
↪parent [Sandbox.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/TestTopic6 (topic
↪parent [Sandbox.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/TestTopic7 (topic
↪parent [Sandbox.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/TestTopic8 (topic
↪parent [Sandbox.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/WebChanges (t [17
↪69430229] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/WebHome (t [17694
↪30207] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/WebIndex (t [1769
↪430312] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/WebNotify (t [176
↪9430315] )
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/WebPreferences (t
↪ [1769430231] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/WebSearch (t [176
↪9430230] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/WebStatistics (t
↪[1769430316] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/WebTopicEditTempl
↪ate (topicparent [Sandbox.WebPreferences] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/Sandbox/WebTopicList (t [
↪1769430315] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/ (topic [] topicpar
↪ent [TWikiFAQ] onlywikiname [on] templatetopic [TWikiFaqTemplate] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/AppendixFileSystem
↪(t [1769430302] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/BumpyWord (t [17694
↪30322] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/DefaultPlugin (t [1
↪769430274] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/FileAttachment (t [
↪1769430270] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/FormattedSearch (t
↪[1769430291] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/GnuGeneralPublicLic
↪ense (t [1769430306] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/GoodStyle (t [17694
↪30254] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/InstalledPlugins (t
↪ [1769430305] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/InstantEnhancements
↪ (t [1769430278] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/InterWikis (t [1769
↪430275] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/InterwikiPlugin (t
↪[1769430274] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/ManagingTopics (t [
↪1769430300] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/ManagingWebs (t [17
↪69430301] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/MeaningfulTitle (to
↪picparent [TWiki.TextFormattingFAQ] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/NewTopic (topicpare
↪nt [TWiki.TWikiShorthand] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/NotExistingYet (top
↪icparent [TWiki.TextFormattingRules] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/PeterThoeny (t [176
↪9430305] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/SiteMap (t [1769430
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪305] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/StartingPoints (t [
↪1769430217] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/TWikiAccessControl
↪(t [1769430287] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/TWikiAdminCookBook
↪(t [1769430276] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/TWikiCourseOutlineE
↪xample (topicparent [TWiki.WebHome] )
http://metasploitable2.trabalho_vulnnet/twiki/bin/edit/TWiki/TWikiFAQ (t [176943
↪0235] )
```

Solution:

Log Method
Details: `Web Application Scanning Consolidation / Info Reporting`
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: `2026-01-13T05:47:36Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: TWiki Version Detection

Summary
Detection of TWiki.
The script sends a HTTP connection request to the server and attempts to detect the presence of TWiki and to extract its version.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected TWiki
Version:       01.Feb.2003
Location:      /twiki/bin
CPE:           cpe:/a:twiki:twiki:01.Feb.2003
Concluded from version/product identification result:
This site is running TWiki version <strong>01 Feb 2003</strong>
```

Solution:

Log Method
Details: `TWiki Version Detection`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.800399
Version used: 2023-07-25T05:05:58Z

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Missing Headers                   | More Information
-----------------------------------------------------------------------------
↪-----------------------------------------------------------------------------
↪-----------------------------------------------
Content-Security-Policy           | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy        | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                   | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Feature-Policy                    | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Referrer-Policy                   | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options            | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options                   | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                  | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

Log Method
Details: `HTTP Security Headers Detection`
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: `2025-03-21T15:40:43Z`

References
`url: https://owasp.org/www-project-secure-headers/`
`url: https://owasp.org/www-project-secure-headers/#div-headers`
`url: https://securityheaders.com/`

Log (CVSS: 0.0)
NVT: 'favicon.ico' Based Fingerprinting (HTTP)

Summary
HTTP based fingerprinting of web applications based on an exposed 'favicon.ico' file.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following apps/services were identified:
"phpmyadmin (2.11.8.1 - 4.2.x)" fingerprinted by the file: "http://metasploitabl
↪e2.trabalho_vulnnet/phpMyAdmin/favicon.ico"
```

Solution:

Log Method
Details: `'favicon.ico' Based Fingerprinting (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.20108
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner                       | Enumeration technique
--------------------------------------------------------------------------------
↪----------------------
Server: Apache/2.2.8 (Ubuntu) DAV/2 | Invalid HTTP 00.5 GET request (non-existen
↪t HTTP version) to '/'
X-Powered-By: PHP/5.2.4-2ubuntu5.10 | Invalid HTTP 00.5 GET request (non-existen
↪t HTTP version) to '/'
```

Solution:

Log Method
Details: HTTP Server Banner Enumeration
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote HTTP Server banner is:
Server: Apache/2.2.8 (Ubuntu) DAV/2
```

Solution:

Log Method
Details: HTTP Server type and version
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: 2023-08-01T13:29:10Z

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: phpMyAdmin Detection (HTTP)

Summary
HTTP based detection of phpMyAdmin.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Detected phpMyAdmin
Version:       3.1.1
Location:      /phpMyAdmin
CPE:           cpe:/a:phpmyadmin:phpmyadmin:3.1.1
Concluded from version/product identification result:
Version 3.1.1
Concluded from version/product identification location:
  http://metasploitable2.trabalho_vulnnet/phpMyAdmin/index.php
  http://metasploitable2.trabalho_vulnnet/phpMyAdmin/README
Extra information:
- Protected by Username/Password
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Log Method
Details: `phpMyAdmin Detection (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.900129
Version used: `2024-02-19T14:37:31Z`

[return to 172.30.1.1]

2.1.46 Log 3306/tcp

Log (CVSS: 0.0)
NVT: Database Open Access Information Disclosure Vulnerability

Summary
Various Database server might be prone to an information disclosure vulnerability if accessible to remote systems.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`Oracle MySQL can be accessed by remote attackers`

Impact
Successful exploitation could allow an attacker to obtain sensitive information from the database.

Solution:
Solution type: Workaround
Restrict database access to remote systems. Please see the manual of the affected database server for more information.

Affected Software/OS
- Oracle MySQL
- MariaDB
- IBM DB2
- PostgreSQL
- IBM solidDB
- Oracle Database
- Microsoft SQL Server

Vulnerability Insight
The remote database server is not restricting direct access from remote systems.

Log Method
Checks the result of various database server detections and evaluates their results.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Database Open Access Information Disclosure Vulnerability
OID:1.3.6.1.4.1.25623.1.0.902799
Version used: 2025-09-09T05:38:49Z

References
url: https://www.pcisecuritystandards.org/security_standards/index.php?id=pci_dss_v1-2.pdf

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
An unknown service is running on this port.
It is usually reserved for MySQL

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: Services
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0)
NVT: MariaDB / Oracle MySQL Detection (MySQL Protocol)

Summary
MySQL protocol-based detection of MariaDB / Oracle MySQL.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Detected Oracle MySQL
Version: 5.0.51a-3ubuntu5
Location: 3306/tcp

. . . continues on next page . . .

. . . continued from previous page . . .

```
CPE:           cpe:/a:oracle:mysql:5.0.51a
Concluded from version/product identification result:
5.0.51a-3ubuntu5
```

Solution:

Log Method
Details: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID:1.3.6.1.4.1.25623.1.0.100152
Version used: `2025-09-09T05:38:49Z`

[return to 172.30.1.1]

2.1.47 Log 512/tcp

Log (CVSS: 0.0)
NVT: rexec Detection

Summary
This remote host is running a rexec service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Solution:

Log Method
Details: `rexec Detection`
OID:1.3.6.1.4.1.25623.1.0.113763
Version used: `2023-07-28T16:09:07Z`

[return to 172.30.1.1]

2.1.48 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
172.30.1.1|cpe:/a:apache:http_server:2.2.8
172.30.1.1|cpe:/a:beasts:vsftpd:2.3.4
172.30.1.1|cpe:/a:firebirdsql:firebird
172.30.1.1|cpe:/a:ietf:secure_shell_protocol:2.0
172.30.1.1|cpe:/a:ietf:secure_sockets_layer:3.0
172.30.1.1|cpe:/a:ietf:transport_layer_security:1.0
172.30.1.1|cpe:/a:jquery:jquery:1.3.2
172.30.1.1|cpe:/a:mysql:mysql:5.0.51a
172.30.1.1|cpe:/a:openbsd:openssh:4.7p1
172.30.1.1|cpe:/a:oracle:mysql:5.0.51a
172.30.1.1|cpe:/a:php:php:5.2.4
172.30.1.1|cpe:/a:phpmyadmin:phpmyadmin:3.1.1
172.30.1.1|cpe:/a:postgresql:postgresql:8.3.1
172.30.1.1|cpe:/a:samba:samba:3.0.20
172.30.1.1|cpe:/a:twiki:twiki:01.Feb.2003
172.30.1.1|cpe:/o:canonical:ubuntu_linux:8.04
```

Solution:

Log Method
Details: `CPE Inventory`
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: `2022-07-27T10:11:28Z`

References
`url: https://nvd.nist.gov/products/cpe`

[return to 172.30.1.1]