Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was "metasploitable3 dsvw phpldapadmin-remote-dump metasploit-emulator shellshock-lab heartbleed-lab xvwa railsgoat-alt bwapp-alt metasploitable3-alt mongodb-noauth gitlab10 es56 sonar67". The scan started at Mon Jan 26 16:34:56 2026 UTC and ended at Mon Jan 26 18:37:11 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 172.30.40.5 2

2.1.1 Critical general/tcp 2

2.1.2 Critical 80/tcp 4

2.1.3 High 80/tcp 23

2.1.4 Medium 80/tcp 40

2.1.5 Low general/tcp 65

2.1.6 Low general/icmp 66

2.1.7 Log general/tcp 67

2.1.8 Log 80/tcp 70

2.1.9 Log 389/tcp 76

2.1.10 Log general/CPE-T 77

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.30.40.5 phpldapadmin-remote-dump.trabalho_vulnnet	12	11	18	2	13	0
Total: 1	12	11	18	2	13	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Debug" are not shown.

This report contains all 56 results selected by the filtering described above. Before filtering there were 1257 results.

2 Results per Host

2.1 172.30.40.5

Host scan start	Mon Jan 26 16:36:01 2026 UTC
Host scan end	Mon Jan 26 18:24:35 2026 UTC

Service (Port)	Threat Level
general/tcp	Critical
80/tcp	Critical
80/tcp	High
80/tcp	Medium
general/tcp	Low
general/icmp	Low
general/tcp	Log
80/tcp	Log
389/tcp	Log
general/CPE-T	Log

2.1.1 Critical general/tcp

Critical (CVSS: 10.0)
NVT: Operating System (OS) End of Life (EOL) Detection

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/o:debian:debian_linux:8
Detected by OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0
↪.105937)
```

Summary
The Operating System (OS) on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The "Debian GNU/Linux" Operating System on the remote host has reached the end o
↪f life.
CPE:                cpe:/o:debian:debian_linux:8
Installed version,
build or SP:        8
EOL date:           2020-06-30
EOL info:           https://en.wikipedia.org/wiki/List_of_Debian_releases#Release
↪_table
```

Impact
An EOL version of an OS is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: Mitigation
Update the OS on the remote host to a version which is still supported and receiving security updates by the vendor.
Note / Important: Please create an override for this result if the target host is a:
- Windows system with Extended Security Updates (ESU)
- System with additional 3rd-party / non-vendor security updates like e.g. from 'TuxCare', 'Freexian Extended LTS' or similar

Vulnerability Detection Method
Checks if an EOL version of an OS is present on the target host.
Details: `Operating System (OS) End of Life (EOL) Detection`
OID:1.3.6.1.4.1.25623.1.0.103674
Version used: `2025-05-21T05:40:19Z`

Product Detection Result
Product: `cpe:/o:debian:debian_linux:8`
Method: `OS Detection Consolidation and Reporting`
OID: 1.3.6.1.4.1.25623.1.0.105937)

[return to 172.30.40.5]

2.1.2 Critical 80/tcp

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.10`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.49
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.49 or later.

Affected Software/OS
Apache HTTP Server version 2.4.48 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2021-34798: NULL pointer dereference in httpd core
- CVE-2021-39275: ap_escape_quotes buffer overflow
- CVE-2021-40438: mod_proxy SSRF

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.146725
Version used: `2022-08-09T10:11:17Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2021-34798
cve: CVE-2021-39275
cve: CVE-2021-40438
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0186
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2022-1298
cert-bund: WID-SEC-2022-1189
cert-bund: WID-SEC-2022-0724
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0476
cert-bund: CB-K22/0465
cert-bund: CB-K22/0463
cert-bund: CB-K21/0992
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2022-2405
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-0904
dfn-cert: DFN-CERT-2022-0878
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0672
dfn-cert: DFN-CERT-2022-0207
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2021-2629
dfn-cert: DFN-CERT-2021-2471
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2164
dfn-cert: DFN-CERT-2021-2153
dfn-cert: DFN-CERT-2021-2098
dfn-cert: DFN-CERT-2021-2090
dfn-cert: DFN-CERT-2021-2047
dfn-cert: DFN-CERT-2021-2020
dfn-cert: DFN-CERT-2021-1961
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.10`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.54
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.54 or later.

Affected Software/OS
Apache HTTP Server version 2.4.53 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-26377: mod_proxy_ajp: Possible request smuggling
- CVE-2022-28614: Read beyond bounds via ap_rwrite()
- CVE-2022-28615: Read beyond bounds in ap_strcmp_match()
- CVE-2022-29404: Denial of service in mod_lua r:parsebody
- CVE-2022-30556: Information disclosure in mod_lua with websockets
- CVE-2022-31813: mod_proxy X-Forwarded-For dropped by hop-by-hop mechanism

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.148252
Version used: `2022-06-20T03:04:15Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2022-26377
cve: CVE-2022-28614
cve: CVE-2022-28615
cve: CVE-2022-29404
cve: CVE-2022-30556
cve: CVE-2022-31813
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.54
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-0134
cert-bund: WID-SEC-2023-0132
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1766
cert-bund: WID-SEC-2022-1764
cert-bund: WID-SEC-2022-0858
cert-bund: WID-SEC-2022-0192
cert-bund: CB-K22/0692
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2789
dfn-cert: DFN-CERT-2022-2652
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2310
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1833
dfn-cert: DFN-CERT-2022-1720
dfn-cert: DFN-CERT-2022-1353
dfn-cert: DFN-CERT-2022-1296
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server 2.4.0 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a HTTP request smuggling vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.56
Installation
path / port:       80/tcp
```

Impact

Request splitting/smuggling could result in bypass of access controls in the proxy server, proxying unintended URLs to existing origin servers, and cache poisoning.

Solution:

Solution type: VendorFix

Update to version 2.4.56 or later.

Affected Software/OS

Apache HTTP Server versions 2.4.0 through 2.4.55.

Vulnerability Insight

Some mod_proxy configurations allow a HTTP Request Smuggling attack.

Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server 2.4.0 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.104597

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.10`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2023-25690
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56
cert-bund: WID-SEC-2025-1285
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-3129
cert-bund: WID-SEC-2023-2694
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1809
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-1807
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-0657
cert-bund: WID-SEC-2023-0583
dfn-cert: DFN-CERT-2023-1648
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-1232
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0788
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0546
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server 2.4.0 - 2.4.46 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.48
Installation
path / port:       80/tcp
```

Impact

- CVE-2020-35452: A specially crafted Digest nonce can cause a stack overflow in mod_auth_digest.
- CVE-2021-26690: A specially crafted Cookie header handled by mod_session can cause a NULL pointer dereference and crash, leading to a possible Denial Of Service.
- CVE-2021-26691: A specially crafted SessionHeader sent by an origin server could cause a heap overflow.

Solution:

Solution type: VendorFix

Update to version 2.4.48 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server versions 2.4.0 to 2.4.46 on Linux.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2020-35452: mod_auth_digest possible stack overflow by one null byte
- CVE-2021-26690: mod_session NULL pointer dereference
- CVE-2021-26691: mod_session response handling heap overflow

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.46 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.112897
Version used: `2021-08-24T09:01:06Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2020-35452
cve: CVE-2021-26690
cve: CVE-2021-26691
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2022-0438
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0072
cert-bund: CB-K21/1092
cert-bund: CB-K21/1090
cert-bund: CB-K21/0646
dfn-cert: DFN-CERT-2022-1047
dfn-cert: DFN-CERT-2022-0207
dfn-cert: DFN-CERT-2022-0122
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2365
dfn-cert: DFN-CERT-2021-2300
dfn-cert: DFN-CERT-2021-2187
dfn-cert: DFN-CERT-2021-2153
dfn-cert: DFN-CERT-2021-1467
dfn-cert: DFN-CERT-2021-1412
dfn-cert: DFN-CERT-2021-1355
dfn-cert: DFN-CERT-2021-1340
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-1333
dfn-cert: DFN-CERT-2021-1321
dfn-cert: DFN-CERT-2021-1273
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.26
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to bypass authentication and perform unauthorized actions, cause a denial-of-service condition and gain access to potentially sensitive information.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.2.33 or 2.4.26 or later.

Affected Software/OS

Apache HTTP Server 2.2.x before 2.2.33 and 2.4.x before 2.4.26.

Vulnerability Insight

Multiple flaws exist as,

- The mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

- The mod_ssl may dereference a NULL pointer when third-party modules call ap_hook_process_connection() during an HTTP request to an HTTPS port.

- An use of the ap_get_basic_auth_pw() by third-party modules outside of the authentication phase may lead to authentication requirements being bypassed.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Linux`
OID:1.3.6.1.4.1.25623.1.0.811214
Version used: `2024-02-16T05:06:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2017-7679`
`cve: CVE-2017-3169`
`cve: CVE-2017-3167`
`url: http://seclists.org/oss-sec/2017/q2/509`
`url: http://www.securityfocus.com/bid/99135`
`url: http://www.securityfocus.com/bid/99134`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`url: http://httpd.apache.org/security/vulnerabilities_22.html`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: WID-SEC-2022-0673`
`cert-bund: CB-K22/0045`
`cert-bund: CB-K18/0066`
`cert-bund: CB-K17/2188`
`cert-bund: CB-K17/2013`
`cert-bund: CB-K17/1936`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1842`
`cert-bund: CB-K17/1768`
`cert-bund: CB-K17/1747`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/1382`
`cert-bund: CB-K17/1279`
`cert-bund: CB-K17/1154`
`cert-bund: CB-K17/1023`
`dfn-cert: DFN-CERT-2019-0358`
`dfn-cert: DFN-CERT-2018-0077`
`dfn-cert: DFN-CERT-2017-2290`
`dfn-cert: DFN-CERT-2017-2104`
`dfn-cert: DFN-CERT-2017-2021`
`dfn-cert: DFN-CERT-2017-1926`
`dfn-cert: DFN-CERT-2017-1925`
`dfn-cert: DFN-CERT-2017-1843`
`dfn-cert: DFN-CERT-2017-1828`
`dfn-cert: DFN-CERT-2017-1692`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1443
dfn-cert: DFN-CERT-2017-1327
dfn-cert: DFN-CERT-2017-1193
dfn-cert: DFN-CERT-2017-1058
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.60
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.60 or later.

Affected Software/OS

Apache HTTP Server version 2.4.59 and prior.

Vulnerability Insight

The following flaws exist:

- CVE-2024-36387: Denial of Service (DoS) by Null pointer in websocket over HTTP/2
- CVE-2024-38473: Proxy encoding problem
- CVE-2024-38474: Weakness with encoded question marks in backreferences
- CVE-2024-38475: Weakness in mod_rewrite when first segment of substitution matches filesystem path
- CVE-2024-38476: May use exploitable/malicious backend application output to run local handlers via internal redirect
- CVE-2024-38477: Crash resulting in DoS in mod_proxy via a malicious request
- CVE-2024-39573: mod_rewrite proxy handler substitution

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114682
Version used: `2025-08-07T05:44:51Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2024-36387`
`cve: CVE-2024-38473`
`cve: CVE-2024-38474`
`cve: CVE-2024-38475`
`cve: CVE-2024-38476`
`cve: CVE-2024-38477`
`cve: CVE-2024-39573`
`cisa: Known Exploited Vulnerability (KEV) catalog`
`url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog`
`url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.60`
`cert-bund: WID-SEC-2025-1572`
`cert-bund: WID-SEC-2025-0818`
`cert-bund: WID-SEC-2025-0148`
`cert-bund: WID-SEC-2025-0143`
`cert-bund: WID-SEC-2024-3291`
`cert-bund: WID-SEC-2024-3199`
`cert-bund: WID-SEC-2024-1913`
`cert-bund: WID-SEC-2024-1504`
`dfn-cert: DFN-CERT-2025-1898`
`dfn-cert: DFN-CERT-2025-1808`
`dfn-cert: DFN-CERT-2025-0974`
`dfn-cert: DFN-CERT-2025-0854`
`dfn-cert: DFN-CERT-2025-0170`
`dfn-cert: DFN-CERT-2024-2841`
`dfn-cert: DFN-CERT-2024-2787`
`dfn-cert: DFN-CERT-2024-2736`
`dfn-cert: DFN-CERT-2024-2342`
`dfn-cert: DFN-CERT-2024-2214`
`dfn-cert: DFN-CERT-2024-2201`
`dfn-cert: DFN-CERT-2024-2180`
`dfn-cert: DFN-CERT-2024-2110`
`dfn-cert: DFN-CERT-2024-2017`
`dfn-cert: DFN-CERT-2024-1963`
`dfn-cert: DFN-CERT-2024-1920`
`dfn-cert: DFN-CERT-2024-1919`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1911
dfn-cert: DFN-CERT-2024-1907
dfn-cert: DFN-CERT-2024-1893
dfn-cert: DFN-CERT-2024-1816
dfn-cert: DFN-CERT-2024-1811
dfn-cert: DFN-CERT-2024-1784
dfn-cert: DFN-CERT-2024-1741
dfn-cert: DFN-CERT-2024-1699
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Apr 2018) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.30
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow an attacker to replay HTTP requests across servers without detection, influence the user content, upload a malicious file, crash the Apache HTTP Server and perform denial of service attack.

Solution:

Solution type: VendorFix

Update to version 2.4.30 or later. Please see the references for more information.

Affected Software/OS

Apache HTTP Server versions from 2.4.1 to 2.4.4, 2.4.6, 2.4.7, 2.4.9, 2.4.10, 2.4.12, 2.4.16 to 2.4.18, 2.4.20, 2.4.23, 2.4.25 to 2.4.29.

Vulnerability Insight

Multiple flaws exist due to:

- Apache HTTP Server fails to correctly generate the nonce sent to prevent reply attacks.

. . . continues on next page . . .

. . . continued from previous page . . .

- Misconfigured mod_session variable, HTTP_SESSION.
- Apache HTTP Server fails to sanitize the expression specified in '<FilesMatch>'.
- An error in Apache HTTP Server 'mod_authnz_ldap' when configured with AuthLDAPCharsetConfig.
- Apache HTTP Server fails to sanitize against a specially crafted request.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Apr 2018) - Linux`
OID:1.3.6.1.4.1.25623.1.0.812844
Version used: `2024-02-09T05:06:25Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2018-1312`
`cve: CVE-2018-1283`
`cve: CVE-2017-15715`
`cve: CVE-2017-15710`
`cve: CVE-2018-1301`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`url: http://www.securityfocus.com/bid/103524`
`url: http://www.securityfocus.com/bid/103520`
`url: http://www.securityfocus.com/bid/103525`
`url: http://www.securityfocus.com/bid/103512`
`url: http://www.securityfocus.com/bid/103515`
`cert-bund: WID-SEC-2023-1594`
`cert-bund: CB-K20/1030`
`cert-bund: CB-K19/0354`
`cert-bund: CB-K18/0535`
`dfn-cert: DFN-CERT-2020-2133`
`dfn-cert: DFN-CERT-2020-0673`
`dfn-cert: DFN-CERT-2019-1550`
`dfn-cert: DFN-CERT-2019-0736`
`dfn-cert: DFN-CERT-2019-0359`
`dfn-cert: DFN-CERT-2019-0351`
`dfn-cert: DFN-CERT-2018-2316`
`dfn-cert: DFN-CERT-2018-0985`
`dfn-cert: DFN-CERT-2018-0795`
`dfn-cert: DFN-CERT-2018-0703`
`dfn-cert: DFN-CERT-2018-0570`

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.10`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.10
Fixed version:     2.4.52
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.52 or later.

Affected Software/OS
Apache HTTP Server versions through 2.4.51.

Vulnerability Insight
A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.117856
Version used: `2021-12-23T12:12:57Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2021-44790`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2024-1591`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0727
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0619
cert-bund: CB-K21/1296
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0192
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2022-0068
dfn-cert: DFN-CERT-2021-2656
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.53
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.53 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server version 2.4.52 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-22719: mod_lua Use of uninitialized value of in r:parsebody
- CVE-2022-22720: HTTP request smuggling vulnerability
- CVE-2022-22721: Possible buffer overflow with very large or unlimited LimitXMLRequestBody
- CVE-2022-23943: mod_sed: Read/write beyond bounds

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.113837
Version used: `2022-03-21T03:03:41Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2022-22719
cve: CVE-2022-22720
cve: CVE-2022-22721
cve: CVE-2022-23943
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.53
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1772
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1161
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0898
cert-bund: WID-SEC-2022-0799
cert-bund: WID-SEC-2022-0755
cert-bund: WID-SEC-2022-0646
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0290
cert-bund: CB-K22/0619
cert-bund: CB-K22/0306
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1116
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0678
dfn-cert: DFN-CERT-2022-0582
```

Critical (CVSS: 9.1)
NVT: Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.27
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause the target service to crash. A remote user can obtain potentially sensitive information as well on the target system.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.2.34 or 2.4.27 or later.

Affected Software/OS

Apache HTTP Server 2.2.x before 2.2.34 and 2.4.x before 2.4.27.

Vulnerability Insight

The flaw exists due to error in Apache 'mod_auth_digest' which does not properly initialize memory used to process 'Digest' type HTTP Authorization headers.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.811237
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2017-9788`
`url: http://www.securitytracker.com/id/1038906`
`url: http://www.securityfocus.com/bid/99569`
`url: http://httpd.apache.org/security/vulnerabilities_22.html`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: CB-K18/0066`
`cert-bund: CB-K17/2013`
`cert-bund: CB-K17/1980`
`cert-bund: CB-K17/1936`
`cert-bund: CB-K17/1871`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1842`
`cert-bund: CB-K17/1768`
`cert-bund: CB-K17/1747`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/1558`
`cert-bund: CB-K17/1382`
`cert-bund: CB-K17/1197`
`cert-bund: CB-K17/1177`
`cert-bund: CB-K17/1023`
`dfn-cert: DFN-CERT-2019-0358`
`dfn-cert: DFN-CERT-2018-0077`
`dfn-cert: DFN-CERT-2017-2104`
`dfn-cert: DFN-CERT-2017-2070`
`dfn-cert: DFN-CERT-2017-2021`
`dfn-cert: DFN-CERT-2017-1954`
`dfn-cert: DFN-CERT-2017-1926`
`dfn-cert: DFN-CERT-2017-1925`
`dfn-cert: DFN-CERT-2017-1843`
`dfn-cert: DFN-CERT-2017-1828`
`dfn-cert: DFN-CERT-2017-1692`
`dfn-cert: DFN-CERT-2017-1626`
`dfn-cert: DFN-CERT-2017-1443`
`dfn-cert: DFN-CERT-2017-1240`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1217
dfn-cert: DFN-CERT-2017-1058
```

Critical (CVSS: 9.0)
NVT: Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.55
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.55 or later.

Affected Software/OS

Apache HTTP Server version 2.4.54 and prior.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2006-20001: mod_dav out of bounds read, or write of zero byte
- CVE-2022-36760: Possible request smuggling in mod_proxy_ajp
- CVE-2022-37436: mod_proxy allows a backend to trigger HTTP response splitting

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux`

OID:1.3.6.1.4.1.25623.1.0.149152

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.10`

Method: `Apache HTTP Server Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2006-20001
cve: CVE-2022-36760
cve: CVE-2022-37436
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.55
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1022
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0110
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-1895
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0548
dfn-cert: DFN-CERT-2023-0497
dfn-cert: DFN-CERT-2023-0118
```

[return to 172.30.40.5]

2.1.3 High 80/tcp

High (CVSS: 8.2)
NVT: Apache HTTP Server 2.4.7 - 2.4.51 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.52
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 2.4.52 or later.

Affected Software/OS
Apache HTTP Server version 2.4.7 through 2.4.51.

Vulnerability Insight
A crafted URI sent to httpd configured as a forward proxy (ProxyRequests on) can cause a crash (NULL pointer dereference) or, for configurations mixing forward and reverse proxy declarations, can allow for requests to be directed to a declared Unix Domain Socket endpoint (Server Side Request Forgery).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server 2.4.7 - 2.4.51 Multiple Vulnerabilities - Linux
OID:1.3.6.1.4.1.25623.1.0.117854
Version used: 2021-12-23T12:12:57Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.10
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2021-44224
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0727
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K22/0619
cert-bund: CB-K21/1296
dfn-cert: DFN-CERT-2022-2405
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1047
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0068

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2021-2656

High (CVSS: 8.1)
NVT: Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Linux

Product detection result
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a man-in-the-middle attack vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	2.4.10
Fixed version:	2.4.24
Installation path / port:	80/tcp

Impact
Successful exploitation will allow remote attackers to redirect an application's outbound HTTP traffic to an arbitrary proxy server via a crafted proxy header in an HTTP request.

Solution:
Solution type: VendorFix
Update to version 2.4.24, or 2.2.32, or later.

Affected Software/OS
Apache HTTP Server through 2.4.23.
NOTE: Apache HTTP Server 2.2.32 is not vulnerable.

Vulnerability Insight
The flaw is due to 'CGI Servlet' does not protect applications from the presence of untrusted client data in the 'HTTP_PROXY' environment variable.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Linux
OID:1.3.6.1.4.1.25623.1.0.808632
Version used: 2024-02-08T14:36:53Z

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:apache:http_server:2.4.10
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

cve: CVE-2016-5387
url: https://www.apache.org/security/asf-httpoxy-response.txt
url: http://www.securityfocus.com/bid/91816
cert-bund: WID-SEC-2025-2522
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K17/2013
cert-bund: CB-K17/1854
cert-bund: CB-K17/1842
cert-bund: CB-K17/1622
cert-bund: CB-K17/0527
cert-bund: CB-K17/0055
cert-bund: CB-K16/1995
cert-bund: CB-K16/1620
cert-bund: CB-K16/1289
cert-bund: CB-K16/1103
cert-bund: CB-K16/1088
cert-bund: CB-K16/1087
dfn-cert: DFN-CERT-2017-2104
dfn-cert: DFN-CERT-2017-1926
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0060
dfn-cert: DFN-CERT-2016-2108
dfn-cert: DFN-CERT-2016-1717
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1175
dfn-cert: DFN-CERT-2016-1162
dfn-cert: DFN-CERT-2016-1153

High (CVSS: 7.5)
NVT: Apache HTTP Server Denial of Service Vulnerability-02 (Apr 2018) - Linux

Product detection result

cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.30
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow an attacker to crash the Apache HTTP Server resulting in denial of service condition.

Solution:

Solution type: VendorFix

Update to version 2.4.30 or later. Please see the references for more information.

Affected Software/OS

Apache HTTP Server versions 2.4.6, 2.4.7, 2.4.9, 2.4.10, 2.4.12, 2.4.16 through 2.4.18, 2.4.20, 2.4.23, and 2.4.25 through 2.4.29.

Vulnerability Insight

The flaw exists as the Apache HTTP Server fails to sanitize against a specially crafted HTTP request header.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server Denial of Service Vulnerability-02 (Apr 2018) - Linux`

OID:1.3.6.1.4.1.25623.1.0.812849

Version used: `2024-02-09T05:06:25Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.10`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2018-1303
url: https://httpd.apache.org/security/vulnerabilities_24.html
url: http://www.securityfocus.com/bid/103522
cert-bund: CB-K20/1030
cert-bund: CB-K18/0535
dfn-cert: DFN-CERT-2020-2133
dfn-cert: DFN-CERT-2019-0359
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-0351
dfn-cert: DFN-CERT-2018-2316
dfn-cert: DFN-CERT-2018-0985
dfn-cert: DFN-CERT-2018-0570
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.59
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.59 or later.

Affected Software/OS

Apache HTTP Server version 2.4.58 and prior.

Vulnerability Insight

The following vulnerabilities exist:
- CVE-2023-38709: HTTP response splitting
- CVE-2024-24795: HTTP response splitting in multiple modules
- CVE-2024-27316: HTTP/2 DoS by memory exhaustion on endless continuation frames

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.152039
Version used: `2024-06-07T05:05:42Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:apache:http_server:2.4.10
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

cve: CVE-2023-38709
cve: CVE-2024-24795
cve: CVE-2024-27316
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.59
url: https://kb.cert.org/vuls/id/421644
url: https://nowotarski.info/http2-continuation-flood/
url: https://nowotarski.info/http2-continuation-flood-technical-details/
cert-bund: WID-SEC-2025-1529
cert-bund: WID-SEC-2024-1725
cert-bund: WID-SEC-2024-1643
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1504
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0801
cert-bund: WID-SEC-2024-0789
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-2658
dfn-cert: DFN-CERT-2025-2657
dfn-cert: DFN-CERT-2024-2900
dfn-cert: DFN-CERT-2024-2534
dfn-cert: DFN-CERT-2024-2076
dfn-cert: DFN-CERT-2024-1958
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1749
dfn-cert: DFN-CERT-2024-1697
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1335
dfn-cert: DFN-CERT-2024-1238
dfn-cert: DFN-CERT-2024-1031
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-0964
dfn-cert: DFN-CERT-2024-0901
dfn-cert: DFN-CERT-2024-0890

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.39 mod_auth_digest Access Control Bypass Vulnerability - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
In Apache HTTP Server, a race condition in mod_auth_digest when running in a threaded server could allow a user with valid credentials to authenticate using another username, bypassing configured access control restrictions.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.39
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.39 or later.

Affected Software/OS
Apache HTTP Server version 2.4.38 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.39 mod_auth_digest Access Control Bypass Vulnerability.`
↪..
OID:1.3.6.1.4.1.25623.1.0.142220
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2019-0217
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2023-2047
cert-bund: CB-K19/0623
cert-bund: CB-K19/0267
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2456
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-0736
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0680
dfn-cert: DFN-CERT-2019-0676
```

High (CVSS: 7.5)
NVT: Apache HTTP Server 'mod_auth_digest' DoS Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.10`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.117232)`

Summary
Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to cause a denial-of-service condition.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server 2.4.25 or later.

Affected Software/OS
Apache HTTP Server versions 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6, 2.4.4, 2.4.3, 2.4.2 and 2.4.1.

Vulnerability Insight
The flaw exists due to insufficient handling of malicious input to 'mod_auth_digest'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_auth_digest' DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.812067
Version used: `2024-02-15T05:05:40Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.10
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2016-2161
url: https://httpd.apache.org/security/vulnerabilities_24.html#CVE-2016-2161
url: http://www.securityfocus.com/bid/95076
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K19/0354
cert-bund: CB-K17/1854
cert-bund: CB-K17/1622
cert-bund: CB-K17/0955
cert-bund: CB-K17/0794
cert-bund: CB-K17/0704
cert-bund: CB-K17/0527
cert-bund: CB-K17/0477
cert-bund: CB-K16/1995
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-0988
dfn-cert: DFN-CERT-2017-0814
dfn-cert: DFN-CERT-2017-0723
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0489
dfn-cert: DFN-CERT-2016-2108

High (CVSS: 7.5)
NVT: Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version Check

Product detection result
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.28
Installation
path / port:       80/tcp
```

Impact

The successful exploitation allows the attacker to read chunks of the host's memory.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.4.28. For Apache HTTP Server running version 2.2.34 apply the patch linked in the references.

As a workaround the usage of .htaccess should be disabled completely via the 'AllowOverride None' directive within the webservers configuration. Furthermore all <Limit> statements within the webserver configuration needs to be verified for invalid HTTP methods.

Affected Software/OS

Apache HTTP Server 2.2.x versions up to 2.2.34 and 2.4.x below 2.4.28.

Vulnerability Insight

Optionsbleed is a use after free error in the Apache HTTP Server that causes a corrupted Allow header to be constructed in response to HTTP OPTIONS requests. This can leak pieces of arbitrary memory from the server process that may contain secrets. The memory pieces change after multiple requests, so for a vulnerable host an arbitrary number of memory chunks can be leaked.

The bug appears if a webmaster tries to use the 'Limit' directive with an invalid HTTP method.

Example .htaccess:

<Limit abcxyz> </Limit>

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version C.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.108252

Version used: `2025-01-21T05:37:33Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.10`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

`cve: CVE-2017-9798`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://openwall.com/lists/oss-security/2017/09/18/2
url: https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-le
↪ak-Apaches-server-memory.html
url: http://www.securityfocus.com/bid/100872
url: https://archive.apache.org/dist/httpd/patches/apply_to_2.2.34/
url: https://www.apache.org/dist/httpd/CHANGES_2.4.28
cert-bund: WID-SEC-2023-1594
cert-bund: CB-K18/1012
cert-bund: CB-K18/0800
cert-bund: CB-K18/0606
cert-bund: CB-K18/0098
cert-bund: CB-K18/0066
cert-bund: CB-K17/2188
cert-bund: CB-K17/2117
cert-bund: CB-K17/2021
cert-bund: CB-K17/1980
cert-bund: CB-K17/1936
cert-bund: CB-K17/1871
cert-bund: CB-K17/1773
cert-bund: CB-K17/1768
cert-bund: CB-K17/1587
dfn-cert: DFN-CERT-2019-0359
dfn-cert: DFN-CERT-2018-2113
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-0725
dfn-cert: DFN-CERT-2018-0100
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2290
dfn-cert: DFN-CERT-2017-2211
dfn-cert: DFN-CERT-2017-2108
dfn-cert: DFN-CERT-2017-2070
dfn-cert: DFN-CERT-2017-2021
dfn-cert: DFN-CERT-2017-1954
dfn-cert: DFN-CERT-2017-1854
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1659
```

High (CVSS: 7.5)
NVT: Apache HTTP Server mod_session_crypto Vulnerability (Dec 2016) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Apache HTTP Server is prone to a vulnerability in mod_session_crypto.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.25 or later.

Affected Software/OS
Apache HTTP Server version 2.4.1 through 2.4.23.

Vulnerability Insight
mod_sessioncrypto is encrypting its data/cookie using the configured ciphers with possibly either CBC or ECB modes of operation (AES256-CBC by default), hence no selectable or builtin authenticated encryption. This makes it vulnerable to padding oracle attacks, particularly with CBC. An authentication tag (SipHash MAC) is now added to prevent such attacks.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server mod_session_crypto Vulnerability (Dec 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147045
Version used: `2021-11-01T14:03:43Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2016-0736
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K19/0354
cert-bund: CB-K17/1854
cert-bund: CB-K17/1622
cert-bund: CB-K17/0955
cert-bund: CB-K17/0794
cert-bund: CB-K17/0704
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/0527
cert-bund: CB-K16/1995
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-0988
dfn-cert: DFN-CERT-2017-0814
dfn-cert: DFN-CERT-2017-0723
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2016-2108
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an out-of-bounds read vulnerability in mod_macro.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.58
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.58 or later.

Affected Software/OS

Apache HTTP Server version 2.4.57 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.100272

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.10`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2023-31122
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.58
url: https://www.openwall.com/lists/oss-security/2023/10/19/4
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0899
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2024-0107
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2712
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2024-0732
dfn-cert: DFN-CERT-2023-2640
dfn-cert: DFN-CERT-2023-2583
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.38 mod_session_cookie Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

In Apache HTTP Server mod_session checks the session expiry time before decoding the session. This causes session expiry time to be ignored for mod_session_cookie sessions since the expiry time is loaded when the session is decoded.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.38
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 2.4.38 or later.

Affected Software/OS
Apache HTTP Server version 2.4.37 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.38 mod_session_cookie Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.141964
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2018-17199
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K19/0316
cert-bund: CB-K19/0071
dfn-cert: DFN-CERT-2021-1069
dfn-cert: DFN-CERT-2020-0673
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-0857
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0198
dfn-cert: DFN-CERT-2019-0184
```

High (CVSS: 7.5)
NVT: Apache HTTP Server 'Whitespace Defects' Multiple Vulnerabilities

Product detection result
```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to conduct request smuggling, response splitting and cache pollution attacks.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.2.32 or 2.4.25 or later.

Affected Software/OS

Apache HTTP Server 2.2.x before 2.2.32 and 2.3.x through 2.4.24 prior to 2.4.25.

Vulnerability Insight

Multiple flaws exist because the application accepted a broad pattern of unusual whitespace patterns from the user-agent, including bare CR, FF, VTAB in parsing the request line and request header lines, as well as HTAB in parsing the request line. Any bare CR present in request lines was treated as whitespace and remained in the request field member 'the_request', while a bare CR in the request header field name would be honored as whitespace, and a bare CR in the request header field value was retained the input headers array. Implied additional whitespace was accepted in the request line and prior to the ':' delimiter of any request header lines.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server 'Whitespace Defects' Multiple Vulnerabilities`

OID:1.3.6.1.4.1.25623.1.0.812033

Version used: `2022-09-09T10:12:35Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.10`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2016-8743
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: http://www.securityfocus.com/bid/95077
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2025-0370
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K19/0354
cert-bund: CB-K18/0066
cert-bund: CB-K17/1854
cert-bund: CB-K17/1622
cert-bund: CB-K17/1279
cert-bund: CB-K17/1163
cert-bund: CB-K17/0955
cert-bund: CB-K17/0794
cert-bund: CB-K17/0704
cert-bund: CB-K17/0659
cert-bund: CB-K17/0527
cert-bund: CB-K17/0477
cert-bund: CB-K17/0185
cert-bund: CB-K16/1995
dfn-cert: DFN-CERT-2018-1764
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1327
dfn-cert: DFN-CERT-2017-1204
dfn-cert: DFN-CERT-2017-0988
dfn-cert: DFN-CERT-2017-0814
dfn-cert: DFN-CERT-2017-0723
dfn-cert: DFN-CERT-2017-0673
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0489
dfn-cert: DFN-CERT-2017-0189
dfn-cert: DFN-CERT-2016-2108
```

[return to 172.30.40.5]

2.1.4 Medium 80/tcp

Medium (CVSS: 6.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Sep 2014) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.12
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.2.29, 2.4.12 or later.

Affected Software/OS
Apache HTTP Server version 2.2.0 through 2.2.27 and 2.4.1 through 2.4.10.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2013-5704: HTTP trailers could be used to replace HTTP headers late during request processing, potentially undoing or otherwise confusing modules that examined or modified request headers earlier. This fix adds the 'MergeTrailers' directive to restore legacy behavior.
- CVE-2014-0118: A resource consumption flaw was found in mod_deflate. If request body decompression was configured (using the 'DEFLATE' input filter), a remote attacker could cause the server to consume significant memory and/or CPU resources. The use of request body decompression is not a common configuration.
- CVE-2014-0226: A race condition was found in mod_status. An attacker able to access a public server status page on a server using a threaded MPM could send a carefully crafted request which could lead to a heap buffer overflow. Note that it is not a default or recommended configuration to have a public accessible server status page.
- CVE-2014-0231: A flaw was found in mod_cgid. If a server using mod_cgid hosted CGI scripts which did not consume standard input, a remote attacker could cause child processes to hang indefinitely, leading to denial of service.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Sep 2014) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147048
Version used: `2021-11-01T03:59:12Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2013-5704
cve: CVE-2014-0118
cve: CVE-2014-0226
cve: CVE-2014-0231
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K16/0112
cert-bund: CB-K15/1841
cert-bund: CB-K15/1517
cert-bund: CB-K15/1360
cert-bund: CB-K15/1078
cert-bund: CB-K15/1011
cert-bund: CB-K15/0960
cert-bund: CB-K15/0954
cert-bund: CB-K15/0806
cert-bund: CB-K15/0493
cert-bund: CB-K15/0469
cert-bund: CB-K15/0079
cert-bund: CB-K15/0075
cert-bund: CB-K14/1626
cert-bund: CB-K14/1592
cert-bund: CB-K14/1568
cert-bund: CB-K14/1545
cert-bund: CB-K14/1095
cert-bund: CB-K14/1050
cert-bund: CB-K14/1043
cert-bund: CB-K14/0969
cert-bund: CB-K14/0968
cert-bund: CB-K14/0924
cert-bund: CB-K14/0883
dfn-cert: DFN-CERT-2016-0125
dfn-cert: DFN-CERT-2015-1950
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1137
dfn-cert: DFN-CERT-2015-1069
dfn-cert: DFN-CERT-2015-1008
dfn-cert: DFN-CERT-2015-1002
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0495
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2014-1727
dfn-cert: DFN-CERT-2014-1691
dfn-cert: DFN-CERT-2014-1668
dfn-cert: DFN-CERT-2014-1633
dfn-cert: DFN-CERT-2014-1145
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2014-1094
dfn-cert: DFN-CERT-2014-1088
dfn-cert: DFN-CERT-2014-1019
dfn-cert: DFN-CERT-2014-1017
dfn-cert: DFN-CERT-2014-0967
dfn-cert: DFN-CERT-2014-0926
```

Medium (CVSS: 6.1)
NVT: Apache HTTP Server 2.4.0 - 2.4.40 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.41
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.41 or later.

Affected Software/OS

Apache HTTP Server version 2.4.0 to 2.4.40.

Vulnerability Insight

Apache HTTP server is prone to multiple vulnerabilities:

- A limited cross-site scripting issue affecting the mod_proxy error page. An attacker could cause the link on the error page to be malformed and instead point to a page of their choice. This would be exploitable where a server was set up with proxying enabled but was misconfigured in such a way that the Proxy Error page was displayed. (CVE-2019-10092)

- Redirects configured with mod_rewrite that were intended to be self referential might be fooled by encoded newlines and redirect instead to an unexpected URL within the request URL. (CVE-2019-10098)

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.40 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114143
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2019-10092
cve: CVE-2019-10098
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: CB-K20/1030
cert-bund: CB-K20/0708
cert-bund: CB-K20/0043
cert-bund: CB-K19/0909
cert-bund: CB-K19/0728
dfn-cert: DFN-CERT-2021-1333
dfn-cert: DFN-CERT-2021-0540
dfn-cert: DFN-CERT-2020-2422
dfn-cert: DFN-CERT-2020-2133
dfn-cert: DFN-CERT-2020-1124
dfn-cert: DFN-CERT-2020-0716
dfn-cert: DFN-CERT-2020-0090
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-1961
dfn-cert: DFN-CERT-2019-1810
dfn-cert: DFN-CERT-2019-1797
dfn-cert: DFN-CERT-2019-1751
```

Medium (CVSS: 6.1)
NVT: Apache HTTP Server CRLF Injection Vulnerability (Dec 2016) - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to a CRLF injection vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.25
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.2.32, 2.4.25 or later.

Affected Software/OS
Apache HTTP Server version 2.2.0 through 2.2.31 and 2.4.1 through 2.4.23.

Vulnerability Insight
Possible CRLF injection allowing HTTP response splitting attacks for sites which use mod_userdir. This issue was mitigated to prohibit CR or LF injection into the 'Location' or other outbound header key or value.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server CRLF Injection Vulnerability (Dec 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.147044
Version used: `2021-11-01T14:03:43Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2016-4975
url: https://httpd.apache.org/security/vulnerabilities_22.html
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K19/0354
dfn-cert: DFN-CERT-2019-0358
dfn-cert: DFN-CERT-2018-1764
```

Medium (CVSS: 6.1)
NVT: phpLDAPadmin < 1.2.4 XSS Vulnerability - Linux

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

phpLDAPadmin is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 1.2.3
Fixed version:     1.2.4
Installation
path / port:       /htdocs
```

Impact

The flaw allows remote users to inject arbitrary web script or HTML.

Solution:

Solution type: VendorFix

Update to version 1.2.4 or later.

Affected Software/OS

phpLDAPadmin version 1.2.3 and prior.

Vulnerability Insight

A XSS vulnerability exists in htdocs/entry_chooser.php via the form, element, rdn, or container parameter.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `phpLDAPadmin < 1.2.4 XSS Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.117015

Version used: `2024-12-24T05:05:31Z`

References

```
cve: CVE-2017-11107
url: https://github.com/leenooks/phpLDAPadmin/issues/50
url: https://github.com/leenooks/phpLDAPadmin/pull/71
cert-bund: CB-K17/1188
dfn-cert: DFN-CERT-2017-1228
```

Medium (CVSS: 6.1)

NVT: Apache HTTP Server 2.4.0 < 2.4.42 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.10
Fixed version:     2.4.42
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.42 or later.

Affected Software/OS
Apache HTTP Server version 2.4.0 to 2.4.41.

Vulnerability Insight
Apache HTTP Server is prone to multiple vulnerabilities:
- mod_rewrite CWE-601 open redirect (CVE-2020-1927)
- mod_proxy_ftp use of uninitialized value (CVE-2020-1934)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 < 2.4.42 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.143671
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2020-1927
cve: CVE-2020-1934
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-0757
cert-bund: CB-K20/1030
cert-bund: CB-K20/0708
cert-bund: CB-K20/0691
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K20/0280
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-1467
dfn-cert: DFN-CERT-2020-2422
dfn-cert: DFN-CERT-2020-2133
dfn-cert: DFN-CERT-2020-1854
dfn-cert: DFN-CERT-2020-1793
dfn-cert: DFN-CERT-2020-1538
dfn-cert: DFN-CERT-2020-1335
dfn-cert: DFN-CERT-2020-1289
dfn-cert: DFN-CERT-2020-1124
dfn-cert: DFN-CERT-2020-0850
dfn-cert: DFN-CERT-2020-0835
dfn-cert: DFN-CERT-2020-0688
```

Medium (CVSS: 5.8)
NVT: Apache HTTP Server 2.4.7 - 2.4.65 Authentication Bypass Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an authentication bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.66 or later.

Affected Software/OS

Apache HTTP Server version 2.4.7 through 2.4.65.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

mod_userdir+suexec bypass via AllowOverride FileInfo vulnerability in Apache HTTP Server. Users with access to use the RequestHeader directive in htaccess can cause some CGI scripts to run under an unexpected userid.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.7 - 2.4.65 Authentication Bypass Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125567
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2025-66200
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/8
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

Medium (CVSS: 5.3)
NVT: Apache HTTP Server < 2.4.39 URL Normalization Vulnerability - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
When the path component of a request URL contains multiple consecutive slashes ('/'), directives such as LocationMatch and RewriteRule must account for duplicates in regular expressions while other aspects of the servers processing will implicitly collapse them.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.10
Fixed version:     2.4.39
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 2.4.39 or later.

Affected Software/OS
Apache HTTP Server version 2.4.38 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server < 2.4.39 URL Normalization Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.142228
Version used: 2024-02-15T05:05:40Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.10
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2019-0220
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2023-2047
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-0757
cert-bund: CB-K20/0708
cert-bund: CB-K19/0623
cert-bund: CB-K19/0267
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2020-0184
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-1519
dfn-cert: DFN-CERT-2019-0815
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0680
dfn-cert: DFN-CERT-2019-0676

Medium (CVSS: 5.3)
NVT: Apache HTTP Server 2.4.1 < 2.4.24 IP Spoofing Vulnerability - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to an IP address spoofing vulnerability when proxying using mod_remoteip and mod_rewrite.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.24
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.24 or later.

Affected Software/OS
Apache HTTP Server version 2.4.1 to 2.4.23.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.1 < 2.4.24 IP Spoofing Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.144376
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2020-11985
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-3319
cert-bund: CB-K20/0798
dfn-cert: DFN-CERT-2020-1905
dfn-cert: DFN-CERT-2020-1854
```

Medium (CVSS: 5.3)
NVT: Apache HTTP Server 2.4.6 - 2.4.46 Tunneling Misconfiguration Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.10`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a tunneling misconfiguration vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.48
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.48 or later.

Affected Software/OS
Apache HTTP Server versions 2.4.6 to 2.4.46 on Linux.

Vulnerability Insight
mod_proxy_wstunnel configured on an URL that is not necessarily upgraded by the origin server was tunneling the whole connection regardless, thus allowing for subsequent requests on the same connection to pass through with no HTTP validation, authentication or authorization possibly configured.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.6 - 2.4.46 Tunneling Misconfiguration Vulnerability - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.112898
Version used: `2021-08-24T09:01:06Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2019-17567
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-0438
cert-bund: CB-K21/0646
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-1273
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server Multiple Vulnerabilities (Aug 2015) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.14
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to bypass intended access restrictions in opportunistic circumstances and to cause cache poisoning or credential hijacking if an intermediary proxy is in use.

Solution:

Solution type: VendorFix

Update to version 2.4.14 or later.

Affected Software/OS

Apache HTTP Server version 2.4.x before 2.4.14.

Vulnerability Insight

Multiple flaws are due to:

. . . continues on next page . . .

. . . continued from previous page . . .

- an error in 'ap_some_auth_required' function in 'server/request.c' script which does not consider that a Require directive may be associated with an authorization setting rather than an authentication setting.
- an error in chunked transfer coding implementation.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Aug 2015) - Linux`
OID:1.3.6.1.4.1.25623.1.0.806018
Version used: `2024-02-16T05:06:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2015-3185`
`cve: CVE-2015-3183`
`url: http://www.apache.org/dist/httpd/CHANGES_2.4`
`url: http://www.securityfocus.com/bid/75965`
`url: http://www.securityfocus.com/bid/75963`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: CB-K17/1558`
`cert-bund: CB-K16/1972`
`cert-bund: CB-K16/1593`
`cert-bund: CB-K16/1102`
`cert-bund: CB-K16/0564`
`cert-bund: CB-K16/0112`
`cert-bund: CB-K16/0090`
`cert-bund: CB-K16/0030`
`cert-bund: CB-K15/1841`
`cert-bund: CB-K15/1578`
`cert-bund: CB-K15/1517`
`cert-bund: CB-K15/1464`
`cert-bund: CB-K15/1360`
`cert-bund: CB-K15/1358`
`cert-bund: CB-K15/1281`
`cert-bund: CB-K15/1188`
`cert-bund: CB-K15/1146`
`cert-bund: CB-K15/1089`
`cert-bund: CB-K15/1051`
`dfn-cert: DFN-CERT-2017-1626`
`dfn-cert: DFN-CERT-2016-2081`
`dfn-cert: DFN-CERT-2016-1692`
`dfn-cert: DFN-CERT-2016-1168`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-0125
dfn-cert: DFN-CERT-2016-0101
dfn-cert: DFN-CERT-2016-0035
dfn-cert: DFN-CERT-2015-1950
dfn-cert: DFN-CERT-2015-1665
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1542
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1431
dfn-cert: DFN-CERT-2015-1350
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1198
dfn-cert: DFN-CERT-2015-1146
dfn-cert: DFN-CERT-2015-1087
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server 'mod_proxy_fcgi' Denial of Service Vulnerability (May 2015)

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.12
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow a remote attacker to cause a denial of service via specially crafted response.

Solution:

Solution type: VendorFix

Update to version 2.4.12 or later.

Affected Software/OS

Apache HTTP Server version 2.4.10.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Flaw is due to an out-of-bounds read condition in the 'handle_headers' function in mod_proxy_fcgi that is triggered as user-supplied input is not properly validated when handling responses from FastCGI servers.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_proxy_fcgi' Denial of Service Vulnerability (May 2015)`
OID:1.3.6.1.4.1.25623.1.0.805636
Version used: `2024-02-20T05:05:48Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2014-3583`
`url: https://bugzilla.redhat.com/show_bug.cgi?id=1163555`
`url: http://www.securityfocus.com/bid/71657`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: CB-K15/1360`
`cert-bund: CB-K15/1188`
`cert-bund: CB-K15/0559`
`cert-bund: CB-K14/1592`
`dfn-cert: DFN-CERT-2015-1435`
`dfn-cert: DFN-CERT-2015-1252`
`dfn-cert: DFN-CERT-2015-0581`
`dfn-cert: DFN-CERT-2014-1691`

Medium (CVSS: 5.0)
NVT: Apache HTTP Server 'mod_lua' Denial of Service Vulnerability -01 (May 2015)

Product detection result
`cpe:/a:apache:http_server:2.4.10`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.13
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow a remote attacker to cause a denial of service via some crafted dimension.

Solution:

Solution type: VendorFix

Update to version 2.4.13 or later.

Affected Software/OS

Apache HTTP Server versions through 2.4.12.

Vulnerability Insight

Flaw is due to vulnerability in lua_websocket_read function in lua_request.c in the mod_lua module.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server 'mod_lua' Denial of Service Vulnerability -01 (May 2015)`

OID:1.3.6.1.4.1.25623.1.0.805616

Version used: `2024-02-20T05:05:48Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.10`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2015-0228
url: https://bugs.mageia.org/show_bug.cgi?id=15428
url: http://www.securityfocus.com/bid/73041
url: http://svn.apache.org/repos/asf/httpd/httpd/branches/2.4.x/CHANGES
cert-bund: CB-K15/1360
cert-bund: CB-K15/1188
cert-bund: CB-K15/1051
cert-bund: CB-K15/0273
cert-bund: CB-K14/1592
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1087
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2015-0285
dfn-cert: DFN-CERT-2014-1691
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server DoS Vulnerability (Sep 2014) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.12
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.12 or later.

Affected Software/OS

Apache HTTP Server version 2.4.1 through 2.4.10.

Vulnerability Insight

A NULL pointer deference was found in mod_cache. A malicious HTTP server could cause a crash in a caching forward proxy configuration. This crash would only be a denial of service if using a threaded MPM.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server DoS Vulnerability (Sep 2014) - Linux`

OID:1.3.6.1.4.1.25623.1.0.147046

Version used: `2021-11-01T03:59:12Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.10`

Method: `Apache HTTP Server Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2014-3581
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K15/1841
cert-bund: CB-K15/1360
cert-bund: CB-K15/1188
cert-bund: CB-K15/0469
cert-bund: CB-K14/1592
cert-bund: CB-K14/1545
dfn-cert: DFN-CERT-2015-1950
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-0495
dfn-cert: DFN-CERT-2014-1691
dfn-cert: DFN-CERT-2014-1633
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.64
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.64 or later.

Affected Software/OS

Apache HTTP Server version 2.4.63 and prior.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The following flaws exist:
- CVE-2024-42516: HTTP response splitting
- CVE-2024-43204: SSRF with mod_headers setting Content-Type header
- CVE-2024-47252: mod_ssl error log variable escaping
- CVE-2025-49812: mod_ssl TLS upgrade attack

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.154909
Version used: `2025-07-11T15:43:14Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2024-42516
cve: CVE-2024-43204
cve: CVE-2024-47252
cve: CVE-2025-49812
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.64
cert-bund: WID-SEC-2026-0162
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1529
dfn-cert: DFN-CERT-2026-0205
dfn-cert: DFN-CERT-2025-2421
dfn-cert: DFN-CERT-2025-2403
dfn-cert: DFN-CERT-2025-2402
dfn-cert: DFN-CERT-2025-2373
dfn-cert: DFN-CERT-2025-2231
dfn-cert: DFN-CERT-2025-2182
dfn-cert: DFN-CERT-2025-1917
dfn-cert: DFN-CERT-2025-1860
```

Medium (CVSS: 4.3)
NVT: phpLDAPadmin < 1.2.5 Multiple XSS Vulnerabilities - Linux

Summary
phpLDAPadmin is prone to multiple cross-site scripting (XSS) vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 1.2.3
Fixed version:     1.2.5
Installation
path / port:       /htdocs
```

Impact

The flaw allows remote users to inject arbitrary web script or HTML.

Solution:

Solution type: VendorFix

Update to version 1.2.5 or later.

Affected Software/OS

phpLDAPadmin version 1.2.4 and prior.

Vulnerability Insight

The following vulnerabilities exist:
- CVE-2019-14377: XSS in htdocs/create.php
- CVE-2019-14376: XSS in htdocs/password_checker.php
- CVE-2019-14375: XSS in htdocs/rename_form.php

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `phpLDAPadmin < 1.2.5 Multiple XSS Vulnerabilities - Linux`

OID:1.3.6.1.4.1.25623.1.0.117017

Version used: `2024-12-24T05:05:31Z`

References

```
cve: CVE-2019-14375
cve: CVE-2019-14376
cve: CVE-2019-14377
url: https://github.com/leenooks/phpLDAPadmin/pull/82
```

Medium (CVSS: 4.3)

NVT: Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server is prone to a Server Side Includes (SSI) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

Affected Software/OS
Apache HTTP Server prior to version 2.4.66.

Vulnerability Insight
Apache HTTP Server with SSI enabled and mod_cgid (but not mod_cgi) passes the shell-escaped query string to #exec cmd='...' directives.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125564
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2025-58098
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/5
cert-bund: WID-SEC-2026-0153
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0027
dfn-cert: DFN-CERT-2026-0012
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 'mod_lua' Denial of Service Vulnerability (May 2015)

Product detection result
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.4.10
Fixed version: 2.4.12
Installation
path / port: 80/tcp

Impact
Successful exploitation will allow a remote attacker to bypass intended access restrictions in opportunistic circumstances by leveraging multiple Require directives.

Solution:
Solution type: VendorFix
Update to version 2.4.12 or later.

Affected Software/OS
Apache HTTP Server version 2.3.x through 2.4.10.

Vulnerability Insight
Flaw is due to a vulnerability in LuaAuthzProvider that is triggered if a user-supplied LUA script is supplied more than once with different arguments.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server 'mod_lua' Denial of Service Vulnerability (May 2015)
OID:1.3.6.1.4.1.25623.1.0.805637
Version used: 2024-02-20T05:05:48Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.10
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2014-8109
url: http://httpd.apache.org/security/vulnerabilities_24.html
url: http://www.securityfocus.com/bid/73040
url: http://www.rapid7.com/db/vulnerabilities/apache-httpd-cve-2014-8109
cert-bund: CB-K15/1360
cert-bund: CB-K15/1188
cert-bund: CB-K15/0736
cert-bund: CB-K14/1626
cert-bund: CB-K14/1592
dfn-cert: DFN-CERT-2015-1435
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-0771
dfn-cert: DFN-CERT-2014-1727
dfn-cert: DFN-CERT-2014-1691
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 2.4.x < 2.4.66 Improper Neutralization Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.10
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an improper neutralization vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.10
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.66 or later.

Affected Software/OS

Apache HTTP Server version 2.4.x prior to 2.4.66.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

Improper neutralization of escape, meta, or control sequences vulnerability in Apache HTTP Server through environment variables set via the Apache configuration unexpectedly superseding variables calculated by the server for CGI programs.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.x < 2.4.66 Improper Neutralization Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125566
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.10`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2025-65082
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/7
cert-bund: WID-SEC-2026-0155
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0214
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

[return to 172.30.40.5]

2.1.5 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 3669712214
Packet 2: 3669713342
```

. . . continues on next page . . .

. . . continued from previous page . . .

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
`url: https://datatracker.ietf.org/doc/html/rfc1323`
`url: https://datatracker.ietf.org/doc/html/rfc7323`
`url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d`
`↪ownload/details.aspx?id=9152`
`url: https://www.fortiguard.com/psirt/FG-IR-16-090`

[return to 172.30.40.5]

2.1.6 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact

This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:

Solution type: Mitigation

Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight

The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method

Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.

Details: `ICMP Timestamp Reply Information Disclosure`

OID:1.3.6.1.4.1.25623.1.0.103190

Version used: `2025-01-21T05:37:33Z`

References

```
cve: CVE-1999-0524
url: https://datatracker.ietf.org/doc/html/rfc792
url: https://datatracker.ietf.org/doc/html/rfc2780
cert-bund: CB-K15/1514
cert-bund: CB-K14/0632
dfn-cert: DFN-CERT-2014-0658
```

[return to 172.30.40.5]

2.1.7 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Hostname determination for IP 172.30.40.5:
Hostname|Source
phpldapadmin-remote-dump.trabalho_vulnnet|Reverse-DNS
```

Solution:

Log Method
Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Network route from scanner (172.30.0.2) to target (172.30.40.5):
172.30.0.2
172.30.40.5
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.51662
Version used: 2022-10-17T11:13:19Z

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Debian GNU/Linux 8
Version:      8
CPE:          cpe:/o:debian:debian_linux:8
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from HTTP Server banner on port 80/tcp: Server: Apache/2.4.10 (Debian)
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method
Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-01-21T05:50:46Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.
```

Solution:

Log Method

Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: `IP Forwarding Enabled - Active Check`
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: `2021-12-03T08:27:06Z`

References

`cve: CVE-1999-0511`

Log (CVSS: 0.0)
NVT: Apache HTTP Server Detection Consolidation

Summary

Consolidation of Apache HTTP Server detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Apache HTTP Server
Version:       2.4.10
Location:      80/tcp
CPE:           cpe:/a:apache:http_server:2.4.10
Concluded from version/product identification result:
Server: Apache/2.4.10 (Debian)
```

Solution:

Log Method

Details: `Apache HTTP Server Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.117232
Version used: `2024-03-08T15:37:10Z`

References

`url: https://httpd.apache.org`

[return to 172.30.40.5]

2.1.8 Log 80/tcp

Log (CVSS: 0.0)
NVT: phpLDAPadmin Detection (HTTP)

Summary
HTTP based detection of phpLDAPadmin.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected phpLDAPadmin
Version:       1.2.3
Location:      /htdocs
CPE:           cpe:/a:phpldapadmin_project:phpldapadmin:1.2.3
Concluded from version/product identification result:
phpLDAPadmin (1.2.3)
Concluded from version/product identification location:
http://phpldapadmin-remote-dump.trabalho_vulnnet/htdocs/index.php
```

Solution:

Log Method
Details: `phpLDAPadmin Detection (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.100395
Version used: `2024-12-24T05:05:31Z`

References
`url: https://github.com/leenooks/phpLDAPadmin`

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner                   | Enumeration technique
--------------------------------------------------------------------------------
↪-----------------
Server: Apache/2.4.10 (Debian) | Invalid HTTP 00.5 GET request (non-existent HTT
↪P version) to '/'
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Log Method
Details: `HTTP Server Banner Enumeration`
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote HTTP Server banner is:
Server: Apache/2.4.10 (Debian)
```

Solution:

Log Method
Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
A web server is running on this port
```

Solution:

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: Services
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Missing Headers                   | More Information
-----------------------------------------------------------------------------
↪-----------------------------------------------------------------------------
↪-------------------------------------------------
Content-Security-Policy           | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy        | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                   | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Feature-Policy                    | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Referrer-Policy                   | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options            | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options                   | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                  | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

Log Method
Details: `HTTP Security Headers Detection`
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: `2025-03-21T15:40:43Z`

References
`url: https://owasp.org/www-project-secure-headers/`
`url: https://owasp.org/www-project-secure-headers/#div-headers`
`url: https://securityheaders.com/`

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Hostname/IP "phpldapadmin-remote-dump.trabalho_vulnnet" was used to access t
↪he remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
A possible recursion was detected during web application scanning:
The service is using a relative URL in one or more HTML references where e.g. /f
↪ile1.html contains <a href="subdir/file2.html"> and a subsequent request for s
↪ubdir/file2.html is linking to subdir/file2.html. This would resolves to subdi
↪r/subdir/file2.html causing a recursion. To work around this counter-measures
↪have been enabled but the service should be fixed as well to not use such prob
↪lematic links. Below an excerpt of URLs is shown to help identify those issues
↪.
Syntax : URL (HTML link)
http://phpldapadmin-remote-dump.trabalho_vulnnet/htdocs/ (css/default/style.css)
http://phpldapadmin-remote-dump.trabalho_vulnnet/htdocs/ (images/default/bug-big
↪.png)
http://phpldapadmin-remote-dump.trabalho_vulnnet/htdocs/ (images/default/forum-b
↪ig.png)
http://phpldapadmin-remote-dump.trabalho_vulnnet/htdocs/ (images/default/help-bi
↪g.png)
http://phpldapadmin-remote-dump.trabalho_vulnnet/htdocs/ (images/default/login.p
↪ng)
The following directories were used for web application scanning:
http://phpldapadmin-remote-dump.trabalho_vulnnet/
http://phpldapadmin-remote-dump.trabalho_vulnnet/config
http://phpldapadmin-remote-dump.trabalho_vulnnet/doc
http://phpldapadmin-remote-dump.trabalho_vulnnet/htdocs
http://phpldapadmin-remote-dump.trabalho_vulnnet/lib
http://phpldapadmin-remote-dump.trabalho_vulnnet/templates
http://phpldapadmin-remote-dump.trabalho_vulnnet/tools
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
The following directories were excluded from web application scanning because th
↪e "Regex pattern to exclude directories from CGI scanning" setting of the VT "
↪Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was
↪: "/(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graph
↪ic|grafik|picture|bilder|thumbnail|media/|skins?/)"
http://phpldapadmin-remote-dump.trabalho_vulnnet/htdocs/css/default
http://phpldapadmin-remote-dump.trabalho_vulnnet/htdocs/images
http://phpldapadmin-remote-dump.trabalho_vulnnet/htdocs/images/default
http://phpldapadmin-remote-dump.trabalho_vulnnet/htdocs/js
http://phpldapadmin-remote-dump.trabalho_vulnnet/htdocs/js/jscalendar
http://phpldapadmin-remote-dump.trabalho_vulnnet/icons
The following CGIs were discovered:
Syntax : cginame (arguments [default value])
http://phpldapadmin-remote-dump.trabalho_vulnnet/htdocs/cmd.php (server_id [1] c
↪md [purge_cache] )
```

Solution:

Log Method
Details: `Web Application Scanning Consolidation / Info Reporting`
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: `2026-01-13T05:47:36Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

[return to 172.30.40.5]

2.1.9 Log 389/tcp

Log (CVSS: 0.0)
NVT: LDAP Service Detection (TCP)

Summary
TCP based detection of services supporting the Lightweight Directory Access Protocol (LDAP).

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`The LDAP Server supports LDAPv3.`

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The Lightweight Directory Access Protocol, or LDAP is an application protocol for querying and modifying directory services running over TCP/IP.

Log Method
Details: `LDAP Service Detection (TCP)`
OID:1.3.6.1.4.1.25623.1.0.100082
Version used: `2023-07-12T05:05:05Z`

[return to 172.30.40.5]

2.1.10 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
172.30.40.5|cpe:/a:apache:http_server:2.4.10
172.30.40.5|cpe:/a:phpldapadmin_project:phpldapadmin:1.2.3
172.30.40.5|cpe:/o:debian:debian_linux:8
```

Solution:

Log Method
Details: `CPE Inventory`
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: `2022-07-27T10:11:28Z`

References
`url: https://nvd.nist.gov/products/cpe`

[return to 172.30.40.5]