Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was " hgdfdghgdgd". The scan started at Mon Jan 26 01:47:47 2026 UTC and ended at Mon Jan 26 14:04:13 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 172.31.1.83 2

2.1.1 Critical general/tcp 2

2.1.2 Critical 80/tcp 4

2.1.3 High 80/tcp 24

2.1.4 Medium 80/tcp 45

2.1.5 Low general/tcp 64

2.1.6 Low general/icmp 65

2.1.7 Log general/tcp 66

2.1.8 Log general/CPE-T 69

2.1.9 Log 80/tcp 70

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.31.1.83 wp49.trabalho_vulnnet	13	14	14	2	11	0
Total: 1	13	14	14	2	11	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Debug" are not shown.

This report contains all 54 results selected by the filtering described above. Before filtering there were 5586 results.

2 Results per Host

2.1 172.31.1.83

Host scan start	Mon Jan 26 01:48:40 2026 UTC
Host scan end	Mon Jan 26 03:37:24 2026 UTC

Service (Port)	Threat Level
general/tcp	Critical
80/tcp	Critical
80/tcp	High
80/tcp	Medium
general/tcp	Low
general/icmp	Low
general/tcp	Log
general/CPE-T	Log
80/tcp	Log

2.1.1 Critical general/tcp

Critical (CVSS: 10.0)
NVT: Operating System (OS) End of Life (EOL) Detection

Product detection result
`cpe:/o:debian:debian_linux:9`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Detected by OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0
↪.105937)
```

Summary
The Operating System (OS) on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The "Debian GNU/Linux" Operating System on the remote host has reached the end o
↪f life.
CPE:                cpe:/o:debian:debian_linux:9
Installed version,
build or SP:        9
EOL date:           2022-06-30
EOL info:           https://en.wikipedia.org/wiki/List_of_Debian_releases#Release
↪_table
```

Impact
An EOL version of an OS is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: Mitigation
Update the OS on the remote host to a version which is still supported and receiving security updates by the vendor.
Note / Important: Please create an override for this result if the target host is a:
- Windows system with Extended Security Updates (ESU)
- System with additional 3rd-party / non-vendor security updates like e.g. from 'TuxCare', 'Freexian Extended LTS' or similar

Vulnerability Detection Method
Checks if an EOL version of an OS is present on the target host.
Details: `Operating System (OS) End of Life (EOL) Detection`
OID:1.3.6.1.4.1.25623.1.0.103674
Version used: `2025-05-21T05:40:19Z`

Product Detection Result
Product: `cpe:/o:debian:debian_linux:9`
Method: `OS Detection Consolidation and Reporting`
OID: 1.3.6.1.4.1.25623.1.0.105937)

[return to 172.31.1.83]

2.1.2 Critical 80/tcp

Critical (CVSS: 9.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.25`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.26
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to bypass authentication and perform unauthorized actions, cause a denial-of-service condition and gain access to potentially sensitive information.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server 2.2.33 or 2.4.26 or later.

Affected Software/OS
Apache HTTP Server 2.2.x before 2.2.33 and 2.4.x before 2.4.26.

Vulnerability Insight
Multiple flaws exist as,
- The mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.
- The mod_ssl may dereference a NULL pointer when third-party modules call ap_hook_process_connection() during an HTTP request to an HTTPS port.
- An use of the ap_get_basic_auth_pw() by third-party modules outside of the authentication phase may lead to authentication requirements being bypassed.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.811214
Version used: 2024-02-16T05:06:55Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.25
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2017-7679
cve: CVE-2017-3169
cve: CVE-2017-3167
url: http://seclists.org/oss-sec/2017/q2/509
url: http://www.securityfocus.com/bid/99135
url: http://www.securityfocus.com/bid/99134
url: http://httpd.apache.org/security/vulnerabilities_24.html
url: http://httpd.apache.org/security/vulnerabilities_22.html
cert-bund: WID-SEC-2025-0370
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K18/0066
cert-bund: CB-K17/2188
cert-bund: CB-K17/2013
cert-bund: CB-K17/1936
cert-bund: CB-K17/1854
cert-bund: CB-K17/1842
cert-bund: CB-K17/1768
cert-bund: CB-K17/1747
cert-bund: CB-K17/1622
cert-bund: CB-K17/1382
cert-bund: CB-K17/1279
cert-bund: CB-K17/1154
cert-bund: CB-K17/1023
dfn-cert: DFN-CERT-2019-0358
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2290
dfn-cert: DFN-CERT-2017-2104
dfn-cert: DFN-CERT-2017-2021
dfn-cert: DFN-CERT-2017-1926
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1828
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1443
dfn-cert: DFN-CERT-2017-1327
dfn-cert: DFN-CERT-2017-1193

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1058
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server Multiple Vulnerabilities (Apr 2018) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.30
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow an attacker to replay HTTP requests across servers without detection, influence the user content, upload a malicious file, crash the Apache HTTP Server and perform denial of service attack.

Solution:

Solution type: VendorFix

Update to version 2.4.30 or later. Please see the references for more information.

Affected Software/OS

Apache HTTP Server versions from 2.4.1 to 2.4.4, 2.4.6, 2.4.7, 2.4.9, 2.4.10, 2.4.12, 2.4.16 to 2.4.18, 2.4.20, 2.4.23, 2.4.25 to 2.4.29.

Vulnerability Insight

Multiple flaws exist due to:
- Apache HTTP Server fails to correctly generate the nonce sent to prevent reply attacks.
- Misconfigured mod_session variable, HTTP_SESSION.
- Apache HTTP Server fails to sanitize the expression specified in '<FilesMatch>'.
- An error in Apache HTTP Server 'mod_authnz_ldap' when configured with AuthLDAPCharsetConfig.
- Apache HTTP Server fails to sanitize against a specially crafted request.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server Multiple Vulnerabilities (Apr 2018) - Linux
OID:1.3.6.1.4.1.25623.1.0.812844
Version used: 2024-02-09T05:06:25Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.25
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2018-1312
cve: CVE-2018-1283
cve: CVE-2017-15715
cve: CVE-2017-15710
cve: CVE-2018-1301
url: https://httpd.apache.org/security/vulnerabilities_24.html
url: http://www.securityfocus.com/bid/103524
url: http://www.securityfocus.com/bid/103520
url: http://www.securityfocus.com/bid/103525
url: http://www.securityfocus.com/bid/103512
url: http://www.securityfocus.com/bid/103515
cert-bund: WID-SEC-2023-1594
cert-bund: CB-K20/1030
cert-bund: CB-K19/0354
cert-bund: CB-K18/0535
dfn-cert: DFN-CERT-2020-2133
dfn-cert: DFN-CERT-2020-0673
dfn-cert: DFN-CERT-2019-1550
dfn-cert: DFN-CERT-2019-0736
dfn-cert: DFN-CERT-2019-0359
dfn-cert: DFN-CERT-2019-0351
dfn-cert: DFN-CERT-2018-2316
dfn-cert: DFN-CERT-2018-0985
dfn-cert: DFN-CERT-2018-0795
dfn-cert: DFN-CERT-2018-0703
dfn-cert: DFN-CERT-2018-0570

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.53
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.53 or later.

Affected Software/OS
Apache HTTP Server version 2.4.52 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-22719: mod_lua Use of uninitialized value of in r:parsebody
- CVE-2022-22720: HTTP request smuggling vulnerability
- CVE-2022-22721: Possible buffer overflow with very large or unlimited LimitXMLRequestBody
- CVE-2022-23943: mod_sed: Read/write beyond bounds

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.113837
Version used: `2022-03-21T03:03:41Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2022-22719
cve: CVE-2022-22720
cve: CVE-2022-22721
cve: CVE-2022-23943
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.53
cert-bund: WID-SEC-2024-1591
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1772
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1161
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0898
cert-bund: WID-SEC-2022-0799
cert-bund: WID-SEC-2022-0755
cert-bund: WID-SEC-2022-0646
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0290
cert-bund: CB-K22/0619
cert-bund: CB-K22/0306
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0678
dfn-cert: DFN-CERT-2022-0582
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.52
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 2.4.52 or later.

Affected Software/OS
Apache HTTP Server versions through 2.4.51.

Vulnerability Insight
A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.117856
Version used: 2021-12-23T12:12:57Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.25
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2021-44790
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0727
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0619
cert-bund: CB-K21/1296
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0192
dfn-cert: DFN-CERT-2022-0098

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0068
dfn-cert: DFN-CERT-2021-2656
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.60
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.60 or later.

Affected Software/OS

Apache HTTP Server version 2.4.59 and prior.

Vulnerability Insight

The following flaws exist:

- CVE-2024-36387: Denial of Service (DoS) by Null pointer in websocket over HTTP/2
- CVE-2024-38473: Proxy encoding problem
- CVE-2024-38474: Weakness with encoded question marks in backreferences
- CVE-2024-38475: Weakness in mod_rewrite when first segment of substitution matches filesystem path
- CVE-2024-38476: May use exploitable/malicious backend application output to run local handlers via internal redirect
- CVE-2024-38477: Crash resulting in DoS in mod_proxy via a malicious request
- CVE-2024-39573: mod_rewrite proxy handler substitution

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.114682
Version used: 2025-08-07T05:44:51Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.25
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2024-36387
cve: CVE-2024-38473
cve: CVE-2024-38474
cve: CVE-2024-38475
cve: CVE-2024-38476
cve: CVE-2024-38477
cve: CVE-2024-39573
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.60
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2024-3291
cert-bund: WID-SEC-2024-3199
cert-bund: WID-SEC-2024-1913
cert-bund: WID-SEC-2024-1504
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1808
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2024-2841
dfn-cert: DFN-CERT-2024-2787
dfn-cert: DFN-CERT-2024-2736
dfn-cert: DFN-CERT-2024-2342
dfn-cert: DFN-CERT-2024-2214
dfn-cert: DFN-CERT-2024-2201
dfn-cert: DFN-CERT-2024-2180
dfn-cert: DFN-CERT-2024-2110
dfn-cert: DFN-CERT-2024-2017
dfn-cert: DFN-CERT-2024-1963
dfn-cert: DFN-CERT-2024-1920
dfn-cert: DFN-CERT-2024-1919
dfn-cert: DFN-CERT-2024-1911
dfn-cert: DFN-CERT-2024-1907

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1893
dfn-cert: DFN-CERT-2024-1816
dfn-cert: DFN-CERT-2024-1811
dfn-cert: DFN-CERT-2024-1784
dfn-cert: DFN-CERT-2024-1741
dfn-cert: DFN-CERT-2024-1699
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.54
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.54 or later.

Affected Software/OS

Apache HTTP Server version 2.4.53 and prior.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2022-26377: mod_proxy_ajp: Possible request smuggling
- CVE-2022-28614: Read beyond bounds via ap_rwrite()
- CVE-2022-28615: Read beyond bounds in ap_strcmp_match()
- CVE-2022-29404: Denial of service in mod_lua r:parsebody
- CVE-2022-30556: Information disclosure in mod_lua with websockets
- CVE-2022-31813: mod_proxy X-Forwarded-For dropped by hop-by-hop mechanism

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Linux
OID:1.3.6.1.4.1.25623.1.0.148252
Version used: 2022-06-20T03:04:15Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.25
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2022-26377
cve: CVE-2022-28614
cve: CVE-2022-28615
cve: CVE-2022-29404
cve: CVE-2022-30556
cve: CVE-2022-31813
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.54
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-0134
cert-bund: WID-SEC-2023-0132
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1766
cert-bund: WID-SEC-2022-1764
cert-bund: WID-SEC-2022-0858
cert-bund: WID-SEC-2022-0192
cert-bund: CB-K22/0692
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2789
dfn-cert: DFN-CERT-2022-2652
dfn-cert: DFN-CERT-2022-2509
dfn-cert: DFN-CERT-2022-2310
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1833
dfn-cert: DFN-CERT-2022-1720
dfn-cert: DFN-CERT-2022-1353
dfn-cert: DFN-CERT-2022-1296

Critical (CVSS: 9.8)
NVT: Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:apache:http_server:2.4.25

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.49
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.49 or later.

Affected Software/OS
Apache HTTP Server version 2.4.48 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2021-34798: NULL pointer dereference in httpd core
- CVE-2021-39275: ap_escape_quotes buffer overflow
- CVE-2021-40438: mod_proxy SSRF

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Linux
OID:1.3.6.1.4.1.25623.1.0.146725
Version used: 2022-08-09T10:11:17Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.25
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2021-34798
cve: CVE-2021-39275
cve: CVE-2021-40438
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0186
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2022-1298
cert-bund: WID-SEC-2022-1189
cert-bund: WID-SEC-2022-0724
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0476
cert-bund: CB-K22/0465
cert-bund: CB-K22/0463
cert-bund: CB-K21/0992
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2022-2405
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-0904
dfn-cert: DFN-CERT-2022-0878
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0869
dfn-cert: DFN-CERT-2022-0672
dfn-cert: DFN-CERT-2022-0207
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2021-2629
dfn-cert: DFN-CERT-2021-2471
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2164
dfn-cert: DFN-CERT-2021-2153
dfn-cert: DFN-CERT-2021-2098
dfn-cert: DFN-CERT-2021-2090
dfn-cert: DFN-CERT-2021-2047
dfn-cert: DFN-CERT-2021-2020
dfn-cert: DFN-CERT-2021-1961
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server 2.4.0 - 2.4.46 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.48
Installation
path / port:       80/tcp
```

Impact
- CVE-2020-35452: A specially crafted Digest nonce can cause a stack overflow in mod_auth_digest.
- CVE-2021-26690: A specially crafted Cookie header handled by mod_session can cause a NULL pointer dereference and crash, leading to a possible Denial Of Service.
- CVE-2021-26691: A specially crafted SessionHeader sent by an origin server could cause a heap overflow.

Solution:
Solution type: VendorFix
Update to version 2.4.48 or later.

Affected Software/OS
Apache HTTP Server versions 2.4.0 to 2.4.46 on Linux.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2020-35452: mod_auth_digest possible stack overflow by one null byte
- CVE-2021-26690: mod_session NULL pointer dereference
- CVE-2021-26691: mod_session response handling heap overflow

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.46 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.112897
Version used: `2021-08-24T09:01:06Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2020-35452`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-26690
cve: CVE-2021-26691
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2022-0438
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0072
cert-bund: CB-K21/1092
cert-bund: CB-K21/1090
cert-bund: CB-K21/0646
dfn-cert: DFN-CERT-2022-1047
dfn-cert: DFN-CERT-2022-0207
dfn-cert: DFN-CERT-2022-0122
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2365
dfn-cert: DFN-CERT-2021-2300
dfn-cert: DFN-CERT-2021-2187
dfn-cert: DFN-CERT-2021-2153
dfn-cert: DFN-CERT-2021-1467
dfn-cert: DFN-CERT-2021-1412
dfn-cert: DFN-CERT-2021-1355
dfn-cert: DFN-CERT-2021-1340
dfn-cert: DFN-CERT-2021-1333
dfn-cert: DFN-CERT-2021-1321
dfn-cert: DFN-CERT-2021-1273
```

Critical (CVSS: 9.8)
NVT: Apache HTTP Server 2.4.0 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a HTTP request smuggling vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.56
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Impact
Request splitting/smuggling could result in bypass of access controls in the proxy server, proxying unintended URLs to existing origin servers, and cache poisoning.

Solution:
Solution type: VendorFix
Update to version 2.4.56 or later.

Affected Software/OS
Apache HTTP Server versions 2.4.0 through 2.4.55.

Vulnerability Insight
Some mod_proxy configurations allow a HTTP Request Smuggling attack.
Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server 2.4.0 - 2.4.55 HTTP Request Smuggling Vulnerability - Linux
OID:1.3.6.1.4.1.25623.1.0.104597
Version used: 2024-02-15T05:05:40Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.25
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2023-25690
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56
cert-bund: WID-SEC-2025-1285
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-3129
cert-bund: WID-SEC-2023-2694
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1809
cert-bund: WID-SEC-2023-1807
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-0657

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-0583
dfn-cert: DFN-CERT-2023-1648
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-1232
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0788
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0546
```

Critical (CVSS: 9.1)
NVT: Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.27
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause the target service to crash. A remote user can obtain potentially sensitive information as well on the target system.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.2.34 or 2.4.27 or later.

Affected Software/OS

Apache HTTP Server 2.2.x before 2.2.34 and 2.4.x before 2.4.27.

Vulnerability Insight

The flaw exists due to error in Apache 'mod_auth_digest' which does not properly initialize memory used to process 'Digest' type HTTP Authorization headers.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.811237
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2017-9788`
`url: http://www.securitytracker.com/id/1038906`
`url: http://www.securityfocus.com/bid/99569`
`url: http://httpd.apache.org/security/vulnerabilities_22.html`
`url: http://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2025-0370`
`cert-bund: CB-K18/0066`
`cert-bund: CB-K17/2013`
`cert-bund: CB-K17/1980`
`cert-bund: CB-K17/1936`
`cert-bund: CB-K17/1871`
`cert-bund: CB-K17/1854`
`cert-bund: CB-K17/1842`
`cert-bund: CB-K17/1768`
`cert-bund: CB-K17/1747`
`cert-bund: CB-K17/1622`
`cert-bund: CB-K17/1558`
`cert-bund: CB-K17/1382`
`cert-bund: CB-K17/1197`
`cert-bund: CB-K17/1177`
`cert-bund: CB-K17/1023`
`dfn-cert: DFN-CERT-2019-0358`
`dfn-cert: DFN-CERT-2018-0077`
`dfn-cert: DFN-CERT-2017-2104`
`dfn-cert: DFN-CERT-2017-2070`
`dfn-cert: DFN-CERT-2017-2021`
`dfn-cert: DFN-CERT-2017-1954`
`dfn-cert: DFN-CERT-2017-1926`
`dfn-cert: DFN-CERT-2017-1925`
`dfn-cert: DFN-CERT-2017-1843`
`dfn-cert: DFN-CERT-2017-1828`
`dfn-cert: DFN-CERT-2017-1692`
`dfn-cert: DFN-CERT-2017-1626`
`dfn-cert: DFN-CERT-2017-1443`
`dfn-cert: DFN-CERT-2017-1240`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2017-1217
dfn-cert: DFN-CERT-2017-1058
```

Critical (CVSS: 9.1)
NVT: Apache HTTP Server Memory Access Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a memory access vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.41
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.41 or later.

Affected Software/OS

Apache HTTP Server version 2.4.18 to 2.4.39.

Vulnerability Insight

Using fuzzed network input, the http/2 session handling could be made to read memory after being freed during connection shutdown.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server Memory Access Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.114149

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.25`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2019-10082
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-0757
cert-bund: CB-K20/0708
cert-bund: CB-K19/0909
cert-bund: CB-K19/0728
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2020-2422
dfn-cert: DFN-CERT-2020-0716
dfn-cert: DFN-CERT-2019-1810
dfn-cert: DFN-CERT-2019-1751

Critical (CVSS: 9.0)
NVT: Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux

Product detection result
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.4.25
Fixed version: 2.4.55
Installation
path / port: 80/tcp

Solution:
Solution type: VendorFix
Update to version 2.4.55 or later.

Affected Software/OS
Apache HTTP Server version 2.4.54 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2006-20001: mod_dav out of bounds read, or write of zero byte

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2022-36760: Possible request smuggling in mod_proxy_ajp
- CVE-2022-37436: mod_proxy allows a backend to trigger HTTP response splitting

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.149152
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2006-20001
cve: CVE-2022-36760
cve: CVE-2022-37436
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.55
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1022
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0110
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-1895
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-0658
dfn-cert: DFN-CERT-2023-0548
dfn-cert: DFN-CERT-2023-0497
dfn-cert: DFN-CERT-2023-0118
```

[return to 172.31.1.83]

2.1.3 High 80/tcp

High (CVSS: 8.2)
NVT: Apache HTTP Server 2.4.7 - 2.4.51 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.25`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`

. . . continues on next page . . .

. . . continued from previous page . . .

↪.0.117232)

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.52
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.52 or later.

Affected Software/OS
Apache HTTP Server version 2.4.7 through 2.4.51.

Vulnerability Insight
A crafted URI sent to httpd configured as a forward proxy (ProxyRequests on) can cause a crash (NULL pointer dereference) or, for configurations mixing forward and reverse proxy declarations, can allow for requests to be directed to a declared Unix Domain Socket endpoint (Server Side Request Forgery).

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.7 - 2.4.51 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.117854
Version used: `2021-12-23T12:12:57Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2021-44224
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0727
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K22/0619
cert-bund: CB-K21/1296
dfn-cert: DFN-CERT-2022-2405
dfn-cert: DFN-CERT-2022-2167
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1047
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0068
dfn-cert: DFN-CERT-2021-2656
```

High (CVSS: 7.8)
NVT: Apache HTTP Server < 2.4.39 Privilege Escalation Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

In Apache HTTP Server, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.39
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.39 or later.

Affected Software/OS

Apache HTTP Server version 2.4.38 and prior.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.39 Privilege Escalation Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.142219
Version used: `2024-07-26T05:05:35Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2019-0211
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2023-2047
cert-bund: CB-K19/0623
cert-bund: CB-K19/0615
cert-bund: CB-K19/0267
dfn-cert: DFN-CERT-2020-1473
dfn-cert: DFN-CERT-2019-1519
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-1238
dfn-cert: DFN-CERT-2019-1101
dfn-cert: DFN-CERT-2019-0915
dfn-cert: DFN-CERT-2019-0911
dfn-cert: DFN-CERT-2019-0815
dfn-cert: DFN-CERT-2019-0753
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0676
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.59
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.59 or later.

Affected Software/OS
Apache HTTP Server version 2.4.58 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2023-38709: HTTP response splitting
- CVE-2024-24795: HTTP response splitting in multiple modules
- CVE-2024-27316: HTTP/2 DoS by memory exhaustion on endless continuation frames

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.152039
Version used: `2024-06-07T05:05:42Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2023-38709
cve: CVE-2024-24795
cve: CVE-2024-27316
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.59
url: https://kb.cert.org/vuls/id/421644
url: https://nowotarski.info/http2-continuation-flood/
url: https://nowotarski.info/http2-continuation-flood-technical-details/
cert-bund: WID-SEC-2025-1529
cert-bund: WID-SEC-2024-1725
cert-bund: WID-SEC-2024-1643
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1504
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1226
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-0801
cert-bund: WID-SEC-2024-0789
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-2658
dfn-cert: DFN-CERT-2025-2657
dfn-cert: DFN-CERT-2024-2900
dfn-cert: DFN-CERT-2024-2534
dfn-cert: DFN-CERT-2024-2076
dfn-cert: DFN-CERT-2024-1958
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1749
dfn-cert: DFN-CERT-2024-1697
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1335
dfn-cert: DFN-CERT-2024-1238
dfn-cert: DFN-CERT-2024-1031
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-0964
dfn-cert: DFN-CERT-2024-0901
dfn-cert: DFN-CERT-2024-0890
```

High (CVSS: 7.5)
NVT: Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version Check

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.28
Installation
path / port:       80/tcp
```

Impact

The successful exploitation allows the attacker to read chunks of the host's memory.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to Apache HTTP Server 2.4.28. For Apache HTTP Server running version 2.2.34 apply the patch linked in the references.
As a workaround the usage of .htaccess should be disabled completely via the 'AllowOverride None' directive within the webservers configuration. Furthermore all <Limit> statements within the webserver configuration needs to be verified for invalid HTTP methods.

Affected Software/OS
Apache HTTP Server 2.2.x versions up to 2.2.34 and 2.4.x below 2.4.28.

Vulnerability Insight
Optionsbleed is a use after free error in the Apache HTTP Server that causes a corrupted Allow header to be constructed in response to HTTP OPTIONS requests. This can leak pieces of arbitrary memory from the server process that may contain secrets. The memory pieces change after multiple requests, so for a vulnerable host an arbitrary number of memory chunks can be leaked.
The bug appears if a webmaster tries to use the 'Limit' directive with an invalid HTTP method.
Example .htaccess:
<Limit abcxyz> </Limit>

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server OPTIONS Memory Leak Vulnerability (Optionsbleed) - Version C.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.108252
Version used: `2025-01-21T05:37:33Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2017-9798`
`url: http://openwall.com/lists/oss-security/2017/09/18/2`
`url: https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-le`
`↪ak-Apaches-server-memory.html`
`url: http://www.securityfocus.com/bid/100872`
`url: https://archive.apache.org/dist/httpd/patches/apply_to_2.2.34/`
`url: https://www.apache.org/dist/httpd/CHANGES_2.4.28`
`cert-bund: WID-SEC-2023-1594`
`cert-bund: CB-K18/1012`
`cert-bund: CB-K18/0800`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K18/0606
cert-bund: CB-K18/0098
cert-bund: CB-K18/0066
cert-bund: CB-K17/2188
cert-bund: CB-K17/2117
cert-bund: CB-K17/2021
cert-bund: CB-K17/1980
cert-bund: CB-K17/1936
cert-bund: CB-K17/1871
cert-bund: CB-K17/1773
cert-bund: CB-K17/1768
cert-bund: CB-K17/1587
dfn-cert: DFN-CERT-2019-0359
dfn-cert: DFN-CERT-2018-2113
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-0725
dfn-cert: DFN-CERT-2018-0100
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2290
dfn-cert: DFN-CERT-2017-2211
dfn-cert: DFN-CERT-2017-2108
dfn-cert: DFN-CERT-2017-2070
dfn-cert: DFN-CERT-2017-2021
dfn-cert: DFN-CERT-2017-1954
dfn-cert: DFN-CERT-2017-1854
dfn-cert: DFN-CERT-2017-1843
dfn-cert: DFN-CERT-2017-1659
```

High (CVSS: 7.5)
NVT: Apache HTTP Server 2.4.17 < 2.4.49 'mod_proxy' HTTP/2 Request Smuggling Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an HTTP/2 request smuggling vulnerability in the 'mod_proxy' module.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     2.4.49
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.49 or later.

Affected Software/OS
Apache HTTP Server version 2.4.17 through 2.4.48 running the mod_proxy module together with an enabled HTTP/2 protocol.

Vulnerability Insight
Apache's mod_proxy allows spaces in the :method of HTTP/2 requests, enabling request line injection. If the back-end server tolerates trailing junk in the request line, this lets an attacker to bypass block rules.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.17 < 2.4.49 'mod_proxy' HTTP/2 Request Smuggling Vulnera.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.117615
Version used: `2021-09-17T11:59:51Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2021-33193`
`url: https://portswigger.net/research/http2`
`url: https://github.com/apache/httpd/commit/ecebcc035ccd8d0e2984fe41420d9e944f45`
`↪6b3c`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2022-0722`
`cert-bund: CB-K21/0878`
`dfn-cert: DFN-CERT-2023-0497`
`dfn-cert: DFN-CERT-2022-2405`
`dfn-cert: DFN-CERT-2022-2167`
`dfn-cert: DFN-CERT-2022-1047`
`dfn-cert: DFN-CERT-2021-2471`
`dfn-cert: DFN-CERT-2021-1961`
`dfn-cert: DFN-CERT-2021-1854`

High (CVSS: 7.5)
NVT: Apache HTTP Server 2.4.20 - 2.4.39 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.25`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.41
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.41 or later.

Affected Software/OS
Apache HTTP Server version 2.4.20 to 2.4.39.

Vulnerability Insight
Apache HTTP server is prone to multiple vulnerabilities:
- A malicious client could perform a DoS attack by flooding a connection with requests and basically never reading responses on the TCP connection. Depending on h2 worker dimensioning, it was possible to block those with relatively few connections. (CVE-2019-9517)
- HTTP/2 very early pushes, for example configured with 'H2PushResource', could lead to an overwrite of memory in the pushing request's pool, leading to crashes. The memory copied is that of the configured push link header values, not data supplied by the client. (CVE-2019-10081)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.20 - 2.4.39 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114147
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2019-9517
cve: CVE-2019-10081
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: CB-K20/0708
cert-bund: CB-K19/0909
cert-bund: CB-K19/0728
dfn-cert: DFN-CERT-2021-0776
dfn-cert: DFN-CERT-2020-2422
dfn-cert: DFN-CERT-2020-0779
dfn-cert: DFN-CERT-2020-0716
dfn-cert: DFN-CERT-2020-0640
dfn-cert: DFN-CERT-2020-0630
dfn-cert: DFN-CERT-2020-0595
dfn-cert: DFN-CERT-2020-0054
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-1992
dfn-cert: DFN-CERT-2019-1810
dfn-cert: DFN-CERT-2019-1751
dfn-cert: DFN-CERT-2019-1727
dfn-cert: DFN-CERT-2019-1690
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to an out-of-bounds read vulnerability in mod_macro.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.58
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 2.4.58 or later.

Affected Software/OS
Apache HTTP Server version 2.4.57 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.100272
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2023-31122
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.58
url: https://www.openwall.com/lists/oss-security/2023/10/19/4
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0899
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2024-0107
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2712
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2024-0732
dfn-cert: DFN-CERT-2023-2640
dfn-cert: DFN-CERT-2023-2583
```

High (CVSS: 7.5)
NVT: Apache HTTP Server 2.4.20 < 2.4.44 Multiple Vulnerabilities - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.44
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.44 or later.

Affected Software/OS
Apache HTTP Server version 2.4.2 to 2.4.43.

Vulnerability Insight
The following vulnerabilities exist:
- Push Diary Crash on Specifically Crafted HTTP/2 Header (CVE-2020-9490)
- Push Diary Crash on Specifically Crafted HTTP/2 Header (CVE-2020-11993)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.20 < 2.4.44 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.144372
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2020-9490
cve: CVE-2020-11993
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-3319
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1048
cert-bund: WID-SEC-2023-0063
cert-bund: CB-K21/0341
cert-bund: CB-K21/0068
cert-bund: CB-K20/0798
dfn-cert: DFN-CERT-2022-0074
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-1069
dfn-cert: DFN-CERT-2020-2628
dfn-cert: DFN-CERT-2020-2345
dfn-cert: DFN-CERT-2020-2338
dfn-cert: DFN-CERT-2020-1985
dfn-cert: DFN-CERT-2020-1905
dfn-cert: DFN-CERT-2020-1793
dfn-cert: DFN-CERT-2020-1744
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.39 mod_auth_digest Access Control Bypass Vulnerability - Linux

Product detection result
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
In Apache HTTP Server, a race condition in mod_auth_digest when running in a threaded server could allow a user with valid credentials to authenticate using another username, bypassing configured access control restrictions.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.39
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.39 or later.

Affected Software/OS
Apache HTTP Server version 2.4.38 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server < 2.4.39 mod_auth_digest Access Control Bypass Vulnerability.
↪..
OID:1.3.6.1.4.1.25623.1.0.142220
Version used: 2024-02-15T05:05:40Z

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.25
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2019-0217
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2023-2047
cert-bund: CB-K19/0623
cert-bund: CB-K19/0267
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-0736
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0680
dfn-cert: DFN-CERT-2019-0676

High (CVSS: 7.5)
NVT: Apache HTTP Server 'HTTP/2 connection' DoS Vulnerability

Product detection result
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.4.25
Fixed version: 2.4.34
Installation
path / port: 80/tcp

Impact
Successful exploitation will allow remote attackers to cause a denial of service (DoS) condition on a targeted system.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to Apache HTTP Server 2.4.34 or later. Please see the references for more information.

Affected Software/OS
Apache HTTP Server versions 2.4.18 through 2.4.30 and 2.4.33.

Vulnerability Insight
The flaw is due to an error in the handling of specially crafted HTTP/2 requests.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 'HTTP/2 connection' DoS Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.813812
Version used: `2023-10-27T16:11:32Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2018-1333`
`url: http://seclists.org/oss-sec/2018/q3/39`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: CB-K18/0805`
`dfn-cert: DFN-CERT-2019-0359`
`dfn-cert: DFN-CERT-2019-0351`
`dfn-cert: DFN-CERT-2018-2316`
`dfn-cert: DFN-CERT-2018-2011`
`dfn-cert: DFN-CERT-2018-1642`
`dfn-cert: DFN-CERT-2018-1412`

High (CVSS: 7.5)
NVT: Apache HTTP Server 'mod_http2' null pointer dereference DoS Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.25`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.26
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause a denial-of-service condition.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.4.26 or later.

Affected Software/OS

Apache HTTP Server version 2.4.25.

Vulnerability Insight

The flaw exists as a maliciously constructed HTTP/2 request could cause mod_http2 to dereference a NULL pointer and crash the server process.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server 'mod_http2' null pointer dereference DoS Vulnerability - Lin.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.811218

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.25`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2017-7659
url: http://seclists.org/oss-sec/2017/q2/504
url: http://www.securityfocus.com/bid/99132
url: http://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K18/0187
cert-bund: CB-K17/1854
cert-bund: CB-K17/1622
cert-bund: CB-K17/1382
cert-bund: CB-K17/1023
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-0358
dfn-cert: DFN-CERT-2018-0206
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1443
dfn-cert: DFN-CERT-2017-1058
```

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.38 mod_session_cookie Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

In Apache HTTP Server mod_session checks the session expiry time before decoding the session. This causes session expiry time to be ignored for mod_session_cookie sessions since the expiry time is loaded when the session is decoded.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.38
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.38 or later.

Affected Software/OS

Apache HTTP Server version 2.4.37 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.38 mod_session_cookie Vulnerability - Linux`

OID:1.3.6.1.4.1.25623.1.0.141964

Version used: `2024-02-15T05:05:40Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.25`

Method: `Apache HTTP Server Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2018-17199
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K19/0316
cert-bund: CB-K19/0071
dfn-cert: DFN-CERT-2021-1069
dfn-cert: DFN-CERT-2020-0673
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-0857
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0198
dfn-cert: DFN-CERT-2019-0184
```

High (CVSS: 7.5)
NVT: Apache HTTP Server Denial of Service Vulnerability-02 (Apr 2018) - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.30
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow an attacker to crash the Apache HTTP Server resulting in denial of service condition.

Solution:

Solution type: VendorFix

Update to version 2.4.30 or later. Please see the references for more information.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server versions 2.4.6, 2.4.7, 2.4.9, 2.4.10, 2.4.12, 2.4.16 through 2.4.18, 2.4.20, 2.4.23, and 2.4.25 through 2.4.29.

Vulnerability Insight
The flaw exists as the Apache HTTP Server fails to sanitize against a specially crafted HTTP request header.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Denial of Service Vulnerability-02 (Apr 2018) - Linux`
OID:1.3.6.1.4.1.25623.1.0.812849
Version used: `2024-02-09T05:06:25Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2018-1303`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`url: http://www.securityfocus.com/bid/103522`
`cert-bund: CB-K20/1030`
`cert-bund: CB-K18/0535`
`dfn-cert: DFN-CERT-2020-2133`
`dfn-cert: DFN-CERT-2019-0359`
`dfn-cert: DFN-CERT-2019-0351`
`dfn-cert: DFN-CERT-2018-2316`
`dfn-cert: DFN-CERT-2018-0985`
`dfn-cert: DFN-CERT-2018-0570`

High (CVSS: 7.5)
NVT: Apache HTTP Server Denial-Of-Service Vulnerability (Jun 2017) - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.25`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.26
Installation
path / port:       80/tcp
```

Impact

Successful exploitation will allow remote attackers to cause a denial-of-service condition.

Solution:

Solution type: VendorFix

Update to Apache HTTP Server 2.2.33 or 2.4.26 or later.

Affected Software/OS

Apache HTTP Server versions 2.2.32, 2.4.24 and 2.4.25.

Vulnerability Insight

The flaw exists due to an error in the token list parsing, which allows ap_find_token() to search past the end of its input string. By maliciously crafting a sequence of request headers, an attacker may be able to cause a segmentation fault, or to force ap_find_token() to return an incorrect value.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server Denial-Of-Service Vulnerability (Jun 2017) - Linux`

OID:1.3.6.1.4.1.25623.1.0.811216

Version used: `2024-02-16T05:06:55Z`

Product Detection Result

Product: `cpe:/a:apache:http_server:2.4.25`

Method: `Apache HTTP Server Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2017-7668
url: http://seclists.org/oss-sec/2017/q2/510
url: http://www.securityfocus.com/bid/99137
url: http://httpd.apache.org/security/vulnerabilities_22.html
url: http://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2025-0370
cert-bund: CB-K18/0066
cert-bund: CB-K17/2013
cert-bund: CB-K17/1936
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K17/1854
cert-bund: CB-K17/1842
cert-bund: CB-K17/1747
cert-bund: CB-K17/1622
cert-bund: CB-K17/1382
cert-bund: CB-K17/1279
cert-bund: CB-K17/1163
cert-bund: CB-K17/1023
dfn-cert: DFN-CERT-2019-0358
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2017-2104
dfn-cert: DFN-CERT-2017-2021
dfn-cert: DFN-CERT-2017-1926
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1828
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1443
dfn-cert: DFN-CERT-2017-1327
dfn-cert: DFN-CERT-2017-1204
dfn-cert: DFN-CERT-2017-1058
```

[return to 172.31.1.83]

2.1.4 Medium 80/tcp

Medium (CVSS: 6.1)
NVT: Apache HTTP Server 2.4.0 - 2.4.40 Multiple Vulnerabilities - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.41
Installation
path / port:       80/tcp
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 2.4.41 or later.

Affected Software/OS
Apache HTTP Server version 2.4.0 to 2.4.40.

Vulnerability Insight
Apache HTTP server is prone to multiple vulnerabilities:
- A limited cross-site scripting issue affecting the mod_proxy error page. An attacker could cause the link on the error page to be malformed and instead point to a page of their choice. This would be exploitable where a server was set up with proxying enabled but was misconfigured in such a way that the Proxy Error page was displayed. (CVE-2019-10092)
- Redirects configured with mod_rewrite that were intended to be self referential might be fooled by encoded newlines and redirect instead to an unexpected URL within the request URL. (CVE-2019-10098)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.40 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.114143
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2019-10092`
`cve: CVE-2019-10098`
`url: https://httpd.apache.org/security/vulnerabilities_24.html`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: CB-K20/1030`
`cert-bund: CB-K20/0708`
`cert-bund: CB-K20/0043`
`cert-bund: CB-K19/0909`
`cert-bund: CB-K19/0728`
`dfn-cert: DFN-CERT-2021-1333`
`dfn-cert: DFN-CERT-2021-0540`
`dfn-cert: DFN-CERT-2020-2422`
`dfn-cert: DFN-CERT-2020-2133`
`dfn-cert: DFN-CERT-2020-1124`
`dfn-cert: DFN-CERT-2020-0716`
`dfn-cert: DFN-CERT-2020-0090`
`dfn-cert: DFN-CERT-2019-2592`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-1961
dfn-cert: DFN-CERT-2019-1810
dfn-cert: DFN-CERT-2019-1797
dfn-cert: DFN-CERT-2019-1751
```

Medium (CVSS: 6.1)
NVT: Apache HTTP Server 2.4.0 < 2.4.42 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.25`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.42
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.42 or later.

Affected Software/OS
Apache HTTP Server version 2.4.0 to 2.4.41.

Vulnerability Insight
Apache HTTP Server is prone to multiple vulnerabilities:
- mod_rewrite CWE-601 open redirect (CVE-2020-1927)
- mod_proxy_ftp use of uninitialized value (CVE-2020-1934)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 < 2.4.42 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.143671
Version used: `2024-02-15T05:05:40Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:apache:http_server:2.4.25
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

cve: CVE-2020-1927
cve: CVE-2020-1934
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-0757
cert-bund: CB-K20/1030
cert-bund: CB-K20/0708
cert-bund: CB-K20/0691
cert-bund: CB-K20/0280
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-1467
dfn-cert: DFN-CERT-2020-2422
dfn-cert: DFN-CERT-2020-2133
dfn-cert: DFN-CERT-2020-1854
dfn-cert: DFN-CERT-2020-1793
dfn-cert: DFN-CERT-2020-1538
dfn-cert: DFN-CERT-2020-1335
dfn-cert: DFN-CERT-2020-1289
dfn-cert: DFN-CERT-2020-1124
dfn-cert: DFN-CERT-2020-0850
dfn-cert: DFN-CERT-2020-0835
dfn-cert: DFN-CERT-2020-0688

Medium (CVSS: 5.9)
NVT: Apache HTTP Server HTTP/2 'SETTINGS' Data Processing DoS Vulnerability - Linux

Product detection result

cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary

Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 2.4.25
Fixed version:     2.4.35
Installation
path / port:       80/tcp
```

Impact
Successful exploitation will allow remote attackers to cause a denial of service (DoS) condition on a targeted system.

Solution:
Solution type: VendorFix
Update to Apache HTTP Server 2.4.35 or later. Please see the references for more information.

Affected Software/OS
Apache HTTP Server versions 2.4.34, 2.4.33, 2.4.30, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18.

Vulnerability Insight
The flaw is due to an improper processing of specially crafted and continuous SETTINGS data for an ongoing HTTP/2 connection to cause the target service to fail to timeout.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server HTTP/2 'SETTINGS' Data Processing DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.814056
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2018-11763
url: https://securitytracker.com/id/1041713
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1682
cert-bund: CB-K19/0316
cert-bund: CB-K19/0050
cert-bund: CB-K18/0949
dfn-cert: DFN-CERT-2019-1562
dfn-cert: DFN-CERT-2019-0359
dfn-cert: DFN-CERT-2019-0351
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2019-0104
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2018-2316
dfn-cert: DFN-CERT-2018-2044
dfn-cert: DFN-CERT-2018-2011
```

Medium (CVSS: 5.9)
NVT: Apache HTTP Server 2.4.17 - 2.4.57 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.58
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.58 or later.

Affected Software/OS

Apache HTTP Server version 2.4.17 through 2.4.57.

Vulnerability Insight

When a HTTP/2 stream was reset (RST frame) by a client, there was a time window were the request's memory resources were not reclaimed immediately. Instead, de-allocation was deferred to connection close. A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.

This was found by the reporter during testing of CVE-2023-44487 (HTTP/2 Rapid Reset Exploit) with their own test client. During 'normal' HTTP/2 use, the probability to hit this bug is very low. The kept memory would not become noticeable before the connection closes or times out.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server 2.4.17 - 2.4.57 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.100310

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2024-08-02T05:05:39Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.25
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2023-45802
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.58
url: https://www.openwall.com/lists/oss-security/2023/10/19/6
url: https://github.com/icing/blog/blob/main/h2-rapid-reset.md
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2712
dfn-cert: DFN-CERT-2024-2968
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1335
dfn-cert: DFN-CERT-2024-1152
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2023-3071
dfn-cert: DFN-CERT-2023-2596
dfn-cert: DFN-CERT-2023-2583

Medium (CVSS: 5.9)
NVT: Apache HTTP Server Denial of Service Vulnerability (Apr 2018) - Linux

Product detection result
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.4.25
Fixed version: 2.4.30
Installation
path / port: 80/tcp

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Successful exploitation will allow an attacker to destroy an HTTP/2 stream, resulting in a denial of service condition.

Solution:
Solution type: VendorFix
Update to version 2.4.30 or later. Please see the references for more information.

Affected Software/OS
Apache HTTP Server versions 2.4.17, 2.4.18, 2.4.20, 2.4.23 and from 2.4.25 to 2.4.29.

Vulnerability Insight
The flaw exists as the Apache HTTP Server writes a NULL pointer potentially to an already freed memory.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server Denial of Service Vulnerability (Apr 2018) - Linux`
OID:1.3.6.1.4.1.25623.1.0.812845
Version used: `2024-02-09T05:06:25Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2018-1302
url: http://www.openwall.com/lists/oss-security/2018/03/24/8
url: http://www.securityfocus.com/bid/103528
url: http://www.openwall.com/lists/oss-security/2018/03/24/2
cert-bund: CB-K18/0535
dfn-cert: DFN-CERT-2019-0359
dfn-cert: DFN-CERT-2019-0351
dfn-cert: DFN-CERT-2018-2011
dfn-cert: DFN-CERT-2018-1386
dfn-cert: DFN-CERT-2018-0985
dfn-cert: DFN-CERT-2018-0570
```

Medium (CVSS: 5.8)
NVT: Apache HTTP Server 2.4.7 - 2.4.65 Authentication Bypass Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.25`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`

. . . continues on next page . . .

. . . continued from previous page . . .

↪.0.117232)

Summary
Apache HTTP Server is prone to an authentication bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

Affected Software/OS
Apache HTTP Server version 2.4.7 through 2.4.65.

Vulnerability Insight
mod_userdir+suexec bypass via AllowOverride FileInfo vulnerability in Apache HTTP Server. Users with access to use the RequestHeader directive in htaccess can cause some CGI scripts to run under an unexpected userid.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.7 - 2.4.65 Authentication Bypass Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125567
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2025-66200
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/8
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2025-3405

Medium (CVSS: 5.3)
NVT: Apache HTTP Server 2.4.6 - 2.4.46 Tunneling Misconfiguration Vulnerability - Linux

Product detection result
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
Apache HTTP Server is prone to a tunneling misconfiguration vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.48
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.48 or later.

Affected Software/OS
Apache HTTP Server versions 2.4.6 to 2.4.46 on Linux.

Vulnerability Insight
mod_proxy_wstunnel configured on an URL that is not necessarily upgraded by the origin server was tunneling the whole connection regardless, thus allowing for subsequent requests on the same connection to pass through with no HTTP validation, authentication or authorization possibly configured.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Apache HTTP Server 2.4.6 - 2.4.46 Tunneling Misconfiguration Vulnerability - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.112898
Version used: 2021-08-24T09:01:06Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.25
Method: Apache HTTP Server Detection Consolidation

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2019-17567
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-0438
cert-bund: CB-K21/0646
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-1273
```

Medium (CVSS: 5.3)
NVT: Apache HTTP Server < 2.4.38 HTTP/2 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

By sending request bodies in a slow loris way to plain resources, the h2 stream for that request unnecessarily occupied a server thread cleaning up that incoming data. This affects only HTTP/2 connections. A possible mitigation is to not enable the h2 protocol.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.38
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.38 or later.

Affected Software/OS

Apache HTTP Server version 2.4.37 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Apache HTTP Server < 2.4.38 HTTP/2 DoS Vulnerability - Linux`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.141966
Version used: 2024-02-15T05:05:40Z

Product Detection Result
Product: cpe:/a:apache:http_server:2.4.25
Method: Apache HTTP Server Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
cve: CVE-2018-17189
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: CB-K20/0041
cert-bund: CB-K19/0316
cert-bund: CB-K19/0071
dfn-cert: DFN-CERT-2020-2422
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-0781
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0529
dfn-cert: DFN-CERT-2019-0184

Medium (CVSS: 5.3)
NVT: Apache HTTP Server < 2.4.39 URL Normalization Vulnerability - Linux

Product detection result
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary
When the path component of a request URL contains multiple consecutive slashes ('/'), directives such as LocationMatch and RewriteRule must account for duplicates in regular expressions while other aspects of the servers processing will implicitly collapse them.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 2.4.25
Fixed version: 2.4.39
Installation
path / port: 80/tcp

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 2.4.39 or later.

Affected Software/OS
Apache HTTP Server version 2.4.38 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.39 URL Normalization Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.142228
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2019-0220
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2023-2047
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-0757
cert-bund: CB-K20/0708
cert-bund: CB-K19/0623
cert-bund: CB-K19/0267
dfn-cert: DFN-CERT-2022-1610
dfn-cert: DFN-CERT-2020-0184
dfn-cert: DFN-CERT-2019-2592
dfn-cert: DFN-CERT-2019-1519
dfn-cert: DFN-CERT-2019-0815
dfn-cert: DFN-CERT-2019-0690
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0680
dfn-cert: DFN-CERT-2019-0676
```

Medium (CVSS: 5.3)
NVT: Apache HTTP Server < 2.4.39 mod_http2 Use-After-Free Vulnerability - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Using fuzzed network input, the http/2 request handling could be made to access freed memory in string comparison when determining the method of a request and thus process the request incorrectly.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.39
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.39 or later.

Affected Software/OS
Apache HTTP Server version 2.4.38 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.39 mod_http2 Use-After-Free Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.142226
Version used: `2024-02-15T05:05:40Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2019-0196
url: https://httpd.apache.org/security/vulnerabilities_24.html
cert-bund: WID-SEC-2023-2047
cert-bund: CB-K19/0623
cert-bund: CB-K19/0267
dfn-cert: DFN-CERT-2020-2422
dfn-cert: DFN-CERT-2020-1335
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-1054
dfn-cert: DFN-CERT-2019-0687
dfn-cert: DFN-CERT-2019-0676
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.25`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.64
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.64 or later.

Affected Software/OS
Apache HTTP Server version 2.4.63 and prior.

Vulnerability Insight
The following flaws exist:
- CVE-2024-42516: HTTP response splitting
- CVE-2024-43204: SSRF with mod_headers setting Content-Type header
- CVE-2024-47252: mod_ssl error log variable escaping
- CVE-2025-49812: mod_ssl TLS upgrade attack

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Linux`
OID:1.3.6.1.4.1.25623.1.0.154909
Version used: `2025-07-11T15:43:14Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2024-42516
cve: CVE-2024-43204
cve: CVE-2024-47252
cve: CVE-2025-49812
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.64
cert-bund: WID-SEC-2026-0162
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1529
dfn-cert: DFN-CERT-2026-0205
dfn-cert: DFN-CERT-2025-2421
dfn-cert: DFN-CERT-2025-2403
dfn-cert: DFN-CERT-2025-2402
dfn-cert: DFN-CERT-2025-2373
dfn-cert: DFN-CERT-2025-2231
dfn-cert: DFN-CERT-2025-2182
dfn-cert: DFN-CERT-2025-1917
dfn-cert: DFN-CERT-2025-1860
```

Medium (CVSS: 5.0)
NVT: Apache HTTP Server 2.4.17 < 2.4.64 DoS Vulnerability - Linux

Product detection result

```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a denial of service (DoS) vulnerability via HTTP/2.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.64
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.64 or later.

Affected Software/OS

Apache HTTP Server version 2.4.17 through 2.4.63.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Late release of memory after effective lifetime vulnerability in Apache HTTP Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.17 < 2.4.64 DoS Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.154915
Version used: `2025-07-11T15:43:14Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2025-53020`
`url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.64`
`cert-bund: WID-SEC-2025-1850`
`cert-bund: WID-SEC-2025-1529`
`dfn-cert: DFN-CERT-2025-2182`
`dfn-cert: DFN-CERT-2025-1860`

Medium (CVSS: 4.3)
NVT: Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux

Product detection result
`cpe:/a:apache:http_server:2.4.25`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to a Server Side Includes (SSI) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 2.4.25
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server prior to version 2.4.66.

Vulnerability Insight
Apache HTTP Server with SSI enabled and mod_cgid (but not mod_cgi) passes the shell-escaped query string to #exec cmd='...' directives.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.66 SSI Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125564
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2025-58098
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/5
cert-bund: WID-SEC-2026-0153
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0027
dfn-cert: DFN-CERT-2026-0012
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 2.4.x < 2.4.66 Improper Neutralization Vulnerability - Linux

Product detection result
```
cpe:/a:apache:http_server:2.4.25
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to an improper neutralization vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 2.4.25
Fixed version:     2.4.66
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.66 or later.

Affected Software/OS
Apache HTTP Server version 2.4.x prior to 2.4.66.

Vulnerability Insight
Improper neutralization of escape, meta, or control sequences vulnerability in Apache HTTP Server through environment variables set via the Apache configuration unexpectedly superseding variables calculated by the server for CGI programs.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.x < 2.4.66 Improper Neutralization Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.125566
Version used: `2025-12-05T05:44:55Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.25`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References

```
cve: CVE-2025-65082
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66
url: https://www.openwall.com/lists/oss-security/2025/12/04/7
cert-bund: WID-SEC-2026-0155
cert-bund: WID-SEC-2025-2750
dfn-cert: DFN-CERT-2026-0214
dfn-cert: DFN-CERT-2025-3602
dfn-cert: DFN-CERT-2025-3581
dfn-cert: DFN-CERT-2025-3512
dfn-cert: DFN-CERT-2025-3405
```

[return to 172.31.1.83]

2.1.5 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 541963279
Packet 2: 541964360
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
`url: https://datatracker.ietf.org/doc/html/rfc1323`
`url: https://datatracker.ietf.org/doc/html/rfc7323`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d
↪ownload/details.aspx?id=9152
url: https://www.fortiguard.com/psirt/FG-IR-16-090
```

[return to 172.31.1.83]

2.1.6 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-1999-0524
url: https://datatracker.ietf.org/doc/html/rfc792
url: https://datatracker.ietf.org/doc/html/rfc2780
cert-bund: CB-K15/1514
cert-bund: CB-K14/0632
dfn-cert: DFN-CERT-2014-0658

[return to 172.31.1.83]

2.1.7 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Hostname determination for IP 172.31.1.83:
Hostname|Source
wp49.trabalho_vulnnet|Reverse-DNS

Solution:

Log Method
Details: Hostname Determination Reporting
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: 2022-07-27T10:11:28Z

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: `IP Forwarding Enabled - Active Check`
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: `2021-12-03T08:27:06Z`

References
`cve: CVE-1999-0511`

Log (CVSS: 0.0)
NVT: Apache HTTP Server Detection Consolidation

Summary
Consolidation of Apache HTTP Server detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Apache HTTP Server
Version:       2.4.25
Location:      80/tcp
CPE:           cpe:/a:apache:http_server:2.4.25
Concluded from version/product identification result:
Server: Apache/2.4.25 (Debian)
```

Solution:

Log Method
Details: `Apache HTTP Server Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.117232
Version used: `2024-03-08T15:37:10Z`

References
`url: https://httpd.apache.org`

Log (CVSS: 0.0)
NVT: Traceroute

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Network route from scanner (172.30.0.2) to target (172.31.1.83):
172.30.0.2
172.31.1.83
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight

For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method

A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `2022-10-17T11:13:19Z`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary

This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Debian GNU/Linux 9
Version:      9
CPE:          cpe:/o:debian:debian_linux:9
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from HTTP Server banner on port 80/tcp: Server: Apache/2.4.25 (Debian)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Setting key "Host/runs_unixoide" based on this information

Solution:

Log Method
Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-01-21T05:50:46Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 172.31.1.83]

2.1.8 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
172.31.1.83|cpe:/a:apache:http_server:2.4.25
172.31.1.83|cpe:/o:debian:debian_linux:9

Solution:

Log Method
Details: CPE Inventory
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: 2022-07-27T10:11:28Z

References
url: https://nvd.nist.gov/products/cpe

[return to 172.31.1.83]

2.1.9 Log 80/tcp

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote HTTP Server banner is:
Server: Apache/2.4.25 (Debian)
```

Solution:

Log Method
Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Missing Headers                   | More Information
--------------------------------------------------------------------------------
↪--------------------------------------------------------------------------------
↪-----------------------------------------------
Content-Security-Policy           | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy        | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
```

... continues on next page ...

. . . continued from previous page . . .

```
Document-Policy                   | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Feature-Policy                    | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Referrer-Policy                   | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options            | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options                   | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                  | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

Log Method

Details: HTTP Security Headers Detection
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: 2025-03-21T15:40:43Z

References

url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-secure-headers/#div-headers
url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The Hostname/IP "wp49.trabalho_vulnnet" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
http://wp49.trabalho_vulnnet/
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
```

Solution:

Log Method
Details: `Web Application Scanning Consolidation / Info Reporting`
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: `2026-01-13T05:47:36Z`

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://forum.greenbone.net/c/vulnerability-tests/7
```

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner                   | Enumeration technique
--------------------------------------------------------------------------------
↪-----------------
Server: Apache/2.4.25 (Debian) | Invalid HTTP 00.5 GET request (non-existent HTT
↪P version) to '/'
X-Powered-By: PHP/7.2.12        | Valid HTTP 1.0 GET request to '/index.htm'
```

Solution:

Log Method
Details: HTTP Server Banner Enumeration
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
A web server is running on this port
```

Solution:

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

[return to 172.31.1.83]