


Sources

PostGres: [PostgreSQL: Windows installers](#)


pgAdmin is included

Installation


Click “Next”.




Select the application installation directory.




Select all the components to install.




Select the data directory.




Select the listener port.



Select the Locale.



Confirm the settings.




Click “Next” and “Next”

Initial configuration


Postgres installed pgAdmin, a GUI admin console for the Postgres server. Locate the Postgres folder in the start menu and click on it. Click on the pgAdmin icon.

You will be prompted for the password for the postgres account.




Create Tablespace

Create a folder under your root data folder called “Intune”.




Right-click on “Tablespaces”, “Create” and select “Tablespace”.




Give it the name “Intune”,

Click on the “Definition” tab.



Set the location to the Intune folder you just created.

Click “Save”.




Create Database

Right-click on “Databases”, “Create” and then “Database...”




Give it the name “Intune”.

Click the “Definition” tab.



Set the tablespace to “Intune”.

Click “Save”.



Configure Service Account

Right-click on “Login/Group Roles”, “Create”, “Login/Group Role...”

Give it the name “Intune”,


Click the “Definition” tab.

Enter a suitably complex password.

Click the Privileges tab.

Grant the account the ability to log in.


Click “Save”.



Expand “Databases”, “Intune”, “Schemas”. Right-click on “public”, choose “Properties”.

Click on the “Security” tab.

Click the “+” sign on the upper right of the dialog.




Select the “Intune” account and grant the “All” permissions.

Click the “Default privileges” tab.



Add the “Intune” account and grant all privileges to it.

Click “Save”.



Configure User Account

A user account should be read only, the process is the same, but the permissions should be different.

Create the “Login/Group Roles” for the user’s name, set the password on the “Definitions” tab and grant the ability to log in on the “Privileges” tab.



The screenshot shows the 'Group Role - Login/Group Roles' configuration window with the 'Privileges' tab selected. The window has tabs for General, Definition, Privileges, Membership, Parameters, Security, and SQL. The Privileges tab contains several toggle switches for permissions: 'Can login?' (checked), 'Superuser?' (unchecked), 'Create roles?' (unchecked), 'Create databases?' (unchecked), 'Inherit rights from the parent roles?' (checked), 'Can initiate streaming replication and backups?' (unchecked), and 'Bypass RLS?' (unchecked). At the bottom, there are buttons for 'Close', 'Reset', and 'Save'.

On the “Public” schema under the “Intune” database, click the “Properties” option and give “User” under the “Security” tab.




The screenshot shows the 'public' schema configuration window with the 'Security' tab selected. The window has tabs for General, Security, Default privileges, and SQL. The Security tab contains a 'Privileges' section with a table listing grants. Below this is a 'Security labels' section with a table for providers and security labels. At the bottom, there are buttons for 'Close', 'Reset', and 'Save'.

Grantee	Privileges	Grantor
Intune	CU	pg_database_o
PUBLIC	U	pg_database_o
pg_database_o	CU	pg_database_o
DataUser	U	postgres

Provider	Security label
----------	----------------

Click the “Default privileges” tab.

Grant the “Select” privilege.



The screenshot shows the 'public' schema configuration window with the 'Default privileges' tab selected. The window has tabs for General, Security, Default privileges, and SQL. The Default privileges tab contains a 'Tables' section with a table listing grants. Below this is a 'Sequences' section with a table for providers and security labels. At the bottom, there are buttons for 'Close', 'Reset', and 'Save'.

Grantee	Privileges	Grantor
Intune	Dadmrtwx	postgres
DataUser	r	postgres

Provider	Security label
----------	----------------

Click “Save”.