

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for Contact.vue

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by Aucun fichier choisi

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 1; to line 1, column 10

```
<template> <se
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** The character encoding was not declared. Proceeding using `windows-1252`.

3. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1; to line 1, column 10

```
<template> <se
```

4. **Warning** Attribute `@submit.prevent` is not serializable as XML 1.0.

From line 4, column 5; to line 4, column 40

```
</h1> <form @submit.prevent="sendEmail()">
```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 8, column 11; to line 14, column 12

```
<input type="text" v-model.capitalize.trim="last_name" name="last_name" id="last_name" required />
```

6. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 18, column 11; to line 24, column 12

```
<input type="text" vmodel.trim="first_name" name="first_name" id="first_name" required />
```

7. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 29, column 9; to line 35, column 10

```
> <input type="text" v-model.trim="object" name="object" id="object" required />
```

8. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 42, column 7; to line 42, column 64

```
iv <input type="submit" value="Envoyer" id="submit_button" />
```

9. **Error** Attribute `scoped` not allowed on element `style` at this point.

From line 47, column 1; to line 47, column 14

```
emplate><<style scoped> sec
```

Attributes for element `style`:

[Global attributes](#)

[media](#) — Applicable media

[blocking](#) — Whether the element is [potentially render-blocking](#)

Also, the [title](#) attribute [has special semantics](#) on this element: [CSS style sheet set name](#)

10. **Error** Attribute `setup` not allowed on element `script` at this point.

From line 106, column 1; to line 106, column 14

```
</style><<script setup> imp
```

Attributes for element `script`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of script

[nomodule](#) — Prevents execution in user agents that support [module scripts](#)

[async](#) — Execute script when available, without blocking while fetching

[defer](#) — Defer script execution

[crossorigin](#) — How the element handles crossorigin requests

[integrity](#) — Integrity metadata used in *Subresource Integrity* checks [\[SRI\]](#)

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[blocking](#) — Whether the element is [potentially render-blocking](#)

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

11.

Error Element [head](#) is missing a required instance of child element [title](#).

At line 135, column 10

```
</script>
```

Content model for element [head](#):

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

Document checking completed.

Used the HTML parser.

Total execution time 3 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.3.18