

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for About.vue

Checker Input

Show ☐ source ☐ outline ☐ image report [Options...](#)

Check by [file upload](#) [Choisir un fichier](#) Aucun fichier choisi

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 1; to line 1, column 10

```
<template>
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** The character encoding was not declared. Proceeding using `windows-1252`.

3. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1; to line 1, column 10

```
<template>
```

4. **Error** Attribute `setup` not allowed on element `script` at this point.

From line 47, column 1; to line 47, column 14

```
emplate><script setup></scri
```

Attributes for element `script`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of script

[nomodule](#) — Prevents execution in user agents that support [module scripts](#)

[async](#) — Execute script when available, without blocking while fetching

[defer](#) — Defer script execution

[crossorigin](#) — How the element handles crossorigin requests

[integrity](#) — Integrity metadata used in *Subresource Integrity* checks ([SRI](#))

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[blocking](#) — Whether the element is [potentially render-blocking](#)

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

5. **Error** Attribute `scoped` not allowed on element `style` at this point.

From line 49, column 1; to line 49, column 14

```
/script><style scoped>.f
```

Attributes for element `style`:

[Global attributes](#)

[media](#) — Applicable media

[blocking](#) — Whether the element is [potentially render-blocking](#)

Also, the [title](#) attribute [has special semantics](#) on this element: [CSS style sheet set name](#)

6. **Error** Element `head` is missing a required instance of child element `title`.

From line 84, column 1; to line 84, column 8

```
0px; }</style>
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

Document checking completed.

Used the HTML parser.

Total execution time 2 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.3.18