

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for Home.vue

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by Aucun fichier choisi

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 1; to line 1, column 10

```
<template> <di
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** The character encoding was not declared. Proceeding using `windows-1252`.

3. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1; to line 1, column 10

```
<template> <di
```

4. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

From line 5, column 9; to line 5, column 18

```
> <Entete />
```

5. **Error** End tag `div` seen, but there were open elements.

From line 6, column 7; to line 6, column 12

```
/> </div> <
```

6. **Error** Unclosed element `entete`.

From line 5, column 9; to line 5, column 18

```
> <Entete />
```

7. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

From line 11, column 11; to line 11, column 19

```
<About />
```

8. **Error** End tag `div` seen, but there were open elements.

From line 12, column 9; to line 12, column 14

```
> </div>
```

9. **Error** Unclosed element `about`.

From line 11, column 11; to line 11, column 19

```
<About />
```

10. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

From line 14, column 11; to line 14, column 22

```
<Projects />
```

11. **Error** End tag `div` seen, but there were open elements.

From line 15, column 9; to line 15, column 14

```
> </div>
```

12. **Error** Unclosed element `projects`.

From line 14, column 11; to line 14, column 22

```
<Projects />
```

13. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

From line 17, column 11; to line 17, column 20

```
<Contact/>
```

14. **Error** End tag `div` seen, but there were open elements.

From line 18, column 9; to line 18, column 14

```
> </div>
```

15. **Error** Unclosed element `contact`.

From line 17, column 11; to line 17, column 20

```
<Contact/>
```

16. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 23, column 13; to line 26, column 14

```

```

17. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

From line 32, column 7; to line 32, column 20

```
<Pieddepage />
```

18. **Error** End tag `footer` seen, but there were open elements.

From line 33, column 5; to line 33, column 13

```
</footer>
```

19. **Error** Unclosed element `pieddepage`.

From line 32, column 7; to line 32, column 20

```
<Pieddepage />
```

20. **Error** Attribute `setup` not allowed on element `script` at this point.

From line 37, column 1; to line 37, column 14

```
<script setup>
```

Attributes for element `script`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of script

[nomodule](#) — Prevents execution in user agents that support [module scripts](#)

[async](#) — Execute script when available, without blocking while fetching

[defer](#) — Defer script execution

[crossorigin](#) — How the element handles crossorigin requests

[integrity](#) — Integrity metadata used in *Subresource Integrity* checks [\[SR\]](#)

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[blocking](#) — Whether the element is [potentially render-blocking](#)

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

21. **Error** Attribute `scoped` not allowed on element `style` at this point.

From line 45, column 1; to line 45, column 14

```
<script><style scoped>
```

Attributes for element `style`:

[Global attributes](#)

[media](#) — Applicable media

[blocking](#) — Whether the element is [potentially render-blocking](#)

Also, the [title](#) attribute [has special semantics](#) on this element: [CSS style sheet set name](#)

22. **Error** CSS: `width`: Too many values or values are not recognized.

From line 54, column 15; to line 54, column 16

```
width: 20 px;
```

23. **Error** Element `head` is missing a required instance of child element `title`.

From line 65, column 1; to line 65, column 8

```
</style>
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

Document checking completed.

Used the HTML parser.

Total execution time 4 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.3.18