

The pool pays two different humans.

One person can run the buyer agent and the worker agent and finish the job. The credits stay in escrow, and that sale does not count. A second person proves the buyer. The same delivery is paid.

- Live desk: <https://rebind-psi.vercel.app>
- World ID enters as a pairwise subject on a token this server has checked. It is the settlement condition.
- A request body that says `differentHumans: true` does not move Paid out.

Track aim: World ID for Agents, sandbox issuer <https://sandbox.auth.world.org>. Tokyo's public World pool is \$15,000. The track write-up on the prize page still says "details coming soon." ethglobal.com/events/tokyo2026/prizes

REBIND · JOB POOL

The pool pays two different humans.

One person can run the buyer and the worker and finish the job. The credits stay in escrow, and that sale does not count. A second person proves the buyer, and the same delivery gets paid.

IN ESCROW
0
Held until two humans differ

PAID OUT
0
The only revenue that counts

REFUSED
0
Same human. Still in escrow.

1 Post
2 Deliver
3 Two humans
4 Pay

STEP 1 OF 4

Escrow a reward

Name the job. The credits move into the pool. They are not revenue yet.

Job

What done looks like

Reward, in credits

Buyer agent

Worker agent

Escrow the reward

The job is delivered. The client says the humans differ. Paid out stays 0.

REBIND · JOB POOL

The pool pays two different humans.

One person can run the buyer and the worker and finish the job. The credits stay in escrow, and that sale does not count. A second person proves the buyer, and the same delivery gets paid.

IN ESCROW

40

Held until two humans differ

PAID OUT

0

The only revenue that counts

REFUSED

0

Same human. Still in escrow.

1 Post

2 Deliver

3 Two humans

4 Pay

Claim ignored

The request said the humans were different and sent two subject ids. The pool did not read those fields.

STEP 3 OF 4

Production check, same day: post a job with a forged buyer subject, deliver it, then POST differentHumans: true plus two subject ids. Response: both proofs null, ignored fields listed, escrow 40, paid 0, counted 0.

Agent markets already count a sale the seller made to himself.

VIRTUALS AGDP, AUDITED BY SIEVE

Sieve's write-up of the Agent Commerce Protocol leaderboard: the epoch distributes \$81,515. Four agents it marks BLOCK share about 201 buyers, funded through one Disperse contract, on mechanical 15-second jobs. The score is computed after the jobs exist. "Human attestation" is listed as a future signal, weighted 10%.
github.com/saurrx/sieve · synthesis.mandate.md/projects/sieve-2130

ERC-8004 REPUTATION, MEASURED

Zhao et al., "Can Trustless Agents Be Trusted?" Reviewers flagged for coordinated Sybil behavior: 73.5% on Ethereum, 59.2% on BSC, 90.6% on Base. The paper's point: a public feedback registry is not a trust signal when the reviewer set can be manufactured.
arxiv.org/html/2606.26028v2

THE SPEC ALREADY WARNS

ERC-8004 `getSummary`: client addresses must be provided. Results without that filter are subject to Sybil and spam. Aggregation of reviewer reputation is left off-chain. The standard publishes the signal. It does not refuse a payment.
eips.ethereum.org/EIPS/eip-8004

RNWX SHOWS THE WALLETS

RNWX's own guide: when 91% of reviews on an agent come from wallets created within 24 hours of the review, the explorer shows the timestamps. That sentence is an example of visibility. The product under it is a score you can read. Settlement still happens.
rnwx.com/learn/verify-ai-agents

The human id has to change the settlement, or it is a badge.

LISBON'S PUBLISHED EXCLUSIONS

World's Lisbon 2026 prize page says these patterns will not qualify: agent reputation, human-backed content generation, and human-backed benefits for agents such as API calls and discounts.

ethglobal.com/events/lisbon2026/prizes

THE WINNER PUT THE ID IN THE FEE

Turing Swap won Lisbon's World AgentKit prize by reading `AgentBook.lookupHuman` inside a `1inch SwapVM` opcode and changing the fee. The human id changed the price. A discount lane is the pattern the brief above names.

ethglobal.com/showcase/turing-swap-ck2y6

THIS POOL WITHHOLDS THE CREDIT

Buyer subject and worker subject are stored only after a server-checked World ID token. If they match, escrow stays put and the job is refused. Counted revenue is the paid figure alone.

`src/pool.ts · decidePayout`

Sieve can tell you the farm happened. A reputation feed can rank it. A free-trial counter, the shape in AgentKit's own docs, meters one human's quota across agents. None of those is this pitch. The pitch is a finished task whose reward does not become revenue.

decidePayout reads delivery, two proofs, and nothing the browser asserts.

```
if not delivered      → hold
if either proof is missing → hold
if issuer ≠ sandbox World → hold    (not-world)
if subject A = subject B  → hold    (same-human, refused)
else                    → release  (counted = reward)
```

Issuer that counts: <https://sandbox.auth.world.org>. A local issuer named local-sandbox stays unpaid even when the two subject strings differ. Replacing the buyer subject with a second World subject releases the same job and clears the refused total.

STAMP FROM NPM RUN SELF-PAY	ESCROW	PAID	REFUSED
DELIVERED	40	0	0
CLIENT_CLAIM_IGNORED	40	0	0
SAME_HUMAN	40	0	40
NOT_A_WORLD_PROOF	40	0	0
PAYOUT_RELEASED	0	40	0

Run on this repo, 26 Sep 2026. Exit 0 prints SELF_PAY_PASSED. The HTTP half posts a forged subject and a differentHumans body against the live routes. Both proofs stay null.

The subject is taken from an ID token. The device code never reaches the page.

1 · CODE

Server POSTs the device-authorization endpoint with HTTP Basic. A secret in the form body is rejected by the issuer. The page receives only the user code.

2 · PERSON

That person approves the code in the sandbox World App. Pending and denied pulls attach nothing.

3 · CHECK

One token pull. RS256 against the JWKS. Issuer, audience, and expiry have to match. Then we store subject and issuer.

4 · SETTLE

Both seats must carry that issuer. The subjects must differ. The decision is recomputed from the stored proofs.

DISCOVERY, FETCHED 26 SEP 2026

Issuer `https://sandbox.auth.world.org`. Device endpoint `/api/v1/device_authorization`. Token endpoint `/api/v1/token`. JWKS on the well-known document. Signing alg RS256. Subject type pairwise. Grants include `urn:ietf:params:oauth:grant-type:device_code`. Scope `openid`. `sandbox.auth.world.org/.well-known/openid-configuration`

WHAT THE BROWSER CANNOT SUPPLY

Post, deliver, and claim accept a subject, an issuer, released, and differentHumans. Those fields are not copied onto the job. There is no `/proof` route. Pull without a server-held device code returns an error and stores nothing. On Vercel the job, the device code, and the user code ride in an HMAC-signed `httpOnly` cookie so the escrow survives the next request.
`src/jobs.ts` · `src/world-oidc.ts` · `src/durable-state.ts`

Escrow is not revenue. The reward sits in the pool at 40, paid 0.

REBIND · JOB POOL

The pool pays two different humans.

One person can run the buyer and the worker and finish the job. The credits stay in escrow, and that sale does not count. A second person proves the buyer, and the same delivery gets paid.

IN ESCROW

40

Held until two humans differ

PAID OUT

0

The only revenue that counts

REFUSED

0

Same human. Still in escrow.

1 Post

2 Deliver

3 Two humans

4 Pay

STEP 2 OF 4

The worker finishes

40 credits are locked for “Summarize the Tokyo briefing”. Finish the work. The pool still has not paid.

The form is prefilled so the booth is one button: “Summarize the Tokyo briefing,” 40 credits, buyer agent, worker agent. Posting writes a job id the client does not choose. Proofs start null.

Delivered, still unpaid. The next action is a World code, not a checkbox.

REBIND · JOB POOL

The pool pays two different humans.

One person can run the buyer and the worker and finish the job. The credits stay in escrow, and that sale does not count. A second person proves the buyer, and the same delivery gets paid.

IN ESCROW

40

Held until two humans differ

PAID OUT

0

The only revenue that counts

REFUSED

0

Same human. Still in escrow.

1 Post

2 Deliver

3 Two humans

4 Pay

STEP 3 OF 4

Two different humans

"Summarize the Tokyo briefing" is delivered. 40 credits are still in escrow. Each side approves in World App. This server keeps the subject ids.

Buyer and worker are still "Waiting for World App." The ghost button sends `differentHumans=true` and two fake subject ids. The following screen is the claim receipt on page 2: the pool did not read those fields. Get-code on a server without credentials returns "World App is off," and the ledger does not move. Production has the sandbox client, so that button issues a real user code.

Same function, fixture subjects. The live ledger above this panel does not move.

Recorded take

No second phone in the room? The server runs the payout rule on fixture subjects. This does not move the credits above. A fixture is not a World App approval.

Play the recorded take

DELIVERED

THE WORK IS FINISHED

Both agents are done. No human has checked in, so the credits stay in escrow.

Escrow 40 · Paid 0 · Refused 0

CLIENT_CLAIM_IGNORED

THE CLIENT SAID THE HUMANS DIFFER

differentHumans was true and two subject ids were in the body. The pool stored neither proof.

Escrow 40 · Paid 0 · Refused 0

SAME_HUMAN

ONE PHONE APPROVED BOTH SIDES

The subject ids match. The job looks done. The payout stays locked and does not count.

SAME_HUMAN stores one pairwise-shaped subject on both seats and refuses 40. NOT_A_WORLD_PROOF uses issuer local-sandbox with two different strings and pays 0. PAYOUT_RELEASED swaps the buyer to a second subject at the sandbox issuer: escrow 0, paid 40, refused 0. These subjects are attached by the server inside runSelfPay(). They are not a World App approval. The panel says so.

Narrate the Paid out column. The job status will lie to you.

WHEN	DO THIS	PAID OUT	SAY THIS
0:00	Open the pool.	0	Two agents, one reward, nothing earned.
0:12	Escrow the prefilled job.	0	40 is locked. It is not revenue.
0:24	Mark the work delivered.	0	The task is done. The pool has not paid.
0:36	Say the humans are different.	0	The client filed the claim. The server dropped it.
0:50	One phone approves buyer and worker.	0	Same subject. Refused. Still in escrow.
1:10	A second phone approves a new buyer code.	40	Subjects differ. The same delivery counts.

If the second phone is not in the room, play the recorded take at 0:50 and point at SAME_HUMAN, then PAYOUT_RELEASED. Say that those subjects are fixtures. The live path is the two World App approvals. Both paths call the same payout rule.

The refusal is deployed. The second live subject is a World App approval.

TRUE ON 26 SEP 2026

`npm run self-pay` exits 0, including the HTTP forged-subject check. `npm run win-revoke` and `npm run foil-revoke` still exit 0. Production serves the desk, the film at `/film`, and the older key desk at `/desk`. A cookie-jar against production kept the job across requests, ignored the forged proof, and returned `passed: true` for the take. The sandbox discovery document matches the endpoints in `src/world-oidc.ts`.

OUT OF SCOPE, ON PURPOSE

No AgentBook opcode. No World login. No reputation score. No free-trial meter. No claim that a fixture subject was issued by World App. Credits are an in-app unit, not USDC.

STILL A HUMAN IN THE SANDBOX APP

Production can start a device grant and return a user code. Until someone approves it, pull stays pending and no subject is stored. Two different sandbox World App accounts are what move the live Paid out number. One account on both seats is what fills Refused. The film's older rebind path is a separate desk. This pitch does not depend on it.

HOW A JUDGE RE-RUNS IT

`npm i · npm run self-pay · npm run dev · open port 43210`. Production: the URL on page 1. World credentials stay on the server. They are not in the repo.

Manufactured revenue the pool refuses to pay.

Two agents, one phone, a finished task, a balance that stays in escrow. A second human, and the same task counts.

PRIMARY SOURCES

Sieve audit — github.com/saurrx/sieve
ERC-8004 measurement — arxiv.org/html/2606.26028v2
ERC-8004 — eips.ethereum.org/EIPS/eip-8004
RNWY reviewer ages — rnwy.com/learn/verify-ai-agents
Fetched and checked 26 Sep 2026. The 91% line is RNWY's example of a visible pattern, not a network-wide rate.

SPONSOR AND ISSUER

Lisbon exclusions — ethglobal.com/events/lisbon2026/prizes
Turing Swap — ethglobal.com/showcase/turing-swap-ck2y6
Tokyo World pool — ethglobal.com/events/tokyo2026/prizes
Sandbox OIDC — sandbox.auth.world.org/.well-known/openid-configuration
Screenshots: local win-mode server, 26 Sep 2026, after escrow, delivery, the ignored claim, and the recorded take.