


What the public sources show, and what we can build from them.

Visuals are the publishers' own images: World's CDN, World developer docs, and GitHub Open Graph cards. Each slide names the URL. No unlicensed Google Image scrape.

AgentKit is proof of human for agents. Their poster also sells a free trial. We do not.




world.org/blog/announcements/now-available-agentkit-proof-of-human-for-the-agentic-web · image hosted on world-cdn.worldcoin.org. The essay also describes free trials per unique human. Our slate kills free-trial as the win.

The contract still has no revoke, and unregister is blocked.

worldcoin/agentkit

#37 RFC: define AgentBook re-registration, revocatio...



 0 comments

 **realmehmetali** opened on July 18, 2026



github.com/worldcoin/agentkit/issues/37 · RFC: re-registration, revocation, and wallet rotation. Opened 18 July 2026. IAgentBook has no revocation operation.

worldcoin/agentkit

#23 How to unregister an agent




 3 comments

 **amcfield** opened on April 27, 2026



github.com/worldcoin/agentkit/issues/23 · "How to unregister an agent." Hosted flow returns ALREADY_REGISTERED. Still open.

The hackathon plugin talks only to the sandbox IdP.



github.com/worldcoin/world-id-agent-plugin · README: MCP base is <https://sandbox.auth.world.org/mcp>. Not staging. Not production.



docs.world.org/world-id/sandbox/what-is-sandbox · Sandbox World ID app, QR and deep link, proofs that are not production identities. Image: raw.githubusercontent.com/worldcoin/developer-docs/docs-meta.png.

Register a sandbox OIDC client, then verify the token on our server.

- Developer scope `developer-portal:manage` registers the app. Callback must be HTTPS. Localhost is rejected.
- Client secret stays in server env. It is never sent to the browser and never pasted into chat.
- Our existing `POST /rebind/live/start` calls `https://sandbox.auth.world.org/api/v1/device_authorization`.
- `POST /rebind/live/pull` checks RS256, issuer, audience, and expiry on the ID token, then stores `iss|sub`.
- Denied, expired, or a client “validated” flag never writes that field, so K2 cannot pay.

Discovery read live: `sandbox.auth.world.org/.well-known/openid-configuration` · device grant, token endpoint, JWKS, acr orb-v3, pairwise subject.

The blog's free trial and AgentBook-as-opcode are the wrong product.

- AgentKit free-trial mode (x402 docs, and the 17 March essay) is a hard no. We do not sell “five free requests.”
- IDKit human-in-the-loop as app login is a hard no. The protected action stays the paid grant.
- We do not ship an AgentBook mainnet opcode. Issues #37 and #23 are the reason revoke matters, not a patch we claim to have merged.
- A Vercel serverless function alone will drop the in-memory registry between calls. Live OIDC also needs one stable HTTPS callback.

x402 guide: github.com/worldcoin/agentkit/blob/main/x402/DOCS.md · HITL: docs.world.org/agents/human-in-the-loop/integrate

Every visual and claim above.

1. World, "Now available: AgentKit," 17 March 2026. world.org/blog/announcements/now-available-agentkit-proof-of-human-for-the-agentic-web
2. worldcoin/agentkit#37, opened 18 July 2026. github.com/worldcoin/agentkit/issues/37
3. worldcoin/agentkit#23, opened 27 April 2026. github.com/worldcoin/agentkit/issues/23
4. worldcoin/world-id-agent-plugin README. github.com/worldcoin/world-id-agent-plugin
5. World ID sandbox. docs.world.org/world-id/sandbox/what-is-sandbox
6. Sandbox IdP discovery. sandbox.auth.world.org/.well-known/openid-configuration
7. AgentKit x402 guide. github.com/worldcoin/agentkit/blob/main/x402/DOCS.md