Question 1

Not yet answered

Marked out of 1.00

What happens when we try to compile the class definition in following code snippet?

```
class Birds {};
class Peacock : protected Birds {};
```

Select one:

- **a. It will not compile because a class cannot be protectedly inherited from other class.**
- **b. It will compile succesfully.**
- **c. It will not compile because class body of Birds is not defined.**
- **d. It will not compile because class body of Peacock is not defined.**

Question 2

Not yet answered

Marked out of 1.00

Which of the following best describes the term life cycle model?

Select one:

- **a. None of these**
- **b. It describes the way requirements for an application change at different stages in the life of the organization.**
- **c. It describes the phases through which a development project passes from the inception of the idea to completion of the product and its eventual decommissioning.**
- **d. It describes how a computerized information system is used during its lifetime.**

Question **3**

Not yet answered

Marked out of 1.00

Predict the output of the below program:

```
#include <stdio.h>
#define EVEN 0
#define ODD 1

int main()
{
int i = 3;
switch (i & 1)
{
case EVEN: printf("Even");
break;
case ODD: printf("Odd");
break;
default: printf("Default");
}
return 0;
}
```

Select one:

- **a. Even**
- **b. Compile-time error**
- **c. Default**
- **d. Odd**

Question **4**

Not yet answered

Marked out of 1.00

The information to be communicated in a data communications system is the _____.

Select one:

- **a. Protocol**
- **b. Message**
- **c. Medium**
- **d. Transmission**

Question 5

Not yet answered

Marked out of 1.00

Predict the output of following C++ program?

```
#include<iostream>
using namespace std;

class Test
{
private:
int x;
public:
Test() {x = 0;}
void destroy() { delete this; }
void print() { cout << "x = " << x; }
};

int main()
{
Test obj;
obj.destroy();
obj.print();
return 0;
}
```

Select one:

- **a. x = 0**
- **b. None of these**
- **c. undefined behavior/segmentation fault**
- **d. compiler error**

Question 6

Not yet answered

Marked out of 1.00

Some of the tasks in the general problem-solving model are listed below. Which of the following list these tasks in the correct sequence?

Select one:

- **a. Problem definition, Finding solutions, Problem redefinition.**
- **b. Data gathering, Finding solutions, Finding ideas.**
- **c. Problem definition, Finding Solutions, Testing, Development**
- **d. Problem definition, Data gathering, Problem redefinition.**

Question 7

Not yet answered

Marked out of 1.00

```
class Mixer {
Mixer() { }
Mixer(Mixer m) { m1 = m; }
Mixer m1;
public static void main(String[] args) {
Mixer m2 = new Mixer();
Mixer m3 = new Mixer(m2); m3.go();
Mixer m4 = m3.m1; m4.go();
Mixer m5 = m2.m1; m5.go();
}
void go() { System.out.print("hi "); }
}
```

What is the result?

Select one:

- **a. hi hi**
- **b. Compilation fails**
- **c. hi, followed by an exception**
- **d. hi hi, followed by an exception**
- **e. hi hi hi**
- **f. hi**

Question 8

Not yet answered

Marked out of 1.00

The _____ is the physical path over which a message travels.

Select one:

- **a. Medium**
- **b. All of these**
- **c. Protocol**
- **d. Signal**

Question **9**

Not yet answered

Marked out of 1.00

Given:

```
3. class A { }
4. class B extends A { }
5. public class ComingThru {
6. static String s = "-";
7. public static void main(String[] args) {
8. A[] aa = new A[2];
9. B[] ba = new B[2];
10. sifter(aa);
11. sifter(ba);
12. sifter(7);
13. System.out.println(s);
14. }
15. static void sifter(A[]... a2) { s += "1"; }
16. static void sifter(B[]... b1) { s += "2"; }
17. static void sifter(B[] b1) { s += "3"; }
18. static void sifter(Object o) { s += "4"; }
19. }
```

What is the result?

Select one:

- **a. Compilation fails**
- **b. -434**
- **c. -134**
- **d. -424**
- **e. -124**
- **f. -444**

Question **10**

Not yet answered

Marked out of 1.00

```
#include<stdio.h>
int f(int *a, int n)
{
if(n <= 0) return 0;
else if(*a % 2 == 0) return *a + f(a+1, n-1);
else return *a - f(a+1, n-1);
}

int main()
{
int a[] = {12, 7, 13, 4, 11, 6};
printf("%d", f(a, 6));
getchar();
return 0;
}
```

Select one:

- **a. 19**
- **b. 5**
- **c. 15**
- **d. -9**

Question **11**

Not yet answered

Marked out of 1.00

```
#include <stdio.h>
int fun(int n, int *f_p)
{
int t, f;
if (n <= 1)
{
*f_p = 1;
return 1;
}
t = fun(n- 1,f_p);
f = t+ * f_p;
*f_p = t;
return f;
}

int main()
{
int x = 15;
printf (" %d \n", fun(5, &x));
return 0;
}
```

Select one:

- **a. 8**
- **b. 6**
- **c. 15**
- **d. 14**

Question **12**

Not yet answered

Marked out of 1.00

Pick the best statement for the below program:

```
#include <stdio.h>

int main()
{
struct {int i; char c;} myVar = {.c ='A',.i = 100};
printf("%d %c",myVar.i, myVar.c);
return 0;
}
```

Select one:

- **a. No compile error and it'll print 100 A.**
- **b. Compile error because of incorrect syntax of initialization of myVar. Basically, member of operator (i.e. dot .) has been used without myVar.**
- **c. Compile error because struct type (containing two fields of dissimilar type i.e. an int and a char) has been mentioned along with definition of myVar of that struct type.**
- **d. Compile error for not only B but for incorrect order of fields in myVar i.e. field c has been initialized first and then field i has been initialized.**

Question 13

Not yet answered

Marked out of 1.00

Which of the following is a true statement regarding a systems development project?

Select one:

- **a. A systems development project is only concerned with deployment only**
- **b. A systems development project is only concerned with developing a software system.**
- **c. A systems development project may not involve software development.**
- **d. A systems development project is only concerned with developing systems for controlling devices or machines.**

Question 14

Not yet answered

Marked out of 1.00

But given the following definitions (along-with initialization) of 2D arrays

```
int array2D[2][4] = {1,2,3,4,5,6,7,8}; /* (i) */
int array2D[][4] = {1,2,3,4,5,6,7,8}; /* (ii) */
int array2D[2][] = {1,2,3,4,5,6,7,8}; /* (iii) */
int array2D[][] = {1,2,3,4,5,6,7,8}; /* (iv) */
```

Pick the correct statements.

Select one:

- **a. Only (i) is correct.**
- **b. Only (i) and (ii) are correct.**
- **c. All (i), (ii), (iii) and (iv) are correct.**
- **d. Only (i), (ii) and (iii) are correct.**

Question 15

Not yet answered

Marked out of 1.00

```
#include<stdio.h>
int main()
{
char str[] = "helloKmit";
printf("%s %s %s\n", &str[5], &5[str], str+5);
printf("%c %c %c\n", *(str+6), str[6], 6[str]);
return 0;
}
```

Select one:

- **a. Compiler Error**
- **b. Kmit Kmit Kmit**
  m m m
- **c. mit mit mit**
  m m m
- **d. Runtime Error**

Question 16

Not yet answered

Marked out of 1.00

Given:

```
class Fizz {
int x = 5;
public static void main(String[] args) {
final Fizz f1 = new Fizz();
Fizz f2 = new Fizz();
Fizz f3 = FizzSwitch(f1,f2);
System.out.println((f1 == f3) + " " + (f1.x == f3.x));
}

static Fizz FizzSwitch(Fizz x, Fizz y) {
final Fizz z = x;
z.x = 6;
return z;
} }
```

What is the result?

Select one:

- **a. Compilation fails**
- **b. true false**
- **c. true true**
- **d. An exception is thrown at runtime**
- **e. false false**
- **f. false true**

Question 17

Not yet answered

Marked out of 1.00

An unauthorized user is a network _____ issue.

Select one:

- **a. Security**
- **b. All of these**
- **c. Performance**
- **d. Reliability**

Question **18**

Not yet answered

Marked out of 1.00

Output of following program?

Assume that the size of int is 4 bytes and size of double is 8 bytes, and there is no alignment done by the compiler.

```
#include<iostream>
#include<stdlib.h>
using namespace std;

template<class T, class U, class V=double>
class A {
T x;
U y;
V z;
static int count;
};

int main()
{
A<int, int> a;
A<double, double> b;
cout << sizeof(a) << endl;
cout << sizeof(b) << endl;
return 0;
}
```

Select one:

- **a. 16**
  24
- **b. 20**
  28
- **c. Compiler Error: template parameters cannot have default values.**
- **d. 8**
  16

Question **19**

Not yet answered

Marked out of 1.00

```
#include <iostream>
using namespace std;

class Test {
public:
Test() { cout << "Constructing an object of Test " << endl; }
~Test() { cout << "Destructing an object of Test " << endl; }
};

int main() {
try {
Test t1;
throw 10;
} catch(int i) {
cout << "Caught " << i << endl;
}
}
```

Select one:

- **a. Constructing an object of Test**
  Caught 10
- **b. Compiler Error**
- **c. Caught 10**
- **d. Constructing an object of Test**
  Destructing an object of Test
  Caught 10

Question **20**

Not yet answered

Marked out of 1.00

Given:

```
class Bird {
{ System.out.print("b1 "); }
public Bird() { System.out.print("b2 "); }
}
class Raptor extends Bird {
static { System.out.print("r1 "); }
public Raptor() { System.out.print("r2 "); }
{ System.out.print("r3 "); }
static { System.out.print("r4 "); }
}
class Hawk extends Raptor {
public static void main(String[] args) {
System.out.print("pre ");
new Hawk();
System.out.println("hawk ");
}
}
```

What is the result?

Select one:

- **a. Compilation fails**
- **b. r1 r4 pre b2 b1 r2 r3 hawk**
- **c. r1 r4 pre b1 b2 r3 r2 hawk**
- **d. pre b2 b1 r2 r3 hawk**
- **e. pre r1 r4 b2 b1 r2 r3 hawk**
- **f. pre r1 r4 b1 b2 r3 r2 hawk**
- **g. pre b2 b1 r2 r3 hawk r1 r4**
- **h. pre b1 b2 r3 r2 hawk**
- **i. The order of output cannot be predicted**

Quiz Navigation

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

Finish attempt ... (http://classroom.teleuniv.com/mod/quiz/summary.php?attempt=10747)

Copyright © 2020 Teleparadigm Networks Pvt. Ltd. All Rights Reserved. Version 4.2

/