Question 1

Not yet answered

Marked out of 1.00

Which of the following best describes how composition differs from aggregation?

Select one:

- **a. A part that belongs to a composition cannot have associations with any other classes, whereas a part that belongs to an aggregation can have associations with other classes.**
- **b. None of these**
- **c. A part can belong to only one composition, whereas a part can belong to more than one aggregation.**
- **d. A part cannot be removed from a composition, whereas a part can be removed from an aggregation.**

Question 2

Not yet answered

Marked out of 1.00

```
3. class Beta { }
4. class Alpha {
5. static Beta b1;
6. Beta b2;
7. }
8. public class Tester {
9. public static void main(String[] args) {
10. Beta b1 = new Beta(); Beta b2 = new Beta();
11. Alpha a1 = new Alpha(); Alpha a2 = new Alpha();
12. a1.b1 = b1;
13. a1.b2 = b1;
14. a2.b2 = b2;
15. a1 = null; b1 = null; b2 = null;
16. // do stuff
17. }
18. }
```

When line 16 is reached, how many objects will be eligible for garbage collection?

Select one:

- **a. 1**
- **b. 0**
- **c. 2**
- **d. 3**
- **e. 5**
- **f. 4**

Question 3

Not yet answered

Marked out of 1.00

A member function can always access the data in _____ , (in C++).

Select one:

- **a. the object of which it is a member**
- **b. the class of which it is member**
- **c. the public part of its class**
- **d. the private part of its class**

Question 4

Not yet answered

Marked out of 1.00

The following numbers are inserted into an empty binary search tree in the given order: 10, 1, 3, 5, 15, 12, 16.
What is the height of the binary search tree (the height is the maximum distance of a leaf node from the root)?

Select one:

- **a. 4**
- **b. 6**
- **c. 3**
- **d. 2**

Question **5**

Not yet answered

Marked out of 1.00

```
#include<stdio.h>
void crazy(int n,int a,int b)
{
if (n <= 0) return;
crazy(n-1, a, b+n);
printf("%d %d %d\n",n,a,b);
crazy(n-1, b, a+n);
}

int main()
{
crazy(3,4,5);
return 0;
}
```

Select one:

- **a. 3 4 5**
  1 5 9
  2 5 7
  1 7 7
- **b. 3 4 5**
  1 4 10
  2 4 8
  1 8 6
  1 5 9
  2 5 7
  1 7 7
- **c. 1 4 10**
  2 4 8
  1 8 6
  3 4 5
- **d. 1 4 10**
  2 4 8
  1 8 6
  3 4 5
  1 5 9
  2 5 7
  1 7 7

Question 6

Not yet answered

Marked out of 1.00

Given:

```
3. class Box {
4. int size;
5. Box(int s) { size = s; }
6. }
7. public class Laser {
8. public static void main(String[] args) {
9. Box b1 = new Box(5);
10. Box[] ba = go(b1, new Box(6));
11. ba[0] = b1;
12. for(Box b : ba) System.out.print(b.size + " ");
13. }
14. static Box[] go(Box b1, Box b2) {
15. b1.size = 4;
16. Box[] ma = {b2, b1};
17. return ma;
18. }
19. }
```

What is the result?

Select one:

- **a. 5 4**
- **b. 5 5**
- **c. 6 4**
- **d. 4 5**
- **e. Compilation fails**
- **f. 4 4**

Question 7

Not yet answered

Marked out of 1.00

A binary search tree is generated by inserting in order the following integers:

50, 15, 62, 5, 20, 58, 91, 3, 8, 37, 60, 24

The number of the node in the left sub-tree and right sub-tree of the root, respectively, is

Select one:

- **a. (4, 7)**
- **b. (7, 4)**
- **c. (3, 8)**
- **d. (8, 3)**

Question **8**

Not yet answered

Marked out of 1.00

```
#include<iostream>
using namespace std;

int &fun()
{
int x = 10;
return x;
}
int main()
{
fun() = 30;
cout << fun();
return 0;
}
```

Select one:

- **a. May cause runtime error/segmentation fault**
- **b. 0**
- **c. May cause compiler error**
- **d. Always works fine.**

Question **9**

Not yet answered

Marked out of 1.00

Predict the output of the following C Program

```
char p[20];
char *s = "string";
int length = strlen(s);
int i;
for (i = 0; i < length; i++)
p[i] = s[length - i];
printf("%s", p);
```

The output of the program is?

Select one:

- **a. gnirt**
- **b. string**
- **c. no output is printed**
- **d. gnirts**

Question **10**

Not yet answered

Marked out of 1.00

Which of the following best describes composition?

Select one:

- **a. None of these**
- **b. A relationship between a whole and its parts.**
- **c. A set of realizations for a single use case.**
- **d. A package of model elements.**

Question **11**

Not yet answered

Marked out of 1.00

```
#include<iostream>
using namespace std;

class AreaFinder
{
float l, b, h;
float result;
public:
AreaFinder(float hh = 0, float ll = 0, float bb = 0)
{
l = ll;
b = bb;
h = hh;
}
void Display(int ll)
{
if(l = 0)
result = 3.14f * h * h;
else
result = l * b;
cout<< result;
}
};
int main()
{
AreaFinder objAF(10, 10, 20);
objAF.Display(0);
return 0;
}
```

Select one:

- **a. 314.0000**
- **b. 314**
- **c. 200.0000**
- **d. 0**

Question **12**

Not yet answered

Marked out of 1.00

```
#include <stdio.h>
int main()
{
int a = 10, b = 20, c = 30;
if (c > b > a)
printf("TRUE");
else
printf("FALSE");
return 0;
}
```

Select one:

- **a. Compiler Error**
- **b. TRUE**
- **c. FALSE**
- **d. Output is compiler dependent**

Question **13**

Not yet answered

Marked out of 1.00

Given:

```
class Hexy {
public static void main(String[] args) {
Integer i = 42;
String s = (i<40)?"life":(i>50)?"universe":"everything";
System.out.println(s);
}
}
```

What is the result?

Select one:

- **a. life**
- **b. null**
- **c. An exception is thrown at runtime**
- **d. everything**
- **e. Compilation fails**
- **f. universe**

Question **14**

Not yet answered

Marked out of 1.00

The statement that is executed automatically by the system as a side effect of the modification of the database is

Select one:

- **a. backup**
- **b. assertion**
- **c. recovery**
- **d. trigger**

Question 15

Not yet answered

Marked out of 1.00

Given:

```
3. public class Dark {
4. int x = 3;
5. public static void main(String[] args) {
6. new Dark().go1();
7. }
8. void go1() {
9. int x;
10. go2(++x);
11. }
12. void go2(int y) {
13. int x = ++y;
14. System.out.println(x);
15. }
16. }
```

What is the result?

Select one:

- **a. 3**
- **b. 4**
- **c. Compilation fails**
- **d. 2**
- **e. 5**
- **f. An exception is thrown at runtime**

Question 16

Not yet answered

Marked out of 1.00

Which of the following true about FILE *fp

Select one:

- **a. FILE is a buffered stream**
- **b. FILE is a structure and fp is a pointer to the structure of FILE type**
- **c. FILE is a keyword in C for representing files and fp is a variable of FILE type.**
- **d. FILE is a stream**

Question 17

Not yet answered

Marked out of 1.00

A process executes the code

```
fork();
fork();
fork();
```

The total number of child processes created is

Select one:

- **a. 8**
- **b. 4**
- **c. 7**
- **d. 3**

Question 18

Not yet answered

Marked out of 1.00

In Unix operating system, when a process creates a new process using the fork () system call,
which of the following state is shared between the parent process and child process?

Select one:

- **a. Both Heap and Stack**
- **b. Stack**
- **c. Heap**
- **d. Shared memory segments**

Question **19**

Not yet answered

Marked out of 1.00

```
#include <iostream>
#include<string>
using namespace std;

class Base
{
public:
virtual string print() const
{
return "This is Base class";
}
};

class Derived : public Base
{
public:
virtual string print() const
{
return "This is Derived class";
}
};

void describe(Base p)
{
cout << p.print() << endl;
}

int main()
{
Base b;
Derived d;
describe(b);
describe(d);
return 0;
}
```

Select one:

- **a. This is Base class**
  This is Derived class
- **b. Compiler Error**
- **c. This is Base class**
  This is Base class
- **d. This is Derived class**
  This is Base class

Question **20**

Not yet answered

Marked out of 1.00

What is the role of encapsulation in reuse?

Select one:

- **a. Encapsulation means that there is no need for software developers to document their work.**
- **b. None of these**
- **c. Encapsulation means that software components can work more efficiently.**
- **d. Encapsulation means that it is not necessary for other developers to know how a software component works internally.**

Quiz Navigation

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

Finish attempt ... (http://classroom.teleuniv.com/mod/quiz/summary.php?attempt=10931)

Copyright © 2020 Teleparadigm Networks Pvt. Ltd. All Rights Reserved. Version 4.2

/